



Prüfvorlage 2 für Farbwiedergabe: metamere Farben D65 und D50; Offsetdruck (CMY0)




01: R00Y_075_050_ 02: R50Y_075_050_ 03: Y00G_075_050_ 04: Y50G_075_050_ 05: G00B_075_050_ 06: G50B_075_050_ 07: B00R_075_050_ 08: B50R_075_050_ 09=10: R00Y_075_050_




10: R00Y_075_050_ 11: R50Y_075_050_ 12: Y00G_075_050_ 13: Y50G_075_050_ 14: G00B_075_050_ 15: G50B_075_050_ 16: B00R_075_050_ 17: B50R_075_050_ 18=01: R00Y_075_050_




19: R00Y_075_050_ 20: R50Y_075_050_ 21: Y00G_075_050_ 22: Y50G_075_050_ 23: G00B_075_050_ 24: G50B_075_050_ 25: B00R_075_050_ 26: B50R_075_050_ 27=19: R00Y_075_050_



28: NW_000_ 29: NW_013_ 30: NW_025_ 31: NW_038_ 32: NW_050_ 33: NW_063_ 34: NW_075_ 35: NW_088_ 36=28: NW_100_



37: NW_000_ 38: NW_013_ 39: NW_025_ 40: NW_038_ 41: NW_050_ 42: NW_063_ 43: NW_075_ 44: NW_088_ 45=37: NW_100_



46: NW_000_ 47: NW_013_ 48: NW_025_ 49: NW_038_ 50: NW_050_ 51: NW_063_ 52: NW_075_ 53: NW_088_ 54: NW_100_

Serie:
metamer
m
D65

central
z
D65/D50

metamer
m
D50

metamer
m
D65

grau
g
D65/D50

metamer
m
D50

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/PG26/PG26L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>

TUB-Registrierung: 20130201-PG26/PG26L0NA.TXT / .PS
Anwendung für Messung von Offsetdruck-Ausgabe

TUB-Material: Code=rha4ta

Prüfvorlage 2 für Farbwiedergabe: metamere Farben D65 und D50; Offsetdruck (CMY0); $rgb \rightarrow rgb_d$



01: R00Y_075_050_d 02: R50Y_075_050_d 03: Y00G_075_050_d 04: Y50G_075_050_d 05: G00B_075_050_d 06: G50B_075_050_d 07: B00R_075_050_d 08: B50R_075_050_d 09=10: R00Y_075_050_d

Serie:
metamer
m
D65



10: R00Y_075_050_d 11: R50Y_075_050_d 12: Y00G_075_050_d 13: Y50G_075_050_d 14: G00B_075_050_d 15: G50B_075_050_d 16: B00R_075_050_d 17: B50R_075_050_d 18=01: R00Y_075_050_d

central
z
D65/D50



19: R00Y_075_050_d 20: R50Y_075_050_d 21: Y00G_075_050_d 22: Y50G_075_050_d 23: G00B_075_050_d 24: G50B_075_050_d 25: B00R_075_050_d 26: B50R_075_050_d 27=19: R00Y_075_050_d

metamer
m
D50



28: NW_000_d 29: NW_013_d 30: NW_025_d 31: NW_038_d 32: NW_050_d 33: NW_063_d 34: NW_075_d 35: NW_088_d 36=28: NW_100_d

metamer
m
D65

Lab*N0=17.7, 0.6, 0.6
Lab*W0=95.4, 1.3, -4.9
Lab*N=24.3, -5.6, -6.8
Lab*W=95.6, 1.4, -5.0



37: NW_000_d 38: NW_013_d 39: NW_025_d 40: NW_038_d 41: NW_050_d 42: NW_063_d 43: NW_075_d 44: NW_088_d 45=37: NW_100_d

grau
g
D65/D50

Lab*N0=17.7, 0.6, 0.6
Lab*W0=95.4, 1.3, -4.9
Lab*N1=17.7, 0.8, 0.6
Lab*W1=95.4, 0.8, -4.9



46: NW_000_d 47: NW_013_d 48: NW_025_d 49: NW_038_d 50: NW_050_d 51: NW_063_d 52: NW_075_d 53: NW_088_d 54: NW_100_d

metamer
m
D50

Lab*N1=17.7, 0.8, 0.6
Lab*W1=95.4, 0.8, -4.9
Lab*N=24.0, -5.6, -7.3
Lab*W=95.5, 0.9, -5.0

Siehe ähnliche Dateien: <http://130.149.60.45/~farbmetrik/PG26/PG26L0NA.TXT> / .PS
Technische Information: <http://www.ps.bam.de> oder <http://130.149.60.45/~farbmetrik>


TUB-Registrierung: 20130201-PG26/PG26L0NA.TXT / .PS
Anwendung für Messung von Offsetdruck-Ausgabe, Separation cmy0 (CMYK)

TUB-Material: Code=rha4ta


Prüfvorlage 2 für Farbwiedergabe: metamere Farben D65 und D50; Offsetdruck (CMY0)




01: R00Y_075_050_ 02: R50Y_075_050_ 03: Y00G_075_050_ 04: Y50G_075_050_ 05: G00B_075_050_ 06: G50B_075_050_ 07: B00R_075_050_ 08: B50R_075_050_ 09=10: R00Y_075_050_




10: R00Y_075_050_ 11: R50Y_075_050_ 12: Y00G_075_050_ 13: Y50G_075_050_ 14: G00B_075_050_ 15: G50B_075_050_ 16: B00R_075_050_ 17: B50R_075_050_ 18=01: R00Y_075_050_




19: R00Y_075_050_ 20: R50Y_075_050_ 21: Y00G_075_050_ 22: Y50G_075_050_ 23: G00B_075_050_ 24: G50B_075_050_ 25: B00R_075_050_ 26: B50R_075_050_ 27=19: R00Y_075_050_



28: NW_000_ 29: NW_013_ 30: NW_025_ 31: NW_038_ 32: NW_050_ 33: NW_063_ 34: NW_075_ 35: NW_088_ 36=28: NW_100_



37: NW_000_ 38: NW_013_ 39: NW_025_ 40: NW_038_ 41: NW_050_ 42: NW_063_ 43: NW_075_ 44: NW_088_ 45=37: NW_100_



46: NW_000_ 47: NW_013_ 48: NW_025_ 49: NW_038_ 50: NW_050_ 51: NW_063_ 52: NW_075_ 53: NW_088_ 54: NW_100_

Serie:
metamer
m
D65

central
z
D65/D50


metamer
m
D50

metamer
m
D65

grau
g
D65/D50

metamer
m
D50

Prüfvorlage 2 für Farbwiedergabe: metamere Farben D65 und D50; Offsetdruck (CMY0); $rgb \rightarrow rgb_e$



Serie:
metamer
m
D65

central
z
D65/D50

metamer
m
D50

metamer
m
D65

grau
g
D65/D50

metamer
m
D50

Lab*N0=17.7, 0.6, 0.6
Lab*W0=95.4, 1.3, -4.9
Lab*N=24.3, -5.6, -6.8
Lab*W=95.6, 1.4, -5.0

Lab*N0=17.7, 0.6, 0.6
Lab*W0=95.4, 1.3, -4.9
Lab*N1=17.7, 0.8, 0.6
Lab*W1=95.4, 0.8, -4.9

Lab*N1=17.7, 0.8, 0.6
Lab*W1=95.4, 0.8, -4.9
Lab*N=24.0, -5.6, -7.3
Lab*W=95.5, 0.9, -5.0