






Tavola 2 di campioni di colore per la resa del colore: colori matamerici sotto illuminanti D65 e D50; stampa offset (CMYK); *rgb*Serie:
metameric
m
D65intermedia
z
D65/D50metameric
m
D50metameric
m
D65
 $Lab^*N0=17.7, 0.6, 0.6$
 $Lab^*W0=95.4, 1.3, -4.9$
 $Lab^*N=24.3, -5.6, -6.8$
 $Lab^*W=95.6, 1.4, -5.0$
grigi
g
D65/D50
 $Lab^*N0=17.7, 0.6, 0.6$
 $Lab^*W0=95.4, 1.3, -4.9$
 $Lab^*N1=17.7, 0.8, 0.6$
 $Lab^*W1=95.4, 0.8, -4.9$
 $Lab^*N=24.0, -5.6, -7.3$
 $Lab^*W=95.5, 0.9, -5.0$
metameric
m
D50
 $Lab^*N1=17.7, 0.8, 0.6$
 $Lab^*W1=95.4, 0.8, -4.9$
 $Lab^*N=24.0, -5.6, -7.3$
 $Lab^*W=95.5, 0.9, -5.0$


4-103130-L0 PI230-72

Grafico TUB-PI23; riproduzione del colore
54 colori; metamerica per D65&D50, 3D=1, de=0, *cmYk**Input: *rgb/cmyk* -> *rgb*_{dd}
Output: 3D-linearizzazione a *cmYk**_{dd}vedi file simili: <http://farbe.li.tu-berlin.de/PI23/PI23.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>iscrizione TUB: 20160501-PI23/PI23L0FP.PDF /.PS
Applicazione per la misura dell'output nella stampa di offset, separazione *cmYn6** (CMYK)

TUB materiale: code=th4ta