

Tavola 2 di campioni di colore per la resa del colore: colori matamerici sotto illuminanti D65 e D50; stampa offset (CMY0); rgb

Serie:
metameric
m
D65

intermedia
z
D65/D50

metameric
m
D50

metameric
m
D65







grigi
g
D65/D50

metameric
m
D50

Lab*N0=17.7, 0.6, 0.6
Lab*W0=95.4, 1.3, -4.9
Lab*N=24.3, -5.6, -6.8
Lab*W=95.6, 1.4, -5.0

Lab*N0=17.7, 0.6, 0.6
Lab*W0=95.4, 1.3, -4.9
Lab*N1=17.7, 0.8, 0.6
Lab*W1=95.4, 0.8, -4.9

Lab*N1=17.7, 0.8, 0.6
Lab*W1=95.4, 0.8, -4.9
Lab*N=24.0, -5.6, -7.3
Lab*W=95.5, 0.9, -5.0



4-103130-L0 PI260-72

Grafico TUB-PI26; riproduzione del colore
54 colori; metamerica per D65&D50, 3D=1, de=0, cmy0*

Input: rgb/cmyk -> rgb_{dd}
Output: 3D-linearizzazione a cmy0*_{dd}

vedi file simili: <http://farbe.li.tu-berlin.de/PI26/PI26.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

iscrizione TUB: 20160501-PI26/PI26L0FP.PDF /.PS
Applicazione per la misura dell'output nella stampa di offset, separazione cmy0* (CMYK)

TUB materiale: code=th4ta