



Tavola 3 di campioni di colore per la resa del colore: colori matamerici sotto illuminanti A e P4000; display standard (sRGB)




Serie:
metamerica
m
A




intermedia
z
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000



metamerica
m
A




grigi
g
A/P4000


metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000

Tavola 3 di campioni di colore per la resa del colore: colori matamerici sotto illuminanti A e P4000; display standard (sRGB); rg




Serie:
metamerica
m
A




intermedia
z
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000



metamerica
m
A
Lab*N=0.0, 0.0, 0.0
Lab*W=95.4, 0.0, 0.0



grigi
g
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000


4-003130-L0 PI300-70

Grafico TUB-PI30; riproduzione del colore
54 colori; metamerica per A&P4000, 3D=0, de=0, sRGB


Input: *rgb/cmyk* -> *rgb_d*
Output: trasferire a *rgb_d*

4-003130-F0

Tavola 3 di campioni di colore per la resa del colore: colori matamerici sotto illuminanti A e P4000; display standard (sRGB)




Serie:
metamerica
m
A




intermedia
z
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000



metamerica
m
A




grigi
g
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000

Tavola 3 di campioni di colore per la resa del colore: colori matamerici sotto illuminanti A e P4000; display standard (sRGB); rg




Serie:
metamerica
m
A




intermedia
z
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000



metamerica
m
A
 $\Delta E^*N=0.0, 0.0, 0.0$
 $Lab^*W=95.4, 0.0, 0.0$



grigi
g
A/P4000

metameric colours only possible for offset print and colour printers
with at least four basic colours, either *CMYK* or *CMY0*

metamerica
m
P4000

4-013130-L0 PI300-71

Grafico TUB-PI30; riproduzione del colore
54 colori; metamerica per A&P4000, 3D=0, de=1, sRGB

Input: *rgb/cmyk* -> *rgb_e*
Output: trasferire a *rgb_e*

4-013130-F0