

Immettere y uscita: Offset Reflective System ORS18a


Dati del dispositivo (d) o colori elementari (e):
 HIC*-

codice di tonalità per i colori
 questa pagina:

H*_- = R00Y-, R25Y-, ..., B75R-

ORS20a; dati atti CIELAB (a)



H*_-	L*=L*_a a*_a	b*_a	C*_ab,a	h*_ab,a
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



%Gamma
 u*rel = 92
 %Regularità
 g*_H,rel = 57
 g*_C,rel = 58

ORS18a; dati atti CIELAB (a)

name	L*=L*_a a*_a	b*_a	C*_ab,a	h*_ab,a
R-,Ma	47.9	65.3	50.5	82.6
Y-,Ma	90.3	-10.2	91.7	92.3
G-,Ma	50.9	-62.8	34.9	71.9
C-,Ma	58.6	-30.3	-45.0	54.2
B-,Ma	25.7	31.0	-44.4	54.2
M-,Ma	48.1	75.2	-8.3	75.7
N-,Ma	18.0	0.0	0.0	0.0
W-,Ma	95.4	0.0	0.0	0.0
R-,CIE	39.9	58.7	27.9	65.0
Y-,CIE	81.2	-2.8	71.5	71.6
G-,CIE	52.2	-42.4	13.6	44.5
B-,CIE	30.5	1.4	-46.4	46.4



Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e


codice di tonalità per i colori

questa pagina:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a\ a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9 25
R25Y_100_100_e	51.5	54.2	47.2	71.9 41
R50Y_100_100_e	60.3	35.6	59.0	68.9 58
R75Y_100_100_e	70.4	17.0	72.2	74.1 76
Y00G_100_100_e	82.9	-3.5	87.8	87.9 92
Y25G_100_100_e	76.9	-25.5	75.9	80.1 108
Y50G_100_100_e	65.8	-41.4	54.4	68.3 127
Y75G_100_100_e	56.9	-56.3	38.1	68.0 145
G00B_100_100_e	52.4	-67.1	21.5	70.5 162
G25B_100_100_e	54.6	-53.2	-9.0	53.9 189
G50B_100_100_e	56.6	-39.7	-29.9	49.8 216
G75B_100_100_e	52.7	-21.1	-44.1	48.9 244
B00R_100_100_e	37.9	1.3	-45.4	45.4 271
B25R_100_100_e	26.7	26.6	-45.8	52.9 300
B50R_100_100_e	34.8	49.2	-30.0	57.7 328
B75R_100_100_e	47.3	71.5	-9.9	72.1 352



%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a\,a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _e ,Ma	47.6	64.9	30.9	71.9	25
Y _e ,Ma	82.9	-3.5	87.8	87.9	92
G _e ,Ma	52.4	-67.1	21.5	70.5	162
C _e ,Ma	56.6	-39.7	-29.9	49.8	216
B _e ,Ma	37.9	1.3	-45.4	45.4	271
M _e ,Ma	34.8	49.2	-30.0	57.7	328
N _e ,Ma	17.7	0.0	0.0	0.0	0
W _e ,Ma	95.4	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271



4-013130-L0 PI850-71

grafico TUB-PI85; cerchio delle tinte a 16 passi
grafico conformemente a DIN 33872, 3D=0, de=1, cmyk






Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

PI850-71

4-013230-L0

4-013230-F0

vedi file simili: <http://farbe.li.tu-berlin.de/PI85/PI85.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



PI850-71

4-013330-L0


4-013330-E0

iscrizione TUB: 20150701-PI85/PI85L0NA.TXT /.PS

Applicazione per la misura dell'output output nella stampa di offset, separazione *cm*yn6 (CMYK)

TUB materiale: code=rha4a

vedi file simili: <http://farbe.li.tu-berlin.de/PI85/PI85.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



vedi file simili: <http://farbe.li.tu-berlin.de/PI85/PI85.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

iscrizione TUB: 20150701-PI85/PI85L0NA.TXT /.PS
Applicazione per la misura dell'output output nella stampa di offset, separazione cmy_n6 (CMYK)

TUB materiale: code=rha4a

grafico TUB-PI85; cerchio delle tinte a 16 passi
grafico conformemente a DIN 33872, 3D=0, de=1, cmyk

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

4-013430-L0 PI850-71

4-013430-F0

Immettere y uscita: Offset Reflective System ORS18a

Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e


codice di tonalità per i colori

questa pagina:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9
R25Y_100_100_e	51.5	54.2	47.2	71.9
R50Y_100_100_e	60.3	35.6	59.0	68.9
R75Y_100_100_e	70.4	17.0	72.2	74.1
Y00G_100_100_e	82.9	-3.5	87.8	87.9
Y25G_100_100_e	76.9	-25.5	75.9	80.1
Y50G_100_100_e	65.8	-41.4	54.4	68.3
Y75G_100_100_e	56.9	-56.3	38.1	68.0
G00B_100_100_e	52.4	-67.1	21.5	70.5
G25B_100_100_e	54.6	-53.2	-9.0	53.9
G50B_100_100_e	56.6	-39.7	-29.9	49.8
G75B_100_100_e	52.7	-21.1	-44.1	48.9
B00R_100_100_e	37.9	1.3	-45.4	45.4
B25R_100_100_e	26.7	26.6	-45.8	52.9
B50R_100_100_e	34.8	49.2	-30.0	57.7
B75R_100_100_e	47.3	71.5	-9.9	72.1



%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	47.6	64.9	30.9	71.9
Ye,Ma	82.9	-3.5	87.8	87.9
Ge,Ma	52.4	-67.1	21.5	70.5
Ce,Ma	56.6	-39.7	-29.9	49.8
Be,Ma	37.9	1.3	-45.4	45.4
Me,Ma	34.8	49.2	-30.0	57.7
Ne,Ma	17.7	0.0	0.0	0.0
We,Ma	95.4	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4



4-013530-L0 PI850-71

grafico TUB-PI85; cerchio delle tinte a 16 passi
grafico conformemente a DIN 33872, 3D=0, de=1, cmyk

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$
 $LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$
 $LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$
 $LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$
 $LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$
 $LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$
 $LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e
 $LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e
 $LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e
 $LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e
 $LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e
 $LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e
 $LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s
 $LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s
 $LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s
 $LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

R_s
 $LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s
 $LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

B_s
 $LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_d, LCH^*_d, LAB^*_d$
 $h_{ab,s}, rgb^*_s$

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab,d}$

rgb^*_{de}

4-013630-L0 PI850-71 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

uscita: Offset standard print; separation cmyn6*, D65, pagina 7/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	$LAB^*_{ddx64M}(x=LabCh)$	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}(x=LabCh)$	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}(x=LabCh)$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$																								
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.0	47.4	63.9	41.2	76.0	32	1.0	0.0	0.084	47.4	64.3	37.1	74.3	30	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	1.0	0.117	0.0	51.0	55.5	46.5	72.4	39	1.0	0.069	0.0	49.5	59.0	44.5	73.9	37	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	1.0	0.25	0.0	56.0	44.4	53.0	69.2	50	1.0	0.185	0.0	53.5	50.0	50.0	70.7	45	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	1.0	0.367	0.0	61.1	34.0	59.9	68.9	60	1.0	0.272	0.0	57.0	42.6	54.5	69.1	52	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	1.0	0.5	0.0	67.2	22.6	67.6	71.3	71	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	1.0	0.617	0.0	73.2	11.9	75.7	76.6	81	1.0	0.446	0.0	64.7	27.4	64.7	70.3	67	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	1.0	0.75	0.0	79.3	2.0	83.1	83.1	88	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	1.0	0.867	0.0	84.0	-5.1	89.1	89.2	93	1.0	0.629	0.0	73.8	10.7	76.5	77.2	82	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	1.0	1.0	0.0	88.4	-11.9	95.1	95.9	97	1.0	0.785	0.0	80.7	0.0	84.9	84.9	90	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	0.883	1.0	0.0	86.0	-15.9	89.0	90.5	100	1.0	0.994	0.0	88.2	-11.5	94.8	95.6	97	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	0.75	1.0	0.0	83.0	-19.6	83.0	85.3	103	0.709	1.0	0.0	81.0	-21.6	80.9	83.7	105	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	0.633	1.0	0.0	77.5	-24.8	76.8	80.8	107	0.56	1.0	0.0	74.9	-28.6	71.1	76.6	112	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	0.5	1.0	0.0	72.8	-31.3	66.1	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	0.25	1.0	0.0	60.9	-47.7	47.9	67.7	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	0.133	1.0	0.0	57.6	-54.4	39.6	67.4	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	0.0	1.0	0.0	52.0	-68.8	28.1	74.4	157	0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	0.0	1.0	0.117	52.5	-66.5	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	0.0	1.0	0.25	53.3	-61.9	9.8	62.8	170	0.0	1.0	0.147	52.7	-65.7	17.6	68.1	165	0.0	1.0	0.311	53.7	-59.7	4.3	59.9	175
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	0.0	1.0	0.367	54.0	-57.3	-0.3	57.4	180	0.0	1.0	0.263	53.4	-61.5	8.7	62.2	172	0.0	1.0	0.387	54.2	-56.4	-2.2	56.5	182
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	0.0	1.0	0.5	54.8	-51.0	-12.2	52.6	193	0.0	1.0	0.362	54.0	-57.5	0.0	57.6	180	0.0	1.0	0.46	54.6	-53.1	-8.9	54.0	189
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	0.0	1.0	0.617	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.434	54.5	-54.4	-6.6	54.9	187	0.0	1.0	0.524	55.0	-50.0	-14.3	52.1	195
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	0.0	1.0	0.75	56.8	-38.9	-30.8	49.8	218	0.0	1.0	0.514	55.0	-50.4	-13.4	52.3	195	0.0	1.0	0.598	55.6	-46.5	-19.9	50.7	203
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	0.0	1.0	0.867	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.585	55.5	-47.1	-19.0	50.9	202	0.0	1.0	0.662	56.1	-43.4	-24.7	50.1	209
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	0.0	1.0	1.0	58.3	-29.2	-43.6	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	0.0	0.883	1.0	55.5	-25.2	-43.8	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	0.0	0.75	1.0	51.8	-19.7	-44.1	48.4	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	0.0	0.633	1.0	48.0	-14.2	-44.3	46.7	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	0.0	0.5	1.0	42.8	-5.9	-44.9	45.4	262	0.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	0.0	0.383	1.0	38.3	0.9	-45.3	45.4	271	0.0	0.729	1.0	51.1	-18.7	-44.2	48.1	247	0.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	0.0	0.25	1.0	33.3	9.5	-45.9	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	0.0	0.133	1.0	28.9	16.9	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	0.0	0.0	1.0	25.3	23.5	-47.3	52.9	296	0.0	0.398	1.0	38.8	0.0	-45.3	45.4	270	0.0	0						

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)
32.8	30.0	25.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32.8
40.4	37.5	33.8	1.0 0.125 0.0	51.2 54.9 46.7 72.1 40.4
50.0	45.0	42.1	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50.0
61.1	52.5	50.5	1.0 0.375 0.0	61.4 33.2 60.3 68.8 61.1
71.4	60.0	58.8	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71.4
81.7	67.5	67.2	1.0 0.625 0.0	73.6 11.0 76.1 76.9 81.7
88.5	75.0	75.6	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88.5
93.6	82.5	83.9	1.0 0.875 0.0	84.2 -5.7 89.4 89.6 93.6
97.1	90.0	92.3	1.0 1.0 0.0	88.3 -11.9 95.1 95.8 97.1
100.3	97.5	101.0	0.875 1.0 0.0	85.8 -16.2 88.6 90.0 100.3
103.3	105.0	109.7	0.75 1.0 0.0	82.9 -19.7 83.0 85.3 103.3
108.3	112.5	118.5	0.625 1.0 0.0	77.0 -25.2 76.3 80.4 108.3
115.3	120.0	127.2	0.5 1.0 0.0	72.7 -31.3 66.0 73.1 115.3
122.4	127.5	136.0	0.375 1.0 0.0	68.9 -36.9 58.1 68.8 122.4
134.9	135.0	144.7	0.25 1.0 0.0	60.8 -47.8 47.8 67.6 134.9
144.6	142.5	153.4	0.125 1.0 0.0	57.4 -54.9 38.9 67.3 144.6
157.7	150.0	162.2	0.0 1.0 0.0	51.9 -68.8 28.1 74.3 157.7
163.7	157.5	169.0	0.0 1.0 0.125	52.5 -66.4 19.3 69.1 163.7
170.9	165.0	175.9	0.0 1.0 0.25	53.2 -61.9 9.8 62.7 170.9
181.0	172.5	182.7	0.0 1.0 0.375	54.1 -56.9 -1.0 56.9 181.0
193.5	180.0	189.6	0.0 1.0 0.5	54.8 -51.0 -12.3 52.5 193.5
205.9	187.5	196.4	0.0 1.0 0.625	55.8 -45.1 -21.9 50.1 205.9
218.4	195.0	203.2	0.0 1.0 0.75	56.7 -38.9 -30.9 49.7 218.4
227.3	202.5	210.1	0.0 1.0 0.875	57.5 -34.3 -37.2 50.6 227.3
236.1	210.0	216.9	0.0 1.0 1.0	58.3 -29.2 -43.7 52.6 236.1
240.3	217.5	223.8	0.0 0.875 1.0	55.2 -25.0 -43.9 50.5 240.3
245.8	225.0	230.6	0.0 0.75 1.0	51.7 -19.7 -44.1 48.3 245.8
252.5	232.5	237.5	0.0 0.625 1.0	47.7 -13.9 -44.4 46.5 252.5
262.3	240.0	244.3	0.0 0.5 1.0	42.7 -6.0 -45.0 45.4 262.3
271.7	247.5	251.2	0.0 0.375 1.0	37.9 1.3 -45.4 45.4 271.7
281.6	255.0	258.0	0.0 0.25 1.0	33.3 9.4 -46.0 47.0 281.6
290.3	262.5	264.8	0.0 0.125 1.0	28.6 17.4 -46.9 50.1 290.3
296.4	270.0	271.7	0.0 0.0 1.0	25.3 23.5 -47.3 52.8 296.4
306.7	277.5	278.8	0.125 0.0 1.0	29.3 31.8 -42.6 53.1 306.7
312.7	285.0	285.9	0.25 0.0 1.0	31.5 36.2 -39.2 53.4 312.7
326.7	292.5	293.0	0.375 0.0 1.0	33.8 47.6 -31.2 56.9 326.7
333.9	300.0	300.1	0.5 0.0 1.0	37.8 53.8 -26.3 59.9 333.9
339.6	307.5	307.2	0.625 0.0 1.0	40.9 58.8 -21.8 62.7 339.6
347.2	315.0	314.3	0.75 0.0 1.0	43.1 65.9 -14.9 67.6 347.2
350.2	322.5	321.4	0.875 0.0 1.0	45.9 69.4 -11.9 70.5 350.2
353.3	330.0	328.6	1.0 0.0 1.0	48.2 72.8 -8.5 73.3 353.3
356.5	337.5	335.7	1.0 0.0 0.875	48.2 71.6 -4.3 71.7 356.5
360.3	345.0	342.8	1.0 0.0 0.75	48.1 70.4 0.3 70.4 360.3
365.8	352.5	349.9	1.0 0.0 0.625	48.0 68.9 7.1 69.3 365.8
371.6	360.0	357.0	1.0 0.0 0.5	47.7 67.7 14.0 69.1 371.6
378.2	367.5	364.1	1.0 0.0 0.375	47.7 66.1 21.8 69.6 378.2
383.9	375.0	371.2	1.0 0.0 0.25	47.7 65.0 28.9 71.2 383.9
388.6	382.5	378.3	1.0 0.0 0.125	47.4 64.4 35.1 73.4 388.6
392.8	390.0	385.4	1.0 0.0 0.0	47.3 63.8 41.2 76.0 392.8

$rgb^*_{dex361M}$	$LAB^*_{dex361M}$
1.0 0.0 0.209	47.6 64.9 30.9 71.9 25
1.0 0.007 0.0	47.6 63.4 41.6 75.8 33
1.0 0.148 0.0	52.1 53.0 48.1 71.6 42
1.0 0.25 0.0	56.0 44.5 53.0 69.2 49
1.0 0.35 0.0	60.3 35.6 59.0 69.0 58
1.0 0.442 0.0	64.5 27.8 64.5 70.2 66
1.0 0.55 0.0	69.8 18.3 71.3 73.6 75
1.0 0.655 0.0	75.0 9.0 77.9 78.5 83
1.0 0.842 0.0	83.0 -3.4 87.8 87.9 92
0.871 1.0 0.0	85.8 -16.2 88.4 89.9 100
0.599 1.0 0.0	76.2 -26.6 74.3 78.9 109
0.455 1.0 0.0	71.4 -33.4 63.2 71.6 117
0.327 1.0 0.0	65.8 -41.3 54.4 68.4 127
0.244 1.0 0.0	60.7 -48.1 47.5 67.6 135
0.124 1.0 0.0	57.4 -54.9 38.9 67.4 144
0.047 1.0 0.0	54.0 -63.8 37.7 71.7 152
0.0 1.0 0.093	52.4 -67.0 21.5 70.5 162
0.0 1.0 0.209	53.1 -63.5 12.8 64.9 168
0.0 1.0 0.311	53.7 -59.7 4.3 59.9 175
0.0 1.0 0.387	54.2 -56.4 -2.2 56.5 182
0.0 1.0 0.46	54.6 -53.1 -8.9 54.0 189
0.0 1.0 0.524	55.0 -50.0 -14.3 52.1 195
0.0 1.0 0.598	55.6 -46.5 -19.9 50.7 203
0.0 1.0 0.662	56.1 -43.4 -24.7 50.1 209
0.0 1.0 0.736	56.7 -39.7 -29.9 49.8 216
0.0 1.0 0.819	57.2 -36.4 -34.4 50.3 223
0.0 1.0 0.922	57.9 -32.5 -39.7 51.4 230
0.0 0.974 1.0	57.7 -28.3 -43.7 52.2 237
0.0 0.785 1.0	52.7 -21.1 -44.1 49.0 244
0.0 0.659 1.0	48.9 -15.4 -44.3 47.1 250
0.0 0.555 1.0	45.0 -9.4 -44.8 45.9 258
0.0 0.472 1.0	41.7 -4.3 -45.1 45.4 264
0.0 0.375 1.0	37.9 1.4 -45.3 45.5 271
0.0 0.291 1.0	34.9 6.8 -45.9 46.5 278
0.0 0.188 1.0	31.0 13.3 -46.6 48.5 285
0.0 0.079 1.0	27.4 19.6 -47.1 51.1 292
0.046 0.0 1.0	26.8 26.6 -45.7 53.0 300
0.0 0.126 1.0	29.4 31.9 -42.5 53.2 306
0.265 0.0 1.0	31.8 37.7 -38.4 53.8 314
0.324 0.0 1.0	32.9 43.2 -34.8 55.5 321
0.407 0.0 1.0	34.9 49.3 -30.0 57.7 328
0.529 0.0 1.0	38.6 55.0 -25.3 60.6 335
0.678 0.0 1.0	41.9 61.9 -19.0 64.8 342
0.842 0.0 1.0	45.2 68.6 -12.7 69.8 349
0.949 0.0 1.0	47.3 71.5 -9.9 72.2 352
1.0 0.0 0.765	48.2 70.6 -0.1 70.6 359
1.0 0.0 0.563	47.9 68.4 10.6 69.2 368
1.0 0.0 0.408	47.8 66.7 19.8 69.6 376
1.0 0.0 0.209	47.6 64.9 30.9 71.9 385

rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
1.0 0.0 0.209	1.0 0.0 0.209	1.0 0.0 0.209
1.0 0.007 0.0	1.0 0.007 0.0	1.0 0.007 0.0
1.0 0.148 0.0	1.0 0.148 0.0	1.0 0.148 0.0
1.0 0.25 0.0	1.0 0.25 0.0	1.0 0.25 0.0
1.0 0.35 0.0	1.0 0.35 0.0	1.0 0.35 0.0
1.0 0.442 0.0	1.0 0.442 0.0	1.0 0.442 0.0
1.0 0.55 0.0	1.0 0.55 0.0	1.0 0.55 0.0
1.0 0.655 0.0	1.0 0.655 0.0	1.0 0.655 0.0
1.0 0.842 0.0	1.0 0.842 0.0	1.0 0.842 0.0
0.871 1.0 0.0	0.871 1.0 0.0	0.871 1.0 0.0
0.599 1.0 0.0	0.599 1.0 0.0	0.599 1.0 0.0
0.455 1.0 0.0	0.455 1.0 0.0	0.455 1.0 0.0
0.327 1.0 0.0	0.327 1.0 0.0	0.327 1.0 0.0
0.244 1.0 0.0	0.244 1.0 0.0	0.244 1.0 0.0
0.124 1.0 0.0	0.124 1.0 0.0	0.124 1.0 0.0
0.047 1.0 0.0	0.047 1.0 0.0	0.047 1.0 0.0
0.0 1.0 0.093	0.0 1.0 0.093	0.0 1.0 0.093
0.0 1.0 0.209	0.0 1.0 0.209	0.0 1.0 0.209
0.0 1.0 0.311	0.0 1.0 0.311	0.0 1.0 0.311
0.0 1.0 0.387	0.0 1.0 0.387	0.0 1.0 0.387
0.0 1.0 0.46	0.0 1.0 0.46	0.0 1.0 0.46
0.0 1.0 0.524	0.0 1.0 0.524	0.0 1.0 0.524
0.0 1.0 0.598	0.0 1.0 0.598	0.0 1.0 0.598
0.0 1.0 0.662	0.0 1.0 0.662	0.0 1.0 0.662
0.0 1.0 0.736	0.0 1.0 0.736	0.0 1.0 0.736
0.0 1.0 0.819	0.0 1.0 0.819	0.0 1.0 0.819
0.0 1.0 0.922	0.0 1.0 0.922	0.0 1.0 0.922
0.0 0.974 1.0	0.0 0.974 1.0	0.0 0.974 1.0
0.0 0.785 1.0	0.0 0.785 1.0	0.0 0.785 1.0
0.0 0.659 1.0	0.0 0.659 1.0	0.0 0.659 1.0
0.0 0.555 1.0	0.0 0.555 1.0	0.0 0.555 1.0
0.0 0.472 1.0	0.0 0.472 1.0	0.0 0.472 1.0
0.0 0.375 1.0	0.0 0.375 1.0	0.0 0.375 1.0
0.0 0.291 1.0	0.0 0.291 1.0	0.0 0.291 1.0
0.0 0.188 1.0	0.0 0.188 1.0	0.0 0.188 1.0
0.0 0.079 1.0	0.0 0.079 1.0	0.0 0.079 1.0
0.046 0.0 1.0	0.046 0.0 1.0	0.046 0.0 1.0
0.0 0.126 1.0	0.0 0.126 1.0	0.0 0.126 1.0
0.265 0.0 1.0	0.265 0.0 1.0	0.265 0.0 1.0
0.324 0.0 1.0	0.324 0.0 1.0	0.324 0.0 1.0
0.407 0.0 1.0	0.407 0.0 1.0	0.407 0.0 1.0
0.529 0.0 1.0	0.529 0.0 1.0	0.529 0.0 1.0
0.678 0.0 1.0	0.678 0.0 1.0	0.678 0.0 1.0
0.842 0.0 1.0	0.842 0.0 1.0	0.842 0.0 1.0
0.949 0.0 1.0	0.949 0.0 1.0	0.949 0.0 1.0
1.0 0.0 0.765	1.0 0.0 0.765	1.0 0.0 0.765
1.0 0.0 0.563	1.0 0.0 0.563	1.0 0.0 0.563
1.0 0.0 0.408	1.0 0.0 0.408	1.0 0.0 0.408
1.0 0.0 0.209	1.0 0.0 0.209	1.0 0.0 0.209

4-013830-L0 PI850-71 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

uscita: Offset standard print; separation cmyn6*, D65, pagina 9/33

iscrizione TUB: 20150701-PI85/PI85L0NA.TXT /.PS
Applicazione per la misura dell'output output nella stampa di offset, separazione cmyn6 (CMYK)

TUB materiale: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	47.3 63.8 41.2 76.0 32		1.0 0.0 0.084 47.4 64.3 37.1 74.3 30		1.0 0.0 0.0	1.0 0.0 0.209 47.6 64.9 30.9 71.9 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	47.8 62.7 42.0 75.4 33		1.0 0.0 0.054 47.4 64.2 38.6 74.9 31		1.0 0.017 0.0	1.0 0.0 0.18 47.6 64.8 32.4 72.5 26		1.0 0.017 0.0				
34	32	27	1.0 0.033 0.0	48.3 61.5 42.8 74.9 34		1.0 0.0 0.025 47.4 64.0 40.0 75.5 32		1.0 0.033 0.0	1.0 0.0 0.15 47.5 64.6 33.9 73.0 27		1.0 0.033 0.0				
35	33	28	1.0 0.05 0.0	48.9 60.3 43.6 74.4 35		1.0 0.003 0.0 47.5 63.7 41.3 75.9 33		1.0 0.05 0.0	1.0 0.0 0.119 47.5 64.4 35.5 73.6 28		1.0 0.05 0.0				
36	34	29	1.0 0.066 0.0	49.4 59.1 44.3 73.9 36		1.0 0.019 0.0 48.0 62.5 42.2 75.4 34		1.0 0.067 0.0	1.0 0.0 0.086 47.4 64.3 37.0 74.2 29		1.0 0.067 0.0				
37	35	31	1.0 0.083 0.0	49.9 57.9 45.1 73.4 37		1.0 0.036 0.0 48.5 61.4 43.0 74.9 35		1.0 0.083 0.0	1.0 0.0 0.053 47.4 64.2 38.6 74.9 31		1.0 0.083 0.0				
38	36	32	1.0 0.1 0.0	50.4 56.7 45.7 72.9 38		1.0 0.052 0.0 49.0 60.2 43.7 74.4 36		1.0 0.1 0.0	1.0 0.0 0.02 47.4 64.0 40.2 75.6 32		1.0 0.1 0.0				
39	37	33	1.0 0.116 0.0	50.9 55.5 46.4 72.3 39		1.0 0.069 0.0 49.5 59.0 44.5 73.9 37		1.0 0.117 0.0	1.0 0.007 0.0 47.6 63.4 41.6 75.8 33		1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.5 54.2 47.2 71.9 41		1.0 0.085 0.0 50.0 57.8 45.2 73.4 38		1.0 0.133 0.0	1.0 0.026 0.0 48.2 62.1 42.5 75.2 34		1.0 0.133 0.0				
42	39	35	1.0 0.15 0.0	52.1 52.8 48.1 71.5 42		1.0 0.101 0.0 50.5 56.6 45.9 72.9 39		1.0 0.15 0.0	1.0 0.044 0.0 48.7 60.8 43.4 74.6 35		1.0 0.15 0.0				
43	40	36	1.0 0.166 0.0	52.8 51.4 49.0 71.1 43		1.0 0.118 0.0 51.0 55.4 46.5 72.4 40		1.0 0.167 0.0	1.0 0.062 0.0 49.3 59.5 44.2 74.1 36		1.0 0.167 0.0				
44	41	37	1.0 0.183 0.0	53.4 50.1 49.9 70.7 44		1.0 0.132 0.0 51.5 54.3 47.2 72.0 41		1.0 0.183 0.0	1.0 0.081 0.0 49.8 58.1 45.0 73.5 37		1.0 0.183 0.0				
46	42	38	1.0 0.2 0.0	54.1 48.7 50.7 70.3 46		1.0 0.145 0.0 52.0 53.2 47.9 71.7 42		1.0 0.2 0.0	1.0 0.099 0.0 50.4 56.8 45.8 72.9 38		1.0 0.2 0.0				
47	43	39	1.0 0.216 0.0	54.7 47.3 51.5 69.9 47		1.0 0.158 0.0 52.5 52.2 48.7 71.3 43		1.0 0.217 0.0	1.0 0.117 0.0 51.0 55.5 46.5 72.4 39		1.0 0.217 0.0				
48	44	41	1.0 0.233 0.0	55.3 45.8 52.2 69.5 48		1.0 0.172 0.0 53.0 51.1 49.3 71.0 44		1.0 0.233 0.0	1.0 0.133 0.0 51.5 54.2 47.3 71.9 41		1.0 0.233 0.0				
50	45	42	1.0 0.25 0.0	56.0 44.4 53.0 69.1 50		1.0 0.185 0.0 53.5 50.0 50.0 70.7 45		1.0 0.25 0.0	1.0 0.148 0.0 52.1 53.0 48.1 71.6 42		1.0 0.25 0.0				
51	46	43	1.0 0.266 0.0	56.7 43.0 54.1 69.1 51		1.0 0.198 0.0 54.0 48.9 50.7 70.4 46		1.0 0.267 0.0	1.0 0.162 0.0 52.7 51.9 48.9 71.2 43		1.0 0.267 0.0				
52	47	44	1.0 0.283 0.0	57.4 41.5 55.1 69.1 52		1.0 0.211 0.0 54.5 47.8 51.3 70.1 47		1.0 0.283 0.0	1.0 0.177 0.0 53.2 50.6 49.6 70.9 44		1.0 0.283 0.0				
54	48	45	1.0 0.3 0.0	58.2 40.1 56.2 69.0 54		1.0 0.224 0.0 55.0 46.7 51.9 69.8 48		1.0 0.3 0.0	1.0 0.191 0.0 53.8 49.4 50.4 70.6 45		1.0 0.3 0.0				
55	49	46	1.0 0.316 0.0	58.9 38.6 57.1 69.0 55		1.0 0.237 0.0 55.5 45.6 52.4 69.5 49		1.0 0.317 0.0	1.0 0.206 0.0 54.3 48.2 51.1 70.2 46		1.0 0.317 0.0				
57	50	47	1.0 0.333 0.0	59.6 37.1 58.1 69.0 57		1.0 0.25 0.0 56.0 44.5 53.0 69.2 50		1.0 0.333 0.0	1.0 0.22 0.0 54.9 47.0 51.7 69.9 47		1.0 0.333 0.0				
58	51	48	1.0 0.35 0.0	60.3 35.5 59.0 68.9 58		1.0 0.261 0.0 56.5 43.5 53.7 69.2 51		1.0 0.35 0.0	1.0 0.235 0.0 55.5 45.7 52.4 69.5 48		1.0 0.35 0.0				
60	52	49	1.0 0.366 0.0	61.0 34.0 59.9 68.9 60		1.0 0.272 0.0 57.0 42.6 54.5 69.1 52		1.0 0.367 0.0	1.0 0.25 0.0 56.0 44.5 53.0 69.2 49		1.0 0.367 0.0				
61	53	51	1.0 0.383 0.0	61.8 32.5 60.8 69.0 61		1.0 0.283 0.0 57.5 41.6 55.2 69.1 53		1.0 0.383 0.0	1.0 0.262 0.0 56.6 43.4 53.8 69.1 51		1.0 0.383 0.0				
63	54	52	1.0 0.4 0.0	62.5 31.2 61.9 69.3 63		1.0 0.295 0.0 58.0 40.6 55.9 69.1 54		1.0 0.4 0.0	1.0 0.275 0.0 57.1 42.4 54.6 69.1 52		1.0 0.4 0.0				
64	55	53	1.0 0.416 0.0	63.3 29.8 62.9 69.6 64		1.0 0.306 0.0 58.5 39.6 56.6 69.1 55		1.0 0.417 0.0	1.0 0.287 0.0 57.6 41.3 55.4 69.1 53		1.0 0.417 0.0				
65	56	54	1.0 0.433 0.0	64.1 28.4 63.9 70.0 65		1.0 0.317 0.0 58.9 38.6 57.2 69.0 56		1.0 0.433 0.0	1.0 0.3 0.0 58.2 40.2 56.2 69.1 54		1.0 0.433 0.0				
67	57	55	1.0 0.45 0.0	64.9 27.0 64.9 70.3 67		1.0 0.328 0.0 59.4 37.6 57.9 69.0 57		1.0 0.45 0.0	1.0 0.312 0.0 58.7 39.0 56.9 69.0 55		1.0 0.45 0.0				
68	58	56	1.0 0.466 0.0	65.6 25.6 65.8 70.6 68		1.0 0.34 0.0 59.9 36.6 58.5 69.0 58		1.0 0.467 0.0	1.0 0.325 0.0 59.3 37.9 57.7 69.0 56		1.0 0.467 0.0				
70	59	57	1.0 0.483 0.0	66.4 24.1 66.7 70.9 70		1.0 0.351 0.0 60.4 35.5 59.1 69.0 59		1.0 0.483 0.0	1.0 0.337 0.0 59.8 36.8 58.4 69.0 57		1.0 0.483 0.0				
71	60	58	1.0 0.5 0.0	67.2 22.6 67.6 71.2 71		1.0 0.362 0.0 60.9 34.5 59.7 68.9 60		1.0 0.5 0.0	1.0 0.35 0.0 60.3 35.6 59.0 69.0 58		1.0 0.5 0.0				
72	61	60	1.0 0.516 0.0	68.0 21.2 68.8 72.0 72		1.0 0.373 0.0 61.4 33.4 60.3 68.9 61		1.0 0.517 0.0	1.0 0.362 0.0 60.9 34.5 59.7 68.9 60		1.0 0.517 0.0				
74	62	61	1.0 0.533 0.0	68.9 19.7 70.0 72.8 74		1.0 0.385 0.0 61.9 32.4 61.0 69.1 62		1.0 0.533 0.0	1.0 0.375 0.0 61.4 33.3 60.3 68.9 61		1.0 0.533 0.0				
75	63	62	1.0 0.55 0.0	69.7 18.2 71.2 73.5 75		1.0 0.397 0.0 62.5 31.5 61.8 69.3 63		1.0 0.55 0.0	1.0 0.388 0.0 62.0 32.2 61.2 69.1 62		1.0 0.55 0.0				
76	64	63	1.0 0.566 0.0	70.6 16.7 72.4 74.3 76		1.0 0.409 0.0 63.0 30.5 62.5 69.6 64		1.0 0.567 0.0	1.0 0.402 0.0 62.7 31.1 62.0 69.4 63		1.0 0.567 0.0				
78	65	64	1.0 0.583 0.0	71.5 15.1 73.5 75.0 78		1.0 0.421 0.0 63.6 29.5 63.2 69.8 65		1.0 0.583 0.0	1.0 0.415 0.0 63.3 30.0 62.9 69.7 64		1.0 0.583 0.0				
79	66	65	1.0 0.6 0.0	72.3 13.5 74.6 75.8 79		1.0 0.434 0.0 64.2 28.5 64.0 70.0 66		1.0 0.6 0.0	1.0 0.428 0.0 63.9 28.9 63.7 69.9 65		1.0 0.6 0.0				
81	67	66	1.0 0.616 0.0	73.2 11.8 75.6 76.6 81		1.0 0.446 0.0 64.7 27.4 64.7 70.3 67		1.0 0.617 0.0	1.0 0.442 0.0 64.5 27.8 64.5 70.2 66		1.0 0.617 0.0				
82	68	67	1.0 0.633 0.0	74.0 10.4 76.6 77.3 82		1.0 0.458 0.0 65.3 26.4 65.4 70.5 68		1.0 0.633 0.0	1.0 0.455 0.0 65.2 26.6 65.2 70.4 67		1.0 0.633 0.0				
83	69	68	1.0 0.65 0.0	74.7 9.3 77.6 78.2 83		1.0 0.47 0.0 65.8 25.3 66.0 70.7 69		1.0 0.65 0.0	1.0 0.469 0.0 65.8 25.4 66.0 70.7 68		1.0 0.65 0.0				
84	70	70	1.0 0.666 0.0	75.5 8.2 78.6 79.0 84		1.0 0.482 0.0 66.4 24.3 66.7 70.9 70		1.0 0.667 0.0	1.0 0.482 0.0 66.4 24.2 66.7 71.0 70		1.0 0.667 0.0				
84	71	71	1.0 0.683 0.0	76.2 7.0 79.5 79.8 84		1.0 0.494 0.0 66.9 23.2 67.3 71.2 71		1.0 0.683 0.0	1.0 0.496 0.0 67.0 23.0 67.4 71.2 71		1.0 0.683 0.0				
85	72	72	1.0 0.7 0.0	77.0 5.8 80.4 80.6 85		1.0 0.506 0.0 67.5 22.1 68.1 71.6 72		1.0 0.7 0.0	1.0 0.509 0.0 67.7 21.9 68.3 71.7 72		1.0 0.7 0.0				
86	73	73	1.0 0.716 0.0	77.7 4.5 81.3 81.4 86		1.0 0.518 0.0 68.2 21.1 69.0 72.1 73		1.0 0.717 0.0	1.0 0.523 0.0 68.4 20.7 69.3 72.3 73		1.0 0.717 0.0				
87	74	74	1.0 0.733 0.0	78.5 3.3 82.2 82.3 87		1.0 0.531 0.0 68.8 20.0 69.9 72.7 74		1.0 0.733 0.0	1.0 0.537 0.0 69.1 19.5 70.3 73.0 74		1.0 0.733 0.0				
88	75	75	1.0 0.75 0.0	79.2 2.0 83.0 83.1 88		1.0 0.543 0.0 69.4 19.0 70.7 73.2 75		1.0 0.75 0.0	1.0 0.55 0.0 69.8 18.3 71.3 73.6 75		1.0 0.75 0.0				

4-013930-L0

PI850-71

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmyn6*, D65, pagina 10/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
88	75	75	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88	1.0	0.75	0.0	88
89	76	76	1.0	0.766	0.0	79.9	1.0	83.9	83.9	89	1.0	0.767	0.0	89
89	77	77	1.0	0.783	0.0	80.6	0.0	84.8	84.8	89	1.0	0.783	0.0	89
90	78	78	1.0	0.8	0.0	81.2	-0.9	85.7	85.7	90	1.0	0.8	0.0	90
91	79	80	1.0	0.816	0.0	81.9	-1.9	86.5	86.5	91	1.0	0.817	0.0	91
91	80	81	1.0	0.833	0.0	82.6	-3.0	87.4	87.4	91	1.0	0.833	0.0	91
92	81	82	1.0	0.85	0.0	83.2	-4.0	88.2	88.3	92	1.0	0.85	0.0	92
93	82	83	1.0	0.866	0.0	83.9	-5.1	89.0	89.2	93	1.0	0.867	0.0	93
93	83	84	1.0	0.883	0.0	84.5	-6.1	89.8	90.0	93	1.0	0.883	0.0	93
94	84	85	1.0	0.9	0.0	85.1	-6.9	90.6	90.8	94	1.0	0.9	0.0	94
94	85	86	1.0	0.916	0.0	85.6	-7.7	91.3	91.7	94	1.0	0.917	0.0	94
95	86	87	1.0	0.933	0.0	86.1	-8.5	92.1	92.5	95	1.0	0.933	0.0	95
95	87	88	1.0	0.95	0.0	86.7	-9.3	92.9	93.3	95	1.0	0.95	0.0	95
96	88	90	1.0	0.966	0.0	87.2	-10.2	93.6	94.2	96	1.0	0.967	0.0	96
96	89	91	1.0	0.983	0.0	87.8	-11.1	94.3	95.0	96	1.0	0.983	0.0	96
97	90	92	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97	1.0	1.0	0.0	97
97	91	93	0.983	1.0	0.0	88.0	-12.5	94.2	95.1	97	1.0	0.983	1.0	0.0
98	92	94	0.966	1.0	0.0	87.7	-13.1	93.4	94.3	98	1.0	0.967	1.0	0.0
98	93	95	0.95	1.0	0.0	87.3	-13.7	92.5	93.5	98	1.0	0.95	1.0	0.0
98	94	96	0.933	1.0	0.0	87.0	-14.3	91.6	92.7	98	1.0	0.933	1.0	0.0
99	95	98	0.916	1.0	0.0	86.6	-14.8	90.8	92.0	99	1.0	0.917	1.0	0.0
99	96	99	0.9	1.0	0.0	86.3	-15.4	89.9	91.2	99	1.0	0.9	1.0	0.0
100	97	100	0.883	1.0	0.0	86.0	-15.9	89.0	90.4	100	1.0	0.883	1.0	0.0
100	98	101	0.866	1.0	0.0	85.6	-16.4	88.2	89.7	100	1.0	0.867	1.0	0.0
100	99	102	0.85	1.0	0.0	85.2	-16.9	87.4	89.1	100	1.0	0.85	1.0	0.0
101	100	103	0.833	1.0	0.0	84.8	-17.4	86.7	88.4	101	1.0	0.833	1.0	0.0
101	101	105	0.816	1.0	0.0	84.5	-17.9	86.0	87.8	101	1.0	0.817	1.0	0.0
102	102	106	0.8	1.0	0.0	84.1	-18.3	85.2	87.2	102	1.0	0.8	1.0	0.0
102	103	107	0.783	1.0	0.0	83.7	-18.8	84.5	86.5	102	1.0	0.783	1.0	0.0
102	104	108	0.766	1.0	0.0	83.3	-19.2	83.7	85.9	102	1.0	0.767	1.0	0.0
103	105	109	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103	1.0	0.75	1.0	0.0
104	106	110	0.733	1.0	0.0	82.2	-20.5	82.1	84.6	104	1.0	0.733	1.0	0.0
104	107	112	0.716	1.0	0.0	81.4	-21.3	81.2	84.0	104	1.0	0.717	1.0	0.0
105	108	113	0.7	1.0	0.0	80.6	-22.0	80.3	83.3	105	1.0	0.7	1.0	0.0
106	109	114	0.683	1.0	0.0	79.8	-22.8	79.5	82.7	106	1.0	0.683	1.0	0.0
106	110	115	0.666	1.0	0.0	79.0	-23.5	78.6	82.0	106	1.0	0.667	1.0	0.0
107	111	116	0.65	1.0	0.0	78.2	-24.2	77.7	81.4	107	1.0	0.65	1.0	0.0
107	112	117	0.633	1.0	0.0	77.4	-24.9	76.8	80.7	107	1.0	0.633	1.0	0.0
108	113	119	0.616	1.0	0.0	76.8	-25.7	75.6	79.9	108	1.0	0.617	1.0	0.0
109	114	120	0.6	1.0	0.0	76.2	-26.6	74.3	78.9	109	1.0	0.6	1.0	0.0
110	115	121	0.583	1.0	0.0	75.6	-27.5	72.9	78.0	110	1.0	0.583	1.0	0.0
111	116	122	0.566	1.0	0.0	75.0	-28.3	71.6	77.0	111	1.0	0.567	1.0	0.0
112	117	123	0.55	1.0	0.0	74.5	-29.1	70.2	76.0	112	1.0	0.55	1.0	0.0
113	118	124	0.533	1.0	0.0	73.9	-29.9	68.8	75.0	113	1.0	0.533	1.0	0.0
114	119	126	0.516	1.0	0.0	73.3	-30.6	67.4	74.1	114	1.0	0.517	1.0	0.0
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	1.0	0.5	1.0	0.0

4-0131030-L0 PI850-71

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmyn6*, D65, pagina 11/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

4-0131030-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBCM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBCM_i$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGBCM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab} , s			h _{ab} , s		rgb* _d 361M		LAB* _d 361Mi (x=LabCh)		rgb* _d 361Mi		LAB* _d 361Mi (x=LabCh)		rgb* _d 361Mi		rgb* _d 361Mi		LAB* _d 361Mi (x=LabCh)		rgb* _d 361Mi		rgb* _d 361Mi		rgb* _d 361Mi		rgb* _d 361Mi		rgb* _d 361Mi		rgb* _d 361Mi		rgb* _d 361Mi				
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	0.5	1.0	0.0			
116	121	128	0.483	1.0	0.0	72.2	-32.1	65.0	72.5	116	0.4	1.0	0.0	69.7	-35.8	59.8	69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3	53.5	68.3	128	0.483	1.0	0.0			
117	122	129	0.466	1.0	0.0	71.7	-32.9	63.9	71.9	117	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3	52.5	68.2	129	0.467	1.0	0.0			
118	123	130	0.45	1.0	0.0	71.2	-33.7	62.9	71.4	118	0.369	1.0	0.0	68.5	-37.4	57.7	68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3	51.5	68.1	130	0.45	1.0	0.0			
119	124	131	0.433	1.0	0.0	70.7	-34.5	61.8	70.8	119	0.359	1.0	0.0	67.9	-38.3	56.9	68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3	50.6	67.9	131	0.433	1.0	0.0			
120	125	133	0.416	1.0	0.0	70.2	-35.2	60.8	70.2	120	0.349	1.0	0.0	67.3	-39.2	56.2	68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2	49.5	67.8	133	0.417	1.0	0.0			
121	126	134	0.4	1.0	0.0	69.6	-35.9	59.7	69.6	121	0.339	1.0	0.0	66.6	-40.2	55.4	68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2	48.5	67.7	134	0.4	1.0	0.0			
121	127	135	0.383	1.0	0.0	69.1	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	0.383	1.0	0.0			
123	128	136	0.366	1.0	0.0	68.3	-37.7	57.4	68.7	123	0.319	1.0	0.0	65.3	-42.0	53.8	68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0	46.5	67.6	136	0.367	1.0	0.0			
124	129	137	0.35	1.0	0.0	67.3	-39.2	56.2	68.6	124	0.309	1.0	0.0	64.7	-42.8	53.0	68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9	45.4	67.6	137	0.35	1.0	0.0			
126	130	138	0.333	1.0	0.0	66.2	-40.8	54.9	68.4	126	0.299	1.0	0.0	64.1	-43.7	52.2	68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8	44.4	67.5	138	0.333	1.0	0.0			
128	131	140	0.316	1.0	0.0	65.1	-42.3	53.6	68.2	128	0.289	1.0	0.0	63.4	-44.5	51.3	68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7	43.3	67.5	140	0.317	1.0	0.0			
129	132	141	0.3	1.0	0.0	64.0	-43.7	52.2	68.1	129	0.28	1.0	0.0	62.8	-45.4	50.5	67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5	42.2	67.5	141	0.3	1.0	0.0			
131	133	142	0.283	1.0	0.0	63.0	-45.1	50.8	67.9	131	0.27	1.0	0.0	62.1	-46.2	49.6	67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3	41.1	67.4	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	61.9	-46.5	49.3	67.8	133	0.26	1.0	0.0	61.5	-47.0	48.7	67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.8	-54.1	40.0	67.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	0.25	1.0	0.0			
136	136	145	0.233	1.0	0.0	60.4	-48.8	46.7	67.6	136	0.237	1.0	0.0	60.5	-48.5	47.0	67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2	38.1	68.0	145	0.233	1.0	0.0			
137	137	147	0.216	1.0	0.0	59.9	-49.8	45.6	67.5	137	0.224	1.0	0.0	60.1	-49.3	46.1	67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5	37.3	68.6	147	0.217	1.0	0.0			
138	138	148	0.2	1.0	0.0	59.4	-50.8	44.4	67.5	138	0.211	1.0	0.0	59.8	-50.1	45.2	67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8	36.4	69.2	148	0.2	1.0	0.0			
140	139	149	0.183	1.0	0.0	59.0	-51.8	43.2	67.4	140	0.198	1.0	0.0	59.4	-50.9	44.3	67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0	35.6	69.9	149	0.183	1.0	0.0			
141	140	150	0.166	1.0	0.0	58.5	-52.7	42.0	67.4	141	0.185	1.0	0.0	59.1	-51.6	43.4	67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3	34.6	70.5	150	0.167	1.0	0.0			
142	141	151	0.15	1.0	0.0	58.1	-53.6	40.8	67.4	142	0.172	1.0	0.0	58.7	-52.3	42.5	67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5	33.7	71.1	151	0.15	1.0	0.0			
144	142	152	0.133	1.0	0.0	57.6	-54.5	39.5	67.3	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	0.133	1.0	0.0			
145	143	154	0.116	1.0	0.0	57.0	-55.9	38.3	67.8	145	0.147	1.0	0.0	58.0	-53.7	40.6	67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0	31.7	72.4	154	0.117	1.0	0.0			
147	144	155	0.1	1.0	0.0	56.3	-57.8	37.1	68.7	147	0.134	1.0	0.0	57.7	-54.4	39.6	67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2	30.6	73.0	155	0.1	1.0	0.0			
149	145	156	0.083	1.0	0.0	55.5	-59.7	35.8	69.6	149	0.122	1.0	0.0	57.3	-55.2	38.7	67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4	29.5	73.6	156	0.083	1.0	0.0			
150	146	157	0.066	1.0	0.0	54.8	-61.6	34.4	70.6	150	0.112	1.0	0.0	56.9	-56.3	38.1	68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5	28.3	74.2	157	0.067	1.0	0.0			
152	147	158	0.049	1.0	0.0	54.1	-63.4	32.9	71.5	152	0.103	1.0	0.0	56.4	-57.4	37.4	68.6	147	0.05	1.0	0.0	0.0	1.0	0.02	52.1	-68.4	26.7	73.6	158	0.05	1.0	0.0			
154	148	159	0.033	1.0	0.0	53.4	-65.3	31.4	72.4	154	0.093	1.0	0.0	56.0	-58.5	36.6	69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0	24.9	72.5	159	0.033	1.0	0.0			
156	149	161	0.016	1.0	0.0	52.6	-67.1	29.8	73.4	156	0.084	1.0	0.0	55.6	-59.6	35.9	69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6	23.2	71.5	161	0.017	1.0	0.0			
157	150	162	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157	G _d 0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	G _s 0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162	G _e 0.0	1.0	0.0			
158	151	163	0.0	1.0	0.016	52.0	-68.5	26.9	73.6	158	0.065	1.0	0.0	54.8	-61.8	34.3	70.7	151	0.0	1.0	0.017	0.0	1.0	0.112	52.5	-66.6	20.2	69.7	163	0.0	1.0	0.017			
159	152	164	0.0	1.0	0.033	52.1	-68.3	25.7	72.9	159	0.055	1.0	0.0	54.4	-62.8	33.5	71.3	152	0.0	1.0	0.033	0.0	1.0	0.13	52.6	-66.2	18.9	68.9	164	0.0	1.0	0.033			
160	153	164	0.0	1.0	0.05	52.2	-68.0	24.5	72.2	160	0.046	1.0	0.0	53.9	-63.9	32.6	71.8	153	0.0	1.0	0.05	0.0	1.0	0.146	52.7	-65.7	17.7	68.1	164	0.0	1.0	0.05			
160	154	165	0.0	1.0	0.066	52.2	-67.6	23.3	71.6	160	0.036	1.0	0.0	53.5	-64.9	31.7	72.3	154	0.0	1.0	0.067	0.0	1.0	0.162	52.8	-65.2	16.4	67.3	165	0.0	1.0	0.067			
161	155	166	0.0	1.0	0.083	52.3	-67.3	22.1	70.9	161	0.027	1.0	0.0	53.1	-65.9	30.8	72.9	155	0.0	1.0	0.083	0.0	1.0	0.178	52.9	-64.6	15.2	66.5	166	0.0	1.0	0.083			
162	156	167	0.0	1.0	0.1	52.4	-66.9	21.0	70.2	162	0.017	1.0	0.0	52.7	-67.0	29.9	73.4	156	0.0	1.0	0.1	0.0	1.0	0.193	53.0	-64.1	14.0	65.7	167	0.0	1.0	0.1			
163	157	168	0.0	1.0	0.116	52.5	-66.6	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.117	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168	0.0	1.0	0.117			
164	158	169	0.0	1.0	0.133	52.6	-66.1	18.6	68.7	164	0.0	1.0	0.004	52.0	-68.7	27.8	74.2	158	0.0	1.0	0.133	0.0	1.0	0.225	53.2	-62.9	11.6	64.1	169	0.0	1.0	0.133			
165	159	170	0.0	1.0	0.15	52.7	-65.6	17.3	69.9	165	0.0	1.0	0.025	52.1	-68.3	26.3	73.3	159	0.0	1.0	0.15	0.0	1.0	0.241	53.2	-62.3	10.5	63.3	170	0.0	1.0	0.15			
166	160	17																																	

4-0131130-L0 PI850-71

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmyk6*, D65, pagina 12/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; *rqb-LabCh** tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

CIE Lab angles of the device colours (LAB*)										CIE Lab angles of the elementary colours (LAB*)										CIE Lab angles of the device colours (LAB*)										CIE Lab angles of the elementary colours (LAB*)									
hab,d	hab,s	hab,e	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi (x=LabCh)	rgb* ds361Mi	LAB* ds361Mi (x=LabCh)									
170	165	175	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170	0.0	1.0	0.147	52.7	-65.7	17.6	68.1	165	0.0	1.0	0.25	0.0	1.0	0.311	53.7	-59.7	4.3	59.9	175	0.0	1.0	0.25							
172	166	176	0.0	1.0	0.266	53.4	-61.4	8.2	61.9	172	0.0	1.0	0.164	52.8	-65.1	16.3	67.2	166	0.0	1.0	0.267	0.0	1.0	0.322	53.8	-59.2	3.3	59.4	176	0.0	1.0	0.267							
173	167	177	0.0	1.0	0.283	53.5	-60.8	6.7	61.2	173	0.0	1.0	0.181	52.9	-64.5	14.9	66.3	167	0.0	1.0	0.283	0.0	1.0	0.334	53.8	-58.7	2.3	58.9	177	0.0	1.0	0.283							
175	168	178	0.0	1.0	0.3	53.6	-60.2	5.2	60.4	175	0.0	1.0	0.198	53.0	-63.9	13.6	65.4	168	0.0	1.0	0.3	0.0	1.0	0.345	53.9	-58.3	1.4	58.4	178	0.0	1.0	0.3							
176	169	179	0.0	1.0	0.316	53.7	-59.5	3.7	59.6	176	0.0	1.0	0.216	53.1	-63.2	12.3	64.5	169	0.0	1.0	0.317	0.0	1.0	0.356	54.0	-57.7	0.4	57.8	179	0.0	1.0	0.317							
177	170	180	0.0	1.0	0.333	53.8	-58.8	2.3	58.9	177	0.0	1.0	0.233	53.2	-62.6	11.1	63.6	170	0.0	1.0	0.333	0.0	1.0	0.368	54.1	-57.2	-0.4	57.3	180	0.0	1.0	0.333							
179	171	181	0.0	1.0	0.35	53.9	-58.1	0.9	58.1	179	0.0	1.0	0.25	53.3	-61.9	9.8	62.8	171	0.0	1.0	0.35	0.0	1.0	0.378	54.1	-56.8	-1.3	56.9	181	0.0	1.0	0.35							
180	172	182	0.0	1.0	0.366	54.0	-57.3	-0.4	57.3	180	0.0	1.0	0.263	53.4	-61.5	8.7	62.2	172	0.0	1.0	0.367	0.0	1.0	0.387	54.2	-56.4	-2.2	56.5	182	0.0	1.0	0.367							
181	173	183	0.0	1.0	0.383	54.1	-56.6	-1.8	56.6	181	0.0	1.0	0.275	53.5	-61.1	7.5	61.6	173	0.0	1.0	0.383	0.0	1.0	0.396	54.2	-56.0	-3.1	56.2	183	0.0	1.0	0.383							
183	174	184	0.0	1.0	0.4	54.2	-55.9	-3.5	56.0	183	0.0	1.0	0.287	53.5	-60.6	6.4	61.0	174	0.0	1.0	0.4	0.0	1.0	0.405	54.3	-55.7	-3.9	55.9	184	0.0	1.0	0.4							
185	175	185	0.0	1.0	0.416	54.3	-55.2	-5.0	55.5	185	0.0	1.0	0.3	53.6	-60.1	5.3	60.5	175	0.0	1.0	0.417	0.0	1.0	0.415	54.3	-55.3	-4.8	55.6	185	0.0	1.0	0.417							
186	176	186	0.0	1.0	0.433	54.4	-54.5	-6.6	54.9	186	0.0	1.0	0.312	53.7	-59.6	4.2	59.9	176	0.0	1.0	0.433	0.0	1.0	0.424	54.4	-54.9	-5.6	55.3	186	0.0	1.0	0.433							
188	177	186	0.0	1.0	0.45	54.5	-53.7	-8.0	54.3	188	0.0	1.0	0.324	53.8	-59.1	3.1	59.3	177	0.0	1.0	0.45	0.0	1.0	0.433	54.4	-54.4	-6.5	54.9	186	0.0	1.0	0.45							
190	178	187	0.0	1.0	0.466	54.6	-52.8	-9.5	53.7	190	0.0	1.0	0.337	53.9	-58.6	2.1	58.7	178	0.0	1.0	0.467	0.0	1.0	0.442	54.5	-54.0	-7.3	54.6	187	0.0	1.0	0.467							
191	179	188	0.0	1.0	0.483	54.7	-52.0	-10.9	53.1	191	0.0	1.0	0.349	53.9	-58.1	1.0	58.2	179	0.0	1.0	0.483	0.0	1.0	0.451	54.6	-53.6	-8.1	54.3	188	0.0	1.0	0.483							
193	180	189	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193	0.0	1.0	0.362	54.0	-57.5	0.0	57.6	180	0.0	1.0	0.5	0.0	1.0	0.46	54.6	-53.1	-8.9	54.0	189	0.0	1.0	0.5							
195	181	190	0.0	1.0	0.516	54.9	-50.4	-13.7	52.2	195	0.0	1.0	0.374	54.1	-56.9	-0.9	57.0	181	0.0	1.0	0.517	0.0	1.0	0.469	54.7	-52.6	-9.7	53.6	190	0.0	1.0	0.517							
196	182	191	0.0	1.0	0.533	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.384	54.2	-56.5	-1.9	56.7	182	0.0	1.0	0.533	0.0	1.0	0.479	54.7	-52.2	-10.5	53.3	191	0.0	1.0	0.533							
198	183	192	0.0	1.0	0.55	55.2	-48.9	-16.3	51.6	198	0.0	1.0	0.394	54.2	-56.1	-2.8	56.3	183	0.0	1.0	0.55	0.0	1.0	0.488	54.8	-51.7	-11.2	53.0	192	0.0	1.0	0.55							
200	184	193	0.0	1.0	0.566	55.3	-48.1	-17.6	51.2	200	0.0	1.0	0.404	54.3	-55.7	-3.8	55.9	184	0.0	1.0	0.567	0.0	1.0	0.497	54.8	-51.2	-12.0	52.7	193	0.0	1.0	0.567							
201	185	194	0.0	1.0	0.583	55.5	-47.3	-18.9	50.9	201	0.0	1.0	0.414	54.3	-55.3	-4.7	55.6	185	0.0	1.0	0.583	0.0	1.0	0.506	54.9	-50.8	-12.7	52.5	194	0.0	1.0	0.583							
203	186	195	0.0	1.0	0.6	55.6	-46.4	-20.1	50.6	203	0.0	1.0	0.424	54.4	-54.8	-5.7	55.2	186	0.0	1.0	0.6	0.0	1.0	0.515	55.0	-50.4	-13.5	52.3	195	0.0	1.0	0.6							
205	187	195	0.0	1.0	0.616	55.7	-45.5	-21.3	50.3	205	0.0	1.0	0.434	54.5	-54.4	-6.6	54.9	187	0.0	1.0	0.617	0.0	1.0	0.524	55.0	-50.0	-14.3	52.1	195	0.0	1.0	0.617							
206	188	196	0.0	1.0	0.633	55.8	-44.7	-22.5	50.1	206	0.0	1.0	0.444	54.5	-53.9	-7.5	54.5	188	0.0	1.0	0.633	0.0	1.0	0.534	55.1	-49.6	-15.0	51.9	196	0.0	1.0	0.633							
208	189	197	0.0	1.0	0.65	56.0	-44.0	-23.8	50.1	208	0.0	1.0	0.454	54.6	-53.4	-8.4	54.2	189	0.0	1.0	0.65	0.0	1.0	0.543	55.2	-49.2	-15.7	51.7	197	0.0	1.0	0.65							
210	190	198	0.0	1.0	0.666	56.1	-43.2	-25.0	50.0	210	0.0	1.0	0.464	54.6	-52.9	-9.2	53.8	190	0.0	1.0	0.667	0.0	1.0	0.552	55.3	-48.7	-16.5	51.6	198	0.0	1.0	0.667							
211	191	199	0.0	1.0	0.683	56.2	-42.4	-26.3	49.9	211	0.0	1.0	0.474	54.7	-52.4	-10.1	53.5	191	0.0	1.0	0.683	0.0	1.0	0.561	55.3	-48.3	-17.2	51.4	199	0.0	1.0	0.683							
213	192	200	0.0	1.0	0.7	56.3	-41.6	-27.5	49.9	213	0.0	1.0	0.484	54.8	-51.9	-10.9	53.1	192	0.0	1.0	0.7	0.0	1.0	0.571	55.4	-47.9	-17.9	51.2	200	0.0	1.0	0.7							
215	193	201	0.0	1.0	0.716	56.5	-40.8	-28.6	49.8	215	0.0	1.0	0.494	54.8	-51.3	-11.8	52.8	193	0.0	1.0	0.717	0.0	1.0	0.58	55.5	-47.4	-18.6	51.0	201	0.0	1.0	0.717							
216	194	202	0.0	1.0	0.733	56.6	-39.9	-29.8	49.8	216	0.0	1.0	0.504	54.9	-50.8	-12.6	52.5	194	0.0	1.0	0.733	0.0	1.0	0.589	55.6	-46.9	-19.3	50.9	202	0.0	1.0	0.733							
218	195	203	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218	0.0	1.0	0.514	55.0	-50.4	-13.4	52.3	195	0.0	1.0	0.75	0.0	1.0	0.598	55.6	-46.5	-19.9	50.7	203	0.0	1.0	0.75							
219	196	204	0.0	1.0	0.766	56.8	-38.4	-31.7	49.8	219	0.0	1.0	0.525	55.0	-50.0	-14.3	52.1	196	0.0	1.0	0.767	0.0	1.0	0.607	55.7	-46.0	-20.6	50.5	204	0.0	1.0	0.767							
220	197	205	0.0	1.0	0.783	56.9	-37.8	-32.6	49.9	220	0.0	1.0	0.535	55.1	-49.5	-15.1	51.9	197	0.0	1.0	0.783	0.0	1.0	0.617	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.783							
221	198	206	0.0	1.0	0.8	57.0	-37.2	-33.5	50.1	221	0.0	1.0	0.545	55.2	-49.1	-15.9	51.7	198	0.0	1.0	0.8	0.0	1.0	0.626	55.8	-45.0	-21.9	50.2	206	0.0	1.0	0.8							
223	199	206	0.0	1.0	0.816	57.1	-36.6	-34.3	50.2	223	0.0	1.0	0.555	55.3	-48.6	-16.7	51.5	199	0.0	1.0	0.817	0.0	1.0	0.635	55.9	-44.6	-22.6	50.2	206	0.0	1.0	0.817							
224	200	207	0.0	1.0	0.833	57.3	-36.0	-35.2	50.3	224	0.0	1.0	0.565	55.4	-48.1	-17.5	51.3	200	0.0	1.0	0.833	0.0	1.0	0.644	56.0	-44.2	-23.3	50.1	207	0.0	1.0	0.833							
225	201	208	0.0	1.0	0.85	57.4	-35.3	-36.0	50.4	225	0.0	1.0	0.575	55.4	-47.6	-18.2	51.1	201	0.0	1.0	0.85	0.0	1.0	0.653	56.0	-43.8	-24.0	50.1	208	0.0	1.0	0.85							
226	202	209	0.0	1.0	0.866	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.585	55.5	-47.1	-19.0	50.9	202	0.0	1.0	0.867	0.0	1.0	0.662	56.1	-43.4	-24.7	50.1	209	0.0	1.0	0.867							
227	203	210	0.0	1.0	0.883	57.6	-34.0	-37.7	50.8	227	0.0	1.0	0.595	55.6	-46.6	-19.7	50.8	203	0.0	1.0	0.883	0.0	1.0	0.672	56.2	-43.0	-25.4	50.0	210	0.0</									

4-0131230-L0 PI850-71

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmyn6*, D65, pagina 13/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; *rqb-LabCh** tavolo

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;																	Six hue angles of the device colours RYGBM _d : h _{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																					
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}				LAB* _{dd361Mi} (x=LabCh)				C _d	rgb* _{ds361Mi}				LAB* _{ds361Mi} (x=LabCh)				C _s	rgb* _{dd361Mi}				LAB* _{de361Mi} (x=LabCh)				C _e	rgb* _{dd361Mi}				LAB* _{de361Mi} (x=LabCh)				C _e
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	0.0	1.0	1.0	0.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	0.0	1.0	1.0			
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211	0.0	0.983	1.0	0.0	1.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0		
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0		
237	213	219	0.0	0.95	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.95	1.0	0.0	1.0	0.95	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.95	1.0		
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0		
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0		
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0		
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0		
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0		
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0		
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0		
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0		
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0		
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0		
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0		
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0		
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0		
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0		
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0		
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0		
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0		
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0		
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0	
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0	
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0	
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0	
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0	
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237	0.0	0.55	1.0	0.0	1.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0	
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259	0.0	0.946	1.0	57.0	-27.3	-43.8	51.7	238	0.0	0.533	1.0	0.0	1.0	0.533	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0	
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261	0.0	0.916	1.0	56.3	-26.3	-43.8	51.2	239	0.0	0.517	1.0	0.0	1.0	0.517	1.0	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243	0.0	0.517	1.0	
262	240	244	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262	0.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.5	1.0	0.0	1.0	0.5	1.0	0.0	1.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244	0.0	0.5	1.0	
263	241	245	0.0	0.483	1.0	42.1	-5.0	-45.1	45.4	263	0.0	0.861	1.0	54.9	-24.3	-43.9	50.3	241	0.0	0.483	1.0	0.0	1.0	0.483	1.0	0.0	1.0	0.764	1.0	52.2	-20.2	-44.1	48.6	245	0.0	0.483	1.0	
264	242	246	0.0	0.466	1.0	41.4	-4.0	-45.2	45.4	264	0.0	0.838	1.0	54.2	-23.3	-44.0	49.9	242	0.0	0.467	1.0	0.0	1.0	0.467	1.0	0.0	1.0	0.745	1.0	51.6	-19.4	-44.1	48.3	246	0.0	0.467	1.0	
266	243	247	0.0	0.45	1.0	40.8	-3.0	-45.3	45.4	266	0.0	0.815	1.0	53.6	-22.4	-44.0	49.5	243	0.0	0.45	1.0	0.0	1.0	0.45	1.0	0.0	1.0	0.727	1.0	51.1	-18.6	-44.2	48.1	247	0.0	0.45	1.0	
267	244	248	0.0	0.433	1.0	40.2	-2.1	-45.3	45.4	267	0.0	0.793	1.0	53.0	-21.4	-44.1	49.1	244	0.0	0.433	1.0	0.0	1.0	0.433	1.0	0.0	1.0	0.71	1.0	50.5	-17.8	-44.2	47.8	248	0.0	0.433	1.0	
268	245	248	0.0	0.416	1.0	39.5	-1.1	-45.4	45.4	268	0.0	0.77	1.0	52.3	-20.5	-44.1	48.7	245	0.0	0.417																		

4-0131330-L0 PI850-71

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmyn6*, D65, pagina 14/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* dd361M	LAB^* ddx361Mi (x=LabCh)	rgb^* ds361Mi	LAB^* dsx361Mi (x=LabCh)	rgb^* dd361Mi	LAB^* de361Mi	LAB^* dex361Mi (x=LabCh)	rgb^* dd361Mi	rgb^*_d	rgb^*_s	rgb^*_e
281	255	258	0.0 0.25 1.0	33.3 9.4 -46.0 47.0	281	0.0 0.594 1.0	46.5 -11.9 -44.6 46.3	255	0.0 0.25 1.0	0.0 0.555 1.0	45.0 -9.4 -44.8 45.9	258	0.0 0.25 1.0
282	256	258	0.0 0.233 1.0	32.7 10.5 -46.2 47.4	282	0.0 0.581 1.0	46.0 -11.1 -44.7 46.2	256	0.0 0.233 1.0	0.0 0.543 1.0	44.5 -8.7 -44.9 45.8	258	0.0 0.233 1.0
283	257	259	0.0 0.216 1.0	32.0 11.5 -46.4 47.8	283	0.0 0.568 1.0	45.5 -10.3 -44.8 46.1	257	0.0 0.217 1.0	0.0 0.532 1.0	44.1 -7.9 -44.9 45.7	259	0.0 0.217 1.0
285	258	260	0.0 0.2 1.0	31.4 12.5 -46.5 48.2	285	0.0 0.556 1.0	45.0 -9.5 -44.8 45.9	258	0.0 0.2 1.0	0.0 0.52 1.0	43.6 -7.2 -44.9 45.6	260	0.0 0.2 1.0
286	259	261	0.0 0.183 1.0	30.8 13.6 -46.7 48.6	286	0.0 0.543 1.0	44.5 -8.6 -44.9 45.8	259	0.0 0.183 1.0	0.0 0.508 1.0	43.1 -6.5 -44.9 45.5	261	0.0 0.183 1.0
287	260	262	0.0 0.166 1.0	30.1 14.7 -46.8 49.0	287	0.0 0.53 1.0	44.0 -7.8 -44.9 45.7	260	0.0 0.167 1.0	0.0 0.497 1.0	42.7 -5.7 -45.0 45.4	262	0.0 0.167 1.0
288	261	263	0.0 0.15 1.0	29.5 15.8 -46.9 49.4	288	0.0 0.517 1.0	43.5 -7.0 -44.9 45.6	261	0.0 0.15 1.0	0.0 0.484 1.0	42.2 -5.0 -45.0 45.4	263	0.0 0.15 1.0
289	262	264	0.0 0.133 1.0	28.9 16.8 -46.9 49.9	289	0.0 0.505 1.0	43.0 -6.2 -44.9 45.5	262	0.0 0.133 1.0	0.0 0.472 1.0	41.7 -4.3 -45.1 45.4	264	0.0 0.133 1.0
290	263	265	0.0 0.116 1.0	28.3 17.8 -47.0 50.3	290	0.0 0.491 1.0	42.5 -5.4 -45.0 45.4	263	0.0 0.117 1.0	0.0 0.46 1.0	41.2 -3.6 -45.2 45.4	265	0.0 0.117 1.0
291	264	266	0.0 0.1 1.0	27.9 18.6 -47.1 50.6	291	0.0 0.478 1.0	41.9 -4.6 -45.1 45.4	264	0.0 0.1 1.0	0.0 0.448 1.0	40.8 -2.9 -45.2 45.4	266	0.0 0.1 1.0
292	265	267	0.0 0.083 1.0	27.5 19.4 -47.1 51.0	292	0.0 0.465 1.0	41.4 -3.9 -45.2 45.4	265	0.0 0.083 1.0	0.0 0.436 1.0	40.3 -2.1 -45.3 45.4	267	0.0 0.083 1.0
293	266	268	0.0 0.066 1.0	27.0 20.2 -47.2 51.4	293	0.0 0.451 1.0	40.9 -3.1 -45.2 45.4	266	0.0 0.067 1.0	0.0 0.423 1.0	39.8 -1.4 -45.3 45.4	268	0.0 0.067 1.0
293	267	269	0.0 0.049 1.0	26.6 21.0 -47.3 51.7	293	0.0 0.438 1.0	40.4 -2.3 -45.3 45.4	267	0.0 0.05 1.0	0.0 0.411 1.0	39.4 -0.7 -45.3 45.4	269	0.0 0.05 1.0
294	268	269	0.0 0.033 1.0	26.2 21.8 -47.3 52.1	294	0.0 0.425 1.0	39.9 -1.5 -45.3 45.4	268	0.0 0.033 1.0	0.0 0.399 1.0	38.9 0.0 -45.3 45.4	269	0.0 0.033 1.0
295	269	270	0.0 0.016 1.0	25.7 22.6 -47.3 52.5	295	0.0 0.411 1.0	39.4 -0.7 -45.3 45.4	269	0.0 0.017 1.0	0.0 0.387 1.0	38.4 0.7 -45.3 45.4	270	0.0 0.017 1.0
296	270	271	0.0 0.0 1.0	25.3 23.5 -47.3 52.8	296	B_d 0.0 0.398 1.0	38.8 0.0 -45.3 45.4	270	B_s 0.0 0.0 1.0	0.0 0.375 1.0	37.9 1.4 -45.3 45.5	271	B_e 0.0 0.0 1.0
297	271	272	0.016 0.0 1.0	25.8 24.6 -46.8 52.9	297	0.0 0.385 1.0	38.3 0.8 -45.3 45.4	271	0.017 0.0 1.0	0.0 0.363 1.0	37.5 2.1 -45.5 45.6	272	0.017 0.0 1.0
299	272	273	0.033 0.0 1.0	26.3 25.8 -46.2 52.9	299	0.0 0.371 1.0	37.8 1.6 -45.4 45.5	272	0.033 0.0 1.0	0.0 0.351 1.0	37.1 2.9 -45.6 45.8	273	0.033 0.0 1.0
300	273	274	0.05 0.0 1.0	26.9 26.9 -45.6 52.9	300	0.0 0.359 1.0	37.3 2.4 -45.5 45.7	273	0.05 0.0 1.0	0.0 0.339 1.0	36.6 3.7 -45.7 45.9	274	0.05 0.0 1.0
301	274	275	0.066 0.0 1.0	27.4 28.0 -45.0 53.0	301	0.0 0.346 1.0	36.9 3.2 -45.6 45.8	274	0.067 0.0 1.0	0.0 0.327 1.0	36.2 4.4 -45.7 46.0	275	0.067 0.0 1.0
303	275	276	0.083 0.0 1.0	27.9 29.1 -44.3 53.0	303	0.0 0.334 1.0	36.4 4.0 -45.7 46.0	275	0.083 0.0 1.0	0.0 0.315 1.0	35.7 5.2 -45.8 46.2	276	0.083 0.0 1.0
304	276	277	0.1 0.0 1.0	28.5 30.2 -43.6 53.1	304	0.0 0.321 1.0	36.0 4.8 -45.8 46.1	276	0.1 0.0 1.0	0.0 0.303 1.0	35.3 6.0 -45.9 46.3	277	0.1 0.0 1.0
306	277	278	0.116 0.0 1.0	29.0 31.2 -42.9 53.1	306	0.0 0.309 1.0	35.5 5.6 -45.8 46.3	277	0.117 0.0 1.0	0.0 0.291 1.0	34.9 6.8 -45.9 46.5	278	0.117 0.0 1.0
307	278	279	0.133 0.0 1.0	29.4 32.1 -42.3 53.1	307	0.0 0.296 1.0	35.0 6.5 -45.9 46.4	278	0.133 0.0 1.0	0.0 0.279 1.0	34.4 7.6 -45.9 46.6	279	0.133 0.0 1.0
307	279	280	0.15 0.0 1.0	29.7 32.7 -41.9 53.2	307	0.0 0.283 1.0	34.6 7.3 -45.9 46.6	279	0.15 0.0 1.0	0.0 0.267 1.0	34.0 8.3 -45.9 46.8	280	0.15 0.0 1.0
308	280	281	0.166 0.0 1.0	30.0 33.3 -41.5 53.2	308	0.0 0.271 1.0	34.1 8.1 -45.9 46.7	280	0.167 0.0 1.0	0.0 0.256 1.0	33.5 9.1 -45.9 46.9	281	0.167 0.0 1.0
309	281	282	0.183 0.0 1.0	30.3 33.9 -41.0 53.2	309	0.0 0.258 1.0	33.6 8.9 -45.9 46.9	281	0.183 0.0 1.0	0.0 0.243 1.0	33.1 9.9 -46.0 47.2	282	0.183 0.0 1.0
310	282	283	0.2 0.0 1.0	30.6 34.5 -40.6 53.3	310	0.0 0.245 1.0	33.1 9.8 -46.0 47.1	282	0.2 0.0 1.0	0.0 0.229 1.0	32.5 10.8 -46.2 47.5	283	0.2 0.0 1.0
311	283	284	0.216 0.0 1.0	30.9 35.0 -40.1 53.3	311	0.0 0.231 1.0	32.6 10.7 -46.2 47.5	283	0.217 0.0 1.0	0.0 0.215 1.0	32.0 11.6 -46.3 47.9	284	0.217 0.0 1.0
311	284	285	0.233 0.0 1.0	31.2 35.6 -39.6 53.3	311	0.0 0.216 1.0	32.1 11.6 -46.3 47.8	284	0.233 0.0 1.0	0.0 0.202 1.0	31.5 12.5 -46.5 48.2	285	0.233 0.0 1.0
312	285	285	0.25 0.0 1.0	31.5 36.2 -39.2 53.4	312	0.0 0.202 1.0	31.5 12.5 -46.5 48.2	285	0.25 0.0 1.0	0.0 0.188 1.0	31.0 13.3 -46.6 48.5	285	0.25 0.0 1.0
314	286	286	0.266 0.0 1.0	31.8 37.8 -38.3 53.8	314	0.0 0.188 1.0	31.0 13.4 -46.6 48.6	286	0.267 0.0 1.0	0.0 0.175 1.0	30.5 14.2 -46.7 48.9	286	0.267 0.0 1.0
316	287	287	0.283 0.0 1.0	32.1 39.4 -37.4 54.3	316	0.0 0.173 1.0	30.4 14.3 -46.7 48.9	287	0.283 0.0 1.0	0.0 0.161 1.0	30.0 15.1 -46.8 49.2	287	0.283 0.0 1.0
318	288	288	0.3 0.0 1.0	32.4 40.9 -36.4 54.8	318	0.0 0.159 1.0	29.9 15.2 -46.8 49.3	288	0.3 0.0 1.0	0.0 0.147 1.0	29.5 16.0 -46.8 49.6	288	0.3 0.0 1.0
320	289	289	0.316 0.0 1.0	32.7 42.4 -35.3 55.3	320	0.0 0.145 1.0	29.4 16.2 -46.8 49.6	289	0.317 0.0 1.0	0.0 0.134 1.0	28.9 16.9 -46.9 49.9	289	0.317 0.0 1.0
322	290	290	0.333 0.0 1.0	33.0 43.9 -34.2 55.7	322	0.0 0.13 1.0	28.8 17.1 -46.9 50.0	290	0.333 0.0 1.0	0.0 0.118 1.0	28.4 17.8 -46.9 50.3	290	0.333 0.0 1.0
323	291	291	0.35 0.0 1.0	33.3 45.4 -33.1 56.2	323	0.0 0.112 1.0	28.3 18.1 -47.0 50.4	291	0.35 0.0 1.0	0.0 0.098 1.0	27.9 18.7 -47.0 50.7	291	0.35 0.0 1.0
325	292	292	0.366 0.0 1.0	33.6 46.9 -31.8 56.7	325	0.0 0.091 1.0	27.7 19.1 -47.1 50.9	292	0.367 0.0 1.0	0.0 0.079 1.0	27.4 19.6 -47.1 51.1	292	0.367 0.0 1.0
327	293	293	0.383 0.0 1.0	34.0 48.0 -30.9 57.1	327	0.0 0.07 1.0	27.2 20.1 -47.1 51.3	293	0.383 0.0 1.0	0.0 0.059 1.0	26.9 20.6 -47.2 51.6	293	0.383 0.0 1.0
328	294	294	0.4 0.0 1.0	34.6 48.9 -30.3 57.5	328	0.0 0.05 1.0	26.6 21.1 -47.2 51.8	294	0.4 0.0 1.0	0.0 0.04 1.0	26.4 21.6 -47.2 52.0	294	0.4 0.0 1.0
329	295	295	0.416 0.0 1.0	35.1 49.7 -29.7 57.9	329	0.0 0.029 1.0	26.1 22.1 -47.2 52.2	295	0.417 0.0 1.0	0.0 0.02 1.0	25.9 22.5 -47.3 52.4	295	0.417 0.0 1.0
330	296	296	0.433 0.0 1.0	35.7 50.5 -29.0 58.3	330	0.0 0.008 1.0	25.6 23.1 -47.3 52.7	296	0.433 0.0 1.0	0.0 0.001 1.0	25.3 23.5 -47.3 52.9	296	0.433 0.0 1.0
331	297	297	0.45 0.0 1.0	36.2 51.4 -28.4 58.7	331	0.007 0.0 1.0	25.6 24.0 -47.0 52.9	297	0.45 0.0 1.0	0.011 0.0 1.0	25.7 24.3 -46.9 52.9	297	0.45 0.0 1.0
332	298	298	0.466 0.0 1.0	36.7 52.2 -27.7 59.1	332	0.019 0.0 1.0	25.9 24.8 -46.6 52.9	298	0.467 0.0 1.0	0.023 0.0 1.0	26.1 25.1 -46.5 52.9	298	0.467 0.0 1.0
332	299	299	0.483 0.0 1.0	37.3 53.0 -27.0 59.5	332	0.031 0.0 1.0	26.3 25.7 -46.2 52.9	299	0.483 0.0 1.0	0.034 0.0 1.0	26.4 25.9 -46.1 53.0	299	0.483 0.0 1.0
333	300	300	0.5 0.0 1.0	37.8 53.8 -26.3 59.9	333	0.043 0.0 1.0	26.7 26.5 -45.8 53.0	300	0.5 0.0 1.0	0.046 0.0 1.0	26.8 26.6 -45.7 53.0	300	0.5 0.0 1.0

4-0131430-L0 PI850-71

LAB^*a_0 , $YN=0\%$, $XYZ_{nw}=2.4, 2.5, 2.6, 85.1, 88.8, 104.3$, $LAB^*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0$

uscita: Offset standard print; separation cmyn6*, D65, pagina 15/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table 1: Hue angles of the device colours (100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000, 4100, 4200, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 5000, 5100, 5200, 5300, 5400, 5500, 5600, 5700, 5800, 5900, 6000, 6100, 6200, 6300, 6400, 6500, 6600, 6700, 6800, 6900, 7000, 7100, 7200, 7300, 7400, 7500, 7600, 7700, 7800, 7900, 8000, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 8900, 9000, 9100, 9200, 9300, 9400, 9500, 9600, 9700, 9800, 9900, 10000, 10100, 10200, 10300, 10400, 10500, 10600, 10700, 10800, 10900, 11000, 11100, 11200, 11300, 11400, 11500, 11600, 11700, 11800, 11900, 12000, 12100, 12200, 12300, 12400, 12500, 12600, 12700, 12800, 12900, 13000, 13100, 13200, 13300, 13400, 13500, 13600, 13700, 13800, 13900, 14000, 14100, 14200, 14300, 14400, 14500, 14600, 14700, 14800, 14900, 15000, 15100, 15200, 15300, 15400, 15500, 15600, 15700, 15800, 15900, 16000, 16100, 16200, 16300, 16400, 16500, 16600, 16700, 16800, 16900, 17000, 17100, 17200, 17300, 17400, 17500, 17600, 17700, 17800, 17900, 18000, 18100, 18200, 18300, 18400, 18500, 18600, 18700, 18800, 18900, 19000, 19100, 19200, 19300, 19400, 19500, 19600, 19700, 19800, 19900, 20000, 20100, 20200, 20300, 20400, 20500, 20600, 20700, 20800, 20900, 21000, 21100, 21200, 21300, 21400, 21500, 21600, 21700, 21800, 21900, 22000, 22100, 22200, 22300, 22400, 22500, 22600, 22700, 22800, 22900, 23000, 23100, 23200, 23300, 23400, 23500, 23600, 23700, 23800, 23900, 24000, 24100, 24200, 24300, 24400, 24500, 24600, 24700, 24800, 24900, 25000, 25100, 25200, 25300, 25400, 25500, 25600, 25700, 25800, 25900, 26000, 26100, 26200, 26300, 26400, 26500, 26600, 26700, 26800, 26900, 27000, 27100, 27200, 27300, 27400, 27500, 27600, 27700, 27800, 27900, 28000, 28100, 28200, 28300, 28400, 28500, 28600, 28700, 28800, 28900, 29000, 29100, 29200, 29300, 29400, 29500, 29600, 29700, 29800, 29900, 30000, 30100, 30200, 30300, 30400, 30500, 30600, 30700, 30800, 30900, 31000, 31100, 31200, 31300, 31400, 31500, 31600, 31700, 31800, 31900, 32000, 32100, 32200, 32300, 32400, 32500, 32600, 32700, 32800, 32900, 33000, 33100, 33200, 33300, 33400, 33500, 33600, 33700, 33800, 33900, 34000, 34100, 34200, 34300, 34400, 34500, 34600, 34700, 34800, 34900, 35000, 35100, 35200, 35300, 35400, 35500, 35600, 35700, 35800, 35900, 36000, 36100, 36200, 36300, 36400, 36500, 36600, 36700, 36800, 36900, 37000, 37100, 37200, 37300, 37400, 37500, 37600, 37700, 37800, 37900, 38000, 38100, 38200, 38300, 38400, 38500, 38600, 38700, 38800, 38900, 39000, 39100, 39200, 39300, 39400, 39500, 39600, 39700, 39800, 39900, 40000, 40100, 40200, 40300, 40400, 40500, 40600, 40700, 40800, 40900, 41000, 41100, 41200, 41300, 41400, 41500, 41600, 41700, 41800, 41900, 42000, 42100, 42200, 42300, 42400, 42500, 42600, 42700, 42800, 42900, 43000, 43100, 43200, 43300, 43400, 43500, 43600, 43700, 43800, 43900, 44000, 44100, 44200, 44300, 44400, 44500, 44600, 44700, 44800, 44900, 45000, 45100, 45200, 45300, 45400, 45500, 45600, 45700, 45800, 45900, 46000, 46100, 46200, 46300, 46400, 46500, 46600, 46700, 46800, 46900, 47000, 47100, 47200, 47300, 47400, 47500, 47600, 47700, 47800, 47900, 48000, 48100, 48200, 48300, 48400, 48500, 48600, 48700, 48800, 48900, 49000, 49100, 49200, 49300, 49400, 49500, 49600, 49700, 49800, 49900, 50000, 50100, 50200, 50300, 50400, 50500, 50600, 50700, 50800, 50900, 51000, 51100, 51200, 51300, 51400, 51500, 51600, 51700, 51800, 51900, 52000, 52100, 52200, 52300, 52400, 52500, 52600, 52700, 52800, 52900, 53000, 53100, 53200, 53300, 53400, 53500, 53600, 53700, 53800, 53900, 54000, 54100, 54200, 54300, 54400, 54500, 54600, 54700, 54800, 54900, 55000, 55100, 55200, 55300, 55400, 55500, 55600, 55700, 55800, 55900, 56000, 56100, 56200, 56300, 56400, 56500, 56600, 56700, 56800, 56900, 57000, 57100, 57200, 57300, 57400, 57500, 57600, 57700, 57800, 57900, 58000, 58100, 58200, 58300, 58400, 58500, 58600, 58700, 58800, 58900, 59000, 59100, 59200, 59300, 59400, 59500, 59600, 59700, 59800, 59900, 60000, 60100, 60200, 60300, 60400, 60500, 60600, 60700, 60800, 60900, 61000, 61100, 61200, 61300, 61400, 61500, 61600, 61700, 61800, 61900, 62000, 62100, 62200, 62300, 62400, 62500, 62600, 62700, 62800, 62900, 63000, 63100, 63200, 63300, 63400, 63500, 63600, 63700, 63800, 63900, 64000, 64100, 64200, 64300, 64400, 64500, 64600, 64700, 64800, 64900, 65000, 65100, 65200, 65300, 65400, 65500, 65600, 65700, 65800, 65900, 66000, 66100, 66200, 66300, 66400, 66500, 66600, 66700, 66800, 66900, 67000, 67100, 67200, 67300, 67400, 67500, 67600, 67700, 67800, 67900, 68000, 68100, 68200, 68300, 68400, 68500, 68600, 68700, 68800, 68900, 69000, 69100, 69200, 69300, 69400, 69500, 69600, 69700, 69800, 69900, 70000, 70100, 70200, 70300, 70400, 70500, 70600, 70700, 70800, 70900, 71000, 71100, 71200, 71300, 71400, 71500, 71600, 71700, 71800, 71900, 72000, 72100, 72200, 72300, 72400, 72500, 72600, 72700, 72800, 72900, 73000, 73100, 73200, 73300, 73400, 73500, 73600, 73700, 73800, 73900, 74000, 74100, 74200, 74300, 74400, 74500, 74600, 74700, 74800, 74900, 75000, 75100, 75200, 75300, 75400, 75500, 75600, 75700, 75800, 75900, 76000, 76100, 76200, 76300, 76400, 76500, 76600, 76700, 76800, 76900, 77000, 77100, 77200, 77300, 77400, 77500, 77600, 77700, 77800, 77900, 78000, 78100, 78200, 78300, 78400, 78500, 78600, 78700, 78800, 78900, 79000, 79100, 79200, 79300, 79400, 79500, 79600, 79700, 79800, 79900, 80000, 80100, 80200, 80300, 80400, 80500, 80600, 80700, 80800, 80900, 81000, 81100, 81200, 81300, 81400, 81500, 81600, 81700, 81800, 81900, 82000, 82100, 82200, 82300, 82400, 82500, 82600, 82700, 82800, 82900, 83000, 83100, 83200, 83300, 83400, 83500, 83600, 83700, 83800, 83900, 84000, 84100, 84200, 84300, 84400, 84500, 84600, 84700, 84800, 84900, 85000, 85100, 85200, 85300, 85400, 85500, 85600, 85700, 85800, 85900, 86000, 86100, 86200, 86300, 86400, 86500, 86600, 86700, 86800, 86900, 87000, 87100, 87200, 87300, 87400, 87500, 87600, 87700, 87800, 87900, 88000, 88100, 88200, 88300, 88400, 88500, 88600, 88700, 88800, 88900, 89000, 89100, 89200, 89300, 89400, 89500, 89600, 89700, 89800, 89900, 90000, 90100, 90200, 90300, 90400, 90500, 90600, 90700, 90800, 90900, 91000, 91100, 91200, 91300, 91400, 91500, 91600, 91700, 91800, 91900, 92000, 92100, 92200, 92300, 92400, 92500, 92600, 92700, 92800, 92900, 93000, 93100, 93200, 93300, 93400, 93500, 93600, 93700, 93800, 93900, 94000, 94100, 94200, 94300, 94400, 94500, 94600, 94700, 94800, 94900, 95000, 95100, 95200, 95300, 95400, 95500, 95600, 95700, 95800, 95900, 96000, 96100, 96200, 96300, 96400, 96500, 96600, 96700, 96800, 96900, 97000, 97100, 97200, 97300, 97400, 97500, 97600, 97700, 97800, 97900, 98000, 98100, 98200, 98300, 98400, 98500, 98600, 98700, 98800, 98900, 99000, 99100, 99200, 99300, 99400, 99500, 99600, 99700, 99800, 99900, 100000, 100100, 100200, 100300, 100400, 100500, 100600, 100700, 100800, 100900, 101000, 101100, 101200, 101300, 101400, 101500, 101600, 101700, 101800, 101900, 102000, 102100, 102200, 102300, 102400, 102500, 102600, 102700, 102800, 102900, 103000, 103100, 103200, 103300, 103400, 103500, 103600, 103700, 103800, 103900, 104000, 104100, 104200, 104300, 104400, 104500, 104600, 104700, 104800, 104900, 105000, 105100, 105200, 105300, 105400, 105500, 105600, 105700, 105800, 105900, 106000, 106100, 106200, 106300, 106400, 106500, 106600, 106700, 106800, 106900, 107000, 107100, 107200, 107300, 107400, 107500, 107600, 107700, 107800, 107900, 108000, 108100, 108200, 108300, 108400, 108500, 108600, 108700, 108800, 108900, 109000, 109100, 109200, 109300, 109400, 109500, 109600, 109700, 109800, 109900, 110000, 110100, 110200, 110300, 110400, 110500, 110600, 110700, 110800, 110900, 111000, 111100, 111200, 111300, 111400, 111500, 111600, 111700, 111800, 111900, 112000, 112100, 112200, 112300, 112400, 112500, 112600, 112700, 112800, 112900, 113000, 113100, 113200, 113300, 113400, 113500, 113600, 113700, 113800, 113900, 114000, 114100, 114200, 114300, 114400, 114500, 114600, 114700, 114800, 114900, 115000, 115100, 115200, 115300, 115400, 115500, 115600, 115700, 115800, 115900, 116000, 116100, 116200, 116300, 116400, 116500, 116600, 116700, 116800, 116900, 117000, 117100, 117200, 117300, 117400, 117500, 117600, 117700, 117800, 117900, 118000, 118100, 118200, 118300, 118400, 118500, 118600, 118700, 118800, 118900, 119000, 119100, 119200, 119300, 119400, 119500, 119600, 119700, 119800, 119900, 120000, 120100, 120200, 120300, 120400, 120500, 120600, 120700, 120800, 120900, 121000, 121100, 121200, 121300, 121400, 121500, 121600, 121700, 121800, 121900, 122000, 122100, 122200, 122300, 122400, 122500, 122600, 122700, 122800, 122900, 123000, 123100, 123200, 123300, 123400, 123500, 123600, 123700, 123800, 123900, 124000, 124100, 124200, 124300, 124400, 124500, 124600, 124700, 124800, 124900, 125000, 125100, 125200, 125300, 125400, 125500, 125600, 125700, 125800, 125900, 126000, 126100, 126200, 126300, 126400, 126500, 126600, 126700, 126800, 126900, 127000, 127100, 127200, 127300, 127400, 127500, 127600, 127700, 127800, 127900, 128000, 128100, 128200, 128300, 128400, 128500, 128600, 128700, 128800, 128900, 129000, 129100, 129200, 129300, 129400, 129500, 129600, 129700, 129800, 129900, 130000, 130100, 130200, 130300, 130400, 130500, 130600, 130700, 130800, 130900, 131000, 131100, 131200, 131300, 131400, 131500, 131600, 131700, 131800, 131900, 132000, 132100, 132200, 132300, 132400, 132500, 132600, 132700, 132800, 132900, 133000, 133100, 133200, 133300, 133400, 133500, 133600, 133700, 133800, 133900, 134000, 134100, 134200, 134300, 134400, 134500, 134600, 134700, 134800, 134900, 135000, 135100, 135200, 135300, 135400, 135500, 135600, 135700, 135800, 135900, 136000, 136100, 136200, 136300, 136400, 136500, 136600, 136700, 136800, 136900, 137000, 137100, 137200, 137300, 137400, 137500, 137600, 137700, 137800, 137900, 138000, 138100, 138200, 138300, 138400, 138500, 138600, 138700, 138800, 138900, 139000, 139100, 139200, 139300, 139400, 139500, 139600, 139700, 139800, 139900, 140000, 140100, 140200, 140300, 140400, 140500, 140600, 140700, 140800, 140900, 141000, 141100, 141200, 141300, 141400, 141500, 141600, 141700, 141800, 141900, 142000, 142100, 142200, 142300, 142400, 142500, 142600, 142700, 142800, 142900, 143000, 143100, 143200, 143300, 143400, 143500, 143600, 143700, 143800, 143900, 14400									
---	--	--	--	--	--	--	--	--	--

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM*_c: *h*_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours *RYGCBM*_d: *h*_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours *RYGCBM*_c: *h*_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Six hue angles of the device colours RY _g CBM _d : $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RY _g CBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
360	345	342	1.0 0.0 0.75	48.1 70.4 0.3	70.4 360	0.713 0.0 1.0	42.5 64.0 -17.0	66.2 345	1.0 0.0 0.75	0.678 0.0 1.0	41.9 61.9 -19.0	64.8 342	1.0 0.0 0.75
361	346	343	1.0 0.0 0.733	48.1 70.3 1.3	70.3 361	0.73 0.0 1.0	42.8 64.9 -16.1	66.9 346	1.0 0.0 0.733	0.693 0.0 1.0	42.2 62.8 -18.2	65.4 343	1.0 0.0 0.733
361	347	344	1.0 0.0 0.716	48.1 70.1 2.2	70.1 361	0.746 0.0 1.0	43.1 65.8 -15.1	67.5 347	1.0 0.0 0.717	0.709 0.0 1.0	42.4 63.7 -17.3	66.0 344	1.0 0.0 0.717
362	348	345	1.0 0.0 0.7	48.1 69.9 3.1	70.0 362	0.782 0.0 1.0	43.9 66.9 -14.1	68.4 348	1.0 0.0 0.7	0.724 0.0 1.0	42.7 64.6 -16.4	66.6 345	1.0 0.0 0.7
363	349	346	1.0 0.0 0.683	48.1 69.7 4.0	69.8 363	0.823 0.0 1.0	44.8 68.0 -13.1	69.3 349	1.0 0.0 0.683	0.74 0.0 1.0	43.0 65.4 -15.5	67.3 346	1.0 0.0 0.683
364	350	347	1.0 0.0 0.666	48.0 69.5 4.9	69.7 364	0.864 0.0 1.0	45.7 69.2 -12.1	70.3 350	1.0 0.0 0.667	0.764 0.0 1.0	43.4 66.4 -14.5	68.0 347	1.0 0.0 0.667
364	351	348	1.0 0.0 0.65	48.0 69.3 5.7	69.5 364	0.905 0.0 1.0	46.5 70.3 -11.0	71.2 351	1.0 0.0 0.65	0.803 0.0 1.0	44.3 67.5 -13.6	68.9 348	1.0 0.0 0.65
365	352	349	1.0 0.0 0.633	48.0 69.0 6.6	69.3 365	0.946 0.0 1.0	47.3 71.4 -9.9	72.1 352	1.0 0.0 0.633	0.842 0.0 1.0	45.2 68.6 -12.7	69.8 349	1.0 0.0 0.633
366	353	350	1.0 0.0 0.616	48.0 68.8 7.5	69.2 366	0.988 0.0 1.0	48.0 72.5 -8.8	73.1 353	1.0 0.0 0.617	0.881 0.0 1.0	46.1 69.7 -11.7	70.6 350	1.0 0.0 0.617
367	354	351	1.0 0.0 0.6	47.9 68.7 8.5	69.2 367	1.0 0.0 0.973	48.3 72.6 -7.5	73.0 354	1.0 0.0 0.6	0.92 0.0 1.0	46.8 70.7 -10.7	71.5 351	1.0 0.0 0.6
367	355	352	1.0 0.0 0.583	47.9 68.6 9.4	69.2 367	1.0 0.0 0.935	48.3 72.3 -6.2	72.5 355	1.0 0.0 0.583	0.959 0.0 1.0	47.5 71.8 -9.6	72.4 352	1.0 0.0 0.583
368	356	353	1.0 0.0 0.566	47.9 68.4 10.3	69.2 368	1.0 0.0 0.896	48.3 71.9 -4.9	72.1 356	1.0 0.0 0.567	0.998 0.0 1.0	48.2 72.8 -8.5	73.3 353	1.0 0.0 0.567
369	357	354	1.0 0.0 0.55	47.8 68.2 11.2	69.2 369	1.0 0.0 0.86	48.3 71.5 -3.6	71.6 357	1.0 0.0 0.55	1.0 0.0 0.965	48.3 72.6 -7.3	72.9 354	1.0 0.0 0.55
370	358	355	1.0 0.0 0.533	47.8 68.1 12.1	69.1 370	1.0 0.0 0.827	48.2 71.2 -2.4	71.3 358	1.0 0.0 0.533	1.0 0.0 0.929	48.3 72.2 -6.0	72.5 355	1.0 0.0 0.533
370	359	356	1.0 0.0 0.516	47.7 67.9 13.1	69.1 370	1.0 0.0 0.794	48.2 70.9 -1.1	70.9 359	1.0 0.0 0.517	1.0 0.0 0.892	48.3 71.8 -4.8	72.0 356	1.0 0.0 0.517
371	360	352	1.0 0.0 0.5	47.7 67.7 14.0	69.1 371	1.0 0.0 0.761	48.2 70.6 0.0	70.6 360	1.0 0.0 0.5	0.949 0.0 1.0	47.3 71.5 -9.9	72.2 352	1.0 0.0 0.5
372	361	353	1.0 0.0 0.483	47.7 67.5 15.0	69.2 372	1.0 0.0 0.735	48.1 70.3 1.2	70.3 361	1.0 0.0 0.483	0.995 0.0 1.0	48.2 72.7 -8.6	73.2 353	1.0 0.0 0.483
373	362	354	1.0 0.0 0.466	47.7 67.3 16.1	69.2 373	1.0 0.0 0.712	48.1 70.1 2.4	70.1 362	1.0 0.0 0.467	1.0 0.0 0.962	48.3 72.5 -7.2	72.9 354	1.0 0.0 0.467
374	363	355	1.0 0.0 0.45	47.7 67.2 17.1	69.3 374	1.0 0.0 0.69	48.1 69.8 3.7	69.9 363	1.0 0.0 0.45	1.0 0.0 0.919	48.3 72.1 -5.7	72.3 355	1.0 0.0 0.45
375	364	356	1.0 0.0 0.433	47.7 67.0 18.2	69.4 375	1.0 0.0 0.667	48.1 69.5 4.9	69.7 364	1.0 0.0 0.433	1.0 0.0 0.876	48.3 71.7 -4.3	71.8 356	1.0 0.0 0.433
376	365	357	1.0 0.0 0.416	47.7 66.7 19.2	69.5 376	1.0 0.0 0.645	48.1 69.2 6.1	69.5 365	1.0 0.0 0.417	1.0 0.0 0.839	48.3 71.4 -2.9	71.4 357	1.0 0.0 0.417
376	366	358	1.0 0.0 0.4	47.7 66.5 20.3	69.5 376	1.0 0.0 0.623	48.0 68.9 7.2	69.3 366	1.0 0.0 0.4	1.0 0.0 0.802	48.2 71.0 -1.5	71.0 358	1.0 0.0 0.4
377	367	359	1.0 0.0 0.383	47.7 66.3 21.3	69.6 377	1.0 0.0 0.601	48.0 68.8 8.4	69.3 367	1.0 0.0 0.383	1.0 0.0 0.765	48.2 70.6 -0.1	70.6 359	1.0 0.0 0.383
378	368	360	1.0 0.0 0.366	47.7 66.1 22.3	69.7 378	1.0 0.0 0.58	47.9 68.6 9.6	69.3 368	1.0 0.0 0.367	1.0 0.0 0.735	48.1 70.3 1.2	70.3 360	1.0 0.0 0.367
379	369	362	1.0 0.0 0.35	47.7 66.0 23.2	69.9 379	1.0 0.0 0.558	47.9 68.4 10.8	69.2 369	1.0 0.0 0.35	1.0 0.0 0.71	48.1 70.1 2.6	70.1 362	1.0 0.0 0.35
380	370	363	1.0 0.0 0.333	47.7 65.8 24.2	70.2 380	1.0 0.0 0.536	47.8 68.1 12.0	69.2 370	1.0 0.0 0.333	1.0 0.0 0.685	48.1 69.8 3.9	69.9 363	1.0 0.0 0.333
380	371	364	1.0 0.0 0.316	47.7 65.7 25.1	70.4 380	1.0 0.0 0.515	47.8 67.9 13.2	69.2 371	1.0 0.0 0.317	1.0 0.0 0.66	48.1 69.4 5.2	69.6 364	1.0 0.0 0.317
381	372	365	1.0 0.0 0.3	47.7 65.6 26.0	70.6 381	1.0 0.0 0.494	47.8 67.7 14.4	69.2 372	1.0 0.0 0.3	1.0 0.0 0.635	48.1 69.1 6.6	69.4 365	1.0 0.0 0.3
382	373	366	1.0 0.0 0.283	47.7 65.4 27.0	70.8 382	1.0 0.0 0.475	47.8 67.5 15.6	69.3 373	1.0 0.0 0.283	1.0 0.0 0.611	48.0 68.8 7.9	69.3 366	1.0 0.0 0.283
383	374	367	1.0 0.0 0.266	47.7 65.2 27.9	71.0 383	1.0 0.0 0.456	47.8 67.3 16.8	69.3 374	1.0 0.0 0.267	1.0 0.0 0.587	48.0 68.6 9.2	69.3 367	1.0 0.0 0.267
383	375	368	1.0 0.0 0.25	47.7 65.0 28.9	71.2 383	1.0 0.0 0.437	47.8 67.1 18.0	69.4 375	1.0 0.0 0.25	1.0 0.0 0.563	47.9 68.4 10.6	69.2 368	1.0 0.0 0.25
384	376	369	1.0 0.0 0.233	47.6 65.0 29.7	71.5 384	1.0 0.0 0.418	47.8 66.8 19.2	69.5 376	1.0 0.0 0.233	1.0 0.0 0.539	47.8 68.2 11.9	69.2 369	1.0 0.0 0.233
385	377	370	1.0 0.0 0.216	47.6 64.9 30.5	71.8 385	1.0 0.0 0.399	47.8 66.5 20.3	69.6 377	1.0 0.0 0.217	1.0 0.0 0.515	47.8 67.9 13.2	69.2 370	1.0 0.0 0.217
385	378	372	1.0 0.0 0.2	47.6 64.9 31.4	72.1 385	1.0 0.0 0.38	47.8 66.3 21.5	69.7 378	1.0 0.0 0.2	1.0 0.0 0.492	47.8 67.6 14.5	69.2 372	1.0 0.0 0.2
386	379	373	1.0 0.0 0.183	47.5 64.8 32.2	72.4 386	1.0 0.0 0.359	47.8 66.1 22.8	69.9 379	1.0 0.0 0.183	1.0 0.0 0.471	47.8 67.4 15.8	69.3 373	1.0 0.0 0.183
387	380	374	1.0 0.0 0.166	47.5 64.7 33.0	72.7 387	1.0 0.0 0.337	47.8 65.9 24.0	70.2 380	1.0 0.0 0.167	1.0 0.0 0.45	47.8 67.2 17.2	69.4 374	1.0 0.0 0.167
387	381	375	1.0 0.0 0.15	47.5 64.6 33.9	72.9 387	1.0 0.0 0.315	47.8 65.7 25.2	70.4 381	1.0 0.0 0.15	1.0 0.0 0.429	47.8 67.0 18.5	69.5 375	1.0 0.0 0.15
388	382	376	1.0 0.0 0.133	47.4 64.5 34.7	73.2 388	1.0 0.0 0.293	47.7 65.5 26.5	70.7 382	1.0 0.0 0.133	1.0 0.0 0.408	47.8 66.7 19.8	69.6 376	1.0 0.0 0.133
388	383	377	1.0 0.0 0.116	47.4 64.4 35.5	73.6 388	1.0 0.0 0.271	47.7 65.3 27.7	71.0 383	1.0 0.0 0.117	1.0 0.0 0.386	47.8 66.4 21.2	69.6 377	1.0 0.0 0.117
389	384	378	1.0 0.0 0.1	47.4 64.3 36.3	73.9 389	1.0 0.0 0.249	47.7 65.1 29.0	71.2 384	1.0 0.0 0.1	1.0 0.0 0.364	47.8 66.1 22.5	69.8 378	1.0 0.0 0.1
390	385	379	1.0 0.0 0.083	47.4 64.3 37.1	74.2 390	1.0 0.0 0.222	47.7 65.0 30.3	71.7 385	1.0 0.0 0.083	1.0 0.0 0.339	47.8 65.9 23.9	70.1 379	1.0 0.0 0.083
390	386	381	1.0 0.0 0.066	47.4 64.2 37.9	74.6 390	1.0 0.0 0.195	47.6 64.9 31.6	72.2 386	1.0 0.0 0.067	1.0 0.0 0.315	47.8 65.7 25.3	70.4 381	1.0 0.0 0.067
391	387	382	1.0 0.0 0.049	47.4 64.1 38.7	74.9 391	1.0 0.0 0.169	47.6 64.7 33.0	72.7 387	1.0 0.0 0.05	1.0 0.0 0.29	47.7 65.5 26.7	70.7 382	1.0 0.0 0.05
391	388	383	1.0 0.0 0.033	47.3 64.0 39.5	75.3 391	1.0 0.0 0.142	47.5 64.6 34.3	73.1 388	1.0 0.0 0.033	1.0 0.0 0.266	47.7 65.3 28.0	71.0 383	1.0 0.0 0.033
392	389	384	1.0 0.0 0.016	47.3 63.9 40.3	75.6 392	1.0 0.0 0.114	47.5 64.4 35.7	73.7 389	1.0 0.0 0.017	1.0 0.0 0.239	47.7 65.1 29.5	71.4 384	1.0 0.0 0.017
392	390	385	1.0 0.0 0.0	47.3 63.8 41.2	76.0 392	1.0 0.0 0.084	47.4 64.3 37.1	74.3 390	1.0 0.0 0.0	1.0 0.0 0.209	47.6 64.9 30.9	71.9 385	1.0 0.0 0.0

4-0131630-L0 PI850-71

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

uscita: Offset standard print; separation cmyn6*, D65, pagina 17/33

grafico TUB-PI85; cerchio delle tinte a 16 passi
cerchio delle tinte a 48 passi; *rgb-LabCh**tavole

Input: *rgb/cmyk* -> *rgb_e*
Output: trasferire a *cmyk_e*

4-0131630-F0

<http://farbe.li.tu-berlin.de/PI85/PI85LONA.TXT> /PS; Output di trasferimento N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S) pagine 19/33

Input: *rgb/cmyk* → *rgb*_e
Output: trasferire a *cmyk*_e

grafico TUB-PI85; cerchio delle tinte a 16 passi

grafico TUB-PI85; cerchio
colori e la differenza ΔE^* ,

01950-7N 10/22-E

4-0131930-E0

vedi file simili: <http://farbe.li.tu-berlin.de/PI85/PI85.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

grafico TUB-PI85; cerchio delle tinte a 16 passi

Input: *rgb/cmyk* $\rightarrow$ *rgb*_e
Output: trasferire a *cmyk*_e

[illegible]

iscrizione TUB: 20150701-PI85/PI85L0NA.TXT /.PS

Application per la misura dell'output output nella stampa di offset, separazione cmykn6 (CMYK)

TUB materiale: code=rha4ta

http://farbe.li.tu-berlin.de/PI85/PI85L0NA.TXT /.PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 28/33

n	H1C*Fe	rgb*Fe	ic1*Fe	hs1*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	hsM*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe
648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
649	R38Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
650	R26Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
651	R13Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
652	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
653	R68R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
654	B61R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
655	B55R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
656	B50R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
657	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
658	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
659	R36Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
660	R23Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
661	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
662	B63R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
663	B63R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
664	B56R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
665	B50R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
666	R23Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
667	R13Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
668	R00Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
669	R38Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
670	R26Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
671	R13Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
672	R00Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
673	B68R_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
674	B61R_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
675	B55R_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
676	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
677	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
678	R36Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
679	R23Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
680	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
681	B68R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
682	B61R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
683	B55R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
684	B50R_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
685	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
686	R00Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
687	R38Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
688	R26Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
689	R13Y_100_075e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
690	R00Y_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
691	B61R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
692	B56R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
693	B50R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
694	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
695	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
696	R38Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
697	R23Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
698	R00Y_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
699	B68R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
700	B61R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
701	B56R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
702	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
703	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
704	R38Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
705	R26Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
706	R13Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
707	R00Y_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
708	R36Y_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
709	R23Y_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
710	R00Y_100_025e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
711	B68R_100_025e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
712	B61R_100_025e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
713	B56R_100_025e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
714	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
715	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
716	R38Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
717	R26Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
718	R13Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
719	R00Y_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
720	B68R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
721	B61R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
722	B56R_100_050e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
723	R11Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
724	R00Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
725	R38Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
726	R26Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
727	R13Y_100_087e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
728	NW_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

PI850-7N, 28/33-F

grafico TUB-PI85; cerchio delle tinte a 16 passi
colori e la differenza, ΔE^*

Input: $rgb/cmyk \rightarrow rgb$
Output: trasferire a $cmyk$

delta E* = 14.4

n	HC*Fe	rgb*Fe	ic*Fe	hs*Fe	rgb*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	hs*Fe	rgb*Fe	LabCh*Fe
729	NW_100%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	110.4	0.1	95.4
730	G50B_100.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
731	G50B_100.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
732	G50B_100.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
733	G50B_100.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
734	G50B_100.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
735	G50B_100.075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
736	G50B_100.087%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
737	G50B_100.100%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
738	ROY_100.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
739	NW_087%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
740	G50B_087.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
741	G50B_087.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
742	G50B_087.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
743	G50B_087.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
744	G50B_087.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
745	G50B_087.075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
746	G50B_087.087%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
747	ROY_100.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
748	ROY_100.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
749	NW_075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
750	G50B_075.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
751	G50B_075.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
752	G50B_075.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
753	G50B_075.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
754	G50B_075.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
755	G50B_075.075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
756	ROY_100.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
757	ROY_100.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
758	ROY_075.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
759	NW_062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
760	G50B_062.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
761	G50B_062.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
762	G50B_062.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
763	G50B_062.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
764	G50B_062.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
765	ROY_100.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
766	ROY_087.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
767	ROY_075.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
768	ROY_062.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
769	NW_050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
770	G50B_050.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
771	G50B_050.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
772	G50B_050.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
773	G50B_050.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
774	ROY_100.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
775	ROY_087.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
776	ROY_075.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
777	ROY_062.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
778	ROY_050.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
779	NW_037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
780	G50B_037.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
781	G50B_037.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
782	G50B_037.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
783	ROY_100.075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
784	ROY_087.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
785	G50B_075.090%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
786	G50B_062.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
787	ROY_050.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
788	ROY_037.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
789	NW_025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
790	G50B_025.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
791	G50B_025.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
792	ROY_100.087%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
793	ROY_087.075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
794	ROY_075.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
795	ROY_062.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
796	ROY_050.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
797	ROY_037.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
798	NW_012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
799	G50B_012.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
800	G50B_012.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
801	ROY_100.100%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
802	ROY_087.087%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
803	ROY_075.075%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
804	ROY_062.062%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
805	ROY_050.050%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
806	ROY_037.037%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
807	ROY_025.025%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
808	ROY_012.012%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4
809	NW_000%	0.875	1.0	1.0	0.875	1.0	0.875	1.0	0.1	233.1	0.1	95.4

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

4-0133030-F0

Input: *rgb/cmyk* $\rightarrow$ *rgbe*
Output: trasferire a *cmyke*

PI850-7N, 31/33-F

iscrizione TUB: 20150701-PI85/PI85L0NA.TXT /.PS

TUB materiale: code=rha4ta

Application per la misura dell'output output nella stampa di offset, separazione cmykn6 (CMYK)

http://farbe.li.tu-berlin.de/PI85/PI85L0NA.TXT /.PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 32/33


n	H*Ch*Fe	rgb_Fe	icL_Fe	hsa_Fe	rgb_Fe*	LabCh*Fe	rgb_Fe*	LabCh*Fe	DF_Fe*	hsa_Fe	rgb_Fe*	LabCh*Fe	LabCh*Fe
972	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.4	84.7	1.6	95.4	0.0
974	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	226.1	3.1	95.4	0.0
975	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	236.5	8.3	95.4	0.0
976	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	217.4	8.3	95.4	0.0
977	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	224.9	8.5	95.4	0.0
978	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	220.0	7.5	95.4	0.0
979	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	215.6	5.8	95.4	0.0
980	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.0	215.6	4.1	95.4	0.0
981	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	138.2	0.0	95.4	0.0
982	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.2	72.2	1.3	95.4	0.0
983	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	235.2	2.8	95.4	0.0
984	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	235.9	8.2	95.4	0.0
985	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	229.4	9.5	95.4	0.0
986	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	191.4	8.2	95.4	0.0
987	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	210.7	7.3	95.4	0.0
988	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	229.6	5.6	95.4	0.0
989	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.0	197.4	4.1	95.4	0.0
990	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.7	0.1	95.4	0.0
991	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.1	83.1	0.9	95.4	0.0
992	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	232.8	2.4	95.4	0.0
993	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	237.3	8.0	95.4	0.0
994	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	228.2	9.2	95.4	0.0
995	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	220.2	8.1	95.4	0.0
996	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	224.3	7.1	95.4	0.0
997	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	213.1	5.2	95.4	0.0
998	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.0	202.8	3.7	95.4	0.0
999	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	96.0	0.7	95.4	0.0
1000	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.4	233.4	2.0	95.4	0.0
1001	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	239.8	7.2	95.4	0.0
1002	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	235.0	8.9	95.4	0.0
1003	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	230.8	8.1	95.4	0.0
1004	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	229.6	6.9	95.4	0.0
1005	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	222.5	5.2	95.4	0.0
1006	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	179.7	3.9	95.4	0.0
1007	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.1	108.6	0.1	95.4	0.0
1008	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	83.1	2.1	95.4	0.0
1009	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.3	97.7	0.7	95.4	0.0
1010	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	233.6	3.7	95.4	0.0
1011	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	236.6	7.4	95.4	0.0
1012	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	234.6	8.5	95.4	0.0
1013	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	231.7	9.9	95.4	0.0
1014	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	232.4	8.7	95.4	0.0
1015	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	231.8	8.5	95.4	0.0
1016	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.4	231.9	7.3	95.4	0.0
1017	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	226.2	4.9	95.4	0.0
1018	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.4	212.1	4.6	95.4	0.0
1019	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	226.2	4.9	95.4	0.0
1020	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	212.1	4.6	95.4	0.0
1021	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	232.8	2.0	95.4	0.0
1022	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	87.5	1.7	95.4	0.0
1023	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	114.3	3.4	95.4	0.0
1024	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	234.5	3.4	95.4	0.0
1025	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.4	237.8	7.0	95.4	0.0
1026	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	237.8	7.0	95.4	0.0
1027	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.4	235.2	8.4	95.4	0.0
1028	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	235.2	8.4	95.4	0.0
1029	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	235.2	8.4	95.4	0.0
1030	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	235.2	8.4	95.4	0.0
1031	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	235.2	8.4	95.4	0.0
1032	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	235.2	8.4	95.4	0.0
1033	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	235.2	8.4	95.4	0.0
1034	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.4	235.2	8.4	95.4	0.0
1035	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	235.2	8.4	95.4	0.0
1036	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.4	235.2	8.4	95.4	0.0
1037	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	235.2	8.4	95.4	0.0
1038	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	235.2	8.4	95.4	0.0
1039	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	235.2	8.4	95.4	0.0
1040	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	235.2	8.4	95.4	0.0
1041	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	235.2	8.4	95.4	0.0
1042	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	235.2	8.4	95.4	0.0
1043	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.4	235.2	8.4	95.4	0.0
1044	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	235.2	8.4	95.4	0.0
1045	NW_012e	0.125	0.125	0.125	0.0	0.125	0.125	0.125	0.4	235.2	8.4	95.4	0.0
1046	NW_025e	0.25	0.25	0.25	0.0	0.25	0.25	0.25	0.4	235.2	8.4	95.4	0.0
1047	NW_037e	0.375	0.375	0.375	0.0	0.375	0.375	0.375	0.4	235.2	8.4	95.4	0.0
1048	NW_050e	0.5	0.5	0.5	0.0	0.5	0.5	0.5	0.4	235.2	8.4	95.4	0.0
1049	NW_062e	0.625	0.625	0.625	0.0	0.625	0.625	0.625	0.4	235.2	8.4	95.4	0.0
1050	NW_075e	0.75	0.75	0.75	0.0	0.75	0.75	0.75	0.4	235.2	8.4	95.4	0.0
1051	NW_087e	0.875	0.875	0.875	0.0	0.875	0.875	0.875	0.4	235.2	8.4	95.4	0.0
1052	NW_100e	1.0	1.0	1.0	0.0	1.0	1.0	1.0	0.4	235.2	8.4	95.4	0.0

PI850-7N, 32/33-F

grafico TUB-PI85; cerchio delle tinte a 16 passi
colori e la differenza, ΔE^*

Input: *rgb/cmyk* -> *rgb*
Output: trasferire a *cmyk*

4-0133130-F0



<http://farbe.li.tu-berlin.de/PI85/PI85L0NA.TXT> /PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 33/33



Application per la misura dell'output output nella stampa di offset, separazione cmyk6 (CMYK)

vedi file simili: <http://farbe.li.tu-berlin.de/PI85/PI85.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

iscrizione TUB: 20150701-PI85/PI85L0NA.TXT /PS
TUB materiale: code=rha4ta

Application per la misura dell'output output nella stampa di offset, separazione cmyk6 (CMYK)

n	HC*Fe	rgb*Fe	ic*Fe	hsa_Fa	rgb*Fe	LabCh*Fe	hsa_Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DE*Fe	hsa_Fe	rgb*Fe	LabCh*Fe
1053	NW_086a	0.866	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
1054	NW_093a	0.933	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1055	NW_100a	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006a	0.066	0.066	0.066	0.066	0.066	22.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_013a	0.133	0.133	0.133	0.133	0.133	36.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1059	NW_020a	0.2	0.2	0.2	0.2	0.2	33.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1060	NW_026a	0.266	0.266	0.266	0.266	0.266	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1061	NW_033a	0.333	0.333	0.333	0.333	0.333	43.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1062	NW_040a	0.4	0.4	0.4	0.4	0.4	48.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1063	NW_046a	0.466	0.466	0.466	0.466	0.466	53.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1064	NW_053a	0.533	0.533	0.533	0.533	0.533	59.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1065	NW_060a	0.6	0.6	0.6	0.6	0.6	64.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1066	NW_066a	0.666	0.666	0.666	0.666	0.666	69.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1067	NW_073a	0.734	0.734	0.734	0.734	0.734	74.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068	NW_080a	0.8	0.8	0.8	0.8	0.8	79.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	NW_086a	0.866	0.866	0.866	0.866	0.866	85.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_093a	0.933	0.933	0.933	0.933	0.933	90.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_100a	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	RO07_100_100e	1.0	1.0	1.0	1.0	1.0	17.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	G50B_100_100e	0.0	0.0	0.0	0.0	0.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	Y06C_100_100e	0.0	1.0	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y06C_100_100e	1.0	1.0	1.0	1.0	1.0	56.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B00R_100_100e	0.0	0.0	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B00R_100_100e	1.0	0.0	1.0	1.0	1.0	92.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100e	0.0	1.0	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0

PI850-7N, 33/33-F

4-0133230-F0

grafico TUB-PI85; cerchio delle tinte a 16 passi
colori e la differenza, ΔE^*

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmyk_e$

