

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_-

codice di tonalità per i colori questa pagina:

$H^*_- = R00Y_-$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6
Y-,Ma	90.3	-10.2	91.7	92.3
G-,Ma	50.9	-62.8	34.9	71.9
C-,Ma	58.6	-30.3	-45.0	54.2
B-,Ma	25.7	31.0	-44.4	54.2
M-,Ma	48.1	75.2	-8.3	75.7
N-,Ma	18.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0
Y-,CIE	81.2	-2.8	71.5	71.6
G-,CIE	52.2	-42.4	13.6	44.5
B-,CIE	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100-

$rgbic^*_{-,Ma}$:

1.0 0.0 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100-	48.4	66.1	40.2	77.3
R25Y_100_100-	56.8	48.0	50.5	69.6
R50Y_100_100-	68.6	25.0	63.9	68.6
R75Y_100_100-	80.6	4.8	77.2	77.3
Y00G_100_100-	90.2	-9.6	88.2	88.7
Y25G_100_100-	83.2	-18.4	79.9	81.9
Y50G_100_100-	73.3	-31.7	62.7	70.2
Y75G_100_100-	62.0	-49.7	43.2	65.8
G00B_100_100-	55.8	-65.2	33.8	73.4
G25B_100_100-	59.3	-50.3	-9.0	51.0
G50B_100_100-	63.0	-30.5	-42.0	51.9
G75B_100_100-	45.7	-5.7	-44.6	44.9
B00R_100_100-	27.5	25.9	-47.3	53.9
B25R_100_100-	38.3	52.6	-28.5	59.8
B50R_100_100-	49.5	73.5	-9.0	74.0
B75R_100_100-	48.9	69.3	12.9	70.4



vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$

$H^*_e = R00Y_e$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_e

codice di tonalità per i colori questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _e ,Ma	45.6	72.2	34.4	80.0	25
Y _e ,Ma	83.6	-3.6	90.4	90.4	92
G _e ,Ma	50.6	-62.1	19.9	65.2	162
C _e ,Ma	55.0	-36.2	-27.2	45.3	216
B _e ,Ma	40.2	1.2	-40.6	40.6	271
M _e ,Ma	31.1	47.7	-29.1	55.9	328
N _e ,Ma	24.3	0.0	0.0	0.0	0
W _e ,Ma	95.6	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_e, Ma: 45 \ 72 \ 34 \ 80 \ 25$

$HIC^*_e, Ma: R00Y_{100_{100}e}$

$rgbic^*_e, Ma:$

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma
 $u^*_{rel} = 92$
%Regolarità
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352





grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, $cmY0$

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmY0_e$

iscrizione TUB: 20150701-PI98/PI98L0NA.TXT /.PS
Applicazione per la misura dell'output output nella stampa di offset, separazione $cmY0$ (CMY0)

TUB materiale: code=rh4ta

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 45 72 34 80 25

$HIC^*_{e,Ma}$: R00Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



4-013231-L0 PI980-71

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$

Output: trasferire a $cmy0_e$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$

$H^*_e = R00Y_e$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 45 72 34 80 25

$HIC^*_{e,Ma}$: R00Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regolarità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



4-013331-L0 PI980-71

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$

$H^*_e = R00Y_e$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 45 72 34 80 25

$HIC^*_{e,Ma}$: R00Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regolarità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

iscrizione TUB: 20150701-PI98/PI98L0NA.TXT /.PS TUB materiale: code=rh4ta
Applicazione per la misura dell'output output nella stampa di offset, separazione cmy0 (CMY0)




http://farbe.li.tu-berlin.de/PI98/PI98L0NA.TXT /.PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 6/33

vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, $d_e=1$, $cmy0$

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$
CIELAB (a^*_d, b^*_d)

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e
CIELAB (a^*_e, b^*_e)

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s
CIELAB (a^*_s, b^*_s)

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

R_s

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

C_s

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

B_s

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

$rgb^*_d, LCH^*_d, LAB^*_d$

$h_{ab,s}$

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab,d}$

rgb^*_{de}

4-013631-L0 PI980-71 $LAB^*Ia_0, YN=0\%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB^*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0$

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

uscita: Offset standard print; separation cmy0*, D65, pagina 7/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	$LAB^*_{ddx64M}(x=LabCh)$	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}(x=LabCh)$	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}(x=LabCh)$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$																								
32.3	30.0	25.4	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25								
38.1	37.5	33.8	1.0	0.125	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.0	0.021	0.0	46.0	69.6	45.7	83.3	33							
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42								
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49								
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58								
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	66								
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75								
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82								
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.7	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.867	0.0	1.0	44.1	74.9	-5.3	75.1	355	0.247															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{dd64M}	$LAB^*_{dex361M}$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3

4-013831-L0

PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 9/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5 71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0				
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5 71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0 45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0 46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0 47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0				
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0 47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0 48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0 48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0 49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0				
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0 49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0 50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0 51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0 51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0 52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0 52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0				
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0 53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0 53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0 54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0 54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0 55.4 48.5 57.8 75.4 50		1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47		1.0 0.333 0.0				
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0 55.9 47.3 58.5 75.2 51		1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48		1.0 0.35 0.0				
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0 56.5 46.2 59.1 75.0 52		1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49		1.0 0.367 0.0				
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0 57.0 45.0 59.8 74.8 53		1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51		1.0 0.383 0.0				
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0 57.6 43.9 60.4 74.6 54		1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52		1.0 0.4 0.0				
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0 58.1 42.7 61.0 74.4 55		1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53		1.0 0.417 0.0				
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0 58.6 41.5 61.5 74.2 56		1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54		1.0 0.433 0.0				
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0 59.2 40.3 62.1 74.0 57		1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55		1.0 0.45 0.0				
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0 59.8 39.3 62.8 74.1 58		1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56		1.0 0.467 0.0				
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0 60.3 38.2 63.5 74.1 59		1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57		1.0 0.483 0.0				
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58		1.0 0.5 0.0				
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0 61.4 36.0 64.9 74.2 61		1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.517 0.0				
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0 62.0 34.9 65.6 74.3 62		1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61		1.0 0.533 0.0				
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0 62.6 33.7 66.2 74.3 63		1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62		1.0 0.55 0.0				
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0 63.1 32.6 66.9 74.4 64		1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63		1.0 0.567 0.0				
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0 63.7 31.5 67.5 74.4 65		1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64		1.0 0.583 0.0				
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0 64.2 30.3 68.0 74.5 66		1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65		1.0 0.6 0.0				
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0 64.8 29.1 68.6 74.5 67		1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66		1.0 0.617 0.0				
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0 65.4 28.0 69.4 74.8 68		1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67		1.0 0.633 0.0				
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0 66.1 26.9 70.2 75.2 69		1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68		1.0 0.65 0.0				
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0				
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0 67.3 24.7 71.8 75.9 71		1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71		1.0 0.683 0.0				
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0 67.9 23.6 72.6 76.3 72		1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72		1.0 0.7 0.0				
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0 68.6 22.4 73.3 76.6 73		1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73		1.0 0.717 0.0				
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0 69.2 21.2 74.0 77.0 74		1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74		1.0 0.733 0.0				
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0 69.8 20.0 74.7 77.4 75		1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75		1.0 0.75 0.0				

4-013931-L0

PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 10/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361M}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$dex361Mi(x=LabCh)$	$rgb^*_{dd361Mi}$	Y_d	Y_s	Y_e
86	75	75	1.0	0.75 0.0	77.9	5.4	83.8	84.0	86	1.0	0.75 0.0	1.0	0.75 0.0
87	76	76	1.0	0.766 0.0	78.6	4.3	84.7	84.8	87	1.0	0.767 0.0	1.0	0.767 0.0
87	77	77	1.0	0.783 0.0	79.4	3.2	85.6	85.7	87	1.0	0.783 0.0	1.0	0.783 0.0
88	78	78	1.0	0.8 0.0	80.1	2.0	86.5	86.5	88	1.0	0.8 0.0	1.0	0.8 0.0
89	79	80	1.0	0.816 0.0	80.8	0.8	87.3	87.3	89	1.0	0.817 0.0	1.0	0.817 0.0
90	80	81	1.0	0.833 0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833 0.0	1.0	0.833 0.0
91	81	82	1.0	0.85 0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85 0.0	1.0	0.85 0.0
91	82	83	1.0	0.866 0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867 0.0	1.0	0.867 0.0
92	83	84	1.0	0.883 0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883 0.0	1.0	0.883 0.0
92	84	85	1.0	0.9 0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9 0.0	1.0	0.9 0.0
93	85	86	1.0	0.916 0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917 0.0	1.0	0.917 0.0
94	86	87	1.0	0.933 0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933 0.0	1.0	0.933 0.0
94	87	88	1.0	0.95 0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95 0.0	1.0	0.95 0.0
95	88	90	1.0	0.966 0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967 0.0	1.0	0.967 0.0
95	89	91	1.0	0.983 0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983 0.0	1.0	0.983 0.0
96	90	92	1.0	1.0 0.0	87.8	-10.2	95.4	96.0	96	1.0	1.0 0.0	1.0	1.0 0.0
96	91	93	0.983	1.0 0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983 1.0 0.0	1.0	0.983 1.0 0.0
96	92	94	0.966	1.0 0.0	86.8	-11.2	93.8	94.5	96	1.0	0.967 1.0 0.0	1.0	0.967 1.0 0.0
97	93	95	0.95	1.0 0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95 1.0 0.0	1.0	0.95 1.0 0.0
97	94	96	0.933	1.0 0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933 1.0 0.0	1.0	0.933 1.0 0.0
97	95	98	0.916	1.0 0.0	85.5	-12.7	91.3	92.2	97	1.0	0.917 1.0 0.0	1.0	0.917 1.0 0.0
98	96	99	0.9	1.0 0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9 1.0 0.0	1.0	0.9 1.0 0.0
98	97	100	0.883	1.0 0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883 1.0 0.0	1.0	0.883 1.0 0.0
99	98	101	0.866	1.0 0.0	84.1	-14.1	88.9	90.0	99	1.0	0.867 1.0 0.0	1.0	0.867 1.0 0.0
99	99	102	0.85	1.0 0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85 1.0 0.0	1.0	0.85 1.0 0.0
99	100	103	0.833	1.0 0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833 1.0 0.0	1.0	0.833 1.0 0.0
100	101	105	0.816	1.0 0.0	82.6	-15.6	86.6	88.0	100	1.0	0.817 1.0 0.0	1.0	0.817 1.0 0.0
100	102	106	0.8	1.0 0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8 1.0 0.0	1.0	0.8 1.0 0.0
101	103	107	0.783	1.0 0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783 1.0 0.0	1.0	0.783 1.0 0.0
101	104	108	0.766	1.0 0.0	81.2	-17.0	84.3	86.0	101	1.0	0.767 1.0 0.0	1.0	0.767 1.0 0.0
101	105	109	0.75	1.0 0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75 1.0 0.0	1.0	0.75 1.0 0.0
102	106	110	0.733	1.0 0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733 1.0 0.0	1.0	0.733 1.0 0.0
103	107	112	0.716	1.0 0.0	79.3	-19.3	81.5	83.8	103	1.0	0.717 1.0 0.0	1.0	0.717 1.0 0.0
104	108	113	0.7	1.0 0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7 1.0 0.0	1.0	0.7 1.0 0.0
104	109	114	0.683	1.0 0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683 1.0 0.0	1.0	0.683 1.0 0.0
105	110	115	0.666	1.0 0.0	77.1	-22.0	78.4	81.4	105	1.0	0.667 1.0 0.0	1.0	0.667 1.0 0.0
106	111	116	0.65	1.0 0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65 1.0 0.0	1.0	0.65 1.0 0.0
107	112	117	0.633	1.0 0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633 1.0 0.0	1.0	0.633 1.0 0.0
108	113	119	0.616	1.0 0.0	75.0	-24.4	75.1	79.0	108	1.0	0.617 1.0 0.0	1.0	0.617 1.0 0.0
108	114	120	0.6	1.0 0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6 1.0 0.0	1.0	0.6 1.0 0.0
109	115	121	0.583	1.0 0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583 1.0 0.0	1.0	0.583 1.0 0.0
110	116	122	0.566	1.0 0.0	73.1	-26.9	71.4	76.3	110	1.0	0.567 1.0 0.0	1.0	0.567 1.0 0.0
111	117	123	0.55	1.0 0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55 1.0 0.0	1.0	0.55 1.0 0.0
112	118	124	0.533	1.0 0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533 1.0 0.0	1.0	0.533 1.0 0.0
113	119	126	0.516	1.0 0.0	71.2	-29.0	67.7	73.7	113	1.0	0.517 1.0 0.0	1.0	0.517 1.0 0.0
114	120	127	0.5	1.0 0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5 1.0 0.0	1.0	0.5 1.0 0.0

4-0131031-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 11/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Angles of the three colour RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)				Angles of the elementary colours RGB* (x=LabCh)			
---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--	---	--	--	--

Data of Maximum color M in colorimetric system Offset standard print; separation cmY0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

C _d										C _s										C _e										C _d			C _s			C _e		
lab,d	h _{ab,s}	h _{ab,e}	rgb* _d 361M		LAB* _d 361Mi (x=LabCh)						rgb* _s 361Mi		LAB* _s 361Mi (x=LabCh)						rgb* _e 361Mi		LAB* _e 361Mi (x=LabCh)						rgb* _d 361Mi		rgb* _d 361Mi	rgb* _s 361Mi	rgb* _e 361Mi							
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.25	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	0.0	1.0	0.25						
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.218	51.1	-60.0	15.0	61.9	166	0.0	1.0	0.267	0.0	1.0	0.376	52.0	-54.5	3.0	54.6	176	0.0	1.0	0.267						
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.236	51.2	-59.3	13.7	61.0	167	0.0	1.0	0.283	0.0	1.0	0.385	52.1	-54.1	2.1	54.3	177	0.0	1.0	0.283						
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.253	51.2	-58.8	12.5	60.2	168	0.0	1.0	0.3	0.0	1.0	0.394	52.2	-53.8	1.3	53.9	178	0.0	1.0	0.3						
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.267	51.3	-58.4	11.4	59.5	169	0.0	1.0	0.317	0.0	1.0	0.403	52.2	-53.4	0.4	53.5	179	0.0	1.0	0.317						
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.281	51.4	-57.9	10.2	58.9	170	0.0	1.0	0.333	0.0	1.0	0.412	52.3	-53.0	-0.3	53.1	180	0.0	1.0	0.333						
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.295	51.5	-57.5	9.1	58.3	171	0.0	1.0	0.35	0.0	1.0	0.421	52.4	-52.6	-1.2	52.7	181	0.0	1.0	0.35						
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.367	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	0.0	1.0	0.367						
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.323	51.7	-56.5	6.9	57.0	173	0.0	1.0	0.383	0.0	1.0	0.439	52.5	-51.8	-2.8	51.9	183	0.0	1.0	0.383						
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.337	51.8	-56.0	5.9	56.4	174	0.0	1.0	0.4	0.0	1.0	0.448	52.6	-51.3	-3.6	51.6	184	0.0	1.0	0.4						
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.351	51.9	-55.5	4.9	55.8	175	0.0	1.0	0.417	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.417						
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.365	52.0	-54.9	3.8	55.1	176	0.0	1.0	0.433	0.0	1.0	0.466	52.7	-50.4	-5.2	50.8	185	0.0	1.0	0.433						
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.378	52.0	-54.4	2.9	54.6	177	0.0	1.0	0.4																	

4-0131231-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 13/32

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rqb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$																								
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C_d	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C_s	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	C_e	0.0	1.0	1.0
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211		0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0	
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239		0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212		0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0	
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240		0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213		0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0	
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240		0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214		0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0	
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241		0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215		0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0	
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242		0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216		0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0	
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242		0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217		0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0	
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243		0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218		0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0	
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244		0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219		0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0	
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245		0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220		0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0	
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245		0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221		0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0	
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246		0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222		0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0	
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247		0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223		0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0	
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248		0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224		0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0	
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249		0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225		0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0	
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250		0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226		0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0	
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251		0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0	
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252		0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228		0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0	
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253		0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229		0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0	
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254		0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230		0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0	
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255		0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231		0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0	
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256		0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232		0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0	
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257		0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233		0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0	
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259		0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234		0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260		0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235		0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262		0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236		0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263		0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237		0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265		0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238		0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266		0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239		0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268		0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240		0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	0.0	0.5	1.0
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269		0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241		0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	0.0	0.483	1.0
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271		0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242		0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	0.0	0.467	1.0
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272		0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243		0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247	0.0	0.45	1.0
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273		0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244		0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.433	1.0
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275		0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245		0.0	0.417	1.0	0.0	1.0	0.757	1.0	50.7	-15.8	-41.1	44.1	248	0.0	0.417	1.0
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276		0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246		0.0	0.4	1.0	0.0	1.0	0.741	1.0	50.2	-15.0	-41.0	43.8	249	0.0	0.4	1.0
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277		0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247		0.0	0.383	1.0	0.0	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	0.0	0.383	1.0
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40.8	279		0.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248		0.0	0.367	1.0	0.0	1.0	0.711	1.0	49.2	-13.5	-41.0	43.4	251	0.0	0.367	1.0
280	249	252	0.0	0.35	1.0	36.4	7.7	-40.3	41.1	280	</																								

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; D65 hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2 42.7	289	0.0	0.25 1.0	0.0	0.25 1.0
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3 43.1	290	0.0	0.233 1.0	0.0	0.233 1.0
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3 43.6	292	0.0	0.217 1.0	0.0	0.217 1.0
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4 44.0	293	0.0	0.2 1.0	0.0	0.2 1.0
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4 44.5	294	0.0	0.183 1.0	0.0	0.183 1.0
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4 44.9	295	0.0	0.167 1.0	0.0	0.167 1.0
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4 45.4	297	0.0	0.15 1.0	0.0	0.15 1.0
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3 45.8	298	0.0	0.133 1.0	0.0	0.133 1.0
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3 46.3	299	0.0	0.117 1.0	0.0	0.117 1.0
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4 46.9	300	0.0	0.1 1.0	0.0	0.1 1.0
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4 47.4	301	0.0	0.083 1.0	0.0	0.083 1.0
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4 47.9	302	0.0	0.067 1.0	0.0	0.067 1.0
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5 48.4	303	0.0	0.05 1.0	0.0	0.05 1.0
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4 49.0	304	0.0	0.033 1.0	0.0	0.033 1.0
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4 49.5	305	0.0	0.017 1.0	0.0	0.017 1.0
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4 50.0	306	0.0	0.0 1.0	0.0	0.0 1.0
307	271	272	0.016 0.0	1.0	25.4	30.4	-39.9 50.2	307	0.0	0.017 0.0	0.0	0.017 0.0
308	272	273	0.033 0.0	1.0	25.8	31.3	-39.4 50.4	308	0.0	0.033 0.0	0.0	0.033 0.0
309	273	274	0.05 0.0	1.0	26.2	32.2	-38.9 50.5	309	0.0	0.05 0.0	0.0	0.05 0.0
310	274	275	0.066 0.0	1.0	26.5	33.1	-38.4 50.7	310	0.0	0.067 0.0	0.0	0.067 0.0
311	275	276	0.083 0.0	1.0	26.9	33.9	-37.8 50.8	311	0.0	0.083 0.0	0.0	0.083 0.0
313	276	277	0.1 0.0	1.0	27.3	34.8	-37.3 51.0	313	0.0	0.1 0.0	0.0	0.1 0.0
314	277	278	0.116 0.0	1.0	27.7	35.6	-36.7 51.1	314	0.0	0.117 0.0	0.0	0.117 0.0
315	278	279	0.133 0.0	1.0	27.9	36.4	-36.2 51.3	315	0.0	0.133 0.0	0.0	0.133 0.0
316	279	280	0.15 0.0	1.0	28.1	37.2	-35.7 51.6	316	0.0	0.15 0.0	0.0	0.15 0.0
317	280	281	0.166 0.0	1.0	28.2	38.0	-35.2 51.9	317	0.0	0.167 0.0	0.0	0.167 0.0
318	281	282	0.183 0.0	1.0	28.3	38.8	-34.7 52.1	318	0.0	0.183 0.0	0.0	0.183 0.0
319	282	283	0.2 0.0	1.0	28.5	39.6	-34.2 52.4	319	0.0	0.2 0.0	0.0	0.2 0.0
320	283	284	0.216 0.0	1.0	28.6	40.4	-33.7 52.6	320	0.0	0.217 0.0	0.0	0.217 0.0
321	284	285	0.233 0.0	1.0	28.7	41.2	-33.1 52.9	321	0.0	0.233 0.0	0.0	0.233 0.0
322	285	285	0.25 0.0	1.0	28.8	41.9	-32.5 53.1	322	0.0	0.25 0.0	0.0	0.25 0.0
323	286	286	0.266 0.0	1.0	29.4	43.3	-31.8 53.8	323	0.0	0.267 0.0	0.0	0.267 0.0
325	287	287	0.283 0.0	1.0	29.9	44.7	-31.1 54.4	325	0.0	0.283 0.0	0.0	0.283 0.0
326	288	288	0.3 0.0	1.0	30.4	46.0	-30.3 55.1	326	0.0	0.3 0.0	0.0	0.3 0.0
328	289	289	0.316 0.0	1.0	30.9	47.3	-29.4 55.7	328	0.0	0.317 0.0	0.0	0.317 0.0
329	290	290	0.333 0.0	1.0	31.4	48.6	-28.5 56.4	329	0.0	0.333 0.0	0.0	0.333 0.0
331	291	291	0.35 0.0	1.0	32.0	49.9	-27.5 57.0	331	0.0	0.35 0.0	0.0	0.35 0.0
332	292	292	0.366 0.0	1.0	32.5	51.2	-26.5 57.7	332	0.0	0.367 0.0	0.0	0.367 0.0
333	293	293	0.383 0.0	1.0	32.9	52.3	-25.7 58.3	333	0.0	0.383 0.0	0.0	0.383 0.0
334	294	294	0.4 0.0	1.0	33.3	53.2	-25.0 58.8	334	0.0	0.4 0.0	0.0	0.4 0.0
335	295	295	0.416 0.0	1.0	33.7	54.1	-24.4 59.4	335	0.0	0.417 0.0	0.0	0.417 0.0
336	296	296	0.433 0.0	1.0	34.0	55.0	-23.7 59.9	336	0.0	0.433 0.0	0.0	0.433 0.0
337	297	297	0.45 0.0	1.0	34.4	55.9	-23.0 60.5	337	0.0	0.45 0.0	0.0	0.45 0.0
338	298	298	0.466 0.0	1.0	34.8	56.8	-22.2 61.0	338	0.0	0.467 0.0	0.0	0.467 0.0
339	299	299	0.483 0.0	1.0	35.2	57.7	-21.5 61.6	339	0.0	0.483 0.0	0.0	0.483 0.0
340	300	300	0.5 0.0	1.0	35.6	58.6	-20.7 62.1	340	0.0	0.5 0.0	0.0	0.5 0.0

4-0131431-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 15/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

4-0131431-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$
340	300	300	0.5 0.0 1.0	35.6 58.6 -20.7 62.1 340	0.0 0.109 1.0	28.2 23.3 -40.3 46.6 300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7 300	0.5 0.0 1.0
341	301	301	0.516 0.0 1.0	35.9 59.5 -19.9 62.8 341	0.0 0.091 1.0	27.7 24.3 -40.3 47.2 301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2 301	0.517 0.0 1.0
342	302	302	0.533 0.0 1.0	36.2 60.5 -19.0 63.4 342	0.0 0.074 1.0	27.2 25.3 -40.4 47.7 302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8 302	0.533 0.0 1.0
343	303	303	0.55 0.0 1.0	36.6 61.4 -18.2 64.0 343	0.0 0.056 1.0	26.7 26.3 -40.4 48.3 303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3 303	0.55 0.0 1.0
344	304	303	0.566 0.0 1.0	36.9 62.3 -17.3 64.7 344	0.0 0.039 1.0	26.2 27.3 -40.4 48.9 304	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8 303	0.567 0.0 1.0
345	305	304	0.583 0.0 1.0	37.2 63.2 -16.4 65.3 345	0.0 0.021 1.0	25.7 28.3 -40.4 49.4 305	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4 304	0.583 0.0 1.0
346	306	305	0.6 0.0 1.0	37.6 64.1 -15.4 66.0 346	0.0 0.004 1.0	25.2 29.4 -40.3 50.0 306	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9 305	0.6 0.0 1.0
347	307	306	0.616 0.0 1.0	37.9 65.0 -14.5 66.6 347	0.011 0.0 1.0	25.3 30.2 -40.0 50.2 307	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2 306	0.617 0.0 1.0
348	308	307	0.633 0.0 1.0	38.3 65.8 -13.7 67.2 348	0.026 0.0 1.0	25.7 31.0 -39.6 50.3 308	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3 307	0.633 0.0 1.0
348	309	308	0.65 0.0 1.0	38.8 66.6 -13.1 67.9 348	0.041 0.0 1.0	26.0 31.8 -39.1 50.5 309	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4 308	0.65 0.0 1.0
349	310	309	0.666 0.0 1.0	39.3 67.3 -12.5 68.5 349	0.056 0.0 1.0	26.3 32.5 -38.7 50.6 310	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6 309	0.667 0.0 1.0
350	311	310	0.683 0.0 1.0	39.8 68.1 -11.9 69.1 350	0.07 0.0 1.0	26.7 33.3 -38.2 50.8 311	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7 310	0.683 0.0 1.0
350	312	311	0.7 0.0 1.0	40.3 68.8 -11.2 69.7 350	0.085 0.0 1.0	27.0 34.1 -37.7 50.9 312	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8 311	0.7 0.0 1.0
351	313	312	0.716 0.0 1.0	40.8 69.5 -10.6 70.4 351	0.1 0.0 1.0	27.3 34.8 -37.2 51.0 313	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0 312	0.717 0.0 1.0
351	314	313	0.733 0.0 1.0	41.3 70.3 -9.9 71.0 351	0.114 0.0 1.0	27.7 35.5 -36.7 51.2 314	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1 313	0.733 0.0 1.0
352	315	314	0.75 0.0 1.0	41.8 71.0 -9.2 71.6 352	0.13 0.0 1.0	27.9 36.3 -36.2 51.3 315	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2 314	0.75 0.0 1.0
353	316	315	0.766 0.0 1.0	42.1 71.6 -8.7 72.1 353	0.146 0.0 1.0	28.1 37.1 -35.7 51.6 316	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4 315	0.767 0.0 1.0
353	317	316	0.783 0.0 1.0	42.4 72.1 -8.1 72.6 353	0.163 0.0 1.0	28.2 37.9 -35.3 51.8 317	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7 316	0.783 0.0 1.0
353	318	317	0.8 0.0 1.0	42.7 72.7 -7.6 73.1 353	0.18 0.0 1.0	28.3 38.7 -34.8 52.1 318	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9 317	0.8 0.0 1.0
354	319	318	0.816 0.0 1.0	43.1 73.2 -7.0 73.6 354	0.197 0.0 1.0	28.5 39.5 -34.2 52.4 319	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1 318	0.817 0.0 1.0
354	320	319	0.833 0.0 1.0	43.4 73.8 -6.5 74.1 354	0.213 0.0 1.0	28.6 40.3 -33.7 52.6 320	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4 319	0.833 0.0 1.0
355	321	320	0.85 0.0 1.0	43.7 74.3 -5.9 74.6 355	0.23 0.0 1.0	28.7 41.1 -33.2 52.9 321	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6 320	0.85 0.0 1.0
355	322	321	0.866 0.0 1.0	44.0 74.9 -5.3 75.1 355	0.247 0.0 1.0	28.9 41.9 -32.6 53.1 322	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9 321	0.867 0.0 1.0
356	323	321	0.883 0.0 1.0	44.3 75.4 -4.7 75.6 356	0.259 0.0 1.0	29.2 42.7 -32.1 53.5 323	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1 321	0.883 0.0 1.0
356	324	322	0.9 0.0 1.0	44.6 76.0 -4.1 76.1 356	0.27 0.0 1.0	29.5 43.7 -31.6 54.0 324	0.9 0.0 1.0	0.258 0.0 1.0	29.2 42.7 -32.1 53.5 322	0.9 0.0 1.0
357	325	323	0.916 0.0 1.0	44.8 76.6 -3.5 76.6 357	0.282 0.0 1.0	29.9 44.6 -31.1 54.4 325	0.917 0.0 1.0	0.269 0.0 1.0	29.5 43.5 -31.7 53.9 323	0.917 0.0 1.0
357	326	324	0.933 0.0 1.0	45.1 77.1 -2.8 77.2 357	0.293 0.0 1.0	30.2 45.5 -30.6 54.8 326	0.933 0.0 1.0	0.28 0.0 1.0	29.8 44.4 -31.2 54.3 324	0.933 0.0 1.0
358	327	325	0.95 0.0 1.0	45.3 77.7 -2.2 77.7 358	0.304 0.0 1.0	30.6 46.4 -30.0 55.3 327	0.95 0.0 1.0	0.29 0.0 1.0	30.1 45.2 -30.7 54.7 325	0.95 0.0 1.0
358	328	326	0.966 0.0 1.0	45.6 78.2 -1.5 78.2 358	0.315 0.0 1.0	30.9 47.2 -29.4 55.7 328	0.967 0.0 1.0	0.301 0.0 1.0	30.5 46.1 -30.2 55.1 326	0.967 0.0 1.0
359	329	327	0.983 0.0 1.0	45.8 78.7 -0.8 78.7 359	0.326 0.0 1.0	31.3 48.1 -28.8 56.1 329	0.983 0.0 1.0	0.311 0.0 1.0	30.8 46.9 -29.6 55.6 327	0.983 0.0 1.0
359	330	328	1.0 0.0 1.0	46.1 79.3 -0.2 79.3 359	M_d 0.337 0.0 1.0	31.6 49.0 -28.2 56.6 330	M_s 1.0 0.0 1.0	0.322 0.0 1.0	31.1 47.8 -29.1 56.0 328	M_e 1.0 0.0 1.0
360	331	329	1.0 0.0 0.983	46.1 79.1 0.3 79.1 360	0.349 0.0 1.0	32.0 49.9 -27.5 57.0 331	1.0 0.0 0.983	0.332 0.0 1.0	31.5 48.6 -28.5 56.4 329	1.0 0.0 0.983
360	332	330	1.0 0.0 0.966	46.0 79.0 0.9 79.0 360	0.36 0.0 1.0	32.3 50.7 -26.9 57.5 332	1.0 0.0 0.967	0.343 0.0 1.0	31.8 49.4 -27.9 56.8 330	1.0 0.0 0.967
361	333	331	1.0 0.0 0.95	46.0 78.9 1.5 78.9 361	0.371 0.0 1.0	32.7 51.6 -26.2 57.9 333	1.0 0.0 0.95	0.354 0.0 1.0	32.1 50.3 -27.2 57.2 331	1.0 0.0 0.95
361	334	332	1.0 0.0 0.933	46.0 78.7 2.1 78.8 361	0.386 0.0 1.0	33.0 52.5 -25.5 58.4 334	1.0 0.0 0.933	0.364 0.0 1.0	32.4 51.1 -26.6 57.6 332	1.0 0.0 0.933
361	335	333	1.0 0.0 0.916	46.0 78.6 2.7 78.6 361	0.404 0.0 1.0	33.4 53.5 -24.8 59.0 335	1.0 0.0 0.917	0.375 0.0 1.0	32.8 51.9 -25.9 58.0 333	1.0 0.0 0.917
362	336	334	1.0 0.0 0.9	46.0 78.4 3.2 78.5 362	0.421 0.0 1.0	33.8 54.4 -24.1 59.6 336	1.0 0.0 0.9	0.391 0.0 1.0	33.1 52.8 -25.3 58.6 334	1.0 0.0 0.9
362	337	335	1.0 0.0 0.883	45.9 78.3 3.8 78.4 362	0.438 0.0 1.0	34.2 55.4 -23.4 60.1 337	1.0 0.0 0.883	0.408 0.0 1.0	33.5 53.7 -24.7 59.1 335	1.0 0.0 0.883
363	338	336	1.0 0.0 0.866	45.9 78.1 4.4 78.3 363	0.456 0.0 1.0	34.6 56.3 -22.6 60.7 338	1.0 0.0 0.867	0.424 0.0 1.0	33.9 54.6 -24.0 59.7 336	1.0 0.0 0.867
363	339	337	1.0 0.0 0.85	45.9 78.0 5.0 78.2 363	0.473 0.0 1.0	35.0 57.2 -21.9 61.3 339	1.0 0.0 0.85	0.441 0.0 1.0	34.3 55.5 -23.3 60.2 337	1.0 0.0 0.85
364	340	338	1.0 0.0 0.833	45.9 77.9 5.6 78.1 364	0.491 0.0 1.0	35.4 58.1 -21.1 61.9 340	1.0 0.0 0.833	0.457 0.0 1.0	34.6 56.4 -22.6 60.8 338	1.0 0.0 0.833
364	341	339	1.0 0.0 0.816	45.9 77.7 6.2 78.0 364	0.508 0.0 1.0	35.8 59.1 -20.2 62.5 341	1.0 0.0 0.817	0.474 0.0 1.0	35.0 57.2 -21.8 61.3 339	1.0 0.0 0.817
365	342	339	1.0 0.0 0.8	45.9 77.6 6.8 77.9 365	0.525 0.0 1.0	36.1 60.0 -19.4 63.1 342	1.0 0.0 0.8	0.491 0.0 1.0	35.4 58.1 -21.1 61.8 339	1.0 0.0 0.8
365	343	340	1.0 0.0 0.783	45.9 77.4 7.4 77.8 365	0.542 0.0 1.0	36.4 61.0 -18.5 63.8 343	1.0 0.0 0.783	0.507 0.0 1.0	35.7 59.0 -20.3 62.4 340	1.0 0.0 0.783
365	344	341	1.0 0.0 0.766	45.9 77.3 8.0 77.7 365	0.559 0.0 1.0	36.8 61.9 -17.7 64.4 344	1.0 0.0 0.767	0.523 0.0 1.0	36.1 59.9 -19.5 63.0 341	1.0 0.0 0.767
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6 77.6 366	0.576 0.0 1.0	37.1 62.9 -16.7 65.1 345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7 63.7 342	1.0 0.0 0.75

4-0131531-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 16/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* dd361M	LAB^* ddx361Mi (x=LabCh)	rgb^* ds361Mi	LAB^* dsx361Mi (x=LabCh)	rgb^* dd361Mi	rgb^* de361Mi	LAB^* dex361Mi (x=LabCh)	rgb^* dd361Mi	rgb^* ds361Mi					
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9 -16.7	65.1 345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8 -18.7	63.7 342	1.0 0.0 0.75	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8 -15.8	65.7 346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7 -17.9	64.3 343	1.0 0.0 0.733			
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7 -14.8	66.4 347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6 -17.0	64.9 344	1.0 0.0 0.717			
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6 -13.8	67.1 348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5 -16.1	65.5 345	1.0 0.0 0.7			
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8 -12.9	68.1 349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3 -15.2	66.1 346	1.0 0.0 0.683			
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0 -11.9	69.1 350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2 -14.3	66.7 347	1.0 0.0 0.667			
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2 -10.9	70.1 351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2 -13.4	67.6 348	1.0 0.0 0.65			
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4 -9.8	71.1 352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4 -12.4	68.5 349	1.0 0.0 0.633			
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6 -8.7	72.1 353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5 -11.5	69.5 350	1.0 0.0 0.617			
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7 -7.5	73.1 354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6 -10.5	70.4 351	1.0 0.0 0.6			
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9 -6.4	74.2 355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7 -9.5	71.4 352	1.0 0.0 0.583			
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0 -5.1	75.2 356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9 -8.4	72.4 353	1.0 0.0 0.567			
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2 -3.9	76.3 357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0 -7.3	73.3 354	1.0 0.0 0.55			
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3 -2.6	77.3 358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1 -6.2	74.3 355	1.0 0.0 0.533			
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4 -1.3	78.4 359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1 -5.0	75.3 356	1.0 0.0 0.517			
375	360	352	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3 0.0	79.3 360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5 -9.7	71.1 352	1.0 0.0 0.5			
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0 1.4	79.0 361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8 -8.5	72.3 353	1.0 0.0 0.483			
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6 2.7	78.7 362	1.0 0.0 0.467	0.81 0.0 1.0	43.0 73.1 -7.2	73.4 354	1.0 0.0 0.467			
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3 4.1	78.4 363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4 -5.9	74.6 355	1.0 0.0 0.45			
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0 5.5	78.2 364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6 -4.5	75.8 356	1.0 0.0 0.433			
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7 6.8	78.0 365	1.0 0.0 0.417	0.925 0.0 1.0	45.0 76.9 -3.1	77.0 357	1.0 0.0 0.417			
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3 8.1	77.8 366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1 -1.6	78.1 358	1.0 0.0 0.4			
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0 9.5	77.6 367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3 -0.1	79.3 359	1.0 0.0 0.383			
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7 10.8	77.5 368	1.0 0.0 0.367	1.0 0.0 0.956	46.1 79.0 1.3	79.0 360	1.0 0.0 0.367			
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4 12.1	77.4 369	1.0 0.0 0.35	1.0 0.0 0.912	46.0 78.6 2.9	78.7 362	1.0 0.0 0.35			
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1 13.4	77.2 370	1.0 0.0 0.333	1.0 0.0 0.869	46.0 78.2 4.4	78.3 363	1.0 0.0 0.333			
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7 14.7	77.1 371	1.0 0.0 0.317	1.0 0.0 0.828	46.0 77.9 5.9	78.1 364	1.0 0.0 0.317			
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4 16.0	77.1 372	1.0 0.0 0.3	1.0 0.0 0.786	46.0 77.5 7.4	77.9 365	1.0 0.0 0.3			
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2 17.4	77.1 373	1.0 0.0 0.283	1.0 0.0 0.746	46.0 77.1 8.8	77.7 366	1.0 0.0 0.283			
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9 18.7	77.2 374	1.0 0.0 0.267	1.0 0.0 0.717	46.0 76.8 10.3	77.5 367	1.0 0.0 0.267			
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5 20.0	77.2 375	1.0 0.0 0.25	1.0 0.0 0.687	46.0 76.5 11.8	77.4 368	1.0 0.0 0.25			
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2 21.3	77.2 376	1.0 0.0 0.233	1.0 0.0 0.658	46.0 76.1 13.3	77.2 369	1.0 0.0 0.233			
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0 22.6	77.4 377	1.0 0.0 0.217	1.0 0.0 0.628	46.0 75.7 14.7	77.1 370	1.0 0.0 0.217			
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8 24.0	77.6 378	1.0 0.0 0.2	1.0 0.0 0.599	46.0 75.4 16.2	77.1 372	1.0 0.0 0.2			
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6 25.3	77.8 379	1.0 0.0 0.183	1.0 0.0 0.57	46.0 75.1 17.6	77.1 373	1.0 0.0 0.183			
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3 26.7	78.0 380	1.0 0.0 0.167	1.0 0.0 0.541	45.9 74.8 19.1	77.2 374	1.0 0.0 0.167			
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1 28.0	78.3 381	1.0 0.0 0.15	1.0 0.0 0.512	45.9 74.4 20.6	77.2 375	1.0 0.0 0.15			
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9 29.4	78.6 382	1.0 0.0 0.133	1.0 0.0 0.485	45.9 74.1 22.0	77.3 376	1.0 0.0 0.133			
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7 30.9	79.0 383	1.0 0.0 0.117	1.0 0.0 0.459	45.9 73.9 23.6	77.6 377	1.0 0.0 0.117			
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5 32.3	79.4 384	1.0 0.0 0.1	1.0 0.0 0.433	45.9 73.6 25.1	77.8 378	1.0 0.0 0.1			
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3 33.7	79.8 385	1.0 0.0 0.083	1.0 0.0 0.406	45.9 73.4 26.6	78.0 379	1.0 0.0 0.083			
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1 35.2	80.3 386	1.0 0.0 0.067	1.0 0.0 0.38	45.8 73.1 28.1	78.3 381	1.0 0.0 0.067			
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0 36.7	80.8 387	1.0 0.0 0.05	1.0 0.0 0.349	45.8 72.9 29.6	78.7 382	1.0 0.0 0.05			
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8 38.2	81.3 388	1.0 0.0 0.033	1.0 0.0 0.318	45.8 72.7 31.2	79.1 383	1.0 0.0 0.033			
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6 39.7	81.8 389	1.0 0.0 0.017	1.0 0.0 0.286	45.7 72.5 32.8	79.6 384	1.0 0.0 0.017			
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	R_d 1.0 0.0 0.096	45.5 71.4 41.2	82.4 390	R_s 1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2 34.4	80.0 385	R_e 1.0 0.0 0.0			

4-0131631-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 17/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

4-0131631-F0



TUB materiale: code=rha4ta

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

grafico TUB-PI98; codice di tinte: H*_e=R00Y_e

[illegible]

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



<http://farbe.li.tu-berlin.de/PI98/PI98L0NA.TXT/.PS>; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 33/33



C

M

Y

O

L

V

vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

iscrizione TUB: 20150701-PI98/PI98L0NA.TXT/.PS TUB materiale: code=rha4ta
Application per la misura dell'output output nella stampa di offset, separazione cmy0 (CMY0)




4-0133231-F0

PI980-7N, 33/33-F



grafico TUB-PI98; codice di tinte: H*e=R00Ye
colori e la differenza, ΔE^*

Input: *rgb/cmyk* -> *rgbe*
Output: trasferire a *cmy0e*



4-0133231-F0

C

M

Y

O

L

V

n	H* _{CC} *Fe	rgb_*Fe	ic*_Fe	h*_a_Fe	rgb**Fe	LabCh**Fe	DF*Fe	h _a *Fe	rgb**Me	LabCh**Me	
1053	NW_086e	0.866 0.866 0.866	0.866 0.0 0.866	360	0.866 0.866 0.866	86.1 1.2 3.4	3.7	69.9	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1054	NW_093e	0.933 0.933 0.933	0.933 0.0 0.933	360	0.933 0.933 0.933	90.8 0.4 1.4	1.5	71.6	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1055	NW_100e	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.6 0.0 0.1	0.1	114.3	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1056	NW_000e	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	23.0 0.7 -0.9	1.1	308.5	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1057	NW_006e	0.066 0.066 0.066	0.066 0.0 0.066	360	0.066 0.066 0.066	25.6 5.5 0.6	5.5	6.7	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1058	NW_013e	0.133 0.133 0.133	0.133 0.0 0.133	360	0.133 0.133 0.133	28.2 8.3 3.4	9.0	22.4	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1059	NW_020e	0.2 0.2 0.2	0.2 0.0 0.2	360	0.2 0.2 0.2	32.0 10.0 5.8	11.6	30.4	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1060	NW_026e	0.266 0.266 0.266	0.266 0.0 0.266	360	0.266 0.266 0.266	36.7 8.8 8.7	12.4	44.7	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1061	NW_033e	0.333 0.333 0.333	0.333 0.0 0.333	360	0.333 0.333 0.333	40.7 10.4 8.9	13.3	48.4	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1062	NW_040e	0.4 0.4 0.4	0.4 0.0 0.4	360	0.4 0.4 0.4	46.8 8.7 10.2	13.7	40.7	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1063	NW_046e	0.466 0.466 0.466	0.466 0.0 0.466	360	0.466 0.466 0.466	51.8 9.9 13.3	14.5	36.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1064	NW_053e	0.533 0.533 0.533	0.533 0.0 0.533	360	0.533 0.533 0.533	57.5 7.3 9.2	11.8	51.6	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1065	NW_060e	0.6 0.6 0.6	0.6 0.0 0.6	360	0.6 0.6 0.6	63.6 6.0 9.2	11.0	56.7	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1066	NW_066e	0.666 0.666 0.666	0.666 0.0 0.666	360	0.666 0.666 0.666	69.3 5.2 8.3	9.8	57.5	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1067	NW_073e	0.734 0.734 0.734	0.734 0.0 0.734	360	0.734 0.734 0.734	74.5 4.8 6.5	8.1	53.5	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1068	NW_080e	0.8 0.8 0.8	0.8 0.0 0.8	360	0.8 0.8 0.8	80.5 2.7 5.2	5.9	62.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1069	NW_086e	0.866 0.866 0.866	0.866 0.0 0.866	360	0.866 0.866 0.866	86.1 1.2 3.4	3.6	69.4	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1070	NW_093e	0.933 0.933 0.933	0.933 0.0 0.933	360	0.933 0.933 0.933	90.7 0.4 1.4	1.5	71.7	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1071	NW_100e	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.7 0.0 0.1	0.1	118.4	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1072	NW_000e	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	23.3 1.3 -2.4	2.8	299.2	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1073	NW_006e	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	25.7 5.5 0.6	5.5	6.7	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1074	R00Y_100_100e	1.0 0.0 0.0	1.0 0.0 1.0	0.5 390	1.0 0.0 0.254	45.6 70.5 45.5	83.9	32.8	1.0 0.0 0.254	45.6 70.5 45.5	83.9
1075	G50B_100_100e	0.0 1.0 0.0	1.0 1.0 1.0	0.5 210	0.0 1.0 0.747	-45.2 -10.0 95.1	95.7	36.0	0.0 0.878 0.0	45.2 -10.0 95.1	95.7
1076	Y06C_100_100e	0.0 1.0 0.0	1.0 1.0 1.0	0.5 210	0.0 1.0 0.878	58.0 20.1 29.8	86.9	36.0	0.0 0.488 0.0	58.0 20.1 29.8	86.9
1077	B06B_100_100e	0.0 0.0 1.0	0.0 1.0 1.0	0.5 210	0.0 0.458 1.0	47.7 48.2 63.4	71.7	36.0	0.0 0.0 0.151	47.7 48.2 63.4	71.7
1078	B50B_100_100e	0.0 0.0 1.0	0.0 1.0 1.0	0.5 210	0.0 1.0 0.151	45.8 73.2 -0.2	73.2	36.0	0.0 0.0 0.151	45.8 73.2 -0.2	73.2
1079	B50B_100_100e	1.0 0.0 1.0	1.0 1.0 1.0	0.5 330	0.321 0.0 1.0	45.8 73.2 -0.2	73.2	36.0	0.321 0.0 1.0	45.8 73.2 -0.2	73.2

delta E** = 10.3