

<http://farbe.li.tu-berlin.de/PI98/PI98L0NP.PDF> / .PS; inizio dell'output
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 1/33

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 31/360 = 0.08$

$H^*_{-} = R00Y_{-}$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_{-}

codice di tonalità per i colori questa pagina:

$H^*_{-} = R00Y_{-}$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 48 66 40 77 31

$HIC^*_{-,Ma}$: R00Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.0 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_{-}	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10





grafico TUB-PI98; codice di tinte: $H^*_{-}=R00Y_{-}$
grafico conformemente a DIN 33872, 3D=0, de=1, cm_y0

Input: $rgb/cmyk \rightarrow rgb/cmyk$
Output: nessun cambiamento

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_e

codice di tonalità per i colori questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 45 72 34 80 25

$HIC^*_{e,Ma}$: R00Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352





grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 45 72 34 80 25

$HIC^*_{e,Ma}$: R00Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Dati del dispositivo (d) o
colori elementari (e):

HIC_e^*

codice di tonalità per i colori
questa pagina:

$H_e^* = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh_{e,Ma}^*$: 45 72 34 80 25

$HIC_{e,Ma}^*$: R00Y_100_100_e

$rgbic_{e,Ma}^*$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u_{rel}^* = 92$



%Regularità

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; dati atti CIELAB (a)

H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



4-013331-L0 PI980-71

grafico TUB-PI98; codice di tinte: $H_e^*=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$

Output: trasferire a $cmy0_e$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 25/360 = 0.07$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_e

codice di tonalità per i colori questa pagina:

$H^*_e = R00Y_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 45 72 34 80 25

$HIC^*_{e,Ma}$: R00Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.0 0.25 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regolarità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





4-013431-L0 PI980-71


grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, de=1, cmy0

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

iscrizione TUB: 20150701-PI98/PI98L0NP.PDF /.PS TUB materiale: code=rha4ta
Applicazione per la misura dell'output output nella stampa di offset, separazione cmy0 (CMY0)



http://farbe.li.tu-berlin.de/PI98/PI98L0NP.PDF /.PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 6/33



vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

4-013531-L0 PI980-71

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
grafico conformemente a DIN 33872, 3D=0, $d_e=1$, $cmy0$

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

4-013531-E0



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

R_s

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_d LCH^*_d LAB^*_d$

$h_{ab,s} rgb^*_d$

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab,d}$

rgb^*_{de}

4-013631-L0

PI980-71

$LAB^*Ia0, YN=0\%$, $XYZnW=3.6, 4.2, 6.1, 85.4, 89.1, 104.8$, $LAB^*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0$

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

uscita: Offset standard print; separation cmy0*, D65, pagina 7/33

4-013631-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	$LAB^*_{ddx64M}(x=LabCh)$	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}(x=LabCh)$	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}(x=LabCh)$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$																								
32.3	30.0	25.4	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25								
38.1	37.5	33.8	1.0	0.125	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.0	0.021	0.0	46.0	69.6	45.7	83.3	33							
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42								
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49								
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58								
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	66								
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75								
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82								
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.7	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.867	0.0	1.0	44.1	74.9	-5.3	75.1	355	0.247															

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{dd64M}	LAB^*_{dd64M}	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3

4-013831-L0 PI980-71 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

uscita: Offset standard print; separation cmy0*, D65, pagina 9/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25		1.0 0.0 0.0				
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055 45.5 71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26		1.0 0.017 0.0				
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013 45.5 71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27		1.0 0.033 0.0				
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0 45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28		1.0 0.05 0.0				
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0 46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29		1.0 0.067 0.0				
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0 47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31		1.0 0.083 0.0				
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0 47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32		1.0 0.1 0.0				
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0 48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33		1.0 0.117 0.0				
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0 48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34		1.0 0.133 0.0				
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0 49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35		1.0 0.15 0.0				
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0 49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36		1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0 50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37		1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0 51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38		1.0 0.2 0.0				
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0 51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39		1.0 0.217 0.0				
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0 52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41		1.0 0.233 0.0				
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0 52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42		1.0 0.25 0.0				
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0 53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43		1.0 0.267 0.0				
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0 53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44		1.0 0.283 0.0				
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0 54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45		1.0 0.3 0.0				
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0 54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46		1.0 0.317 0.0				
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0 55.4 48.5 57.8 75.4 50		1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47		1.0 0.333 0.0				
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0 55.9 47.3 58.5 75.2 51		1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48		1.0 0.35 0.0				
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0 56.5 46.2 59.1 75.0 52		1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49		1.0 0.367 0.0				
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0 57.0 45.0 59.8 74.8 53		1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51		1.0 0.383 0.0				
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0 57.6 43.9 60.4 74.6 54		1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52		1.0 0.4 0.0				
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0 58.1 42.7 61.0 74.4 55		1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53		1.0 0.417 0.0				
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0 58.6 41.5 61.5 74.2 56		1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54		1.0 0.433 0.0				
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0 59.2 40.3 62.1 74.0 57		1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55		1.0 0.45 0.0				
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0 59.8 39.3 62.8 74.1 58		1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56		1.0 0.467 0.0				
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0 60.3 38.2 63.5 74.1 59		1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57		1.0 0.483 0.0				
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58		1.0 0.5 0.0				
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0 61.4 36.0 64.9 74.2 61		1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60		1.0 0.517 0.0				
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0 62.0 34.9 65.6 74.3 62		1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61		1.0 0.533 0.0				
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0 62.6 33.7 66.2 74.3 63		1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62		1.0 0.55 0.0				
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0 63.1 32.6 66.9 74.4 64		1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63		1.0 0.567 0.0				
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0 63.7 31.5 67.5 74.4 65		1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64		1.0 0.583 0.0				
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0 64.2 30.3 68.0 74.5 66		1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65		1.0 0.6 0.0				
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0 64.8 29.1 68.6 74.5 67		1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66		1.0 0.617 0.0				
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0 65.4 28.0 69.4 74.8 68		1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67		1.0 0.633 0.0				
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0 66.1 26.9 70.2 75.2 69		1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68		1.0 0.65 0.0				
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70		1.0 0.667 0.0				
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0 67.3 24.7 71.8 75.9 71		1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71		1.0 0.683 0.0				
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0 67.9 23.6 72.6 76.3 72		1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72		1.0 0.7 0.0				
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0 68.6 22.4 73.3 76.6 73		1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73		1.0 0.717 0.0				
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0 69.2 21.2 74.0 77.0 74		1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74		1.0 0.733 0.0				
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0 69.8 20.0 74.7 77.4 75		1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75		1.0 0.75 0.0				

4-013931-L0 PI980-71 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 10/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$		h_{abs}	$h_{ab,e}$	rgb^*_{ab} dd361M					LAB^*_{ab} ddx361Mi (x=LabCh)					Y_d	rgb^*_{bs} ds361Mi					LAB^*_{bs} ddx361Mi (x=LabCh)					Y_s	rgb^*_{ab} dd361Mi					rgb^*_{de} 361Mi					LAB^*_{dex} 361Mi (x=LabCh)					rgb^*_{dd} 361Mi				
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0													
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.596	0.0	70.5	18.8	75.4	77.7	76	1.0	0.767	0.0	1.0	0.604	0.0	70.9	17.9	75.9	78.0	76	1.0	0.767	0.0													
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.607	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	1.0	0.616	0.0	71.6	16.5	76.6	78.4	77	1.0	0.783	0.0													
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.618	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	1.0	0.63	0.0	72.4	15.1	77.4	78.9	78	1.0	0.8	0.0													
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.631	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	1.0	0.648	0.0	73.2	13.8	78.5	79.7	80	1.0	0.817	0.0													
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.647	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	1.0	0.667	0.0	74.1	12.3	79.5	80.5	81	1.0	0.833	0.0													
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.664	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	1.0	0.685	0.0	74.9	10.9	80.5	81.3	82	1.0	0.85	0.0													
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	1.0	0.867	0.0													
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.697	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84	1.0	0.883	0.0													
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.713	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	1.0	0.74	0.0	77.5	6.4	83.4	83.6	85	1.0	0.9	0.0													
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.729	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	1.0	0.76	0.0	78.4	4.8	84.4	84.6	86	1.0	0.917	0.0													
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.746	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	1.0	0.784	0.0	79.4	3.2	85.7	85.7	87	1.0	0.933	0.0													
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.766	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	1.0	0.807	0.0	80.5	1.6	86.9	86.9	88	1.0	0.95	0.0													
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.787	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0																								

4-0131031-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 11/32

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rqb-LabCh^*$ tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																
114	120	127	0.5	1.0	0.0	70.6	-29.7 66.5 72.8	114	0.399	1.0	0.0	66.7	-34.5 59.9 69.2	120	0.5	1.0	0.0	62.6	-40.8 53.8 67.6	127	0.5	1.0	0.0							
115	121	128	0.483	1.0	0.0	69.9	-30.5 65.4 72.2	115	0.382	1.0	0.0	66.0	-35.2 58.8 68.6	121	0.483	1.0	0.0	62.0	-41.8 52.9 67.5	128	0.483	1.0	0.0							
116	122	129	0.466	1.0	0.0	69.3	-31.4 64.3 71.6	116	0.37	1.0	0.0	65.4	-36.1 57.9 68.3	122	0.467	1.0	0.0	61.4	-42.8 51.9 67.3	129	0.467	1.0	0.0							
117	123	130	0.45	1.0	0.0	68.6	-32.2 63.2 71.0	117	0.361	1.0	0.0	64.9	-37.0 57.1 68.1	123	0.45	1.0	0.0	60.8	-43.8 50.9 67.2	130	0.45	1.0	0.0							
117	124	131	0.433	1.0	0.0	68.0	-33.0 62.1 70.4	117	0.352	1.0	0.0	64.4	-37.9 56.4 68.0	124	0.433	1.0	0.0	60.2	-44.7 49.9 67.0	131	0.433	1.0	0.0							
118	125	133	0.416	1.0	0.0	67.3	-33.8 61.0 69.8	118	0.343	1.0	0.0	63.8	-38.8 55.6 67.9	125	0.417	1.0	0.0	59.6	-45.6 48.9 66.9	133	0.417	1.0	0.0							
119	126	134	0.4	1.0	0.0	66.7	-34.5 59.9 69.2	119	0.334	1.0	0.0	63.3	-39.7 54.8 67.8	126	0.4	1.0	0.0	59.0	-46.5 47.8 66.8	134	0.4	1.0	0.0							
120	127	135	0.383	1.0	0.0	66.0	-35.2 58.8 68.6	120	0.325	1.0	0.0	62.8	-40.6 54.0 67.6	127	0.383	1.0	0.0	58.4	-47.4 46.8 66.6	135	0.383	1.0	0.0							
122	128	136	0.366	1.0	0.0	65.2	-36.4 57.6 68.2	122	0.316	1.0	0.0	62.3	-41.5 53.2 67.5	128	0.367	1.0	0.0	57.9	-48.3 45.8 66.6	136	0.367	1.0	0.0							
124	129	137	0.35	1.0	0.0	64.2	-38.2 56.2 67.9	124	0.307	1.0	0.0	61.7	-42.3 52.4 67.4	129	0.35	1.0	0.0	57.4	-49.2 44.7 66.6	137	0.35	1.0	0.0							
126	130	138	0.333	1.0	0.0	63.2	-39.8 54.7 67.7	126	0.298	1.0	0.0	61.2	-43.1 51.5 67.3	130	0.333	1.0	0.0	57.0	-50.0 43.7 66.5	138	0.333	1.0	0.0							
127	131	140	0.316	1.0	0.0	62.3	-41.4 53.2 67.5	127	0.289	1.0	0.0	60.7	-44.0 50.7 67.2	131	0.317	1.0	0.0	56.5	-50.9 42.7 66.5	140	0.317	1.0	0.0							
129	132	141	0.3	1.0	0.0	61.3	-43.0 51.7 67.3	129	0.28	1.0	0.0	60.2	-44.8 49.8 67.0	132	0.3	1.0	0.0	56.0	-51.7 41.6 66.5	141	0.3	1.0	0.0							
131	133	142	0.283	1.0	0.0	60.3	-44.5 50.1 67.0	131	0.271	1.0	0.0	59.6	-45.5 48.9 66.9	133	0.283	1.0	0.0	55.5	-52.5 40.5 66.4	142	0.283	1.0	0.0							
133	134	143	0.266	1.0	0.0	59.3	-45.9 48.5 66.8	133	0.262	1.0	0.0	59.1	-46.3 48.0 66.8	134	0.267	1.0	0.0	55.1	-53.3 39.4 66.4	143	0.267	1.0	0.0							
135	135	144	0.25	1.0	0.0	58.4	-47.3 46.8 66.6	135	0.253	1.0	0.0	58.6	-47.0 47.1 66.7	135	0.25	1.0	0.0	54.6	-54.2 38.4 66.5	144	0.25	1.0	0.0							
136	136	145	0.233	1.0	0.0	57.9	-48.3 45.8 66.5	136	0.241	1.0	0.0	58.1	-47.8 46.3 66.6	136	0.233	1.0	0.0	54.1	-55.4 37.6 67.0	145	0.233	1.0	0.0							
137	137	147	0.216	1.0	0.0	57.4	-49.2 44.7 66.5	137	0.227	1.0	0.0	57.7	-48.6 45.4 66.6	137	0.217	1.0	0.0	53.6	-56.6 36.7 67.6	147	0.217	1.0	0.0							
138	138	148	0.2	1.0	0.0	56.9	-50.1 43.6 66.5	138	0.213	1.0	0.0	57.3	-49.4 44.5 66.6	138	0.2	1.0	0.0	53.1	-57.8 35.8 68.1	148	0.2	1.0	0.0							
140	139	149	0.183	1.0	0.0	56.4	-51.0 42.5 66.4	140	0.2	1.0	0.0	56.9	-50.1 43.6 66.5	139	0.183	1.0	0.0	52.6	-59.0 34.9 68.6	149	0.183	1.0	0.0							
141	140	150	0.166	1.0	0.0	55.9	-51.9 41.4 66.4	141	0.186	1.0	0.0	56.5	-50.8 42.7 66.5	140	0.167	1.0	0.0	52.1	-60.1 34.0 69.2	150	0.167	1.0	0.0							
142	141	151	0.15	1.0	0.0	55.4	-52.7 40.3 66.4	142	0.172	1.0	0.0	56.1	-51.6 41.8 66.5	141	0.15	1.0	0.0	51.7	-61.3 33.0 69.7	151	0.15	1.0	0.0							
143	142	152	0.133	1.0	0.0	54.9	-53.5 39.1 66.3	143	0.159	1.0	0.0	55.7	-52.3 40.9 66.4	142	0.133	1.0	0.0	51.2	-62.4 32.0 70.2	152	0.133	1.0	0.0							
145	143	154	0.116	1.0	0.0	54.4	-54.7 38.0 66.6	145	0.145	1.0	0.0	55.3	-52.9 40.0 66.4	143	0.117	1.0	0.0	50.7	-63.5 30.9 70.8	154	0.117	1.0	0.0							
146	144	155	0.1	1.0	0.0	53.7	-56.2 37.0 67.3	146	0.131	1.0	0.0	54.9	-53.6 39.0 66.4	144	0.1	1.0	0.0	50.2	-64.6 29.9 71.3	155	0.1	1.0	0.0							
148	145	156	0.083	1.0	0.0	53.1	-57.7 35.9 68.0	148	0.119	1.0	0.0	54.5	-54.5 38.2 66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6 28.3	70.6	156	0.083	1.0	0.0			
149	146	157	0.066	1.0	0.0	52.5	-59.2 34.7 68.7	149	0.107	1.0	0.0	54.1	-55.5 37.5 67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2 26.5	69.5	157	0.067	1.0	0.0			
151	147	158	0.049	1.0	0.0	51.9	-60.7 33.5 69.4	151	0.096	1.0	0.0	53.7	-56.5 36.8 67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7 24.8	68.4	158	0.05	1.0	0.0			
152	148	159	0.033	1.0	0.0	51.3	-62.2 32.2 70.0	152	0.085	1.0	0.0	53.2	-57.6 36.0 68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1 23.1	67.3	159	0.033	1.0	0.0			
154	149	161	0.016	1.0	0.0	50.6	-63.6 30.9 70.7	154	0.074	1.0	0.0	52.8	-58.6 35.3 68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6 21.5	66.3	161	0.017	1.0	0.0			
155	150	162	0.0	1.0	0.0	50.0	-65.0 29.6 71.4	155	G_d 0.062	1.0	0.0	52.4	-59.6 34.5 68.9	150	G_s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0 19.9	65.2	162	G_e 0.0	1.0	0.0			
156	151	163	0.0	1.0	0.016	50.1	-64.7 28.5 70.7	156	0.051	1.0	0.0	52.0	-60.6 33.6 69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6 18.7	64.4	163	0.0	1.0	0.017			
156	152	164	0.0	1.0	0.033	50.1	-64.5 27.4 70.1	156	0.04	1.0	0.0	51.5	-61.6 32.8 69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1 17.5	63.6	164	0.0	1.0	0.033			
157	153	164	0.0	1.0	0.05	50.2	-64.2 26.4 69.4	157	0.028	1.0	0.0	51.1	-62.5 31.9 70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6 16.3	62.8	164	0.0	1.0	0.05			
158	154	165	0.0	1.0	0.066	50.3	-63.9 25.4 68.8	158	0.017	1.0	0.0	50.7	-63.5 31.0 70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0 15.1	62.0	165	0.0	1.0	0.067			
159	155	166	0.0	1.0	0.083	50.3	-63.6 24.4 68.1	159	0.006	1.0	0.0	50.3	-64.4 30.1 71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5 14.0	61.2	166	0.0	1.0	0.083			
159	156	167	0.0	1.0	0.1	50.4	-63.3 23.4 67.5	159	0.0	1.0	0.012	50.1	-64.7 28.9 71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9 12.9	60.4	167	0.0	1.0	0.1			
160	157	168	0.0	1.0	0.116	50.5	-62.9 22.4 66.8	160	0.0	1.0	0.035	50.2	-64.4 27.4 70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5 11.8	59.8	168	0.0	1.0	0.117			
161	158	169	0.0	1.0	0.133	50.5	-62.5 21.2 66.1	161	0.0	1.0	0.059	50.3	-64.0 25.9 69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1 10.8	59.2	169	0.0	1.0	0.133			
162	159	170	0.0	1.0	0.15	50.6	-62.1 19.9 65.2	162	0.0	1.0	0.083	50.4	-63.5 24.4 68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7 9.7	58.6	170	0.0	1.0	0.15			
163	160	171	0.0	1.0	0.166	50.7	-61.6 18.7 64.4	163	0.0	1.0	0.107	50.5	-63.1 23.0 67.2	160	0.0	1.0	0.167	0.0	1.0	0.3	51.5	-57.3 8.7	58.1	171	0.0	1.0	0.167			
164	161	172	0.0	1.0	0.183	50.8	-61.1 17.4 63.6	164	0.0	1.0	0.129	50.6	-62.6 21.6 66.3	161	0.0	1.0	0.183	0.0	1.0	0.313	51.6	-56.9 7.7	57.5	172	0.0	1.0	0.183			
164	162	173	0.0	1.0	0.2	50.9	-60.6 16.2 62.7	164	0.0	1.0	0.147	50.7	-62.1 20.2 65.4	162	0.0	1.0	0.2	0.0	1.0	0.325	51.7	-56.4 6.8	56.9	173	0.0	1.0	0.2			
165	163	174	0.0	1.0	0.216	51.0	-60.1 15.0 61.9	165	0.0	1.0	0.165	50.8	-61.6 18.9 64.5	163	0.0	1.0	0.217	0.0	1.0	0.338	51.8	-55.9 5.8	56.3	174	0.0	1.0	0.217			
166	164	175	0.0	1.0	0.233	51.1	-59.5 13.9 61.1	166	0.0	1.0	0.183	50.9	-61.1																	

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$																			
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	0.0	1.0	1.0	
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239	0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211	0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0	
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239	0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212	0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0	
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240	0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213	0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0	
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240	0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214	0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0	
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241	0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215	0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0	
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242	0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216	0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0	
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0	
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243	0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218	0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0	
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244	0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219	0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0	
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245	0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220	0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0	
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245	0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221	0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0	
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246	0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222	0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0	
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247	0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223	0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0	
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248	0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224	0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0	
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0	
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250	0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226	0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0	
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0	
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252	0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228	0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0	
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253	0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229	0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0	
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254	0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230	0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0	
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255	0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231	0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0	
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0	
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257	0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233	0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0	
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259	0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234	0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260	0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235	0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262	0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236	0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263	0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237	0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238	0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266	0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239	0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	0.0	0.5	1.0
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269	0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241	0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	0.0	0.483	1.0
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271	0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242	0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	0.0	0.467	1.0
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272	0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243	0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247	0.0	0.45	1.0
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273	0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244	0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.433	1.0
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275	0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245	0.0	0.417	1.0	0.0	1.0	0.757	1.0	50.7	-15.8	-41.1	44.1	248	0.0	0.417	1.0
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276	0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246	0.0	0.4	1.0	0.0	1.0	0.741	1.0	50.2	-15.0	-41.0	43.8	249	0.0	0.4	1.0
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.383	1.0	0.0	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	0.0	0.383	1.0
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40.8	279	0.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.367	1.0	0.0	1.0	0.711	1.0	49.2	-13.5	-41.0	43.4	251	0.0	0.367	1.0
280	249	252	0.0	0.35	1.0	36.4	7.7	-40.3	41.1	280	0.0	0.756	1.0	50.6	-15.7	-41.1	44.1	249	0.0	0.35	1.0	0.0	1.0	0.697	1.0	48.8	-12.8	-41.0	43.1	252	0.0	0.35	1.0
282	250	253	0.0	0.333	1.0	35.8	8.8	-40.4	4																								

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; D65 hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2 42.7	289	0.0	0.25 1.0
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3 43.1	290	0.0	0.233 1.0
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3 43.6	292	0.0	0.217 1.0
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4 44.0	293	0.0	0.2 1.0
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4 44.5	294	0.0	0.183 1.0
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4 44.9	295	0.0	0.167 1.0
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4 45.4	297	0.0	0.15 1.0
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3 45.8	298	0.0	0.133 1.0
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3 46.3	299	0.0	0.117 1.0
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4 46.9	300	0.0	0.1 1.0
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4 47.4	301	0.0	0.083 1.0
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4 47.9	302	0.0	0.067 1.0
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5 48.4	303	0.0	0.05 1.0
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4 49.0	304	0.0	0.033 1.0
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4 49.5	305	0.0	0.017 1.0
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4 50.0	306	0.0	0.0 1.0
307	271	272	0.016 0.0	1.0	25.4	30.4	-39.9 50.2	307	0.0	0.017 0.0
308	272	273	0.033 0.0	1.0	25.8	31.3	-39.4 50.4	308	0.0	0.033 0.0
309	273	274	0.05 0.0	1.0	26.2	32.2	-38.9 50.5	309	0.0	0.05 0.0
310	274	275	0.066 0.0	1.0	26.5	33.1	-38.4 50.7	310	0.0	0.067 0.0
311	275	276	0.083 0.0	1.0	26.9	33.9	-37.8 50.8	311	0.0	0.083 0.0
313	276	277	0.1 0.0	1.0	27.3	34.8	-37.3 51.0	313	0.0	0.1 0.0
314	277	278	0.116 0.0	1.0	27.7	35.6	-36.7 51.1	314	0.0	0.117 0.0
315	278	279	0.133 0.0	1.0	27.9	36.4	-36.2 51.3	315	0.0	0.133 0.0
316	279	280	0.15 0.0	1.0	28.1	37.2	-35.7 51.6	316	0.0	0.15 0.0
317	280	281	0.166 0.0	1.0	28.2	38.0	-35.2 51.9	317	0.0	0.167 0.0
318	281	282	0.183 0.0	1.0	28.3	38.8	-34.7 52.1	318	0.0	0.183 0.0
319	282	283	0.2 0.0	1.0	28.5	39.6	-34.2 52.4	319	0.0	0.2 0.0
320	283	284	0.216 0.0	1.0	28.6	40.4	-33.7 52.6	320	0.0	0.217 0.0
321	284	285	0.233 0.0	1.0	28.7	41.2	-33.1 52.9	321	0.0	0.233 0.0
322	285	285	0.25 0.0	1.0	28.8	41.9	-32.5 53.1	322	0.0	0.25 0.0
323	286	286	0.266 0.0	1.0	29.4	43.3	-31.8 53.8	323	0.0	0.267 0.0
325	287	287	0.283 0.0	1.0	29.9	44.7	-31.1 54.4	325	0.0	0.283 0.0
326	288	288	0.3 0.0	1.0	30.4	46.0	-30.3 55.1	326	0.0	0.3 0.0
328	289	289	0.316 0.0	1.0	30.9	47.3	-29.4 55.7	328	0.0	0.317 0.0
329	290	290	0.333 0.0	1.0	31.4	48.6	-28.5 56.4	329	0.0	0.333 0.0
331	291	291	0.35 0.0	1.0	32.0	49.9	-27.5 57.0	331	0.0	0.35 0.0
332	292	292	0.366 0.0	1.0	32.5	51.2	-26.5 57.7	332	0.0	0.367 0.0
333	293	293	0.383 0.0	1.0	32.9	52.3	-25.7 58.3	333	0.0	0.383 0.0
334	294	294	0.4 0.0	1.0	33.3	53.2	-25.0 58.8	334	0.0	0.4 0.0
335	295	295	0.416 0.0	1.0	33.7	54.1	-24.4 59.4	335	0.0	0.417 0.0
336	296	296	0.433 0.0	1.0	34.0	55.0	-23.7 59.9	336	0.0	0.433 0.0
337	297	297	0.45 0.0	1.0	34.4	55.9	-23.0 60.5	337	0.0	0.45 0.0
338	298	298	0.466 0.0	1.0	34.8	56.8	-22.2 61.0	338	0.0	0.467 0.0
339	299	299	0.483 0.0	1.0	35.2	57.7	-21.5 61.6	339	0.0	0.483 0.0
340	300	300	0.5 0.0	1.0	35.6	58.6	-20.7 62.1	340	0.0	0.5 0.0

4-0131431-L0 PI980-71

LAB* l_{a0} , YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* n_w =24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 15/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;																								
Six hue angles of the device colours RYGBM _d : h _{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																								
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)
340	300	300	0.5 0.0 1.0	35.6 58.6 -20.7 62.1	340	0.0 0.109 1.0	28.2 23.3 -40.3 46.6	300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7	300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7	300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7	300	0.5 0.0 1.0	0.0 0.106 1.0	28.1 23.5 -40.3 46.7	300
341	301	301	0.516 0.0 1.0	35.9 59.5 -19.9 62.8	341	0.0 0.091 1.0	27.7 24.3 -40.3 47.2	301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2	301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2	301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2	301	0.517 0.0 1.0	0.0 0.089 1.0	27.6 24.4 -40.3 47.2	301
342	302	302	0.533 0.0 1.0	36.2 60.5 -19.0 63.4	342	0.0 0.074 1.0	27.2 25.3 -40.4 47.7	302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8	302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8	302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8	302	0.533 0.0 1.0	0.0 0.073 1.0	27.2 25.4 -40.4 47.8	302
343	303	303	0.55 0.0 1.0	36.6 61.4 -18.2 64.0	343	0.0 0.056 1.0	26.7 26.3 -40.4 48.3	303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3	303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3	303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3	303	0.55 0.0 1.0	0.0 0.056 1.0	26.7 26.3 -40.4 48.3	303
344	304	303	0.566 0.0 1.0	36.9 62.3 -17.3 64.7	344	0.0 0.039 1.0	26.2 27.3 -40.4 48.9	304	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8	303	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8	303	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8	303	0.567 0.0 1.0	0.0 0.039 1.0	26.2 27.3 -40.4 48.8	303
345	305	304	0.583 0.0 1.0	37.2 63.2 -16.4 65.3	345	0.0 0.021 1.0	25.7 28.3 -40.4 49.4	305	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4	304	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4	304	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4	304	0.583 0.0 1.0	0.0 0.023 1.0	25.7 28.2 -40.4 49.4	304
346	306	305	0.6 0.0 1.0	37.6 64.1 -15.4 66.0	346	0.0 0.004 1.0	25.2 29.4 -40.3 50.0	306	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9	305	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9	305	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9	305	0.6 0.0 1.0	0.0 0.006 1.0	25.3 29.2 -40.3 49.9	305
347	307	306	0.616 0.0 1.0	37.9 65.0 -14.5 66.6	347	0.011 0.0 1.0	25.3 30.2 -40.0 50.2	307	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2	306	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2	306	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2	306	0.617 0.0 1.0	0.009 0.0 1.0	25.3 30.1 -40.1 50.2	306
348	308	307	0.633 0.0 1.0	38.3 65.8 -13.7 67.2	348	0.026 0.0 1.0	25.7 31.0 -39.6 50.3	308	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3	307	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3	307	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3	307	0.633 0.0 1.0	0.023 0.0 1.0	25.6 30.8 -39.7 50.3	307
348	309	308	0.65 0.0 1.0	38.8 66.6 -13.1 67.9	348	0.041 0.0 1.0	26.0 31.8 -39.1 50.5	309	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4	308	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4	308	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4	308	0.65 0.0 1.0	0.036 0.0 1.0	25.9 31.5 -39.3 50.4	308
349	310	309	0.666 0.0 1.0	39.3 67.3 -12.5 68.5	349	0.056 0.0 1.0	26.3 32.5 -38.7 50.6	310	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6	309	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6	309	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6	309	0.667 0.0 1.0	0.05 0.0 1.0	26.2 32.3 -38.8 50.6	309
350	311	310	0.683 0.0 1.0	39.8 68.1 -11.9 69.1	350	0.07 0.0 1.0	26.7 33.3 -38.2 50.8	311	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7	310	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7	310	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7	310	0.683 0.0 1.0	0.064 0.0 1.0	26.5 33.0 -38.4 50.7	310
350	312	311	0.7 0.0 1.0	40.3 68.8 -11.2 69.7	350	0.085 0.0 1.0	27.0 34.1 -37.7 50.9	312	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8	311	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8	311	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8	311	0.7 0.0 1.0	0.078 0.0 1.0	26.9 33.7 -37.9 50.8	311
351	313	312	0.716 0.0 1.0	40.8 69.5 -10.6 70.4	351	0.1 0.0 1.0	27.3 34.8 -37.2 51.0	313	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0	312	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0	312	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0	312	0.717 0.0 1.0	0.092 0.0 1.0	27.2 34.4 -37.5 51.0	312
351	314	313	0.733 0.0 1.0	41.3 70.3 -9.9 71.0	351	0.114 0.0 1.0	27.7 35.5 -36.7 51.2	314	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1	313	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1	313	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1	313	0.733 0.0 1.0	0.106 0.0 1.0	27.5 35.1 -37.0 51.1	313
352	315	314	0.75 0.0 1.0	41.8 71.0 -9.2 71.6	352	0.13 0.0 1.0	27.9 36.3 -36.2 51.3	315	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2	314	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2	314	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2	314	0.75 0.0 1.0	0.12 0.0 1.0	27.8 35.8 -36.5 51.2	314
353	316	315	0.766 0.0 1.0	42.1 71.6 -8.7 72.1	353	0.146 0.0 1.0	28.1 37.1 -35.7 51.6	316	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4	315	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4	315	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4	315	0.767 0.0 1.0	0.135 0.0 1.0	28.0 36.6 -36.0 51.4	315
353	317	316	0.783 0.0 1.0	42.4 72.1 -8.1 72.6	353	0.163 0.0 1.0	28.2 37.9 -35.3 51.8	317	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7	316	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7	316	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7	316	0.783 0.0 1.0	0.151 0.0 1.0	28.1 37.3 -35.6 51.7	316
353	318	317	0.8 0.0 1.0	42.7 72.7 -7.6 73.1	353	0.18 0.0 1.0	28.3 38.7 -34.8 52.1	318	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9	317	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9	317	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9	317	0.8 0.0 1.0	0.167 0.0 1.0	28.2 38.1 -35.1 51.9	317
354	319	318	0.816 0.0 1.0	43.1 73.2 -7.0 73.6	354	0.197 0.0 1.0	28.5 39.5 -34.2 52.4	319	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1	318	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1	318	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1	318	0.817 0.0 1.0	0.183 0.0 1.0	28.4 38.9 -34.7 52.1	318
354	320	319	0.833 0.0 1.0	43.4 73.8 -6.5 74.1	354	0.213 0.0 1.0	28.6 40.3 -33.7 52.6	320	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4	319	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4	319	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4	319	0.833 0.0 1.0	0.199 0.0 1.0	28.5 39.6 -34.2 52.4	319
355	321	320	0.85 0.0 1.0	43.7 74.3 -5.9 74.6	355	0.23 0.0 1.0	28.7 41.1 -33.2 52.9	321	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6	320	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6	320	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6	320	0.85 0.0 1.0	0.215 0.0 1.0	28.6 40.4 -33.7 52.6	320
355	322	321	0.866 0.0 1.0	44.0 74.9 -5.3 75.1	355	0.247 0.0 1.0	28.9 41.9 -32.6 53.1	322	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9	321	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9	321	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9	321	0.867 0.0 1.0	0.231 0.0 1.0	28.7 41.1 -33.2 52.9	321
356	323	321	0.883 0.0 1.0	44.3 75.4 -4.7 75.6	356	0.259 0.0 1.0	29.2 42.7 -32.1 53.5	323	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1	321	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1	321	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1	321	0.883 0.0 1.0	0.247 0.0 1.0	28.9 41.8 -32.6 53.1	321
356	324	322	0.9 0.0 1.0	44.6 76.0 -4.1 76.1	356	0.27 0.0 1.0	29.5 43.7 -																	

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* dd361M	LAB^* ddx361Mi (x=LabCh)	rgb^* ds361Mi	LAB^* dsx361Mi (x=LabCh)	rgb^* dd361Mi	rgb^* de361Mi	LAB^* dex361Mi (x=LabCh)	rgb^* dd361Mi	rgb^* dd361Mi	rgb^*_d	rgb^*_s	rgb^*_e
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9 -16.7	65.1 345	0.539 0.0 1.0	36.4 60.8 -18.7	63.7 342	1.0 0.0 0.75		
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8 -15.8	65.7 346	0.555 0.0 1.0	36.7 61.7 -17.9	64.3 343	1.0 0.0 0.733		
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7 -14.8	66.4 347	0.571 0.0 1.0	37.0 62.6 -17.0	64.9 344	1.0 0.0 0.717		
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6 -13.8	67.1 348	0.587 0.0 1.0	37.3 63.5 -16.1	65.5 345	1.0 0.0 0.7		
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8 -12.9	68.1 349	0.603 0.0 1.0	37.7 64.3 -15.2	66.1 346	1.0 0.0 0.683		
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0 -11.9	69.1 350	0.667 0.0 1.0	38.0 65.2 -14.3	66.7 347	1.0 0.0 0.667		
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2 -10.9	70.1 351	0.65 0.0 1.0	38.6 66.2 -13.4	67.6 348	1.0 0.0 0.65		
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4 -9.8	71.1 352	0.633 0.0 1.0	39.3 67.4 -12.4	68.5 349	1.0 0.0 0.633		
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6 -8.7	72.1 353	0.617 0.0 1.0	40.1 68.5 -11.5	69.5 350	1.0 0.0 0.617		
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7 -7.5	73.1 354	0.6 0.0 1.0	40.9 69.6 -10.5	70.4 351	1.0 0.0 0.6		
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9 -6.4	74.2 355	0.583 0.0 1.0	41.6 70.7 -9.5	71.4 352	1.0 0.0 0.583		
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0 -5.1	75.2 356	0.567 0.0 1.0	42.3 71.9 -8.4	72.4 353	1.0 0.0 0.567		
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2 -3.9	76.3 357	0.55 0.0 1.0	42.9 73.0 -7.3	73.3 354	1.0 0.0 0.55		
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3 -2.6	77.3 358	0.533 0.0 1.0	43.6 74.1 -6.2	74.3 355	1.0 0.0 0.533		
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4 -1.3	78.4 359	0.517 0.0 1.0	44.2 75.1 -5.0	75.3 356	1.0 0.0 0.517		
375	360	352	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3 0.0	79.3 360	0.5 0.0 1.0	41.4 70.5 -9.7	71.1 352	1.0 0.0 0.5		
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0 1.4	79.0 361	0.483 0.0 1.0	42.2 71.8 -8.5	72.3 353	1.0 0.0 0.483		
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6 2.7	78.7 362	0.467 0.0 1.0	43.0 73.1 -7.2	73.4 354	1.0 0.0 0.467		
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3 4.1	78.4 363	0.45 0.0 1.0	43.8 74.4 -5.9	74.6 355	1.0 0.0 0.45		
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0 5.5	78.2 364	0.433 0.0 1.0	44.4 75.6 -4.5	75.8 356	1.0 0.0 0.433		
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7 6.8	78.0 365	0.417 0.0 1.0	45.0 76.9 -3.1	77.0 357	1.0 0.0 0.417		
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3 8.1	77.8 366	0.4 0.0 1.0	45.6 78.1 -1.6	78.1 358	1.0 0.0 0.4		
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0 9.5	77.6 367	0.383 0.0 1.0	46.1 79.3 -0.1	79.3 359	1.0 0.0 0.383		
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7 10.8	77.5 368	0.367 0.0 1.0	0.956 46.1 79.0 1.3	79.0 360	1.0 0.0 0.367		
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4 12.1	77.4 369	0.35 0.0 1.0	0.912 46.0 78.6 2.9	78.7 362	1.0 0.0 0.35		
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1 13.4	77.2 370	0.333 0.0 1.0	0.869 46.0 78.2 4.4	78.3 363	1.0 0.0 0.333		
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7 14.7	77.1 371	0.317 0.0 1.0	0.828 46.0 77.9 5.9	78.1 364	1.0 0.0 0.317		
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4 16.0	77.1 372	0.3 0.0 1.0	0.786 46.0 77.5 7.4	77.9 365	1.0 0.0 0.3		
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2 17.4	77.1 373	0.283 0.0 1.0	0.746 46.0 77.1 8.8	77.7 366	1.0 0.0 0.283		
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9 18.7	77.2 374	0.267 0.0 1.0	0.717 46.0 76.8 10.3	77.5 367	1.0 0.0 0.267		
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5 20.0	77.2 375	0.25 0.0 1.0	0.687 46.0 76.5 11.8	77.4 368	1.0 0.0 0.25		
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2 21.3	77.2 376	0.233 0.0 1.0	0.658 46.0 76.1 13.3	77.2 369	1.0 0.0 0.233		
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0 22.6	77.4 377	0.217 0.0 1.0	0.628 46.0 75.7 14.7	77.1 370	1.0 0.0 0.217		
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8 24.0	77.6 378	0.2 0.0 1.0	0.599 46.0 75.4 16.2	77.1 372	1.0 0.0 0.2		
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6 25.3	77.8 379	0.183 0.0 1.0	0.57 46.0 75.1 17.6	77.1 373	1.0 0.0 0.183		
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3 26.7	78.0 380	0.167 0.0 1.0	0.541 45.9 74.8 19.1	77.2 374	1.0 0.0 0.167		
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1 28.0	78.3 381	0.15 0.0 1.0	0.512 45.9 74.4 20.6	77.2 375	1.0 0.0 0.15		
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9 29.4	78.6 382	0.133 0.0 1.0	0.485 45.9 74.1 22.0	77.3 376	1.0 0.0 0.133		
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7 30.9	79.0 383	0.117 0.0 1.0	0.459 45.9 73.9 23.6	77.6 377	1.0 0.0 0.117		
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5 32.3	79.4 384	0.1 0.0 1.0	0.433 45.9 73.6 25.1	77.8 378	1.0 0.0 0.1		
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3 33.7	79.8 385	0.083 0.0 1.0	0.406 45.9 73.4 26.6	78.0 379	1.0 0.0 0.083		
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1 35.2	80.3 386	0.067 0.0 1.0	0.38 45.8 73.1 28.1	78.3 381	1.0 0.0 0.067		
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0 36.7	80.8 387	0.05 0.0 1.0	0.349 45.8 72.9 29.6	78.7 382	1.0 0.0 0.05		
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8 38.2	81.3 388	0.033 0.0 1.0	0.318 45.8 72.7 31.2	79.1 383	1.0 0.0 0.033		
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6 39.7	81.8 389	0.017 0.0 1.0	0.286 45.7 72.5 32.8	79.6 384	1.0 0.0 0.017		
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	R_d 1.0 0.0 0.096	45.5 71.4 41.2	82.4 390	R_s 1.0 0.0 0.0	0.255 45.7 72.2 34.4	80.0 385	R_e 1.0 0.0 0.0		

4-0131631-L0 PI980-71

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 17/33

grafico TUB-PI98; codice di tinte: $H^*_e=R00Y_e$
cerchio delle tinte a 48 passi; $rgb-LabCh$ *tavole

Input: $rgb/cmyk \rightarrow rgb_e$
Output: trasferire a $cmy0_e$

http://farbe.li.tu-berlin.de/PI98/PI98L0NP.PDF /.PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 18/33

n	HC*Fe	rgb_Fe	ic_Fe	hs_Fe	rgb_Fe	LabCH*Fe	rgb_Fe	LabCH*Fe	DF*Fe	hs_Me	rgb_Me	LabCH*Me
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/657	R13Y_100_100e	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/666	R25Y_100_100e	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/675	R38Y_100_100e	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/684	R50Y_100_100e	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/693	R63Y_100_100e	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/702	R75Y_100_100e	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/711	R88Y_100_100e	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/720	Y00C_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/639	Y13C_100_100e	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/558	Y25C_100_100e	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/477	Y38C_100_100e	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/396	Y50C_100_100e	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/315	Y63C_100_100e	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/234	Y75C_100_100e	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/153	Y88C_100_100e	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/72	G00C_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/73	G13C_100_100e	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/74	G25C_100_100e	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/75	G38C_100_100e	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/76	G50C_100_100e	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/77	G63C_100_100e	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/78	G75C_100_100e	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/79	G88C_100_100e	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/80	C00B_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/81	C13B_100_100e	0.0	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/82	C25B_100_100e	0.0	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/83	C38B_100_100e	0.0	0.375	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28/84	C50B_100_100e	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29/85	C63B_100_100e	0.0	0.625	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30/86	C75B_100_100e	0.0	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31/87	C88B_100_100e	0.0	0.875	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32/8	B00M_100_100e	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33/89	B13M_100_100e	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34/170	B25M_100_100e	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35/251	B38M_100_100e	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36/332	B50M_100_100e	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/413	B63M_100_100e	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38/494	B75M_100_100e	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39/575	B88M_100_100e	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40/656	M00R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/655	M13R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/654	M25R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/653	M38R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/652	M50R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/651	M63R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/650	M75R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/649	M88R_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/0	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NW_012e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
51/182	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
52/273	NW_038e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
53/364	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
54/455	NW_063e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
55/546	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
56/637	NW_088e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
57/728	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Input: rgb/cmyk -> rgb
Output: trasferire a cmy0e

grafico TUB-PI98; codice di tinte: H*e=R00Ye
colori e la differenza, ΔE*

PI980-7N, 18/33-F

4-0131731-F0

V

M

L

Y

O

C

M

Y

O

C

M

Y

O

C

M

Y

O

C



TUB materiale: code=rha4ta

-vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>

Input: *rgb/cmyk* -> *rgb_e*
Output: trasferire a *cmy0_e*

grafico TUB-PI98; codice di tinte: $H_e^* = R00Y_e$

109

PI980-7N, 19/33-F

[illegible]

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

grafico TUB-PI98; codice di tinte: H*_e=R00Y_e

Input: *rgb/cmyk* $\rightarrow$ *rgbe*
Output: trasferire a *cmyke*

[illegible]

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

Input: *rgb/cmyk* → *rgbe*
Output: trasferire a *cmy0a*

HC ^{Fe}	rgb ^{Fe}	ict ^{Fe}	hs ^{Fe}	rgb ^{Fe}	LabCh ^{Fe}	LabCh ^{Fe}	rgb ^{Fe}	LabCh ^{Fe}	DE ^{Fe}	h _{max} ^{Fe}	rgb ^{Fe}	LabCh ^{Fe}																
R0Y0_037_037 ^{Fe}	0.375	0.0	0.375	0.375	0.0095	32.3	27.0	30.0	25.4	0.375	0.0	31.7	36.2	17.7	33.0	26.1	19.8	13.4	379	1.0	0.0	0.254	45.6	77.8	34.4	80.0	25.4	
R1X0_037_037 ^{Fe}	0.375	0.125	0.375	0.375	0.31	32.4	29.2	29.2	29.2	0.375	0.0	31.7	36.2	13.2	39.3	40.3	19.8	13.4	379	1.0	0.0	0.827	45.6	77.8	5.8	78.1	4.3	
B6S0_037_037 ^{Fe}	0.375	0.0	0.375	0.375	0.187	34.9	34.1	-10.9	24.7	346.6	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B50R_037_037 ^{Fe}	0.375	0.0	0.375	0.375	0.187	34.9	34.1	-10.9	24.7	346.6	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B30R_050_050 ^{Fe}	0.375	0.0	0.5	0.25	316	306	0.0	0.0	0.0	0.0	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B30R_050_050 ^{Fe}	0.375	0.0	0.5	0.25	316	306	0.0	0.0	0.0	0.0	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B20R_075_075 ^{Fe}	0.375	0.0	0.625	0.625	0.312	307	307	0.0	0.0	0.0	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B20R_075_075 ^{Fe}	0.375	0.0	0.625	0.625	0.312	307	307	0.0	0.0	0.0	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B20R_075_075 ^{Fe}	0.375	0.0	0.625	0.625	0.312	307	307	0.0	0.0	0.0	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B18R_100_100 ^{Fe}	0.375	0.0	0.875	0.875	0.437	295	295	0.0	0.151	0.875	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
B18R_100_100 ^{Fe}	0.375	0.0	0.875	0.875	0.437	295	295	0.0	0.151	0.875	0.375	0.0	31.7	38.5	8.1	39.3	11.9	20.1	306	0.603	0.0	1.0	37.6	64.3	-15.3	66.1	346.6	
R31Y_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092	0.0	35.3	19.6	20.7	28.5	46.6	0.375	0.125	0.0	34.8	28.0	21.3	35.2	37.3	8.4	4.3	1.0	0.246	0.0	53.5	52.2	43.7	292.5
R0Y0_037_037 ^{Fe}	0.375	0.125	0.0	0.375	0.092</																							

-vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>

informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

1885

PI980-7N, 28/33-F

grafico TUB-PI98; codice di tinte: H*_e=R00Y_e

Input: *rgb/cmyk* $\rightarrow$ *rgb_e*
Output: trasferire a *cmy_{0e}*

[illegible]

n	H* ₃₂ Fe	rgb_Fe	icL_Fe	hsa_Fe	rgb_Fe	LabCh*Fe	LabCh*Fe	DF*Fe	hsa_Fe	rgb_Fe	LabCh*Fe	LabCh*Fe
972	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	1.9	302.0	2.2	360	0.0
973	NW_001e	0.125	0.125	0.125	0.0	0.0	0.0	-1.6	8.9	26.4	1.0	1.0
974	NW_002e	0.25	0.25	0.25	0.0	0.0	0.0	8.5	12.6	42.5	1.0	1.0
975	NW_003e	0.375	0.375	0.375	0.0	0.0	0.0	10.9	14.8	47.1	1.0	1.0
976	NW_004e	0.5	0.5	0.5	0.0	0.0	0.0	10.0	13.3	48.4	1.0	1.0
977	NW_005e	0.625	0.625	0.625	0.0	0.0	0.0	9.0	10.6	58.3	1.0	1.0
978	NW_006e	0.75	0.75	0.75	0.0	0.0	0.0	6.3	7.6	76.7	1.0	1.0
979	NW_007e	0.875	0.875	0.875	0.0	0.0	0.0	3.3	3.6	70.5	1.0	1.0
980	NW_008e	1.0	1.0	1.0	0.0	0.0	0.0	0.1	1.26	7.1	1.0	1.0
981	NW_009e	0.0	0.0	0.0	0.0	0.0	0.0	0.1	32.7	2.0	1.0	1.0
982	NW_010e	0.125	0.125	0.125	0.0	0.0	0.0	-0.6	1.4	1.0	1.0	1.0
983	NW_011e	0.25	0.25	0.25	0.0	0.0	0.0	9.1	13.3	43.2	1.0	1.0
984	NW_012e	0.375	0.375	0.375	0.0	0.0	0.0	11.0	14.9	47.9	1.0	1.0
985	NW_013e	0.5	0.5	0.5	0.0	0.0	0.0	9.9	13.1	49.1	1.0	1.0
986	NW_014e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.1	36.0	1.0	1.0
987	NW_015e	0.75	0.75	0.75	0.0	0.0	0.0	6.1	7.4	56.0	1.0	1.0
988	NW_016e	0.875	0.875	0.875	0.0	0.0	0.0	3.4	3.6	70.5	1.0	1.0
989	NW_017e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	133.9	0.1	1.0	1.0
990	NW_018e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	307.9	1.6	1.0	1.0
991	NW_019e	0.125	0.125	0.125	0.0	0.0	0.0	9.2	13.0	45.2	1.0	1.0
992	NW_020e	0.25	0.25	0.25	0.0	0.0	0.0	9.2	13.0	45.2	1.0	1.0
993	NW_021e	0.375	0.375	0.375	0.0	0.0	0.0	11.2	15.1	48.2	1.0	1.0
994	NW_022e	0.5	0.5	0.5	0.0	0.0	0.0	9.9	13.3	48.3	1.0	1.0
995	NW_023e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.1	36.0	1.0	1.0
996	NW_024e	0.75	0.75	0.75	0.0	0.0	0.0	6.1	7.4	56.0	1.0	1.0
997	NW_025e	0.875	0.875	0.875	0.0	0.0	0.0	3.4	3.6	70.5	1.0	1.0
998	NW_026e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	133.9	0.1	1.0	1.0
999	NW_027e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	307.9	1.6	1.0	1.0
1000	NW_028e	0.125	0.125	0.125	0.0	0.0	0.0	9.1	28.8	10.5	1.0	1.0
1001	NW_029e	0.25	0.25	0.25	0.0	0.0	0.0	9.3	13.0	45.5	1.0	1.0
1002	NW_030e	0.375	0.375	0.375	0.0	0.0	0.0	11.4	15.2	48.7	1.0	1.0
1003	NW_031e	0.5	0.5	0.5	0.0	0.0	0.0	9.5	11.1	59.3	1.0	1.0
1004	NW_032e	0.625	0.625	0.625	0.0	0.0	0.0	5.6	11.4	36.0	1.0	1.0
1005	NW_033e	0.75	0.75	0.75	0.0	0.0	0.0	6.4	7.7	7.9	1.0	1.0
1006	NW_034e	0.875	0.875	0.875	0.0	0.0	0.0	3.5	3.7	71.9	1.0	1.0
1007	NW_035e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	113.6	0.1	1.0	1.0
1008	NW_036e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	306.9	2.7	1.0	1.0
1009	NW_037e	0.125	0.125	0.125	0.0	0.0	0.0	9.0	19.7	10.3	1.0	1.0
1010	NW_038e	0.25	0.25	0.25	0.0	0.0	0.0	8.2	5.8	2.4	1.0	1.0
1011	NW_039e	0.375	0.375	0.375	0.0	0.0	0.0	11.4	30.8	13.0	1.0	1.0
1012	NW_040e	0.5	0.5	0.5	0.0	0.0	0.0	9.3	12.3	42.4	1.0	1.0
1013	NW_041e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.4	36.0	1.0	1.0
1014	NW_042e	0.75	0.75	0.75	0.0	0.0	0.0	6.4	7.7	7.9	1.0	1.0
1015	NW_043e	0.875	0.875	0.875	0.0	0.0	0.0	3.5	3.7	71.9	1.0	1.0
1016	NW_044e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	113.6	0.1	1.0	1.0
1017	NW_045e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	306.9	2.7	1.0	1.0
1018	NW_046e	0.125	0.125	0.125	0.0	0.0	0.0	9.0	19.7	10.3	1.0	1.0
1019	NW_047e	0.25	0.25	0.25	0.0	0.0	0.0	8.2	5.8	2.4	1.0	1.0
1020	NW_048e	0.375	0.375	0.375	0.0	0.0	0.0	11.4	30.8	13.0	1.0	1.0
1021	NW_049e	0.5	0.5	0.5	0.0	0.0	0.0	9.3	12.3	42.4	1.0	1.0
1022	NW_050e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.4	36.0	1.0	1.0
1023	NW_051e	0.75	0.75	0.75	0.0	0.0	0.0	6.4	7.7	7.9	1.0	1.0
1024	NW_052e	0.875	0.875	0.875	0.0	0.0	0.0	3.5	3.7	71.9	1.0	1.0
1025	NW_053e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	113.6	0.1	1.0	1.0
1026	NW_054e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	306.9	2.7	1.0	1.0
1027	NW_055e	0.125	0.125	0.125	0.0	0.0	0.0	9.0	19.7	10.3	1.0	1.0
1028	NW_056e	0.25	0.25	0.25	0.0	0.0	0.0	8.2	5.8	2.4	1.0	1.0
1029	NW_057e	0.375	0.375	0.375	0.0	0.0	0.0	11.4	30.8	13.0	1.0	1.0
1030	NW_058e	0.5	0.5	0.5	0.0	0.0	0.0	9.3	12.3	42.4	1.0	1.0
1031	NW_059e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.4	36.0	1.0	1.0
1032	NW_060e	0.75	0.75	0.75	0.0	0.0	0.0	6.4	7.7	7.9	1.0	1.0
1033	NW_061e	0.875	0.875	0.875	0.0	0.0	0.0	3.5	3.7	71.9	1.0	1.0
1034	NW_062e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	113.6	0.1	1.0	1.0
1035	NW_063e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	306.9	2.7	1.0	1.0
1036	NW_064e	0.125	0.125	0.125	0.0	0.0	0.0	9.0	19.7	10.3	1.0	1.0
1037	NW_065e	0.25	0.25	0.25	0.0	0.0	0.0	8.2	5.8	2.4	1.0	1.0
1038	NW_066e	0.375	0.375	0.375	0.0	0.0	0.0	11.4	30.8	13.0	1.0	1.0
1039	NW_067e	0.5	0.5	0.5	0.0	0.0	0.0	9.3	12.3	42.4	1.0	1.0
1040	NW_068e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.4	36.0	1.0	1.0
1041	NW_069e	0.75	0.75	0.75	0.0	0.0	0.0	6.4	7.7	7.9	1.0	1.0
1042	NW_070e	0.875	0.875	0.875	0.0	0.0	0.0	3.5	3.7	71.9	1.0	1.0
1043	NW_071e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	113.6	0.1	1.0	1.0
1044	NW_072e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	306.9	2.7	1.0	1.0
1045	NW_073e	0.125	0.125	0.125	0.0	0.0	0.0	9.0	19.7	10.3	1.0	1.0
1046	NW_074e	0.25	0.25	0.25	0.0	0.0	0.0	8.2	5.8	2.4	1.0	1.0
1047	NW_075e	0.375	0.375	0.375	0.0	0.0	0.0	11.4	30.8	13.0	1.0	1.0
1048	NW_076e	0.5	0.5	0.5	0.0	0.0	0.0	9.3	12.3	42.4	1.0	1.0
1049	NW_077e	0.625	0.625	0.625	0.0	0.0	0.0	5.8	11.4	36.0	1.0	1.0
1050	NW_078e	0.75	0.75	0.75	0.0	0.0	0.0	6.4	7.7	7.9	1.0	1.0
1051	NW_079e	0.875	0.875	0.875	0.0	0.0	0.0	3.5	3.7	71.9	1.0	1.0
1052	NW_080e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	113.6	0.1	1.0	1.0

delta E* = 9.2



vedi file simili: <http://farbe.li.tu-berlin.de/PI98/PI98.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

<http://farbe.li.tu-berlin.de/PI98/PI98L0NP.PDF> /PS; Output di trasferimento
N: nessuna linearizzazione 3D (OL) nel file (F) o PS-startup (S), pagine 33/33

iscrizione TUB: 20150701-PI98/PI98L0NP.PDF /PS
Application per la misura dell'output output nella stampa di offset, separazione cmy0 (CMY0)

TUB materiale: code=rha4ta

n	H* ₀₀ Fe	rgb_Fe	ic*_Fe	h*_a_Fe	rgb*_Fe	LabCh*_Fe	DF*_Fe	rgb*_Me	LabCh*_Me
1053	NW_086e	0.866 0.866 0.866	0.866 0.866 0.866	360 360 360	0.866 0.866 0.866	86.1 1.2 3.4	3.7 69.9 3.7	1.0 1.0 1.0	95.6 95.6 95.6
1054	NW_093e	0.933 0.933 0.933	0.933 0.933 0.933	360 360 360	0.933 0.933 0.933	90.8 0.4 1.4	1.5 71.6 1.5	1.0 1.0 1.0	95.6 95.6 95.6
1055	NW_100e	1.0 1.0 1.0	1.0 1.0 1.0	360 360 360	1.0 1.0 1.0	95.6 0.0 0.1	1.1 114.3 1.1	1.0 1.0 1.0	95.6 95.6 95.6
1056	NW_000e	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	0.0 0.0 0.0	23.0 0.7 -0.9	1.1 308.5 1.7	1.0 1.0 1.0	95.6 95.6 95.6
1057	NW_006e	0.066 0.066 0.066	0.066 0.066 0.066	360 360 360	0.066 0.066 0.066	25.6 5.5 0.6	6.7 6.5 6.7	1.0 1.0 1.0	95.6 95.6 95.6
1058	NW_013e	0.133 0.133 0.133	0.133 0.133 0.133	360 360 360	0.133 0.133 0.133	28.2 8.3 3.4	9.0 22.4 30.4	1.0 1.0 1.0	95.6 95.6 95.6
1059	NW_020e	0.2 0.2 0.2	0.2 0.2 0.2	360 360 360	0.2 0.2 0.2	32.0 10.0 5.8	11.6 30.4 44.7	1.0 1.0 1.0	95.6 95.6 95.6
1060	NW_026e	0.266 0.266 0.266	0.266 0.266 0.266	360 360 360	0.266 0.266 0.266	36.7 8.8 8.7	12.4 44.7 14.0	1.0 1.0 1.0	95.6 95.6 95.6
1061	NW_033e	0.333 0.333 0.333	0.333 0.333 0.333	360 360 360	0.333 0.333 0.333	40.7 10.4 8.9	13.7 40.7 14.7	1.0 1.0 1.0	95.6 95.6 95.6
1062	NW_040e	0.4 0.4 0.4	0.4 0.4 0.4	360 360 360	0.4 0.4 0.4	46.8 8.7 10.2	13.3 48.4 14.5	1.0 1.0 1.0	95.6 95.6 95.6
1063	NW_046e	0.466 0.466 0.466	0.466 0.466 0.466	360 360 360	0.466 0.466 0.466	51.8 8.8 9.9	11.0 56.7 11.5	1.0 1.0 1.0	95.6 95.6 95.6
1064	NW_053e	0.533 0.533 0.533	0.533 0.533 0.533	360 360 360	0.533 0.533 0.533	57.5 7.3 9.2	11.8 51.6 12.7	1.0 1.0 1.0	95.6 95.6 95.6
1065	NW_060e	0.6 0.6 0.6	0.6 0.6 0.6	360 360 360	0.6 0.6 0.6	63.6 6.0 8.3	9.8 57.5 8.3	1.0 1.0 1.0	95.6 95.6 95.6
1066	NW_066e	0.666 0.666 0.666	0.666 0.666 0.666	360 360 360	0.666 0.666 0.666	69.3 5.2 6.5	8.1 53.5 6.2	1.0 1.0 1.0	95.6 95.6 95.6
1067	NW_073e	0.734 0.734 0.734	0.734 0.734 0.734	360 360 360	0.734 0.734 0.734	74.5 4.8 5.2	5.9 69.4 3.6	1.0 1.0 1.0	95.6 95.6 95.6
1068	NW_080e	0.8 0.8 0.8	0.8 0.8 0.8	360 360 360	0.8 0.8 0.8	80.5 2.7 1.2	71.7 1.5 360	1.0 1.0 1.0	95.6 95.6 95.6
1069	NW_086e	0.866 0.866 0.866	0.866 0.866 0.866	360 360 360	0.866 0.866 0.866	86.1 1.2 3.4	118.4 0.1 360	1.0 1.0 1.0	95.6 95.6 95.6
1070	NW_093e	0.933 0.933 0.933	0.933 0.933 0.933	360 360 360	0.933 0.933 0.933	90.7 0.4 1.4	129.2 0.0 360	1.0 1.0 1.0	95.6 95.6 95.6
1071	NW_100e	1.0 1.0 1.0	1.0 1.0 1.0	360 360 360	1.0 1.0 1.0	95.7 0.0 0.0	138.7 0.0 360	1.0 1.0 1.0	95.6 95.6 95.6
1072	NW_000e	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	0.0 0.0 0.0	23.3 1.3 -2.4	2.8 299.2 2.9	1.0 1.0 1.0	95.6 95.6 95.6
1073	RO0Y_100_100e	1.0 0.0 0.0	1.0 0.0 0.0	360 360 360	1.0 0.0 0.0	45.6 70.5 45.3	83.9 11.2 375	1.0 0.0 0.254	45.6 72.2 34.4
1074	RO0M_100_100e	0.0 1.0 0.0	0.0 1.0 0.0	360 360 360	0.0 1.0 0.0	55.0 45.6 72.2	32.8 8.9 18.2	0.0 1.0 0.878	55.0 45.3 36.2
1075	Y00C_100_100e	0.0 0.0 1.0	0.0 0.0 1.0	360 360 360	0.0 0.0 1.0	36.0 36.0 36.0	36.0 36.0 36.0	0.0 0.878 0.0	36.0 36.0 36.0
1076	Y00B_100_100e	0.0 1.0 0.0	0.0 1.0 0.0	360 360 360	0.0 1.0 0.0	40.2 40.2 40.2	36.0 36.0 36.0	0.0 0.488 0.0	40.2 40.2 40.2
1077	B00C_100_100e	0.0 0.0 1.0	0.0 0.0 1.0	360 360 360	0.0 0.0 1.0	48.7 48.7 48.7	36.0 36.0 36.0	0.0 0.0 0.151	48.7 48.7 48.7
1078	B00B_100_100e	0.0 1.0 0.0	0.0 1.0 0.0	360 360 360	0.0 1.0 0.0	45.2 45.2 45.2	36.0 36.0 36.0	0.0 0.0 0.151	45.2 45.2 45.2
1079	B50R_100_100e	1.0 0.0 0.0	1.0 0.0 0.0	360 360 360	1.0 0.0 0.0	45.8 73.2 -0.2	73.2 359.8 45.2	0.321 0.0 1.0	31.1 47.7 -29.1

delta E* = 10.3

4-0133231-F0

PI980-7N, 33/33-F

grafico TUB-PI98; codice di tinte: H*_e=R00Ye
colori e la differenza, ΔE*

Input: rgb/cmyk -> rgb_e
Output: trasferire a cmy0_e

4-0133231-F0

M

Y

O

L

V

V

g