

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change compared

Series: maximum m										maximum m
01: R00Y_100_100_	02: R25Y_100_100_	03: R50Y_100_100_	04: R75Y_100_100_	05: Y00G_100_100_	06: Y25G_100_100_	07: Y50G_100_100_	08: Y75G_100_100_	09=10: G00B_100_100_		
10: G00B_100_100_	11: G25B_100_100_	12: G50B_100_100_	13: G75B_100_100_	14: B00M_100_100_	15: B25R_100_100_	16: B50R_100_100_	17: B75R_100_100_	18=01: R00Y_100_100_		
19: R00Y_100_050_	20: R50Y_100_050_	21: Y00G_100_050_	22: Y50G_100_050_	23: G00B_100_050_	24: G50B_100_050_	25: B00R_100_050_	26: B50R_100_050_	27=19: R00Y_100_050_		
28: R00Y_075_050_	29: R50Y_075_050_	30: Y00G_075_050_	31: Y50G_075_050_	32: G00B_075_050_	33: G50B_075_050_	34: B00R_075_050_	35: B50R_075_050_	36=28: R00Y_075_050_		
37: R00Y_050_050_	38: R50Y_050_050_	39: Y00G_050_050_	40: Y50G_050_050_	41: G00B_050_050_	42: G50B_050_050_	43: B00R_050_050_	44: B50R_050_050_	45=37: R00Y_050_050_		
46: NW_000_	47: NW_013_	48: NW_025_	49: NW_038_	50: NW_050_	51: NW_063_	52: NW_075_	53: NW_088_	54: NW_100_		
Series: maximum n										maximum n
Series: whitish w										whitish w
Series: central z										central z
Series: blackish n										blackish n
Series: grey g										grey g

see similar files: <http://130.149.60.45/~farbmeterik/PN16/PN16.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

see similar files: <http://130.149.60.45/~farbmerrick/PN16/PN16.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/>

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb*dd$




see similar files: <http://130.149.60.45/~farbmetrik/PN16/PN16L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-PN16/PN16L0FA.TXT /.PS
application for measurement of offset print output, separation $cmy0^*$ (CMY0)

TUB material: code=rha4ta

Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0)



Test chart 1 for color rendering: 54 standard colours for D65; offset print (CMY0); $rgb \rightarrow rgb_{de}$



see similar files: <http://130.149.60.45/~farbmetrik/PN16/PN16L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-PN16/PN16L0FA.TXT /.PS
application for measurement of offset print output, separation $cmy0^*$ (CMY0)
TUB material: code=rha4ta