

Prøveplansje 2 for fargegjengivelse: metamere farger D65 og D50; offset trykk (CMYK); *rgb*→*rgb*_{dd}Serie:
metameric
m
D65sentral
z
D65/D50metameric
m
D50metameric
m
D65
 $Lab^*N0=17.7, 0.6, 0.6$
 $Lab^*W0=95.4, 1.3, -4.9$
 $Lab^*N=24.3, -5.6, -6.8$
 $Lab^*W=95.6, 1.4, -5.0$
grå
g
D65/D50
 $Lab^*N0=17.7, 0.6, 0.6$
 $Lab^*W0=95.4, 1.3, -4.9$
 $Lab^*N1=17.7, 0.8, 0.6$
 $Lab^*W1=95.4, 0.8, -4.9$
metameric
m
D50
 $Lab^*N1=17.7, 0.8, 0.6$
 $Lab^*W1=95.4, 0.8, -4.9$
 $Lab^*N=24.0, -5.6, -7.3$
 $Lab^*W=95.5, 0.9, -5.0$
se lignende filer: <http://130.149.60.45/~farbmetrik/PN23/PN23L0FP.PDF> /.PS; 3D-linearisering
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-PN23/PN23L0FP.PDF /.PS

TUB-material: code=rha4ta

