


Prøveplansje 3 for fargegjengivelse: metamere farger A og P4000; offset trykk (CMYK); rgb->rgbd

Serie:



10: R00Y_075_050_d 11: R50Y_075_050_d 12: Y00G_075_050_d 13: Y50G_075_050_d 14: G00B_075_050_d 15: G50B_075_050_d 16: B00R_075_050_d 17: B50R_075_050_d 18=01: R00Y_075_050_d

sentral
Z
A/P4000




37: NW_000_d 38: NW_013_d 39: NW_025_d 40: NW_038_d 41: NW_050_d 42: NW_063_d 43: NW_075_d 44: NW_088_d 45=37: NW_100_d

grå
g
A/P4000

Lab*N0=17.8 , 1.3 , 0.7
Lab*W0=95.3 , 0.3 , -4.9
Lab*N1=17.7 , 1.0 , 0.7
Lab*W1=95.3 , 0.6 , -5.0

Serie:



10: R00Y_075_050_e 11: R50Y_075_050_e 12: Y00G_075_050_e 13: Y50G_075_050_e 14: G00B_075_050_e 15: G50B_075_050_e 16: B00R_075_050_e 17: B50R_075_050_e 18=01: R00Y_075_050_e

sentral
Z
A/P4000




37: NW_000_e 38: NW_013_e 39: NW_025_e 40: NW_038_e 41: NW_050_e 42: NW_063_e 43: NW_075_e 44: NW_088_e 45=37: NW_100_e

grå
g
A/P4000

Lab*N0=17.8 , 1.3 , 0.7
Lab*W0=95.3 , 0.3 , -4.9
Lab*N1=17.7 , 1.0 , 0.7
Lab*W1=95.3 , 0.6 , -5.0

Prøveplansje 3 for fargegjengivelse: metamere farger A og P4000; offset trykk (CMYK); rgb->rgbdd

Serie:



10: R00Y_075_050*_d 11: R50Y_075_050*_d 12: Y00G_075_050*_d 13: Y50G_075_050*_d 14: G00B_075_050*_d 15: G50B_075_050*_d 16: B00R_075_050*_d 17: B50R_075_050*_d 18=01: R00Y_075_050*_d

sentral
z
A/P4000




37: NW_000*_d 38: NW_013*_d 39: NW_025*_d 40: NW_038*_d 41: NW_050*_d 42: NW_063*_d 43: NW_075*_d 44: NW_088*_d 45=37: NW_100*_d

grå
g
A/P4000

Lab*N0=17.8 , 1.3 , 0.7
Lab*W0=95.3 , 0.3 , -4.9
Lab*N1=17.7 , 1.0 , 0.7
Lab*W1=95.3 , 0.6 , -5.0

Prøveplansje 3 for fargegjengivelse: metamere farger A og P4000; offset trykk (CMYK); rgb->rgbde

Serie:



10: R00Y_075_050*_e 11: R50Y_075_050*_e 12: Y00G_075_050*_e 13: Y50G_075_050*_e 14: G00B_075_050*_e 15: G50B_075_050*_e 16: B00R_075_050*_e 17: B50R_075_050*_e 18=01: R00Y_075_050*_e

sentral
z
A/P4000



37: NW_000*_e 38: NW_013*_e 39: NW_025*_e 40: NW_038*_e 41: NW_050*_e 42: NW_063*_e 43: NW_075*_e 44: NW_088*_e 45=37: NW_100*_e

grå
g
A/P4000

Lab*N0=17.8 , 1.3 , 0.7
Lab*W0=95.3 , 0.3 , -4.9
Lab*N1=17.7 , 1.0 , 0.7
Lab*W1=95.3 , 0.6 , -5.0