


Input og output: Offset-Reflektiv-System ORS18a

Data for ethvert apparat (d) eller  
elementærfarge (e):



$HIC^*_d$   
fargetonetekst for fargene  
på denne siden:  
 $H^*_d = R00Y_d, R25Y_d, ..., B75R_d$

| ORS20a; adapterte (a) CIELAB data |             |         |         |              |              |
|-----------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_d$                           | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100_d                    | 47.3        | 63.8    | 41.2    | 76.0         | 32           |
| R25Y_100_100_d                    | 55.3        | 45.8    | 52.2    | 69.5         | 48           |
| R50Y_100_100_d                    | 67.2        | 22.6    | 67.6    | 71.2         | 71           |
| R75Y_100_100_d                    | 79.9        | 1.0     | 83.9    | 83.9         | 89           |
| Y00G_100_100_d                    | 88.3        | -11.9   | 95.1    | 95.8         | 97           |
| Y25G_100_100_d                    | 83.3        | -19.2   | 83.7    | 85.9         | 102          |
| Y50G_100_100_d                    | 72.7        | -31.3   | 66.0    | 73.1         | 115          |
| Y75G_100_100_d                    | 60.4        | -48.8   | 46.7    | 67.6         | 136          |
| G00B_100_100_d                    | 51.9        | -68.8   | 28.1    | 74.3         | 157          |
| G25B_100_100_d                    | 54.8        | -51.0   | -12.3   | 52.5         | 193          |
| G50B_100_100_d                    | 58.3        | -29.2   | -43.7   | 52.6         | 236          |
| G75B_100_100_d                    | 42.7        | -6.0    | -45.0   | 45.4         | 262          |
| B00R_100_100_d                    | 25.3        | 23.5    | -47.3   | 52.8         | 296          |
| B25R_100_100_d                    | 37.8        | 53.8    | -26.3   | 59.9         | 333          |
| B50R_100_100_d                    | 48.2        | 72.8    | -8.5    | 73.3         | 353          |
| B75R_100_100_d                    | 47.7        | 67.7    | 14.0    | 69.1         | 11           |



%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

| ORS20a; adapterte (a) CIELAB data |             |         |         |              |              |
|-----------------------------------|-------------|---------|---------|--------------|--------------|
| navn                              | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R <sub>d, Ma</sub>                | 47.3        | 63.8    | 41.2    | 76.0         | 32           |
| Y <sub>d, Ma</sub>                | 88.3        | -11.9   | 95.1    | 95.8         | 97           |
| G <sub>d, Ma</sub>                | 51.9        | -68.8   | 28.1    | 74.3         | 157          |
| C <sub>d, Ma</sub>                | 58.3        | -29.2   | -43.7   | 52.6         | 236          |
| B <sub>d, Ma</sub>                | 25.3        | 23.5    | -47.3   | 52.8         | 296          |
| M <sub>d, Ma</sub>                | 48.2        | 72.8    | -8.5    | 73.3         | 353          |
| N <sub>d, Ma</sub>                | 17.7        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>d, Ma</sub>                | 95.4        | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>d, CIE</sub>               | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Y <sub>d, CIE</sub>               | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| G <sub>d, CIE</sub>               | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| B <sub>d, CIE</sub>               | 30.5        | 1.4     | -46.4   | 46.4         | 271          |




Input og output: Offset-Reflektiv-System ORS18a

Data for ethvert apparat (d) eller  
elementærfarge (e):


$HIC^*_e$   
fargetonetekst for fargene  
på denne siden:  
 $H^*_e = R00Y_e, R25Y_e, ..., B75R_e$

| ORS20a; adapterte (a) CIELAB data |                   |         |              |              |     |
|-----------------------------------|-------------------|---------|--------------|--------------|-----|
| $H^*_e$                           | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
| R00Y_100_100_e                    | 47.6              | 64.9    | 30.9         | 71.9         | 25  |
| R25Y_100_100_e                    | 51.5              | 54.2    | 47.2         | 71.9         | 41  |
| R50Y_100_100_e                    | 60.3              | 35.6    | 59.0         | 68.9         | 58  |
| R75Y_100_100_e                    | 70.4              | 17.0    | 72.2         | 74.1         | 76  |
| Y00G_100_100_e                    | 82.9              | -3.5    | 87.8         | 87.9         | 92  |
| Y25G_100_100_e                    | 76.9              | -25.5   | 75.9         | 80.1         | 108 |
| Y50G_100_100_e                    | 65.8              | -41.4   | 54.4         | 68.3         | 127 |
| Y75G_100_100_e                    | 56.9              | -56.3   | 38.1         | 68.0         | 145 |
| G00B_100_100_e                    | 52.4              | -67.1   | 21.5         | 70.5         | 162 |
| G25B_100_100_e                    | 54.6              | -53.2   | -9.0         | 53.9         | 189 |
| G50B_100_100_e                    | 56.6              | -39.7   | -29.9        | 49.8         | 216 |
| G75B_100_100_e                    | 52.7              | -21.1   | -44.1        | 48.9         | 244 |
| B00R_100_100_e                    | 37.9              | 1.3     | -45.4        | 45.4         | 271 |
| B25R_100_100_e                    | 26.7              | 26.6    | -45.8        | 52.9         | 300 |
| B50R_100_100_e                    | 34.8              | 49.2    | -30.0        | 57.7         | 328 |
| B75R_100_100_e                    | 47.3              | 71.5    | -9.9         | 72.1         | 352 |



%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

| ORS20a; adapterte (a) CIELAB data |                   |         |              |              |     |
|-----------------------------------|-------------------|---------|--------------|--------------|-----|
| navn                              | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
| Re,Ma                             | 47.6              | 64.9    | 30.9         | 71.9         | 25  |
| Ye,Ma                             | 82.9              | -3.5    | 87.8         | 87.9         | 92  |
| Ge,Ma                             | 52.4              | -67.1   | 21.5         | 70.5         | 162 |
| Ce,Ma                             | 56.6              | -39.7   | -29.9        | 49.8         | 216 |
| Be,Ma                             | 37.9              | 1.3     | -45.4        | 45.4         | 271 |
| Me,Ma                             | 34.8              | 49.2    | -30.0        | 57.7         | 328 |
| Ne,Ma                             | 17.7              | 0.0     | 0.0          | 0.0          | 0   |
| We,Ma                             | 95.4              | 0.0     | 0.0          | 0.0          | 0   |
| Re,CIE                            | 39.9              | 58.7    | 27.9         | 65.0         | 25  |
| Ye,CIE                            | 81.2              | -2.8    | 71.5         | 71.6         | 92  |
| Ge,CIE                            | 52.2              | -42.4   | 13.6         | 44.5         | 162 |
| Be,CIE                            | 30.5              | 1.4     | -46.4        | 46.4         | 271 |




Input og output: Offset-Reflektiv-System ORS18a

Data for ethvert apparat (d) eller  
elementærfarge (e):


$HIC^*_d$   
fargetonetekst for fargene  
på denne siden:  
 $H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

| ORS20a; adapterte (a) CIELAB data |             |         |         |              |              |
|-----------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_d$                           | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100_d                    | 47.3        | 63.8    | 41.2    | 76.0         | 32           |
| R25Y_100_100_d                    | 55.3        | 45.8    | 52.2    | 69.5         | 48           |
| R50Y_100_100_d                    | 67.2        | 22.6    | 67.6    | 71.2         | 71           |
| R75Y_100_100_d                    | 79.9        | 1.0     | 83.9    | 83.9         | 89           |
| Y00G_100_100_d                    | 88.3        | -11.9   | 95.1    | 95.8         | 97           |
| Y25G_100_100_d                    | 83.3        | -19.2   | 83.7    | 85.9         | 102          |
| Y50G_100_100_d                    | 72.7        | -31.3   | 66.0    | 73.1         | 115          |
| Y75G_100_100_d                    | 60.4        | -48.8   | 46.7    | 67.6         | 136          |
| G00B_100_100_d                    | 51.9        | -68.8   | 28.1    | 74.3         | 157          |
| G25B_100_100_d                    | 54.8        | -51.0   | -12.3   | 52.5         | 193          |
| G50B_100_100_d                    | 58.3        | -29.2   | -43.7   | 52.6         | 236          |
| G75B_100_100_d                    | 42.7        | -6.0    | -45.0   | 45.4         | 262          |
| B00R_100_100_d                    | 25.3        | 23.5    | -47.3   | 52.8         | 296          |
| B25R_100_100_d                    | 37.8        | 53.8    | -26.3   | 59.9         | 333          |
| B50R_100_100_d                    | 48.2        | 72.8    | -8.5    | 73.3         | 353          |
| B75R_100_100_d                    | 47.7        | 67.7    | 14.0    | 69.1         | 11           |



%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

| ORS20a; adapterte (a) CIELAB data |             |         |         |              |              |
|-----------------------------------|-------------|---------|---------|--------------|--------------|
| navn                              | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R <sub>d, Ma</sub>                | 47.3        | 63.8    | 41.2    | 76.0         | 32           |
| Y <sub>d, Ma</sub>                | 88.3        | -11.9   | 95.1    | 95.8         | 97           |
| G <sub>d, Ma</sub>                | 51.9        | -68.8   | 28.1    | 74.3         | 157          |
| C <sub>d, Ma</sub>                | 58.3        | -29.2   | -43.7   | 52.6         | 236          |
| B <sub>d, Ma</sub>                | 25.3        | 23.5    | -47.3   | 52.8         | 296          |
| M <sub>d, Ma</sub>                | 48.2        | 72.8    | -8.5    | 73.3         | 353          |
| N <sub>d, Ma</sub>                | 17.7        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>d, Ma</sub>                | 95.4        | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>d, CIE</sub>               | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Y <sub>d, CIE</sub>               | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| G <sub>d, CIE</sub>               | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| B <sub>d, CIE</sub>               | 30.5        | 1.4     | -46.4   | 46.4         | 271          |




Input og output: Offset-Reflektiv-System ORS18a

Data for ethvert apparat (d) eller  
elementærfarge (e):

$HIC^*_e$   
fargetonetekst for fargene  
på denne siden:  
 $H^*_e = R00Y_e, R25Y_e, ..., B75R_e$

| ORS20a; adapterte (a) CIELAB data |             |         |         |              |              |
|-----------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_e$                           | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100_e                    | 47.6        | 64.9    | 30.9    | 71.9         | 25           |
| R25Y_100_100_e                    | 51.5        | 54.2    | 47.2    | 71.9         | 41           |
| R50Y_100_100_e                    | 60.3        | 35.6    | 59.0    | 68.9         | 58           |
| R75Y_100_100_e                    | 70.4        | 17.0    | 72.2    | 74.1         | 76           |
| Y00G_100_100_e                    | 82.9        | -3.5    | 87.8    | 87.9         | 92           |
| Y25G_100_100_e                    | 76.9        | -25.5   | 75.9    | 80.1         | 108          |
| Y50G_100_100_e                    | 65.8        | -41.4   | 54.4    | 68.3         | 127          |
| Y75G_100_100_e                    | 56.9        | -56.3   | 38.1    | 68.0         | 145          |
| G00B_100_100_e                    | 52.4        | -67.1   | 21.5    | 70.5         | 162          |
| G25B_100_100_e                    | 54.6        | -53.2   | -9.0    | 53.9         | 189          |
| G50B_100_100_e                    | 56.6        | -39.7   | -29.9   | 49.8         | 216          |
| G75B_100_100_e                    | 52.7        | -21.1   | -44.1   | 48.9         | 244          |
| B00R_100_100_e                    | 37.9        | 1.3     | -45.4   | 45.4         | 271          |
| B25R_100_100_e                    | 26.7        | 26.6    | -45.8   | 52.9         | 300          |
| B50R_100_100_e                    | 34.8        | 49.2    | -30.0   | 57.7         | 328          |
| B75R_100_100_e                    | 47.3        | 71.5    | -9.9    | 72.1         | 352          |



%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

| ORS20a; adapterte (a) CIELAB data |             |         |         |              |              |
|-----------------------------------|-------------|---------|---------|--------------|--------------|
| navn                              | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| Re,Ma                             | 47.6        | 64.9    | 30.9    | 71.9         | 25           |
| Ye,Ma                             | 82.9        | -3.5    | 87.8    | 87.9         | 92           |
| Ge,Ma                             | 52.4        | -67.1   | 21.5    | 70.5         | 162          |
| Ce,Ma                             | 56.6        | -39.7   | -29.9   | 49.8         | 216          |
| Be,Ma                             | 37.9        | 1.3     | -45.4   | 45.4         | 271          |
| Me,Ma                             | 34.8        | 49.2    | -30.0   | 57.7         | 328          |
| Ne,Ma                             | 17.7        | 0.0     | 0.0     | 0.0          | 0            |
| We,Ma                             | 95.4        | 0.0     | 0.0     | 0.0          | 0            |
| Re,CIE                            | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Ye,CIE                            | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| Ge,CIE                            | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| Be,CIE                            | 30.5        | 1.4     | -46.4   | 46.4         | 271          |

