

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 46/360 = 0.12$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R25Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_-$,Ma: 56 48 50 69 46

HIC^*_- ,Ma: R25Y_100_100_

$rgbic^*_-$,Ma:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart QE05; hue code: $H^*_- = R25Y_-$
Test chart according to DIN 33872, 3D=1, de=1, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours
of this page:

$H^*_e = R25Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	47.6	64.9	30.9	71.9
$Y_{e,Ma}$	82.9	-3.5	87.8	87.9
$G_{e,Ma}$	52.4	-67.1	21.5	70.5
$C_{e,Ma}$	56.6	-39.7	-29.9	49.8
$B_{e,Ma}$	37.9	1.3	-45.4	45.4
$M_{e,Ma}$	34.8	49.2	-30.0	57.7
$N_{e,Ma}$	17.7	0.0	0.0	0.0
$W_{e,Ma}$	95.4	0.0	0.0	0.0
$R_{e,CIE}$	39.9	58.7	27.9	65.0
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6
$G_{e,CIE}$	52.2	-42.4	13.6	44.5
$B_{e,CIE}$	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 51 54 47 71 41

$HIC^*_{e,Ma}$: R25Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.13 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9
R25Y_100_100_e	51.5	54.2	47.2	71.9
R50Y_100_100_e	60.3	35.6	59.0	68.9
R75Y_100_100_e	70.4	17.0	72.2	74.1
Y00G_100_100_e	82.9	-3.5	87.8	87.9
Y25G_100_100_e	76.9	-25.5	75.9	80.1
Y50G_100_100_e	65.8	-41.4	54.4	68.3
Y75G_100_100_e	56.9	-56.3	38.1	68.0
G00B_100_100_e	52.4	-67.1	21.5	70.5
G25B_100_100_e	54.6	-53.2	-9.0	53.9
G50B_100_100_e	56.6	-39.7	-29.9	49.8
G75B_100_100_e	52.7	-21.1	-44.1	48.9
B00R_100_100_e	37.9	1.3	-45.4	45.4
B25R_100_100_e	26.7	26.6	-45.8	52.9
B50R_100_100_e	34.8	49.2	-30.0	57.7
B75R_100_100_e	47.3	71.5	-9.9	72.1



TUB-test chart QE05; hue code: $H^*_e = R25Y_e$
Test chart according to DIN 33872, 3D=1, de=1, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cm\dot{y}k^*_{de}$

see similar files: <http://130.149.60.45/~farbmetrik/QE05/QE05.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R25Y_e$

triangle lightness T^*

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 51 \ 54 \ 47 \ 71 \ 41$

$HIC^*_{e, Ma}: R25Y_{100 \ 100}_e$

$rgbic^*_{e, Ma}$

1.0 0.13 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*H_{rel} = 57$

$g^*C_{rel} = 58$



TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS
 application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta


1-113230-L0 QE050-73

TUB-test chart QE05; hue code: $H^*_e = R25Y_e$



Test chart according to DIN 33872, 3D=1, de=1, cmyk*



input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to $cmyk^*_{de}$



see similar files: <http://130.149.60.45/~farbmetrik/QE05/QE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>





Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R25Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	47.6	64.9	30.9	71.9	25
$Y_{e,Ma}$	82.9	-3.5	87.8	87.9	92
$G_{e,Ma}$	52.4	-67.1	21.5	70.5	162
$C_{e,Ma}$	56.6	-39.7	-29.9	49.8	216
$B_{e,Ma}$	37.9	1.3	-45.4	45.4	271
$M_{e,Ma}$	34.8	49.2	-30.0	57.7	328
$N_{e,Ma}$	17.7	0.0	0.0	0.0	0
$W_{e,Ma}$	95.4	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 51 54 47 71 41

$HIC^*_{e,Ma}$: R25Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.13 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	47.6	64.9	30.9	71.9	25
R25Y_100_100_e	51.5	54.2	47.2	71.9	41
R50Y_100_100_e	60.3	35.6	59.0	68.9	58
R75Y_100_100_e	70.4	17.0	72.2	74.1	76
Y00G_100_100_e	82.9	-3.5	87.8	87.9	92
Y25G_100_100_e	76.9	-25.5	75.9	80.1	108
Y50G_100_100_e	65.8	-41.4	54.4	68.3	127
Y75G_100_100_e	56.9	-56.3	38.1	68.0	145
G00B_100_100_e	52.4	-67.1	21.5	70.5	162
G25B_100_100_e	54.6	-53.2	-9.0	53.9	189
G50B_100_100_e	56.6	-39.7	-29.9	49.8	216
G75B_100_100_e	52.7	-21.1	-44.1	48.9	244
B00R_100_100_e	37.9	1.3	-45.4	45.4	271
B25R_100_100_e	26.7	26.6	-45.8	52.9	300
B50R_100_100_e	34.8	49.2	-30.0	57.7	328
B75R_100_100_e	47.3	71.5	-9.9	72.1	352



TUB-test chart QE05; hue code: $H^*_e=R25Y_e$
Test chart according to DIN 33872, 3D=1, de=1, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cm\dot{y}k^*_{de}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 88.3 \ 95.8 \ 97.1$
 $LAB^*_d = 88.3 \ -11.9 \ 95.1$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 51.9 \ 74.3 \ 157.7$
 $LAB^*_d = 51.9 \ -68.8 \ 28.1$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 58.3 \ 52.6 \ 236.1$
 $LAB^*_d = 58.3 \ -29.2 \ -43.7$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 47.3 \ 76.0 \ 32.8$
 $LAB^*_d = 47.3 \ 63.8 \ 41.2$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 48.2 \ 73.3 \ 353.3$
 $LAB^*_d = 48.2 \ 72.8 \ -8.5$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.3 \ 52.8 \ 296.4$
 $LAB^*_d = 25.3 \ 23.5 \ -47.3$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 82.9 \ 87.9 \ 92.3$
 $LAB^*_e = 82.9 \ -3.5 \ 87.8$
 $rgb^*_{de} = 1.0 \ 0.841 \ 0.0$

G_e green

$LCH^*_e = 52.4 \ 70.5 \ 162.2$
 $LAB^*_e = 52.4 \ -67.1 \ 21.5$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.093$

C_e blue-green

$LCH^*_e = 56.6 \ 49.8 \ 216.9$
 $LAB^*_e = 56.6 \ -39.7 \ -29.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.735$

B_e blue

$LCH^*_e = 37.9 \ 45.4 \ 271.7$
 $LAB^*_e = 37.9 \ 1.3 \ -45.4$
 $rgb^*_{de} = 0.0 \ 0.374 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 71.9 \ 25.4$
 $LAB^*_e = 47.6 \ 64.9 \ 30.9$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.209$

M_e blue-red

$LCH^*_e = 34.8 \ 57.7 \ 328.6$
 $LAB^*_e = 34.8 \ 49.2 \ -30.0$
 $rgb^*_{de} = 0.407 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 80.6 \ 84.9 \ 90.0$
 $LAB^*_s = 80.6 \ 0.0 \ 84.9$
 $rgb^*_{ds} = 1.0 \ 0.784 \ 0.0$

G_s green

$LCH^*_s = 55.1 \ 70.1 \ 150.0$
 $LAB^*_s = 55.1 \ -60.7 \ 35.0$
 $rgb^*_{ds} = 0.074 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 56.1 \ 50.0 \ 210.0$
 $LAB^*_s = 56.1 \ -43.3 \ -25.0$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.665$

B_s blue

$LCH^*_s = 38.8 \ 45.4 \ 270.0$
 $LAB^*_s = 38.8 \ 0.0 \ -45.4$
 $rgb^*_{ds} = 0.0 \ 0.397 \ 1.0$

R_s red

$LCH^*_s = 47.4 \ 74.2 \ 30.0$
 $LAB^*_s = 47.4 \ 64.3 \ 37.1$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s blue-red

$LCH^*_s = 35.6 \ 58.3 \ 330.0$
 $LAB^*_s = 35.6 \ 50.5 \ -29.1$
 $rgb^*_{ds} = 0.431 \ 0.0 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

1-113630-L0 QE050-73 LAB*La0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart QE05; hue code: $H^*_e=R25Y_e$
48 step hue circles; $rgb-LabCh^*$ -tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

Output: Offset standard print; separation cmy6*, D65, page 7/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmycn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours <i>RYGCBM</i> _d : $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours <i>RYGCBM</i> _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																		
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* _{dd64M}	LAB^* _{dd64M} (x=LabCh)	rgb^* _{ddx361M}	LAB^* _{ddx361M} (x=LabCh)	rgb^* _{dsx361M}	LAB^* _{dsx361M} (x=LabCh)	rgb^* _{dex361M}	LAB^* _{dex361M}																								
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	1.0	0.0	0.084	47.4	64.3	37.1	74.3	30	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	1.0	0.117	0.0	51.0	55.5	46.5	72.4	39	1.0	0.069	0.0	49.5	59.0	44.5	73.9	37	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	1.0	0.25	0.0	56.0	44.4	53.0	69.2	50	1.0	0.185	0.0	53.5	50.0	50.0	70.7	45	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	1.0	0.367	0.0	61.1	34.0	59.9	68.9	60	1.0	0.272	0.0	57.0	42.6	54.5	69.1	52	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	1.0	0.5	0.0	67.2	22.6	67.6	71.3	71	1.0	0.362	0.0	60.9	34.5	59.7	68.9	60	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	1.0	0.617	0.0	73.2	11.9	75.7	76.6	81	1.0	0.446	0.0	64.7	27.4	64.7	70.3	67	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	1.0	0.75	0.0	79.3	2.0	83.1	83.1	88	1.0	0.543	0.0	69.4	19.0	70.7	73.2	75	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	1.0	0.867	0.0	84.0	-5.1	89.1	89.2	93	1.0	0.629	0.0	73.8	10.7	76.5	77.2	82	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	1.0	1.0	0.0	88.4	-11.9	95.1	95.9	97	1.0	0.785	0.0	80.7	0.0	84.9	84.9	90	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	0.883	1.0	0.0	86.0	-15.9	89.0	90.5	100	1.0	0.994	0.0	88.2	-11.5	94.8	95.6	97	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	0.75	1.0	0.0	83.0	-19.6	83.0	85.3	103	0.709	1.0	0.0	81.0	-21.6	80.9	83.7	105	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	0.633	1.0	0.0	77.5	-24.8	76.8	80.8	107	0.56	1.0	0.0	74.9	-28.6	71.1	76.6	112	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	0.5	1.0	0.0	72.8	-31.3	66.1	73.1	115	0.418	1.0	0.0	70.3	-35.1	60.9	70.3	120	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	0.383	1.0	0.0	69.2	-36.5	58.6	69.1	121	0.329	1.0	0.0	66.0	-41.1	54.6	68.4	127	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	0.25	1.0	0.0	60.9	-47.7	47.9	67.7	134	0.249	1.0	0.0	60.9	-47.7	47.8	67.7	135	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	0.133	1.0	0.0	57.6	-54.4	39.6	67.4	144	0.159	1.0	0.0	58.4	-53.0	41.5	67.4	142	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	0.0	1.0	0.0	52.0	-68.8	28.1	74.4	157	0.074	1.0	0.0	55.2	-60.7	35.1	70.2	150	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	0.0	1.0	0.117	52.5	-66.5	19.9	69.5	163	0.008	1.0	0.0	52.3	-68.0	28.9	73.9	157	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	0.0	1.0	0.25	53.3	-61.9	9.8	62.8	170	0.0	1.0	0.147	52.7	-65.7	17.6	68.1	165	0.0	1.0	0.311	53.7	-59.7	4.3	59.9	175
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	0.0	1.0	0.367	54.0	-57.3	-0.3	57.4	180	0.0	1.0	0.263	53.4	-61.5	8.7	62.2	172	0.0	1.0	0.387	54.2	-56.4	-2.2	56.5	182
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	0.0	1.0	0.5	54.8	-51.0	-12.2	52.6	193	0.0	1.0	0.362	54.0	-57.5	0.0	57.6	180	0.0	1.0	0.46	54.6	-53.1	-8.9	54.0	189
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	0.0	1.0	0.617	55.8	-45.5	-21.3	50.3	205	0.0	1.0	0.434	54.5	-54.4	-6.6	54.9	187	0.0	1.0	0.524	55.0	-50.0	-14.3	52.1	195
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	0.0	1.0	0.75	56.8	-38.9	-30.8	49.8	218	0.0	1.0	0.514	55.0	-50.4	-13.4	52.3	195	0.0	1.0	0.598	55.6	-46.5	-19.9	50.7	203
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	0.0	1.0	0.867	57.5	-34.6	-36.8	50.6	226	0.0	1.0	0.585	55.5	-47.1	-19.0	50.9	202	0.0	1.0	0.662	56.1	-43.4	-24.7	50.1	209
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	0.0	1.0	1.0	58.3	-29.2	-43.6	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	0.0	0.883	1.0	55.5	-25.2	-43.8	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	0.0	0.75	1.0	51.8	-19.7	-44.1	48.4	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	0.0	0.633	1.0	48.0	-14.2	-44.3	46.7	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	0.0	0.5	1.0	42.8	-5.9	-44.9	45.4	262	0.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	0.0	0.383	1.0	38.3	0.9	-45.3	45.4	271	0.0	0.729	1.0	51.1	-18.7	-44.2	48.1	247	0.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	0.0	0.25	1.0	33.3	9.5	-45.9	47.0	281	0.0	0.594	1.0	46.5	-11.9	-44.6	46.3	255	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	0.0	0.133	1.0	28.9	16.9	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264
296.4	270.0	271.7	0.0	0.0	1.0	25.3																												

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_d$: $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{dd64M}(x=LabCh)$					$rgb^*_{dex361M}$			$LAB^*_{dex361M}$					rgb^*_{dd}					rgb^*_{ds}	rgb^*_{de}
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25						
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	40.4	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33						
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	50.0	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42						
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	61.1	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49						
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	71.4	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58						
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	81.7	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66						
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88.5	88.5	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75						
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	93.6	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83						
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92						
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	100.3	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100						
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109						
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117						
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127						
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135						
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144						
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152						
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0	1.0	0.093	52.4	-67.0	21.5	70.5	162						
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	163.7	0.0	1.0	0.209	53.1	-63.5	12.8	64.9	168						
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	170.9	0.0	1.0	0.311	53.7	-59.7	4.3	59.9	175						
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	181.0	0.0	1.0	0.387	54.2	-56.4	-2.2	56.5	182						
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	193.5	0.0	1.0	0.46	54.6	-53.1	-8.9	54.0	189						
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	205.9	0.0	1.0	0.524	55.0	-50.0	-14.3	52.1	195						
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	218.4	0.0	1.0	0.598	55.6	-46.5	-19.9	50.7	203						
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	227.3	0.0	1.0	0.662	56.1	-43.4	-24.7	50.1	209						
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	236.1	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216						
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	240.3	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223						
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	245.8	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230						
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	252.5	0.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237						
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	262.3	0.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244						
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	271.7	0.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250						
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	281.6	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258						
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	290.3	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264						
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271						
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	306.7	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278						
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	312.7	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285						
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	326.7	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292						
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	333.9	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300						
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	339.6	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306						
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	347.2	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314						
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	350.2	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321						
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328						
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	356.5	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335						
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	360.3	0.678	0.0	1.0	41.9	61.9	-19.0	64.8	342						
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	365.8	0.842	0.0	1.0	45.2	68.6	-12.7	69.8	349						
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	371.6	0.949	0.0	1.0	47.3	71.5	-9.9	72.2	352						
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	378.2	1.0	0.0	0.765	48.2	70.6	-0.1	70.6	359						
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	383.9	1.0	0.0	0.563	47.9	68.4	10.6	69.2	368						
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	388.6	1.0	0.0	0.408	47.8	66.7	19.8	69.6	376						
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	392.8	1.0	0.0	0.209	47.6	64.9	30.9	71.9	385						

1-113830-L0

QE050-73

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmykn6*, D65, page 9/33

TUB-test chart QE05; hue code: $H^*_e=R25Y_e$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours <i>RYGCBM</i> _d : <i>h</i> _{abd} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours <i>RYGCBM</i> _e : <i>h</i> _{abe} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<i>h</i> _{ab,d}	<i>h</i> _{ab,s}	<i>h</i> _{ab,e}	<i>rgb</i> [*] _{dd361M}					<i>LAB</i> [*] _{dd361Mi} (<i>x</i> =LabCh)					<i>rgb</i> [*] _{ds361Mi}					<i>LAB</i> [*] _{dsx361Mi} (<i>x</i> =LabCh)					<i>rgb</i> [*] _{dd361Mi}					<i>rgb</i> [*] _{de361Mi}					<i>LAB</i> [*] _{dex361Mi} (<i>x</i> =LabCh)					<i>rgb</i> [*] _{dd361Mi}					<i>rgb</i> [*] _{ds361Mi}					<i>rgb</i> [*] _{de361Mi}																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
32	30	25	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32	<i>R</i> _d	1.0	0.0	0.084	47.4	64.3	37.1	74.3	30	<i>R</i> _s	1.0	0.0	0.0	0.0	0.0	0.209	47.6	64.9	30.9	71.9	25	<i>R</i> _e	1.0	0.0	0.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

1-113930-L0

QE050-73

LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmy6*, D65, page 10/33

TUB-test chart QE05; hue code: $H^*_e=R25Y_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

1-113930-F0

see similar files: <http://130.149.60.45/~farbmetrik/QE05/QE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS
application for measurement of offset print output, separation cmy6* (CMYK)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
88	75	75	1.0	0.75	0.0	79.2	2.0	83.0	83.1	88	1.0	0.75	0.0	88
89	76	76	1.0	0.766	0.0	79.9	1.0	83.9	83.9	89	1.0	0.767	0.0	89
89	77	77	1.0	0.783	0.0	80.6	0.0	84.8	84.8	89	1.0	0.783	0.0	89
90	78	78	1.0	0.8	0.0	81.2	-0.9	85.7	85.7	90	1.0	0.8	0.0	90
91	79	80	1.0	0.816	0.0	81.9	-1.9	86.5	86.5	91	1.0	0.817	0.0	91
91	80	81	1.0	0.833	0.0	82.6	-3.0	87.4	87.4	91	1.0	0.833	0.0	91
92	81	82	1.0	0.85	0.0	83.2	-4.0	88.2	88.3	92	1.0	0.85	0.0	92
93	82	83	1.0	0.866	0.0	83.9	-5.1	89.0	89.2	93	1.0	0.867	0.0	93
93	83	84	1.0	0.883	0.0	84.5	-6.1	89.8	90.0	93	1.0	0.883	0.0	93
94	84	85	1.0	0.9	0.0	85.1	-6.9	90.6	90.8	94	1.0	0.9	0.0	94
94	85	86	1.0	0.916	0.0	85.6	-7.7	91.3	91.7	94	1.0	0.917	0.0	94
95	86	87	1.0	0.933	0.0	86.1	-8.5	92.1	92.5	95	1.0	0.933	0.0	95
95	87	88	1.0	0.95	0.0	86.7	-9.3	92.9	93.3	95	1.0	0.95	0.0	95
96	88	90	1.0	0.966	0.0	87.2	-10.2	93.6	94.2	96	1.0	0.967	0.0	96
96	89	91	1.0	0.983	0.0	87.8	-11.1	94.3	95.0	96	1.0	0.983	0.0	96
97	90	92	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97	1.0	1.0	0.0	97
97	91	93	0.983	1.0	0.0	88.0	-12.5	94.2	95.1	97	1.0	0.983	1.0	0.0
98	92	94	0.966	1.0	0.0	87.7	-13.1	93.4	94.3	98	1.0	0.967	1.0	0.0
98	93	95	0.95	1.0	0.0	87.3	-13.7	92.5	93.5	98	1.0	0.95	1.0	0.0
98	94	96	0.933	1.0	0.0	87.0	-14.3	91.6	92.7	98	1.0	0.933	1.0	0.0
99	95	98	0.916	1.0	0.0	86.6	-14.8	90.8	92.0	99	1.0	0.917	1.0	0.0
99	96	99	0.9	1.0	0.0	86.3	-15.4	89.9	91.2	99	1.0	0.9	1.0	0.0
100	97	100	0.883	1.0	0.0	86.0	-15.9	89.0	90.4	100	1.0	0.883	1.0	0.0
100	98	101	0.866	1.0	0.0	85.6	-16.4	88.2	89.7	100	1.0	0.867	1.0	0.0
100	99	102	0.85	1.0	0.0	85.2	-16.9	87.4	89.1	100	1.0	0.85	1.0	0.0
101	100	103	0.833	1.0	0.0	84.8	-17.4	86.7	88.4	101	1.0	0.833	1.0	0.0
101	101	105	0.816	1.0	0.0	84.5	-17.9	86.0	87.8	101	1.0	0.817	1.0	0.0
102	102	106	0.8	1.0	0.0	84.1	-18.3	85.2	87.2	102	1.0	0.8	1.0	0.0
102	103	107	0.783	1.0	0.0	83.7	-18.8	84.5	86.5	102	1.0	0.783	1.0	0.0
102	104	108	0.766	1.0	0.0	83.3	-19.2	83.7	85.9	102	1.0	0.767	1.0	0.0
103	105	109	0.75	1.0	0.0	82.9	-19.7	83.0	85.3	103	1.0	0.75	1.0	0.0
104	106	110	0.733	1.0	0.0	82.2	-20.5	82.1	84.6	104	1.0	0.733	1.0	0.0
104	107	112	0.716	1.0	0.0	81.4	-21.3	81.2	84.0	104	1.0	0.717	1.0	0.0
105	108	113	0.7	1.0	0.0	80.6	-22.0	80.3	83.3	105	1.0	0.7	1.0	0.0
106	109	114	0.683	1.0	0.0	79.8	-22.8	79.5	82.7	106	1.0	0.683	1.0	0.0
106	110	115	0.666	1.0	0.0	79.0	-23.5	78.6	82.0	106	1.0	0.667	1.0	0.0
107	111	116	0.65	1.0	0.0	78.2	-24.2	77.7	81.4	107	1.0	0.65	1.0	0.0
107	112	117	0.633	1.0	0.0	77.4	-24.9	76.8	80.7	107	1.0	0.633	1.0	0.0
108	113	119	0.616	1.0	0.0	76.8	-25.7	75.6	79.9	108	1.0	0.617	1.0	0.0
109	114	120	0.6	1.0	0.0	76.2	-26.6	74.3	78.9	109	1.0	0.6	1.0	0.0
110	115	121	0.583	1.0	0.0	75.6	-27.5	72.9	78.0	110	1.0	0.583	1.0	0.0
111	116	122	0.566	1.0	0.0	75.0	-28.3	71.6	77.0	111	1.0	0.567	1.0	0.0
112	117	123	0.55	1.0	0.0	74.5	-29.1	70.2	76.0	112	1.0	0.55	1.0	0.0
113	118	124	0.533	1.0	0.0	73.9	-29.9	68.8	75.0	113	1.0	0.533	1.0	0.0
114	119	126	0.516	1.0	0.0	73.3	-30.6	67.4	74.1	114	1.0	0.517	1.0	0.0
115	120	127	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115	1.0	0.5	1.0	0.0

1-1131030-L0 QE050-73 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmyln6*, D65, page 11/33

TUB-test chart QE05; hue code: $H^*_e=R25Y_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS
application for measurement of offset print output, separation cmyln6* (CMYK)

TUB material: code=rha4ta

1-1131130-F0

1-1131230-L0	QE050-73	LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0
--------------	----------	---

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

Output: Offset standard print; separation cmyn6*, D65, page 13/36

Data of Maximum color M in colorimetric system Offset standard print; separation cmyrn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{dd361M}	$LAB^*_{d361Mi}(x=LabCh)$	C_d	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	C_s	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	C_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																				
236	210	216	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236	0.0	1.0	0.666	56.1	-43.2	-24.9	50.0	210	C_s	0.0	1.0	1.0	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	216	C_e	0.0	1.0	1.0			
236	211	217	0.0	0.983	1.0	57.9	-28.7	-43.7	52.3	236	0.0	1.0	0.676	56.2	-42.8	-25.7	50.0	211	0.0	0.983	1.0	0.0	1.0	0.745	56.7	-39.2	-30.5	49.8	217	0.0	0.983	1.0					
237	212	218	0.0	0.966	1.0	57.5	-28.1	-43.8	52.0	237	0.0	1.0	0.686	56.3	-42.3	-26.4	50.0	212	0.0	0.967	1.0	0.0	1.0	0.755	56.8	-38.7	-31.1	49.8	218	0.0	0.967	1.0					
237	213	219	0.0	0.95	1.0	57.1	-27.5	-43.8	51.8	237	0.0	1.0	0.696	56.4	-41.8	-27.1	49.9	213	0.0	0.95	1.0	0.0	1.0	0.768	56.9	-38.3	-31.8	49.9	219	0.0	0.95	1.0					
238	214	220	0.0	0.933	1.0	56.7	-26.9	-43.9	51.5	238	0.0	1.0	0.706	56.4	-41.3	-27.8	49.9	214	0.0	0.933	1.0	0.0	1.0	0.781	57.0	-37.8	-32.4	50.0	220	0.0	0.933	1.0					
238	215	221	0.0	0.916	1.0	56.2	-26.4	-43.9	51.2	238	0.0	1.0	0.716	56.5	-40.8	-28.5	49.9	215	0.0	0.917	1.0	0.0	1.0	0.794	57.0	-37.4	-33.1	50.1	221	0.0	0.917	1.0					
239	216	222	0.0	0.9	1.0	55.8	-25.8	-43.9	50.9	239	0.0	1.0	0.726	56.6	-40.2	-29.2	49.8	216	0.0	0.9	1.0	0.0	1.0	0.807	57.1	-36.9	-33.8	50.2	222	0.0	0.9	1.0					
240	217	223	0.0	0.883	1.0	55.4	-25.2	-43.9	50.7	240	0.0	1.0	0.736	56.7	-39.7	-29.9	49.8	217	0.0	0.883	1.0	0.0	1.0	0.819	57.2	-36.4	-34.4	50.3	223	0.0	0.883	1.0					
240	218	224	0.0	0.866	1.0	55.0	-24.6	-43.9	50.4	240	0.0	1.0	0.746	56.7	-39.1	-30.5	49.8	218	0.0	0.867	1.0	0.0	1.0	0.832	57.3	-36.0	-35.1	50.4	224	0.0	0.867	1.0					
241	219	225	0.0	0.85	1.0	54.5	-23.9	-44.0	50.1	241	0.0	1.0	0.758	56.8	-38.6	-31.2	49.8	219	0.0	0.85	1.0	0.0	1.0	0.845	57.4	-35.5	-35.7	50.5	225	0.0	0.85	1.0					
242	220	226	0.0	0.833	1.0	54.1	-23.2	-44.0	49.8	242	0.0	1.0	0.772	56.9	-38.1	-32.0	49.9	220	0.0	0.833	1.0	0.0	1.0	0.858	57.5	-35.0	-36.3	50.6	226	0.0	0.833	1.0					
242	221	227	0.0	0.816	1.0	53.6	-22.5	-44.1	49.5	242	0.0	1.0	0.786	57.0	-37.7	-32.7	50.0	221	0.0	0.817	1.0	0.0	1.0	0.871	57.5	-34.4	-37.0	50.7	227	0.0	0.817	1.0					
243	222	227	0.0	0.8	1.0	53.1	-21.8	-44.1	49.2	243	0.0	1.0	0.8	57.1	-37.2	-33.4	50.1	222	0.0	0.8	1.0	0.0	1.0	0.884	57.6	-33.9	-37.6	50.8	227	0.0	0.8	1.0					
244	223	228	0.0	0.783	1.0	52.7	-21.1	-44.1	48.9	244	0.0	1.0	0.814	57.2	-36.6	-34.2	50.2	223	0.0	0.783	1.0	0.0	1.0	0.896	57.7	-33.5	-38.3	51.0	228	0.0	0.783	1.0					
245	224	229	0.0	0.766	1.0	52.2	-20.4	-44.1	48.6	245	0.0	1.0	0.828	57.3	-36.1	-34.9	50.3	224	0.0	0.767	1.0	0.0	1.0	0.909	57.8	-33.0	-39.0	51.2	229	0.0	0.767	1.0					
245	225	230	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245	0.0	1.0	0.842	57.4	-35.6	-35.6	50.4	225	0.0	0.75	1.0	0.0	1.0	0.922	57.9	-32.5	-39.7	51.4	230	0.0	0.75	1.0					
246	226	231	0.0	0.733	1.0	51.2	-18.9	-44.2	48.1	246	0.0	1.0	0.856	57.5	-35.0	-36.3	50.5	226	0.0	0.733	1.0	0.0	1.0	0.935	57.9	-32.0	-40.4	51.6	231	0.0	0.733	1.0					
247	227	232	0.0	0.716	1.0	50.7	-18.1	-44.3	47.8	247	0.0	1.0	0.87	57.5	-34.4	-36.9	50.7	227	0.0	0.717	1.0	0.0	1.0	0.948	58.0	-31.5	-41.0	51.8	232	0.0	0.717	1.0					
248	228	233	0.0	0.7	1.0	50.1	-17.4	-44.3	47.6	248	0.0	1.0	0.884	57.6	-33.9	-37.7	50.8	228	0.0	0.7	1.0	0.0	1.0	0.961	58.1	-30.9	-41.7	52.0	233	0.0	0.7	1.0					
249	229	234	0.0	0.683	1.0	49.6	-16.6	-44.3	47.4	249	0.0	1.0	0.899	57.7	-33.4	-38.4	51.1	229	0.0	0.683	1.0	0.0	1.0	0.974	58.2	-30.4	-42.3	52.2	234	0.0	0.683	1.0					
250	230	235	0.0	0.666	1.0	49.1	-15.8	-44.4	47.1	250	0.0	1.0	0.913	57.8	-32.9	-39.2	51.3	230	0.0	0.667	1.0	0.0	1.0	0.987	58.3	-29.8	-43.0	52.4	235	0.0	0.667	1.0					
251	231	236	0.0	0.65	1.0	48.5	-15.0	-44.4	46.9	251	0.0	1.0	0.927	57.9	-32.3	-39.9	51.5	231	0.0	0.65	1.0	0.0	1.0	0.999	58.3	-29.2	-43.6	52.6	236	0.0	0.65	1.0					
252	232	237	0.0	0.633	1.0	48.0	-14.3	-44.4	46.6	252	0.0	1.0	0.941	58.0	-31.7	-40.7	51.7	232	0.0	0.633	1.0	0.0	1.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237	0.0	0.633	1.0				
253	233	237	0.0	0.616	1.0	47.4	-13.4	-44.5	46.4	253	0.0	1.0	0.955	58.1	-31.2	-41.4	51.9	233	0.0	0.617	1.0	0.0	1.0	0.947	1.0	57.0	-27.4	-43.8	51.8	237	0.0	0.617	1.0				
254	234	238	0.0	0.6	1.0	46.7	-12.3	-44.6	46.3	254	0.0	1.0	0.969	58.2	-30.6	-42.1	52.2	234	0.0	0.6	1.0	0.0	1.0	0.919	1.0	56.4	-26.4	-43.8	51.3	238	0.0	0.6	1.0				
255	235	239	0.0	0.583	1.0	46.1	-11.3	-44.7	46.1	255	0.0	1.0	0.983	58.2	-29.9	-42.8	52.4	235	0.0	0.583	1.0	0.0	1.0	0.892	1.0	55.7	-25.5	-43.8	50.8	239	0.0	0.583	1.0				
257	236	240	0.0	0.566	1.0	45.4	-10.2	-44.8	46.0	257	0.0	1.0	0.997	58.3	-29.3	-43.5	52.6	236	0.0	0.567	1.0	0.0	1.0	0.867	1.0	55.0	-24.6	-43.9	50.4	240	0.0	0.567	1.0				
258	237	241	0.0	0.55	1.0	44.7	-9.1	-44.9	45.8	258	0.0	0.976	1.0	57.7	-28.4	-43.7	52.2	237	0.0	0.55	1.0	0.0	1.0	0.847	1.0	54.5	-23.7	-44.0	50.1	241	0.0	0.55	1.0				
259	238	242	0.0	0.533	1.0	44.1	-8.1	-45.0	45.7	259	0.0	0.946	1.0	57.0	-27.3	-43.8	51.7	238	0.0	0.533	1.0	0.0	1.0	0.826	1.0	53.9	-22.8	-44.0	49.7	242	0.0	0.533	1.0				
261	239	243	0.0	0.516	1.0	43.4	-7.0	-45.0	45.5	261	0.0	0.916	1.0	56.3	-26.3	-43.8	51.2	239	0.0	0.517	1.0	0.0	1.0	0.805	1.0	53.3	-22.0	-44.0	49.3	243	0.0	0.517	1.0				
262	240	244	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262	0.0	0.886	1.0	55.5	-25.3	-43.8	50.7	240	0.0	0.5	1.0	0.0	1.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244	0.0	0.5	1.0				
263	241	245	0.0	0.483	1.0	42.1	-5.0	-45.1	45.4	263	0.0	0.861	1.0	54.9	-24.3	-43.9	50.3	241	0.0	0.483	1.0	0.0	1.0	0.764	1.0	52.2	-20.2	-44.1	48.6	245	0.0	0.483	1.0				
264	242	246	0.0	0.466	1.0	41.4	-4.0	-45.2	45.4	264	0.0	0.838	1.0	54.2	-23.3	-44.0	49.9	242	0.0	0.467	1.0	0.0	1.0	0.745	1.0	51.6	-19.4	-44.1	48.3	246	0.0	0.467					

Data of Maximum color M in colorimetric system Offset standard print; separation cmyrn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$					
281	255	258	0.0	0.25 1.0	33.3	9.4	-46.0 47.0	281	0.0	0.25 1.0	33.3	9.4	-46.0 47.0	281	
282	256	258	0.0	0.233 1.0	32.7	10.5	-46.2 47.4	282	0.0	0.233 1.0	32.7	10.5	-46.2 47.4	282	
283	257	259	0.0	0.216 1.0	32.0	11.5	-46.4 47.8	283	0.0	0.217 1.0	32.0	11.5	-46.4 47.8	283	
285	258	260	0.0	0.2 1.0	31.4	12.5	-46.5 48.2	285	0.0	0.2 1.0	31.4	12.5	-46.5 48.2	285	
286	259	261	0.0	0.183 1.0	30.8	13.6	-46.7 48.6	286	0.0	0.183 1.0	30.8	13.6	-46.7 48.6	286	
287	260	262	0.0	0.166 1.0	30.1	14.7	-46.8 49.0	287	0.0	0.167 1.0	30.1	14.7	-46.8 49.0	287	
288	261	263	0.0	0.15 1.0	29.5	15.8	-46.9 49.4	288	0.0	0.15 1.0	29.5	15.8	-46.9 49.4	288	
289	262	264	0.0	0.133 1.0	28.9	16.8	-46.9 49.9	289	0.0	0.133 1.0	28.9	16.8	-46.9 49.9	289	
290	263	265	0.0	0.116 1.0	28.3	17.8	-47.0 50.3	290	0.0	0.117 1.0	28.3	17.8	-47.0 50.3	290	
291	264	266	0.0	0.1 1.0	27.9	18.6	-47.1 50.6	291	0.0	0.1 1.0	27.9	18.6	-47.1 50.6	291	
292	265	267	0.0	0.083 1.0	27.5	19.4	-47.1 51.0	292	0.0	0.083 1.0	27.5	19.4	-47.1 51.0	292	
293	266	268	0.0	0.066 1.0	27.0	20.2	-47.2 51.4	293	0.0	0.067 1.0	27.0	20.2	-47.2 51.4	293	
293	267	269	0.0	0.049 1.0	26.6	21.0	-47.3 51.7	293	0.0	0.05 1.0	26.6	21.0	-47.3 51.7	293	
294	268	269	0.0	0.033 1.0	26.2	21.8	-47.3 52.1	294	0.0	0.033 1.0	26.2	21.8	-47.3 52.1	294	
295	269	270	0.0	0.016 1.0	25.7	22.6	-47.3 52.5	295	0.0	0.017 1.0	25.7	22.6	-47.3 52.5	295	
296	270	271	0.0	0.0 1.0	25.3	23.5	-47.3 52.8	296	0.0	0.0 1.0	25.3	23.5	-47.3 52.8	296	
297	271	272	0.016 0.0	1.0	25.8	24.6	-46.8 52.9	297	0.0	0.017 0.0	1.0	25.8	24.6	-46.8 52.9	297
299	272	273	0.033 0.0	1.0	26.3	25.8	-46.2 52.9	299	0.0	0.033 0.0	1.0	26.3	25.8	-46.2 52.9	299
300	273	274	0.05 0.0	1.0	26.9	26.9	-45.6 52.9	300	0.0	0.05 0.0	1.0	26.9	26.9	-45.6 52.9	300
301	274	275	0.066 0.0	1.0	27.4	28.0	-45.0 53.0	301	0.0	0.067 0.0	1.0	27.4	28.0	-45.0 53.0	301
303	275	276	0.083 0.0	1.0	27.9	29.1	-44.3 53.0	303	0.0	0.083 0.0	1.0	27.9	29.1	-44.3 53.0	303
304	276	277	0.1 0.0	1.0	28.5	30.2	-43.6 53.1	304	0.0	0.1 0.0	1.0	28.5	30.2	-43.6 53.1	304
306	277	278	0.116 0.0	1.0	29.0	31.2	-42.9 53.1	306	0.0	0.117 0.0	1.0	29.0	31.2	-42.9 53.1	306
307	278	279	0.133 0.0	1.0	29.4	32.1	-42.3 53.1	307	0.0	0.133 0.0	1.0	29.4	32.1	-42.3 53.1	307
307	279	280	0.15 0.0	1.0	29.7	32.7	-41.9 53.2	307	0.0	0.15 0.0	1.0	29.7	32.7	-41.9 53.2	307
308	280	281	0.166 0.0	1.0	30.0	33.3	-41.5 53.2	308	0.0	0.167 0.0	1.0	30.0	33.3	-41.5 53.2	308
309	281	282	0.183 0.0	1.0	30.3	33.9	-41.0 53.2	309	0.0	0.183 0.0	1.0	30.3	33.9	-41.0 53.2	309
310	282	283	0.2 0.0	1.0	30.6	34.5	-40.6 53.3	310	0.0	0.2 0.0	1.0	30.6	34.5	-40.6 53.3	310
311	283	284	0.216 0.0	1.0	30.9	35.0	-40.1 53.3	311	0.0	0.217 0.0	1.0	30.9	35.0	-40.1 53.3	311
311	284	285	0.233 0.0	1.0	31.2	35.6	-39.6 53.3	311	0.0	0.233 0.0	1.0	31.2	35.6	-39.6 53.3	311
312	285	285	0.25 0.0	1.0	31.5	36.2	-39.2 53.4	312	0.0	0.25 0.0	1.0	31.5	36.2	-39.2 53.4	312
314	286	286	0.266 0.0	1.0	31.8	37.8	-38.3 53.8	314	0.0	0.267 0.0	1.0	31.8	37.8	-38.3 53.8	314
316	287	287	0.283 0.0	1.0	32.1	39.4	-37.4 54.3	316	0.0	0.283 0.0	1.0	32.1	39.4	-37.4 54.3	316
318	288	288	0.3 0.0	1.0	32.4	40.9	-36.4 54.8	318	0.0	0.3 0.0	1.0	32.4	40.9	-36.4 54.8	318
320	289	289	0.316 0.0	1.0	32.7	42.4	-35.3 55.3	320	0.0	0.317 0.0	1.0	32.7	42.4	-35.3 55.3	320
322	290	290	0.333 0.0	1.0	33.0	43.9	-34.2 55.7	322	0.0	0.333 0.0	1.0	33.0	43.9	-34.2 55.7	322
323	291	291	0.35 0.0	1.0	33.3	45.4	-33.1 56.2	323	0.0	0.35 0.0	1.0	33.3	45.4	-33.1 56.2	323
325	292	292	0.366 0.0	1.0	33.6	46.9	-31.8 56.7	325	0.0	0.367 0.0	1.0	33.6	46.9	-31.8 56.7	325
327	293	293	0.383 0.0	1.0	34.0	48.0	-30.9 57.1	327	0.0	0.383 0.0	1.0	34.0	48.0	-30.9 57.1	327
328	294	294	0.4 0.0	1.0	34.6	48.9	-30.3 57.5	328	0.0	0.4 0.0	1.0	34.6	48.9	-30.3 57.5	328
329	295	295	0.416 0.0	1.0	35.1	49.7	-29.7 57.9	329	0.0	0.417 0.0	1.0	35.1	49.7	-29.7 57.9	329
330	296	296	0.433 0.0	1.0	35.7	50.5	-29.0 58.3	330	0.0	0.433 0.0	1.0	35.7	50.5	-29.0 58.3	330
331	297	297	0.45 0.0	1.0	36.2	51.4	-28.4 58.7	331	0.0	0.45 0.0	1.0	36.2	51.4	-28.4 58.7	331
332	298	298	0.466 0.0	1.0	36.7	52.2	-27.7 59.1	332	0.0	0.467 0.0	1.0	36.7	52.2	-27.7 59.1	332
332	299	299	0.483 0.0	1.0	37.3	53.0	-27.0 59.5	332	0.0	0.483 0.0	1.0	37.3	53.0	-27.0 59.5	332
333	300	300	0.5 0.0	1.0	37.8	53.8	-26.3 59.9	333	0.0	0.5 0.0	1.0	37.8	53.8	-26.3 59.9	333

1-1131430-L0 QE050-73 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart QE05; hue code: $H^*_e=R25Y_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

Output: Offset standard print; separation cmyrn6*, D65, page 15/33

TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS
application for measurement of offset print output, separation cmyrn6* (CMYK)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																																																																																																																																																																																																																																																																																																																					
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi}	$LAB^*_{ds361Mi}$	$rgb^*_{ds361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{ds361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyln6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_c: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBCM _d : $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi}	$LAB^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$																		
360	345	342	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360	0.713	0.0	1.0	42.5	64.0	-17.0	66.2	345	1.0	0.0	0.75	0.678	0.0	1.0	41.9	61.9	-19.0	64.8	342	1.0	0.0	0.75
361	346	343	1.0	0.0	0.733	48.1	70.3	1.3	70.3	361	0.73	0.0	1.0	42.8	64.9	-16.1	66.9	346	1.0	0.0	0.733	0.693	0.0	1.0	42.2	62.8	-18.2	65.4	343	1.0	0.0	0.733
361	347	344	1.0	0.0	0.716	48.1	70.1	2.2	70.1	361	0.746	0.0	1.0	43.1	65.8	-15.1	67.5	347	1.0	0.0	0.717	0.709	0.0	1.0	42.4	63.7	-17.3	66.0	344	1.0	0.0	0.717
362	348	345	1.0	0.0	0.7	48.1	69.9	3.1	70.0	362	0.782	0.0	1.0	43.9	66.9	-14.1	68.4	348	1.0	0.0	0.7	0.724	0.0	1.0	42.7	64.6	-16.4	66.6	345	1.0	0.0	0.7
363	349	346	1.0	0.0	0.683	48.1	69.7	4.0	69.8	363	0.823	0.0	1.0	44.8	68.0	-13.1	69.3	349	1.0	0.0	0.683	0.74	0.0	1.0	43.0	65.4	-15.5	67.3	346	1.0	0.0	0.683
364	350	347	1.0	0.0	0.666	48.0	69.5	4.9	69.7	364	0.864	0.0	1.0	45.7	69.2	-12.1	70.3	350	1.0	0.0	0.667	0.764	0.0	1.0	43.4	66.4	-14.5	68.0	347	1.0	0.0	0.667
364	351	348	1.0	0.0	0.65	48.0	69.3	5.7	69.5	364	0.905	0.0	1.0	46.5	70.3	-11.0	71.2	351	1.0	0.0	0.65	0.803	0.0	1.0	44.3	67.5	-13.6	68.9	348	1.0	0.0	0.65
365	352	349	1.0	0.0	0.633	48.0	69.0	6.6	69.3	365	0.946	0.0	1.0	47.3	71.4	-9.9	72.1	352	1.0	0.0	0.633	0.842	0.0	1.0	45.2	68.6	-12.7	69.8	349	1.0	0.0	0.633
366	353	350	1.0	0.0	0.616	48.0	68.8	7.5	69.2	366	0.988	0.0	1.0	48.0	72.5	-8.8	73.1	353	1.0	0.0	0.617	0.881	0.0	1.0	46.1	69.7	-11.7	70.6	350	1.0	0.0	0.617
367	354	351	1.0	0.0	0.6	47.9	68.7	8.5	69.2	367	1.0	0.0	0.973	48.3	72.6	-7.5	73.0	354	1.0	0.0	0.6	0.92	0.0	1.0	46.8	70.7	-10.7	71.5	351	1.0	0.0	0.6
367	355	352	1.0	0.0	0.583	47.9	68.6	9.4	69.2	367	1.0	0.0	0.935	48.3	72.3	-6.2	72.5	355	1.0	0.0	0.583	0.959	0.0	1.0	47.5	71.8	-9.6	72.4	352	1.0	0.0	0.583
368	356	353	1.0	0.0	0.566	47.9	68.4	10.3	69.2	368	1.0	0.0	0.896	48.3	71.9	-4.9	72.1	356	1.0	0.0	0.567	0.998	0.0	1.0	48.2	72.8	-8.5	73.3	353	1.0	0.0	0.567
369	357	354	1.0	0.0	0.55	47.8	68.2	11.2	69.2	369	1.0	0.0	0.86	48.3	71.5	-3.6	71.6	357	1.0	0.0	0.55	1.0	0.0	0.965	48.3	72.6	-7.3	72.9	354	1.0	0.0	0.55
370	358	355	1.0	0.0	0.533	47.8	68.1	12.1	69.1	370	1.0	0.0	0.827	48.2	71.2	-2.4	71.3	358	1.0	0.0	0.533	1.0	0.0	0.929	48.3	72.2	-6.0	72.5	355	1.0	0.0	0.533
370	359	356	1.0	0.0	0.516	47.7	67.9	13.1	69.1	370	1.0	0.0	0.794	48.2	70.9	-1.1	70.9	359	1.0	0.0	0.517	1.0	0.0	0.892	48.3	71.8	-4.8	72.0	356	1.0	0.0	0.517
371	360	352	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371	1.0	0.0	0.761	48.2	70.6	0.0	70.6	360	1.0	0.0	0.5	0.949	0.0	1.0	47.3	71.5	-9.9	72.2	352	1.0	0.0	0.5
372	361	353	1.0	0.0	0.483	47.7	67.5	15.0	69.2	372	1.0	0.0	0.735	48.1	70.3	1.2	70.3	361	1.0	0.0	0.483	0.995	0.0	1.0	48.2	72.7	-8.6	73.2	353	1.0	0.0	0.483
373	362	354	1.0	0.0	0.466	47.7	67.3	16.1	69.2	373	1.0	0.0	0.712	48.1	70.1	2.4	70.1	362	1.0	0.0	0.467	1.0	0.0	0.962	48.3	72.5	-7.2	72.9	354	1.0	0.0	0.467
374	363	355	1.0	0.0	0.45	47.7	67.2	17.1	69.3	374	1.0	0.0	0.69	48.1	69.8	3.7	69.9	363	1.0	0.0	0.45	1.0	0.0	0.919	48.3	72.1	-5.7	72.3	355	1.0	0.0	0.45
375	364	356	1.0	0.0	0.433	47.7	67.0	18.2	69.4	375	1.0	0.0	0.667	48.1	69.5	4.9	69.7	364	1.0	0.0	0.433	1.0	0.0	0.876	48.3	71.7	-4.3	71.8	356	1.0	0.0	0.433
376	365	357	1.0	0.0	0.416	47.7	66.7	19.2	69.5	376	1.0	0.0	0.645	48.1	69.2	6.1	69.5	365	1.0	0.0	0.417	1.0	0.0	0.839	48.3	71.4	-2.9	71.4	357	1.0	0.0	0.417
376	366	358	1.0	0.0	0.4	47.7	66.5	20.3	69.5	376	1.0	0.0	0.623	48.0	68.9	7.2	69.3	366	1.0	0.0	0.4	1.0	0.0	0.802	48.2	71.0	-1.5	71.0	358	1.0	0.0	0.4
377	367	359	1.0	0.0	0.383	47.7	66.3	21.3	69.6	377	1.0	0.0	0.601	48.0	68.8	8.4	69.3	367	1.0	0.0	0.383	1.0	0.0	0.765	48.2	70.6	-0.1	70.6	359	1.0	0.0	0.383
378	368	360	1.0	0.0	0.366	47.7	66.1	22.3	69.7	378	1.0	0.0	0.58	47.9	68.6	9.6	69.3	368	1.0	0.0	0.367	1.0	0.0	0.735	48.1	70.3	1.2	70.3	360	1.0	0.0	0.367
379	369	362	1.0	0.0	0.35	47.7	66.0	23.2	69.9	379	1.0	0.0	0.558	47.9	68.4	10.8	69.2	369	1.0	0.0	0.35	1.0	0.0	0.71	48.1	70.1	2.6	70.1	362	1.0	0.0	0.35
380	370	363	1.0	0.0	0.333	47.7	65.8	24.2	70.2	380	1.0	0.0	0.536	47.8	68.1	12.0	69.2	370	1.0	0.0	0.333	1.0	0.0	0.685	48.1	69.8	3.9	69.9	363	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	47.7	65.7	25.1	70.4	380	1.0	0.0	0.515	47.8	67.9	13.2	69.2	371	1.0	0.0	0.317	1.0	0.0	0.66	48.1	69.4	5.2	69.6	364	1.0	0.0	0.317
381	372	365	1.0	0.0	0.3	47.7	65.6	26.0	70.6	381	1.0	0.0	0.494	47.8	67.7	14.4	69.2	372	1.0	0.0	0.3	1.0	0.0	0.635	48.1	69.1	6.6	69.4	365	1.0	0.0	0.3
382	373	366	1.0	0.0	0.283	47.7	65.4	27.0	70.8	382	1.0	0.0	0.475	47.8	67.5	15.6	69.3	373	1.0	0.0	0.283	1.0	0.0	0.611	48.0	68.8	7.9	69.3	366	1.0	0.0	0.283
383	374	367	1.0	0.0	0.266	47.7	65.2	27.9	71.0	383	1.0	0.0	0.456	47.8	67.3	16.8	69.3	374	1.0	0.0	0.267	1.0	0.0	0.587	48.0	68.6	9.2	69.3	367	1.0	0.0	0.267
383	375	368	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383	1.0	0.0	0.437	47.8	67.1	18.0	69.4	375	1.0	0.0	0.25	1.0	0.0	0.563	47.9	68.4	10.6	69.2	368	1.0	0.0	0.25
384	376	369	1.0	0.0	0.233	47.6	65.0	29.7	71.5	384	1.0	0.0	0.418	47.8	66.8	19.2	69.5	376	1.0	0.0	0.233	1.0	0.0	0.539	47.8	68.2	11.9	69.2	369	1.0	0.0	0.233
385	377	370	1.0	0.0	0.216	47.6	64.9	30.5	71.8	385	1.0	0.0	0.399	47.8	66.5	20.3	69.6	377	1.0	0.0	0.217	1.0	0.0	0.515	47.8	67.9	13.2	69.2	370	1.0	0.0	0.217
385	378	372	1.0	0.0	0.2	47.6	64.9	31.4	72.1	385	1.0	0.0	0.38	47.8	66.3	21.5	69.7	378	1.0	0.0	0.2	1.0	0.0	0.492	47.8	67.6	14.5	69.2	372	1.0	0.0	0.2
386	379	373	1.0																													



QE0511L

C

Y

M

L

O

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmyn6* (CMYK)

http://130.149.60.45/~farbmatrik/QE05/QE05L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE05/QE05L0FP.DAT in file (F), page 21/33



QE0511L

C

Y

M

L

O

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

C

Y

n	HIC*Fide	rgb_Fide	lci_Fide	hsv_Fide	rgb*Fide	LabCH*Fide	7.7	17.9	25.4	cmym*sep_Fide	0.525	0.771	hsv*Fide	rgb*Fide	LabCH*Fide	378	378	378	71.9	64.9	30.9	71.9	25.4	
162	ROOY_025_025Fide	0.25	0.0	0.125	390	0.25	0.0	0.052	25.1	17.8	0.0	0.659	0.525	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
163	ROOY_025_025Fide	0.25	0.0	0.125	390	0.237	0.0	0.25	25.1	17.8	0.0	0.627	0.795	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
164	B34R_025_025Fide	0.25	0.0	0.125	330	0.101	0.0	0.25	21.9	12.3	-7.5	0.607	0.809	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
165	B34R_037_037Fide	0.25	0.0	0.375	330	0.076	0.0	0.375	22.6	13.0	-15.1	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
166	B25R_050_050Fide	0.25	0.0	0.5	300	0.022	0.0	0.5	22.2	13.3	-22.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
167	B19R_062_062Fide	0.25	0.0	0.625	293	0.0	0.037	0.625	23.4	12.8	-29.5	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
168	B19R_075_075Fide	0.25	0.0	0.75	289	0.0	0.1	0.75	26.1	12.6	-35.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
169	B13R_087_087Fide	0.25	0.0	0.875	286	0.0	0.152	0.875	28.8	12.4	-40.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
170	B11R_100_100Fide	0.25	0.0	1.0	284	0.0	0.201	1.0	31.5	12.4	-46.5	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
171	RSOY_025_025Fide	0.25	0.125	0.0	60	0.25	0.087	0.0	28.3	8.9	14.7	0.545	0.651	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
172	RSOY_025_012Fide	0.25	0.125	0.0	390	0.25	0.124	0.151	31.1	8.1	3.8	0.466	0.281	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
173	B50R_025_012Fide	0.25	0.125	0.0	330	0.175	0.124	0.375	29.6	6.6	-11.7	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
174	B25R_037_037Fide	0.25	0.125	0.375	330	0.136	0.124	0.375	29.6	6.6	-11.7	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
175	B15R_050_037Fide	0.25	0.125	0.5	289	0.124	0.175	0.5	31.6	6.3	-17.6	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
176	B19R_062_050Fide	0.25	0.125	0.625	281	0.125	0.275	0.625	34.3	6.2	-23.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
177	B19R_075_062Fide	0.25	0.125	0.75	284	0.125	0.275	0.75	37.0	6.2	-28.8	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
178	B08R_087_075Fide	0.25	0.125	0.875	278	0.125	0.325	0.875	39.6	6.2	-34.5	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
179	B06R_100_087Fide	0.25	0.125	1.0	270	0.125	0.369	1.0	42.0	6.6	-40.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
180	Y00G_025_025Fide	0.25	0.0	0.25	90	0.25	0.21	0.0	34.0	-0.8	21.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
181	Y00G_025_012Fide	0.25	0.0	0.25	90	0.25	0.21	0.0	34.0	-0.8	21.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
182	Y00G_050_050Fide	0.25	0.0	0.25	90	0.25	0.21	0.0	34.0	-0.8	21.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
183	Y00G_050_012Fide	0.25	0.0	0.25	90	0.25	0.21	0.0	34.0	-0.8	21.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
184	B08R_087_075Fide	0.25	0.125	0.875	278	0.125	0.325	0.875	39.6	6.2	-34.5	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
185	B08R_062_037Fide	0.25	0.125	0.625	270	0.125	0.325	0.625	34.3	6.2	-23.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
186	B08R_075_050Fide	0.25	0.125	0.75	270	0.125	0.325	0.75	47.2	0.6	-22.7	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
187	B08R_087_062Fide	0.25	0.125	0.875	270	0.125	0.325	0.875	49.7	0.8	-38.3	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
188	B08R_100_075Fide	0.25	0.125	1.0	270	0.125	0.325	1.0	52.3	1.0	-34.0	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
189	Y31G_037_037Fide	0.25	0.375	0.125	109	0.193	0.375	0.0	38.5	-10.3	25.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
190	Y50G_037_025Fide	0.25	0.375	0.125	120	0.206	0.375	0.124	39.4	-11.5	13.6	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
191	G00B_037_012Fide	0.25	0.375	0.125	312	0.249	0.375	0.341	42.0	-4.9	-3.7	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
192	G57B_050_025Fide	0.25	0.375	0.125	312	0.249	0.375	0.341	42.0	-4.9	-3.7	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
193	G84B_062_037Fide	0.25	0.375	0.625	251	0.25	0.446	0.5	45.9	-5.2	-11.0	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
194	G88B_075_062Fide	0.25	0.375	0.75	251	0.25	0.446	0.75	50.5	-4.3	-22.4	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
195	G88B_087_062Fide	0.25	0.375	0.875	259	0.25	0.567	0.875	53.0	-4.1	-28.1	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
196	G90B_075_050Fide	0.25	0.375	0.75	261	0.25	0.613	0.75	55.5	-3.8	-33.8	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
197	Y50G_050_050Fide	0.25	0.5	0.0	120	0.163	0.5	0.0	41.7	-20.7	27.1	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
198	Y68G_050_037Fide	0.25	0.5	0.125	131	0.194	0.5	0.124	42.9	-19.4	16.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
199	G68B_050_025Fide	0.25	0.5	0.125	150	0.249	0.5	0.124	45.9	-16.7	5.3	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
200	G25B_050_025Fide	0.25	0.5	0.375	180	0.249	0.5	0.365	46.3	-13.3	-2.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
201	G50B_050_025Fide	0.25	0.5	0.375	210	0.249	0.5	0.375	46.8	-9.9	-7.4	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
202	G50B_050_025Fide	0.25	0.5	0.375	210	0.249	0.5	0.375	46.8	-9.9	-7.4	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
203	G65B_062_037Fide	0.25	0.5	0.625	229	0.25	0.625	0.615	52.3	-11.4	-15.9	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
204	G75B_075_050Fide	0.25	0.5	0.75	240	0.25	0.642	0.75	54.6	-10.5	-22.0	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
205	G80B_087_062Fide	0.25	0.5	0.875	247	0.25	0.661	0.875	56.6	-9.6	-27.7	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
206	G84B_100_075Fide	0.25	0.5	1.0	270	0.25	0.701	1.0	59.0	-9.3	-33.4	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
207	Y61G_062_062Fide	0.25	0.625	0.0	127	0.152	0.625	0.0	44.5	-30.1	19.6	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
208	Y66G_062_050Fide	0.25	0.625	0.125	136	0.181	0.625	0.125	47.0	-28.1	19.0	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
209	G00B_062_037Fide	0.25	0.625	0.25	150	0.25	0.625	0.284	50.1	-25.1	8.1	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
210	G15B_062_037Fide	0.25	0.625	0.375	169	0.25	0.625	0.383	50.7	-21.6	0.1	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
211	G34B_062_037Fide	0.25	0.625	0.5	191	0.25	0.625	0.5	51.2	-18.1	-6.4	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
212	G50B_062_037Fide	0.25	0.625	0.625	210	0.25	0.625	0.625	51.7	-14.9	-11.2	0.591	0.815	0.0	0.0	0.209	47.6	47.6	47.6	30.9	64.9	30.9	71.9	25.4
213	G61B_075_062Fide	0.25																						

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$

TUB-test chart QE05; hue code: $H_e^* = R25Y_e$
colors and differences, ΔE^*





[illegible]

input: $rgb/cmyk -> rgb_{de}$
output: $3D\text{-linearization to } cmyk^*_{de}$

TUB-test chart QE05; hue code: $H_e^* = R25Y_e$
colors and differences, ΔE^*

-see similar files: <http://130.149.60.45/~farbmetrik/QE05/QE05.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB-test chart QE05: hue code: H*e=R25Ye colors and differences, ΔE*										input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*de									
n	HLC*File	rgb_*File	lcr_*File	hsa_*File	rgb*_File	LabCh*_File	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep	cmyn*_Sep
486	R00Y_075_075de	0.75 0.0 0.0	0.75 0.0 0.0	0.75 0.0 0.0	0.75 0.0 0.0	40.1 48.7	23.2	53.9	0.0	0.932	0.724	0.287	0.932	0.724	0.287	0.932	0.724	0.287	0.932
487	R35Y_075_075de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.2 48.7	23.2	53.9	0.0	0.932	0.543	0.291	0.932	0.543	0.291	0.932	0.543	0.291	0.932
488	R10Y_075_075de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.4 52.0	3.9	52.2	4.3	0.929	0.347	0.291	0.929	0.347	0.291	0.929	0.347	0.291	0.929
489	R10Y_075_075de	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	40.4 52.0	3.9	52.2	4.3	0.929	0.347	0.291	0.929	0.347	0.291	0.929	0.347	0.291	0.929
490	B65R_075_075de	0.75 0.0 0.375	0.75 0.0 0.375	0.75 0.0 0.375	0.75 0.0 0.375	39.9 53.0	-7.4	54.1	352.0	0.0	0.928	0.039	0.0	0.928	0.039	0.0	0.928	0.039	0.0
491	B57R_075_075de	0.75 0.0 0.625	0.75 0.0 0.625	0.75 0.0 0.625	0.75 0.0 0.625	39.9 53.0	-11.6	54.1	346.6	0.0	0.918	0.0	0.367	0.918	0.0	0.367	0.918	0.0	0.367
492	B43R_087_087de	0.75 0.0 0.875	0.75 0.0 0.875	0.75 0.0 0.875	0.75 0.0 0.875	40.1 48.7	-17.9	46.1	339.4	0.0	0.921	0.0	0.324	0.921	0.0	0.324	0.921	0.0	0.324
493	B43R_087_087de	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	40.1 48.7	-38.0	54.0	315.3	0.0	0.964	0.0	0.193	0.964	0.0	0.193	0.964	0.0	0.193
494	B38R_100_100de	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	40.1 48.7	-38.0	54.0	315.3	0.0	0.964	0.0	0.193	0.964	0.0	0.193	0.964	0.0	0.193
495	R15Y_075_075de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
496	R31Y_075_075de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
497	R10Y_075_075de	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
498	R31Y_075_075de	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
499	R10Y_075_075de	0.75 0.875 0.0	0.75 0.875 0.0	0.75 0.875 0.0	0.75 0.875 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
500	B65R_075_075de	0.75 0.0 0.125	0.75 0.0 0.125	0.75 0.0 0.125	0.75 0.0 0.125	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
501	B65R_075_075de	0.75 0.0 0.25	0.75 0.0 0.25	0.75 0.0 0.25	0.75 0.0 0.25	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
502	B42R_087_087de	0.75 0.0 0.5	0.75 0.0 0.5	0.75 0.0 0.5	0.75 0.0 0.5	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
503	B42R_087_087de	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
504	R31Y_075_075de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
505	R10Y_075_075de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
506	R26Y_075_075de	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
507	R26Y_075_075de	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
508	B65R_075_075de	0.75 0.0 0.125	0.75 0.0 0.125	0.75 0.0 0.125	0.75 0.0 0.125	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
509	B65R_075_075de	0.75 0.0 0.25	0.75 0.0 0.25	0.75 0.0 0.25	0.75 0.0 0.25	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
510	B38R_100_100de	0.75 0.0 0.5	0.75 0.0 0.5	0.75 0.0 0.5	0.75 0.0 0.5	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
511	B38R_100_100de	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
512	B38R_100_100de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
513	B38R_100_100de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
514	B38R_100_100de	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
515	R31Y_075_075de	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
516	R31Y_075_075de	0.75 0.875 0.0	0.75 0.875 0.0	0.75 0.875 0.0	0.75 0.875 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
517	R31Y_075_075de	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
518	B65R_075_075de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
519	B65R_075_075de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
520	B38R_087_087de	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	0.75 0.375 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
521	B38R_087_087de	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
522	R65Y_075_075de	0.75 0.0 0.125	0.75 0.0 0.125	0.75 0.0 0.125	0.75 0.0 0.125	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
523	R65Y_075_075de	0.75 0.0 0.25	0.75 0.0 0.25	0.75 0.0 0.25	0.75 0.0 0.25	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
524	R50Y_075_075de	0.75 0.0 0.375	0.75 0.0 0.375	0.75 0.0 0.375	0.75 0.0 0.375	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
525	R31Y_075_075de	0.75 0.0 0.625	0.75 0.0 0.625	0.75 0.0 0.625	0.75 0.0 0.625	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
526	R00Y_075_075de	0.75 0.0 0.875	0.75 0.0 0.875	0.75 0.0 0.875	0.75 0.0 0.875	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
527	R00Y_075_075de	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	0.75 0.0 1.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
528	B50R_075_075de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
529	B34R_087_087de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
530	B34R_087_087de	0.75 0.5 0.0	0.75 0.5 0.0	0.75 0.5 0.0	0.75 0.5 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
531	R85Y_075_075de	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	0.75 0.625 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
532	R85Y_075_075de	0.75 0.875 0.0	0.75 0.875 0.0	0.75 0.875 0.0	0.75 0.875 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
533	R85Y_075_075de	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0	0.75 1.0 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
534	R65Y_075_075de	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	0.75 0.125 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
535	R50Y_075_075de	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	0.75 0.25 0.0	40.1 48.7	32.5	55.9	35.5	0.0	0.924	0.285	0.0	0.924	0.285	0.0	0.924	0.285	0.0
536	R00Y_075_075de	0.75 0.375 0.0	0.75 0.3																




http://130.149.60.45/~farbmatrik/QE05/QE05L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization QE05/QE05L0FP.DAT in file (F), page 28/33

see similar files: <http://130.149.60.45/~farbmatrik/QE05/QE05L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>




n	HC*File	rgb*File	ic*File	hsa*File	rgb*File	LabCh*File	cmyn*sepFile	hsa*de	rgb*de	LabCh*de	delta
648	R00Y_100_100de	1.0	0.0	0.0	0.0	47.6	0.0	378	1.0	47.6	0.0
649	R38Y_100_100de	1.0	0.0	0.5	1.0	0.386	0.0	367	1.0	0.386	0.0
650	R26Y_100_100de	1.0	0.0	0.5	1.0	0.538	0.0	357	1.0	0.538	0.0
651	R13Y_100_100de	1.0	0.0	0.5	1.0	0.735	0.0	344	1.0	0.735	0.0
652	R00Y_100_100de	1.0	0.0	0.5	1.0	0.948	0.0	321	1.0	0.948	0.0
653	R68R_100_100de	1.0	0.0	0.5	1.0	45.2	0.0	321	1.0	45.2	0.0
654	B61R_100_100de	1.0	0.0	0.5	1.0	41.6	0.0	301	1.0	41.6	0.0
655	B55R_100_100de	1.0	0.0	0.5	1.0	38.6	0.0	301	1.0	38.6	0.0
656	B50R_100_100de	1.0	0.0	0.5	1.0	34.8	0.0	293	1.0	34.8	0.0
657	R11Y_100_100de	1.0	0.0	0.5	1.0	0.007	0.0	303	1.0	0.007	0.0
658	R36Y_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	378	1.0	0.125	0.0
659	R36Y_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	366	1.0	0.125	0.0
660	R23Y_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	338	1.0	0.125	0.0
661	R00Y_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	338	1.0	0.125	0.0
662	B70R_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	312	1.0	0.125	0.0
663	B63R_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	303	1.0	0.125	0.0
664	B56R_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	293	1.0	0.125	0.0
665	B50R_100_097de	1.0	0.875	0.562	1.0	0.125	0.0	31	1.0	0.125	0.0
666	R23Y_100_100de	1.0	0.25	0.0	1.0	0.133	0.0	37	1.0	0.133	0.0
667	R13Y_100_097de	1.0	0.875	0.562	1.0	0.147	0.0	378	1.0	0.147	0.0
668	R00Y_100_097de	1.0	0.875	0.562	1.0	0.147	0.0	378	1.0	0.147	0.0
669	R38Y_100_075de	1.0	0.75	0.625	1.0	0.25	0.0	364	1.0	0.25	0.0
670	R18Y_100_075de	1.0	0.75	0.625	1.0	0.25	0.0	349	1.0	0.25	0.0
671	R00Y_100_075de	1.0	0.75	0.625	1.0	0.25	0.0	327	1.0	0.25	0.0
672	B63R_100_075de	1.0	0.75	0.625	1.0	0.25	0.0	303	1.0	0.25	0.0
673	B56R_100_075de	1.0	0.75	0.625	1.0	0.25	0.0	293	1.0	0.25	0.0
674	B50R_100_075de	1.0	0.75	0.625	1.0	0.25	0.0	43	1.0	0.25	0.0
675	R26Y_100_075de	1.0	0.375	0.125	1.0	0.267	0.0	38	1.0	0.267	0.0
676	R18Y_100_075de	1.0	0.875	0.562	1.0	0.267	0.0	32	1.0	0.267	0.0
677	R15Y_100_075de	1.0	0.75	0.625	1.0	0.283	0.0	378	1.0	0.283	0.0
678	R00Y_100_062de	1.0	0.625	0.687	1.0	0.375	0.0	361	1.0	0.375	0.0
679	R31Y_100_062de	1.0	0.625	0.687	1.0	0.375	0.0	342	1.0	0.375	0.0
680	R11Y_100_062de	1.0	0.625	0.687	1.0	0.375	0.0	323	1.0	0.375	0.0
681	B69R_100_062de	1.0	0.625	0.687	1.0	0.375	0.0	293	1.0	0.375	0.0
682	B59R_100_062de	1.0	0.625	0.687	1.0	0.375	0.0	50	1.0	0.375	0.0
683	R50Y_100_100de	1.0	0.5	0.0	1.0	0.349	0.0	46	1.0	0.349	0.0
684	R41Y_100_097de	1.0	0.875	0.562	1.0	0.376	0.0	41	1.0	0.376	0.0
685	R31Y_100_075de	1.0	0.75	0.625	1.0	0.404	0.0	34	1.0	0.404	0.0
686	R18Y_100_062de	1.0	0.625	0.687	1.0	0.425	0.0	378	1.0	0.425	0.0
687	R00Y_100_050de	1.0	0.5	0.0	1.0	0.435	0.0	337	1.0	0.435	0.0
688	R26Y_100_050de	1.0	0.5	0.0	1.0	0.435	0.0	327	1.0	0.435	0.0
689	R00Y_100_050de	1.0	0.5	0.0	1.0	0.435	0.0	310	1.0	0.435	0.0
690	B61R_100_050de	1.0	0.5	0.0	1.0	0.435	0.0	57	1.0	0.435	0.0
691	B56R_100_050de	1.0	0.5	0.0	1.0	0.435	0.0	50	1.0	0.435	0.0
692	R63Y_100_100de	1.0	0.5	0.0	1.0	0.455	0.0	37	1.0	0.455	0.0
693	R38Y_100_097de	1.0	0.875	0.562	1.0	0.488	0.0	315	1.0	0.488	0.0
694	R38Y_100_097de	1.0	0.875	0.562	1.0	0.488	0.0	315	1.0	0.488	0.0
695	R38Y_100_075de	1.0	0.75	0.625	1.0	0.512	0.0	64	1.0	0.512	0.0
696	R38Y_100_062de	1.0	0.625	0.687	1.0	0.538	0.0	64	1.0	0.538	0.0
697	R23Y_100_050de	1.0	0.625	0.687	1.0	0.566	0.0	37	1.0	0.566	0.0
698	R00Y_100_037de	1.0	0.375	0.812	1.0	0.625	0.0	315	1.0	0.625	0.0
699	R18Y_100_037de	1.0	0.375	0.812	1.0	0.625	0.0	64	1.0	0.625	0.0
700	B63R_100_037de	1.0	0.375	0.812	1.0	0.625	0.0	64	1.0	0.625	0.0
701	B56R_100_037de	1.0	0.375	0.812	1.0	0.625	0.0	64	1.0	0.625	0.0
702	R26Y_100_075de	1.0	0.75	0.625	1.0	0.584	0.0	62	1.0	0.584	0.0
703	R31Y_100_075de	1.0	0.75	0.625	1.0	0.621	0.0	55	1.0	0.621	0.0
704	R31Y_100_062de	1.0	0.625	0.687	1.0	0.621	0.0	55	1.0	0.621	0.0
705	B59Y_100_062de	1.0	0.625	0.687	1.0	0.621	0.0	55	1.0	0.621	0.0
706	B50Y_100_050de	1.0	0.5	0.0	1.0	0.674	0.0	50	1.0	0.674	0.0
707	R31Y_100_037de	1.0	0.375	0.812	1.0	0.702	0.0	378	1.0	0.702	0.0
708	R00Y_100_025de	1.0	0.25	0.875	1.0	0.75	0.0	327	1.0	0.75	0.0
709	R00Y_100_025de	1.0	0.25	0.875	1.0	0.75	0.0	293	1.0	0.75	0.0
710	B50R_100_100de	1.0	0.75	0.1	1.0	0.851	0.0	71	1.0	0.851	0.0
711	R88Y_100_097de	1.0	0.875	0.562	1.0	0.875	0.0	70	1.0	0.875	0.0
712	R85Y_100_075de	1.0	0.875	0.562	1.0	0.875	0.0	68	1.0	0.875	0.0
713	R81Y_100_062de	1.0	0.875	0.562	1.0	0.875	0.0	66	1.0	0.875	0.0
714	R76Y_100_050de	1.0	0.875	0.562	1.0	0.875	0.0	64	1.0	0.875	0.0
715	R68Y_100_037de	1.0	0.875	0.562	1.0	0.875	0.0	59	1.0	0.875	0.0
716	R59Y_100_025de	1.0	0.875	0.562	1.0	0.875	0.0	58	1.0	0.875	0.0
717	R50Y_100_025de	1.0	0.875	0.562	1.0	0.875	0.0	378	1.0	0.875	0.0
718	R00Y_100_012de	1.0	0.125	0.937	1.0	0.948	0.0	293	1.0	0.948	0.0
719	B50R_100_012de	1.0	0.125	0.937	1.0	0.948	0.0	81	1.0	0.948	0.0
720	Y00C_100_100de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
721	Y00C_100_087de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
722	Y00C_100_075de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
723	Y00C_100_062de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
724	Y00C_100_050de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
725	Y00C_100_037de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
726	Y00C_100_025de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
727	Y00C_100_012de	1.0	1.0	0.0	1.0	0.841	0.0	81	1.0	0.841	0.0
728	NW_100de	1.0	1.0	1.0	1.0	95.4	0.0	360	1.0	95.4	0.0

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmyk*de



http://130.149.60.45/~farbmatrik/QE05/QE05L0FP.PDF /PS; 3D-linearization
F: 3D-linearization QE05/QE05L30FP.DAT in file (F), page 29/33

n	HLC*Fide	rgb_Fide	lcl_Fide	hls_Fide	rgb_Fide	LabCH*Fide	cmyn*_sep,Fide	hsl*_ide	rgb*_ide	LabCH*Wide						
729	NW_100de	1.0	1.0	1.0	0.0	1.0	0.0	360	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0
730	G50B_100.012de	0.875	1.0	1.0	0.125	0.937	210	0.875	1.0	0.966	90.6	-4.9	-3.7	6.2	216.9	216.9
731	G50B_100.037de	0.75	1.0	1.0	0.25	0.812	210	0.75	1.0	0.933	85.7	-9.9	-7.4	12.4	216.9	216.9
732	G50B_100.052de	0.625	1.0	1.0	0.375	0.687	210	0.625	1.0	0.876	76.0	-14.9	-11.2	18.6	216.9	216.9
733	G50B_100.067de	0.5	1.0	1.0	0.5	0.75	210	0.5	1.0	0.867	76.0	-19.8	-14.9	24.9	216.9	216.9
734	G50B_100.082de	0.375	1.0	1.0	0.625	0.687	210	0.375	1.0	0.834	71.2	-24.8	-18.7	31.1	216.9	216.9
735	G50B_100.097de	0.25	1.0	1.0	0.75	0.562	210	0.25	1.0	0.801	66.3	-29.8	-22.4	37.3	216.9	216.9
736	G50B_100.087de	0.125	1.0	1.0	0.875	0.562	210	0.125	1.0	0.768	61.5	-34.8	-26.2	43.5	216.9	216.9
737	G50B_100.100de	0.0	1.0	1.0	1.0	0.5	210	0.0	1.0	0.735	56.6	-39.7	-29.9	49.8	216.9	216.9
738	ROOY_100.012de	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	90.1	8.9	8.9	25.4	0.0	0.0
739	ROOY_100.037de	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
740	G50B_087.012de	0.75	0.875	0.875	0.875	0.125	0.812	210	0.75	0.875	88.7	8.9	8.9	25.4	0.0	0.0
741	G50B_087.037de	0.625	0.875	0.875	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
742	G50B_087.052de	0.5	0.875	0.875	0.5	0.75	210	0.625	0.875	88.7	8.9	8.9	25.4	0.0	0.0	0.0
743	G50B_087.067de	0.375	0.875	0.875	0.375	0.687	210	0.375	0.875	88.7	8.9	8.9	25.4	0.0	0.0	0.0
744	G50B_087.082de	0.25	0.875	0.875	0.25	0.562	210	0.25	0.875	88.7	8.9	8.9	25.4	0.0	0.0	0.0
745	G50B_087.097de	0.125	0.875	0.875	0.125	0.437	210	0.125	0.875	88.7	8.9	8.9	25.4	0.0	0.0	0.0
746	G50B_087.100de	0.0	0.875	0.875	0.0	0.312	210	0.0	0.875	88.7	8.9	8.9	25.4	0.0	0.0	0.0
747	ROOY_100.025de	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	88.2	8.9	8.9	25.4	0.0	0.0
748	ROOY_100.052de	0.875	0.75	0.75	0.875	0.125	0.812	390	0.875	0.75	77.7	8.9	8.9	25.4	0.0	0.0
749	NW_075de	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
750	G50B_075.012de	0.625	0.75	0.75	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
751	G50B_075.037de	0.5	0.75	0.75	0.5	0.25	0.687	210	0.625	0.75	77.7	8.9	8.9	25.4	0.0	0.0
752	G50B_075.052de	0.375	0.75	0.75	0.375	0.125	0.562	210	0.375	0.75	66.3	8.9	8.9	25.4	0.0	0.0
753	G50B_075.067de	0.25	0.75	0.75	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
754	G50B_075.082de	0.125	0.75	0.75	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
755	G50B_075.097de	0.0	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
756	ROOY_100.037de	1.0	0.625	0.625	1.0	0.375	0.687	390	1.0	0.625	70.3	77.7	24.3	11.6	26.9	25.4
757	ROOY_087.025de	0.875	0.625	0.625	0.875	0.25	0.5	390	0.875	0.625	67.7	73.7	16.2	7.7	17.9	25.4
758	ROOY_075.012de	0.75	0.625	0.625	0.75	0.125	0.687	390	0.75	0.625	65.1	70.0	8.1	3.8	8.9	25.4
759	NW_062de	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
760	G50B_062.012de	0.5	0.625	0.625	0.5	0.125	0.562	210	0.625	0.625	59.1	61.4	-4.9	-3.7	6.2	216.9
761	G50B_062.037de	0.375	0.625	0.625	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
762	G50B_062.052de	0.25	0.625	0.625	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
763	G50B_062.067de	0.125	0.625	0.625	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
764	G50B_062.082de	0.0	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
765	ROOY_100.052de	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	60.4	71.5	32.4	15.4	35.9	25.4
766	ROOY_087.037de	0.875	0.5	0.5	0.875	0.375	0.687	390	0.875	0.5	57.8	67.8	24.3	11.6	26.9	25.4
767	ROOY_075.025de	0.75	0.5	0.5	0.75	0.25	0.562	390	0.75	0.5	55.2	64.0	16.2	7.7	17.9	25.4
768	ROOY_062.012de	0.625	0.5	0.5	0.625	0.125	0.562	390	0.625	0.5	52.6	60.3	8.1	3.8	8.9	25.4
769	NW_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
770	G50B_050.012de	0.375	0.5	0.5	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
771	G50B_050.037de	0.25	0.5	0.5	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
772	G50B_050.052de	0.125	0.5	0.5	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
773	G50B_050.067de	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
774	ROOY_100.062de	1.0	0.375	0.375	1.0	0.625	0.687	390	1.0	0.375	50.5	65.5	40.5	19.3	44.9	25.4
775	ROOY_087.052de	0.875	0.375	0.375	0.875	0.25	0.562	390	0.875	0.375	47.9	61.8	32.4	15.4	35.9	25.4
776	ROOY_075.037de	0.75	0.375	0.375	0.75	0.125	0.562	390	0.75	0.375	45.3	58.0	24.3	11.6	26.9	25.4
777	ROOY_062.025de	0.625	0.375	0.375	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
778	NW_037de	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
779	ROOY_050.012de	1.0	0.25	0.25	1.0	0.125	0.437	390	1.0	0.25	44.1	50.6	8.1	3.8	8.9	25.4
780	G50B_037.012de	0.875	0.25	0.25	0.875	0.125	0.312	210	0.875	0.25	42.0	49.0	-4.9	-3.7	6.2	216.9
781	G50B_037.025de	0.75	0.25	0.25	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
782	G50B_037.037de	0.625	0.25	0.25	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
783	ROOY_100.075de	1.0	0.25	0.25	1.0	0.75	0.687	210	1.0	0.25	40.7	59.6	48.7	23.2	53.9	25.4
784	ROOY_087.062de	0.875	0.25	0.25	0.875	0.625	0.562	390	0.875	0.25	38.0	55.8	40.5	19.3	44.9	25.4
785	ROOY_075.047de	0.75	0.25	0.25	0.75	0.375	0.562	390	0.75	0.25	35.4	52.1	32.4	15.4	35.9	25.4
786	ROOY_062.037de	0.625	0.25	0.25	0.625	0.25	0.437	390	0.625	0.25	32.8	48.1	24.3	11.6	26.9	25.4
787	ROOY_050.025de	0.5	0.25	0.25	0.5	0.125	0.437	390	0.5	0.25	30.2	46.1	16.2	7.7	17.9	25.4
788	ROOY_037.012de	0.375	0.25	0.25	0.375	0.125	0.312	210	0.375	0.25	27.6	40.8	8.1	3.8	8.9	25.4
789	G50B_025.012de	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
790	G50B_025.025de	0.125	0.25	0.25	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
791	G50B_025.037de	0.0	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
792	ROOY_100.087de	1.0	0.125	0.125	1.0	0.875	0.562	390	1.0	0.125	38.8	53.6	27.0	62.9	71.9	25.4
793	ROOY_087.075de	0.875	0.125	0.125	0.875	0.25	0.437	390	0.875	0.125	36.2	49.8	48.7	23.2	53.9	25.4
794	ROOY_075.062de	0.75	0.125	0.125	0.75	0.125	0.25	390	0.75	0.125	34.5	46.1	40.5	19.3	44.9	25.4
795	ROOY_062.052de	0.625	0.125	0.125	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
796	ROOY_050.037de	0.5	0.125	0.125	0.5	0.375	0.312	390	0.5	0.125	32.0	38.6	24.3	11.6	26.9	25.4
797	ROOY_037.025de	0.375	0.125	0.125	0.375	0.25	0.25	390	0.375	0.125	31.1	34.1	16.2	7.7	17.9	25.4
798	ROOY_025.012de	0.25	0.125	0.125	0.25	0.125	0.187	390	0.25	0.125	27.4	31.1	8.1	3.8	8.9	25.4
799	G50B_012.012de	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
800	G50B_012.025de	0.0	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
801	ROOY_100.100de	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
802	ROOY_087.087de	0.875	0.0	0.0	0.875	0.75	0.437	390	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0
803	ROOY_075.075de	0.75	0.0	0.0	0.75	0.25	0.312	390	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0
804	ROOY_062.062de	0.625	0.0	0.0	0.625	0.625	0.312	390	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0
805	ROOY_050.050de	0.5														



TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS

TUB material: code=rha4ta

application for measurement of offset print output, separation cmyn6* (CMYK)

n		HVC-Fide		rgb-Fide		LabCh-Fide		cmyn* _{sep} -Fide		rgb* _{Mid}		LabCh* _{Mid}	
972	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
973	NW_012de	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
974	NW_025de	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
975	NW_037de	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
976	NW_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
977	NW_062de	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
978	NW_075de	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
979	NW_087de	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
980	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
981	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
982	NW_012de	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
983	NW_025de	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
984	NW_037de	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
985	NW_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
986	NW_062de	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
987	NW_075de	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
988	NW_087de	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
989	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
990	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
991	NW_012de	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
992	NW_025de	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
993	NW_037de	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
994	NW_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
995	NW_062de	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
996	NW_075de	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
997	NW_087de	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
998	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
999	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1000	NW_012de	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1001	NW_025de	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1002	NW_037de	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1003	NW_050de	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1004	NW_062de	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1005	NW_075de	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1006	NW_087de	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1007	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1008	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1009	NW_006de	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1010	NW_013de	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1011	NW_020de	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1012	NW_026de	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1013	NW_033de	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1014	NW_040de	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1015	NW_046de	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1016	NW_053de	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1017	NW_060de	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1018	NW_066de	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1019	NW_073de	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1020	NW_080de	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1021	NW_086de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1022	NW_093de	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1023	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1024	NW_000de	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1025	NW_006de	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1026	NW_013de	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1027	NW_020de	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1028	NW_026de	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1029	NW_033de	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1030	NW_040de	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1031	NW_046de	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1032	NW_053de	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1033	NW_060de	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1034	NW_066de	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1035	NW_073de	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1036	NW_080de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1037	NW_086de	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1038	NW_093de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1039	NW_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1040	NW_000de	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1041	NW_006de	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1042	NW_013de	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1043	NW_020de	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1044	NW_026de	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1045	NW_033de	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1046	NW_040de	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1047	NW_046de	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1048	NW_053de	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1049	NW_060de	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1050	NW_066de	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1051	NW_073de	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1052	NW_080de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page: delta

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmyk***de*

TUB-test chart QE05: hue code: H*_e=R25Y_e
colors and differences, ΔE*_a

TUB registration: 20130201-QE05/QE05L0FP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmyn6* (CMYK)

n	HC*Fide	rgb_Fide	icT_Fide	hsa_Fide	rgb*Fide	LabCH*Fide	cmyn*sep_Fide	cmyn*sep_Fide	hsaX.de	rgb*Fide	LabCH*Fide	delta
1053	NW_086de	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	85.0 0.0 0.0	0.024 0.007 0.0	0.179 0.0 0.084	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1054	NW_093de	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.2 0.0 0.0	0.02 0.005 0.0	0.084 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1055	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1056	NW_100de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1057	NW_006de	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	22.8 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1058	NW_013de	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	28.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1059	NW_020de	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	33.2 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1060	NW_026de	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	38.3 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1061	NW_033de	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	43.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1062	NW_040de	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	48.8 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1063	NW_046de	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	53.9 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1064	NW_053de	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	59.1 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1065	NW_060de	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	64.3 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1066	NW_066de	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	69.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1067	NW_073de	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	74.7 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1068	NW_080de	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	79.9 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1069	NW_086de	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	85.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1070	NW_093de	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.2 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1071	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1072	NW_100de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1073	ROY_100_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1074	G50C_100_100de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1075	G50C_100_100de	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1076	Y06C_100_100de	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	1.0 0.0 0.0	0.0 95.4 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1077	B06C_100_100de	0.0 1.0 0.0	0.0 1.0 0.0	0.0 1.0 0.0	0.0 1.0 0.0	0.0 0.0 95.4	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1078	B06C_100_100de	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360 360 360	1.0 1.0 1.0	95.4 95.4 95.4	0.0 0.0 0.0
1079	B50R_100_100de	1.0 0.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	34.8 49.2 -30.0	0.59 1.0 0.0	0.0 0.0 0.0	293 293 293	0.407 0.0 1.0	34.8 49.2 -30.0	57.7 328.6 328.6

input: *rgb/cmyk* -> *rgbde*
output: 3D-linearization to *cmyk*de*

TUB-test chart QE05: hue code: H*e=R25Ye
colors and differences, ΔE*_a