

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 46/360 = 0.12$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R25Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_- ,Ma$: 56 48 50 69 46

HIC^*_- ,Ma : R25Y_100_100_

$rgbic^*_- ,Ma$:

1.0 0.23 0.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart QE08; hue code: $H^*_- = R25Y_-$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R25Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 50 59 51 78 41

$HIC^*_{e,Ma}$: R25Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.16 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352



TUB-test chart QE08; hue code: $H^*_e=R25Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R25Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 50 \ 59 \ 51 \ 78 \ 41$

$HIC^*_e, Ma: R25Y_100_100_e$

$rgbic^*_e, Ma:$

1.0 0.16 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



1-013231-L0 QE080-71

TUB-test chart QE08; hue code: $H^*_e = R25Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R25Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 50 59 51 78 41

$HIC^*_{e,Ma}$: R25Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.16 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



TUB-test chart QE08; hue code: $H^*_e=R25Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$

$H^*_e = R25Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R25Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 50 59 51 78 41

$HIC^*_{e,Ma}$: R25Y_100_100_e

$rgbic^*_{e,Ma}$:

1.0 0.16 0.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



1-013431-L0 QE080-71

TUB-test chart QE08; hue code: $H^*_e=R25Y_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS
application for measurement of offset print output, separation $cmy0$ (CMY0)

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE08/QE08L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/33


see similar files: <http://130.149.60.45/~farbmetrik/QE08/QE08.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

1-013531-L0 QE080-71




TUB-test chart QE08; hue code: $H^*_e=R25Y_e$
Test chart according to DIN 33872, 3D=0, $de=1$, $cmy0$

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013531-E0



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
2. For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \sin(150)}{1 / r^*_d \sin(30) + g^*_d \sin(150)} + b^*_d \sin(270) \right] \quad (1)$$
3. For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours e : $h_{ab,e} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
4. For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
5. For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
6. The values rgb^*_e produce the output of the device-independent elementary hues

1-013631-L0 QE080-71 LAB*_{ab}0, YN=0%, XY Z_{nm}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{nm}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE08; hue code: H*_e=R25Y_e
48 step hue circles; $rgb-LabCh$ -tables



TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS
+ application for measurement of offset print output, separate

TUB material: code=rha4ta
my0 (CMY0)

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

[illegible]

input: $r\bar{q}$
output: t

TUB-test chart QE08; hue code: $H^*_e=R25Y_e$
48 step hue circles: *rab-LabCh**tables

Output: Offset standard print; separation cmy0*, D65, page 8/33

```
input: rgb/cmyk -> rgb
output: transfer to cmv0.
```

Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$										Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$									
LAB* $_{d64M}$ (x=LabCh)										LAB* $_{d64M}$ (x=LabCh)									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	rgb^*_s	rgb^*_e	rgb^*_d	rgb^*_s	rgb^*_e	rgb^*_e	rgb^*_d	rgb^*_s	rgb^*_e	rgb^*_d	rgb^*_s	rgb^*_e	rgb^*_d	rgb^*_s	rgb^*_e	rgb^*_e
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4
46.8	45.0	42.1	1.0	0.25	0.0	51.9	55.5	76.0	46.8	46.8	46.8	45.0	42.1	1.0	0.25	0.0	51.9	55.5	76.0
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2
306.2	270.0	271.7	0.0	0.0	1.0	25.9	29.5	-40.4	50.0	306.2	306.2	270.0	271.7	0.0	0.0	1.0	25.9	29.5	-40.4
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8



TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{d361M}	LAB^*_{d361MI}	$LAB^*_{ds361MI}$	$rgb^*_{ds361MI}$	rgb^*_{s361MI}	$rgb^*_{ds361MI}$	rgb^*_{s361MI}
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8
115	121	128	0.0	69.9	-30.5	65.4	72.2	115	
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0
118	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4
119	125	132	0.416	1.0	0.0	67.3	-33.8	61.0	69.8
120	126	133	0.4	1.0	0.0	66.7	-34.5	59.9	69.2
121	127	134	0.383	1.0	0.0	66.0	-35.2	58.8	68.6
122	128	135	0.366	1.0	0.0	65.2	-36.4	57.6	68.2
123	129	136	0.35	1.0	0.0	64.2	-38.2	56.2	67.9
124	130	137	0.333	1.0	0.0	63.2	-39.8	54.7	67.7
125	131	138	0.316	1.0	0.0	62.3	-41.4	53.2	67.5
126	132	139	0.3	1.0	0.0	61.3	-43.0	51.7	67.3
127	133	140	0.283	1.0	0.0	60.3	-44.5	50.1	67.0
128	134	141	0.266	1.0	0.0	59.3	-45.9	48.5	66.8
129	135	142	0.25	1.0	0.0	58.4	-47.3	46.8	66.6
130	136	143	0.233	1.0	0.0	57.9	-48.3	45.8	66.5
131	137	144	0.216	1.0	0.0	57.4	-49.2	44.7	66.5
132	138	145	0.2	1.0	0.0	56.9	-50.1	43.6	66.5
133	139	146	0.183	1.0	0.0	56.4	-51.0	42.5	66.4
134	140	147	0.166	1.0	0.0	55.9	-51.9	41.4	66.4
135	141	148	0.15	1.0	0.0	55.4	-52.7	40.3	66.4
136	142	149	0.133	1.0	0.0	54.9	-53.5	39.1	66.3
137	143	150	0.116	1.0	0.0	54.4	-54.7	38.0	66.6
138	144	151	0.1	1.0	0.0	53.7	-56.2	37.0	67.3
139	145	152	0.083	1.0	0.0	53.1	-57.7	35.9	68.0
140	146	153	0.066	1.0	0.0	52.5	-59.2	34.7	68.7
141	147	154	0.049	1.0	0.0	51.9	-60.7	33.5	69.4
142	148	155	0.033	1.0	0.0	51.3	-62.2	32.2	70.0
143	149	156	0.016	1.0	0.0	50.6	-63.6	30.9	70.7
144	150	157	0.0	1.0	0.0	50.0	-65.0	29.6	71.4
145	151	158	0.0	1.0	0.0	0.016	50.1	-64.7	28.5
146	152	159	0.0	1.0	0.0	0.033	50.1	-64.5	27.4
147	153	160	0.0	1.0	0.0	0.05	50.2	-64.2	26.4
148	154	161	0.0	1.0	0.0	0.066	50.3	-63.9	25.4
149	155	162	0.0	1.0	0.0	0.083	50.3	-63.6	24.4
150	156	163	0.0	1.0	0.0	0.1	50.4	-63.3	23.4
151	157	164	0.0	1.0	0.0	0.116	50.5	-62.9	22.4
152	158	165	0.0	1.0	0.0	0.133	50.5	-62.5	21.2
153	159	166	0.0	1.0	0.0	0.15	50.6	-62.1	19.9
154	160	167	0.0	1.0	0.0	0.166	50.7	-61.6	18.7
155	161	168	0.0	1.0	0.0	0.183	50.8	-61.1	17.4
156	162	169	0.0	1.0	0.0	0.2	50.9	-60.6	16.2
157	163	170	0.0	1.0	0.0	0.216	51.0	-60.1	15.0
158	164	171	0.0	1.0	0.0	0.233	51.1	-59.5	13.9
159	165	172	0.0	1.0	0.0	0.25	51.2	-58.9	12.7
160	166	173	0.0	1.0	0.0	0.26	51.3	-58.5	11.8
161	167	174	0.0	1.0	0.0	0.27	51.4	-58.1	10.8
162	168	175	0.0	1.0	0.0	0.28	51.5	-57.7	9.7
163	169	176	0.0	1.0	0.0	0.29	51.6	-57.3	8.7
164	170	177	0.0	1.0	0.0	0.3	51.5	-56.9	7.7
165	171	178	0.0	1.0	0.0	0.313	51.6	-56.4	6.8
166	172	179	0.0	1.0	0.0	0.325	51.7	-55.9	5.8
167	173	180	0.0	1.0	0.0	0.338	51.8	-55.5	4.9
168	174	181	0.0	1.0	0.0	0.351	51.9	-55.1	4.0
169	175	182	0.0	1.0	0.0	0.364	52.0	-54.6	3.1
170	176	183	0.0	1.0	0.0	0.376	52.1	-54.1	2.2
171	177	184	0.0	1.0	0.0	0.388	52.2	-53.6	1.3
172	178	185	0.0	1.0	0.0	0.4	52.1	-53.1	0.4
173	179	186	0.0	1.0	0.0	0.417	52.1	-52.5	-0.4
174	180	187	0.0	1.0	0.0	0.429	52.0	-51.9	-1.3
175	181	188	0.0	1.0	0.0	0.441	51.9	-51.3	-2.2
176	182	189	0.0	1.0	0.0	0.453	51.8	-50.7	-3.1
177	183	190	0.0	1.0	0.0	0.465	51.7	-50.1	-4.0
178	184	191	0.0	1.0	0.0	0.477	51.6	-49.5	-4.9
179	185	192	0.0	1.0	0.0	0.489	51.5	-48.9	-5.8
180	186	193	0.0	1.0	0.0	0.501	51.4	-48.3	-6.7
181	187	194	0.0	1.0	0.0	0.513	51.3	-47.7	-7.6
182	188	195	0.0	1.0	0.0	0.525	51.2	-47.1	-8.5
183	189	196	0.0	1.0	0.0	0.537	51.1	-46.5	-9.4
184	190	197	0.0	1.0	0.0	0.549	51.0	-45.9	-10.3
185	191	198	0.0	1.0	0.0	0.561	50.9	-45.3	-11.2
186	192	199	0.0	1.0	0.0	0.573	50.8	-44.7	-12.1
187	193	200	0.0	1.0	0.0	0.585	50.7	-44.1	-13.0
188	194	201	0.0	1.0	0.0	0.597	50.6	-43.5	-13.9
189	195	202	0.0	1.0	0.0	0.609	50.5	-42.9	-14.8
190	196	203	0.0	1.0	0.0	0.621	50.4	-42.3	-15.7
191	197	204	0.0	1.0	0.0	0.633	50.3	-41.7	-16.6
192	198	205	0.0	1.0	0.0	0.645	50.2	-41.1	-17.5
193	199	206	0.0	1.0	0.0	0.657	50.1	-40.5	-18.4
194	200	207	0.0	1.0	0.0	0.669	50.0	-39.9	-19.3
195	201	208	0.0	1.0	0.0	0.681	49.9	-39.3	-20.2
196	202	209	0.0	1.0	0.0	0.693	49.8	-38.7	-21.1
197	203	210	0.0	1.0	0.0	0.705	49.7	-38.1	-22.0
198	204	211	0.0	1.0	0.0	0.717	49.6	-37.5	-22.9
199	205	212	0.0	1.0	0.0	0.729	49.5	-36.9	-23.8
200	206	213	0.0	1.0	0.0	0.741	49.4	-36.3	-24.7
201	207	214	0.0	1.0	0.0	0.753	49.3	-35.7	-25.6
202	208	215	0.0	1.0	0.0	0.765	49.2	-35.1	-26.5
203	209	216	0.0	1.0	0.0	0.777	49.1	-34.5	-27.4
204	210	217	0.0	1.0	0.0	0.789	49.0	-33.9	-28.3
205	211	218	0.0	1.0	0.0	0.801	48.9	-33.3	-29.2
206	212	219	0.0	1.0	0.0	0.813	48.8	-32.7	-30.1
207	213	220	0.0	1.0	0.0	0.825	48.7	-32.1	-31.0
208	214	221	0.0	1.0	0.0	0.837	48.6	-31.5	-31.9
209	215	222	0.0	1.0	0.0	0.849	48.5	-30.9	-32.8
210	216	223	0.0	1.0	0.0	0.861	48.4	-30.3	-33.7
211	217	224	0.0	1.0	0.0	0.873	48.3	-29.7	-34.6
212	218	225	0.0	1.0	0.0	0.885	48.2	-29.1	-35.5
213	219	226	0.0	1.0	0.0	0.897	48.1	-28.5	-36.4
214	220	227	0.0	1.0	0.0	0.909	48.0	-27.9	-37.3
215	221	228	0.0	1.0	0.0	0.921	47.9	-27.3	-38.2
216	222	229	0.0	1.0	0.0	0.933	47.8	-26.7	-39.1
217	223	230	0.0	1.0	0.0	0.945	47.7	-26.1	-40.0
218	224	231	0.0	1.0	0.0	0.957	47.6	-25.5	-40.9
219	225	232	0.0	1.0	0.0	0.969	47.5	-24.9	-41.8
220	226	233	0.0	1.0	0.0	0.981	47.4	-24.3	-42.7
221	227	234	0.0	1.0	0.0	0.993	47.3	-23.7	-43.6
222	228	235	0.0	1.0	0.0	1.005	47.2	-23.1	-44.5
223	229	236	0.0	1.0	0.0	1.017	47.1	-22.5	-45.4
224	230	237	0.0	1.0	0.0	1.029	47.0	-21.9	-46.3
225	231	238	0.0	1.0	0.0	1.041	46.9	-21.3	-47.2



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;									
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}	rgb^*_{ds}
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4
331	291	291	0.35	0.0	1.0	32.0	49.9	-27.5	57.0
332	292	292	0.366	0.0	1.0	32.5	51.2	-26.5	57.7
333	293	293	0.383	0.0	1.0	32.9	52.3	-25.7	58.3
334	294	294	0.4	0.0	1.0	33.3	53.2	-25.0	58.8
335	295	295	0.416	0.0	1.0	33.7	54.1	-24.4	59.4
336	296	296	0.433	0.0	1.0	34.0	55.0	-23.7	59.9
337	297	297	0.45	0.0	1.0	34.4	55.9	-23.0	60.5
338	298	298	0.466	0.0	1.0	34.8	56.8	-22.2	61.0
339	299	299	0.483	0.0	1.0	35.2	57.7	-21.5	61.6
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1

1-0131431-L0 QE080-71 LAB* h_{ab} , YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB* $nw=24.0, 0.0, 95.6, 0.0, 0.0$

TUB-test chart QE08; hue code: H* $_{e}$ =R25Y $_{e}$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk -> rgb_e$
output: transfer to $cmy0_e$

Output: Offset standard print; separation cmy0*, D65, page 15/33

48 step hue circles; *rgb-LabCh**tables

1-0131531-L0 QE080-71 LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0
Output: Offset standard print; separation cmy0*, D65, page 16

1-0131531-L0 QE080-71 LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0
Output: Offset standard print; separation cmy0*, D65, page 16

TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS
- application for measurement of offset print output, separa

TUB material: code=rha4ta
my0 (CMY0)

see similar files: <http://130.149.60.45/~farbmatrik/QE08/QE08.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmv0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

	a	b
1-0131631-I0 OE080=71	LAB*a0, YN=0%, XYZ _{D50} =36.42, 6.1, 85.4, LAB* _{D50} =24.4, 0.0, 95.6, 0.0, 0.0	


input: *rgb/cmyk* $\rightarrow$ *rgbe*
output: transfer to *cmv0*.

Output: Offset standard print: separation cmv0*. D65 page 17/33

[illegible]

TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: <http://130.149.60.45/~farbmatrik/QE08/QE08.HTM> technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



<http://130.149.60.45/~farbmatrik/QE08/QE08L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

input: *rgb/cmyk* -> *rgbe*
output: transfer to *cmy0e*

TUB-test chart QE08; hue code: H*_e=R25Y_e
colors and differences, ΔE*

nf	H* _e Fe	rgb _{Fe}	ic _{Fe}	h _s Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	h _m Fe	rgb*Me	LabCh*Me	
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.4
1/657	R13Y_100_100e	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.2
2/666	R25Y_100_100e	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.2
3/675	R38Y_100_100e	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	41.0
4/684	R50Y_100_100e	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	49.9
5/693	R63Y_100_100e	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58.8
6/702	R75Y_100_100e	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	67.8
7/711	R88Y_100_100e	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	76.7
8/720	Y00C_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	84.5
9/639	Y13C_100_100e	0.875	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	92.3
10/558	Y25C_100_100e	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.4
11/477	Y38C_100_100e	0.625	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	117.9
12/396	Y50C_100_100e	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	127.2
13/315	Y63C_100_100e	0.375	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	136.5
14/234	Y75C_100_100e	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	145.9
15/153	Y88C_100_100e	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	154.0
16/72	G00C_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	162.2
17/73	G13C_100_100e	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	169.7
18/74	G25C_100_100e	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	175.0
19/75	G38C_100_100e	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	182.3
20/76	G50C_100_100e	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	188.6
21/77	G63C_100_100e	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	196.9
22/78	G75C_100_100e	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	204.2
23/79	G88C_100_100e	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	210.5
24/80	C00B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	216.9
25/81	C13B_100_100e	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	223.3
26/62	C25B_100_100e	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	229.7
27/63	C38B_100_100e	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	237.0
28/44	C50B_100_100e	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	244.3
29/35	C63B_100_100e	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	251.6
30/26	C75B_100_100e	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	258.9
31/17	C88B_100_100e	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	265.3
32/8	B00M_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	271.7
33/89	B13M_100_100e	0.125	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	278.3
34/170	B25M_100_100e	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	285.0
35/251	B38M_100_100e	0.375	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	292.5
36/332	B50M_100_100e	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	300.1
37/413	B63M_100_100e	0.625	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	307.7
38/494	B75M_100_100e	0.75	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	315.3
39/575	B88M_100_100e	0.875	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	321.9
40/656	M00R_100_100e	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	328.6
41/655	M13R_100_100e	1.0	0.0	0.875	1.0	0.0	0.0	0.0	0.0	0.0	0.0	335.2
42/654	M25R_100_100e	1.0	0.0	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	341.8
43/653	M38R_100_100e	1.0	0.0	0.625	1.0	0.0	0.0	0.0	0.0	0.0	0.0	348.4
44/652	M50R_100_100e	1.0	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	355.0
45/651	M63R_100_100e	1.0	0.0	0.375	1.0	0.0	0.0	0.0	0.0	0.0	0.0	361.6
46/650	M75R_100_100e	1.0	0.0	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	368.2
47/649	M88R_100_100e	1.0	0.0	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	374.8
48/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	381.4
49/0	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	388.0
50/91	NW_012e	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	394.6
51/182	NW_025e	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	401.2
52/273	NW_038e	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	407.8
53/364	NW_050e	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	414.4
54/455	NW_063e	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	421.0
55/546	NW_075e	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	427.6
56/637	NW_088e	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	434.2
57/728	NW_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	440.8

Mean color difference of this page: $\Delta E^* = 20.9$

see similar files: <http://130.149.60.45/~farbmatrik/QE08/QE08.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

http://130.149.60.45/~farbmeterik/QE08/QE08LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

1-0132531-50

0E080-7N Page 26/33-F

1111

TUB-test chart QE08; hue code: $H^*_e=R25Y_e$

input: *rgb/cmyk* → *rgb*_e
output: transfer to *cmy*_{0e}

n	HIC-Fe	rgb-Fe	tot-Fe	h ₂ -Fe	rgb-Fe	LabCh-Fe	LabCh-Fe	h ₂ -Fe	DF-Fe	rgb-Fe	LabCh-Fe
486	R35Y_075_075e	0.75	0.0	0.75	0.75	0.0	0.191	40.3	54.1	25.8	60.0
487	R35Y_075_075e	0.75	0.125	0.75	0.0	0.384	40.3	55.7	15.4	57.8	15.4
488	R18Y_075_075e	0.75	0.0	0.75	0.0	0.62	40.3	58.4	4.3	58.5	4.3
489	R18Y_075_075e	0.75	0.0	0.75	0.0	0.62	40.3	58.4	4.3	58.5	4.3
490	B65R_075_075e	0.75	0.0	0.75	0.0	0.552	0.0	52.8	35.0	35.0	35.0
491	B57R_075_075e	0.75	0.0	0.75	0.0	0.452	0.0	41.6	33.6	33.6	33.6
492	B43R_087_087e	0.75	0.0	0.75	0.0	0.241	0.0	35.8	29.0	29.0	29.0
493	B43R_087_087e	0.75	0.0	0.75	0.0	0.241	0.0	35.8	29.0	29.0	29.0
494	R15Y_075_075e	0.75	0.0	0.75	0.0	0.135	0.0	36.5	31.5	31.5	31.5
495	R15Y_075_075e	0.75	0.0	0.75	0.0	0.135	0.0	36.5	31.5	31.5	31.5
496	R00Y_075_062e	0.75	0.125	0.75	0.0	0.75	0.051	0.0	41.6	49.9	35.5
497	R31Y_075_062e	0.75	0.125	0.75	0.0	0.75	0.125	0.284	46.5	45.1	21.5
498	R11Y_075_062e	0.75	0.125	0.75	0.0	0.75	0.125	0.481	46.7	46.9	11.0
499	B69R_075_062e	0.75	0.125	0.75	0.0	0.75	0.125	0.749	46.8	49.5	-0.1
500	B59R_075_062e	0.75	0.125	0.75	0.0	0.557	0.125	0.749	46.8	49.5	-0.1
501	B59R_075_062e	0.75	0.125	0.75	0.0	0.421	0.125	0.75	39.9	35.7	38.3
502	B42R_087_075e	0.75	0.125	0.75	0.0	0.326	0.125	0.75	29.8	34.9	32.6
503	B42R_087_075e	0.75	0.125	0.75	0.0	0.326	0.125	0.75	29.8	34.9	32.6
504	B36R_100_087e	0.75	0.125	0.75	0.0	0.286	0.125	0.875	36.4	30.2	39.4
505	R31Y_075_075e	0.75	0.0	0.75	0.0	0.217	0.125	1.0	35.9	30.7	-32.4
506	R18Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.184	0.0	46.2	39.2	41.4
507	R00Y_075_050e	0.75	0.0	0.75	0.0	0.75	0.197	0.125	48.4	39.6	30.6
508	R00Y_075_050e	0.75	0.0	0.75	0.0	0.75	0.25	0.378	52.8	36.1	17.2
509	B61R_075_050e	0.75	0.0	0.75	0.0	0.618	0.25	0.75	50.7	35.5	35.0
510	B50R_075_050e	0.75	0.0	0.75	0.0	0.511	0.25	0.75	48.0	29.9	-9.8
511	B40R_087_062e	0.75	0.0	0.75	0.0	0.364	0.25	0.875	44.6	24.2	-14.5
512	B34R_100_075e	0.75	0.0	0.75	0.0	0.298	0.25	1.0	43.8	24.7	-28.8
513	R38Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.298	0.0	51.2	28.7	47.5
514	R38Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.313	0.125	53.0	29.5	36.5
515	R23Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.333	0.125	55.2	29.6	25.8
516	R00Y_075_037e	0.75	0.0	0.75	0.0	0.75	0.375	0.062	59.0	27.0	12.9
517	R18Y_075_037e	0.75	0.0	0.75	0.0	0.75	0.375	0.062	59.0	27.0	12.9
518	B59R_075_037e	0.75	0.0	0.75	0.0	0.601	0.375	0.75	52.0	24.2	29.2
519	B59R_075_037e	0.75	0.0	0.75	0.0	0.601	0.375	0.75	52.0	24.2	29.2
520	B38R_087_050e	0.75	0.0	0.75	0.0	0.442	0.375	0.875	35.6	18.2	-18.0
521	R00Y_075_062e	0.75	0.0	0.75	0.0	0.38	0.375	1.0	51.6	18.7	-25.1
522	R68Y_075_075e	0.75	0.0	0.75	0.0	0.75	0.433	0.125	58.4	18.4	53.9
523	R61Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.449	0.25	60.1	19.1	31.7
524	R31Y_075_037e	0.75	0.0	0.75	0.0	0.75	0.467	0.375	62.0	19.6	20.7
525	R00Y_075_025e	0.75	0.0	0.75	0.0	0.75	0.5	0.563	65.3	18.0	8.6
526	R00Y_075_025e	0.75	0.0	0.75	0.0	0.75	0.5	0.563	65.3	18.0	8.6
527	R00Y_075_025e	0.75	0.0	0.75	0.0	0.75	0.5	0.563	65.3	18.0	8.6
528	B50R_075_025e	0.75	0.0	0.75	0.0	0.684	0.5	0.75	64.2	17.6	-2.4
529	B48R_087_037e	0.75	0.0	0.75	0.0	0.524	0.5	0.875	60.8	12.3	-14.4
530	B25R_100_050e	0.75	0.0	0.75	0.0	0.5	0.552	1.0	61.8	11.7	-20.0
531	R81Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.513	0.125	63.8	8.5	49.0
532	R81Y_075_062e	0.75	0.0	0.75	0.0	0.75	0.513	0.125	63.8	8.5	49.0
533	R76Y_075_037e	0.75	0.0	0.75	0.0	0.75	0.552	0.25	65.4	9.9	37.9
534	R68Y_075_037e	0.75	0.0	0.75	0.0	0.75	0.578	0.375	67.2	9.2	26.9
535	R00Y_075_025e	0.75	0.0	0.75	0.0	0.75	0.599	0.5	68.9	9.5	15.8
536	R00Y_075_025e	0.75	0.0	0.75	0.0	0.75	0.625	0.656	71.5	9.0	4.3
537	B50R_075_012e	0.75	0.0	0.75	0.0	0.665	0.625	0.75	69.7	5.9	-3.6
538	B25R_087_025e	0.75	0.0	0.75	0.0	0.625	0.651	0.875	69.8	5.8	-10.0
539	B15R_100_037e	0.75	0.0	0.75	0.0	0.625	0.718	1.0	72.0	5.4	-15.0
540	Y00G_075_075e	0.75	0.0	0.75	0.0	0.75	0.659	0.0	68.8	-2.7	67.8
541	Y00G_075_062e	0.75	0.0	0.75	0.0	0.75	0.674	0.125	70.3	-2.2	56.5
542	Y00G_075_050e	0.75	0.0	0.75	0.0	0.75	0.689	0.25	71.8	-1.8	45.2
543	Y00G_075_037e	0.75	0.0	0.75	0.0	0.75	0.704	0.375	73.3	-1.3	33.9
544	Y00G_075_025e	0.75	0.0	0.75	0.0	0.75	0.719	0.5	74.8	-0.9	22.6
545	Y00G_075_012e	0.75	0.0	0.75	0.0	0.75	0.734	0.625	76.3	-0.4	11.3
546	NW_075e	0.75	0.0	0.75	0.0	0.75	0.75	0.75	77.8	0.0	0.0
547	B00R_087_012e	0.75	0.0	0.75	0.0	0.75	0.807	0.875	79.7	0.1	-5.0
548	B00R_087_012e	0.75	0.0	0.75	0.0	0.75	0.864	1.0	81.7	0.3	-10.1
549	Y13G_087_087e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	73.9	-15.1	73.4
550	Y15G_087_087e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	74.9	-14.0	61.7
551	Y18G_087_062e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	75.4	-12.3	49.4
552	Y23G_087_062e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	76.1	-12.3	39.2
553	Y31G_087_037e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	77.2	-11.2	27.2
554	Y50G_087_037e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	78.4	-10.2	13.4
555	G00R_087_012e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	81.1	-7.7	-4.3
556	G00R_087_012e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	81.1	-7.7	-4.3
557	G50R_100_075e	0.75	0.0	0.875	0.0	0.875	0.875	0.0	83.6	-4.9	-10.3
558	Y26G_100_087e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
559	Y26G_100_087e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
560	Y31G_100_075e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
561	Y38G_100_062e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
562	Y50G_100_062e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
563	Y68G_100_037e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
564	G00R_100_025e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
565	G25B_100_025e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3
566	G50B_100_025e	0.75	0.0	1.0	0.0	0.75	0.961	0.0	74.9	-25.0	74.3

V L O Y

<http://130.149.60.45/~farbmatrik/QE08/QE08L0NA.TXT> /PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

[illegible][illegible]

TUB-test chart QE08; hue code: H*_e=R25Y_e
 colors and differences, ΔE^* ,
 input: *rgb/cmyk* → *rgbe*
 output: transfer to *cmy0e*

-see similar files: <http://130.149.60.45/~farbmetrik/QE08/QE08.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmatrik/QE08/QE08L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

TUB registration: 20130201-QE08/QE08L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)

see similar files: http://130.149.60.45/~farbmatrik/QE08/QE08.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

QE080-7N; Page 33/33-F

TUB-test chart QE08; hue code: H*_e=R25Y_e
colors and differences, ΔE^*

input: rgb/cmyk - > rgb_e
output: transfer to cmy0_e

n	HC*Fe	rgb_Fe	LC*Fe	h ₉₀ Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	h _{ab} Fe	rgb*Me	LabCh*Me	
1053	NW_086e	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1054	NW_093e	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1055	NW_100e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1056	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_006e	0.066	0.066	0.066	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1058	NW_013e	0.133	0.133	0.133	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1059	NW_020e	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1060	NW_026e	0.266	0.266	0.266	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1061	NW_033e	0.333	0.333	0.333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1062	NW_040e	0.4	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1063	NW_046e	0.466	0.466	0.466	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1064	NW_053e	0.533	0.533	0.533	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1065	NW_060e	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1066	NW_066e	0.666	0.666	0.666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1067	NW_073e	0.734	0.734	0.734	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1068	NW_080e	0.8	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1069	NW_086e	0.866	0.866	0.866	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1070	NW_093e	0.933	0.933	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1071	NW_100e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	ROY_100_100e	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1074	G50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1075	Y06G_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	B06B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B08B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B50B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50B_100_100e	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Mean color difference of this page:

delta E* = 10.3