

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R50Y_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 68 25 63 68 68

$HIC^*_{-,Ma}$: R50Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.5 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-113031-L0 QE180-7N

TUB-test chart QE18; hue code: $H^*_- = R50Y_-$

Test chart according to DIN 33872, 3D=1, de=1, cm_y0^*

input: $rgb/cmyk \rightarrow rgb/cmyk$

output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 58/360 = 0.16$

$H^*_e = R50Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R50Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 60\ 38\ 63\ 74\ 58$

$HIC^*_{e, Ma}: R50Y_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.39 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-113131-L0 QE180-73

TUB-test chart QE18; hue code: $H^*_e=R50Y_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$


1-113131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 58/360 = 0.16$

$H^*_e = R50Y_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = R50Y_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e, Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e, Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e, Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e, Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e, Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e, Ma}$	24.3	0.0	0.0	0.0	0
$W_{e, Ma}$	95.6	0.0	0.0	0.0	0
$R_{e, CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e, CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e, CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$: 60 38 63 74 58



$HIC^*_{e, Ma}$: R50Y_100_100_e

$rgbic^*_{e, Ma}$: 1.0 0.39 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100_100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100_100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100_100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100_100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100_100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100_100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100_100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100_100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100_100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100_100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100_100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100_100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100_100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100_100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100_100_e}$	41.4	70.4	-9.8	71.1	352



see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113231-L0 QE180-73

TUB-test chart QE18; hue code: $H^*_e=R50Y_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 58/360 = 0.16$

$H^*_e = R50Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R50Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e, Ma}$	45.6	72.2	34.4	80.0
$Y_{e, Ma}$	83.6	-3.6	90.4	90.4
$G_{e, Ma}$	50.6	-62.1	19.9	65.2
$C_{e, Ma}$	55.0	-36.2	-27.2	45.3
$B_{e, Ma}$	40.2	1.2	-40.6	40.6
$M_{e, Ma}$	31.1	47.7	-29.1	55.9
$N_{e, Ma}$	24.3	0.0	0.0	0.0
$W_{e, Ma}$	95.6	0.0	0.0	0.0
$R_{e, CIE}$	39.9	58.7	27.9	65.0
$Y_{e, CIE}$	81.2	-2.8	71.5	71.6
$G_{e, CIE}$	52.2	-42.4	13.6	44.5
$B_{e, CIE}$	30.5	1.4	-46.4	46.4

Data for maximum colour (M_a):

$LabCh^*_{e, Ma}: 60\ 38\ 63\ 74\ 58$

$HIC^*_{e, Ma}: R50Y_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.39 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0
$R25Y_100_100_e$	50.5	59.2	51.6	78.6
$R50Y_100_100_e$	60.2	38.2	63.4	74.1
$R75Y_100_100_e$	70.9	17.9	75.9	77.9
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0
$G00B_100_100_e$	50.6	-62.1	19.9	65.2
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9
$B00R_100_100_e$	40.2	1.2	-40.6	40.6
$B25R_100_100_e$	28.1	23.4	-40.3	46.7
$B50R_100_100_e$	31.1	47.7	-29.1	55.9
$B75R_100_100_e$	41.4	70.4	-9.8	71.1

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113331-L0 QE180-73

TUB-test chart QE18; hue code: $H^*_e=R50Y_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 58/360 = 0.16$

$H^*_e = R50Y_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = R50Y_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Ce,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 60\ 38\ 63\ 74\ 58$

$HIC^*_{e, Ma}: R50Y_100_100_e$

$rgbic^*_{e, Ma}$:



1.0 0.39 0.0 1.0 1.0

triangle lightness T^*

%Gamut
 $u^*_{rel} = 92$
 %Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352





see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-113431-L0 QE180-73




TUB-test chart QE18; hue code: $H^*_e=R50Y_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$



TUB registration: 20130201-QE18/QE18L0FA.TXT /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113531-L0 QE180-73

TUB-test chart QE18; hue code: $H^*_e=R50Y_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
 application for measurement of offset print output, separation cmy0* (CMY0) TUB material: code=rh4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^a _{dd}	rgb ^b _{dd}	rgb ^c _{dd}	LAB ^a _{ddx64M}	LAB ^b _{ddx64M}	LAB ^c _{ddx64M}	rgb ^a _{dsx361M}	rgb ^b _{dsx361M}	rgb ^c _{dsx361M}	LAB ^a _{dsx361M}	LAB ^b _{dsx361M}	LAB ^c _{dsx361M}	rgb ^a _{dex361M}	rgb ^b _{dex361M}	rgb ^c _{dex361M}	LAB ^a _{dex361M}	LAB ^b _{dex361M}	LAB ^c _{dex361M}														
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	52.0	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
183.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	183.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	0.106	1.0	28.1	23.3	-40.3	46.7	300

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{ab} _{dd64M}	LAB ^{ab} _{dd64M (x=LabCh)}	rgb ^{ab} _{dex361M}	LAB ^{ab} _{dex361M}
32.3	30.0	25.4	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25
38.1	37.5	33.8	1.0 0.125 0.0	48.9 62.8 49.4 79.9 38.1	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33
46.8	45.0	42.1	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46.8	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42
56.9	52.5	50.5	1.0 0.375 0.0	59.1 40.3 62.0 74.0 56.9	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49
67.1	60.0	58.8	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67.1	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58
78.6	67.5	67.2	1.0 0.625 0.0	72.1 15.4 77.1 78.6 78.6	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66
86.2	75.0	75.6	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86.2	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75
92.1	82.5	83.9	1.0 0.875 0.0	83.4 -3.4 90.2 90.2 92.1	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83	1.0 0.703 0.0 75.8 9.4 81.5 82.0 83
96.1	90.0	92.3	1.0 1.0 0.0	87.8 -10.2 95.4 96.0 96.1	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92	1.0 0.879 0.0 83.6 -3.6 90.4 90.5 92
98.8	97.5	101.0	0.875 1.0 0.0	84.3 -13.9 89.2 90.3 98.8	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100	0.807 1.0 0.0 82.4 -15.8 86.2 87.7 100
101.8	105.0	109.7	0.75 1.0 0.0	80.7 -17.5 83.5 85.3 101.8	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109	0.583 1.0 0.0 73.7 -26.1 72.7 77.3 109
107.6	112.5	118.5	0.625 1.0 0.0	75.3 -24.0 75.7 79.4 107.6	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117	0.434 1.0 0.0 68.0 -32.9 62.2 70.5 117
114.0	120.0	127.2	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114.0	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127	0.322 1.0 0.0 62.6 -40.8 53.8 67.6 127
121.4	127.5	136.0	0.375 1.0 0.0	65.7 -35.6 58.3 68.3 121.4	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135	0.249 1.0 0.0 58.4 -47.4 46.8 66.6 135
135.3	135.0	144.7	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135.3	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144	0.122 1.0 0.0 54.6 -54.2 38.4 66.5 144
144.4	142.5	153.4	0.125 1.0 0.0	54.7 -53.9 38.5 66.3 144.4	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152	0.03 1.0 0.0 51.2 -62.4 32.0 70.2 152
155.5	150.0	162.2	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155.5	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162	0.0 1.0 0.151 50.7 -62.0 19.9 65.2 162
160.7	157.5	169.0	0.0 1.0 0.125 50.5	-62.8 21.9 66.5 160.7	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168	0.0 1.0 0.261 51.3 -58.5 11.8 59.8 168
167.7	165.0	175.9	0.0 1.0 0.25 51.2	-58.9 12.7 60.3 167.7	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175	0.0 1.0 0.364 52.0 -55.0 3.9 55.2 175
176.7	172.5	182.7	0.0 1.0 0.375 52.0	-54.5 3.1 54.6 176.7	0.0 1.0 0.43 52.5 -52.2 -2.0 52.3 182	0.0 1.0 0.43 52.5 -52.2 -2.0 52.3 182
189.3	180.0	189.6	0.0 1.0 0.5 52.9	-48.6 -8.0 49.3 189.3	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189	0.0 1.0 0.502 53.0 -48.5 -8.1 49.3 189
203.2	187.5	196.4	0.0 1.0 0.625 54.0	-42.3 -18.1 46.1 203.2	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195	0.0 1.0 0.56 53.5 -45.9 -13.1 47.8 195
217.2	195.0	203.2	0.0 1.0 0.75 55.0	-36.0 -27.4 45.3 217.2	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203	0.0 1.0 0.626 54.1 -42.3 -18.1 46.1 203
228.3	202.5	210.1	0.0 1.0 0.875 55.8	-30.7 -34.5 46.2 228.3	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209	0.0 1.0 0.682 54.5 -39.6 -22.6 45.7 209
238.4	210.0	216.9	0.0 1.0 1.0 56.8	-25.5 -41.5 48.7 238.4	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216	0.0 1.0 0.747 55.0 -36.1 -27.2 45.3 216
242.9	217.5	223.8	0.0 0.875 1.0 54.1	-21.1 -41.3 46.4 242.9	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223	0.0 1.0 0.819 55.5 -33.2 -31.3 45.8 223
249.3	225.0	230.6	0.0 0.75 1.0 50.4	-15.5 -41.1 43.9 249.3	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230	0.0 1.0 0.904 56.1 -29.6 -36.1 46.8 230
256.9	232.5	237.5	0.0 0.625 1.0 46.5	-9.4 -40.8 41.9 256.9	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237	0.0 1.0 0.983 56.7 -26.2 -40.5 48.4 237
268.2	240.0	244.3	0.0 0.5 1.0 41.7	-1.2 -40.6 40.6 268.2	0.0 0.847 1.0 53.3 -19.8 -41.3 45.9 244	0.0 0.847 1.0 53.3 -19.8 -41.3 45.9 244
278.6	247.5	251.2	0.0 0.375 1.0 37.3	6.1 -40.2 40.7 278.6	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250	0.0 0.726 1.0 49.7 -14.3 -41.1 43.6 250
289.6	255.0	258.0	0.0 0.25 1.0 32.8	14.3 -40.2 42.7 289.6	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258	0.0 0.613 1.0 46.1 -8.6 -40.8 41.9 258
299.0	262.5	264.8	0.0 0.125 1.0 28.6	22.4 -40.2 46.1 299.0	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264	0.0 0.542 1.0 43.4 -3.9 -40.8 41.1 264
306.2	270.0	271.7	0.0 0.0 1.0 25.0	29.5 -40.4 50.0 306.2	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271	0.0 0.458 1.0 40.3 1.2 -40.6 40.7 271
314.7	277.5	278.8	0.125 0.0 1.0 27.9	36.0 -36.4 51.2 314.7	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278	0.0 0.378 1.0 37.5 5.9 -40.2 40.7 278
322.1	285.0	285.9	0.25 0.0 1.0 28.8	41.9 -32.5 53.1 322.1	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285	0.0 0.292 1.0 34.4 11.6 -40.3 42.0 285
333.3	292.5	293.0	0.375 0.0 1.0 32.7	51.8 -26.0 58.0 333.3	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292	0.0 0.211 1.0 31.5 16.8 -40.3 43.8 292
340.5	300.0	300.1	0.5 0.0 1.0 35.6	58.6 -20.7 62.1 340.5	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300	0.0 0.106 1.0 28.1 23.5 -40.3 46.7 300
347.9	307.5	307.2	0.625 0.0 1.0 38.1	65.4 -14.0 66.9 347.9	0.0 0.009 0.0 25.3 30.1 -40.1 50.2 306	0.0 0.009 0.0 25.3 30.1 -40.1 50.2 306
352.5	315.0	314.3	0.75 0.0 1.0 41.8	71.0 -9.2 71.6 352.5	0.0 0.12 0.0 27.8 35.8 -36.5 51.2 314	0.0 0.12 0.0 27.8 35.8 -36.5 51.2 314
356.1	322.5	321.4	0.875 0.0 1.0 44.2	75.2 -5.0 75.3 356.1	0.0 0.231 0.0 28.7 41.1 -33.2 52.9 321	0.0 0.231 0.0 28.7 41.1 -33.2 52.9 321
359.8	330.0	328.6	1.0 0.0 1.0 46.1	79.3 -0.2 79.3 359.8	0.0 0.322 0.0 31.1 47.8 -29.1 56.0 328	0.0 0.322 0.0 31.1 47.8 -29.1 56.0 328
363.0	337.5	335.7	1.0 0.0 0.875 45.9	78.2 4.1 78.3 363.0	0.0 0.408 0.0 33.5 53.7 -24.7 59.1 335	0.0 0.408 0.0 33.5 53.7 -24.7 59.1 335
366.4	345.0	342.8	1.0 0.0 0.75 45.9	77.1 8.6 77.6 366.4	0.0 0.539 0.0 36.4 60.8 -18.7 63.7 342	0.0 0.539 0.0 36.4 60.8 -18.7 63.7 342
371.1	352.5	349.9	1.0 0.0 0.625 46.0	75.6 14.8 77.0 371.1	0.0 0.667 0.0 39.3 67.4 -12.4 68.5 349	0.0 0.667 0.0 39.3 67.4 -12.4 68.5 349
375.9	360.0	357.0	1.0 0.0 0.5 45.9	74.2 21.1 77.1 375.9	0.0 0.736 0.0 41.4 70.5 -9.7 71.1 352	0.0 0.736 0.0 41.4 70.5 -9.7 71.1 352
381.2	367.5	364.1	1.0 0.0 0.375 45.8	72.9 28.3 78.3 381.2	0.0 0.81 0.0 46.1 79.3 -0.1 79.3 359	0.0 0.81 0.0 46.1 79.3 -0.1 79.3 359
385.6	375.0	371.2	1.0 0.0 0.25 45.6	72.1 34.6 80.0 385.6	0.0 0.87 0.0 46.0 76.5 11.8 77.4 368	0.0 0.87 0.0 46.0 76.5 11.8 77.4 368
389.3	382.5	378.3	1.0 0.0 0.125 45.5	71.4 40.1 81.9 389.3	0.0 0.91 0.0 48.5 74.1 22.0 77.3 376	0.0 0.91 0.0 48.5 74.1 22.0 77.3 376
392.3	390.0	385.4	1.0 0.0 0.0 45.4	70.9 44.8 83.9 392.3	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385	1.0 0.0 0.255 45.7 72.2 34.4 80.0 385



see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM_e: $h_{abe} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}dd361M, LAB^{*}ddx361Mi (x=LabCh), R_d, r_{gb}^{*}ds361Mi, LAB^{*}dsx361Mi (x=LabCh), R_s, r_{gb}^{*}dd361Mi, LAB^{*}de361Mi, dex361Mi (x=LabCh), R_e, r_{gb}^{*}dd361Mi, r_{gb}[%]dd, r_{gb}[%]ds, r_{gb}[%]de

see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE18/QE18L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4t4

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMBs; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCMB_d; h_ab,d = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCMB_e; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 14 columns of color data including L*a*b*, LabCh, and CMY0* values for various hue angles and standard colors.

1-1131031-L0 QE180-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 11/33

TUB-test chart QE18; hue code: H*_e=R50Ye 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_de output: 3D-linearization to cmy0*_de

see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18L0FA.TXT /PS application for measurement of offset print output, separation cmy0* (CMY0)

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS TUB material: code=rha4ta



see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBS; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours RYGCBS: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGCBS: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_d	dd361M	LAB*	ddx361Mi (x=LabCh)	rgb^*_s	ds361Mi	LAB*	dsx361Mi (x=LabCh)	rgb^*_e	dd361Mi	rgb^*_d	de361Mi	LAB*	dex361Mi (x=LabCh)	rgb^*_d	dd361Mi	rgb^*_d	rgb^*_s	rgb^*_e											
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.467	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.417	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.267	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.117	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.067	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.05	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G _d 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G _s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G _e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15											

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	dex361Mi (x=LabCh)	rgb [*] _{dd361Mi}	rgb [*] _{ds}	rgb [*] _{ds}	rgb [*] _{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

1-1131231-L0 QE180-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 13/33

TUB-test chart QE18; hue code: H_e=R50Y_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmy0_{de}

1-1131231-F0

see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^{ab} *_dd361M	LAB ^{ab} *_ddx361Mi (x=LabCh)	rgb ^{ab} *_ds361Mi	LAB ^{ab} *_dsx361Mi (x=LabCh)	rgb ^{ab} *_dd361Mi	rgb ^{ab} *_de361Mi	LAB ^{ab} *_dex361Mi (x=LabCh)	rgb ^{ab} *_dd361Mi	rgb ^{ab} *_ds361Mi	rgb ^{ab} *_de361Mi									
289	255	258	0.0	0.25 1.0	32.8 14.3	-40.2 42.7 289	0.0	0.657 1.0	47.5	-10.9 -40.9 42.5	255	0.0	0.25 1.0	0.0	0.613 1.0	46.1	-8.6	-40.8 41.9	258	0.0	0.25 1.0
290	256	258	0.0	0.233 1.0	32.2 15.3	-40.3 43.1 290	0.0	0.641 1.0	47.0	-10.1 -40.9 42.2	256	0.0	0.233 1.0	0.0	0.603 1.0	45.7	-7.9	-40.9 41.7	258	0.0	0.233 1.0
292	257	259	0.0	0.216 1.0	31.7 16.4	-40.3 43.6 292	0.0	0.624 1.0	46.5	-9.3 -40.8 42.0	257	0.0	0.217 1.0	0.0	0.593 1.0	45.3	-7.2	-40.9 41.6	259	0.0	0.217 1.0
293	258	260	0.0	0.2 1.0	31.1 17.5	-40.4 44.0 293	0.0	0.613 1.0	46.1	-8.6 -40.8 41.9	258	0.0	0.2 1.0	0.0	0.583 1.0	44.9	-6.6	-40.9 41.5	260	0.0	0.2 1.0
294	259	261	0.0	0.183 1.0	30.6 18.5	-40.4 44.5 294	0.0	0.602 1.0	45.7	-7.9 -40.9 41.7	259	0.0	0.183 1.0	0.0	0.573 1.0	44.5	-5.9	-40.9 41.4	261	0.0	0.183 1.0
295	260	262	0.0	0.166 1.0	30.0 19.6	-40.4 44.9 295	0.0	0.591 1.0	45.3	-7.1 -40.9 41.6	260	0.0	0.167 1.0	0.0	0.562 1.0	44.1	-5.2	-40.9 41.3	262	0.0	0.167 1.0
297	261	263	0.0	0.15 1.0	29.5 20.7	-40.4 45.4 297	0.0	0.58 1.0	44.8	-6.4 -40.9 41.5	261	0.0	0.15 1.0	0.0	0.552 1.0	43.7	-4.5	-40.9 41.2	263	0.0	0.15 1.0
298	262	264	0.0	0.133 1.0	28.9 21.8	-40.3 45.8 298	0.0	0.569 1.0	44.4	-5.7 -40.9 41.4	262	0.0	0.133 1.0	0.0	0.542 1.0	43.4	-3.9	-40.8 41.1	264	0.0	0.133 1.0
299	263	265	0.0	0.116 1.0	28.4 22.8	-40.3 46.3 299	0.0	0.558 1.0	44.0	-4.9 -40.9 41.3	263	0.0	0.117 1.0	0.0	0.532 1.0	43.0	-3.2	-40.8 41.0	265	0.0	0.117 1.0
300	264	266	0.0	0.1 1.0	27.9 23.8	-40.4 46.9 300	0.0	0.547 1.0	43.5	-4.2 -40.8 41.2	264	0.0	0.1 1.0	0.0	0.522 1.0	42.6	-2.6	-40.7 40.9	266	0.0	0.1 1.0
301	265	267	0.0	0.083 1.0	27.4 24.7	-40.4 47.4 301	0.0	0.536 1.0	43.1	-3.5 -40.8 41.1	265	0.0	0.083 1.0	0.0	0.512 1.0	42.2	-1.9	-40.7 40.8	267	0.0	0.083 1.0
302	266	268	0.0	0.066 1.0	26.9 25.7	-40.4 47.9 302	0.0	0.525 1.0	42.7	-2.8 -40.7 40.9	266	0.0	0.067 1.0	0.0	0.502 1.0	41.8	-1.3	-40.6 40.7	268	0.0	0.067 1.0
303	267	269	0.0	0.049 1.0	26.5 26.6	-40.5 48.4 303	0.0	0.514 1.0	42.3	-2.0 -40.7 40.8	267	0.0	0.05 1.0	0.0	0.491 1.0	41.4	-0.6	-40.6 40.7	269	0.0	0.05 1.0
304	268	269	0.0	0.033 1.0	26.0 27.6	-40.4 49.0 304	0.0	0.503 1.0	41.8	-1.3 -40.6 40.7	268	0.0	0.033 1.0	0.0	0.48 1.0	41.0	0.0	-40.6 40.7	269	0.0	0.033 1.0
305	269	270	0.0	0.016 1.0	25.5 28.6	-40.4 49.5 305	0.0	0.491 1.0	41.4	-0.6 -40.6 40.7	269	0.0	0.017 1.0	0.0	0.469 1.0	40.6	0.6	-40.6 40.7	270	0.0	0.017 1.0
306	270	271	0.0	0.0 1.0	25.0 29.5	-40.4 50.0 306	B _d 0.0	0.479 1.0	41.0	0.0 -40.6 40.7	270	B _s 0.0	0.0 1.0	0.0	0.458 1.0	40.3	1.2	-40.6 40.7	271	B _e 0.0	0.0 1.0
307	271	272	0.016 0.0	1.0	25.4 30.4	-39.9 50.2 307	0.0	0.467 1.0	40.6	0.7 -40.6 40.7	271	0.017 0.0	1.0	0.0	0.447 1.0	39.9	1.9	-40.5 40.7	272	0.017 0.0	1.0
308	272	273	0.033 0.0	1.0	25.8 31.3	-39.4 50.4 308	0.0	0.455 1.0	40.2	1.4 -40.6 40.7	272	0.033 0.0	1.0	0.0	0.435 1.0	39.5	2.6	-40.5 40.7	273	0.033 0.0	1.0
309	273	274	0.05 0.0	1.0	26.2 32.2	-38.9 50.5 309	0.0	0.443 1.0	39.7	2.1 -40.5 40.7	273	0.05 0.0	1.0	0.0	0.424 1.0	39.1	3.3	-40.5 40.7	274	0.05 0.0	1.0
310	274	275	0.066 0.0	1.0	26.5 33.1	-38.4 50.7 310	0.0	0.431 1.0	39.3	2.8 -40.5 40.7	274	0.067 0.0	1.0	0.0	0.413 1.0	38.7	3.9	-40.4 40.7	275	0.067 0.0	1.0
311	275	276	0.083 0.0	1.0	26.9 33.9	-37.8 50.8 311	0.0	0.419 1.0	38.9	3.5 -40.4 40.7	275	0.083 0.0	1.0	0.0	0.401 1.0	38.3	4.6	-40.3 40.7	276	0.083 0.0	1.0
313	276	277	0.1 0.0	1.0	27.3 34.8	-37.3 51.0 313	0.0	0.407 1.0	38.5	4.3 -40.4 40.7	276	0.1 0.0	1.0	0.0	0.39 1.0	37.9	5.3	-40.3 40.7	277	0.1 0.0	1.0
314	277	278	0.116 0.0	1.0	27.7 35.6	-36.7 51.1 314	0.0	0.395 1.0	38.1	5.0 -40.3 40.7	277	0.117 0.0	1.0	0.0	0.378 1.0	37.5	5.9	-40.2 40.7	278	0.117 0.0	1.0
315	278	279	0.133 0.0	1.0	27.9 36.4	-36.2 51.3 315	0.0	0.383 1.0	37.6	5.7 -40.2 40.7	278	0.133 0.0	1.0	0.0	0.367 1.0	37.1	6.6	-40.2 40.8	279	0.133 0.0	1.0
316	279	280	0.15 0.0	1.0	28.1 37.2	-35.7 51.6 316	0.0	0.371 1.0	37.2	6.4 -40.2 40.8	279	0.15 0.0	1.0	0.0	0.357 1.0	36.7	7.3	-40.2 41.0	280	0.15 0.0	1.0
317	280	281	0.166 0.0	1.0	28.2 38.0	-35.2 51.9 317	0.0	0.36 1.0	36.8	7.1 -40.2 41.0	280	0.167 0.0	1.0	0.0	0.346 1.0	36.3	8.0	-40.3 41.2	281	0.167 0.0	1.0
318	281	282	0.183 0.0	1.0	28.3 38.8	-34.7 52.1 318	0.0	0.348 1.0	36.4	7.8 -40.3 41.1	281	0.183 0.0	1.0	0.0	0.335 1.0	35.9	8.7	-40.3 41.3	282	0.183 0.0	1.0
319	282	283	0.2 0.0	1.0	28.5 39.6	-34.2 52.4 319	0.0	0.337 1.0	36.0	8.6 -40.3 41.3	282	0.2 0.0	1.0	0.0	0.324 1.0	35.5	9.4	-40.3 41.5	283	0.2 0.0	1.0
320	283	284	0.216 0.0	1.0	28.6 40.4	-33.7 52.6 320	0.0	0.326 1.0	35.6	9.3 -40.3 41.5	283	0.217 0.0	1.0	0.0	0.313 1.0	35.1	10.1	-40.3 41.7	284	0.217 0.0	1.0
321	284	285	0.233 0.0	1.0	28.7 41.2	-33.1 52.9 321	0.0	0.314 1.0	35.2	10.1 -40.3 41.7	284	0.233 0.0	1.0	0.0	0.303 1.0	34.8	10.8	-40.3 41.9	285	0.233 0.0	1.0
322	285	285	0.25 0.0	1.0	28.8 41.9	-32.5 53.1 322	0.0	0.303 1.0	34.8	10.8 -40.3 41.9	285	0.25 0.0	1.0	0.0	0.292 1.0	34.4	11.6	-40.3 42.0	285	0.25 0.0	1.0
323	286	286	0.266 0.0	1.0	29.4 43.3	-31.8 53.8 323	0.0	0.291 1.0	34.3	11.6 -40.3 42.0	286	0.267 0.0	1.0	0.0	0.281 1.0	34.0	12.3	-40.3 42.2	286	0.267 0.0	1.0
325	287	287	0.283 0.0	1.0	29.9 44.7	-31.1 54.4 325	0.0	0.28 1.0	33.9	12.3 -40.3 42.2	287	0.283 0.0	1.0	0.0	0.27 1.0	33.6	13.0	-40.2 42.4	287	0.283 0.0	1.0
326	288	288	0.3 0.0	1.0	30.4 46.0	-30.3 55.1 326	0.0	0.269 1.0	33.5	13.1 -40.2 42.4	288	0.3 0.0	1.0	0.0	0.26 1.0	33.2	13.7	-40.2 42.5	288	0.3 0.0	1.0
328	289	289	0.316 0.0	1.0	30.9 47.3	-29.4 55.7 328	0.0	0.257 1.0	33.1	13.9 -40.2 42.6	289	0.317 0.0	1.0	0.0	0.249 1.0	32.8	14.4	-40.1 42.7	289	0.317 0.0	1.0
329	290	290	0.333 0.0	1.0	31.4 48.6	-28.5 56.4 329	0.0	0.245 1.0	32.7	14.6 -40.1 42.8	290	0.333 0.0	1.0	0.0	0.236 1.0	32.4	15.2	-40.2 43.1	290	0.333 0.0	1.0
331	291	291	0.35 0.0	1.0	32.0 49.9	-27.5 57.0 331	0.0	0.232 1.0	32.2	15.5 -40.2 43.2	291	0.35 0.0	1.0	0.0	0.223 1.0	32.0	16.0	-40.3 43.4	291	0.35 0.0	1.0
332	292	292	0.366 0.0	1.0	32.5 51.2	-26.5 57.7 332	0.0	0.219 1.0	31.8	16.3 -40.3 43.6	292	0.367 0.0	1.0	0.0	0.211 1.0	31.5	16.8	-40.3 43.8	292	0.367 0.0	1.0
333	293	293	0.383 0.0	1.0	32.9 52.3	-25.7 58.3 333	0.0	0.205 1.0	31.4	17.2 -40.3 43.9	293	0.383 0.0	1.0	0.0	0.198 1.0	31.1	17.6	-40.3 44.1	293	0.383 0.0	1.0
334	294	294	0.4 0.0	1.0	33.3 53.2	-25.0 58.8 334	0.0	0.192 1.0	30.9	18.0 -40.3 44.3	294	0.4 0.0	1.0	0.0	0.186 1.0	30.7	18.4	-40.4 44.5	294	0.4 0.0	1.0
335	295	295	0.416 0.0	1.0	33.7 54.1	-24.4 59.4 335	0.0	0.179 1.0	30.5	18.9 -40.4 44.6	295	0.417 0.0	1.0	0.0	0.173 1.0	30.3	19.2	-40.4 44.8	295	0.417 0.0	1.0
336	296	296	0.433 0.0	1.0	34.0 55.0	-23.7 59.9 336	0.0	0.166 1.0	30.0	19.7 -40.3 45.0	296	0.433 0.0	1.0	0.0	0.161 1.0	29.9	20.1	-40.3 45.1	296	0.433 0.0	1.0
337	297	297	0.45 0.0	1.0	34.4 55.9	-23.0 60.5 337	0.0	0.152 1.0	29.6	20.6 -40.3 45.4	297	0.45 0.0	1.0	0.0	0.148 1.0	29.4	20.9	-40.3 45.5	297	0.45 0.0	1.0
338	298	298	0.466 0.0	1.0	34.8 56.8	-22.2 61.0 338	0.0	0.139 1.0	29.1	21.5 -40.3 45.7	298	0.467 0.0	1.0	0.0	0.136 1.0	29.0	21.7	-40.3 45.8	298	0.467 0.0	1.0
339	299	299	0.483 0.0	1.0	35.2 57.7	-21.5 61.6 339	0.0	0.126 1.0	28.7	22.3 -40.2 46.1	299	0.483 0.0	1.0	0.0	0.122 1.0	28.6	22.6	-40.2 46.2	299	0.483 0.0	1.0
340	300	300	0.5 0.0	1.0	35.6 58.6	-20.7 62.1 340	0.0	0.109 1.0	28.2	23.3 -40.3 46.6	300	0.5 0.0	1.0	0.0	0.106 1.0	28.1	23.5	-40.3 46.7	300	0.5 0.0	1.0



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}*_dd361M, LAB*_d, ddx361Mi (x=LabCh), r_{gb}*_ds361Mi, LAB*_s, dsx361Mi (x=LabCh), r_{gb}*_dd361Mi, LAB*_e, dex361Mi (x=LabCh), r_{gb}*_dd361Mi, M_d, M_s, M_e. Rows 340-366.



see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE18/QE18L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_C: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{dd}	rgb* _{ds}	rgb* _{de}												
366	345	342	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366	0.576	0.0	1.0	37.1	62.9	-16.7	65.1	345	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366
367	346	343	1.0	0.0	0.733	45.9	77.0	9.4	77.5	367	0.593	0.0	1.0	37.5	63.8	-15.8	65.7	346	1.0	0.0	0.733	45.9	77.0	9.4	77.5	367
367	347	344	1.0	0.0	0.716	45.9	76.8	10.3	77.5	367	0.61	0.0	1.0	37.8	64.7	-14.8	66.4	347	1.0	0.0	0.717	45.9	76.8	10.3	77.5	367
368	348	345	1.0	0.0	0.7	45.9	76.6	11.1	77.4	368	0.627	0.0	1.0	38.2	65.6	-13.8	67.1	348	1.0	0.0	0.7	45.9	76.6	11.1	77.4	368
368	349	346	1.0	0.0	0.683	45.9	76.4	11.9	77.3	368	0.654	0.0	1.0	39.0	66.8	-12.9	68.1	349	1.0	0.0	0.683	45.9	76.4	11.9	77.3	368
369	350	347	1.0	0.0	0.666	45.9	76.2	12.8	77.2	369	0.681	0.0	1.0	39.8	68.0	-11.9	69.1	350	1.0	0.0	0.667	45.9	76.2	12.8	77.2	369
370	351	348	1.0	0.0	0.65	46.0	75.9	13.6	77.2	370	0.708	0.0	1.0	40.6	69.2	-10.9	70.1	351	1.0	0.0	0.65	46.0	75.9	13.6	77.2	370
370	352	349	1.0	0.0	0.633	46.0	75.7	14.4	77.1	370	0.735	0.0	1.0	41.4	70.4	-9.8	71.1	352	1.0	0.0	0.633	46.0	75.7	14.4	77.1	370
371	353	350	1.0	0.0	0.616	46.0	75.5	15.2	77.1	371	0.765	0.0	1.0	42.1	71.6	-8.7	72.1	353	1.0	0.0	0.617	46.0	75.5	15.2	77.1	371
372	354	351	1.0	0.0	0.6	45.9	75.4	16.1	77.1	372	0.8	0.0	1.0	42.8	72.7	-7.5	73.1	354	1.0	0.0	0.6	45.9	75.4	16.1	77.1	372
372	355	352	1.0	0.0	0.583	45.9	75.2	16.9	77.1	372	0.835	0.0	1.0	43.5	73.9	-6.4	74.2	355	1.0	0.0	0.583	45.9	75.2	16.9	77.1	372
373	356	353	1.0	0.0	0.566	45.9	75.0	17.8	77.1	373	0.87	0.0	1.0	44.2	75.0	-5.1	75.2	356	1.0	0.0	0.567	45.9	75.0	17.8	77.1	373
374	357	354	1.0	0.0	0.55	45.9	74.8	18.6	77.1	374	0.904	0.0	1.0	44.7	76.2	-3.9	76.3	357	1.0	0.0	0.55	45.9	74.8	18.6	77.1	374
374	358	355	1.0	0.0	0.533	45.9	74.6	19.5	77.1	374	0.938	0.0	1.0	45.2	77.3	-2.6	77.3	358	1.0	0.0	0.533	45.9	74.6	19.5	77.1	374
375	359	356	1.0	0.0	0.516	45.9	74.4	20.3	77.1	375	0.971	0.0	1.0	45.7	78.4	-1.3	78.4	359	1.0	0.0	0.517	45.9	74.4	20.3	77.1	375
375	360	357	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375	1.0	0.0	0.994	46.1	79.3	0.0	79.3	360	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375
376	361	353	1.0	0.0	0.483	45.8	74.1	22.1	77.3	376	1.0	0.0	0.955	46.1	79.0	1.4	79.0	361	1.0	0.0	0.483	45.8	74.1	22.1	77.3	376
377	362	354	1.0	0.0	0.466	45.8	73.9	23.1	77.4	377	1.0	0.0	0.916	46.0	78.6	2.7	78.7	362	1.0	0.0	0.467	45.8	73.9	23.1	77.4	377
378	363	355	1.0	0.0	0.45	45.8	73.8	24.0	77.6	378	1.0	0.0	0.876	46.0	78.3	4.1	78.4	363	1.0	0.0	0.45	45.8	73.8	24.0	77.6	378
378	364	356	1.0	0.0	0.433	45.8	73.6	25.0	77.7	378	1.0	0.0	0.839	46.0	78.0	5.5	78.2	364	1.0	0.0	0.433	45.8	73.6	25.0	77.7	378
379	365	357	1.0	0.0	0.416	45.8	73.4	25.9	77.9	379	1.0	0.0	0.802	46.0	77.7	6.8	78.0	365	1.0	0.0	0.417	45.8	73.4	25.9	77.9	379
380	366	358	1.0	0.0	0.4	45.8	73.2	26.9	78.0	380	1.0	0.0	0.765	46.0	77.3	8.1	77.8	366	1.0	0.0	0.4	45.8	73.2	26.9	78.0	380
380	367	359	1.0	0.0	0.383	45.8	73.0	27.8	78.2	380	1.0	0.0	0.734	46.0	77.0	9.5	77.6	367	1.0	0.0	0.383	45.8	73.0	27.8	78.2	380
381	368	360	1.0	0.0	0.366	45.8	72.9	28.7	78.4	381	1.0	0.0	0.708	46.0	76.7	10.8	77.5	368	1.0	0.0	0.367	45.8	72.9	28.7	78.4	381
382	369	362	1.0	0.0	0.35	45.8	72.8	29.6	78.6	382	1.0	0.0	0.681	46.0	76.4	12.1	77.4	369	1.0	0.0	0.35	45.8	72.8	29.6	78.6	382
382	370	363	1.0	0.0	0.333	45.7	72.7	30.4	78.8	382	1.0	0.0	0.655	46.0	76.1	13.4	77.2	370	1.0	0.0	0.333	45.7	72.7	30.4	78.8	382
383	371	364	1.0	0.0	0.316	45.7	72.6	31.2	79.1	383	1.0	0.0	0.628	46.0	75.7	14.7	77.1	371	1.0	0.0	0.317	45.7	72.6	31.2	79.1	383
383	372	365	1.0	0.0	0.3	45.7	72.5	32.1	79.3	383	1.0	0.0	0.602	46.0	75.4	16.0	77.1	372	1.0	0.0	0.3	45.7	72.5	32.1	79.3	383
384	373	366	1.0	0.0	0.283	45.6	72.4	32.9	79.6	384	1.0	0.0	0.576	46.0	75.2	17.4	77.1	373	1.0	0.0	0.283	45.6	72.4	32.9	79.6	384
385	374	367	1.0	0.0	0.266	45.6	72.3	33.8	79.8	385	1.0	0.0	0.55	45.9	74.9	18.7	77.2	374	1.0	0.0	0.267	45.6	72.3	33.8	79.8	385
385	375	368	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385	1.0	0.0	0.524	45.9	74.5	20.0	77.2	375	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385
386	376	369	1.0	0.0	0.233	45.6	72.1	35.3	80.3	386	1.0	0.0	0.498	45.9	74.2	21.3	77.2	376	1.0	0.0	0.233	45.6	72.1	35.3	80.3	386
386	377	370	1.0	0.0	0.216	45.6	72.0	36.1	80.5	386	1.0	0.0	0.475	45.9	74.0	22.6	77.4	377	1.0	0.0	0.217	45.6	72.0	36.1	80.5	386
387	378	372	1.0	0.0	0.2	45.6	71.9	36.8	80.8	387	1.0	0.0	0.451	45.9	73.8	24.0	77.6	378	1.0	0.0	0.2	45.6	71.9	36.8	80.8	387
387	379	373	1.0	0.0	0.183	45.5	71.8	37.5	81.0	387	1.0	0.0	0.428	45.9	73.6	25.3	77.8	379	1.0	0.0	0.183	45.5	71.8	37.5	81.0	387
388	380	374	1.0	0.0	0.166	45.5	71.7	38.2	81.3	388	1.0	0.0	0.404	45.9	73.3	26.7	78.0	380	1.0	0.0	0.167	45.5	71.7	38.2	81.3	388
388	381	375	1.0	0.0	0.15	45.5	71.6	39.0	81.5	388	1.0	0.0	0.38	45.8	73.1	28.0	78.3	381	1.0	0.0	0.15	45.5	71.6	39.0	81.5	388
389	382	376	1.0	0.0	0.133	45.5	71.5	39.7	81.8	389	1.0	0.0	0.353	45.8	72.9	29.4	78.6	382	1.0	0.0	0.133	45.5	71.5	39.7	81.8	389
389	383	377	1.0	0.0	0.116	45.5	71.4	40.4	82.1	389	1.0	0.0	0.325	45.8	72.7	30.9	79.0	383	1.0	0.0	0.117	45.5	71.4	40.4	82.1	389
389	384	378	1.0	0.0	0.1	45.5	71.3	41.0	82.3	389	1.0	0.0	0.297	45.7	72.5	32.3	79.4	384	1.0	0.0	0.1	45.5	71.3	41.0	82.3	389
390	385	379	1.0	0.0	0.083	45.5	71.3	41.6	82.6	390	1.0	0.0	0.268	45.7	72.3	33.7	79.8	385	1.0	0.0	0.083	45.5	71.3	41.6	82.6	390
390	386	381	1.0	0.0	0.066	45.5	71.2	42.3	82.8	390	1.0	0.0	0.238	45.6	72.1	35.2	80.3	386	1.0	0.0	0.067	45.5	71.2	42.3	82.8	390
391	387	382	1.0	0.0	0.049	45.5	71.1	42.9	83.1	391	1.0	0.0	0.204	45.6	72.0	36.7	80.8	387	1.0	0.0	0.05	45.5	71.1	42.9	83.1	391
391	388	383	1.0	0.0	0.033	45.4	71.1	43.5	83.4	391	1.0	0.0	0.17	45.6	71.8	38.2	81.3	388	1.0	0.0	0.033	45.4	71.1	43.5	83.4	391
391	389	384	1.0	0.0	0.016	45.4	71.0	44.2	83.6	391	1.0	0.0	0.135	45.6	71.6	39.7	81.8	389	1.0	0.0	0.017	45.4	71.0	44.2	83.6	391
392	390	385	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392	1.0	0.0	0.096	45.5	71.4	41.2	82.4	390	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392

1-1131631-L0 QE180-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0


Output: Offset standard print; separation cmy0*, D65, page 17/33

TUB-test chart QE18; hue code: H*_e=R50Y_e
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{de}
output: 3D-linearization to cmy0*_de

see similar files: http://130.149.60.45/~farbmetrik/QE18/QE18.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE18/QE18L0FA.TXT /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta




http://130.149.60.45/~farbmetrik/QE18/QE18L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE18/QE18L30FA.DAT in file (F), page 18/33

Table with columns: nrf, HHC*File, rgb*File, icr*File, hsa*File, rgb*File, LabC*File, LabC*File, cmy0*sep*File, rgb*File, hsa*File, LabC*File, LabC*File, delta. Rows include color patches like R00Y, R13Y, G35C, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

Mean color difference of this page:





n#	HC*File	rgp*Rate	icc*Rate	hsa*Rate	rgp*File	LabC0*File	cmyp*sepRate	1.0	0.0	0.0	0.0	LabC0*File	rgp*File	hsa*File	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0	NV_0000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BOOR_012_012a	0.0	0.125	0.125	0.062	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	BOOR_025_025a	0.0	0.25	0.25	0.125	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	BOOR_037_037a	0.0	0.375	0.375	0.187	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	BOOR_050_050a	0.0	0.5	0.5	0.25	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	BOOR_062_062a	0.0	0.625	0.625	0.312	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	BOOR_075_075a	0.0	0.75	0.75	0.375	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	BOOR_087_087a	0.0	0.875	0.875	0.437	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	BOOR_100_100a	0.0	1.0	1.0	0.5	270	0.0	0.0	0.0	0.0	0.0	0.0	0.0	242	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	GOIB_012_012a	0.0	0.125	0.125	0.062	150	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	GOIB_025_025a	0.0	0.125	0.125	0.062	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	GOIB_037_037a	0.0	0.125	0.125	0.062	240	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	GOIB_050_050a	0.0	0.125	0.125	0.062	251	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	GOIB_062_062a	0.0	0.125	0.125	0.062	256	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	GOIB_075_075a	0.0	0.125	0.125	0.062	259	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	GOIB_087_087a	0.0	0.125	0.125	0.062	261	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	GOIB_100_100a	0.0	0.125	0.125	0.062	263	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	GOIB_012_012a	0.0	0.25	0.25	0.125	180	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	GOIB_025_025a	0.0	0.25	0.25	0.125	180	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	GOIB_037_037a	0.0	0.25	0.25	0.125	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	GOIB_050_050a	0.0	0.25	0.25	0.125	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	GOIB_062_062a	0.0	0.25	0.25	0.125	229	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	GOIB_075_075a	0.0	0.25	0.25	0.125	247	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	GOIB_087_087a	0.0	0.25	0.25	0.125	247	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	GOIB_100_100a	0.0	0.25	0.25	0.125	254	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	GOIB_012_012a	0.0	0.375	0.375	0.187	150	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	GOIB_025_025a	0.0	0.375	0.375	0.187	169	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	GOIB_037_037a	0.0	0.375	0.375	0.187	191	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	GOIB_050_050a	0.0	0.375	0.375	0.187	191	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	GOIB_062_062a	0.0	0.375	0.375	0.187	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	GOIB_075_075a	0.0	0.375	0.375	0.187	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	GOIB_087_087a	0.0	0.375	0.375	0.187	224	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	GOIB_100_100a	0.0	0.375	0.375	0.187	224	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	GOIB_012_012a	0.0	0.625	0.625	0.312	233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	GOIB_025_025a	0.0	0.625	0.625	0.312	233	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35	GOIB_037_037a	0.0	0.625	0.625	0.312	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36	GOIB_050_050a	0.0	0.625	0.625	0.312	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37	GOIB_062_062a	0.0	0.625	0.625	0.312	161	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	GOIB_075_075a	0.0	0.625	0.625	0.312	173	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39	GOIB_087_087a	0.0	0.625	0.625	0.312	187	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40	GOIB_100_100a	0.0	0.625	0.625	0.312	199	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41	GOIB_012_012a	0.0	0.875	0.875	0.437	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42	GOIB_025_025a	0.0	0.875	0.875	0.437	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43	GOIB_037_037a	0.0	0.875	0.875	0.437	226	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44	GOIB_050_050a	0.0	0.875	0.875	0.437	226	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45	GOIB_062_062a	0.0	0.875	0.875	0.437	150	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46	GOIB_075_075a	0.0	0.875	0.875	0.437	161	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47	GOIB_087_087a	0.0	0.875	0.875	0.437	173	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48	GOIB_100_100a	0.0	0.875	0.875	0.437	187	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49	GOIB_012_012a	0.0	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50	GOIB_025_025a	0.0	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51	GOIB_037_037a	0.0	1.0	1.0	0.5	219	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52	GOIB_050_050a	0.0	1.0	1.0	0.5	232	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53	GOIB_062_062a	0.0	1.0	1.0	0.5	232	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54	GOIB_075_075a	0.0	1.0	1.0	0.5	150	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55	GOIB_087_087a	0.0	1.0	1.0	0.5	159	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56	GOIB_100_100a	0.0	1.0	1.0	0.5	169	0.0	0.0	0.0	0.0	0.0	0.0	0.0	158	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57	GOIB_012_012a	0.0																					

Table with 16 columns: n, HHC*File, rpb*File, icr*File, hsa*File, rpb*File, LabCIE*File, LabCIE*File, cmy0*sep*File, hsa*File, hsa*File, rpb*File, LabCIE*File, LabCIE*File, delta. Rows include color names like B00Y, B25K, B15K, etc.

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de


Mean color difference of this page: delta

QE180-TN; Page 21/33-F

TUB-test chart QE18; hue code: H*e=R50Ye colors and differences, ΔE*




TUB registration: 20130201-QE18/QE18L0FA.TXT /.PS TUB material: code=rha4ta
 application for measurement of offset print output, separation cmy0* (CMY0)



n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCM*File	cmyp*sep*File	hsa*File	rgb*File	LabCM*File	delta
162	ROY_025_025c	0.25	0.0	0.25	0.0	0.063	29.6	18.0	0.0	0.963	0.0
163	ROY_025_025a	0.25	0.0	0.25	0.0	0.25	28.6	17.6	0.0	0.767	34.4
164	ROY_025_025b	0.25	0.0	0.25	0.0	0.25	28.6	18.0	0.0	0.833	800
165	B5R_037_037a	0.25	0.0	0.25	0.0	0.25	26.0	11.9	0.0	0.736	71.1
166	B5R_037_037b	0.25	0.0	0.25	0.0	0.25	26.0	11.9	0.0	0.321	-9.8
167	B5R_037_037c	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
168	B5R_037_037d	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.365	-38.4
169	B5R_037_037e	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
170	B5R_037_037f	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
171	B5R_037_037g	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
172	B5R_037_037h	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
173	B5R_037_037i	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
174	B5R_037_037j	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
175	B5R_037_037k	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
176	B5R_037_037l	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
177	B5R_037_037m	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
178	B5R_037_037n	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
179	B5R_037_037o	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
180	B5R_037_037p	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
181	B5R_037_037q	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
182	B5R_037_037r	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
183	B5R_037_037s	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
184	B5R_037_037t	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
185	B5R_037_037u	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
186	B5R_037_037v	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
187	B5R_037_037w	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
188	B5R_037_037x	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
189	B5R_037_037y	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
190	B5R_037_037z	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
191	B5R_037_037aa	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
192	B5R_037_037ab	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
193	B5R_037_037ac	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
194	B5R_037_037ad	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
195	B5R_037_037ae	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
196	B5R_037_037af	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
197	B5R_037_037ag	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
198	B5R_037_037ah	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
199	B5R_037_037ai	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
200	B5R_037_037aj	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
201	B5R_037_037ak	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
202	B5R_037_037al	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
203	B5R_037_037am	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
204	B5R_037_037an	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
205	B5R_037_037ao	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
206	B5R_037_037ap	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
207	B5R_037_037aq	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
208	B5R_037_037ar	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
209	B5R_037_037as	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
210	B5R_037_037at	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
211	B5R_037_037au	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
212	B5R_037_037av	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
213	B5R_037_037aw	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
214	B5R_037_037ax	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
215	B5R_037_037ay	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
216	B5R_037_037az	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
217	B5R_037_037ba	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
218	B5R_037_037bb	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
219	B5R_037_037bc	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
220	B5R_037_037bd	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
221	B5R_037_037be	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
222	B5R_037_037bf	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
223	B5R_037_037bg	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
224	B5R_037_037bh	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
225	B5R_037_037bi	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
226	B5R_037_037bj	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
227	B5R_037_037bk	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
228	B5R_037_037bl	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
229	B5R_037_037bm	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
230	B5R_037_037bn	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
231	B5R_037_037bo	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
232	B5R_037_037bp	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
233	B5R_037_037bq	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
234	B5R_037_037br	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
235	B5R_037_037bs	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
236	B5R_037_037bt	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
237	B5R_037_037bu	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
238	B5R_037_037bv	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
239	B5R_037_037bw	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
240	B5R_037_037bx	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
241	B5R_037_037by	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7
242	B5R_037_037bz	0.25	0.0	0.25	0.0	0.375	25.1	12.3	0.0	0.105	327.7

see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



input: rgb/cmyk -> rgbde
 output: 3D-linearization to cmy0*de

Mean color difference of this page:


QE180-TN; Page 22/33-F

I=132131-F0

http://130.149.60.45/~farbmetrik/QE18/QE18LOFA.TXT /.PS; 3D-linearization
F: 3D-linearization QE18/QE18LE30FA.DAT in file (F), page 23/33

Table with 12 columns: n, HHC*File, rgb*File, iet*File, Hsa*File, rgb*File, LabCM*File, cmy*sep*File, Hsa*File, rgb*File, LabCM*File, delta. It contains color calibration data for various color patches.

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de



see similar files: <http://130.149.60.45/~farbmetrik/QE18/QE18LOFA.TXT> / .PS; 3D-linearization technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/QE18/QE18LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE18/QE18LE30FA.DAT in file (F), page 24/33

Table with columns: n, HHC*File, rgb*File, icr*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, cmy0*sep*File, Hsa*File, rgb*File, LabCM*File, LabCM*File, delta. It contains 404 rows of data for various color patches.

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

TUB-test chart QE18; hue code: H*e=R50Ye colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/QE18/QE18LOFA.TXT /.PS; 3D-linearization F: 3D-linearization QE18/QE18LE30FA.DAT in file (F), page 29/33

Table with 16 columns: n, H#C*File, rpb*File, iet*File, H#s*File, rpb*File, LabCH*File, LabCH*sep,File, cmy0*sep,File, H#s*File, rpb*File, H#s*File, LabCH*File, LabCH*File, LabCH*File. Rows include color names like NV_1000e, G50B_100.025e, etc.

delta

Mean color difference of this page:

TUB-test chart QE18; hue code: H*_e=R50Y_e colors and differences, ΔE*_*

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

I-1132831-F0

QE180-7N; Page 29/33-F

delta

Mean color difference of this page:

TUB-test chart QE18; hue code: H*_e=R50Y_e colors and differences, ΔE*_*

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

http://130.149.60.45/~farbmetrik/QE18/QE18L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE18/QE18L0FA.DAT in file (F), page 30/33

Table with 10 columns: n, HHC*File, rpb_Rate, icr_File, hsa_Rate, rpb*File, LabC*File, LabC*File, cmy0*sep_Rate, hsa*File, rpb*File, LabC*File, LabC*File, delta. Rows include color names like NV, BOOR, YOCG, etc.

Mean color difference of this page:

TUB-test chart QE18; hue code: H*_e=R50Y_e colors and differences, ΔE*_*

input: rgb/cmyk -> rbgde output: 3D-linearization to cmy0*de

delta

QE180-TN; Page 30/33-F

I-1132931-F0

I-1132931-F0

Table with 15 columns: n, H#C*File, H#s*File, LabC*File, LabM*File, LabY*File, LabK*File, LabR*File, LabG*File, LabB*File, LabC*File, LabM*File, LabY*File, LabK*File, LabR*File, LabG*File, LabB*File. Rows include color names like B50R_100_012de, B50R_100_025de, etc.

input: rgb/cmyk -> rgbdelta output: 3D-linearization to cmy0*de

TUB-test chart QE18; hue code: H*e=R50Ye colors and differences, ΔE*_{ab}

Table with columns: n, H1C*File, rgb*File, iZt*File, ihs*File, ihs*File, rgb*File, LabC0*File, LabC0*File, cmy0*sep,File, LabC0*File, ihs*File, ihs*File, rgb*File, LabC0*File, LabC0*File, delta. Rows 972-1052.

Mean color difference of this page:

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

