

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 86/360 = 0.24$

$H^*_- = R75Y_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = R75Y_-$

triangle lightness T^*



| ORS18a; adapted (a) CIELAB data | | | | | |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| name | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R _{-,Ma} | 47.9 | 65.3 | 50.5 | 82.6 | 37 |
| Y _{-,Ma} | 90.3 | -10.2 | 91.7 | 92.3 | 96 |
| G _{-,Ma} | 50.9 | -62.8 | 34.9 | 71.9 | 150 |
| C _{-,Ma} | 58.6 | -30.3 | -45.0 | 54.2 | 236 |
| B _{-,Ma} | 25.7 | 31.0 | -44.4 | 54.2 | 305 |
| M _{-,Ma} | 48.1 | 75.2 | -8.3 | 75.7 | 353 |
| N _{-,Ma} | 18.0 | 0.0 | 0.0 | 0.0 | 0 |
| W _{-,Ma} | 95.4 | 0.0 | 0.0 | 0.0 | 0 |
| R _{-,CIE} | 39.9 | 58.7 | 27.9 | 65.0 | 25 |
| Y _{-,CIE} | 81.2 | -2.8 | 71.5 | 71.6 | 92 |
| G _{-,CIE} | 52.2 | -42.4 | 13.6 | 44.5 | 162 |
| B _{-,CIE} | 30.5 | 1.4 | -46.4 | 46.4 | 271 |

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 80 4 77 77 86

$HIC^*_{-,Ma}$: R75Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut



$u^*_{rel} = 92$

%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

| ORS20a; adapted (a) CIELAB data | | | | | |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| H^*_- | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100_ | 48.4 | 66.1 | 40.2 | 77.3 | 31 |
| R25Y_100_100_ | 56.8 | 48.0 | 50.5 | 69.6 | 46 |
| R50Y_100_100_ | 68.6 | 25.0 | 63.9 | 68.6 | 68 |
| R75Y_100_100_ | 80.6 | 4.8 | 77.2 | 77.3 | 86 |
| Y00G_100_100_ | 90.2 | -9.6 | 88.2 | 88.7 | 96 |
| Y25G_100_100_ | 83.2 | -18.4 | 79.9 | 81.9 | 102 |
| Y50G_100_100_ | 73.3 | -31.7 | 62.7 | 70.2 | 116 |
| Y75G_100_100_ | 62.0 | -49.7 | 43.2 | 65.8 | 139 |
| G00B_100_100_ | 55.8 | -65.2 | 33.8 | 73.4 | 152 |
| G25B_100_100_ | 59.3 | -50.3 | -9.0 | 51.0 | 190 |
| G50B_100_100_ | 63.0 | -30.5 | -42.0 | 51.9 | 234 |
| G75B_100_100_ | 45.7 | -5.7 | -44.6 | 44.9 | 262 |
| B00R_100_100_ | 27.5 | 25.9 | -47.3 | 53.9 | 298 |
| B25R_100_100_ | 38.3 | 52.6 | -28.5 | 59.8 | 331 |
| B50R_100_100_ | 49.5 | 73.5 | -9.0 | 74.0 | 353 |
| B75R_100_100_ | 48.9 | 69.3 | 12.9 | 70.4 | 10 |



see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF> / .PS; start output
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS
 application for measurement of offset print output

TUB material: code=rh4ta

1-103031-L0 QE270-7N

TUB-test chart QE27; hue code: $H^*_- = R75Y_-$

Test chart according to DIN 33872, 3D=1, de=0, cm_y0^*

input: $rgb/cmyk \rightarrow rgb/cmyk$

output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

| name | $L^*=L^*_a a^*_a$ | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------------|---------|--------------|--------------|
| R _{d,Ma} | 45.4 | 70.9 | 44.8 | 83.9 |
| Y _{d,Ma} | 87.8 | -10.2 | 95.4 | 96.0 |
| G _{d,Ma} | 50.0 | -65.0 | 29.6 | 71.4 |
| C _{d,Ma} | 56.8 | -25.5 | -41.5 | 48.7 |
| B _{d,Ma} | 25.0 | 29.5 | -40.4 | 50.0 |
| M _{d,Ma} | 46.1 | 79.3 | -0.2 | 79.3 |
| N _{d,Ma} | 24.3 | 0.0 | 0.0 | 0.0 |
| W _{d,Ma} | 95.6 | 0.0 | 0.0 | 0.0 |
| R _{d,CIE} | 39.9 | 58.7 | 27.9 | 65.0 |
| Y _{d,CIE} | 81.2 | -2.8 | 71.5 | 71.6 |
| G _{d,CIE} | 52.2 | -42.4 | 13.6 | 44.5 |
| B _{d,CIE} | 30.5 | 1.4 | -46.4 | 46.4 |

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 78 4 84 84 87

$HIC^*_{d,Ma}$: R75Y_100_100_d

$rgbic^*_{d,Ma}$:

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

| H^*_d | $L^*=L^*_a a^*_a$ | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------------|-------------------|---------|--------------|--------------|
| R00Y_100_100 _d | 45.4 | 70.9 | 44.8 | 83.9 |
| R25Y_100_100 _d | 53.0 | 53.4 | 54.8 | 76.5 |
| R50Y_100_100 _d | 64.9 | 28.9 | 68.6 | 74.5 |
| R75Y_100_100 _d | 78.6 | 4.3 | 84.7 | 84.8 |
| Y00G_100_100 _d | 87.8 | -10.2 | 95.4 | 96.0 |
| Y25G_100_100 _d | 81.2 | -17.0 | 84.3 | 86.0 |
| Y50G_100_100 _d | 70.6 | -29.7 | 66.5 | 72.8 |
| Y75G_100_100 _d | 57.9 | -48.3 | 45.8 | 66.5 |
| G00B_100_100 _d | 50.0 | -65.0 | 29.6 | 71.4 |
| G25B_100_100 _d | 52.9 | -48.6 | -8.0 | 49.3 |
| G50B_100_100 _d | 56.8 | -25.5 | -41.5 | 48.7 |
| G75B_100_100 _d | 41.7 | -1.2 | -40.6 | 40.6 |
| B00R_100_100 _d | 25.0 | 29.5 | -40.4 | 50.0 |
| B25R_100_100 _d | 35.6 | 58.6 | -20.7 | 62.1 |
| B50R_100_100 _d | 46.1 | 79.3 | -0.2 | 79.3 |
| B75R_100_100 _d | 45.9 | 74.2 | 21.1 | 77.1 |




see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE27/QE27L0FP.PDF / .PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rh4ta

1-103131-L0 QE270-72

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

| name | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|--------------------|-------------|---------|---------|--------------|--------------|
| R _{d,Ma} | 45.4 | 70.9 | 44.8 | 83.9 | 32 |
| Y _{d,Ma} | 87.8 | -10.2 | 95.4 | 96.0 | 96 |
| G _{d,Ma} | 50.0 | -65.0 | 29.6 | 71.4 | 155 |
| C _{d,Ma} | 56.8 | -25.5 | -41.5 | 48.7 | 238 |
| B _{d,Ma} | 25.0 | 29.5 | -40.4 | 50.0 | 306 |
| M _{d,Ma} | 46.1 | 79.3 | -0.2 | 79.3 | 359 |
| N _{d,Ma} | 24.3 | 0.0 | 0.0 | 0.0 | 0 |
| W _{d,Ma} | 95.6 | 0.0 | 0.0 | 0.0 | 0 |
| R _{d,CIE} | 39.9 | 58.7 | 27.9 | 65.0 | 25 |
| Y _{d,CIE} | 81.2 | -2.8 | 71.5 | 71.6 | 92 |
| G _{d,CIE} | 52.2 | -42.4 | 13.6 | 44.5 | 162 |
| B _{d,CIE} | 30.5 | 1.4 | -46.4 | 46.4 | 271 |

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 78\ 4\ 84\ 84\ 87$

$HIC^*_d, Ma: R75Y_100_100_d$

$rgbic^*_d, Ma:$

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

| H^*_d | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------------|-------------|---------|---------|--------------|--------------|
| R00Y_100_100 _d | 45.4 | 70.9 | 44.8 | 83.9 | 32 |
| R25Y_100_100 _d | 53.0 | 53.4 | 54.8 | 76.5 | 45 |
| R50Y_100_100 _d | 64.9 | 28.9 | 68.6 | 74.5 | 67 |
| R75Y_100_100 _d | 78.6 | 4.3 | 84.7 | 84.8 | 87 |
| Y00G_100_100 _d | 87.8 | -10.2 | 95.4 | 96.0 | 96 |
| Y25G_100_100 _d | 81.2 | -17.0 | 84.3 | 86.0 | 101 |
| Y50G_100_100 _d | 70.6 | -29.7 | 66.5 | 72.8 | 114 |
| Y75G_100_100 _d | 57.9 | -48.3 | 45.8 | 66.5 | 136 |
| G00B_100_100 _d | 50.0 | -65.0 | 29.6 | 71.4 | 155 |
| G25B_100_100 _d | 52.9 | -48.6 | -8.0 | 49.3 | 189 |
| G50B_100_100 _d | 56.8 | -25.5 | -41.5 | 48.7 | 238 |
| G75B_100_100 _d | 41.7 | -1.2 | -40.6 | 40.6 | 268 |
| B00R_100_100 _d | 25.0 | 29.5 | -40.4 | 50.0 | 306 |
| B25R_100_100 _d | 35.6 | 58.6 | -20.7 | 62.1 | 340 |
| B50R_100_100 _d | 46.1 | 79.3 | -0.2 | 79.3 | 359 |
| B75R_100_100 _d | 45.9 | 74.2 | 21.1 | 77.1 | 15 |



see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-103231-L0 QE270-72

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

| name | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------|-------------|---------|---------|--------------|--------------|
| R _{d, Ma} | 45.4 | 70.9 | 44.8 | 83.9 | 32 |
| Y _{d, Ma} | 87.8 | -10.2 | 95.4 | 96.0 | 96 |
| G _{d, Ma} | 50.0 | -65.0 | 29.6 | 71.4 | 155 |
| C _{d, Ma} | 56.8 | -25.5 | -41.5 | 48.7 | 238 |
| B _{d, Ma} | 25.0 | 29.5 | -40.4 | 50.0 | 306 |
| M _{d, Ma} | 46.1 | 79.3 | -0.2 | 79.3 | 359 |
| N _{d, Ma} | 24.3 | 0.0 | 0.0 | 0.0 | 0 |
| W _{d, Ma} | 95.6 | 0.0 | 0.0 | 0.0 | 0 |
| R _{d, CIE} | 39.9 | 58.7 | 27.9 | 65.0 | 25 |
| Y _{d, CIE} | 81.2 | -2.8 | 71.5 | 71.6 | 92 |
| G _{d, CIE} | 52.2 | -42.4 | 13.6 | 44.5 | 162 |
| B _{d, CIE} | 30.5 | 1.4 | -46.4 | 46.4 | 271 |

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 78\ 4\ 84\ 84\ 87$

$HIC^*_d, Ma: R75Y_100_100_d$

$rgbic^*_d, Ma:$

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

| H^*_d | $L^*=L^*_a$ | a^*_a | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------------|-------------|---------|---------|--------------|--------------|
| R00Y_100_100 _d | 45.4 | 70.9 | 44.8 | 83.9 | 32 |
| R25Y_100_100 _d | 53.0 | 53.4 | 54.8 | 76.5 | 45 |
| R50Y_100_100 _d | 64.9 | 28.9 | 68.6 | 74.5 | 67 |
| R75Y_100_100 _d | 78.6 | 4.3 | 84.7 | 84.8 | 87 |
| Y00G_100_100 _d | 87.8 | -10.2 | 95.4 | 96.0 | 96 |
| Y25G_100_100 _d | 81.2 | -17.0 | 84.3 | 86.0 | 101 |
| Y50G_100_100 _d | 70.6 | -29.7 | 66.5 | 72.8 | 114 |
| Y75G_100_100 _d | 57.9 | -48.3 | 45.8 | 66.5 | 136 |
| G00B_100_100 _d | 50.0 | -65.0 | 29.6 | 71.4 | 155 |
| G25B_100_100 _d | 52.9 | -48.6 | -8.0 | 49.3 | 189 |
| G50B_100_100 _d | 56.8 | -25.5 | -41.5 | 48.7 | 238 |
| G75B_100_100 _d | 41.7 | -1.2 | -40.6 | 40.6 | 268 |
| B00R_100_100 _d | 25.0 | 29.5 | -40.4 | 50.0 | 306 |
| B25R_100_100 _d | 35.6 | 58.6 | -20.7 | 62.1 | 340 |
| B50R_100_100 _d | 46.1 | 79.3 | -0.2 | 79.3 | 359 |
| B75R_100_100 _d | 45.9 | 74.2 | 21.1 | 77.1 | 15 |



see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-103331-L0 QE270-72

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 87/360 = 0.24$

$H^*_d = R75Y_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = R75Y_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

| name | $L^*=L^*_a a^*_a$ | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------|-------------------|---------|--------------|--------------|
| R _{d, Ma} | 45.4 | 70.9 | 44.8 | 83.9 |
| Y _{d, Ma} | 87.8 | -10.2 | 95.4 | 96.0 |
| G _{d, Ma} | 50.0 | -65.0 | 29.6 | 71.4 |
| C _{d, Ma} | 56.8 | -25.5 | -41.5 | 48.7 |
| B _{d, Ma} | 25.0 | 29.5 | -40.4 | 50.0 |
| M _{d, Ma} | 46.1 | 79.3 | -0.2 | 79.3 |
| N _{d, Ma} | 24.3 | 0.0 | 0.0 | 0.0 |
| W _{d, Ma} | 95.6 | 0.0 | 0.0 | 0.0 |
| R _{d, CIE} | 39.9 | 58.7 | 27.9 | 65.0 |
| Y _{d, CIE} | 81.2 | -2.8 | 71.5 | 71.6 |
| G _{d, CIE} | 52.2 | -42.4 | 13.6 | 44.5 |
| B _{d, CIE} | 30.5 | 1.4 | -46.4 | 46.4 |

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 78\ 4\ 84\ 84\ 87$

$HIC^*_d, Ma: R75Y_100_100_d$

$rgbic^*_d, Ma:$

1.0 0.76 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

| H^*_d | $L^*=L^*_a a^*_a$ | b^*_a | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
|---------------------------|-------------------|---------|--------------|--------------|
| R00Y_100_100 _d | 45.4 | 70.9 | 44.8 | 83.9 |
| R25Y_100_100 _d | 53.0 | 53.4 | 54.8 | 76.5 |
| R50Y_100_100 _d | 64.9 | 28.9 | 68.6 | 74.5 |
| R75Y_100_100 _d | 78.6 | 4.3 | 84.7 | 84.8 |
| Y00G_100_100 _d | 87.8 | -10.2 | 95.4 | 96.0 |
| Y25G_100_100 _d | 81.2 | -17.0 | 84.3 | 86.0 |
| Y50G_100_100 _d | 70.6 | -29.7 | 66.5 | 72.8 |
| Y75G_100_100 _d | 57.9 | -48.3 | 45.8 | 66.5 |
| G00B_100_100 _d | 50.0 | -65.0 | 29.6 | 71.4 |
| G25B_100_100 _d | 52.9 | -48.6 | -8.0 | 49.3 |
| G50B_100_100 _d | 56.8 | -25.5 | -41.5 | 48.7 |
| G75B_100_100 _d | 41.7 | -1.2 | -40.6 | 40.6 |
| B00R_100_100 _d | 25.0 | 29.5 | -40.4 | 50.0 |
| B25R_100_100 _d | 35.6 | 58.6 | -20.7 | 62.1 |
| B50R_100_100 _d | 46.1 | 79.3 | -0.2 | 79.3 |
| B75R_100_100 _d | 45.9 | 74.2 | 21.1 | 77.1 |



see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

1-103431-L0 QE270-72




TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$

1-103431-F0

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmy0* (CMY0)

see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-103531-L0 QE270-72

TUB-test chart QE27; hue code: $H^*_d=R75Y_d$
Test chart according to DIN 33872, 3D=1, $de=0$, $cmy0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmy0^*_{dd}$



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.


6. The values rgb^*_e produce the output of the device-independent elementary hues

see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF> / .PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE27/QE27L0FP.PDF / .PS
 application for measurement of offset print output, separation cmy0* (CMY0)
 TUB material: code=rh4ta

Data of maximum color M in colorimetric system offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a, d_{64M}, LAB*_{ddx64M} (x=LabCh), r_{gb}^b, d_{361M}, LAB*_{ddx361M} (x=LabCh), r_{gb}^c, d_{361M}, LAB*_{dsx361M} (x=LabCh), r_{gb}^d, d_{361M}, LAB*_{dex361M} (x=LabCh), r_{gb}^e, d_{361M}, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for various color patches.




see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

| $h_{ab,d}$ | $h_{ab,s}$ | $h_{ab,e}$ | rgb^*_d | $dd64M$ | LAB^* | $ddx64M$ (x=LabCh) | rgb^*_s | $dex361M$ | LAB^* | $dex361M$ | rgb^*_e | dd | rgb^*_s | ds | rgb^*_e | de | | | |
|------------|------------|------------|-----------|---------|---------|--------------------|-----------|-----------|---------|-----------|-----------|-------|-----------|------|-----------|-------|-------|------|-----|
| 32.3 | 30.0 | 25.4 | 1.0 | 0.0 | 0.0 | 45.4 | 70.9 | 44.8 | 83.9 | 32.3 | 1.0 | 0.0 | 0.255 | 45.7 | 72.2 | 34.4 | 80.0 | 25 | |
| 38.1 | 37.5 | 33.8 | 1.0 | 0.125 | 0.0 | 48.9 | 62.8 | 49.4 | 79.9 | 38.1 | 1.0 | 0.021 | 0.0 | 46.0 | 69.6 | 45.7 | 83.3 | 33 | |
| 46.8 | 45.0 | 42.1 | 1.0 | 0.25 | 0.0 | 53.6 | 51.9 | 55.5 | 76.0 | 46.8 | 1.0 | 0.183 | 0.0 | 51.1 | 57.9 | 52.5 | 78.1 | 42 | |
| 56.9 | 52.5 | 50.5 | 1.0 | 0.375 | 0.0 | 59.1 | 40.3 | 62.0 | 74.0 | 56.9 | 1.0 | 0.288 | 0.0 | 55.4 | 48.5 | 57.8 | 75.4 | 49 | |
| 67.1 | 60.0 | 58.8 | 1.0 | 0.5 | 0.0 | 64.9 | 28.9 | 68.6 | 74.5 | 67.1 | 1.0 | 0.398 | 0.0 | 60.3 | 38.3 | 63.5 | 74.1 | 58 | |
| 78.6 | 67.5 | 67.2 | 1.0 | 0.625 | 0.0 | 72.1 | 15.4 | 77.1 | 78.6 | 78.6 | 1.0 | 0.494 | 0.0 | 64.6 | 29.5 | 68.4 | 74.5 | 66 | |
| 86.2 | 75.0 | 75.6 | 1.0 | 0.75 | 0.0 | 77.9 | 5.4 | 83.8 | 84.0 | 86.2 | 1.0 | 0.592 | 0.0 | 70.2 | 19.3 | 75.2 | 77.6 | 75 | |
| 92.1 | 82.5 | 83.9 | 1.0 | 0.875 | 0.0 | 83.4 | -3.4 | 90.2 | 90.2 | 92.1 | 1.0 | 0.703 | 0.0 | 75.8 | 9.4 | 81.5 | 82.0 | 83 | |
| 96.1 | 90.0 | 92.3 | 1.0 | 1.0 | 0.0 | 87.8 | -10.2 | 95.4 | 96.0 | 96.1 | 1.0 | 0.879 | 0.0 | 83.6 | -3.6 | 90.4 | 90.5 | 92 | |
| 98.8 | 97.5 | 101.0 | 0.875 | 1.0 | 0.0 | 84.3 | -13.9 | 89.2 | 90.3 | 98.8 | 0.807 | 1.0 | 0.0 | 82.4 | -15.8 | 86.2 | 87.7 | 100 | |
| 101.8 | 105.0 | 109.7 | 0.75 | 1.0 | 0.0 | 80.7 | -17.5 | 83.5 | 85.3 | 101.8 | 0.583 | 1.0 | 0.0 | 73.7 | -26.1 | 72.7 | 77.3 | 109 | |
| 107.6 | 112.5 | 118.5 | 0.625 | 1.0 | 0.0 | 75.3 | -24.0 | 75.7 | 79.4 | 107.6 | 0.434 | 1.0 | 0.0 | 68.0 | -32.9 | 62.2 | 70.5 | 117 | |
| 114.0 | 120.0 | 127.2 | 0.5 | 1.0 | 0.0 | 70.6 | -29.7 | 66.5 | 72.8 | 114.0 | 0.322 | 1.0 | 0.0 | 62.6 | -40.8 | 53.8 | 67.6 | 127 | |
| 121.4 | 127.5 | 136.0 | 0.375 | 1.0 | 0.0 | 65.7 | -35.6 | 58.3 | 68.3 | 121.4 | 0.249 | 1.0 | 0.0 | 58.4 | -47.4 | 46.8 | 66.6 | 135 | |
| 135.3 | 135.0 | 144.7 | 0.25 | 1.0 | 0.0 | 58.4 | -47.3 | 46.8 | 66.6 | 135.3 | 0.122 | 1.0 | 0.0 | 54.6 | -54.2 | 38.4 | 66.5 | 144 | |
| 144.4 | 142.5 | 153.4 | 0.125 | 1.0 | 0.0 | 54.7 | -53.9 | 38.5 | 66.3 | 144.4 | 0.03 | 1.0 | 0.0 | 51.2 | -62.4 | 32.0 | 70.2 | 152 | |
| 155.5 | 150.0 | 162.2 | 0.0 | 1.0 | 0.0 | 50.0 | -65.0 | 29.6 | 71.4 | 155.5 | 0.0 | 1.0 | 0.151 | 50.7 | -62.0 | 19.9 | 65.2 | 162 | |
| 160.7 | 157.5 | 169.0 | 0.0 | 1.0 | 0.125 | 50.5 | -62.8 | 21.9 | 66.5 | 160.7 | 0.0 | 1.0 | 0.261 | 51.3 | -58.5 | 11.8 | 59.8 | 168 | |
| 167.7 | 165.0 | 175.9 | 0.0 | 1.0 | 0.25 | 51.2 | -58.9 | 12.7 | 60.3 | 167.7 | 0.0 | 1.0 | 0.364 | 52.0 | -55.0 | 3.9 | 55.2 | 175 | |
| 176.7 | 172.5 | 182.7 | 0.0 | 1.0 | 0.375 | 52.0 | -54.5 | 3.1 | 54.6 | 176.7 | 0.0 | 1.0 | 0.43 | 52.5 | -52.2 | -2.0 | 52.3 | 182 | |
| 189.3 | 180.0 | 189.6 | 0.0 | 1.0 | 0.5 | 52.9 | -48.6 | -8.0 | 49.3 | 189.3 | 0.0 | 1.0 | 0.502 | 53.0 | -48.5 | -8.1 | 49.3 | 189 | |
| 203.2 | 187.5 | 196.4 | 0.0 | 1.0 | 0.625 | 54.0 | -42.3 | -18.1 | 46.1 | 203.2 | 0.0 | 1.0 | 0.56 | 53.5 | -45.9 | -13.1 | 47.8 | 195 | |
| 217.2 | 195.0 | 203.2 | 0.0 | 1.0 | 0.75 | 55.0 | -36.0 | -27.4 | 45.3 | 217.2 | 0.0 | 1.0 | 0.626 | 54.1 | -42.3 | -18.1 | 46.1 | 203 | |
| 228.3 | 202.5 | 210.1 | 0.0 | 1.0 | 0.875 | 55.8 | -30.7 | -34.5 | 46.2 | 228.3 | 0.0 | 1.0 | 0.682 | 54.5 | -39.6 | -22.6 | 45.7 | 209 | |
| 238.4 | 210.0 | 216.9 | 0.0 | 1.0 | 1.0 | 56.8 | -25.5 | -41.5 | 48.7 | 238.4 | 0.0 | 1.0 | 0.747 | 55.0 | -36.1 | -27.2 | 45.3 | 216 | |
| 242.9 | 217.5 | 223.8 | 0.0 | 0.875 | 1.0 | 54.1 | -21.1 | -41.3 | 46.4 | 242.9 | 0.0 | 1.0 | 0.819 | 55.5 | -33.2 | -31.3 | 45.8 | 223 | |
| 249.3 | 225.0 | 230.6 | 0.0 | 0.75 | 1.0 | 50.4 | -15.5 | -41.1 | 43.9 | 249.3 | 0.0 | 1.0 | 0.904 | 56.1 | -29.6 | -36.1 | 46.8 | 230 | |
| 256.9 | 232.5 | 237.5 | 0.0 | 0.625 | 1.0 | 46.5 | -9.4 | -40.8 | 41.9 | 256.9 | 0.0 | 1.0 | 0.983 | 56.7 | -26.2 | -40.5 | 48.4 | 237 | |
| 268.2 | 240.0 | 244.3 | 0.0 | 0.5 | 1.0 | 41.7 | -1.2 | -40.6 | 40.6 | 268.2 | 0.0 | 0.847 | 1.0 | 53.3 | -19.8 | -41.3 | 45.9 | 244 | |
| 278.6 | 247.5 | 251.2 | 0.0 | 0.375 | 1.0 | 37.3 | 6.1 | -40.2 | 40.7 | 278.6 | 0.0 | 0.726 | 1.0 | 49.7 | -14.3 | -41.1 | 43.6 | 250 | |
| 289.6 | 255.0 | 258.0 | 0.0 | 0.25 | 1.0 | 32.8 | 14.3 | -40.2 | 42.7 | 289.6 | 0.0 | 0.613 | 1.0 | 46.1 | -8.6 | -40.8 | 41.9 | 258 | |
| 299.0 | 262.5 | 264.8 | 0.0 | 0.125 | 1.0 | 28.6 | 22.4 | -40.2 | 46.1 | 299.0 | 0.0 | 0.542 | 1.0 | 43.4 | -3.9 | -40.8 | 41.1 | 264 | |
| 306.2 | 270.0 | 271.7 | 0.0 | 0.0 | 1.0 | 25.0 | 29.5 | -40.4 | 50.0 | 306.2 | 0.0 | 0.458 | 1.0 | 40.3 | 1.2 | -40.6 | 40.7 | 271 | |
| 314.7 | 277.5 | 278.8 | 0.125 | 0.0 | 1.0 | 27.9 | 36.0 | -36.4 | 51.2 | 314.7 | 0.0 | 0.378 | 1.0 | 37.5 | 5.9 | -40.2 | 40.7 | 278 | |
| 322.1 | 285.0 | 285.9 | 0.25 | 0.0 | 1.0 | 28.8 | 41.9 | -32.5 | 53.1 | 322.1 | 0.0 | 0.292 | 1.0 | 34.4 | 11.6 | -40.3 | 42.0 | 285 | |
| 333.3 | 292.5 | 293.0 | 0.375 | 0.0 | 1.0 | 32.7 | 51.8 | -26.0 | 58.0 | 333.3 | 0.0 | 0.211 | 1.0 | 31.5 | 16.8 | -40.3 | 43.8 | 292 | |
| 340.5 | 300.0 | 300.1 | 0.5 | 0.0 | 1.0 | 35.6 | 58.6 | -20.7 | 62.1 | 340.5 | 0.0 | 0.106 | 1.0 | 28.1 | 23.5 | -40.3 | 46.7 | 300 | |
| 347.9 | 307.5 | 307.2 | 0.625 | 0.0 | 1.0 | 38.1 | 65.4 | -14.0 | 66.9 | 347.9 | 0.0 | 0.009 | 0.0 | 1.0 | 25.3 | 30.1 | -40.1 | 50.2 | 306 |
| 352.5 | 315.0 | 314.3 | 0.75 | 0.0 | 1.0 | 41.8 | 71.0 | -9.2 | 71.6 | 352.5 | 0.0 | 0.12 | 0.0 | 1.0 | 27.8 | 35.8 | -36.5 | 51.2 | 314 |
| 356.1 | 322.5 | 321.4 | 0.875 | 0.0 | 1.0 | 44.2 | 75.2 | -5.0 | 75.3 | 356.1 | 0.0 | 0.231 | 0.0 | 1.0 | 28.7 | 41.1 | -33.2 | 52.9 | 321 |
| 359.8 | 330.0 | 328.6 | 1.0 | 0.0 | 1.0 | 46.1 | 79.3 | -0.2 | 79.3 | 359.8 | 0.0 | 0.322 | 0.0 | 1.0 | 31.1 | 47.8 | -29.1 | 56.0 | 328 |
| 363.0 | 337.5 | 335.7 | 1.0 | 0.0 | 0.875 | 45.9 | 78.2 | 4.1 | 78.3 | 363.0 | 0.0 | 0.408 | 0.0 | 1.0 | 33.5 | 53.7 | -24.7 | 59.1 | 335 |
| 366.4 | 345.0 | 342.8 | 1.0 | 0.0 | 0.75 | 45.9 | 77.1 | 8.6 | 77.6 | 366.4 | 0.0 | 0.539 | 0.0 | 1.0 | 36.4 | 60.8 | -18.7 | 63.7 | 342 |
| 371.1 | 352.5 | 349.9 | 1.0 | 0.0 | 0.625 | 46.0 | 75.6 | 14.8 | 77.0 | 371.1 | 0.0 | 0.667 | 0.0 | 1.0 | 39.3 | 67.4 | -12.4 | 68.5 | 349 |
| 375.9 | 360.0 | 357.0 | 1.0 | 0.0 | 0.5 | 45.9 | 74.2 | 21.1 | 77.1 | 375.9 | 0.0 | 0.736 | 0.0 | 1.0 | 41.4 | 70.5 | -9.7 | 71.1 | 352 |
| 381.2 | 367.5 | 364.1 | 1.0 | 0.0 | 0.375 | 45.8 | 72.9 | 28.3 | 78.3 | 381.2 | 0.0 | 0.81 | 0.0 | 1.0 | 46.1 | 79.3 | -0.1 | 79.3 | 359 |
| 385.6 | 375.0 | 371.2 | 1.0 | 0.0 | 0.25 | 45.6 | 72.1 | 34.6 | 80.0 | 385.6 | 0.0 | 0.87 | 0.0 | 1.0 | 46.8 | 76.5 | 11.8 | 77.4 | 368 |
| 389.3 | 382.5 | 378.3 | 1.0 | 0.0 | 0.125 | 45.5 | 71.4 | 40.1 | 81.9 | 389.3 | 0.0 | 0.91 | 0.0 | 1.0 | 48.5 | 74.1 | 22.0 | 77.3 | 376 |
| 392.3 | 390.0 | 385.4 | 1.0 | 0.0 | 0.0 | 45.4 | 70.9 | 44.8 | 83.9 | 392.3 | 1.0 | 0.0 | 0.255 | 45.7 | 72.2 | 34.4 | 80.0 | 385 | |



see similar files: <http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE27/QE27L0FP.PDF / .PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb* dd361M | LAB* dex361Mi (x=LabCh) | R _d | rgb* ds361Mi | LAB* dsx361Mi (x=LabCh) | R _s | rgb* dd361Mi | LAB* de361Mi | R _e | rgb* dd361Mi | rgb* dd | rgb* ds | rgb* de |
|-------------------|-------------------|-------------------|----------------|----------------------------|----------------|--------------------|------------------------------|----------------|-----------------|--------------------------------------|----------------|-----------------|------------|------------|------------|
| 32 | 30 | 25 | 1.0 0.0 0.0 | 45.4 70.9 44.8 83.9 32 | | 1.0 0.0 0.0 | 0.096 45.5 71.4 41.2 82.4 30 | | 1.0 0.0 0.0 | 1.0 0.0 0.255 45.7 72.2 34.4 80.0 25 | | 1.0 0.0 0.0 | | | |
| 33 | 31 | 26 | 1.0 0.016 0.0 | 45.9 69.8 45.5 83.4 33 | | 1.0 0.0 0.055 45.5 | 71.2 42.8 83.1 31 | | 1.0 0.017 0.0 | 1.0 0.0 0.218 45.6 72.0 36.1 80.6 26 | | 1.0 0.017 0.0 | | | |
| 33 | 32 | 27 | 1.0 0.033 0.0 | 46.3 68.8 46.1 82.8 33 | | 1.0 0.0 0.013 45.5 | 71.0 44.4 83.7 32 | | 1.0 0.033 0.0 | 1.0 0.0 0.18 45.6 71.8 37.7 81.1 27 | | 1.0 0.033 0.0 | | | |
| 34 | 33 | 28 | 1.0 0.05 0.0 | 46.8 67.7 46.8 82.3 34 | | 1.0 0.015 0.0 | 45.9 70.0 45.5 83.5 33 | | 1.0 0.05 0.0 | 1.0 0.0 0.142 45.6 71.6 39.4 81.7 28 | | 1.0 0.05 0.0 | | | |
| 35 | 34 | 29 | 1.0 0.066 0.0 | 47.3 66.6 47.4 81.8 35 | | 1.0 0.036 0.0 | 46.5 68.6 46.3 82.8 34 | | 1.0 0.067 0.0 | 1.0 0.0 0.099 45.5 71.4 41.1 82.4 29 | | 1.0 0.067 0.0 | | | |
| 36 | 35 | 31 | 1.0 0.083 0.0 | 47.7 65.5 48.0 81.2 36 | | 1.0 0.057 0.0 | 47.1 67.3 47.1 82.1 35 | | 1.0 0.083 0.0 | 1.0 0.0 0.053 45.5 71.2 42.9 83.1 31 | | 1.0 0.083 0.0 | | | |
| 36 | 36 | 32 | 1.0 0.1 0.0 | 48.2 64.4 48.5 80.7 36 | | 1.0 0.079 0.0 | 47.6 65.9 47.9 81.4 36 | | 1.0 0.1 0.0 | 1.0 0.0 0.006 45.5 71.0 44.6 83.8 32 | | 1.0 0.1 0.0 | | | |
| 37 | 37 | 33 | 1.0 0.116 0.0 | 48.6 63.3 49.1 80.2 37 | | 1.0 0.1 0.0 | 48.2 64.5 48.6 80.7 37 | | 1.0 0.117 0.0 | 1.0 0.021 0.0 46.0 69.6 45.7 83.3 33 | | 1.0 0.117 0.0 | | | |
| 38 | 38 | 34 | 1.0 0.133 0.0 | 49.2 62.1 49.8 79.6 38 | | 1.0 0.121 0.0 | 48.8 63.1 49.3 80.1 38 | | 1.0 0.133 0.0 | 1.0 0.044 0.0 46.7 68.1 46.6 82.5 34 | | 1.0 0.133 0.0 | | | |
| 39 | 39 | 35 | 1.0 0.15 0.0 | 49.8 60.7 50.7 79.1 39 | | 1.0 0.137 0.0 | 49.4 61.8 50.1 79.6 39 | | 1.0 0.15 0.0 | 1.0 0.068 0.0 47.4 66.6 47.5 81.8 35 | | 1.0 0.15 0.0 | | | |
| 41 | 40 | 36 | 1.0 0.166 0.0 | 50.5 59.2 51.6 78.6 41 | | 1.0 0.151 0.0 | 49.9 60.6 50.9 79.1 40 | | 1.0 0.167 0.0 | 1.0 0.092 0.0 48.0 65.0 48.3 81.0 36 | | 1.0 0.167 0.0 | | | |
| 42 | 41 | 37 | 1.0 0.183 0.0 | 51.1 57.8 52.5 78.1 42 | | 1.0 0.166 0.0 | 50.5 59.4 51.6 78.7 41 | | 1.0 0.183 0.0 | 1.0 0.116 0.0 48.7 63.5 49.1 80.2 37 | | 1.0 0.183 0.0 | | | |
| 43 | 42 | 38 | 1.0 0.2 0.0 | 51.7 56.3 53.3 77.5 43 | | 1.0 0.18 0.0 | 51.0 58.1 52.3 78.2 42 | | 1.0 0.2 0.0 | 1.0 0.135 0.0 49.3 62.0 49.9 79.6 38 | | 1.0 0.2 0.0 | | | |
| 44 | 43 | 39 | 1.0 0.216 0.0 | 52.4 54.9 54.0 77.0 44 | | 1.0 0.194 0.0 | 51.6 56.9 53.0 77.8 43 | | 1.0 0.217 0.0 | 1.0 0.151 0.0 49.9 60.7 50.8 79.1 39 | | 1.0 0.217 0.0 | | | |
| 45 | 44 | 41 | 1.0 0.233 0.0 | 53.0 53.4 54.8 76.5 45 | | 1.0 0.209 0.0 | 52.1 55.6 53.7 77.3 44 | | 1.0 0.233 0.0 | 1.0 0.167 0.0 50.5 59.3 51.7 78.6 41 | | 1.0 0.233 0.0 | | | |
| 46 | 45 | 42 | 1.0 0.25 0.0 | 53.6 51.9 55.5 76.0 46 | | 1.0 0.223 0.0 | 52.7 54.4 54.4 76.9 45 | | 1.0 0.25 0.0 | 1.0 0.183 0.0 51.1 57.9 52.5 78.1 42 | | 1.0 0.25 0.0 | | | |
| 48 | 46 | 43 | 1.0 0.266 0.0 | 54.4 50.4 56.5 75.7 48 | | 1.0 0.237 0.0 | 53.2 53.1 55.0 76.4 46 | | 1.0 0.267 0.0 | 1.0 0.198 0.0 51.7 56.5 53.2 77.6 43 | | 1.0 0.267 0.0 | | | |
| 49 | 47 | 44 | 1.0 0.283 0.0 | 55.1 48.9 57.4 75.4 49 | | 1.0 0.251 0.0 | 53.7 51.8 55.6 76.0 47 | | 1.0 0.283 0.0 | 1.0 0.214 0.0 52.3 55.1 54.0 77.1 44 | | 1.0 0.283 0.0 | | | |
| 50 | 48 | 45 | 1.0 0.3 0.0 | 55.8 47.4 58.4 75.2 50 | | 1.0 0.264 0.0 | 54.3 50.7 56.3 75.8 48 | | 1.0 0.3 0.0 | 1.0 0.23 0.0 52.9 53.7 54.7 76.6 45 | | 1.0 0.3 0.0 | | | |
| 52 | 49 | 46 | 1.0 0.316 0.0 | 56.6 45.8 59.2 74.9 52 | | 1.0 0.276 0.0 | 54.8 49.6 57.1 75.6 49 | | 1.0 0.317 0.0 | 1.0 0.246 0.0 53.5 52.3 55.4 76.1 46 | | 1.0 0.317 0.0 | | | |
| 53 | 50 | 47 | 1.0 0.333 0.0 | 57.3 44.2 60.1 74.6 53 | | 1.0 0.288 0.0 | 55.4 48.5 57.8 75.4 50 | | 1.0 0.333 0.0 | 1.0 0.261 0.0 54.2 51.0 56.2 75.9 47 | | 1.0 0.333 0.0 | | | |
| 54 | 51 | 48 | 1.0 0.35 0.0 | 58.0 42.7 60.9 74.4 54 | | 1.0 0.301 0.0 | 55.9 47.3 58.5 75.2 51 | | 1.0 0.35 0.0 | 1.0 0.274 0.0 54.8 49.8 57.0 75.6 48 | | 1.0 0.35 0.0 | | | |
| 56 | 52 | 49 | 1.0 0.366 0.0 | 58.8 41.1 61.7 74.1 56 | | 1.0 0.313 0.0 | 56.5 46.2 59.1 75.0 52 | | 1.0 0.367 0.0 | 1.0 0.288 0.0 55.4 48.5 57.8 75.4 49 | | 1.0 0.367 0.0 | | | |
| 57 | 53 | 51 | 1.0 0.383 0.0 | 59.5 39.5 62.5 74.0 57 | | 1.0 0.326 0.0 | 57.0 45.0 59.8 74.8 53 | | 1.0 0.383 0.0 | 1.0 0.302 0.0 56.0 47.2 58.5 75.2 51 | | 1.0 0.383 0.0 | | | |
| 59 | 54 | 52 | 1.0 0.4 0.0 | 60.3 38.1 63.5 74.1 59 | | 1.0 0.338 0.0 | 57.6 43.9 60.4 74.6 54 | | 1.0 0.4 0.0 | 1.0 0.316 0.0 56.6 45.9 59.3 75.0 52 | | 1.0 0.4 0.0 | | | |
| 60 | 55 | 53 | 1.0 0.416 0.0 | 61.0 36.6 64.5 74.1 60 | | 1.0 0.35 0.0 | 58.1 42.7 61.0 74.4 55 | | 1.0 0.417 0.0 | 1.0 0.33 0.0 57.2 44.6 60.0 74.8 53 | | 1.0 0.417 0.0 | | | |
| 61 | 56 | 54 | 1.0 0.433 0.0 | 61.8 35.1 65.4 74.2 61 | | 1.0 0.363 0.0 | 58.6 41.5 61.5 74.2 56 | | 1.0 0.433 0.0 | 1.0 0.343 0.0 57.8 43.3 60.6 74.5 54 | | 1.0 0.433 0.0 | | | |
| 63 | 57 | 55 | 1.0 0.45 0.0 | 62.6 33.6 66.2 74.3 63 | | 1.0 0.375 0.0 | 59.2 40.3 62.1 74.0 57 | | 1.0 0.45 0.0 | 1.0 0.357 0.0 58.4 42.0 61.3 74.3 55 | | 1.0 0.45 0.0 | | | |
| 64 | 58 | 56 | 1.0 0.466 0.0 | 63.3 32.0 67.1 74.4 64 | | 1.0 0.387 0.0 | 59.8 39.3 62.8 74.1 58 | | 1.0 0.467 0.0 | 1.0 0.371 0.0 59.0 40.7 61.9 74.1 56 | | 1.0 0.467 0.0 | | | |
| 65 | 59 | 57 | 1.0 0.483 0.0 | 64.1 30.5 67.9 74.4 65 | | 1.0 0.4 0.0 | 60.3 38.2 63.5 74.1 59 | | 1.0 0.483 0.0 | 1.0 0.385 0.0 59.6 39.5 62.7 74.1 57 | | 1.0 0.483 0.0 | | | |
| 67 | 60 | 58 | 1.0 0.5 0.0 | 64.9 28.9 68.6 74.5 67 | | 1.0 0.412 0.0 | 60.9 37.1 64.2 74.2 60 | | 1.0 0.5 0.0 | 1.0 0.398 0.0 60.3 38.3 63.5 74.1 58 | | 1.0 0.5 0.0 | | | |
| 68 | 61 | 60 | 1.0 0.516 0.0 | 65.8 27.2 69.9 75.0 68 | | 1.0 0.424 0.0 | 61.4 36.0 64.9 74.2 61 | | 1.0 0.517 0.0 | 1.0 0.412 0.0 60.9 37.1 64.2 74.2 60 | | 1.0 0.517 0.0 | | | |
| 70 | 62 | 61 | 1.0 0.533 0.0 | 66.8 25.5 71.1 75.6 70 | | 1.0 0.436 0.0 | 62.0 34.9 65.6 74.3 62 | | 1.0 0.533 0.0 | 1.0 0.426 0.0 61.5 35.8 65.0 74.2 61 | | 1.0 0.533 0.0 | | | |
| 71 | 63 | 62 | 1.0 0.55 0.0 | 67.7 23.8 72.3 76.1 71 | | 1.0 0.449 0.0 | 62.6 33.7 66.2 74.3 63 | | 1.0 0.55 0.0 | 1.0 0.439 0.0 62.1 34.6 65.7 74.3 62 | | 1.0 0.55 0.0 | | | |
| 73 | 64 | 63 | 1.0 0.566 0.0 | 68.7 22.0 73.5 76.7 73 | | 1.0 0.461 0.0 | 63.1 32.6 66.9 74.4 64 | | 1.0 0.567 0.0 | 1.0 0.453 0.0 62.8 33.3 66.4 74.3 63 | | 1.0 0.567 0.0 | | | |
| 74 | 65 | 64 | 1.0 0.583 0.0 | 69.7 20.2 74.6 77.3 74 | | 1.0 0.473 0.0 | 63.7 31.5 67.5 74.4 65 | | 1.0 0.583 0.0 | 1.0 0.467 0.0 63.4 32.1 67.1 74.4 64 | | 1.0 0.583 0.0 | | | |
| 76 | 66 | 65 | 1.0 0.6 0.0 | 70.6 18.3 75.6 77.8 76 | | 1.0 0.486 0.0 | 64.2 30.3 68.0 74.5 66 | | 1.0 0.6 0.0 | 1.0 0.48 0.0 64.0 30.8 67.8 74.5 65 | | 1.0 0.6 0.0 | | | |
| 77 | 67 | 66 | 1.0 0.616 0.0 | 71.6 16.4 76.6 78.4 77 | | 1.0 0.498 0.0 | 64.8 29.1 68.6 74.5 67 | | 1.0 0.617 0.0 | 1.0 0.494 0.0 64.6 29.5 68.4 74.5 66 | | 1.0 0.617 0.0 | | | |
| 79 | 68 | 67 | 1.0 0.633 0.0 | 72.5 14.8 77.6 79.0 79 | | 1.0 0.509 0.0 | 65.4 28.0 69.4 74.8 68 | | 1.0 0.633 0.0 | 1.0 0.507 0.0 65.3 28.2 69.2 74.8 67 | | 1.0 0.633 0.0 | | | |
| 80 | 69 | 68 | 1.0 0.65 0.0 | 73.2 13.6 78.5 79.7 80 | | 1.0 0.52 0.0 | 66.1 26.9 70.2 75.2 69 | | 1.0 0.65 0.0 | 1.0 0.519 0.0 66.0 27.0 70.1 75.2 68 | | 1.0 0.65 0.0 | | | |
| 81 | 70 | 70 | 1.0 0.666 0.0 | 74.0 12.3 79.5 80.4 81 | | 1.0 0.531 0.0 | 66.7 25.8 71.0 75.6 70 | | 1.0 0.667 0.0 | 1.0 0.531 0.0 66.7 25.8 71.0 75.6 70 | | 1.0 0.667 0.0 | | | |
| 82 | 71 | 71 | 1.0 0.683 0.0 | 74.8 11.0 80.4 81.1 82 | | 1.0 0.542 0.0 | 67.3 24.7 71.8 75.9 71 | | 1.0 0.683 0.0 | 1.0 0.543 0.0 67.4 24.6 71.9 76.0 71 | | 1.0 0.683 0.0 | | | |
| 83 | 72 | 72 | 1.0 0.7 0.0 | 75.6 9.6 81.3 81.9 83 | | 1.0 0.553 0.0 | 67.9 23.6 72.6 76.3 72 | | 1.0 0.7 0.0 | 1.0 0.555 0.0 68.1 23.3 72.8 76.4 72 | | 1.0 0.7 0.0 | | | |
| 84 | 73 | 73 | 1.0 0.716 0.0 | 76.3 8.3 82.2 82.6 84 | | 1.0 0.564 0.0 | 68.6 22.4 73.3 76.6 73 | | 1.0 0.717 0.0 | 1.0 0.568 0.0 68.8 22.0 73.6 76.8 73 | | 1.0 0.717 0.0 | | | |
| 85 | 74 | 74 | 1.0 0.733 0.0 | 77.1 6.9 83.0 83.3 85 | | 1.0 0.574 0.0 | 69.2 21.2 74.0 77.0 74 | | 1.0 0.733 0.0 | 1.0 0.58 0.0 69.5 20.6 74.4 77.2 74 | | 1.0 0.733 0.0 | | | |
| 86 | 75 | 75 | 1.0 0.75 0.0 | 77.9 5.4 83.8 84.0 86 | | 1.0 0.585 0.0 | 69.8 20.0 74.7 77.4 75 | | 1.0 0.75 0.0 | 1.0 0.592 0.0 70.2 19.3 75.2 77.6 75 | | 1.0 0.75 0.0 | | | |

see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF / .PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb [*] _{dd} 361M | LAB [*] _{ddx361M} (x=LabCh) | rgb [*] _{ds361Mi} | LAB [*] _{dsx361Mi} (x=LabCh) | rgb [*] _{dd361Mi} | rgb [*] _{de361Mi} | LAB [*] _{dex361Mi} (x=LabCh) | rgb [*] _{dd361Mi} | rgb [*] _{de361Mi} |
|-------------------|-------------------|-------------------|-------------------------------------|---|-------------------------------------|--|-------------------------------------|-------------------------------------|--|-------------------------------------|-------------------------------------|
| 86 | 75 | 75 | 1.0 0.75 0.0 | 77.9 5.4 83.8 84.0 86 | 1.0 0.585 0.0 | 69.8 20.0 74.7 77.4 75 | 1.0 0.75 0.0 | 1.0 0.592 0.0 | 70.2 19.3 75.2 77.6 75 | 1.0 0.75 0.0 | |
| 87 | 76 | 76 | 1.0 0.766 0.0 | 78.6 4.3 84.7 84.8 87 | 1.0 0.596 0.0 | 70.5 18.8 75.4 77.7 76 | 1.0 0.767 0.0 | 1.0 0.604 0.0 | 70.9 17.9 75.9 78.0 76 | 1.0 0.767 0.0 | |
| 87 | 77 | 77 | 1.0 0.783 0.0 | 79.4 3.2 85.6 85.7 87 | 1.0 0.607 0.0 | 71.1 17.6 76.1 78.1 77 | 1.0 0.783 0.0 | 1.0 0.616 0.0 | 71.6 16.5 76.6 78.4 77 | 1.0 0.783 0.0 | |
| 88 | 78 | 78 | 1.0 0.8 0.0 | 80.1 2.0 86.5 86.5 88 | 1.0 0.618 0.0 | 71.7 16.3 76.7 78.5 78 | 1.0 0.8 0.0 | 1.0 0.63 0.0 | 72.4 15.1 77.4 78.9 78 | 1.0 0.8 0.0 | |
| 89 | 79 | 80 | 1.0 0.816 0.0 | 80.8 0.8 87.3 87.3 89 | 1.0 0.631 0.0 | 72.4 15.1 77.5 78.9 79 | 1.0 0.817 0.0 | 1.0 0.648 0.0 | 73.2 13.8 78.5 79.7 80 | 1.0 0.817 0.0 | |
| 90 | 80 | 81 | 1.0 0.833 0.0 | 81.6 -0.3 88.2 88.2 90 | 1.0 0.647 0.0 | 73.2 13.8 78.4 79.6 80 | 1.0 0.833 0.0 | 1.0 0.667 0.0 | 74.1 12.3 79.5 80.5 81 | 1.0 0.833 0.0 | |
| 91 | 81 | 82 | 1.0 0.85 0.0 | 82.3 -1.5 89.0 89.0 91 | 1.0 0.664 0.0 | 73.9 12.6 79.4 80.4 81 | 1.0 0.85 0.0 | 1.0 0.685 0.0 | 74.9 10.9 80.5 81.3 82 | 1.0 0.85 0.0 | |
| 91 | 82 | 83 | 1.0 0.866 0.0 | 83.1 -2.8 89.8 89.8 91 | 1.0 0.68 0.0 | 74.7 11.3 80.3 81.1 82 | 1.0 0.867 0.0 | 1.0 0.703 0.0 | 75.8 9.4 81.5 82.0 83 | 1.0 0.867 0.0 | |
| 92 | 83 | 84 | 1.0 0.883 0.0 | 83.7 -3.8 90.5 90.6 92 | 1.0 0.697 0.0 | 75.5 10.0 81.2 81.8 83 | 1.0 0.883 0.0 | 1.0 0.721 0.0 | 76.6 7.9 82.4 82.8 84 | 1.0 0.883 0.0 | |
| 92 | 84 | 85 | 1.0 0.9 0.0 | 84.3 -4.7 91.3 91.4 92 | 1.0 0.713 0.0 | 76.2 8.6 82.0 82.5 84 | 1.0 0.9 0.0 | 1.0 0.74 0.0 | 77.5 6.4 83.4 83.6 85 | 1.0 0.9 0.0 | |
| 93 | 85 | 86 | 1.0 0.916 0.0 | 84.9 -5.6 92.0 92.2 93 | 1.0 0.729 0.0 | 77.0 7.2 82.9 83.2 85 | 1.0 0.917 0.0 | 1.0 0.76 0.0 | 78.4 4.8 84.4 84.6 86 | 1.0 0.917 0.0 | |
| 94 | 86 | 87 | 1.0 0.933 0.0 | 85.5 -6.5 92.7 92.9 94 | 1.0 0.746 0.0 | 77.7 5.9 83.7 83.9 86 | 1.0 0.933 0.0 | 1.0 0.784 0.0 | 79.4 3.2 85.7 85.7 87 | 1.0 0.933 0.0 | |
| 94 | 87 | 88 | 1.0 0.95 0.0 | 86.0 -7.4 93.4 93.7 94 | 1.0 0.766 0.0 | 78.6 4.4 84.7 84.8 87 | 1.0 0.95 0.0 | 1.0 0.807 0.0 | 80.5 1.6 86.9 86.9 88 | 1.0 0.95 0.0 | |
| 95 | 88 | 90 | 1.0 0.966 0.0 | 86.6 -8.3 94.1 94.5 95 | 1.0 0.787 0.0 | 79.6 3.0 85.8 85.9 88 | 1.0 0.967 0.0 | 1.0 0.831 0.0 | 81.5 0.0 88.1 88.1 90 | 1.0 0.967 0.0 | |
| 95 | 89 | 91 | 1.0 0.983 0.0 | 87.2 -9.2 94.8 95.2 95 | 1.0 0.808 0.0 | 80.5 1.5 86.9 86.9 89 | 1.0 0.983 0.0 | 1.0 0.854 0.0 | 82.6 -1.8 89.2 89.3 91 | 1.0 0.983 0.0 | |
| 96 | 90 | 92 | 1.0 1.0 0.0 | 87.8 -10.2 95.4 95.0 96 | Y _d 1.0 0.829 0.0 | 81.4 0.0 88.0 88.0 90 | Y _s 1.0 1.0 0.0 | 1.0 0.879 0.0 | 83.6 -3.6 90.4 90.5 92 | Y _e 1.0 1.0 0.0 | |
| 96 | 91 | 93 | 0.983 1.0 0.0 | 87.3 -10.7 94.6 95.2 96 | 1.0 0.85 0.0 | 82.4 -1.5 89.0 89.0 91 | 0.983 1.0 0.0 | 1.0 0.916 0.0 | 84.9 -5.5 92.0 92.2 93 | 0.983 1.0 0.0 | |
| 96 | 92 | 94 | 0.966 1.0 0.0 | 86.8 -11.2 93.8 94.5 96 | 1.0 0.871 0.0 | 83.3 -3.0 90.0 90.1 92 | 0.967 1.0 0.0 | 1.0 0.953 0.0 | 86.2 -7.5 93.6 93.9 94 | 0.967 1.0 0.0 | |
| 97 | 93 | 95 | 0.95 1.0 0.0 | 86.4 -11.7 93.0 93.7 97 | 1.0 0.901 0.0 | 84.4 -4.7 91.4 91.5 93 | 0.95 1.0 0.0 | 1.0 0.99 0.0 | 87.5 -9.6 95.1 95.6 95 | 0.95 1.0 0.0 | |
| 97 | 94 | 96 | 0.933 1.0 0.0 | 85.9 -12.2 92.2 93.0 97 | 1.0 0.933 0.0 | 85.5 -6.4 92.7 93.0 94 | 0.933 1.0 0.0 | 0.961 1.0 0.0 | 86.7 -11.3 93.6 94.3 96 | 0.933 1.0 0.0 | |
| 97 | 95 | 98 | 0.916 1.0 0.0 | 85.5 -12.7 91.3 92.2 97 | 1.0 0.965 0.0 | 86.6 -8.1 94.1 94.4 95 | 0.917 1.0 0.0 | 0.907 1.0 0.0 | 85.3 -12.9 90.9 91.8 98 | 0.917 1.0 0.0 | |
| 98 | 96 | 99 | 0.9 1.0 0.0 | 85.0 -13.2 90.5 91.5 98 | 1.0 0.997 0.0 | 87.7 -9.9 95.4 95.9 96 | 0.9 1.0 0.0 | 0.856 1.0 0.0 | 83.8 -14.4 88.4 89.6 99 | 0.9 1.0 0.0 | |
| 98 | 97 | 100 | 0.883 1.0 0.0 | 84.5 -13.6 89.7 90.7 98 | 0.959 1.0 0.0 | 86.7 -11.4 93.5 94.2 97 | 0.883 1.0 0.0 | 0.807 1.0 0.0 | 82.4 -15.8 86.2 87.7 100 | 0.883 1.0 0.0 | |
| 99 | 98 | 101 | 0.866 1.0 0.0 | 84.1 -14.1 88.9 90.0 99 | 0.914 1.0 0.0 | 85.4 -12.7 91.2 92.1 98 | 0.867 1.0 0.0 | 0.759 1.0 0.0 | 81.0 -17.2 84.0 85.7 101 | 0.867 1.0 0.0 | |
| 99 | 99 | 102 | 0.85 1.0 0.0 | 83.6 -14.6 88.1 89.3 99 | 0.869 1.0 0.0 | 84.2 -14.0 89.0 90.1 99 | 0.85 1.0 0.0 | 0.729 1.0 0.0 | 79.9 -18.6 82.3 84.4 102 | 0.85 1.0 0.0 | |
| 99 | 100 | 103 | 0.833 1.0 0.0 | 83.1 -15.1 87.4 88.7 99 | 0.827 1.0 0.0 | 83.0 -15.3 87.1 88.5 100 | 0.833 1.0 0.0 | 0.704 1.0 0.0 | 78.8 -20.0 80.8 83.2 103 | 0.833 1.0 0.0 | |
| 100 | 101 | 105 | 0.816 1.0 0.0 | 82.6 -15.6 86.6 88.0 100 | 0.785 1.0 0.0 | 81.8 -16.5 85.2 86.8 101 | 0.817 1.0 0.0 | 0.679 1.0 0.0 | 77.7 -21.3 79.2 82.0 105 | 0.817 1.0 0.0 | |
| 100 | 102 | 106 | 0.8 1.0 0.0 | 82.2 -16.1 85.8 87.3 100 | 0.747 1.0 0.0 | 80.6 -17.6 83.4 85.2 102 | 0.8 1.0 0.0 | 0.654 1.0 0.0 | 76.6 -22.6 77.6 80.8 106 | 0.8 1.0 0.0 | |
| 101 | 103 | 107 | 0.783 1.0 0.0 | 81.7 -16.6 85.1 86.7 101 | 0.725 1.0 0.0 | 79.7 -18.8 82.0 84.2 103 | 0.783 1.0 0.0 | 0.628 1.0 0.0 | 75.5 -23.8 76.0 79.6 107 | 0.783 1.0 0.0 | |
| 101 | 104 | 108 | 0.766 1.0 0.0 | 81.2 -17.0 84.3 86.0 101 | 0.703 1.0 0.0 | 78.7 -20.0 80.7 83.2 104 | 0.767 1.0 0.0 | 0.605 1.0 0.0 | 74.6 -25.0 74.3 78.4 108 | 0.767 1.0 0.0 | |
| 101 | 105 | 109 | 0.75 1.0 0.0 | 80.7 -17.5 83.5 85.3 101 | 0.682 1.0 0.0 | 77.8 -21.2 79.4 82.2 105 | 0.75 1.0 0.0 | 0.583 1.0 0.0 | 73.7 -26.1 72.7 77.3 109 | 0.75 1.0 0.0 | |
| 102 | 106 | 110 | 0.733 1.0 0.0 | 80.0 -18.4 82.5 84.6 102 | 0.66 1.0 0.0 | 76.8 -22.3 78.0 81.1 106 | 0.733 1.0 0.0 | 0.56 1.0 0.0 | 72.9 -27.1 71.0 76.1 110 | 0.733 1.0 0.0 | |
| 103 | 107 | 112 | 0.716 1.0 0.0 | 79.3 -19.3 81.5 83.8 103 | 0.638 1.0 0.0 | 75.9 -23.3 76.6 80.1 107 | 0.717 1.0 0.0 | 0.538 1.0 0.0 | 72.0 -28.1 69.3 74.9 112 | 0.717 1.0 0.0 | |
| 104 | 108 | 113 | 0.7 1.0 0.0 | 78.5 -20.2 80.5 83.0 104 | 0.617 1.0 0.0 | 75.0 -24.3 75.2 79.1 108 | 0.7 1.0 0.0 | 0.515 1.0 0.0 | 71.2 -29.0 67.7 73.7 113 | 0.7 1.0 0.0 | |
| 104 | 109 | 114 | 0.683 1.0 0.0 | 77.8 -21.1 79.4 82.2 104 | 0.598 1.0 0.0 | 74.3 -25.3 73.8 78.1 109 | 0.683 1.0 0.0 | 0.494 1.0 0.0 | 70.4 -30.0 66.1 72.6 114 | 0.683 1.0 0.0 | |
| 105 | 110 | 115 | 0.666 1.0 0.0 | 77.1 -22.0 78.4 81.4 105 | 0.579 1.0 0.0 | 73.6 -26.2 72.4 77.0 110 | 0.667 1.0 0.0 | 0.474 1.0 0.0 | 69.6 -31.0 64.8 71.9 115 | 0.667 1.0 0.0 | |
| 106 | 111 | 116 | 0.65 1.0 0.0 | 76.4 -22.8 77.3 80.6 106 | 0.559 1.0 0.0 | 72.9 -27.1 71.0 76.0 111 | 0.65 1.0 0.0 | 0.454 1.0 0.0 | 68.8 -32.0 63.5 71.2 116 | 0.65 1.0 0.0 | |
| 107 | 112 | 117 | 0.633 1.0 0.0 | 75.6 -23.6 76.2 79.8 107 | 0.54 1.0 0.0 | 72.1 -28.0 69.5 75.0 112 | 0.633 1.0 0.0 | 0.434 1.0 0.0 | 68.0 -32.9 62.2 70.5 117 | 0.633 1.0 0.0 | |
| 108 | 113 | 119 | 0.616 1.0 0.0 | 75.0 -24.4 75.1 79.0 108 | 0.521 1.0 0.0 | 71.4 -28.8 68.1 74.0 113 | 0.617 1.0 0.0 | 0.414 1.0 0.0 | 67.3 -33.8 60.9 69.7 119 | 0.617 1.0 0.0 | |
| 108 | 114 | 120 | 0.6 1.0 0.0 | 74.3 -25.3 73.9 78.1 108 | 0.501 1.0 0.0 | 70.7 -29.6 66.6 72.9 114 | 0.6 1.0 0.0 | 0.394 1.0 0.0 | 66.5 -34.7 59.6 69.0 120 | 0.6 1.0 0.0 | |
| 109 | 115 | 121 | 0.583 1.0 0.0 | 73.7 -26.1 72.7 77.2 109 | 0.484 1.0 0.0 | 70.0 -30.4 65.5 72.3 115 | 0.583 1.0 0.0 | 0.375 1.0 0.0 | 65.7 -35.5 58.3 68.3 121 | 0.583 1.0 0.0 | |
| 110 | 116 | 122 | 0.566 1.0 0.0 | 73.1 -26.9 71.4 76.3 110 | 0.467 1.0 0.0 | 69.3 -31.3 64.4 71.7 116 | 0.567 1.0 0.0 | 0.364 1.0 0.0 | 65.1 -36.6 57.4 68.2 122 | 0.567 1.0 0.0 | |
| 111 | 117 | 123 | 0.55 1.0 0.0 | 72.4 -27.6 70.2 75.5 111 | 0.45 1.0 0.0 | 68.7 -32.2 63.3 71.0 117 | 0.55 1.0 0.0 | 0.354 1.0 0.0 | 64.5 -37.7 56.6 68.0 123 | 0.55 1.0 0.0 | |
| 112 | 118 | 124 | 0.533 1.0 0.0 | 71.8 -28.3 69.0 74.6 112 | 0.433 1.0 0.0 | 68.0 -33.0 62.2 70.4 118 | 0.533 1.0 0.0 | 0.343 1.0 0.0 | 63.9 -38.8 55.7 67.9 124 | 0.533 1.0 0.0 | |
| 113 | 119 | 126 | 0.516 1.0 0.0 | 71.2 -29.0 67.7 73.7 113 | 0.416 1.0 0.0 | 67.3 -33.7 61.1 69.8 119 | 0.517 1.0 0.0 | 0.333 1.0 0.0 | 63.3 -39.8 54.7 67.8 126 | 0.517 1.0 0.0 | |
| 114 | 120 | 127 | 0.5 1.0 0.0 | 70.6 -29.7 66.5 72.8 114 | 0.399 1.0 0.0 | 66.7 -34.5 59.9 69.2 120 | 0.5 1.0 0.0 | 0.322 1.0 0.0 | 62.6 -40.8 53.8 67.6 127 | 0.5 1.0 0.0 | |



see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_S: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb* dd361M | LAB* ddx361Mi (x=LabCh) | rgb* ds361Mi | LAB* dsx361Mi (x=LabCh) | rgb* dd361Mi | LAB* dex361Mi (x=LabCh) | rgb* dd361Mi | LAB* dex361Mi (x=LabCh) | rgb* dd361Mi | LAB* dex361Mi (x=LabCh) | rgb* dd361Mi | LAB* dex361Mi (x=LabCh) | rgb* dd361Mi | LAB* dex361Mi (x=LabCh) | rgb* dd361Mi | LAB* dex361Mi (x=LabCh) | | | | | | | | | | | | | | |
|-------------------|-------------------|-------------------|----------------|----------------------------|-----------------|----------------------------|-----------------|----------------------------|-----------------|----------------------------|----------------------|----------------------------|-----------------|----------------------------|-----------------|----------------------------|-----------------|----------------------------|--------------------|-----|-------|-------|-----|-------|------|-------|------|------|-----|--------------------|-----|-------|
| 114 | 120 | 127 | 0.5 | 1.0 | 0.0 | 70.6 | -29.7 | 66.5 | 72.8 | 114 | 0.399 | 1.0 | 0.0 | 66.7 | -34.5 | 59.9 | 69.2 | 120 | 0.5 | 1.0 | 0.0 | 0.322 | 1.0 | 0.0 | 62.6 | -40.8 | 53.8 | 67.6 | 127 | 0.5 | 1.0 | 0.0 |
| 115 | 121 | 128 | 0.483 | 1.0 | 0.0 | 69.9 | -30.5 | 65.4 | 72.2 | 115 | 0.382 | 1.0 | 0.0 | 66.0 | -35.2 | 58.8 | 68.6 | 121 | 0.483 | 1.0 | 0.0 | 0.312 | 1.0 | 0.0 | 62.0 | -41.8 | 52.9 | 67.5 | 128 | 0.483 | 1.0 | 0.0 |
| 116 | 122 | 129 | 0.466 | 1.0 | 0.0 | 69.3 | -31.4 | 64.3 | 71.6 | 116 | 0.37 | 1.0 | 0.0 | 65.4 | -36.1 | 57.9 | 68.3 | 122 | 0.466 | 1.0 | 0.0 | 0.301 | 1.0 | 0.0 | 61.4 | -42.8 | 51.9 | 67.3 | 129 | 0.466 | 1.0 | 0.0 |
| 117 | 123 | 130 | 0.45 | 1.0 | 0.0 | 68.6 | -32.2 | 63.2 | 71.0 | 117 | 0.361 | 1.0 | 0.0 | 64.9 | -37.0 | 57.1 | 68.1 | 123 | 0.45 | 1.0 | 0.0 | 0.291 | 1.0 | 0.0 | 60.8 | -43.8 | 50.9 | 67.2 | 130 | 0.45 | 1.0 | 0.0 |
| 117 | 124 | 131 | 0.433 | 1.0 | 0.0 | 68.0 | -33.0 | 62.1 | 70.4 | 117 | 0.352 | 1.0 | 0.0 | 64.4 | -37.9 | 56.4 | 68.0 | 124 | 0.433 | 1.0 | 0.0 | 0.28 | 1.0 | 0.0 | 60.2 | -44.7 | 49.9 | 67.0 | 131 | 0.433 | 1.0 | 0.0 |
| 118 | 125 | 133 | 0.416 | 1.0 | 0.0 | 67.3 | -33.8 | 61.0 | 69.8 | 118 | 0.343 | 1.0 | 0.0 | 63.8 | -38.8 | 55.6 | 67.9 | 125 | 0.416 | 1.0 | 0.0 | 0.27 | 1.0 | 0.0 | 59.6 | -45.6 | 48.9 | 66.9 | 133 | 0.416 | 1.0 | 0.0 |
| 119 | 126 | 134 | 0.4 | 1.0 | 0.0 | 66.7 | -34.5 | 59.9 | 69.2 | 119 | 0.334 | 1.0 | 0.0 | 63.3 | -39.7 | 54.8 | 67.8 | 126 | 0.4 | 1.0 | 0.0 | 0.259 | 1.0 | 0.0 | 59.0 | -46.5 | 47.8 | 66.8 | 134 | 0.4 | 1.0 | 0.0 |
| 120 | 127 | 135 | 0.383 | 1.0 | 0.0 | 66.0 | -35.2 | 58.8 | 68.6 | 120 | 0.325 | 1.0 | 0.0 | 62.8 | -40.6 | 54.0 | 67.6 | 127 | 0.383 | 1.0 | 0.0 | 0.249 | 1.0 | 0.0 | 58.4 | -47.4 | 46.8 | 66.6 | 135 | 0.383 | 1.0 | 0.0 |
| 122 | 128 | 136 | 0.366 | 1.0 | 0.0 | 65.2 | -36.4 | 57.6 | 68.2 | 122 | 0.316 | 1.0 | 0.0 | 62.3 | -41.5 | 53.2 | 67.5 | 128 | 0.366 | 1.0 | 0.0 | 0.233 | 1.0 | 0.0 | 57.9 | -48.3 | 45.8 | 66.6 | 136 | 0.366 | 1.0 | 0.0 |
| 124 | 129 | 137 | 0.35 | 1.0 | 0.0 | 64.2 | -38.2 | 56.2 | 67.9 | 124 | 0.307 | 1.0 | 0.0 | 61.7 | -42.3 | 52.4 | 67.4 | 129 | 0.35 | 1.0 | 0.0 | 0.217 | 1.0 | 0.0 | 57.4 | -49.2 | 44.7 | 66.6 | 137 | 0.35 | 1.0 | 0.0 |
| 126 | 130 | 138 | 0.333 | 1.0 | 0.0 | 63.2 | -39.8 | 54.7 | 67.7 | 126 | 0.298 | 1.0 | 0.0 | 61.2 | -43.1 | 51.5 | 67.3 | 130 | 0.333 | 1.0 | 0.0 | 0.201 | 1.0 | 0.0 | 57.0 | -50.0 | 43.7 | 66.5 | 138 | 0.333 | 1.0 | 0.0 |
| 127 | 131 | 140 | 0.316 | 1.0 | 0.0 | 62.3 | -41.4 | 53.2 | 67.5 | 127 | 0.289 | 1.0 | 0.0 | 60.7 | -44.0 | 50.7 | 67.2 | 131 | 0.316 | 1.0 | 0.0 | 0.185 | 1.0 | 0.0 | 56.5 | -50.9 | 42.7 | 66.5 | 140 | 0.316 | 1.0 | 0.0 |
| 129 | 132 | 141 | 0.3 | 1.0 | 0.0 | 61.3 | -43.0 | 51.7 | 67.3 | 129 | 0.28 | 1.0 | 0.0 | 60.2 | -44.8 | 49.8 | 67.0 | 132 | 0.3 | 1.0 | 0.0 | 0.169 | 1.0 | 0.0 | 56.0 | -51.7 | 41.6 | 66.5 | 141 | 0.3 | 1.0 | 0.0 |
| 131 | 133 | 142 | 0.283 | 1.0 | 0.0 | 60.3 | -44.5 | 50.1 | 67.0 | 131 | 0.271 | 1.0 | 0.0 | 59.6 | -45.5 | 48.9 | 66.9 | 133 | 0.283 | 1.0 | 0.0 | 0.153 | 1.0 | 0.0 | 55.5 | -52.5 | 40.5 | 66.4 | 142 | 0.283 | 1.0 | 0.0 |
| 133 | 134 | 143 | 0.266 | 1.0 | 0.0 | 59.3 | -45.9 | 48.5 | 66.8 | 133 | 0.262 | 1.0 | 0.0 | 59.1 | -46.3 | 48.0 | 66.8 | 134 | 0.266 | 1.0 | 0.0 | 0.137 | 1.0 | 0.0 | 55.1 | -53.3 | 39.4 | 66.4 | 143 | 0.266 | 1.0 | 0.0 |
| 135 | 135 | 144 | 0.25 | 1.0 | 0.0 | 58.4 | -47.3 | 46.8 | 66.6 | 135 | 0.253 | 1.0 | 0.0 | 58.6 | -47.0 | 47.1 | 66.7 | 135 | 0.25 | 1.0 | 0.0 | 0.122 | 1.0 | 0.0 | 54.6 | -54.2 | 38.4 | 66.5 | 144 | 0.25 | 1.0 | 0.0 |
| 136 | 136 | 145 | 0.233 | 1.0 | 0.0 | 57.9 | -48.3 | 45.8 | 66.5 | 136 | 0.241 | 1.0 | 0.0 | 58.1 | -47.8 | 46.3 | 66.6 | 136 | 0.233 | 1.0 | 0.0 | 0.108 | 1.0 | 0.0 | 54.1 | -55.4 | 37.6 | 67.0 | 145 | 0.233 | 1.0 | 0.0 |
| 137 | 137 | 147 | 0.216 | 1.0 | 0.0 | 57.4 | -49.2 | 44.7 | 66.5 | 137 | 0.227 | 1.0 | 0.0 | 57.7 | -48.6 | 45.4 | 66.6 | 137 | 0.216 | 1.0 | 0.0 | 0.095 | 1.0 | 0.0 | 53.6 | -56.6 | 36.7 | 67.6 | 147 | 0.216 | 1.0 | 0.0 |
| 138 | 138 | 148 | 0.2 | 1.0 | 0.0 | 56.9 | -50.1 | 43.6 | 66.5 | 138 | 0.213 | 1.0 | 0.0 | 57.3 | -49.4 | 44.5 | 66.6 | 138 | 0.2 | 1.0 | 0.0 | 0.082 | 1.0 | 0.0 | 53.1 | -57.8 | 35.8 | 68.1 | 148 | 0.2 | 1.0 | 0.0 |
| 140 | 139 | 149 | 0.183 | 1.0 | 0.0 | 56.4 | -51.0 | 42.5 | 66.4 | 140 | 0.2 | 1.0 | 0.0 | 56.9 | -50.1 | 43.6 | 66.5 | 139 | 0.183 | 1.0 | 0.0 | 0.069 | 1.0 | 0.0 | 52.6 | -59.0 | 34.9 | 68.6 | 149 | 0.183 | 1.0 | 0.0 |
| 141 | 140 | 150 | 0.166 | 1.0 | 0.0 | 55.9 | -51.9 | 41.4 | 66.4 | 141 | 0.186 | 1.0 | 0.0 | 56.5 | -50.8 | 42.7 | 66.5 | 140 | 0.166 | 1.0 | 0.0 | 0.056 | 1.0 | 0.0 | 52.1 | -60.1 | 34.0 | 69.2 | 150 | 0.166 | 1.0 | 0.0 |
| 142 | 141 | 151 | 0.15 | 1.0 | 0.0 | 55.4 | -52.7 | 40.3 | 66.4 | 142 | 0.172 | 1.0 | 0.0 | 56.1 | -51.6 | 41.8 | 66.5 | 141 | 0.15 | 1.0 | 0.0 | 0.043 | 1.0 | 0.0 | 51.7 | -61.3 | 33.0 | 69.7 | 151 | 0.15 | 1.0 | 0.0 |
| 143 | 142 | 152 | 0.133 | 1.0 | 0.0 | 54.9 | -53.5 | 39.1 | 66.3 | 143 | 0.159 | 1.0 | 0.0 | 55.7 | -52.3 | 40.9 | 66.4 | 142 | 0.133 | 1.0 | 0.0 | 0.03 | 1.0 | 0.0 | 51.2 | -62.4 | 32.0 | 70.2 | 152 | 0.133 | 1.0 | 0.0 |
| 145 | 143 | 154 | 0.116 | 1.0 | 0.0 | 54.4 | -54.7 | 38.0 | 66.6 | 145 | 0.145 | 1.0 | 0.0 | 55.3 | -52.9 | 40.0 | 66.4 | 143 | 0.116 | 1.0 | 0.0 | 0.016 | 1.0 | 0.0 | 50.7 | -63.5 | 30.9 | 70.8 | 154 | 0.116 | 1.0 | 0.0 |
| 146 | 144 | 155 | 0.1 | 1.0 | 0.0 | 53.7 | -56.2 | 37.0 | 67.3 | 146 | 0.131 | 1.0 | 0.0 | 54.9 | -53.6 | 39.0 | 66.4 | 144 | 0.1 | 1.0 | 0.0 | 0.003 | 1.0 | 0.0 | 50.2 | -64.6 | 29.9 | 71.3 | 155 | 0.1 | 1.0 | 0.0 |
| 148 | 145 | 156 | 0.083 | 1.0 | 0.0 | 53.1 | -57.7 | 35.9 | 68.0 | 148 | 0.119 | 1.0 | 0.0 | 54.5 | -54.5 | 38.2 | 66.6 | 145 | 0.083 | 1.0 | 0.0 | 0.0 | 1.0 | 0.021 | 50.1 | -64.6 | 28.3 | 70.6 | 156 | 0.083 | 1.0 | 0.0 |
| 149 | 146 | 157 | 0.066 | 1.0 | 0.0 | 52.5 | -59.2 | 34.7 | 68.7 | 149 | 0.107 | 1.0 | 0.0 | 54.1 | -55.5 | 37.5 | 67.1 | 146 | 0.066 | 1.0 | 0.0 | 0.0 | 1.0 | 0.049 | 50.3 | -64.2 | 26.5 | 69.5 | 157 | 0.066 | 1.0 | 0.0 |
| 151 | 147 | 158 | 0.049 | 1.0 | 0.0 | 51.9 | -60.7 | 33.5 | 69.4 | 151 | 0.096 | 1.0 | 0.0 | 53.7 | -56.5 | 36.8 | 67.5 | 147 | 0.049 | 1.0 | 0.0 | 0.0 | 1.0 | 0.077 | 50.4 | -63.7 | 24.8 | 68.4 | 158 | 0.049 | 1.0 | 0.0 |
| 152 | 148 | 159 | 0.033 | 1.0 | 0.0 | 51.3 | -62.2 | 32.2 | 70.0 | 152 | 0.085 | 1.0 | 0.0 | 53.2 | -57.6 | 36.0 | 68.0 | 148 | 0.033 | 1.0 | 0.0 | 0.0 | 1.0 | 0.104 | 50.5 | -63.1 | 23.1 | 67.3 | 159 | 0.033 | 1.0 | 0.0 |
| 154 | 149 | 161 | 0.016 | 1.0 | 0.0 | 50.6 | -63.6 | 30.9 | 70.7 | 154 | 0.074 | 1.0 | 0.0 | 52.8 | -58.6 | 35.3 | 68.4 | 149 | 0.016 | 1.0 | 0.0 | 0.0 | 1.0 | 0.13 | 50.6 | -62.6 | 21.5 | 66.3 | 161 | 0.016 | 1.0 | 0.0 |
| 155 | 150 | 162 | 0.0 | 1.0 | 0.0 | 50.0 | -65.0 | 29.6 | 71.4 | 155 | G _d 0.062 | 1.0 | 0.0 | 52.4 | -59.6 | 34.5 | 68.9 | 150 | G _s 0.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.151 | 50.7 | -62.0 | 19.9 | 65.2 | 162 | G _e 0.0 | 1.0 | 0.0 |
| 156 | 151 | 163 | 0.0 | 1.0 | 0.016 | 50.1 | -64.7 | 28.5 | 70.7 | 156 | 0.051 | 1.0 | 0.0 | 52.0 | -60.6 | 33.6 | 69.4 | 151 | 0.0 | 1.0 | 0.017 | 0.0 | 1.0 | 0.167 | 50.8 | -61.6 | 18.7 | 64.4 | 163 | 0.0 | 1.0 | 0.017 |
| 156 | 152 | 164 | 0.0 | 1.0 | 0.033 | 50.1 | -64.5 | 27.4 | 70.1 | 156 | 0.04 | 1.0 | 0.0 | 51.5 | -61.6 | 32.8 | 69.8 | 152 | 0.0 | 1.0 | 0.033 | 0.0 | 1.0 | 0.183 | 50.9 | -61.1 | 17.5 | 63.6 | 164 | 0.0 | 1.0 | 0.033 |
| 157 | 153 | 164 | 0.0 | 1.0 | 0.05 | 50.2 | -64.2 | 26.4 | 69.4 | 157 | 0.028 | 1.0 | 0.0 | 51.1 | -62.5 | 31.9 | 70.3 | 153 | 0.0 | 1.0 | 0.05 | 0.0 | 1.0 | 0.2 | 51.0 | -60.6 | 16.3 | 62.8 | 164 | 0.0 | 1.0 | 0.05 |
| 158 | 154 | 165 | 0.0 | 1.0 | 0.066 | 50.3 | -63.9 | 25.4 | 68.8 | 158 | 0.017 | 1.0 | 0.0 | 50.7 | -63.5 | 31.0 | 70.7 | 154 | 0.0 | 1.0 | 0.067 | 0.0 | 1.0 | 0.216 | 51.0 | -60.0 | 15.1 | 62.0 | 165 | 0.0 | 1.0 | 0.067 |
| 159 | 155 | 166 | 0.0 | 1.0 | 0.083 | 50.3 | -63.6 | 24.4 | 68.1 | 159 | 0.006 | 1.0 | 0.0 | 50.3 | -64.4 | 30.1 | 71.2 | 155 | 0.0 | 1.0 | 0.083 | 0.0 | 1.0 | 0.232 | 51.1 | -59.5 | 14.0 | 61.2 | 166 | 0.0 | 1.0 | 0.083 |
| 159 | 156 | 167 | 0.0 | 1.0 | 0.1 | 50.4 | -63.3 | 23.4 | 67.5 | 159 | 0.0 | 1.0 | 0.012 | 50.1 | -64.7 | 28.9 | 71.0 | 156 | 0.0 | 1.0 | 0.1 | 0.0 | 1.0 | 0.248 | 51.2 | -58.9 | 12.9 | 60.4 | 167 | 0.0 | 1.0 | 0.1 |
| 160 | 157 | 168 | 0.0 | 1.0 | 0.116 | 50.5 | -62.9 | 22.4 | 66.8 | 160 | 0.0 | 1.0 | 0.035 | 50.2 | -64.4 | 27.4 | 70.0 | 157 | 0.0 | 1.0 | 0.117 | 0.0 | 1.0 | 0.261 | 51.3 | -58.5 | 11.8 | 59.8 | 168 | 0.0 | 1.0 | 0.117 |
| 161 | 158 | 169 | 0.0 | 1.0 | 0.133 | 50.5 | -62.5 | 21.2 | 66.1 | 161 | 0.0 | 1.0 | 0.059 | 50.3 | -64.0 | 25.9 | 69.1 | 158 | 0.0 | 1.0 | 0.133 | 0.0 | 1.0 | 0.274 | 51.4 | -58.1 | 10.8 | 59.2 | 169 | 0.0 | 1.0 | 0.133 |
| 162 | 159 | 170 | 0.0 | 1.0 | 0.15 | 50.6 | -62.1 | 19.9 | 65.2 | 162 | 0.0 | 1.0 | 0.083 | 50.4 | -63.5 | 24.4 | 68.2 | 159 | 0.0 | 1.0 | 0.15 | 0.0 | 1.0 | 0.287 | 51.5 | -57.7 | 9.7 | 58.6 | 170 | 0.0 | 1.0 | |

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb [*] _{dd361M} | LAB [*] _{dd361Mi (x=LabCh)} | rgb [*] _{ds361Mi} | LAB [*] _{dsx361Mi (x=LabCh)} | rgb [*] _{dd361Mi} | rgb [*] _{de361Mi} | LAB [*] _{dex361Mi (x=LabCh)} | rgb [*] _{dd361Mi} | rgb [*] _{dd} | rgb [*] _{ds} | rgb [*] _{de} |
|-------------------|-------------------|-------------------|------------------------------------|---|-------------------------------------|--|-------------------------------------|-------------------------------------|--|-------------------------------------|--------------------------------|--------------------------------|--------------------------------|
| 167 | 165 | 175 | 0.0 | 1.0 | 0.25 | 51.2 | -58.9 | 12.7 | 60.3 | 167 | 0.0 | 1.0 | 0.25 |
| 168 | 166 | 176 | 0.0 | 1.0 | 0.266 | 51.3 | -58.4 | 11.3 | 59.5 | 168 | 0.0 | 1.0 | 0.267 |
| 170 | 167 | 177 | 0.0 | 1.0 | 0.283 | 51.4 | -57.9 | 10.0 | 58.8 | 170 | 0.0 | 1.0 | 0.283 |
| 171 | 168 | 178 | 0.0 | 1.0 | 0.3 | 51.5 | -57.3 | 8.7 | 58.0 | 171 | 0.0 | 1.0 | 0.3 |
| 172 | 169 | 179 | 0.0 | 1.0 | 0.316 | 51.6 | -56.8 | 7.4 | 57.3 | 172 | 0.0 | 1.0 | 0.317 |
| 173 | 170 | 180 | 0.0 | 1.0 | 0.333 | 51.7 | -56.2 | 6.1 | 56.5 | 173 | 0.0 | 1.0 | 0.333 |
| 174 | 171 | 181 | 0.0 | 1.0 | 0.35 | 51.8 | -55.5 | 4.9 | 55.8 | 174 | 0.0 | 1.0 | 0.35 |
| 176 | 172 | 182 | 0.0 | 1.0 | 0.366 | 51.9 | -54.9 | 3.7 | 55.0 | 176 | 0.0 | 1.0 | 0.367 |
| 177 | 173 | 183 | 0.0 | 1.0 | 0.383 | 52.0 | -54.2 | 2.3 | 54.3 | 177 | 0.0 | 1.0 | 0.383 |
| 179 | 174 | 184 | 0.0 | 1.0 | 0.4 | 52.2 | -53.6 | 0.7 | 53.6 | 179 | 0.0 | 1.0 | 0.4 |
| 180 | 175 | 185 | 0.0 | 1.0 | 0.416 | 52.3 | -52.8 | -0.8 | 52.9 | 180 | 0.0 | 1.0 | 0.417 |
| 182 | 176 | 185 | 0.0 | 1.0 | 0.433 | 52.4 | -52.1 | -2.3 | 52.1 | 182 | 0.0 | 1.0 | 0.433 |
| 184 | 177 | 186 | 0.0 | 1.0 | 0.45 | 52.6 | -51.3 | -3.8 | 51.4 | 184 | 0.0 | 1.0 | 0.45 |
| 185 | 178 | 187 | 0.0 | 1.0 | 0.466 | 52.7 | -50.4 | -5.3 | 50.7 | 185 | 0.0 | 1.0 | 0.467 |
| 187 | 179 | 188 | 0.0 | 1.0 | 0.483 | 52.8 | -49.6 | -6.6 | 50.0 | 187 | 0.0 | 1.0 | 0.483 |
| 189 | 180 | 189 | 0.0 | 1.0 | 0.5 | 52.9 | -48.8 | -8.0 | 49.3 | 189 | 0.0 | 1.0 | 0.5 |
| 191 | 181 | 190 | 0.0 | 1.0 | 0.516 | 53.1 | -47.9 | -9.5 | 48.9 | 191 | 0.0 | 1.0 | 0.517 |
| 193 | 182 | 191 | 0.0 | 1.0 | 0.533 | 53.2 | -47.2 | -10.9 | 48.4 | 193 | 0.0 | 1.0 | 0.533 |
| 194 | 183 | 192 | 0.0 | 1.0 | 0.55 | 53.4 | -46.4 | -12.3 | 48.0 | 194 | 0.0 | 1.0 | 0.55 |
| 196 | 184 | 193 | 0.0 | 1.0 | 0.566 | 53.5 | -45.6 | -13.7 | 47.6 | 196 | 0.0 | 1.0 | 0.567 |
| 198 | 185 | 194 | 0.0 | 1.0 | 0.583 | 53.6 | -44.7 | -15.0 | 47.1 | 198 | 0.0 | 1.0 | 0.583 |
| 200 | 186 | 195 | 0.0 | 1.0 | 0.6 | 53.8 | -43.8 | -16.3 | 46.7 | 200 | 0.0 | 1.0 | 0.6 |
| 202 | 187 | 195 | 0.0 | 1.0 | 0.616 | 53.9 | -42.8 | -17.5 | 46.3 | 202 | 0.0 | 1.0 | 0.617 |
| 204 | 188 | 196 | 0.0 | 1.0 | 0.633 | 54.1 | -42.0 | -18.8 | 46.0 | 204 | 0.0 | 1.0 | 0.633 |
| 206 | 189 | 197 | 0.0 | 1.0 | 0.65 | 54.2 | -41.2 | -20.1 | 45.9 | 206 | 0.0 | 1.0 | 0.65 |
| 207 | 190 | 198 | 0.0 | 1.0 | 0.666 | 54.3 | -40.5 | -21.4 | 45.8 | 207 | 0.0 | 1.0 | 0.667 |
| 209 | 191 | 199 | 0.0 | 1.0 | 0.683 | 54.5 | -39.7 | -22.7 | 45.7 | 209 | 0.0 | 1.0 | 0.683 |
| 211 | 192 | 200 | 0.0 | 1.0 | 0.7 | 54.6 | -38.8 | -23.9 | 45.6 | 211 | 0.0 | 1.0 | 0.7 |
| 213 | 193 | 201 | 0.0 | 1.0 | 0.716 | 54.7 | -37.9 | -25.1 | 45.5 | 213 | 0.0 | 1.0 | 0.717 |
| 215 | 194 | 202 | 0.0 | 1.0 | 0.733 | 54.9 | -37.0 | -26.3 | 45.4 | 215 | 0.0 | 1.0 | 0.733 |
| 217 | 195 | 203 | 0.0 | 1.0 | 0.75 | 55.0 | -36.0 | -27.4 | 45.3 | 217 | 0.0 | 1.0 | 0.75 |
| 218 | 196 | 204 | 0.0 | 1.0 | 0.766 | 55.1 | -35.4 | -28.4 | 45.4 | 218 | 0.0 | 1.0 | 0.767 |
| 220 | 197 | 205 | 0.0 | 1.0 | 0.783 | 55.2 | -34.7 | -29.4 | 45.5 | 220 | 0.0 | 1.0 | 0.783 |
| 221 | 198 | 206 | 0.0 | 1.0 | 0.8 | 55.3 | -34.0 | -30.3 | 45.6 | 221 | 0.0 | 1.0 | 0.8 |
| 223 | 199 | 206 | 0.0 | 1.0 | 0.816 | 55.4 | -33.3 | -31.3 | 45.7 | 223 | 0.0 | 1.0 | 0.817 |
| 224 | 200 | 207 | 0.0 | 1.0 | 0.833 | 55.6 | -32.6 | -32.2 | 45.9 | 224 | 0.0 | 1.0 | 0.833 |
| 226 | 201 | 208 | 0.0 | 1.0 | 0.85 | 55.7 | -31.8 | -33.1 | 46.0 | 226 | 0.0 | 1.0 | 0.85 |
| 227 | 202 | 209 | 0.0 | 1.0 | 0.866 | 55.8 | -31.1 | -34.0 | 46.1 | 227 | 0.0 | 1.0 | 0.867 |
| 229 | 203 | 210 | 0.0 | 1.0 | 0.883 | 55.9 | -30.4 | -35.0 | 46.3 | 229 | 0.0 | 1.0 | 0.883 |
| 230 | 204 | 211 | 0.0 | 1.0 | 0.9 | 56.0 | -29.7 | -35.9 | 46.7 | 230 | 0.0 | 1.0 | 0.9 |
| 231 | 205 | 212 | 0.0 | 1.0 | 0.916 | 56.1 | -29.1 | -36.9 | 47.0 | 231 | 0.0 | 1.0 | 0.917 |
| 233 | 206 | 213 | 0.0 | 1.0 | 0.933 | 56.3 | -28.4 | -37.8 | 47.3 | 233 | 0.0 | 1.0 | 0.933 |
| 234 | 207 | 214 | 0.0 | 1.0 | 0.95 | 56.4 | -27.7 | -38.8 | 47.7 | 234 | 0.0 | 1.0 | 0.95 |
| 235 | 208 | 215 | 0.0 | 1.0 | 0.966 | 56.5 | -27.0 | -39.7 | 48.0 | 235 | 0.0 | 1.0 | 0.967 |
| 237 | 209 | 216 | 0.0 | 1.0 | 0.983 | 56.6 | -26.2 | -40.6 | 48.3 | 237 | 0.0 | 1.0 | 0.983 |
| 238 | 210 | 216 | 0.0 | 1.0 | 1.0 | 56.8 | -25.5 | -41.5 | 48.7 | 238 | 0.0 | 1.0 | 1.0 |

see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE27/QE27L0FP.PDF / .PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb [*] _{dd361M} | LAB [*] _{ddx361Mi (x=LabCh)} | rgb [*] _{ds361Mi} | LAB [*] _{dsx361Mi (x=LabCh)} | rgb [*] _{dd361Mi} | LAB [*] _{de361Mi} | rgb [*] _{dex361Mi (x=LabCh)} | rgb [*] _{dd361Mi} | rgb [*] _{dd} | rgb [*] _{ds} | rgb [*] _{de} | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------|-------------------|-------------------|------------------------------------|--|-------------------------------------|--|-------------------------------------|-------------------------------------|--|-------------------------------------|--------------------------------|--------------------------------|--------------------------------|------|-------|-------|-------|------|----------------|-------|-------|-----|-----|-------|-------|-------|-------|-------|-------|------|----------------|-------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|-------|-----|
| 238 | 210 | 216 | 0.0 | 1.0 | 1.0 | 56.8 | -25.5 | -41.5 | 48.7 | 238 | 0.0 | 1.0 | 0.685 | 54.5 | -39.5 | -22.8 | 45.7 | 210 | C _s | 0.0 | 1.0 | 1.0 | 0.0 | 1.0 | 0.747 | 55.0 | -36.1 | -27.2 | 45.3 | 216 | C _e | 0.0 | 1.0 | 1.0 | 0.0 | 1.0 | 0.983 | 1.0 | 0.0 | 1.0 | 0.757 | 55.1 | -35.7 | -27.8 | 45.4 | 217 | 0.0 | 0.983 | 1.0 |
| 239 | 211 | 217 | 0.0 | 0.983 | 1.0 | 56.4 | -24.9 | -41.5 | 48.4 | 239 | 0.0 | 1.0 | 0.694 | 54.6 | -39.0 | -23.4 | 45.7 | 211 | 0.0 | 0.983 | 1.0 | 0.0 | 1.0 | 0.767 | 55.2 | -35.3 | -28.4 | 45.4 | 218 | 0.0 | 0.967 | 1.0 | 0.0 | 1.0 | 0.767 | 55.2 | -35.3 | -28.4 | 45.4 | 218 | 0.0 | 0.967 | 1.0 | | | | | | |
| 239 | 212 | 218 | 0.0 | 0.966 | 1.0 | 56.1 | -24.3 | -41.5 | 48.1 | 239 | 0.0 | 1.0 | 0.703 | 54.7 | -38.6 | -24.1 | 45.6 | 212 | 0.0 | 0.967 | 1.0 | 0.0 | 1.0 | 0.778 | 55.2 | -34.9 | -29.0 | 45.5 | 219 | 0.0 | 0.95 | 1.0 | 0.0 | 1.0 | 0.778 | 55.2 | -34.9 | -29.0 | 45.5 | 219 | 0.0 | 0.95 | 1.0 | | | | | | |
| 240 | 213 | 219 | 0.0 | 0.95 | 1.0 | 55.7 | -23.7 | -41.5 | 47.8 | 240 | 0.0 | 1.0 | 0.712 | 54.7 | -38.1 | -24.7 | 45.6 | 213 | 0.0 | 0.95 | 1.0 | 0.0 | 1.0 | 0.788 | 55.3 | -34.5 | -29.6 | 45.6 | 220 | 0.0 | 0.933 | 1.0 | 0.0 | 1.0 | 0.788 | 55.3 | -34.5 | -29.6 | 45.6 | 220 | 0.0 | 0.933 | 1.0 | | | | | | |
| 240 | 214 | 220 | 0.0 | 0.933 | 1.0 | 55.4 | -23.1 | -41.5 | 47.5 | 240 | 0.0 | 1.0 | 0.721 | 54.8 | -37.6 | -25.3 | 45.5 | 214 | 0.0 | 0.933 | 1.0 | 0.0 | 1.0 | 0.798 | 55.4 | -34.1 | -30.2 | 45.7 | 221 | 0.0 | 0.917 | 1.0 | 0.0 | 1.0 | 0.798 | 55.4 | -34.1 | -30.2 | 45.7 | 221 | 0.0 | 0.917 | 1.0 | | | | | | |
| 241 | 215 | 221 | 0.0 | 0.916 | 1.0 | 55.0 | -22.5 | -41.4 | 47.2 | 241 | 0.0 | 1.0 | 0.73 | 54.9 | -37.1 | -26.0 | 45.4 | 215 | 0.0 | 0.917 | 1.0 | 0.0 | 1.0 | 0.808 | 55.4 | -33.6 | -30.8 | 45.7 | 222 | 0.0 | 0.9 | 1.0 | 0.0 | 1.0 | 0.808 | 55.4 | -33.6 | -30.8 | 45.7 | 222 | 0.0 | 0.9 | 1.0 | | | | | | |
| 242 | 216 | 222 | 0.0 | 0.9 | 1.0 | 54.6 | -22.0 | -41.4 | 46.9 | 242 | 0.0 | 1.0 | 0.739 | 55.0 | -36.6 | -26.6 | 45.4 | 216 | 0.0 | 0.9 | 1.0 | 0.0 | 1.0 | 0.819 | 55.5 | -33.2 | -31.3 | 45.8 | 223 | 0.0 | 0.883 | 1.0 | 0.0 | 1.0 | 0.819 | 55.5 | -33.2 | -31.3 | 45.8 | 223 | 0.0 | 0.883 | 1.0 | | | | | | |
| 242 | 217 | 223 | 0.0 | 0.883 | 1.0 | 54.3 | -21.4 | -41.4 | 46.6 | 242 | 0.0 | 1.0 | 0.747 | 55.0 | -36.1 | -27.2 | 45.3 | 217 | 0.0 | 0.883 | 1.0 | 0.0 | 1.0 | 0.829 | 55.6 | -32.7 | -31.9 | 45.9 | 224 | 0.0 | 0.867 | 1.0 | 0.0 | 1.0 | 0.829 | 55.6 | -32.7 | -31.9 | 45.9 | 224 | 0.0 | 0.867 | 1.0 | | | | | | |
| 243 | 218 | 224 | 0.0 | 0.866 | 1.0 | 53.9 | -20.7 | -41.3 | 46.3 | 243 | 0.0 | 1.0 | 0.758 | 55.1 | -35.6 | -27.8 | 45.4 | 218 | 0.0 | 0.867 | 1.0 | 0.0 | 1.0 | 0.839 | 55.6 | -32.3 | -32.5 | 45.9 | 225 | 0.0 | 0.85 | 1.0 | 0.0 | 1.0 | 0.839 | 55.6 | -32.3 | -32.5 | 45.9 | 225 | 0.0 | 0.85 | 1.0 | | | | | | |
| 244 | 219 | 225 | 0.0 | 0.85 | 1.0 | 53.4 | -20.0 | -41.3 | 45.9 | 244 | 0.0 | 1.0 | 0.769 | 55.2 | -35.2 | -28.5 | 45.4 | 219 | 0.0 | 0.85 | 1.0 | 0.0 | 1.0 | 0.85 | 55.7 | -31.8 | -33.1 | 46.0 | 226 | 0.0 | 0.833 | 1.0 | 0.0 | 1.0 | 0.85 | 55.7 | -31.8 | -33.1 | 46.0 | 226 | 0.0 | 0.833 | 1.0 | | | | | | |
| 245 | 220 | 226 | 0.0 | 0.833 | 1.0 | 52.9 | -19.2 | -41.3 | 45.6 | 245 | 0.0 | 1.0 | 0.781 | 55.3 | -34.8 | -29.2 | 45.5 | 220 | 0.0 | 0.833 | 1.0 | 0.0 | 1.0 | 0.86 | 55.8 | -31.3 | -33.6 | 46.1 | 227 | 0.0 | 0.817 | 1.0 | 0.0 | 1.0 | 0.86 | 55.8 | -31.3 | -33.6 | 46.1 | 227 | 0.0 | 0.817 | 1.0 | | | | | | |
| 245 | 221 | 227 | 0.0 | 0.816 | 1.0 | 52.4 | -18.5 | -41.3 | 45.3 | 245 | 0.0 | 1.0 | 0.792 | 55.3 | -34.3 | -29.8 | 45.6 | 221 | 0.0 | 0.817 | 1.0 | 0.0 | 1.0 | 0.87 | 55.8 | -30.8 | -34.2 | 46.2 | 227 | 0.0 | 0.8 | 1.0 | 0.0 | 1.0 | 0.87 | 55.8 | -30.8 | -34.2 | 46.2 | 227 | 0.0 | 0.8 | 1.0 | | | | | | |
| 246 | 222 | 227 | 0.0 | 0.8 | 1.0 | 51.9 | -17.7 | -41.3 | 44.9 | 246 | 0.0 | 1.0 | 0.803 | 55.4 | -33.9 | -30.5 | 45.7 | 222 | 0.0 | 0.8 | 1.0 | 0.0 | 1.0 | 0.881 | 55.9 | -30.4 | -34.8 | 46.3 | 228 | 0.0 | 0.783 | 1.0 | 0.0 | 1.0 | 0.881 | 55.9 | -30.4 | -34.8 | 46.3 | 228 | 0.0 | 0.783 | 1.0 | | | | | | |
| 247 | 223 | 228 | 0.0 | 0.783 | 1.0 | 51.4 | -17.0 | -41.2 | 44.6 | 247 | 0.0 | 1.0 | 0.815 | 55.5 | -33.4 | -31.1 | 45.8 | 223 | 0.0 | 0.783 | 1.0 | 0.0 | 1.0 | 0.893 | 56.0 | -30.0 | -35.4 | 46.6 | 229 | 0.0 | 0.767 | 1.0 | 0.0 | 1.0 | 0.893 | 56.0 | -30.0 | -35.4 | 46.6 | 229 | 0.0 | 0.767 | 1.0 | | | | | | |
| 248 | 224 | 229 | 0.0 | 0.766 | 1.0 | 50.9 | -16.2 | -41.2 | 44.2 | 248 | 0.0 | 1.0 | 0.826 | 55.6 | -32.9 | -31.7 | 45.8 | 224 | 0.0 | 0.767 | 1.0 | 0.0 | 1.0 | 0.904 | 56.1 | -29.6 | -36.1 | 46.8 | 230 | 0.0 | 0.75 | 1.0 | 0.0 | 1.0 | 0.904 | 56.1 | -29.6 | -36.1 | 46.8 | 230 | 0.0 | 0.75 | 1.0 | | | | | | |
| 249 | 225 | 230 | 0.0 | 0.75 | 1.0 | 50.4 | -15.5 | -41.1 | 43.9 | 249 | 0.0 | 1.0 | 0.837 | 55.6 | -32.4 | -32.4 | 45.9 | 225 | 0.0 | 0.75 | 1.0 | 0.0 | 1.0 | 0.915 | 56.2 | -29.1 | -36.7 | 47.0 | 231 | 0.0 | 0.733 | 1.0 | 0.0 | 1.0 | 0.915 | 56.2 | -29.1 | -36.7 | 47.0 | 231 | 0.0 | 0.733 | 1.0 | | | | | | |
| 250 | 226 | 231 | 0.0 | 0.733 | 1.0 | 49.9 | -14.7 | -41.1 | 43.6 | 250 | 0.0 | 1.0 | 0.849 | 55.7 | -31.9 | -33.0 | 46.0 | 226 | 0.0 | 0.733 | 1.0 | 0.0 | 1.0 | 0.926 | 56.3 | -28.7 | -37.4 | 47.2 | 232 | 0.0 | 0.717 | 1.0 | 0.0 | 1.0 | 0.926 | 56.3 | -28.7 | -37.4 | 47.2 | 232 | 0.0 | 0.717 | 1.0 | | | | | | |
| 251 | 227 | 232 | 0.0 | 0.716 | 1.0 | 49.4 | -13.8 | -41.1 | 43.4 | 251 | 0.0 | 1.0 | 0.86 | 55.8 | -31.3 | -33.6 | 46.1 | 227 | 0.0 | 0.717 | 1.0 | 0.0 | 1.0 | 0.938 | 56.3 | -28.2 | -38.0 | 47.5 | 233 | 0.0 | 0.7 | 1.0 | 0.0 | 1.0 | 0.938 | 56.3 | -28.2 | -38.0 | 47.5 | 233 | 0.0 | 0.7 | 1.0 | | | | | | |
| 252 | 228 | 233 | 0.0 | 0.7 | 1.0 | 48.8 | -13.0 | -41.1 | 43.1 | 252 | 0.0 | 1.0 | 0.871 | 55.9 | -30.8 | -34.2 | 46.2 | 228 | 0.0 | 0.7 | 1.0 | 0.0 | 1.0 | 0.949 | 56.4 | -27.7 | -38.6 | 47.7 | 234 | 0.0 | 0.683 | 1.0 | 0.0 | 1.0 | 0.949 | 56.4 | -27.7 | -38.6 | 47.7 | 234 | 0.0 | 0.683 | 1.0 | | | | | | |
| 253 | 229 | 234 | 0.0 | 0.683 | 1.0 | 48.3 | -12.2 | -41.1 | 42.9 | 253 | 0.0 | 1.0 | 0.883 | 55.9 | -30.3 | -34.9 | 46.4 | 229 | 0.0 | 0.683 | 1.0 | 0.0 | 1.0 | 0.96 | 56.5 | -27.2 | -39.3 | 47.9 | 235 | 0.0 | 0.667 | 1.0 | 0.0 | 1.0 | 0.96 | 56.5 | -27.2 | -39.3 | 47.9 | 235 | 0.0 | 0.667 | 1.0 | | | | | | |
| 254 | 230 | 235 | 0.0 | 0.666 | 1.0 | 47.8 | -11.4 | -41.0 | 42.6 | 254 | 0.0 | 1.0 | 0.896 | 56.0 | -29.9 | -35.6 | 46.6 | 230 | 0.0 | 0.667 | 1.0 | 0.0 | 1.0 | 0.972 | 56.6 | -26.7 | -39.9 | 48.2 | 236 | 0.0 | 0.65 | 1.0 | 0.0 | 1.0 | 0.972 | 56.6 | -26.7 | -39.9 | 48.2 | 236 | 0.0 | 0.65 | 1.0 | | | | | | |
| 255 | 231 | 236 | 0.0 | 0.65 | 1.0 | 47.3 | -10.6 | -41.0 | 42.3 | 255 | 0.0 | 1.0 | 0.908 | 56.1 | -29.4 | -36.3 | 46.9 | 231 | 0.0 | 0.65 | 1.0 | 0.0 | 1.0 | 0.983 | 56.7 | -26.2 | -40.5 | 48.4 | 237 | 0.0 | 0.633 | 1.0 | 0.0 | 1.0 | 0.983 | 56.7 | -26.2 | -40.5 | 48.4 | 237 | 0.0 | 0.633 | 1.0 | | | | | | |
| 256 | 232 | 237 | 0.0 | 0.633 | 1.0 | 46.8 | -9.8 | -40.9 | 42.1 | 256 | 0.0 | 1.0 | 0.92 | 56.2 | -28.9 | -37.0 | 47.1 | 232 | 0.0 | 0.633 | 1.0 | 0.0 | 1.0 | 0.994 | 56.8 | -25.7 | -41.1 | 48.6 | 237 | 0.0 | 0.617 | 1.0 | 0.0 | 1.0 | 0.994 | 56.8 | -25.7 | -41.1 | 48.6 | 237 | 0.0 | 0.617 | 1.0 | | | | | | |
| 257 | 233 | 237 | 0.0 | 0.616 | 1.0 | 46.2 | -8.9 | -40.9 | 41.8 | 257 | 0.0 | 1.0 | 0.933 | 56.3 | -28.4 | -37.7 | 47.4 | 233 | 0.0 | 0.617 | 1.0 | 0.0 | 1.0 | 0.988 | 1.0 | 56.6 | -25.0 | -41.4 | 48.5 | 238 | 0.0 | 0.6 | 1.0 | 0.0 | 1.0 | 0.988 | 1.0 | 56.6 | -25.0 | -41.4 | 48.5 | 238 | 0.0 | 0.6 | 1.0 | | | | |
| 259 | 234 | 238 | 0.0 | 0.6 | 1.0 | 45.5 | -7.8 | -40.9 | 41.7 | 259 | 0.0 | 1.0 | 0.945 | 56.4 | -27.9 | -38.4 | 47.6 | 234 | 0.0 | 0.6 | 1.0 | 0.0 | 1.0 | 0.962 | 1.0 | 56.0 | -24.1 | -41.4 | 48.1 | 239 | 0.0 | 0.583 | 1.0 | 0.0 | 1.0 | 0.962 | 1.0 | 56.0 | -24.1 | -41.4 | 48.1 | 239 | 0.0 | 0.583 | 1.0 | | | | |
| 260 | 235 | 239 | 0.0 | 0.583 | 1.0 | 44.9 | -6.6 | -41.0 | 41.5 | 260 | 0.0 | 1.0 | 0.957 | 56.5 | -27.4 | -39.1 | 47.9 | 235 | 0.0 | 0.583 | 1.0 | 0.0 | 1.0 | 0.937 | 1.0 | 55.5 | -23.2 | -41.4 | 47.6 | 240 | 0.0 | 0.567 | 1.0 | 0.0 | 1.0 | 0.937 | 1.0 | 55.5 | -23.2 | -41.4 | 47.6 | 240 | 0.0 | 0.567 | 1.0 | | | | |
| 262 | 236 | 240 | 0.0 | 0.566 | 1.0 | 44.2 | -5.5 | -40.9 | 41.3 | 262 | 0.0 | 1.0 | 0.97 | 56.6 | -26.8 | -39.8 | 48.1 | 236 | 0.0 | 0.567 | 1.0 | 0.0 | 1.0 | 0.911 | 1.0 | 54.9 | -22.3 | -41.4 | 47.1 | 241 | 0.0 | 0.55 | 1.0 | 0.0 | 1.0 | 0.911 | 1.0 | 54.9 | -22.3 | -41.4 | 47.1 | 241 | 0.0 | 0.55 | 1.0 | | | | |
| 263 | 237 | 241 | 0.0 | 0.55 | 1.0 | 43.6 | -4.4 | -40.9 | 41.1 | 263 | 0.0 | 1.0 | 0.982 | 56.7 | -26.2 | -40.5 | 48.4 | 237 | 0.0 | 0.55 | 1.0 | 0.0 | 1.0 | 0.885 | 1.0 | 54.4 | -21.4 | -41.3 | 46.7 | 242 | 0.0 | 0.533 | 1.0 | 0.0 | 1.0 | 0.885 | 1.0 | 54.4 | -21.4 | -41.3 | 46.7 | 242 | 0.0 | 0.533 | 1.0 | | | | |
| 265 | 238 | 242 | 0.0 | 0.533 | 1.0 | 43.0 | -3.3 | -40.8 | 41.0 | 265 | 0.0 | 1.0 | 0.994 | 56.8 | -25.7 | -41.1 | 48.6 | 238 | 0.0 | 0.533 | 1.0 | 0.0 | 1.0 | 0.864 | 1.0 | 53.9 | -20.6 | -41.3 | 46.3 | 243 | 0.0 | 0.517 | 1.0 | 0.0 | 1.0 | 0.864 | 1.0 | 53.9 | -20.6 | -41.3 | 46.3 | 243 | 0.0 | 0.517 | 1.0 | | | | |
| 266 | 239 | 243 | 0.0 | 0.516 | 1.0 | 42.3 | -2.3 | -40.7 | 40.8 | 266 | 0.0 | 1.0 | 0.985 | 1.0 | 56.5 | -24.9 | -41.4 | 48.5 | 239 | 0.0 | 0.517 | 1.0 | 0.0 | 1.0 | 0.847 | 1.0 | 53.3 | -19.8 | -41.3 | 45.9 | 244 | 0.0 | 0.5 | 1.0 | 0.0 | 1.0 | 0.847 | 1.0 | 53.3 | | | | | | | | | | |

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGCBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb [*] dd361M | LAB [*] dd361M (x=LabCh) | rgb [*] ds361Mi | LAB [*] dsx361Mi (x=LabCh) | rgb [*] dd361Mi | rgb [*] de361Mi | LAB [*] dex361Mi (x=LabCh) | rgb [*] dd361Mi | rgb [*] ds361Mi | rgb [*] de361Mi | | | | | | | | | | | | | | | | | | |
|-------------------|-------------------|-------------------|-------------------------|-----------------------------------|--------------------------|-------------------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|-------|-------|-------|------|-------|----------------|-----|-----------|------|-----------|-------|------|-------|-------|-----------|----------------|-----|---------|
| 289 | 255 | 258 | 0.0 | 0.25 1.0 | 32.8 | 14.3 | -40.2 | 42.7 | 289 | 0.0 | 0.657 1.0 | 47.5 | -10.9 | -40.9 | 42.5 | 255 | 0.0 | 0.25 1.0 | 0.0 | 0.613 1.0 | 46.1 | -8.6 | -40.8 | 41.9 | 258 | 0.0 | 0.25 1.0 | | | |
| 290 | 256 | 258 | 0.0 | 0.233 1.0 | 32.2 | 15.3 | -40.3 | 43.1 | 290 | 0.0 | 0.641 1.0 | 47.0 | -10.1 | -40.9 | 42.2 | 256 | 0.0 | 0.233 1.0 | 0.0 | 0.603 1.0 | 45.7 | -7.9 | -40.9 | 41.7 | 258 | 0.0 | 0.233 1.0 | | | |
| 292 | 257 | 259 | 0.0 | 0.216 1.0 | 31.7 | 16.4 | -40.3 | 43.6 | 292 | 0.0 | 0.624 1.0 | 46.5 | -9.3 | -40.8 | 42.0 | 257 | 0.0 | 0.217 1.0 | 0.0 | 0.593 1.0 | 45.3 | -7.2 | -40.9 | 41.6 | 259 | 0.0 | 0.217 1.0 | | | |
| 293 | 258 | 260 | 0.0 | 0.2 1.0 | 31.1 | 17.5 | -40.4 | 44.0 | 293 | 0.0 | 0.613 1.0 | 46.1 | -8.6 | -40.8 | 41.9 | 258 | 0.0 | 0.2 1.0 | 0.0 | 0.583 1.0 | 44.9 | -6.6 | -40.9 | 41.5 | 260 | 0.0 | 0.2 1.0 | | | |
| 294 | 259 | 261 | 0.0 | 0.183 1.0 | 30.6 | 18.5 | -40.4 | 44.5 | 294 | 0.0 | 0.602 1.0 | 45.7 | -7.9 | -40.9 | 41.7 | 259 | 0.0 | 0.183 1.0 | 0.0 | 0.573 1.0 | 44.5 | -5.9 | -40.9 | 41.4 | 261 | 0.0 | 0.183 1.0 | | | |
| 295 | 260 | 262 | 0.0 | 0.166 1.0 | 30.0 | 19.6 | -40.4 | 44.9 | 295 | 0.0 | 0.591 1.0 | 45.3 | -7.1 | -40.9 | 41.6 | 260 | 0.0 | 0.167 1.0 | 0.0 | 0.562 1.0 | 44.1 | -5.2 | -40.9 | 41.3 | 262 | 0.0 | 0.167 1.0 | | | |
| 297 | 261 | 263 | 0.0 | 0.15 1.0 | 29.5 | 20.7 | -40.4 | 45.4 | 297 | 0.0 | 0.58 1.0 | 44.8 | -6.4 | -40.9 | 41.5 | 261 | 0.0 | 0.15 1.0 | 0.0 | 0.552 1.0 | 43.7 | -4.5 | -40.9 | 41.2 | 263 | 0.0 | 0.15 1.0 | | | |
| 298 | 262 | 264 | 0.0 | 0.133 1.0 | 28.9 | 21.8 | -40.3 | 45.8 | 298 | 0.0 | 0.569 1.0 | 44.4 | -5.7 | -40.9 | 41.4 | 262 | 0.0 | 0.133 1.0 | 0.0 | 0.542 1.0 | 43.4 | -3.9 | -40.8 | 41.1 | 264 | 0.0 | 0.133 1.0 | | | |
| 299 | 263 | 265 | 0.0 | 0.116 1.0 | 28.4 | 22.8 | -40.3 | 46.3 | 299 | 0.0 | 0.558 1.0 | 44.0 | -4.9 | -40.9 | 41.3 | 263 | 0.0 | 0.117 1.0 | 0.0 | 0.532 1.0 | 43.0 | -3.2 | -40.8 | 41.0 | 265 | 0.0 | 0.117 1.0 | | | |
| 300 | 264 | 266 | 0.0 | 0.1 1.0 | 27.9 | 23.8 | -40.4 | 46.9 | 300 | 0.0 | 0.547 1.0 | 43.5 | -4.2 | -40.8 | 41.2 | 264 | 0.0 | 0.1 1.0 | 0.0 | 0.522 1.0 | 42.6 | -2.6 | -40.7 | 40.9 | 266 | 0.0 | 0.1 1.0 | | | |
| 301 | 265 | 267 | 0.0 | 0.083 1.0 | 27.4 | 24.7 | -40.4 | 47.4 | 301 | 0.0 | 0.536 1.0 | 43.1 | -3.5 | -40.8 | 41.1 | 265 | 0.0 | 0.083 1.0 | 0.0 | 0.512 1.0 | 42.2 | -1.9 | -40.7 | 40.8 | 267 | 0.0 | 0.083 1.0 | | | |
| 302 | 266 | 268 | 0.0 | 0.066 1.0 | 26.9 | 25.7 | -40.4 | 47.9 | 302 | 0.0 | 0.525 1.0 | 42.7 | -2.8 | -40.7 | 40.9 | 266 | 0.0 | 0.067 1.0 | 0.0 | 0.502 1.0 | 41.8 | -1.3 | -40.6 | 40.7 | 268 | 0.0 | 0.067 1.0 | | | |
| 303 | 267 | 269 | 0.0 | 0.049 1.0 | 26.5 | 26.6 | -40.5 | 48.4 | 303 | 0.0 | 0.514 1.0 | 42.3 | -2.0 | -40.7 | 40.8 | 267 | 0.0 | 0.05 1.0 | 0.0 | 0.491 1.0 | 41.4 | -0.6 | -40.6 | 40.7 | 269 | 0.0 | 0.05 1.0 | | | |
| 304 | 268 | 269 | 0.0 | 0.033 1.0 | 26.0 | 27.6 | -40.4 | 49.0 | 304 | 0.0 | 0.503 1.0 | 41.8 | -1.3 | -40.6 | 40.7 | 268 | 0.0 | 0.033 1.0 | 0.0 | 0.48 1.0 | 41.0 | 0.0 | -40.6 | 40.7 | 269 | 0.0 | 0.033 1.0 | | | |
| 305 | 269 | 270 | 0.0 | 0.016 1.0 | 25.5 | 28.6 | -40.4 | 49.5 | 305 | 0.0 | 0.491 1.0 | 41.4 | -0.6 | -40.6 | 40.7 | 269 | 0.0 | 0.017 1.0 | 0.0 | 0.469 1.0 | 40.6 | 0.6 | -40.6 | 40.7 | 270 | 0.0 | 0.017 1.0 | | | |
| 306 | 270 | 271 | 0.0 | 0.0 1.0 | 25.0 | 29.5 | -40.4 | 50.0 | 306 | B _d | 0.0 | 0.479 1.0 | 41.0 | 0.0 | -40.6 | 40.7 | 270 | B _s | 0.0 | 0.0 1.0 | 0.0 | 0.458 1.0 | 40.3 | 1.2 | -40.6 | 40.7 | 271 | B _e | 0.0 | 0.0 1.0 |
| 307 | 271 | 272 | 0.016 | 0.0 1.0 | 25.4 | 30.4 | -39.9 | 50.2 | 307 | 0.0 | 0.467 1.0 | 40.6 | 0.7 | -40.6 | 40.7 | 271 | 0.017 | 0.0 1.0 | 0.0 | 0.447 1.0 | 39.9 | 1.9 | -40.5 | 40.7 | 272 | 0.017 | 0.0 1.0 | | | |
| 308 | 272 | 273 | 0.033 | 0.0 1.0 | 25.8 | 31.3 | -39.4 | 50.4 | 308 | 0.0 | 0.455 1.0 | 40.2 | 1.4 | -40.6 | 40.7 | 272 | 0.033 | 0.0 1.0 | 0.0 | 0.435 1.0 | 39.5 | 2.6 | -40.5 | 40.7 | 273 | 0.033 | 0.0 1.0 | | | |
| 309 | 273 | 274 | 0.05 | 0.0 1.0 | 26.2 | 32.2 | -38.9 | 50.5 | 309 | 0.0 | 0.443 1.0 | 39.7 | 2.1 | -40.5 | 40.7 | 273 | 0.05 | 0.0 1.0 | 0.0 | 0.424 1.0 | 39.1 | 3.3 | -40.5 | 40.7 | 274 | 0.05 | 0.0 1.0 | | | |
| 310 | 274 | 275 | 0.066 | 0.0 1.0 | 26.5 | 33.1 | -38.4 | 50.7 | 310 | 0.0 | 0.431 1.0 | 39.3 | 2.8 | -40.5 | 40.7 | 274 | 0.067 | 0.0 1.0 | 0.0 | 0.413 1.0 | 38.7 | 3.9 | -40.4 | 40.7 | 275 | 0.067 | 0.0 1.0 | | | |
| 311 | 275 | 276 | 0.083 | 0.0 1.0 | 26.9 | 33.9 | -37.8 | 50.8 | 311 | 0.0 | 0.419 1.0 | 38.9 | 3.5 | -40.4 | 40.7 | 275 | 0.083 | 0.0 1.0 | 0.0 | 0.401 1.0 | 38.3 | 4.6 | -40.3 | 40.7 | 276 | 0.083 | 0.0 1.0 | | | |
| 313 | 276 | 277 | 0.1 | 0.0 1.0 | 27.3 | 34.8 | -37.3 | 51.0 | 313 | 0.0 | 0.407 1.0 | 38.5 | 4.3 | -40.4 | 40.7 | 276 | 0.1 | 0.0 1.0 | 0.0 | 0.39 1.0 | 37.9 | 5.3 | -40.3 | 40.7 | 277 | 0.1 | 0.0 1.0 | | | |
| 314 | 277 | 278 | 0.116 | 0.0 1.0 | 27.7 | 35.6 | -36.7 | 51.1 | 314 | 0.0 | 0.395 1.0 | 38.1 | 5.0 | -40.3 | 40.7 | 277 | 0.117 | 0.0 1.0 | 0.0 | 0.378 1.0 | 37.5 | 5.9 | -40.2 | 40.7 | 278 | 0.117 | 0.0 1.0 | | | |
| 315 | 278 | 279 | 0.133 | 0.0 1.0 | 27.9 | 36.4 | -36.2 | 51.3 | 315 | 0.0 | 0.383 1.0 | 37.6 | 5.7 | -40.2 | 40.7 | 278 | 0.133 | 0.0 1.0 | 0.0 | 0.367 1.0 | 37.1 | 6.6 | -40.2 | 40.8 | 279 | 0.133 | 0.0 1.0 | | | |
| 316 | 279 | 280 | 0.15 | 0.0 1.0 | 28.1 | 37.2 | -35.7 | 51.6 | 316 | 0.0 | 0.371 1.0 | 37.2 | 6.4 | -40.2 | 40.8 | 279 | 0.15 | 0.0 1.0 | 0.0 | 0.357 1.0 | 36.7 | 7.3 | -40.2 | 41.0 | 280 | 0.15 | 0.0 1.0 | | | |
| 317 | 280 | 281 | 0.166 | 0.0 1.0 | 28.2 | 38.0 | -35.2 | 51.9 | 317 | 0.0 | 0.36 1.0 | 36.8 | 7.1 | -40.2 | 41.0 | 280 | 0.167 | 0.0 1.0 | 0.0 | 0.346 1.0 | 36.3 | 8.0 | -40.3 | 41.2 | 281 | 0.167 | 0.0 1.0 | | | |
| 318 | 281 | 282 | 0.183 | 0.0 1.0 | 28.3 | 38.8 | -34.7 | 52.1 | 318 | 0.0 | 0.348 1.0 | 36.4 | 7.8 | -40.3 | 41.1 | 281 | 0.183 | 0.0 1.0 | 0.0 | 0.335 1.0 | 35.9 | 8.7 | -40.3 | 41.3 | 282 | 0.183 | 0.0 1.0 | | | |
| 319 | 282 | 283 | 0.2 | 0.0 1.0 | 28.5 | 39.6 | -34.2 | 52.4 | 319 | 0.0 | 0.337 1.0 | 36.0 | 8.6 | -40.3 | 41.3 | 282 | 0.2 | 0.0 1.0 | 0.0 | 0.324 1.0 | 35.5 | 9.4 | -40.3 | 41.5 | 283 | 0.2 | 0.0 1.0 | | | |
| 320 | 283 | 284 | 0.216 | 0.0 1.0 | 28.6 | 40.4 | -33.7 | 52.6 | 320 | 0.0 | 0.326 1.0 | 35.6 | 9.3 | -40.3 | 41.5 | 283 | 0.217 | 0.0 1.0 | 0.0 | 0.313 1.0 | 35.1 | 10.1 | -40.3 | 41.7 | 284 | 0.217 | 0.0 1.0 | | | |
| 321 | 284 | 285 | 0.233 | 0.0 1.0 | 28.7 | 41.2 | -33.1 | 52.9 | 321 | 0.0 | 0.314 1.0 | 35.2 | 10.1 | -40.3 | 41.7 | 284 | 0.233 | 0.0 1.0 | 0.0 | 0.303 1.0 | 34.8 | 10.8 | -40.3 | 41.9 | 285 | 0.233 | 0.0 1.0 | | | |
| 322 | 285 | 285 | 0.25 | 0.0 1.0 | 28.8 | 41.9 | -32.5 | 53.1 | 322 | 0.0 | 0.303 1.0 | 34.8 | 10.8 | -40.3 | 41.9 | 285 | 0.25 | 0.0 1.0 | 0.0 | 0.292 1.0 | 34.4 | 11.6 | -40.3 | 42.0 | 285 | 0.25 | 0.0 1.0 | | | |
| 323 | 286 | 286 | 0.266 | 0.0 1.0 | 29.4 | 43.3 | -31.8 | 53.8 | 323 | 0.0 | 0.291 1.0 | 34.3 | 11.6 | -40.3 | 42.0 | 286 | 0.267 | 0.0 1.0 | 0.0 | 0.281 1.0 | 34.0 | 12.3 | -40.3 | 42.2 | 286 | 0.267 | 0.0 1.0 | | | |
| 325 | 287 | 287 | 0.283 | 0.0 1.0 | 29.9 | 44.7 | -31.1 | 54.4 | 325 | 0.0 | 0.28 1.0 | 33.9 | 12.3 | -40.3 | 42.2 | 287 | 0.283 | 0.0 1.0 | 0.0 | 0.27 1.0 | 33.6 | 13.0 | -40.2 | 42.4 | 287 | 0.283 | 0.0 1.0 | | | |
| 326 | 288 | 288 | 0.3 | 0.0 1.0 | 30.4 | 46.0 | -30.3 | 55.1 | 326 | 0.0 | 0.269 1.0 | 33.5 | 13.1 | -40.2 | 42.4 | 288 | 0.3 | 0.0 1.0 | 0.0 | 0.26 1.0 | 33.2 | 13.7 | -40.2 | 42.5 | 288 | 0.3 | 0.0 1.0 | | | |
| 328 | 289 | 289 | 0.316 | 0.0 1.0 | 30.9 | 47.3 | -29.4 | 55.7 | 328 | 0.0 | 0.257 1.0 | 33.1 | 13.9 | -40.2 | 42.6 | 289 | 0.317 | 0.0 1.0 | 0.0 | 0.249 1.0 | 32.8 | 14.4 | -40.1 | 42.7 | 289 | 0.317 | 0.0 1.0 | | | |
| 329 | 290 | 290 | 0.333 | 0.0 1.0 | 31.4 | 48.6 | -28.5 | 56.4 | 329 | 0.0 | 0.245 1.0 | 32.7 | 14.6 | -40.1 | 42.8 | 290 | 0.333 | 0.0 1.0 | 0.0 | 0.236 1.0 | 32.4 | 15.2 | -40.2 | 43.1 | 290 | 0.333 | 0.0 1.0 | | | |
| 331 | 291 | 291 | 0.35 | 0.0 1.0 | 32.0 | 49.9 | -27.5 | 57.0 | 331 | 0.0 | 0.232 1.0 | 32.2 | 15.5 | -40.2 | 43.2 | 291 | 0.35 | 0.0 1.0 | 0.0 | 0.223 1.0 | 32.0 | 16.0 | -40.3 | 43.4 | 291 | 0.35 | 0.0 1.0 | | | |
| 332 | 292 | 292 | 0.366 | 0.0 1.0 | 32.5 | 51.2 | -26.5 | 57.7 | 332 | 0.0 | 0.219 1.0 | 31.8 | 16.3 | -40.3 | 43.6 | 292 | 0.367 | 0.0 1.0 | 0.0 | 0.211 1.0 | 31.5 | 16.8 | -40.3 | 43.8 | 292 | 0.367 | 0.0 1.0 | | | |
| 333 | 293 | 293 | 0.383 | 0.0 1.0 | 32.9 | 52.3 | -25.7 | 58.3 | 333 | 0.0 | 0.205 1.0 | 31.4 | 17.2 | -40.3 | 43.9 | 293 | 0.383 | 0.0 1.0 | 0.0 | 0.198 1.0 | 31.1 | 17.6 | -40.3 | 44.1 | 293 | 0.383 | 0.0 1.0 | | | |
| 334 | 294 | 294 | 0.4 | 0.0 1.0 | 33.3 | 53.2 | -25.0 | 58.8 | 334 | 0.0 | 0.192 1.0 | 30.9 | 18.0 | -40.3 | 44.3 | 294 | 0.4 | 0.0 1.0 | 0.0 | 0.186 1.0 | 30.7 | 18.4 | -40.4 | 44.5 | 294 | 0.4 | 0.0 1.0 | | | |
| 335 | 295 | 295 | 0.416 | 0.0 1.0 | 33.7 | 54.1 | -24.4 | 59.4 | 335 | 0.0 | 0.179 1.0 | 30.5 | 18.9 | -40.4 | 44.6 | 295 | 0.417 | 0.0 1.0 | 0.0 | 0.173 1.0 | 30.3 | 19.2 | -40.4 | 44.8 | 295 | 0.417 | 0.0 1.0 | | | |
| 336 | 296 | 296 | 0.433 | 0.0 1.0 | 34.0 | 55.0 | -23.7 | 59.9 | 336 | 0.0 | 0.166 1.0 | 30.0 | 19.7 | -40.3 | 45.0 | 296 | 0.433 | 0.0 1.0 | 0.0 | 0.161 1.0 | 29.9 | 20.1 | -40.3 | 45.1 | 296 | 0.433 | 0.0 1.0 | | | |
| 337 | 297 | 297 | 0.45 | 0.0 1.0 | 34.4 | 55.9 | -23.0 | 60.5 | 337 | 0.0 | 0.152 1.0 | 29.6 | 20.6 | -40.3 | 45.4 | 297 | 0.45 | 0.0 1.0 | 0.0 | 0.148 1.0 | 29.4 | 20.9 | -40.3 | 45.5 | 297 | 0.45 | 0.0 1.0 | | | |
| 338 | 298 | 298 | 0.466 | 0.0 1.0 | 34.8 | 56.8 | -22.2 | 61.0 | 338 | 0.0 | 0.139 1.0 | 29.1 | 21.5 | - | | | | | | | | | | | | | | | | |

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

| h _{ab,d} | h _{ab,s} | h _{ab,e} | rgb* _{dd361M} | LAB* _{ddx361Mi (x=LabCh)} | rgb* _{ds361Mi} | LAB* _{dsx361Mi (x=LabCh)} | rgb* _{dd361Mi} | LAB* _{dex361Mi (x=LabCh)} | rgb* _{dd361Mi} | LAB* _{dex361Mi (x=LabCh)} | rgb* _{dd361Mi} | LAB* _{dex361Mi (x=LabCh)} | rgb* _{dd361Mi} | LAB* _{dex361Mi (x=LabCh)} | | | | | | | | | | | | | | | | | | |
|-------------------|-------------------|-------------------|------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|------------------------------------|-------------------------|------------------------------------|------|-------|------|-----|-------|-----|-------|-------|-------|-----|------|------|-------|------|-----|-------|-----|-------|
| 340 | 300 | 300 | 0.5 | 0.0 | 1.0 | 35.6 | 58.6 | -20.7 | 62.1 | 340 | 0.0 | 0.109 | 1.0 | 28.2 | 23.3 | -40.3 | 46.6 | 300 | 0.5 | 0.0 | 1.0 | 0.0 | 0.106 | 1.0 | 28.1 | 23.5 | -40.3 | 46.7 | 300 | 0.5 | 0.0 | 1.0 |
| 341 | 301 | 301 | 0.516 | 0.0 | 1.0 | 35.9 | 59.5 | -19.9 | 62.8 | 341 | 0.0 | 0.091 | 1.0 | 27.7 | 24.3 | -40.3 | 47.2 | 301 | 0.517 | 0.0 | 1.0 | 0.0 | 0.089 | 1.0 | 27.6 | 24.4 | -40.3 | 47.2 | 301 | 0.517 | 0.0 | 1.0 |
| 342 | 302 | 302 | 0.533 | 0.0 | 1.0 | 36.2 | 60.5 | -19.0 | 63.4 | 342 | 0.0 | 0.074 | 1.0 | 27.2 | 25.3 | -40.4 | 47.7 | 302 | 0.533 | 0.0 | 1.0 | 0.0 | 0.073 | 1.0 | 27.2 | 25.4 | -40.4 | 47.8 | 302 | 0.533 | 0.0 | 1.0 |
| 343 | 303 | 303 | 0.55 | 0.0 | 1.0 | 36.6 | 61.4 | -18.2 | 64.0 | 343 | 0.0 | 0.056 | 1.0 | 26.7 | 26.3 | -40.4 | 48.3 | 303 | 0.55 | 0.0 | 1.0 | 0.0 | 0.056 | 1.0 | 26.7 | 26.3 | -40.4 | 48.3 | 303 | 0.55 | 0.0 | 1.0 |
| 344 | 304 | 304 | 0.566 | 0.0 | 1.0 | 36.9 | 62.3 | -17.3 | 64.7 | 344 | 0.0 | 0.039 | 1.0 | 26.2 | 27.3 | -40.4 | 48.9 | 304 | 0.567 | 0.0 | 1.0 | 0.0 | 0.039 | 1.0 | 26.2 | 27.3 | -40.4 | 48.9 | 304 | 0.567 | 0.0 | 1.0 |
| 345 | 305 | 304 | 0.583 | 0.0 | 1.0 | 37.2 | 63.2 | -16.4 | 65.3 | 345 | 0.0 | 0.021 | 1.0 | 25.7 | 28.3 | -40.4 | 49.4 | 305 | 0.583 | 0.0 | 1.0 | 0.0 | 0.023 | 1.0 | 25.7 | 28.2 | -40.4 | 49.4 | 304 | 0.583 | 0.0 | 1.0 |
| 346 | 306 | 305 | 0.6 | 0.0 | 1.0 | 37.6 | 64.1 | -15.4 | 66.0 | 346 | 0.0 | 0.004 | 1.0 | 25.2 | 29.4 | -40.3 | 50.0 | 306 | 0.6 | 0.0 | 1.0 | 0.0 | 0.006 | 1.0 | 25.3 | 29.2 | -40.3 | 49.9 | 305 | 0.6 | 0.0 | 1.0 |
| 347 | 307 | 306 | 0.616 | 0.0 | 1.0 | 37.9 | 65.0 | -14.5 | 66.6 | 347 | 0.011 | 0.0 | 1.0 | 25.3 | 30.2 | -40.0 | 50.2 | 307 | 0.617 | 0.0 | 1.0 | 0.009 | 0.0 | 1.0 | 25.3 | 30.1 | -40.1 | 50.2 | 306 | 0.617 | 0.0 | 1.0 |
| 348 | 308 | 307 | 0.633 | 0.0 | 1.0 | 38.3 | 65.8 | -13.7 | 67.2 | 348 | 0.026 | 0.0 | 1.0 | 25.7 | 31.0 | -39.6 | 50.3 | 308 | 0.633 | 0.0 | 1.0 | 0.023 | 0.0 | 1.0 | 25.6 | 30.8 | -39.7 | 50.3 | 307 | 0.633 | 0.0 | 1.0 |
| 348 | 309 | 308 | 0.65 | 0.0 | 1.0 | 38.8 | 66.6 | -13.1 | 67.9 | 348 | 0.041 | 0.0 | 1.0 | 26.0 | 31.8 | -39.1 | 50.5 | 309 | 0.65 | 0.0 | 1.0 | 0.036 | 0.0 | 1.0 | 25.9 | 31.5 | -39.3 | 50.4 | 308 | 0.65 | 0.0 | 1.0 |
| 349 | 310 | 309 | 0.666 | 0.0 | 1.0 | 39.3 | 67.3 | -12.5 | 68.5 | 349 | 0.056 | 0.0 | 1.0 | 26.3 | 32.5 | -38.7 | 50.6 | 310 | 0.667 | 0.0 | 1.0 | 0.05 | 0.0 | 1.0 | 26.2 | 32.3 | -38.8 | 50.6 | 309 | 0.667 | 0.0 | 1.0 |
| 350 | 311 | 310 | 0.683 | 0.0 | 1.0 | 39.8 | 68.1 | -11.9 | 69.1 | 350 | 0.07 | 0.0 | 1.0 | 26.7 | 33.3 | -38.2 | 50.8 | 311 | 0.683 | 0.0 | 1.0 | 0.064 | 0.0 | 1.0 | 26.5 | 33.0 | -38.4 | 50.7 | 310 | 0.683 | 0.0 | 1.0 |
| 350 | 312 | 311 | 0.7 | 0.0 | 1.0 | 40.3 | 68.8 | -11.2 | 69.7 | 350 | 0.085 | 0.0 | 1.0 | 27.0 | 34.1 | -37.7 | 50.9 | 312 | 0.7 | 0.0 | 1.0 | 0.078 | 0.0 | 1.0 | 26.9 | 33.7 | -37.9 | 50.8 | 311 | 0.7 | 0.0 | 1.0 |
| 351 | 313 | 312 | 0.716 | 0.0 | 1.0 | 40.8 | 69.5 | -10.6 | 70.4 | 351 | 0.1 | 0.0 | 1.0 | 27.3 | 34.8 | -37.2 | 51.0 | 313 | 0.717 | 0.0 | 1.0 | 0.092 | 0.0 | 1.0 | 27.2 | 34.4 | -37.5 | 51.0 | 312 | 0.717 | 0.0 | 1.0 |
| 351 | 314 | 313 | 0.733 | 0.0 | 1.0 | 41.3 | 70.3 | -9.9 | 71.0 | 351 | 0.114 | 0.0 | 1.0 | 27.7 | 35.5 | -36.7 | 51.2 | 314 | 0.733 | 0.0 | 1.0 | 0.106 | 0.0 | 1.0 | 27.5 | 35.1 | -37.0 | 51.1 | 313 | 0.733 | 0.0 | 1.0 |
| 352 | 315 | 314 | 0.75 | 0.0 | 1.0 | 41.8 | 71.0 | -9.2 | 71.6 | 352 | 0.13 | 0.0 | 1.0 | 27.9 | 36.3 | -36.2 | 51.3 | 315 | 0.75 | 0.0 | 1.0 | 0.12 | 0.0 | 1.0 | 27.8 | 35.8 | -36.5 | 51.2 | 314 | 0.75 | 0.0 | 1.0 |
| 353 | 316 | 315 | 0.766 | 0.0 | 1.0 | 42.1 | 71.6 | -8.7 | 72.1 | 353 | 0.146 | 0.0 | 1.0 | 28.1 | 37.1 | -35.7 | 51.6 | 316 | 0.767 | 0.0 | 1.0 | 0.135 | 0.0 | 1.0 | 28.0 | 36.6 | -36.0 | 51.4 | 315 | 0.767 | 0.0 | 1.0 |
| 353 | 317 | 316 | 0.783 | 0.0 | 1.0 | 42.4 | 72.1 | -8.1 | 72.6 | 353 | 0.163 | 0.0 | 1.0 | 28.2 | 37.9 | -35.3 | 51.8 | 317 | 0.783 | 0.0 | 1.0 | 0.151 | 0.0 | 1.0 | 28.1 | 37.3 | -35.6 | 51.7 | 316 | 0.783 | 0.0 | 1.0 |
| 353 | 318 | 317 | 0.8 | 0.0 | 1.0 | 42.7 | 72.7 | -7.6 | 73.1 | 353 | 0.18 | 0.0 | 1.0 | 28.3 | 38.7 | -34.8 | 52.1 | 318 | 0.8 | 0.0 | 1.0 | 0.167 | 0.0 | 1.0 | 28.2 | 38.1 | -35.1 | 51.9 | 317 | 0.8 | 0.0 | 1.0 |
| 354 | 319 | 318 | 0.816 | 0.0 | 1.0 | 43.1 | 73.2 | -7.0 | 73.6 | 354 | 0.197 | 0.0 | 1.0 | 28.5 | 39.5 | -34.2 | 52.4 | 319 | 0.817 | 0.0 | 1.0 | 0.183 | 0.0 | 1.0 | 28.4 | 38.9 | -34.7 | 52.1 | 318 | 0.817 | 0.0 | 1.0 |
| 354 | 320 | 319 | 0.833 | 0.0 | 1.0 | 43.4 | 73.8 | -6.5 | 74.1 | 354 | 0.213 | 0.0 | 1.0 | 28.6 | 40.3 | -33.7 | 52.6 | 320 | 0.833 | 0.0 | 1.0 | 0.199 | 0.0 | 1.0 | 28.5 | 39.6 | -34.2 | 52.4 | 319 | 0.833 | 0.0 | 1.0 |
| 355 | 321 | 320 | 0.85 | 0.0 | 1.0 | 43.7 | 74.3 | -5.9 | 74.6 | 355 | 0.23 | 0.0 | 1.0 | 28.7 | 41.1 | -33.2 | 52.9 | 321 | 0.85 | 0.0 | 1.0 | 0.215 | 0.0 | 1.0 | 28.6 | 40.4 | -33.7 | 52.6 | 320 | 0.85 | 0.0 | 1.0 |
| 355 | 322 | 321 | 0.866 | 0.0 | 1.0 | 44.0 | 74.9 | -5.3 | 75.1 | 355 | 0.247 | 0.0 | 1.0 | 28.9 | 41.9 | -32.6 | 53.1 | 322 | 0.867 | 0.0 | 1.0 | 0.231 | 0.0 | 1.0 | 28.7 | 41.1 | -33.2 | 52.9 | 321 | 0.867 | 0.0 | 1.0 |
| 356 | 323 | 321 | 0.883 | 0.0 | 1.0 | 44.3 | 75.4 | -4.7 | 75.6 | 356 | 0.259 | 0.0 | 1.0 | 29.2 | 42.7 | -32.1 | 53.5 | 323 | 0.883 | 0.0 | 1.0 | 0.247 | 0.0 | 1.0 | 28.9 | 41.8 | -32.6 | 53.1 | 321 | 0.883 | 0.0 | 1.0 |
| 356 | 324 | 322 | 0.9 | 0.0 | 1.0 | 44.6 | 76.0 | -4.1 | 76.1 | 356 | 0.27 | 0.0 | 1.0 | 29.5 | 43.7 | -31.6 | 54.0 | 324 | 0.9 | 0.0 | 1.0 | 0.258 | 0.0 | 1.0 | 29.2 | 42.7 | -32.1 | 53.5 | 322 | 0.9 | 0.0 | 1.0 |
| 357 | 325 | 323 | 0.916 | 0.0 | 1.0 | 44.8 | 76.6 | -3.5 | 76.6 | 357 | 0.282 | 0.0 | 1.0 | 29.9 | 44.6 | -31.1 | 54.4 | 325 | 0.917 | 0.0 | 1.0 | 0.269 | 0.0 | 1.0 | 29.5 | 43.5 | -31.7 | 53.9 | 323 | 0.917 | 0.0 | 1.0 |
| 357 | 326 | 324 | 0.933 | 0.0 | 1.0 | 45.1 | 77.1 | -2.8 | 77.2 | 357 | 0.293 | 0.0 | 1.0 | 30.2 | 45.5 | -30.6 | 54.8 | 326 | 0.933 | 0.0 | 1.0 | 0.28 | 0.0 | 1.0 | 29.8 | 44.4 | -31.2 | 54.3 | 324 | 0.933 | 0.0 | 1.0 |
| 358 | 327 | 325 | 0.95 | 0.0 | 1.0 | 45.3 | 77.7 | -2.2 | 77.7 | 358 | 0.304 | 0.0 | 1.0 | 30.6 | 46.4 | -30.0 | 55.3 | 327 | 0.95 | 0.0 | 1.0 | 0.29 | 0.0 | 1.0 | 30.1 | 45.2 | -30.7 | 54.7 | 325 | 0.95 | 0.0 | 1.0 |
| 358 | 328 | 326 | 0.966 | 0.0 | 1.0 | 45.6 | 78.2 | -1.5 | 78.2 | 358 | 0.315 | 0.0 | 1.0 | 30.9 | 47.2 | -29.4 | 55.7 | 328 | 0.967 | 0.0 | 1.0 | 0.301 | 0.0 | 1.0 | 30.5 | 46.1 | -30.2 | 55.1 | 326 | 0.967 | 0.0 | 1.0 |
| 359 | 329 | 327 | 0.983 | 0.0 | 1.0 | 45.8 | 78.7 | -0.8 | 78.7 | 359 | 0.326 | 0.0 | 1.0 | 31.3 | 48.1 | -28.8 | 56.1 | 329 | 0.983 | 0.0 | 1.0 | 0.311 | 0.0 | 1.0 | 30.8 | 46.9 | -29.6 | 55.6 | 327 | 0.983 | 0.0 | 1.0 |
| 359 | 330 | 328 | 1.0 | 0.0 | 1.0 | 46.1 | 79.3 | -0.2 | 79.3 | 359 | 0.337 | 0.0 | 1.0 | 31.6 | 49.0 | -28.2 | 56.6 | 330 | 1.0 | 0.0 | 1.0 | 0.322 | 0.0 | 1.0 | 31.1 | 47.8 | -29.1 | 56.0 | 328 | 1.0 | 0.0 | 1.0 |
| 360 | 331 | 329 | 1.0 | 0.0 | 0.983 | 46.1 | 79.1 | 0.3 | 79.1 | 360 | 0.349 | 0.0 | 1.0 | 32.0 | 49.9 | -27.5 | 57.0 | 331 | 1.0 | 0.0 | 0.983 | 0.332 | 0.0 | 1.0 | 31.5 | 48.6 | -28.5 | 56.4 | 329 | 1.0 | 0.0 | 0.983 |
| 360 | 332 | 330 | 1.0 | 0.0 | 0.966 | 46.0 | 79.0 | 0.9 | 79.0 | 360 | 0.36 | 0.0 | 1.0 | 32.3 | 50.7 | -26.9 | 57.5 | 332 | 1.0 | 0.0 | 0.967 | 0.343 | 0.0 | 1.0 | 31.8 | 49.4 | -27.9 | 56.8 | 330 | 1.0 | 0.0 | 0.967 |
| 361 | 333 | 331 | 1.0 | 0.0 | 0.95 | 46.0 | 78.9 | 1.5 | 78.9 | 361 | 0.371 | 0.0 | 1.0 | 32.7 | 51.6 | -26.2 | 57.9 | 333 | 1.0 | 0.0 | 0.95 | 0.354 | 0.0 | 1.0 | 32.1 | 50.3 | -27.2 | 57.2 | 331 | 1.0 | 0.0 | 0.95 |
| 361 | 334 | 332 | 1.0 | 0.0 | 0.933 | 46.0 | 78.7 | 2.1 | 78.8 | 361 | 0.386 | 0.0 | 1.0 | 33.0 | 52.5 | -25.5 | 58.4 | 334 | 1.0 | 0.0 | 0.933 | 0.364 | 0.0 | 1.0 | 32.4 | 51.1 | -26.6 | 57.6 | 332 | 1.0 | 0.0 | 0.933 |
| 361 | 335 | 333 | 1.0 | 0.0 | 0.916 | 46.0 | 78.6 | 2.7 | 78.6 | 361 | 0.404 | 0.0 | 1.0 | 33.4 | 53.5 | -24.8 | 59.0 | 335 | 1.0 | 0.0 | 0.917 | 0.375 | 0.0 | 1.0 | 32.8 | 51.9 | -25.9 | 58.0 | 333 | 1.0 | 0.0 | 0.917 |
| 362 | 336 | 334 | 1.0 | 0.0 | 0.9 | 46.0 | 78.4 | 3.2 | 78.5 | 362 | 0.421 | 0.0 | 1.0 | 33.8 | 54.4 | -24.1 | 59.6 | 336 | 1.0 | 0.0 | 0.9 | 0.391 | 0.0 | 1.0 | 33.1 | 52.8 | -25.3 | 58.6 | 334 | 1.0 | 0.0 | 0.9 |
| 362 | 337 | 335 | 1.0 | 0.0 | 0.883 | 45.9 | 78.3 | 3.8 | 78.4 | 362 | 0.438 | 0.0 | 1.0 | 34.2 | 55.4 | -23.4 | 60.1 | 337 | 1.0 | 0.0 | 0.883 | 0.408 | 0.0 | 1.0 | 33.5 | 53.7 | -24.7 | 59.1 | 335 | 1.0 | 0.0 | 0.883 |
| 363 | 338 | 336 | 1.0 | 0.0 | 0.866 | 45.9 | 78.1 | 4.4 | 78.3 | 363 | 0.456 | 0.0 | 1.0 | 34.6 | 56.3 | -22.6 | 60.7 | 338 | 1.0 | 0.0 | 0.867 | 0.424 | 0.0 | 1.0 | 33.9 | 54.6 | -24.0 | 59.7 | 336 | 1.0 | 0.0 | 0.867 |
| 363 | 339 | 337 | 1.0 | 0.0 | 0.85 | 45.9 | 78.0 | 5.0 | 78.2 | 363 | 0.473 | 0.0 | 1.0 | 35.0 | 57.2 | -21.9 | 61.3 | 339 | 1.0 | 0.0 | 0.85 | 0.441 | 0.0 | 1.0 | 34.3 | 55.5 | -23.3 | 60.2 | 337 | 1.0 | 0.0 | 0.85 |
| 364 | 340 | 338 | 1.0 | 0.0 | 0.833 | 45.9 | 77.9 | 5.6 | 78.1 | | | | | | | | | | | | | | | | | | | | | | | |

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;



Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBCM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with multiple columns containing color data (e.g., h_{ab,d}, h_{ab,s}, h_{ab,e}, RGB, Lab, CMY) and a color calibration chart on the right showing various color patches.

see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF / .PS application for measurement of offset print output, separation cmy0* (CMY0) TUB registration: 20130201-QE27/QE27L0FP.PDF / .PS TUB material: code=rha4ta

TUB-test chart QE27; hue code: H*d=R75Yd 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgb_{dd} output: 3D-linearization to cmy0*_{dd}








http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27LE30FP.DAT in file (F), page 18/33

| ref | HC*Fid | rgb_Fid | icr_Fid | hsa_Fid | rgb*Fid | LabC*Fid | cmy0*_sep.Fid | rgb*Mid | hsaMid | LabC*Mid | delta |
|--------|----------------|---------|---------|---------|---------|----------|---------------|---------|--------|----------|-------|
| 0/648 | R00Y_100_100ad | 1.0 | 1.0 | 0.5 | 390 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 |
| 1/657 | R13Y_100_100ad | 0.125 | 1.0 | 0.5 | 37 | 0.0 | 0.882 | 1.0 | 0.0 | 0.0 | 0.0 |
| 2/666 | R25Y_100_100ad | 0.25 | 1.0 | 0.5 | 44 | 0.0 | 0.765 | 1.0 | 0.0 | 0.0 | 0.0 |
| 3/675 | R38Y_100_100ad | 0.375 | 1.0 | 0.5 | 52 | 0.0 | 0.632 | 1.0 | 0.0 | 0.0 | 0.0 |
| 4/684 | R50Y_100_100ad | 0.5 | 1.0 | 0.5 | 60 | 0.0 | 0.498 | 0.999 | 0.0 | 0.0 | 0.0 |
| 5/693 | R63Y_100_100ad | 0.625 | 1.0 | 0.5 | 68 | 0.0 | 0.368 | 1.0 | 0.0 | 0.0 | 0.0 |
| 6/702 | R75Y_100_100ad | 0.75 | 1.0 | 0.5 | 76 | 0.0 | 0.234 | 1.0 | 0.0 | 0.0 | 0.0 |
| 7/711 | R88Y_100_100ad | 1.0 | 1.0 | 0.5 | 83 | 0.0 | 0.117 | 1.0 | 0.0 | 0.0 | 0.0 |
| 8/720 | Y00G_100_100ad | 1.0 | 1.0 | 0.0 | 90 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 |
| 9/639 | Y13G_100_100ad | 0.875 | 1.0 | 0.0 | 97 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 10/658 | Y25G_100_100ad | 0.75 | 1.0 | 0.0 | 104 | 0.0 | 0.116 | 0.0 | 0.0 | 0.0 | 0.0 |
| 11/477 | Y38G_100_100ad | 0.625 | 1.0 | 0.0 | 112 | 0.0 | 0.233 | 0.0 | 0.0 | 0.0 | 0.0 |
| 12/396 | Y50G_100_100ad | 0.5 | 1.0 | 0.0 | 120 | 0.0 | 0.366 | 0.0 | 0.0 | 0.0 | 0.0 |
| 13/315 | Y63G_100_100ad | 0.375 | 1.0 | 0.0 | 128 | 0.0 | 0.498 | 0.0 | 0.0 | 0.0 | 0.0 |
| 14/234 | Y75G_100_100ad | 0.25 | 1.0 | 0.0 | 136 | 0.0 | 0.632 | 0.0 | 0.0 | 0.0 | 0.0 |
| 15/153 | Y88G_100_100ad | 0.125 | 1.0 | 0.0 | 143 | 0.0 | 0.765 | 0.0 | 0.0 | 0.0 | 0.0 |
| 16/72 | G00C_100_100ad | 0.0 | 1.0 | 0.0 | 150 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 17/73 | G13C_100_100ad | 0.125 | 1.0 | 0.0 | 157 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 18/74 | G25C_100_100ad | 0.25 | 1.0 | 0.0 | 164 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 19/75 | G38C_100_100ad | 0.375 | 1.0 | 0.0 | 172 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 20/76 | G50C_100_100ad | 0.5 | 1.0 | 0.0 | 180 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 21/77 | G63C_100_100ad | 0.625 | 1.0 | 0.0 | 188 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 22/78 | G75C_100_100ad | 0.75 | 1.0 | 0.0 | 196 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 23/79 | G88C_100_100ad | 1.0 | 1.0 | 0.0 | 203 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 24/80 | C00B_100_100ad | 0.0 | 1.0 | 0.0 | 210 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 25/71 | C13B_100_100ad | 0.0 | 1.0 | 0.0 | 217 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 26/63 | C25B_100_100ad | 0.0 | 1.0 | 0.0 | 224 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 27/63 | C38B_100_100ad | 0.0 | 1.0 | 0.0 | 232 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 28/44 | C50B_100_100ad | 0.0 | 1.0 | 0.0 | 240 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 29/35 | C63B_100_100ad | 0.0 | 1.0 | 0.0 | 248 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 30/26 | C75B_100_100ad | 0.0 | 1.0 | 0.0 | 256 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 31/17 | C88B_100_100ad | 0.0 | 1.0 | 0.0 | 263 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 32/8 | B00M_100_100ad | 0.0 | 1.0 | 0.0 | 270 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 33/89 | B13M_100_100ad | 0.125 | 1.0 | 0.0 | 277 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 34/170 | B25M_100_100ad | 0.25 | 1.0 | 0.0 | 284 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 35/251 | B38M_100_100ad | 0.375 | 1.0 | 0.0 | 292 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 36/332 | B50M_100_100ad | 0.5 | 1.0 | 0.0 | 300 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 37/413 | B63M_100_100ad | 0.625 | 1.0 | 0.0 | 308 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 38/494 | B75M_100_100ad | 0.75 | 1.0 | 0.0 | 316 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 39/575 | B88M_100_100ad | 0.875 | 1.0 | 0.0 | 323 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 40/656 | M00R_100_100ad | 1.0 | 0.0 | 1.0 | 330 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 41/655 | M13R_100_100ad | 0.875 | 1.0 | 0.0 | 337 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 42/654 | M25R_100_100ad | 0.75 | 1.0 | 0.0 | 344 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 43/653 | M38R_100_100ad | 0.625 | 1.0 | 0.0 | 352 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 44/652 | M50R_100_100ad | 0.5 | 1.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 45/651 | M63R_100_100ad | 0.375 | 1.0 | 0.0 | 368 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 46/650 | M75R_100_100ad | 0.25 | 1.0 | 0.0 | 376 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 47/649 | M88R_100_100ad | 0.125 | 1.0 | 0.0 | 383 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 48/648 | R00Y_100_100ad | 1.0 | 0.0 | 0.0 | 390 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 49/0 | NV_000ad | 0.0 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 50/91 | NV_015ad | 0.125 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 51/182 | NV_025ad | 0.25 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 52/273 | NV_038ad | 0.375 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 53/364 | NV_050ad | 0.5 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 54/455 | NV_063ad | 0.625 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 55/546 | NV_075ad | 0.75 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 56/637 | NV_088ad | 0.875 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 57/728 | NV_100ad | 1.0 | 0.0 | 0.0 | 360 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd





http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 19/33


Table with columns: n/f, H/C/F, r/g/b, i/c/t, H/s, F, r/g/b, LabC/H, LabC/H, cmyk, cmyk, r/g/b, H/s, F, LabC/H, LabC/H, delta. The table contains color calibration data for various color patches.

input: rgb/cmyk -> r/g/b output: 3D-linearization to cmy0**dd

Mean color difference of this page: delta

see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, ΔE***



http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 20/33

Table with 80 rows and 15 columns: #, H#*F, H#*F, iet, F, H#*F, LabC*F, LabC*F, LabC*F, LabC*F, LabC*F, LabC*F, LabC*F, LabC*F, LabC*F. The table contains numerical data for color calibration and registration.

delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0**d

Mean color difference of this page:

QE270-TN; Page 20/33-F

TUB-test chart QE27; hue code: H*d=R75Yd colors and differences, AE*'

QE2710L

QE2710L

QE2710L

QE2710L

see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*F0d, rpb_F0d, icr_F0d, hsa_F0d, rpb_F0d, LabC0*F0d, cmy0*_sep_F0d, rpb_F0d, hsa_F0d, rpb_F0d, LabC0*F0d, LabC0*F0d, LabC0*F0d, LabC0*F0d, delta. Rows 81-161.

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

TUB-test chart QE27; hue code: H*d=R75Yd colors and differences, AE* *

QE270-TN; Page 21/33-F

I-1032031-F0

QE2710L

QE2710L

QE2710L

QE2710L

http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 22/33

Table with 25 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, cmy0*sep*Fid, hsa*Fid, rpb*Fid, LabCM*Fid, delta. It contains color calibration data for various color patches.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd

http://130.149.60.45/~farbmatrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 23/33

Table with 32 columns: n, HHC*F0d, rgb_F0d, icr_F0d, hsa_F0d, rgp_F0d, LabC0*F0d, LabC0*F0d, cmy0*sep_F0d, Hsa*F0d, rgp*F0d, LabC0*F0d, LabC0*F0d, delta. Rows 243-323.

Mean color difference of this page:

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd

see similar files: http://130.149.60.45/~farbmatrik/QE27/QE27L0FP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, AE*_*

http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 24/33

Table with 15 columns: n, HHC*F0d, rpb_F0d, icr_F0d, Hsa_F0d, rpb_F0d, LabC0*F0d, LabC0*F0d, cmy0*_sep_F0d, rpb_F0d, Hsa_F0d, LabC0*F0d, LabC0*F0d, LabC0*F0d, delta. Rows include color patches like R00Y, R00M, B00R, etc.

Mean color difference of this page:

input: rgb/cmyk -> rbgdd output: 3D-linearization to cmy0*dd



QE2710L

QE2710L

QE2710L

QE2710L

see similar files: http://130.149.60.45/~farbmatrik/QE27/QE27.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

Table with 15 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabC*Fid, LabC*Fid, cmy*sep_Fid, rpb*Fid, hsa*Fid, LabC*Fid, LabC*Fid, delta. Rows 405-485.



input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

QE270-7N; Page 25/33-F

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, AE*_*

I-1032431-F0

I-1032431-F0





http://130.149.60.45/~farbmetrik/QE27/QE27LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27LE30FP.DAT in file (F), page 26/33

Table with 26 columns: n, HHC*Fid, rcp_Fid, icr_Fid, Hs_Fid, rcp*Fid, LabCM*Fid, cmy0*Sep.Fid, rcp*Fid, Hs*Fid, rcp*Fid, LabCM*Fid, delta. Rows 486-566.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd





http://130.149.60.45/~farbmatrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 27/33

Table with 20 columns: n, HHC*Fid, rgb_Fid, icr_Fid, hsa_Fid, rgb*Fid, LabC*Fid, LabC*Sep.Fid, cmy*Sep.Fid, Lab*Fid, rgb*Fid, LabC*Fid, LabC*Fid, delta. Rows 567-647.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd



http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 28/33

Table with 15 columns: n, HHC*F0d, Rgb*F0d, iCr_F0d, iMg_F0d, iYs_F0d, LabC*F0d, LabM*F0d, LabY*F0d, cmy0*sep_F0d, LabC*F0d, LabM*F0d, LabY*F0d, iCr_F0d, iMg_F0d, iYs_F0d, LabC*F0d, LabM*F0d, LabY*F0d, delta

Mean color difference of this page:

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd





Table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabC*Fid, LabCH*Fid, cmy0*sep.Fid, rpb*Fid, hsa*Fid, LabCH*Fid, LabCH*Fid, delta. Rows include color patches like NV_1000, G50B_100, etc.

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, AE*_*

Mean color difference of this page: delta

QE270-7N; Page 29/33-F



I-1032831-F0

QE2710L

QE2710L

QE2710L

QE2710L



http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 30/33

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd



Table with 10 columns: n, H#C*Fad, rcp_Fad, icr_Fad, Hs_Fad, rcp_Fad, LabC*Fad, LabC*Fad, cmy0*_sep_Fad, rcp*_Fad, Hs*_Fad, rcp*_Fad, LabC*_Fad, LabC*_Fad, delta. Rows include color patches like 810, 811, 812, etc.

QE2710L

QE2710L

QE2710L

QE2710L



see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 31/33

Table with 15 columns: n, H#C*F0d, rgb*F0d, iet*F0d, H#s*F0d, rrgb*F0d, LabC*F0d, cmyk*sep*F0d, rrgb*Mid, H#s*Mid, LabC*Mid, rrgb*Mid, H#s*Mid, LabC*Mid, delta. It contains color calibration data for various color patches.

Mean color difference of this page:


input: rgb/cmyk -> rrgbdd output: 3D-linearization to cmy0*dd

QE270-TN; Page 31/33-F

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, AE*_*

I-1033031-F0

I-1033031-F0





http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27L30FP.DAT in file (F), page 32/33

Table with 15 columns: n, H#C*Fad, rgb_Fad, iet_Fad, H#s_Fad, rgb_Fad, LabC*Fad, cmy0*_sep_Fad, rgb*_Sep_Fad, H#s*_Fad, rgb*_Fad, LabC*_Fad, LabC*F*_Yad, rgb*_Yad, H#s*_Yad, LabC*F*_Yad. Rows 972-1052.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmy0*dd

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, AE*_*



TUB registration: 20130201-QE27/QE27L0FP.PDF /.PS application for measurement of offset print output, separation cmy0* (CMY0)

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/QE27/QE27L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE27/QE27LE30FP.DAT in file (F), page 33/33

Table with columns: n, HHC*Fid, rgb*Fid, icr*Fid, Hs_Fid, rgp*Fid, LabCP*Fid, Hs_Lab, cmyk*_sep_Fid, cmyp*_Fid, LabCP*_Ydd, Hs_Ydd, rgp*_Ydd, LabCP*_Ydd, and delta. The table contains 20 rows of data for various color patches.

see similar files: http://130.149.60.45/~farbmetrik/QE27/QE27.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to cmy0*dd

TUB-test chart QE27; hue code: H*_d=R75Y_d colors and differences, ΔE*_*