

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_$


Data for any device (d) or elementary (e) colour:

$HIC^*_$

hue text for the colours of this page:

$H^*_ = Y00G_$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0.0
W _{-,Ma}	95.4	0.0	0.0	0.0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 90 -9 88 88 96

$HIC^*_{-,Ma}$: Y00G_100_100_

$rgbic^*_{-,Ma}$:

1.0 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_$	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



see similar files: <http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
 application for measurement of display output


TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_d = Y00G_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = Y00G_d$
triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	50.4	76.9	64.5	100.4	40
Y _{d,Ma}	92.6	-20.7	90.7	93.0	102
G _{d,Ma}	83.6	-82.7	79.8	115.0	136
C _{d,Ma}	86.8	-46.1	-13.5	48.1	196
B _{d,Ma}	30.3	76.0	-103.5	128.5	306
M _{d,Ma}	57.2	94.3	-58.4	110.9	328
N _{d,Ma}	0.0	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 92 -20 90 93 102$

$HIC^*_d, Ma: Y00G_100_100_d$



$rgbic^*_d, Ma: 1.0 1.0 0.0 1.0 1.0$

triangle lightness T^*

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	50.4	76.9	64.5	100.4	40
R25Y_100_100 _d	53.7	67.6	65.8	94.4	44
R50Y_100_100 _d	63.6	41.3	71.0	82.2	59
R75Y_100_100 _d	78.2	7.8	80.6	81.0	84
Y00G_100_100 _d	92.6	-20.7	90.7	93.0	102
Y25G_100_100 _d	88.7	-43.3	86.2	96.5	116
Y50G_100_100 _d	85.7	-65.2	82.4	105.1	128
Y75G_100_100 _d	84.0	-78.7	80.4	112.5	134
G00B_100_100 _d	83.6	-82.7	79.8	115.0	136
G25B_100_100 _d	84.3	-73.7	44.9	86.4	148
G50B_100_100 _d	86.8	-46.1	-13.5	48.1	196
G75B_100_100 _d	51.7	18.3	-68.3	70.7	285
B00R_100_100 _d	30.3	76.0	-103.5	128.5	306
B25R_100_100 _d	38.5	79.8	-89.7	120.0	311
B50R_100_100 _d	57.2	94.3	-58.4	110.9	328
B75R_100_100 _d	52.0	81.1	4.1	81.2	2

%Gamut
 $u^*_{rel} = 158$
%Regularity
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$






see similar files: <http://130.149.60.45/~farbmetrik/QE31/QE31.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



- Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)**
- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
 - For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_d the equation:

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \tag{1}$$
 - For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{2}$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{3}$$
 - For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \tag{4}$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \tag{5}$$
 - For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
 - The values rgb^*_{de} produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 12 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^a*_dd64M, LAB*_ddx64M (x=LabCh), r_{gb}^a*_ddx361M, LAB*_ddx361M (x=LabCh), r_{gb}^a*_dsx361M, LAB*_dsx361M (x=LabCh), r_{gb}^a*_dex361M, LAB*_dex361M, LAB*_dex361M. Rows contain numerical data for various colorimetric parameters.




see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM_s*: *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours *RYGCBM_d*: *h_{ab,d}* = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours *RYGCBM_e*: *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875	1.0 77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75	1.0 69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625	1.0 60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5	1.0 51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375	1.0 43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25	1.0 37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125	1.0 32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0	1.0 30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0	1.0 31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0	1.0 32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0	1.0 35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0	1.0 38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0	1.0 42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 1.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0	1.0 47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 1.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0	1.0 52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 1.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0	1.0 57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	0.0 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	0.0 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	0.0 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	0.0 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	0.0 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	0.0 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
application for measurement of display output, no separation
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40	1.0	1.0 0.0 0.203 50.8 78.0 45.1 90.1 30	1.0	1.0 0.0 0.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25	1.0	1.0 0.0 0.0	1.0	1.0 0.0 0.0				
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6 100.1 40	1.0	1.0 0.0 0.189 50.7 78.0 46.9 91.0 31	1.0	1.0 0.017 0.0	1.0 0.0 0.251 50.9 78.0 39.0 87.2 26	1.0	1.0 0.017 0.0	1.0	1.0 0.017 0.0				
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6 99.8 40	1.0	1.0 0.0 0.174 50.7 77.9 48.7 91.8 32	1.0	1.0 0.033 0.0	1.0 0.0 0.236 50.8 78.0 41.0 88.1 27	1.0	1.0 0.033 0.0	1.0	1.0 0.033 0.0				
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7 99.6 40	1.0	1.0 0.0 0.16 50.7 77.7 50.5 92.7 33	1.0	1.0 0.05 0.0	1.0 0.0 0.22 50.8 78.1 43.0 89.1 28	1.0	1.0 0.05 0.0	1.0	1.0 0.05 0.0				
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7 99.3 40	1.0	1.0 0.0 0.146 50.6 77.6 52.3 93.6 34	1.0	1.0 0.067 0.0	1.0 0.0 0.204 50.8 78.0 44.9 90.1 29	1.0	1.0 0.067 0.0	1.0	1.0 0.067 0.0				
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8 99.0 40	1.0	1.0 0.0 0.131 50.6 77.3 54.2 94.4 35	1.0	1.0 0.083 0.0	1.0 0.0 0.188 50.7 78.0 46.9 91.0 31	1.0	1.0 0.083 0.0	1.0	1.0 0.083 0.0				
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8 98.7 41	1.0	1.0 0.0 0.11 50.6 77.3 56.1 95.5 36	1.0	1.0 0.1 0.0	1.0 0.0 0.172 50.7 77.9 49.0 92.0 32	1.0	1.0 0.1 0.0	1.0	1.0 0.1 0.0				
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9 98.5 41	1.0	1.0 0.0 0.082 50.6 77.2 58.2 96.7 37	1.0	1.0 0.117 0.0	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33	1.0	1.0 0.117 0.0	1.0	1.0 0.117 0.0				
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0 98.0 41	1.0	1.0 0.0 0.055 50.5 77.2 60.3 98.0 38	1.0	1.0 0.133 0.0	1.0 0.0 0.14 50.6 77.5 53.0 93.9 34	1.0	1.0 0.133 0.0	1.0	1.0 0.133 0.0				
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2 97.4 41	1.0	1.0 0.0 0.028 50.5 77.1 62.4 99.2 39	1.0	1.0 0.15 0.0	1.0 0.0 0.123 50.6 77.2 55.1 94.9 35	1.0	1.0 0.15 0.0	1.0	1.0 0.15 0.0				
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3 96.8 42	1.0	1.0 0.0 0.0 50.5 76.9 64.6 100.4 40	1.0	1.0 0.167 0.0	1.0 0.0 0.093 50.6 77.3 57.4 96.3 36	1.0	1.0 0.167 0.0	1.0	1.0 0.167 0.0				
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5 96.2 42	1.0	1.0 0.095 0.0 51.3 74.6 64.9 98.9 41	1.0	1.0 0.183 0.0	1.0 0.0 0.062 50.5 77.2 59.7 97.6 37	1.0	1.0 0.183 0.0	1.0	1.0 0.183 0.0				
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6 95.6 43	1.0	1.0 0.151 0.0 52.1 72.4 65.2 97.5 42	1.0	1.0 0.2 0.0	1.0 0.0 0.032 50.5 77.1 62.1 99.0 38	1.0	1.0 0.2 0.0	1.0	1.0 0.2 0.0				
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7 95.0 43	1.0	1.0 0.188 0.0 52.8 70.3 65.5 96.1 43	1.0	1.0 0.217 0.0	1.0 0.0 0.001 50.5 76.9 64.5 100.4 39	1.0	1.0 0.217 0.0	1.0	1.0 0.217 0.0				
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8 94.4 44	1.0	1.0 0.225 0.0 53.6 68.2 65.8 94.8 44	1.0	1.0 0.233 0.0	1.0 0.102 0.0 51.4 74.4 64.9 98.8 41	1.0	1.0 0.233 0.0	1.0	1.0 0.233 0.0				
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44	1.0	1.0 0.256 0.0 54.3 66.1 66.1 93.5 45	1.0	1.0 0.25 0.0	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42	1.0	1.0 0.25 0.0	1.0	1.0 0.25 0.0				
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3 93.0 45	1.0	1.0 0.277 0.0 55.0 64.3 66.6 92.5 46	1.0	1.0 0.267 0.0	1.0 0.199 0.0 53.0 69.6 65.6 95.7 43	1.0	1.0 0.267 0.0	1.0	1.0 0.267 0.0				
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6 92.2 46	1.0	1.0 0.297 0.0 55.6 62.4 66.9 91.5 47	1.0	1.0 0.283 0.0	1.0 0.24 0.0 53.9 67.3 65.9 94.2 44	1.0	1.0 0.283 0.0	1.0	1.0 0.283 0.0				
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9 91.3 47	1.0	1.0 0.318 0.0 56.3 60.6 67.3 90.5 48	1.0	1.0 0.3 0.0	1.0 0.267 0.0 54.7 65.1 66.4 93.0 45	1.0	1.0 0.3 0.0	1.0	1.0 0.3 0.0				
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2 90.5 47	1.0	1.0 0.338 0.0 57.0 58.7 67.6 89.5 49	1.0	1.0 0.317 0.0	1.0 0.29 0.0 55.4 63.1 66.8 91.9 46	1.0	1.0 0.317 0.0	1.0	1.0 0.317 0.0				
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5 89.7 48	1.0	1.0 0.359 0.0 57.7 56.9 67.8 88.5 50	1.0	1.0 0.333 0.0	1.0 0.313 0.0 56.2 61.0 67.2 90.8 47	1.0	1.0 0.333 0.0	1.0	1.0 0.333 0.0				
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7 88.9 49	1.0	1.0 0.378 0.0 58.3 55.1 68.1 87.6 51	1.0	1.0 0.35 0.0	1.0 0.336 0.0 56.9 59.0 67.5 89.7 48	1.0	1.0 0.35 0.0	1.0	1.0 0.35 0.0				
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9 88.1 50	1.0	1.0 0.392 0.0 58.9 53.6 68.6 87.0 52	1.0	1.0 0.367 0.0	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49	1.0	1.0 0.367 0.0	1.0	1.0 0.367 0.0				
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2 87.3 51	1.0	1.0 0.406 0.0 59.6 52.0 69.0 86.4 53	1.0	1.0 0.383 0.0	1.0 0.379 0.0 58.4 55.0 68.1 87.6 51	1.0	1.0 0.383 0.0	1.0	1.0 0.383 0.0				
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8 86.6 52	1.0	1.0 0.42 0.0 60.2 50.4 69.4 85.8 54	1.0	1.0 0.4 0.0	1.0 0.395 0.0 59.1 53.2 68.7 86.9 52	1.0	1.0 0.4 0.0	1.0	1.0 0.4 0.0				
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3 85.9 53	1.0	1.0 0.433 0.0 60.8 48.8 69.8 85.2 55	1.0	1.0 0.417 0.0	1.0 0.41 0.0 59.7 51.5 69.1 86.2 53	1.0	1.0 0.417 0.0	1.0	1.0 0.417 0.0				
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7 85.1 54	1.0	1.0 0.447 0.0 61.4 47.3 70.1 84.5 56	1.0	1.0 0.433 0.0	1.0 0.426 0.0 60.4 49.7 69.6 85.5 54	1.0	1.0 0.433 0.0	1.0	1.0 0.433 0.0				
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1 84.4 56	1.0	1.0 0.461 0.0 62.0 45.7 70.4 83.9 57	1.0	1.0 0.45 0.0	1.0 0.441 0.0 61.1 48.0 69.9 84.8 55	1.0	1.0 0.45 0.0	1.0	1.0 0.45 0.0				
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4 83.6 57	1.0	1.0 0.475 0.0 62.6 44.1 70.7 83.3 58	1.0	1.0 0.467 0.0	1.0 0.457 0.0 61.8 46.2 70.3 84.1 56	1.0	1.0 0.467 0.0	1.0	1.0 0.467 0.0				
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7 82.9 58	1.0	1.0 0.489 0.0 63.2 42.6 70.9 82.7 59	1.0	1.0 0.483 0.0	1.0 0.472 0.0 62.5 44.5 70.6 83.4 57	1.0	1.0 0.483 0.0	1.0	1.0 0.483 0.0				
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59	1.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.5 0.0	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58	1.0	1.0 0.5 0.0	1.0	1.0 0.5 0.0				
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7 81.8 61	1.0	1.0 0.513 0.0 64.4 39.7 71.6 81.9 61	1.0	1.0 0.517 0.0	1.0 0.502 0.0 63.8 41.1 71.2 82.2 60	1.0	1.0 0.517 0.0	1.0	1.0 0.517 0.0				
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4 81.4 62	1.0	1.0 0.525 0.0 64.9 38.3 72.1 81.7 62	1.0	1.0 0.533 0.0	1.0 0.515 0.0 64.4 39.5 71.7 81.9 61	1.0	1.0 0.533 0.0	1.0	1.0 0.533 0.0				
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0 81.0 64	1.0	1.0 0.536 0.0 65.5 37.0 72.5 81.4 63	1.0	1.0 0.55 0.0	1.0 0.527 0.0 65.1 38.0 72.2 81.6 62	1.0	1.0 0.55 0.0	1.0	1.0 0.55 0.0				
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5 80.6 65	1.0	1.0 0.547 0.0 66.1 35.6 72.9 81.1 64	1.0	1.0 0.567 0.0	1.0 0.54 0.0 65.7 36.5 72.7 81.3 63	1.0	1.0 0.567 0.0	1.0	1.0 0.567 0.0				
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0 80.3 67	1.0	1.0 0.558 0.0 66.7 34.2 73.3 80.9 65	1.0	1.0 0.583 0.0	1.0 0.552 0.0 66.4 34.9 73.1 81.0 64	1.0	1.0 0.583 0.0	1.0	1.0 0.583 0.0				
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5 79.9 68	1.0	1.0 0.569 0.0 67.2 32.8 73.7 80.6 66	1.0	1.0 0.6 0.0	1.0 0.564 0.0 67.0 33.4 73.5 80.7 65	1.0	1.0 0.6 0.0	1.0	1.0 0.6 0.0				
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8 79.5 70	1.0	1.0 0.58 0.0 67.8 31.4 74.0 80.4 67	1.0	1.0 0.617 0.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66	1.0	1.0 0.617 0.0	1.0	1.0 0.617 0.0				
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4 79.4 71	1.0	1.0 0.591 0.0 68.4 30.0 74.3 80.1 68	1.0	1.0 0.633 0.0	1.0 0.589 0.0 68.3 30.3 74.2 80.2 67	1.0	1.0 0.633 0.0	1.0	1.0 0.633 0.0				
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2 79.5 73	1.0	1.0 0.602 0.0 69.0 28.6 74.6 79.9 69	1.0	1.0 0.65 0.0	1.0 0.602 0.0 68.9 28.7 74.5 79.9 68	1.0	1.0 0.65 0.0	1.0	1.0 0.65 0.0				
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9 79.7 75	1.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0 0.614 0.0 69.5 27.2 74.8 79.6 70	1.0	1.0 0.667 0.0	1.0	1.0 0.667 0.0				
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6 79.8 76	1.0	1.0 0.625 0.0 70.1 25.8 75.0 79.4 71	1.0	1.0 0.683 0.0	1.0 0.626 0.0 70.2 25.6 75.1 79.4 71	1.0	1.0 0.683 0.0	1.0	1.0 0.683 0.0				
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2 79.9 78	1.0	1.0 0.635 0.0 70.7 24.5 75.6 79.4 72	1.0	1.0 0.7 0.0	1.0 0.638 0.0 70.9 24.2 75.7 79.5 72	1.0	1.0 0.7 0.0	1.0	1.0 0.7 0.0				
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8 80.1 79	1.0	1.0 0.646 0.0 71.3 23.3 76.1 79.5 73	1.0	1.0 0.717 0.0	1.0 0.65 0.0 71.5 22.8 76.2 79.6 73	1.0	1.0 0.717 0.0	1.0	1.0 0.717 0.0				
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3 80.2 81	1.0	1.0 0.656 0.0 71.9 21.9 76.5 79.6 74	1.0	1.0 0.733 0.0	1.0 0.661 0.0 72.2 21.3 76.8 79.7 74	1.0	1.0 0.733 0.0	1.0	1.0 0.733 0.0				
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0	1.0 0.667 0.0 72.5 20.6 77.0 79.7 75	1.0	1.0 0.75 0.0	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75	1.0	1.0 0.75 0.0	1.0	1.0 0.75 0.0				

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS
application for measurement of display output,

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{de361Mi}	rgb [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	Y _d	Y _e	Y _c
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82	1.0 0.667 0.0	72.5 20.6 77.0 79.7 75	1.0 0.75 0.0	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75	1.0 0.75 0.0	1.0	1.0	1.0
84	76	76	1.0 0.766 0.0	78.2 7.8 80.6 81.0 84	1.0 0.677 0.0	73.1 19.3 77.4 79.8 76	1.0 0.767 0.0	1.0 0.685 0.0	73.5 18.3 77.7 79.9 76	1.0 0.767 0.0	1.0	1.0	1.0
85	77	77	1.0 0.783 0.0	79.2 5.8 81.4 81.7 85	1.0 0.688 0.0	73.7 18.0 77.8 79.9 77	1.0 0.783 0.0	1.0 0.696 0.0	74.2 16.9 78.2 80.0 77	1.0 0.783 0.0	1.0	1.0	1.0
87	78	78	1.0 0.8 0.0	80.2 3.8 82.2 82.3 87	1.0 0.698 0.0	74.3 16.6 78.2 80.0 78	1.0 0.8 0.0	1.0 0.708 0.0	74.8 15.3 78.6 80.1 78	1.0 0.8 0.0	1.0	1.0	1.0
88	79	80	1.0 0.816 0.0	81.2 1.7 82.9 83.0 88	1.0 0.708 0.0	74.9 15.3 78.6 80.1 79	1.0 0.817 0.0	1.0 0.72 0.0	75.5 13.8 78.9 80.1 80	1.0 0.817 0.0	1.0	1.0	1.0
90	80	81	1.0 0.833 0.0	82.2 -0.3 83.6 83.6 90	1.0 0.719 0.0	75.5 13.9 78.9 80.1 80	1.0 0.833 0.0	1.0 0.731 0.0	76.2 12.3 79.3 80.2 81	1.0 0.833 0.0	1.0	1.0	1.0
91	81	82	1.0 0.85 0.0	83.3 -2.5 84.2 84.3 91	1.0 0.729 0.0	76.1 12.6 79.2 80.2 81	1.0 0.85 0.0	1.0 0.743 0.0	76.8 10.8 79.6 80.3 82	1.0 0.85 0.0	1.0	1.0	1.0
93	82	83	1.0 0.866 0.0	84.3 -4.6 84.8 84.9 93	1.0 0.74 0.0	76.7 11.2 79.5 80.3 82	1.0 0.867 0.0	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83	1.0 0.867 0.0	1.0	1.0	1.0
94	83	84	1.0 0.883 0.0	85.3 -6.7 85.5 85.8 94	1.0 0.75 0.0	77.3 9.8 79.8 80.4 83	1.0 0.883 0.0	1.0 0.768 0.0	78.3 7.8 80.7 81.1 84	1.0 0.883 0.0	1.0	1.0	1.0
95	84	85	1.0 0.9 0.0	86.3 -8.5 86.4 86.8 95	1.0 0.762 0.0	78.0 8.5 80.4 80.9 84	1.0 0.9 0.0	1.0 0.78 0.0	79.1 6.2 81.4 81.6 85	1.0 0.9 0.0	1.0	1.0	1.0
96	85	86	1.0 0.916 0.0	87.4 -10.5 87.2 87.8 96	1.0 0.773 0.0	78.7 7.1 81.0 81.3 85	1.0 0.917 0.0	1.0 0.793 0.0	79.9 4.7 82.0 82.1 86	1.0 0.917 0.0	1.0	1.0	1.0
98	86	87	1.0 0.933 0.0	88.4 -12.4 88.0 88.9 98	1.0 0.785 0.0	79.3 5.7 81.6 81.8 86	1.0 0.933 0.0	1.0 0.806 0.0	80.6 3.1 82.5 82.6 87	1.0 0.933 0.0	1.0	1.0	1.0
99	87	88	1.0 0.95 0.0	89.5 -14.4 88.7 89.9 99	1.0 0.796 0.0	80.0 4.3 82.1 82.2 87	1.0 0.95 0.0	1.0 0.819 0.0	81.4 1.5 83.1 83.1 88	1.0 0.95 0.0	1.0	1.0	1.0
100	88	90	1.0 0.966 0.0	90.5 -16.5 89.4 91.0 100	1.0 0.808 0.0	80.7 2.9 82.6 82.7 88	1.0 0.967 0.0	1.0 0.831 0.0	82.2 0.0 83.6 83.6 90	1.0 0.967 0.0	1.0	1.0	1.0
101	89	91	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	1.0 0.819 0.0	81.4 1.5 83.1 83.1 89	1.0 0.983 0.0	1.0 0.844 0.0	83.0 -1.7 84.1 84.1 91	1.0 0.983 0.0	1.0	1.0	1.0
102	90	92	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102	1.0 0.831 0.0	82.1 0.0 83.5 83.5 90	1.0 1.0 0.0	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92	1.0 1.0 0.0	1.0	1.0	1.0
103	91	93	0.983 1.0 0.0	92.3 -22.3 90.5 93.2 103	1.0 0.842 0.0	82.8 -1.4 84.0 84.0 91	0.983 1.0 0.0	1.0 0.87 0.0	84.5 -5.1 84.9 85.1 93	0.983 1.0 0.0	1.0	1.0	1.0
104	92	94	0.966 1.0 0.0	92.0 -24.0 90.2 93.3 104	1.0 0.853 0.0	83.5 -2.8 84.4 84.4 92	0.967 1.0 0.0	1.0 0.886 0.0	85.5 -6.9 85.7 85.9 94	0.967 1.0 0.0	1.0	1.0	1.0
105	93	95	0.95 1.0 0.0	91.7 -25.6 89.9 93.5 105	1.0 0.865 0.0	84.2 -4.3 84.8 84.9 93	0.95 1.0 0.0	1.0 0.902 0.0	86.5 -8.7 86.5 87.0 95	0.95 1.0 0.0	1.0	1.0	1.0
106	94	96	0.933 1.0 0.0	91.4 -27.3 89.5 93.6 106	1.0 0.877 0.0	84.9 -5.9 85.2 85.4 94	0.933 1.0 0.0	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 96	0.933 1.0 0.0	1.0	1.0	1.0
108	95	98	0.916 1.0 0.0	91.1 -28.9 89.1 93.7 108	1.0 0.891 0.0	85.8 -7.4 85.9 86.3 95	0.917 1.0 0.0	1.0 0.934 0.0	88.5 -12.5 88.1 89.0 98	0.917 1.0 0.0	1.0	1.0	1.0
109	96	99	0.9 1.0 0.0	90.8 -30.6 88.7 93.9 109	1.0 0.904 0.0	86.7 -9.0 86.6 87.1 96	0.9 1.0 0.0	1.0 0.951 0.0	89.6 -14.4 88.8 90.0 99	0.9 1.0 0.0	1.0	1.0	1.0
110	97	100	0.883 1.0 0.0	90.5 -32.2 88.3 94.0 110	1.0 0.918 0.0	87.5 -10.6 87.3 88.0 97	0.883 1.0 0.0	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100	0.883 1.0 0.0	1.0	1.0	1.0
111	98	101	0.866 1.0 0.0	90.3 -33.8 88.0 94.3 111	1.0 0.932 0.0	88.4 -12.3 88.0 88.9 98	0.867 1.0 0.0	1.0 0.983 0.0	91.6 -18.5 90.1 92.0 101	0.867 1.0 0.0	1.0	1.0	1.0
111	99	102	0.85 1.0 0.0	90.0 -35.4 87.7 94.6 111	1.0 0.946 0.0	89.3 -13.9 88.6 89.7 99	0.85 1.0 0.0	1.0 0.999 0.0	92.6 -20.5 90.7 93.0 102	0.85 1.0 0.0	1.0	1.0	1.0
112	100	103	0.833 1.0 0.0	89.8 -37.0 87.5 95.0 112	1.0 0.96 0.0	90.2 -15.6 89.2 90.6 100	0.833 1.0 0.0	0.982 1.0 0.0	92.3 -22.4 90.5 93.2 103	0.833 1.0 0.0	1.0	1.0	1.0
113	101	105	0.816 1.0 0.0	89.5 -38.6 87.2 95.4 113	1.0 0.974 0.0	91.0 -17.4 89.8 91.5 101	0.817 1.0 0.0	0.963 1.0 0.0	92.0 -24.3 90.2 93.4 105	0.817 1.0 0.0	1.0	1.0	1.0
114	102	106	0.8 1.0 0.0	89.3 -40.1 86.9 95.7 114	1.0 0.988 0.0	91.9 -19.1 90.3 92.3 102	0.8 1.0 0.0	0.944 1.0 0.0	91.7 -26.1 89.8 93.6 106	0.8 1.0 0.0	1.0	1.0	1.0
115	103	107	0.783 1.0 0.0	89.0 -41.7 86.6 96.1 115	0.998 1.0 0.0	92.6 -20.8 90.7 93.1 103	0.783 1.0 0.0	0.926 1.0 0.0	91.3 -28.0 89.4 93.7 107	0.783 1.0 0.0	1.0	1.0	1.0
116	104	108	0.766 1.0 0.0	88.7 -43.3 86.2 96.5 116	0.981 1.0 0.0	92.3 -22.5 90.5 93.2 104	0.767 1.0 0.0	0.907 1.0 0.0	91.0 -29.9 89.0 93.9 108	0.767 1.0 0.0	1.0	1.0	1.0
117	105	109	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117	0.965 1.0 0.0	92.0 -24.1 90.2 93.4 105	0.75 1.0 0.0	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109	0.75 1.0 0.0	1.0	1.0	1.0
118	106	110	0.733 1.0 0.0	88.3 -46.3 85.6 97.4 118	0.949 1.0 0.0	91.8 -25.7 89.9 93.5 106	0.733 1.0 0.0	0.868 1.0 0.0	90.3 -33.6 88.0 94.3 110	0.733 1.0 0.0	1.0	1.0	1.0
119	107	112	0.716 1.0 0.0	88.1 -47.8 85.4 97.9 119	0.933 1.0 0.0	91.5 -27.3 89.6 93.6 107	0.717 1.0 0.0	0.848 1.0 0.0	90.0 -35.6 87.8 94.7 112	0.717 1.0 0.0	1.0	1.0	1.0
120	108	113	0.7 1.0 0.0	87.9 -49.2 85.2 98.4 120	0.917 1.0 0.0	91.2 -28.9 89.2 93.8 108	0.7 1.0 0.0	0.827 1.0 0.0	89.7 -37.5 87.4 95.2 113	0.7 1.0 0.0	1.0	1.0	1.0
120	109	114	0.683 1.0 0.0	87.6 -50.7 84.9 98.9 120	0.901 1.0 0.0	90.9 -30.5 88.8 93.9 109	0.683 1.0 0.0	0.806 1.0 0.0	89.4 -39.5 87.1 95.7 114	0.683 1.0 0.0	1.0	1.0	1.0
121	110	115	0.666 1.0 0.0	87.4 -52.1 84.7 99.4 121	0.884 1.0 0.0	90.6 -32.1 88.4 94.1 110	0.667 1.0 0.0	0.786 1.0 0.0	89.1 -41.5 86.7 96.1 115	0.667 1.0 0.0	1.0	1.0	1.0
122	111	116	0.65 1.0 0.0	87.2 -53.6 84.4 100.0 122	0.868 1.0 0.0	90.3 -33.7 88.0 94.3 111	0.65 1.0 0.0	0.765 1.0 0.0	88.8 -43.4 86.2 96.6 116	0.65 1.0 0.0	1.0	1.0	1.0
123	112	117	0.633 1.0 0.0	87.0 -55.0 84.1 100.5 123	0.85 1.0 0.0	90.1 -35.4 87.8 94.7 112	0.633 1.0 0.0	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117	0.633 1.0 0.0	1.0	1.0	1.0
123	113	119	0.616 1.0 0.0	86.8 -56.4 83.8 101.0 123	0.832 1.0 0.0	89.8 -37.1 87.5 95.1 113	0.617 1.0 0.0	0.719 1.0 0.0	88.2 -47.5 85.5 97.9 119	0.617 1.0 0.0	1.0	1.0	1.0
124	114	120	0.6 1.0 0.0	86.7 -57.6 83.7 101.6 124	0.814 1.0 0.0	89.5 -38.7 87.2 95.5 114	0.6 1.0 0.0	0.695 1.0 0.0	87.8 -49.6 85.2 98.6 120	0.6 1.0 0.0	1.0	1.0	1.0
125	115	121	0.583 1.0 0.0	86.5 -58.9 83.5 102.2 125	0.797 1.0 0.0	89.3 -40.4 86.9 95.9 115	0.583 1.0 0.0	0.67 1.0 0.0	87.5 -51.7 84.8 99.4 121	0.583 1.0 0.0	1.0	1.0	1.0
125	116	122	0.566 1.0 0.0	86.3 -60.1 83.3 102.8 125	0.779 1.0 0.0	89.0 -42.1 86.5 96.3 116	0.567 1.0 0.0	0.646 1.0 0.0	87.2 -53.9 84.4 100.1 122	0.567 1.0 0.0	1.0	1.0	1.0
126	117	123	0.55 1.0 0.0	86.2 -61.4 83.1 103.3 126	0.761 1.0 0.0	88.7 -43.8 86.1 96.6 117	0.55 1.0 0.0	0.621 1.0 0.0	86.9 -56.0 83.9 100.9 123	0.55 1.0 0.0	1.0	1.0	1.0
127	118	124	0.533 1.0 0.0	86.0 -62.7 82.9 103.9 127	0.742 1.0 0.0	88.4 -45.5 85.8 97.1 118	0.533 1.0 0.0	0.59 1.0 0.0	86.6 -58.3 83.6 102.0 124	0.533 1.0 0.0	1.0	1.0	1.0
127	119	126	0.516 1.0 0.0	85.8 -63.9 82.6 104.5 127	0.721 1.0 0.0	88.2 -47.3 85.5 97.8 119	0.517 1.0 0.0	0.56 1.0 0.0	86.3 -60.6 83.3 103.1 126	0.517 1.0 0.0	1.0	1.0	1.0
128	120	127	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128	0.7 1.0 0.0	87.9 -49.1 85.3 98.4 120	0.5 1.0 0.0	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127	0.5 1.0 0.0	1.0	1.0	1.0



see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
application for measurement of display output, no separation


TUB material: code=rh4t4

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{dd} 361Mi (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{ds} 361Mi (x=LabCh)	rgb* _{de} 361Mi	LAB* _{de} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi																								
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0			
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0			
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.466	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.466	1.0	0.0			
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0			
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0			
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0			
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0			
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0			
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0			
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0			
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0			
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0			
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0			
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0			
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0			
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0			
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0			
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0			
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0			
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0			
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0			
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0			
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0			
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0			
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0			
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0			
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0			
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0			
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0			
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0			
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G _d	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G _s	0.0	1.0	0.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	G _e	0.0	1.0	0.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017			
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033			
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05			
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067			
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083			
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.629	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1			
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	0.0	1.0	0.117			
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652	84.9	-67.3	27.2	72.7	158	0.0	1.0	0.133	0.0	1.0	0.787	85.6	-60.2	11.1	61.3	169	0.0	1.0	0.133			
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665	85.0	-66.7	25.6	71.6	159	0.0	1.0	0.15	0.0	1.0	0.795	85.6	-59.7	10.1	60.6	170	0.0	1.0	0.15			
137	160																																		

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	rgb* _{dd361Mi}	rgb* _{ds}	rgb* _{de}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0



see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta




Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{dd} 361Mi (x=LabCh)	C _d	rgb* _{ds} 361Mi	LAB* _{ds} 361Mi (x=LabCh)	210C _s	0.0	1.0	1.0	rgb* _{de} 361Mi	LAB* _{de} 361Mi (x=LabCh)	216C _e	0.0	1.0	1.0	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi						
196	210	216	0.0	1.0	1.0	86.8	-46.1 -13.5 48.1	196	0.0	0.922	1.0	81.7	-38.6 -22.2 44.7	210C _s	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6 -26.1 42.7	217	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6 -15.8 47.3	199	0.0	0.917	1.0	81.0	-37.3 -23.3 44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0 -26.5 42.4	218	0.0	0.967	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9 -17.9 46.5	202	0.0	0.911	1.0	80.6	-36.7 -23.8 43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3 -26.9 42.2	219	0.0	0.95	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1 -19.8 45.7	205	0.0	0.906	1.0	80.2	-36.1 -24.3 43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9 -27.4 42.2	220	0.0	0.933	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3 -21.7 44.9	208	0.0	0.901	1.0	79.8	-35.4 -24.8 43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5 -27.9 42.3	221	0.0	0.917	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4 -23.4 44.1	212	0.0	0.895	1.0	79.5	-34.8 -25.3 43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1 -28.5 42.3	222	0.0	0.9	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4 -24.9 43.3	215	0.0	0.89	1.0	79.1	-34.1 -25.7 42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7 -29.0 42.4	223	0.0	0.883	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4 -26.3 42.5	218	0.0	0.885	1.0	78.7	-33.5 -26.1 42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3 -29.6 42.5	224	0.0	0.867	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5 -28.1 42.2	221	0.0	0.879	1.0	78.3	-32.8 -26.6 42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9 -30.1 42.6	225	0.0	0.85	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9 -30.2 42.5	225	0.0	0.874	1.0	77.9	-32.2 -27.0 42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4 -30.6 42.6	226	0.0	0.833	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1 -32.3 42.8	228	0.0	0.87	1.0	77.6	-31.8 -27.6 42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.817	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1 -34.2 43.1	232	0.0	0.865	1.0	77.3	-31.3 -28.2 42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5 -31.6 42.8	227	0.0	0.8	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0 -36.0 43.3	236	0.0	0.861	1.0	77.0	-30.9 -28.8 42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1 -32.1 42.8	228	0.0	0.783	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8 -37.7 43.6	239	0.0	0.856	1.0	76.7	-30.4 -29.4 42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6 -32.6 42.9	229	0.0	0.767	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5 -39.3 43.9	243	0.0	0.851	1.0	76.3	-30.0 -30.0 42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1 -33.1 43.0	230	0.0	0.75	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0 -40.7 44.1	247	0.0	0.847	1.0	76.0	-29.5 -30.6 42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6 -33.6 43.0	231	0.0	0.733	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3 -42.9 45.5	250	0.0	0.842	1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1 -34.1 43.1	232	0.0	0.717	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5 -44.9 46.9	253	0.0	0.838	1.0	75.4	-28.5 -31.7 42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6 -34.6 43.2	233	0.0	0.7	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4 -46.9 48.3	256	0.0	0.833	1.0	75.0	-28.0 -32.2 42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1 -35.0 43.2	234	0.0	0.683	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2 -48.8 49.7	259	0.0	0.829	1.0	74.7	-27.5 -32.8 42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6 -35.5 43.3	235	0.0	0.667	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8 -50.6 51.1	262	0.0	0.824	1.0	74.4	-26.9 -33.3 43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1 -35.9 43.4	236	0.0	0.65	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2 -52.3 52.5	265	0.0	0.82	1.0	74.1	-26.4 -33.8 43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5 -36.3 43.4	237	0.0	0.633	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5 -53.9 53.9	268	0.0	0.815	1.0	73.7	-25.9 -34.3 43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0 -36.8 43.5	237	0.0	0.617	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8 -55.6 55.7	270	0.0	0.81	1.0	73.4	-25.3 -34.9 43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4 -37.2 43.6	238	0.0	0.6	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9 -57.7 57.8	272	0.0	0.806	1.0	73.1	-24.7 -35.4 43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8 -37.6 43.6	239	0.0	0.583	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1 -59.7 59.9	274	0.0	0.801	1.0	72.8	-24.1 -35.8 43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3 -38.0 43.7	240	0.0	0.567	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4 -61.6 62.1	276	0.0	0.797	1.0	72.4	-23.6 -36.3 43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7 -38.4 43.8	241	0.0	0.55	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0 -63.5 64.2	278	0.0	0.792	1.0	72.1	-23.0 -36.8 43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1 -38.8 43.8	242	0.0	0.533	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6 -65.2 66.4	280	0.0	0.788	1.0	71.8	-22.3 -37.2 43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5 -39.2 43.9	243	0.0	0.517	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4 -66.8 68.5	283	0.0	0.783	1.0	71.5	-21.7 -37.7 43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9 -39.5 44.0	244	0.0	0.5	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3 -68.3 70.7	285	0.0	0.779	1.0	71.1	-21.1 -38.1 43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3 -39.9 44.0	245	0.0	0.483	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6 -70.2 73.2	286	0.0	0.774	1.0	70.8	-20.5 -38.6 43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7 -40.2 44.1	246	0.0	0.467	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9 -72.1 75.7	287	0.0	0.769	1.0	70.5	-19.8 -39.0 43.9	243	0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1 -40.6 44.2	247	0.0	0.45	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4 -74.0 78.2	288	0.0	0.765	1.0	70.2	-19.2 -39.4 43.9	244	0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6 -41.2 44.5	248	0.0	0.433	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0 -75.7 80.7	290	0.0	0.76	1.0	69.8	-18.5 -39.8 44.0	245	0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1 -41.8 45.0	248	0.0	0.417	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6 -77.4 83.2	291	0.0	0.756	1.0	69.5	-17.8 -40.2 44.1	246	0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5 -42.5 45.4	249	0.0	0.4	1.0
292	246	249	0.0	0.4	1.0	45.4	33.3 -79.0 85.7	292	0.0	0.751	1.0	69.2	-17.2 -40.6 44.2	247	0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0 -43.1 45.8	250	0.0	0.383	1.0
294	247	250	0.0	0.383	1.0	44.3	36.2 -80.5 88.2	294	0.0	0.746	1.0	68.8	-16.6 -41.2 44.5	248	0.0	0.367	1.0	0.0	0.726	1.0	67.4	-14.4 -43.8 46.2	251	0.0	0.367	1.0
295	248	251	0.0	0.366	1.0	43.4	38.7 -82.0 90.7	295	0.0	0.74	1.0	68.4	-16.0 -41.9 45.0	249	0.0	0.35	1.0	0.0	0.721	1.0	67.0	-13.9 -44.4 46.6	252	0.0	0.35	1.0
296	249	252	0.0	0.35	1.0	42.5	41.0 -83.6 93.2	296	0.0	0.735	1.0	68.0	-15.4 -42.6 45.5	250	0.0	0.333	1.0	0.0	0.716	1.0	66.7	-13.3 -45.0 47.1	253	0.0	0.333	1.0
296	250	253	0.0	0.333	1.0	41.6	43.4 -85.2 95.6	296	0.0	0.729	1.0	67.7	-14.8 -43.3 45.9	251	0.0	0.317	1.0	0.0	0.71	1.0	66.3	-12.7 -45.6 47.5	254	0.0	0.317	1.0
297	251	254	0.0	0.316	1.0	40.7	45.8 -86.7 98.1	297	0.0	0.724	1.0	67.3	-14.2 -44.0 46.4	252	0.0	0.3	1.0	0.0	0.705	1.0	66.0	-12.0 -46.2 47.9	255	0.0	0.3	1.0
298	252	255	0.0	0.3	1.0	39.8	48.7 -88.2 100.5	298	0.0	0.718	1.0	66.9	-13.6 -44.7 46.8	253	0.0	0.283	1.0	0.0	0.7	1.0	65.6	-11.4 -46.8 48.3	256	0.0	0.283	1.0
299	253	256	0.0	0.283	1.0	38.9	50.7 -89.6 103.0	299	0.0	0.713	1.0	66.5	-12.9 -45.4 47.3	254	0.0	0.267	1.0	0.0	0.695</							

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{dd} 361Mi (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{ds} 361Mi (x=LabCh)	rgb* _{de} 361Mi	LAB* _{de} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi
301	255	258	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301	0.0 0.707 1.0	66.1 -12.3 -46.0 47.8 255	0.0 0.25 1.0	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258	0.0 0.25 1.0	
301	256	258	0.0 0.233 1.0	36.5 57.6 -93.4 109.7 301	0.0 0.702 1.0	65.7 -11.6 -46.7 48.2 256	0.0 0.233 1.0	0.0 0.685 1.0	64.6 -9.4 -48.6 49.6 258	0.0 0.233 1.0	
302	257	259	0.0 0.216 1.0	35.9 59.4 -94.5 111.6 302	0.0 0.696 1.0	65.3 -10.9 -47.3 48.7 257	0.0 0.217 1.0	0.0 0.68 1.0	64.2 -8.7 -49.1 50.0 259	0.0 0.217 1.0	
302	258	260	0.0 0.2 1.0	35.2 61.2 -95.5 113.5 302	0.0 0.691 1.0	64.9 -10.1 -48.0 49.1 258	0.0 0.2 1.0	0.0 0.675 1.0	63.8 -8.0 -49.7 50.4 260	0.0 0.2 1.0	
303	259	261	0.0 0.183 1.0	34.6 63.0 -96.6 115.3 303	0.0 0.685 1.0	64.5 -9.4 -48.6 49.6 259	0.0 0.183 1.0	0.0 0.67 1.0	63.5 -7.2 -50.2 50.9 261	0.0 0.183 1.0	
303	260	262	0.0 0.166 1.0	34.0 64.8 -97.6 117.2 303	0.0 0.679 1.0	64.2 -8.6 -49.2 50.1 260	0.0 0.167 1.0	0.0 0.665 1.0	63.1 -6.5 -50.8 51.3 262	0.0 0.167 1.0	
304	261	263	0.0 0.15 1.0	33.4 66.7 -98.6 119.1 304	0.0 0.674 1.0	63.8 -7.8 -49.8 50.5 261	0.0 0.15 1.0	0.0 0.66 1.0	62.8 -5.7 -51.3 51.7 263	0.0 0.15 1.0	
304	262	264	0.0 0.133 1.0	32.8 68.6 -99.6 120.9 304	0.0 0.668 1.0	63.4 -7.0 -50.4 51.0 262	0.0 0.133 1.0	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264	0.0 0.133 1.0	
304	263	265	0.0 0.116 1.0	32.3 70.0 -100.3 123.3 304	0.0 0.663 1.0	63.0 -6.2 -51.0 51.5 263	0.0 0.117 1.0	0.0 0.65 1.0	62.1 -4.2 -52.3 52.5 265	0.0 0.117 1.0	
305	264	266	0.0 0.1 1.0	32.0 70.8 -100.8 123.2 305	0.0 0.657 1.0	62.6 -5.3 -51.5 51.9 264	0.0 0.1 1.0	0.0 0.645 1.0	61.7 -3.4 -52.8 53.0 266	0.0 0.1 1.0	
305	265	267	0.0 0.083 1.0	31.7 71.7 -101.2 124.1 305	0.0 0.652 1.0	62.2 -4.5 -52.1 52.4 265	0.0 0.083 1.0	0.0 0.64 1.0	61.4 -2.5 -53.2 53.4 267	0.0 0.083 1.0	
305	266	268	0.0 0.066 1.0	31.5 72.5 -101.7 124.9 305	0.0 0.646 1.0	61.8 -3.6 -52.6 52.8 266	0.0 0.067 1.0	0.0 0.635 1.0	61.0 -1.7 -53.7 53.8 268	0.0 0.067 1.0	
305	267	269	0.0 0.049 1.0	31.2 73.4 -102.2 125.8 305	0.0 0.641 1.0	61.4 -2.7 -53.1 53.3 267	0.0 0.05 1.0	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269	0.0 0.05 1.0	
305	268	269	0.0 0.033 1.0	30.9 74.3 -102.6 126.7 305	0.0 0.635 1.0	61.0 -1.8 -53.6 53.8 268	0.0 0.033 1.0	0.0 0.624 1.0	60.3 0.0 -54.6 54.7 269	0.0 0.033 1.0	
306	269	270	0.0 0.016 1.0	30.6 75.1 -103.1 127.6 306	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269	0.0 0.017 1.0	0.0 0.617 1.0	59.8 0.8 -55.6 55.7 270	0.0 0.017 1.0	
306	270	271	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306	B_d 0.0 0.624 1.0	60.2 0.0 -54.7 54.8 270	B_s 0.0 0.0 1.0	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271	B_e 0.0 0.0 1.0	
306	271	272	0.016 0.0 1.0	30.4 76.0 -103.4 128.4 306	0.0 0.615 1.0	59.7 1.0 -55.7 55.9 271	0.0 0.017 0.0 1.0	0.0 0.602 1.0	58.7 2.7 -57.5 57.6 272	0.0 0.017 0.0 1.0	
306	272	273	0.033 0.0 1.0	30.5 76.1 -103.3 128.3 306	0.0 0.607 1.0	59.1 2.0 -56.8 56.9 272	0.033 0.0 1.0	0.0 0.594 1.0	58.2 3.7 -58.4 58.6 273	0.033 0.0 1.0	
306	273	274	0.05 0.0 1.0	30.6 76.1 -103.1 128.2 306	0.0 0.599 1.0	58.5 3.0 -57.8 58.0 273	0.05 0.0 1.0	0.0 0.586 1.0	57.7 4.8 -59.4 59.7 274	0.05 0.0 1.0	
306	274	275	0.066 0.0 1.0	30.7 76.1 -103.0 128.1 306	0.0 0.591 1.0	58.0 4.1 -58.8 59.0 274	0.067 0.0 1.0	0.0 0.578 1.0	57.1 5.8 -60.3 60.7 275	0.067 0.0 1.0	
306	275	276	0.083 0.0 1.0	30.8 76.2 -102.8 128.0 306	0.0 0.583 1.0	57.4 5.2 -59.8 60.1 275	0.083 0.0 1.0	0.0 0.57 1.0	56.6 7.0 -61.2 61.7 276	0.083 0.0 1.0	
306	276	277	0.1 0.0 1.0	30.9 76.2 -102.7 127.9 306	0.0 0.574 1.0	56.9 6.4 -60.7 61.2 276	0.1 0.0 1.0	0.0 0.563 1.0	56.1 8.1 -62.0 62.7 277	0.1 0.0 1.0	
306	277	278	0.116 0.0 1.0	30.9 76.2 -102.5 127.8 306	0.0 0.566 1.0	56.3 7.6 -61.7 62.2 277	0.117 0.0 1.0	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278	0.117 0.0 1.0	
306	278	279	0.133 0.0 1.0	31.1 76.3 -102.3 127.6 306	0.0 0.558 1.0	55.7 8.8 -62.6 63.3 278	0.133 0.0 1.0	0.0 0.547 1.0	55.0 10.5 -63.7 64.7 279	0.133 0.0 1.0	
306	279	280	0.15 0.0 1.0	31.3 76.3 -101.9 127.4 306	0.0 0.55 1.0	55.2 10.1 -63.5 64.3 279	0.15 0.0 1.0	0.0 0.539 1.0	54.5 11.7 -64.5 65.7 280	0.15 0.0 1.0	
306	280	281	0.166 0.0 1.0	31.5 76.4 -101.6 127.1 306	0.0 0.541 1.0	54.6 11.4 -64.3 65.4 280	0.167 0.0 1.0	0.0 0.531 1.0	53.9 13.0 -65.3 66.7 281	0.167 0.0 1.0	
307	281	282	0.183 0.0 1.0	31.7 76.5 -101.2 126.9 307	0.0 0.533 1.0	54.1 12.7 -65.1 66.5 281	0.183 0.0 1.0	0.0 0.524 1.0	53.4 14.3 -66.1 67.7 282	0.183 0.0 1.0	
307	282	283	0.2 0.0 1.0	31.9 76.6 -100.9 126.7 307	0.0 0.525 1.0	53.5 14.0 -66.0 67.5 282	0.2 0.0 1.0	0.0 0.516 1.0	52.9 15.6 -66.8 68.7 283	0.2 0.0 1.0	
307	283	284	0.216 0.0 1.0	32.1 76.6 -100.5 126.4 307	0.0 0.517 1.0	52.9 15.4 -66.7 68.6 283	0.217 0.0 1.0	0.0 0.508 1.0	52.3 16.9 -67.5 69.7 284	0.217 0.0 1.0	
307	284	285	0.233 0.0 1.0	32.3 76.7 -100.1 126.2 307	0.0 0.508 1.0	52.4 16.9 -67.5 69.7 284	0.233 0.0 1.0	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.233 0.0 1.0	
307	285	285	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.25 0.0 1.0	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285	0.25 0.0 1.0	
307	286	286	0.266 0.0 1.0	32.9 77.0 -99.2 125.6 307	0.0 0.488 1.0	51.0 20.0 -69.7 72.6 286	0.267 0.0 1.0	0.0 0.476 1.0	50.3 21.6 -71.0 74.3 286	0.267 0.0 1.0	
308	287	287	0.283 0.0 1.0	33.2 77.1 -98.6 125.2 308	0.0 0.475 1.0	50.2 21.8 -71.2 74.5 287	0.283 0.0 1.0	0.0 0.464 1.0	49.5 23.3 -72.4 76.1 287	0.283 0.0 1.0	
308	288	288	0.3 0.0 1.0	33.6 77.3 -98.1 124.9 308	0.0 0.462 1.0	49.4 23.6 -72.6 76.4 288	0.3 0.0 1.0	0.0 0.452 1.0	48.8 25.1 -73.7 77.9 288	0.3 0.0 1.0	
308	289	289	0.316 0.0 1.0	33.9 77.4 -97.5 124.5 308	0.0 0.45 1.0	48.6 25.5 -74.0 78.3 289	0.317 0.0 1.0	0.0 0.44 1.0	48.0 26.9 -75.0 79.8 289	0.317 0.0 1.0	
308	290	290	0.333 0.0 1.0	34.3 77.6 -96.9 124.1 308	0.0 0.437 1.0	47.8 27.4 -75.3 80.2 290	0.333 0.0 1.0	0.0 0.428 1.0	47.2 28.8 -76.2 81.6 290	0.333 0.0 1.0	
308	291	291	0.35 0.0 1.0	34.6 77.7 -96.3 123.8 308	0.0 0.424 1.0	47.0 29.4 -76.6 82.1 291	0.35 0.0 1.0	0.0 0.416 1.0	46.5 30.7 -77.4 83.4 291	0.35 0.0 1.0	
309	292	292	0.366 0.0 1.0	34.9 77.9 -95.7 123.4 309	0.0 0.412 1.0	46.2 31.5 -77.8 84.1 292	0.367 0.0 1.0	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292	0.367 0.0 1.0	
309	293	293	0.383 0.0 1.0	35.3 78.1 -95.1 123.0 309	0.0 0.399 1.0	45.4 33.6 -79.0 86.0 293	0.383 0.0 1.0	0.0 0.392 1.0	44.9 34.7 -79.7 87.0 293	0.383 0.0 1.0	
309	294	294	0.4 0.0 1.0	35.8 78.3 -94.3 122.6 309	0.0 0.386 1.0	44.6 35.7 -80.2 87.9 294	0.4 0.0 1.0	0.0 0.38 1.0	44.2 36.8 -80.7 88.8 294	0.4 0.0 1.0	
310	295	295	0.416 0.0 1.0	36.3 78.6 -93.5 122.2 310	0.0 0.373 1.0	43.7 38.0 -81.4 89.9 295	0.417 0.0 1.0	0.0 0.364 1.0	43.3 39.2 -82.2 91.2 295	0.417 0.0 1.0	
310	296	296	0.433 0.0 1.0	36.7 78.9 -92.7 121.8 310	0.0 0.353 1.0	42.7 40.7 -83.3 92.8 296	0.433 0.0 1.0	0.0 0.345 1.0	42.3 41.7 -84.0 93.9 296	0.433 0.0 1.0	
310	297	297	0.45 0.0 1.0	37.2 79.1 -92.0 121.3 310	0.0 0.333 1.0	41.6 43.5 -85.2 95.7 297	0.45 0.0 1.0	0.0 0.327 1.0	41.3 44.4 -85.8 96.7 297	0.45 0.0 1.0	
311	298	298	0.466 0.0 1.0	37.6 79.3 -91.2 120.9 311	0.0 0.313 1.0	40.5 46.3 -87.0 98.6 298	0.467 0.0 1.0	0.0 0.308 1.0	40.3 47.1 -87.5 99.4 298	0.467 0.0 1.0	
311	299	299	0.483 0.0 1.0	38.1 79.6 -90.4 120.5 311	0.0 0.293 1.0	39.5 49.2 -88.7 101.5 299	0.483 0.0 1.0	0.0 0.289 1.0	39.2 49.9 -89.1 102.2 299	0.483 0.0 1.0	
311	300	300	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311	0.0 0.274 1.0	38.4 52.2 -90.4 104.5 300	0.5 0.0 1.0	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300	0.5 0.0 1.0	



see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _{dd} 361Mi (x=LabCh)	rgb* _{ds} 361Mi	LAB* _{ds} 361Mi (x=LabCh)	rgb* _{de} 361Mi	LAB* _{de} 361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{ds} 361Mi	rgb* _{de} 361Mi																								
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	305	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.2	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.6	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0												

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd} 361M	LAB* _d	dsx361Mi (x=LabCh)	rgb* _{ds} 361Mi	LAB* _s	dsx361Mi (x=LabCh)	rgb* _{dd} 361Mi	LAB* _e	dex361Mi (x=LabCh)	rgb* _{de} 361Mi	LAB* _s	dex361Mi (x=LabCh)	rgb* _{dd} 361Mi	rgb* _{dd}	rgb* _{ds}	rgb* _{de}						
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	90.6	342	1.0	0.0	0.75			
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	54.0	86.3	-25.0	89.9	343	1.0	0.0	0.733			
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717			
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345	1.0	0.0	0.7			
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346	1.0	0.0	0.683			
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347	1.0	0.0	0.667			
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348	1.0	0.0	0.65			
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	53.0	84.5	-15.6	86.0	349	1.0	0.0	0.633			
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350	1.0	0.0	0.617			
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	53.0	83.7	-12.6	84.7	351	1.0	0.0	0.6			
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352	1.0	0.0	0.583			
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353	1.0	0.0	0.567			
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354	1.0	0.0	0.55			
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355	1.0	0.0	0.533			
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	52.6	83.1	-5.6	83.3	356	1.0	0.0	0.517			
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	53.0	83.6	-11.6	84.4	352	1.0	0.0	0.5			
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	52.9	83.5	-9.9	84.1	353	1.0	0.0	0.483			
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	52.8	83.4	-8.2	83.8	354	1.0	0.0	0.467			
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	52.7	83.2	-6.6	83.5	355	1.0	0.0	0.45			
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	52.6	83.0	-5.0	83.1	356	1.0	0.0	0.433			
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	52.5	82.7	-3.3	82.8	357	1.0	0.0	0.417			
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	52.4	82.5	-1.7	82.5	358	1.0	0.0	0.4			
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	52.3	82.2	-0.1	82.2	359	1.0	0.0	0.383			
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	52.2	81.8	1.4	81.9	360	1.0	0.0	0.367			
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	52.1	81.5	3.0	81.5	362	1.0	0.0	0.35			
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	52.1	81.2	4.5	81.3	363	1.0	0.0	0.333			
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	52.0	81.1	6.1	81.4	364	1.0	0.0	0.317			
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	51.9	81.1	7.7	81.5	365	1.0	0.0	0.3			
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	51.9	81.0	9.3	81.5	366	1.0	0.0	0.283			
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	51.8	80.9	10.9	81.6	367	1.0	0.0	0.267			
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	51.7	80.7	12.5	81.7	368	1.0	0.0	0.25			
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	51.7	80.6	14.0	81.8	369	1.0	0.0	0.233			
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	51.6	80.4	15.6	81.9	370	1.0	0.0	0.217			
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	51.5	80.1	17.2	81.9	372	1.0	0.0	0.2			
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	51.5	79.9	18.8	82.0	373	1.0	0.0	0.183			
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	51.4	79.6	20.3	82.1	374	1.0	0.0	0.167			
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	51.3	79.3	21.9	82.3	375	1.0	0.0	0.15			
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	51.3	79.3	23.6	82.8	376	1.0	0.0	0.133			
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	51.3	79.3	25.3	83.3	377	1.0	0.0	0.117			
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	51.2	79.3	27.0	83.8	378	1.0	0.0	0.1			
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	51.2	79.2	28.7	84.2	379	1.0	0.0	0.083			
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	51.1	79.1	30.4	84.7	381	1.0	0.0	0.067			
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	51.1	79.0	32.1	85.2	382	1.0	0.0	0.05			
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	51.0	78.8	33.8	85.7	383	1.0	0.0	0.033			
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	51.0	78.6	35.6	86.2	384	1.0	0.0	0.017			
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	50.9	78.3	37.3	86.7	385	1.0	0.0	0.0			

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT / .PS
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta



TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta





Table with columns: nrf, HfC*Ftd, rpb_Ftd, icr_Ftd, hsa_Ftd, rpb*Ftd, LabC*Ftd, LabCH*Ftd, DP**Ftd, hAv*Ftd, rpb**Ftd, LabCH**Ftd, LabC**Ftd. Contains 100 rows of color calibration data.



see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE31; hue code: H*_d=Y00G_d colors and differences, ΔE***

input: rgb/cmyk -> rgbdd output: 3D-linearization to rgb**dd

Mean color difference of this page: delta E** = 0.1

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 16 columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, DP*Fid, hsa*Fid, LabCh*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, LabCh*Fid. Rows 81-161.

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 24 columns: n, HHC*Ftd, rpb*Ftd, icr*Ftd, hsa*Ftd, rpb*Ftd, LabCh*Ftd, LabCh*Ftd, rpb*Ftd, DE*Ftd, hsa*Ftd, rpb*Ftd, LabCh*Ftd, LabCh*Ftd, rpb*Ftd, LabCh*Ftd, LabCh*Ftd, rpb*Ftd, LabCh*Ftd, LabCh*Ftd, rpb*Ftd, LabCh*Ftd, LabCh*Ftd, rpb*Ftd. Rows 162-242.

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

Mean color difference of this page: delta E*90 = 0.6

QE310-7N; Page 18/29-F

TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, AE*'

L-1031730-F0

L-1031730-F0

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 323 rows and 10 columns: n, HHC*F0d, rpb*F0d, iet*F0d, hsa*F0d, rpb*F0d, LabCh*F0d, LabCh*F0d, rpb*F0d, LabCh*F0d. The table contains numerical data for each row, representing color differences and linearization values.

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, AE*^{*}

Mean color difference of this page: delta E** = 0.5

TUB registration: 20130201-QE31/QE31LOFA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta







Table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCH*Fid, LabCH*Fid, DP*Fid, hsa*Fid, rpb*Fid, LabCH*Fid, LabCH*Fid. Rows list various color patches and their corresponding colorimetric data.

Mean color difference of this page: delta E** = 0.5



see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31LOFA.TXT /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, AE**

QE310-7N; Page 20/29-F

L-1031930-F0

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, H#C*F0d, rpb*F0d, iet*F0d, H#s*F0d, rpb*F0d, LabCh*F0d, LabCh*F0d, DP*F0d, rpb*F0d, LabCh*F0d, LabCh*F0d. Rows include color codes like ROY, RY, R, etc.

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, AE*^{*}

Mean color difference of this page: delta E*ab = 0.4

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, H#C*F0d, rgb*F0d, iet*F0d, H#s*F0d, rgb*F0d, LabC*F0d, LabCH*F0d, rgb*F0d, DP*F0d, H#s*F0d, LabCH*F0d, rgb*F0d, LabCH*F0d. Rows 567-647.

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, AE**

Mean color difference of this page: delta E** = 0.3

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Main data table with columns: n, HHC*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, rpb*Fid, LabCh*Fid, DP*Fid, hsa*Fid, rpb*Fid, LabCh*Fid, and numerical values for each row.

QE310-TN; Page 26/29-F




TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, ΔE*

input: rgb/cmyk -> rgbd output: 3D-linearization to rgb*dd

Mean color difference of this page: delta E** = 0.7

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE31/QE31L30FA.DAT in file (F), page 28/29

Table with columns: n, HC*Fid, rgb*Fid, iet*Fid, lns*Fid, LabCH*Fid, rgb**Fid, LabCH**Fid, DP**Fid, rha**Fid, rgh**Fid, LabCH**Fid, and 0.0 values.

Mean color difference of this page: delta E** = 0.3



TUB-test chart QE31; hue code: H*d=Y00Gd colors and differences, AE**

input: rgb/cmyk -> rghdd output: 3D-linearization to rgh**dd

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE31/QE31L0FA.TXT /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



n	HC*Fad	rgb*Fad	ict*Fad	hsa*Fad	rgb*Fad	LabCH*Fad	LabCH*Fad	DF*Fad	DF*Fad	rgb*Fad	LabCH*Fad
1053	NW_086ad	0.866	0.866	0.866	0.866	82.6	82.6	0.2	0.2	1.0	1.0
1054	NW_093ad	0.933	0.933	0.933	0.933	89.0	89.0	0.2	0.2	1.0	1.0
1055	NW_100ad	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	1.0	1.0
1056	NW_006ad	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0	1.0	1.0
1057	NW_006ad	0.066	0.066	0.066	0.066	6.2	6.2	0.0	0.0	1.0	1.0
1058	NW_013ad	0.133	0.133	0.133	0.133	12.6	12.6	0.0	0.0	1.0	1.0
1059	NW_020ad	0.2	0.2	0.2	0.2	19.0	19.0	0.0	0.0	1.0	1.0
1060	NW_026ad	0.266	0.266	0.266	0.266	25.3	25.3	0.0	0.0	1.0	1.0
1061	NW_033ad	0.333	0.333	0.333	0.333	31.7	31.7	0.0	0.0	1.0	1.0
1062	NW_040ad	0.4	0.4	0.4	0.4	38.1	38.1	0.0	0.0	1.0	1.0
1063	NW_046ad	0.466	0.466	0.466	0.466	44.4	44.4	0.0	0.0	1.0	1.0
1064	NW_053ad	0.533	0.533	0.533	0.533	50.8	50.8	0.0	0.0	1.0	1.0
1065	NW_060ad	0.6	0.6	0.6	0.6	57.2	57.2	0.0	0.0	1.0	1.0
1066	NW_066ad	0.666	0.666	0.666	0.666	63.5	63.5	0.0	0.0	1.0	1.0
1067	NW_073ad	0.734	0.734	0.734	0.734	70.0	70.0	0.0	0.0	1.0	1.0
1068	NW_080ad	0.8	0.8	0.8	0.8	76.3	76.3	0.0	0.0	1.0	1.0
1069	NW_086ad	0.866	0.866	0.866	0.866	82.6	82.6	0.0	0.0	1.0	1.0
1070	NW_093ad	0.933	0.933	0.933	0.933	89.0	89.0	0.0	0.0	1.0	1.0
1071	NW_100ad	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	1.0	1.0
1072	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0
1073	NW_100ad	1.0	1.0	1.0	1.0	95.4	95.4	0.0	0.0	1.0	1.0
1074	ROY_100_100ad	1.0	1.0	1.0	1.0	50.4	50.4	0.0	0.0	1.0	1.0
1075	GS0B_100_100ad	0.0	1.0	1.0	0.0	86.8	86.8	0.0	0.0	1.0	1.0
1076	Y06C_100_100ad	1.0	1.0	0.0	1.0	92.6	92.6	0.0	0.0	1.0	1.0
1077	B08C_100_100ad	0.0	0.0	1.0	0.0	83.3	83.3	0.0	0.0	1.0	1.0
1078	B08C_100_100ad	0.0	1.0	0.0	0.0	85.6	85.6	0.0	0.0	1.0	1.0
1079	B50R_100_100ad	1.0	0.0	1.0	0.0	57.2	57.2	0.0	0.0	1.0	1.0

Mean color difference of this page: delta E* = 0.2

http://130.149.60.45/~farbmetrik/QE31/QE31L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE31/QE31L30FA.DAT in file (F), page 29/29

input: rgb/cmyk -> rgbdd output: 3D-linearization to rgb*dd

see similar files: http://130.149.60.45/~farbmetrik/QE31/QE31.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik