

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_- = Y25G_-$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = Y25G_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 83 -18 79 81 102

$HIC^*_{-,Ma}$ : Y25G\_100\_100\_

$rgbic^*_{-,Ma}$ :

0.76 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF> / .PS; start output  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE42/QE42L0FP.PDF /.PS  
 application for measurement of display output

TUB material: code=rh4ta

1-113030-L0 QE420-7N

TUB-test chart QE42; hue code:  $H^*_- = Y25G_-$   
 Test chart according to DIN 33872, 3D=1, de=1, sRGB\*

input:  $rgb/cmyk \rightarrow rgb/cmyk$   
 output: no change

Input and Output: Television Luminous System TLS00a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = Y25G_e$

triangle lightness  $T^*$



**TLS00a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}$ : 91 -29 88 93 108

$HIC^*_{e, Ma}$ : Y25G\_100\_100e

$rgbic^*_{e, Ma}$ :



0.9 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

**TLS00a; adapted (a) CIELAB data**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100e	50.9	78.3	37.3	86.7	25
R25Y_100_100e	51.3	74.4	64.8	98.7	41
R50Y_100_100e	63.1	42.7	70.8	82.7	58
R75Y_100_100e	73.5	18.3	77.7	79.8	76
Y00G_100_100e	83.7	-3.4	84.5	84.5	92
Y25G_100_100e	91.0	-29.9	88.9	93.8	108
Y50G_100_100e	85.9	-63.0	82.8	104.1	127
Y75G_100_100e	84.1	-76.0	51.4	91.8	145
G00B_100_100e	85.1	-64.6	20.7	67.9	162
G25B_100_100e	86.5	-49.9	-8.4	50.6	189
G50B_100_100e	79.0	-34.2	-25.7	42.8	216
G75B_100_100e	70.0	-19.0	-39.6	43.9	244
B00R_100_100e	59.2	1.7	-56.6	56.6	271
B25R_100_100e	38.2	52.7	-90.7	104.9	300
B50R_100_100e	57.1	94.1	-57.4	110.3	328
B75R_100_100e	52.9	83.6	-11.6	84.4	352

%Gamut  
 $u^*_{rel} = 158$   
%Regularity  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$



see similar files: <http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE42/QE42L0FP.PDF / .PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

1-113130-L0 QE420-73

TUB-test chart QE42; hue code:  $H^*_e = Y25G_e$   
Test chart according to DIN 33872, 3D=1, de=1, sRGB\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearization to  $rgb^*_{de}$

1-113130-F0

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$  Yellow

$LCH^*_d = 92.6 \ 93.0 \ 102.8$   
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$  leaf-green

$LCH^*_d = 83.6 \ 115.0 \ 136.0$   
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$  cyan-blue

$LCH^*_d = 86.8 \ 48.1 \ 196.3$   
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$V=B_d$  violet-blue

$O=R_d$  orange-red

$LCH^*_d = 50.4 \ 100.4 \ 40.0$   
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$  magenta-red

$LCH^*_d = 57.2 \ 110.9 \ 328.2$   
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$  violet-blue

$LCH^*_d = 30.3 \ 128.5 \ 306.2$   
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

$Y_e$  yellow

$LCH^*_e = 83.7 \ 84.5 \ 92.3$   
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$   
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

$G_e$  green

$LCH^*_e = 85.1 \ 67.9 \ 162.2$   
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

$C_e$  blue-green

$LCH^*_e = 79.0 \ 42.8 \ 216.9$   
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$   
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

$B_e$  blue

$LCH^*_e = 59.2 \ 56.6 \ 271.7$   
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$   
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

$R_e$  red

$LCH^*_e = 50.9 \ 86.7 \ 25.4$   
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

$M_e$  blue-red

$LCH^*_e = 57.1 \ 110.3 \ 328.6$   
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

$Y_s$  yellow

$LCH^*_s = 82.1 \ 83.5 \ 90.0$   
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$   
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

$G_s$  green

$LCH^*_s = 84.4 \ 84.2 \ 150.0$   
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

$C_s$  blue-green

$LCH^*_s = 81.7 \ 44.6 \ 210.0$   
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$   
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

$B_s$  blue

$LCH^*_s = 60.2 \ 54.7 \ 270.0$   
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$   
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

$R_s$  red

$LCH^*_s = 50.7 \ 90.1 \ 30.0$   
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

$M_s$  blue-red

$LCH^*_s = 56.7 \ 107.7 \ 330.0$   
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

- For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:  

$$h_{ab,s} = atan [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
  

$$h_{360ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
  

$$h_{360ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_{de}$  produce the output of the device-independent elementary hues


see similar files: <http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF> / .PS  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE42/QE42L0FP.PDF / .PS  
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*<sub>dd</sub>64M, LAB\*<sub>ddx64M</sub> (x=LabCh), r<sub>gb</sub>\*<sub>ddx361M</sub>, LAB\*<sub>ddx361M</sub> (x=LabCh), r<sub>gb</sub>\*<sub>dsx361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub>\*<sub>dex361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh). Rows list 48 color patches with their respective colorimetric and perceptual data.




see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE42/QE42L0FP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM<sub>s</sub>*:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
Six hue angles of the device colours *RYGCBM<sub>d</sub>*:  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; Six hue angles of the elementary colours *RYGCBM<sub>e</sub>*:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 36.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875 1.0	77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625 1.0	60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375 1.0	43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125 1.0	32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0 1.0	31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0 1.0	35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0 1.0	42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0 1.0	47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0 1.0	52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0 1.0	57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	0.0 55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	1.0 0.0	0.0 735 54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	1.0 0.0	0.0 665 53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	1.0 0.0	0.0 618 53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	1.0 0.0	0.0 533 52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	1.0 0.0	0.0 441 51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	1.0 0.0	0.0 361 51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	1.0 0.0	0.0 0.263 50.9 78.3 37.3 86.7 385



see similar files: <http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF> / .PS  
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE42/QE42L0FP.PDF / .PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 8 main columns: h<sub>ab,d</sub> h<sub>ab,s</sub> h<sub>ab,e</sub> rgb\*dd361Mi LAB\*ddx361Mi (x=LabCh) R<sub>d</sub> rgb\*ds361Mi LAB\*dsx361Mi (x=LabCh) R<sub>s</sub> rgb\*dd361Mi LAB\*de361Mi LAB\*dex361Mi (x=LabCh) R<sub>e</sub> rgb\*dd361Mi. Rows represent different hue angles and device colors, showing L\*a\*b\* values and R values.

see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF /.PS application for measurement of display output, no separation

TUB registration: 20130201-QE42/QE42L0FP.PDF /.PS application for measurement of display output, no separation


TUB material: code=rha4ta

1-113530-L0 QE420-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 6/29

TUB-test chart QE42; hue code: H\*e= Y25G<sub>e</sub> 48 step hue circles; rgb-LabCh\*tables

input: rgb/cmyk -> rgb<sub>de</sub> output: 3D-linearization to rgb\*<sub>de</sub>











see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF / .PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE42/QE42L0FP.PDF / .PS  
application for measurement of display output, no separation  
TUB material: code=rh4t4

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBCM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBCM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h</i> <sub>ab,d</sub>	<i>h</i> <sub>ab,s</sub>	<i>h</i> <sub>ab,e</sub>	<i>rgb</i> * <sub>dd361M</sub>	<i>LAB</i> * <sub>dd361Mi (x=LabCh)</sub>	<i>C</i> <sub>d</sub>	<i>rgb</i> * <sub>ds361Mi</sub>	<i>LAB</i> * <sub>dsx361Mi (x=LabCh)</sub>	<i>C</i> <sub>s</sub>	<i>rgb</i> * <sub>de361Mi</sub>	<i>LAB</i> * <sub>dex361Mi (x=LabCh)</sub>	<i>C</i> <sub>e</sub>	<i>rgb</i> * <sub>dd361Mi</sub>	<i>rgb</i> * <sub>de361Mi</sub>	<i>rgb</i> * <sub>ds361Mi</sub>	<i>rgb</i> * <sub>de361Mi</sub>	<i>rgb</i> * <sub>ds361Mi</sub>	
196	210	216	0.0	1.0	1.0	86.8	-46.1 -13.5 48.1	196	0.0	0.922	1.0	81.7	-38.6 -22.2 44.7	210	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6 -15.8 47.3	199	0.0	0.922	1.0	81.3	-38.0 -22.8 44.4	211	0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9 -17.9 46.5	202	0.0	0.917	1.0	81.0	-37.3 -23.3 44.2	212	0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1 -19.8 45.7	205	0.0	0.911	1.0	80.6	-36.7 -23.8 43.9	213	0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3 -21.7 44.9	208	0.0	0.906	1.0	80.2	-36.1 -24.3 43.6	214	0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4 -23.4 44.1	212	0.0	0.901	1.0	79.8	-35.4 -24.8 43.4	215	0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4 -24.9 43.3	215	0.0	0.895	1.0	79.5	-34.8 -25.3 43.1	216	0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4 -26.3 42.5	218	0.0	0.89	1.0	79.1	-34.1 -25.7 42.9	217	0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5 -28.1 42.2	221	0.0	0.885	1.0	78.7	-33.5 -26.1 42.6	218	0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9 -30.2 42.5	225	0.0	0.879	1.0	78.3	-32.8 -26.6 42.4	219	0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1 -32.3 42.8	228	0.0	0.874	1.0	77.9	-32.2 -27.0 42.2	220	0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1 -34.2 43.1	232	0.0	0.87	1.0	77.6	-31.8 -27.6 42.2	221	0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0 -36.0 43.3	236	0.0	0.865	1.0	77.3	-31.3 -28.2 42.3	222	0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8 -37.7 43.6	239	0.0	0.861	1.0	77.0	-30.9 -28.8 42.4	223	0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5 -39.3 43.9	243	0.0	0.856	1.0	76.7	-30.4 -29.4 42.5	224	0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0 -40.7 44.1	247	0.0	0.851	1.0	76.3	-30.0 -30.0 42.5	225	0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3 -42.9 45.5	250	0.0	0.847	1.0	76.0	-29.5 -30.6 42.6	226	0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5 -44.9 46.9	253	0.0	0.842	1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4 -46.9 48.3	256	0.0	0.838	1.0	75.4	-28.5 -31.7 42.8	228	0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2 -48.8 49.7	259	0.0	0.833	1.0	75.0	-28.0 -32.2 42.8	229	0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8 -50.6 51.1	262	0.0	0.829	1.0	74.7	-27.5 -32.8 42.9	230	0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2 -52.3 52.5	265	0.0	0.824	1.0	74.4	-26.9 -33.3 43.0	231	0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5 -53.9 53.9	268	0.0	0.82	1.0	74.1	-26.4 -33.8 43.1	232	0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8 -55.6 55.7	270	0.0	0.815	1.0	73.7	-25.9 -34.3 43.1	233	0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9 -57.7 57.8	272	0.0	0.81	1.0	73.4	-25.3 -34.9 43.2	234	0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1 -59.7 59.9	274	0.0	0.806	1.0	73.1	-24.7 -35.4 43.3	235	0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4 -61.6 62.1	276	0.0	0.801	1.0	72.8	-24.1 -35.8 43.4	236	0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0 -63.5 64.2	278	0.0	0.797	1.0	72.4	-23.6 -36.3 43.4	237	0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6 -65.2 66.4	280	0.0	0.792	1.0	72.1	-23.0 -36.8 43.5	238	0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4 -66.8 68.5	283	0.0	0.788	1.0	71.8	-22.3 -37.2 43.6	239	0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3 -68.3 70.7	285	0.0	0.783	1.0	71.5	-21.7 -37.7 43.6	240	0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6 -70.2 73.2	286	0.0	0.779	1.0	71.1	-21.1 -38.1 43.7	241	0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9 -72.1 75.7	287	0.0	0.774	1.0	70.8	-20.5 -38.6 43.8	242	0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4 -74.0 78.2	288	0.0	0.769	1.0	70.5	-19.8 -39.0 43.9	243	0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0 -75.7 80.7	290	0.0	0.765	1.0	70.2	-19.2 -39.4 43.9	244	0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6 -77.4 83.2	291	0.0	0.76	1.0	69.8	-18.5 -39.8 44.0	245	0.0	0.417	1.0
292	246	249	0.0	0.4	1.0	45.4	33.3 -79.0 85.7	292	0.0	0.756	1.0	69.5	-17.8 -40.2 44.1	246	0.0	0.4	1.0
294	247	250	0.0	0.383	1.0	44.3	36.2 -80.5 88.2	294	0.0	0.751	1.0	69.2	-17.2 -40.6 44.2	247	0.0	0.383	1.0
295	248	251	0.0	0.366	1.0	43.4	38.7 -82.0 90.7	295	0.0	0.746	1.0	68.8	-16.6 -41.2 44.5	248	0.0	0.367	1.0
296	249	252	0.0	0.35	1.0	42.5	41.0 -83.6 93.2	296	0.0	0.74	1.0	68.4	-16.0 -41.9 45.0	249	0.0	0.35	1.0
296	250	253	0.0	0.333	1.0	41.6	43.4 -85.2 95.6	296	0.0	0.735	1.0	68.0	-15.4 -42.6 45.5	250	0.0	0.333	1.0
297	251	254	0.0	0.316	1.0	40.7	45.8 -86.7 98.1	297	0.0	0.729	1.0	67.7	-14.8 -43.3 45.9	251	0.0	0.317	1.0
298	252	255	0.0	0.3	1.0	39.8	48.2 -88.2 100.5	298	0.0	0.724	1.0	67.3	-14.2 -44.0 46.4	252	0.0	0.3	1.0
299	253	256	0.0	0.283	1.0	38.9	50.7 -89.6 103.0	299	0.0	0.718	1.0	66.9	-13.6 -44.7 46.8	253	0.0	0.283	1.0
300	254	257	0.0	0.266	1.0	38.0	53.3 -91.0 105.4	300	0.0	0.713	1.0	66.5	-12.9 -45.4 47.3	254	0.0	0.267	1.0
301	255	258	0.0	0.25	1.0	37.1	55.9 -92.3 107.9	301	0.0	0.707	1.0	66.1	-12.3 -46.0 47.8	255	0.0	0.25	1.0

1-113930-L0 QE420-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 10/29

TUB-test chart QE42; hue code: H\*e=Y25G<sub>e</sub>  
48 step hue circles; *rgb*-*LabCh*\*tables

input: *rgb*/*cm*/*myk* -> *rgb*<sub>de</sub>  
output: 3D-linearization to *rgb*\*<sub>de</sub>







Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717	
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	

see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE42/QE42L0FP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta





nif	HC*Fate	rgb*Fate	icc*Fate	hsa*Fate	rgb**Fate	LabCH*Fate	LabCH**Fate	DF**Fate	rgb**Fate	rgb**Fate	LabCH**Fate	
0/648	ROY_100_100de	1.0	0.0	0.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
1/668	R25Y_100_100de	1.0	0.25	0.0	1.0	0.102	0.0	51.3	74.4	64.8	98.7	41.0
2/684	R50Y_100_100de	1.0	0.5	0.0	1.0	0.187	0.0	63.1	42.7	70.8	82.7	58.8
3/702	R75Y_100_100de	1.0	0.75	0.0	1.0	0.484	0.0	73.3	18.3	77.7	79.8	76.7
4/720	Y00G_100_100de	1.0	1.0	0.0	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3
5/558	Y25G_100_100de	0.75	1.0	0.0	1.0	0.906	0.0	91.0	0.0	91.0	-29.9	88.9
6/396	Y50G_100_100de	0.5	1.0	0.0	1.0	0.528	1.0	0.0	0.0	85.9	-63.0	82.8
7/234	Y75G_100_100de	0.25	1.0	0.0	1.0	0.439	1.0	1.18	0.0	84.1	-76.0	51.4
8/72	CO0B_100_100de	0.0	1.0	0.0	1.0	0.707	85.1	-64.3	20.9	67.6	162.2	67.9
9/72	CO1B_100_100de	0.0	1.0	0.0	1.0	0.707	85.1	-64.3	20.9	67.6	162.2	67.9
10/76	GS5B_100_100de	0.0	1.0	0.5	1.0	0.955	86.5	-49.2	0.0	1.0	0.951	86.5
11/84	GS10B_100_100de	0.0	1.0	1.0	1.0	0.89	1.0	79.0	-34.1	-25.3	216.5	0.4
12/44	GS15B_100_100de	0.0	1.0	1.0	1.0	0.763	1.0	70.0	-18.7	-39.3	43.5	244.3
13/8	BO0M_100_100de	0.0	1.0	1.0	1.0	0.609	1.0	59.2	2.0	-56.3	56.6	271.1
14/332	B25R_100_100de	0.5	1.0	1.0	1.0	0.272	1.0	38.2	52.8	104.8	300.2	0.2
15/656	B50R_100_100de	1.0	1.0	1.0	1.0	0.0991	57.1	94.1	110.2	328.5	0.0	330
16/652	B75R_100_100de	1.0	1.0	1.0	1.0	0.0617	52.9	83.4	111.5	84.2	352.1	0.1
17/648	ROY_100_100de	1.0	0.0	0.0	1.0	0.263	50.9	78.3	37.3	86.7	25.4	375
18/688	ROY_100_050de	1.0	0.5	1.0	1.0	0.5	0.631	73.1	39.1	18.6	43.3	25.4
19/706	ROY_100_025de	1.0	0.75	1.0	1.0	0.743	0.5	79.2	21.3	35.4	41.3	58.8
20/724	Y00G_100_050de	0.75	1.0	0.5	1.0	0.928	0.5	89.5	-1.7	42.2	42.2	92.3
21/462	Y00G_100_025de	0.5	1.0	0.5	1.0	0.853	90.2	-32.3	10.3	33.9	162.2	1.2
22/400	GS0B_100_050de	0.5	1.0	1.0	1.0	0.845	1.0	77.1	0.3	-27.0	21.9	208.8
23/546	BO0R_100_050de	0.5	1.0	1.0	1.0	0.804	1.0	77.1	0.3	-27.0	21.9	208.8
24/692	B50R_100_050de	1.0	1.0	1.0	1.0	0.5	0.995	76.3	47.0	-28.7	55.1	328.6
25/688	ROY_100_050de	1.0	0.5	1.0	1.0	0.5	0.631	73.1	39.1	18.6	43.3	25.4
27/506	ROY_075_050de	0.75	0.25	0.5	1.0	0.25	0.381	49.3	39.1	18.6	43.3	25.4
28/524	ROY_075_025de	0.75	0.5	0.5	1.0	0.493	0.25	55.4	21.3	35.4	41.3	58.8
29/542	Y00G_075_050de	0.75	0.75	0.5	1.0	0.678	0.25	65.7	-1.7	42.2	42.2	92.3
30/380	Y50G_075_050de	0.5	1.0	0.5	1.0	0.514	0.75	66.8	-31.5	41.4	52.0	127.2
31/218	GO0B_075_050de	0.25	0.75	0.5	1.0	0.25	0.75	66.3	-32.5	10.3	33.9	162.2
32/222	GS0B_075_050de	0.25	0.75	0.5	1.0	0.25	0.695	66.3	-32.5	10.3	33.9	162.2
33/186	BO0R_075_050de	0.25	0.75	0.5	1.0	0.25	0.554	75.5	53.4	0.8	-28.3	28.3
34/510	B50R_075_050de	0.75	0.25	0.5	1.0	0.25	0.745	52.4	47.0	-28.7	55.1	328.6
35/506	ROY_075_050de	0.75	0.25	0.5	1.0	0.25	0.381	49.3	39.1	18.6	43.3	25.4
36/324	ROY_050_050de	0.5	0.0	0.5	1.0	0.131	25.4	39.1	18.6	43.3	25.4	375
37/342	ROY_050_025de	0.5	0.25	0.5	1.0	0.243	0.0	31.5	21.4	36.4	42.2	59.4
38/360	Y00G_050_050de	0.5	0.5	0.5	1.0	0.428	0.0	41.8	-1.7	42.2	42.2	92.3
39/198	Y50G_050_050de	0.25	0.5	0.5	1.0	0.264	0.5	42.9	-31.5	41.4	52.0	127.2
40/36	GO0B_050_050de	0.0	0.5	0.5	1.0	0.0	0.5	35.3	42.5	-32.3	10.3	33.9
41/40	GS0B_050_050de	0.0	0.5	0.5	1.0	0.0	0.445	0.5	39.5	-17.1	-12.8	21.4
42/4	BO0R_050_050de	0.0	0.5	0.5	1.0	0.0	0.304	0.5	29.6	0.8	-28.3	28.3
43/328	B50R_050_050de	0.5	0.0	0.5	1.0	0.0	0.495	28.5	47.0	-28.7	55.1	328.6
44/324	ROY_050_050de	0.5	0.0	0.5	1.0	0.0	0.131	25.4	39.1	18.6	43.3	25.4
45/0	NW_000de	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_015de	0.125	0.125	0.125	1.0	0.125	0.125	11.9	0.0	0.0	0.0	0.0
47/182	NW_025de	0.25	0.25	0.25	1.0	0.25	0.25	23.8	0.0	0.0	0.0	0.0
48/273	NW_038de	0.375	0.375	0.375	1.0	0.375	0.375	35.7	0.0	0.0	0.0	0.0
49/364	NW_050de	0.5	0.5	0.5	1.0	0.5	0.5	47.7	0.0	0.0	0.0	0.0
50/455	NW_062de	0.625	0.625	0.625	1.0	0.625	0.625	59.6	0.0	0.0	0.0	0.0
51/546	NW_075de	0.75	0.75	0.75	1.0	0.75	0.75	71.5	0.0	0.0	0.0	0.0
52/637	NW_088de	0.875	0.875	0.875	1.0	0.875	0.875	83.3	0.0	0.0	0.0	0.0
53/728	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0

Mean color difference of this page: delta E\*\* = 0.8

input: rgb/cmyk -> rgbde  
output: 3D-linearization to rgb\*de

TUB-test chart QE42; hue code: H\*\_e=Y25G\_e  
colors and differences, ΔE\*\*





TUB registration: 20130201-QE42/QE42LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC\*File, rpb\*File, iet\*File, hsa\*File, rpb\*File, LabCh\*File, iet\*File, hsa\*File, rpb\*File, LabCh\*File, rpb\*File, LabCh\*File, DF\*File, hsa\*File, rpb\*File, LabCh\*File, iet\*File, hsa\*File, rpb\*File, LabCh\*File. Rows 81-161.

input: rgb\*cmysk -> rgbde output: 3D-linearization to rgb\*de

QE420-TN; Page 17/29-F

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, AE\*  
I-1131630-F0

Mean color difference of this page: delta E\*\* = 0.6

Table with 24 columns: n, HHC\*Fate, rpb\*Rate, iet\*Rate, Hsa\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, DF\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate, rpb\*Fate, LabCH\*Fate. Rows 162-242.

TUB registration: 20130201-QE42/QE42LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 323 rows and 15 columns: n, HHC\*File, rgb\*File, iet\*File, Hsa\*File, rgb\*File, LabCH\*File, LabCH\*File, rgb\*File, DF\*File, Hsa\*File, rgb\*File, LabCH\*File, LabCH\*File, delta E\*\* = 0.5. The table contains numerical data for each row, representing color calibration parameters.

see similar files: http://130.149.60.45/~farbmtrik/QE42/QE42.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmtrik

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, ΔE\*\*

input: rgb/cmlyk -> rgbde output: 3D-linearization to rgb\*de

Mean color difference of this page:

TUB registration: 20130201-QE42/QE42LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta




Table with columns: n, HHC\*F0e, rpb\*F0e, iet\*F0e, ihs\*F0e, rpb\*F0e, LabCH\*F0e, LabCH\*F0e, rpb\*F0e, DF\*F0e, rha\*F0e, rpb\*F0e, LabCH\*F0e. Rows list various color patches from 324 to 404.



delta E\*\* = 0.4

Mean color difference of this page:

see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42LOFP.PDF /.PS; 3D-linearization technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, AE\*\*

input: rgb/cmlyk -> rbgde output: 3D-linearization to rbg\*de



http://130.149.60.45/~farbmetrik/QE42/QE42LOFP.PDF /.PS; 3D-linearization output: 3D-linearization to rgb\*de

Table with columns: n, HHC\*Fde, rgb\*Fde, iet\*Fde, Hsa\*Fde, rgb\*Fde, LabCH\*Fde, LabCH\*Fde, DP\*Fde, Hsa\*Fde, rgb\*Fde, LabCH\*Fde. Contains 485 rows of numerical data.

Mean color difference of this page: delta E\*ab = 0.4

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, AE\*F

Table with columns n, HHC\*F0Lc, rbg\*F0Lc, iet\*F0Lc, ihs\*F0Lc, rgg\*F0Lc, LabCH\*F0Lc, LabCH\*F0Lc, LabCH\*F0Lc, LabCH\*F0Lc, rbg\*F0Lc, DP\*F0Lc, rbg\*F0Lc, LabCH\*F0Lc. It lists 566 rows of data for various color patches.

input: rgb/cmyk -> rgbde output: 3D-linearization to rbg\*de Mean color difference of this page: delta E\*ab = 0.4

TUB registration: 20130201-QE42/QE42LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC\*F0, rgb\*F0, iZr\*F0, Hs\*F0, rgb\*F0, LabCH\*F0, LabCH\*F0, rgb\*F0, DP\*F0, Hs\*F0, LabCH\*F0, rgb\*F0, LabCH\*F0. Rows 567-647.

see similar files: http://130.149.60.45/~farbmtrik/QE42/QE42.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmtrik

input: rgb/cmlyk -> rgbde output: 3D-linearization to rgb\*de

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, AE\*F

QE420-TN; Page 23/29-F

L-1132230-F0

L-1132230-F0

Mean color difference of this page: delta E\*\* = 0.3

TUB registration: 20130201-QE42/QE42L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta


Table with 28 columns: n, HHC\*F0, rpb\*F0, iet\*F0, Hsa\*F0, rpb\*F0, LabCH\*F0, LabCH\*F0, rpb\*F0, LabCH\*F0, DF\*F0, rpb\*F0, LabCH\*F0, LabCH\*F0, rpb\*F0, LabCH\*F0, LabCH\*F0, rpb\*F0, LabCH\*F0, LabCH\*F0, rpb\*F0, LabCH\*F0, LabCH\*F0, rpb\*F0, LabCH\*F0, LabCH\*F0, rpb\*F0, LabCH\*F0. Rows 648-728.

Mean color difference of this page: delta E\*\* = 2.5

see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF /.PS technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik


TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, ΔE\*\* input: rgb/cmlyk -> rgbd output: 3D-linearization to rpb\*de





TUB registration: 20130201-QE42/QE42LOFP.PDF /.PS  
 application for measurement of display output, no separation


TUB material: code=rha4ta




n	HC*File	rgb*File	icr*File	hsa*File	rgb*File	LabCH*File	LabCH*File	rgb*File	DF*File	rgb*File	LabCH*File
729	NW_1000e	0.875	1.0	1.0	0.875	0.954	0.0	1.0	325.2	0.0	0.0
730	GS0B_100.012de	0.875	1.0	1.0	0.875	0.986	0.0	1.0	325.2	0.0	0.0
731	GS0B_100.025de	0.75	1.0	1.0	0.75	0.972	0.0	1.0	325.2	0.0	0.0
732	GS0B_100.050de	0.625	1.0	1.0	0.625	0.958	0.0	1.0	325.2	0.0	0.0
733	GS0B_100.075de	0.5	1.0	1.0	0.5	0.945	0.0	1.0	325.2	0.0	0.0
734	GS0B_100.100de	0.375	1.0	1.0	0.375	0.931	0.0	1.0	325.2	0.0	0.0
735	GS0B_100.125de	0.25	1.0	1.0	0.25	0.917	0.0	1.0	325.2	0.0	0.0
736	GS0B_100.150de	0.125	1.0	1.0	0.125	0.903	0.0	1.0	325.2	0.0	0.0
737	GS0B_100.175de	0.0	1.0	1.0	0.0	0.889	0.0	1.0	325.2	0.0	0.0
738	ROXY_100.012de	0.875	1.0	1.0	0.875	0.907	0.0	1.0	325.2	0.0	0.0
739	NW_087de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
740	GS0B_087.012de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
741	GS0B_087.025de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
742	GS0B_087.050de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
743	GS0B_087.075de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
744	GS0B_087.100de	0.25	1.0	1.0	0.25	0.806	0.0	1.0	325.2	0.0	0.0
745	GS0B_087.125de	0.125	1.0	1.0	0.125	0.792	0.0	1.0	325.2	0.0	0.0
746	GS0B_087.150de	0.0	1.0	1.0	0.0	0.778	0.0	1.0	325.2	0.0	0.0
747	ROXY_087.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
748	NW_075de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
749	GS0B_075.012de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
750	GS0B_075.025de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
751	GS0B_075.050de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
752	GS0B_075.075de	0.25	1.0	1.0	0.25	0.806	0.0	1.0	325.2	0.0	0.0
753	GS0B_075.100de	0.125	1.0	1.0	0.125	0.792	0.0	1.0	325.2	0.0	0.0
754	GS0B_075.125de	0.0	1.0	1.0	0.0	0.778	0.0	1.0	325.2	0.0	0.0
755	ROXY_075.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
756	ROXY_075.025de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
757	ROXY_075.050de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
758	NW_062de	0.625	1.0	1.0	0.625	0.833	0.0	1.0	325.2	0.0	0.0
759	GS0B_062.012de	0.5	1.0	1.0	0.5	0.819	0.0	1.0	325.2	0.0	0.0
760	GS0B_062.025de	0.375	1.0	1.0	0.375	0.806	0.0	1.0	325.2	0.0	0.0
761	GS0B_062.050de	0.25	1.0	1.0	0.25	0.792	0.0	1.0	325.2	0.0	0.0
762	GS0B_062.075de	0.125	1.0	1.0	0.125	0.778	0.0	1.0	325.2	0.0	0.0
763	GS0B_062.100de	0.0	1.0	1.0	0.0	0.764	0.0	1.0	325.2	0.0	0.0
764	ROXY_062.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
765	ROXY_062.025de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
766	ROXY_062.050de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
767	ROXY_062.075de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
768	ROXY_062.100de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
769	NW_050de	0.5	1.0	1.0	0.5	0.806	0.0	1.0	325.2	0.0	0.0
770	GS0B_050.012de	0.375	1.0	1.0	0.375	0.792	0.0	1.0	325.2	0.0	0.0
771	GS0B_050.025de	0.25	1.0	1.0	0.25	0.778	0.0	1.0	325.2	0.0	0.0
772	GS0B_050.050de	0.125	1.0	1.0	0.125	0.764	0.0	1.0	325.2	0.0	0.0
773	GS0B_050.075de	0.0	1.0	1.0	0.0	0.750	0.0	1.0	325.2	0.0	0.0
774	ROXY_050.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
775	ROXY_050.025de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
776	ROXY_050.050de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
777	ROXY_050.075de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
778	ROXY_050.100de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
779	NW_037de	0.375	1.0	1.0	0.375	0.806	0.0	1.0	325.2	0.0	0.0
780	GS0B_037.012de	0.25	1.0	1.0	0.25	0.792	0.0	1.0	325.2	0.0	0.0
781	GS0B_037.025de	0.125	1.0	1.0	0.125	0.778	0.0	1.0	325.2	0.0	0.0
782	ROXY_037.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
783	ROXY_037.025de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
784	ROXY_037.050de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
785	ROXY_037.075de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
786	ROXY_037.100de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
787	ROXY_037.125de	0.25	1.0	1.0	0.25	0.806	0.0	1.0	325.2	0.0	0.0
788	ROXY_037.150de	0.125	1.0	1.0	0.125	0.792	0.0	1.0	325.2	0.0	0.0
789	NW_025de	0.25	1.0	1.0	0.25	0.778	0.0	1.0	325.2	0.0	0.0
790	GS0B_025.012de	0.125	1.0	1.0	0.125	0.764	0.0	1.0	325.2	0.0	0.0
791	GS0B_025.025de	0.0	1.0	1.0	0.0	0.750	0.0	1.0	325.2	0.0	0.0
792	ROXY_025.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
793	ROXY_025.025de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
794	ROXY_025.050de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
795	ROXY_025.075de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
796	ROXY_025.100de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
797	ROXY_025.125de	0.25	1.0	1.0	0.25	0.806	0.0	1.0	325.2	0.0	0.0
798	ROXY_025.150de	0.125	1.0	1.0	0.125	0.792	0.0	1.0	325.2	0.0	0.0
799	NW_012de	0.125	1.0	1.0	0.125	0.778	0.0	1.0	325.2	0.0	0.0
800	GS0B_012.012de	0.0	1.0	1.0	0.0	0.764	0.0	1.0	325.2	0.0	0.0
801	ROXY_012.012de	0.875	1.0	1.0	0.875	0.875	0.0	1.0	325.2	0.0	0.0
802	ROXY_012.025de	0.75	1.0	1.0	0.75	0.861	0.0	1.0	325.2	0.0	0.0
803	ROXY_012.050de	0.625	1.0	1.0	0.625	0.847	0.0	1.0	325.2	0.0	0.0
804	ROXY_012.075de	0.5	1.0	1.0	0.5	0.833	0.0	1.0	325.2	0.0	0.0
805	ROXY_012.100de	0.375	1.0	1.0	0.375	0.819	0.0	1.0	325.2	0.0	0.0
806	ROXY_012.125de	0.25	1.0	1.0	0.25	0.806	0.0	1.0	325.2	0.0	0.0
807	ROXY_012.150de	0.125	1.0	1.0	0.125	0.792	0.0	1.0	325.2	0.0	0.0
808	NW_000de	0.0	1.0	1.0	0.0	0.778	0.0	1.0	325.2	0.0	0.0
809	NW_000de	0.0	1.0	1.0	0.0	0.764	0.0	1.0	325.2	0.0	0.0

Mean color difference of this page:  $\Delta E^*_{90} = 0.7$

input: *rgb\*cmk* -> *rgbd*  
 output: 3D-linearization to *rgb\*de*



see similar files: <http://130.149.60.45/~farbmetrik/QE42/QE42.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



QE420-7N; Page 25/29-F

TUB-test chart QE42; hue code: H\*e=Y25Ge  
 colors and differences,  $\Delta E^*_{90}$

L-11334-F0

L-11334-F0

n	HC*Fate	rgb*Fate	ief*Fate	hsa*Fate	rgb*Fate	LabCH*Fate	hsa*Fate	rgb*Fate	LabCH*Fate	DF*Fate	rgb*Fate	LabCH*Fate
810	NW_100.00e	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
811	BOOR_100.012a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
812	BOOR_100.025a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
813	BOOR_100.037a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
814	BOOR_100.050a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
815	BOOR_100.062a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
816	BOOR_100.074a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
817	BOOR_100.087a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
818	BOOR_100.100a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
819	BOOR_100.112a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
820	BOOR_100.125a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
821	BOOR_100.137a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
822	BOOR_100.150a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
823	BOOR_100.162a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
824	BOOR_100.174a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
825	BOOR_100.187a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
826	BOOR_100.200a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
827	BOOR_100.212a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
828	BOOR_100.225a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
829	BOOR_100.237a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
830	BOOR_100.250a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
831	BOOR_100.262a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
832	BOOR_100.274a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
833	BOOR_100.287a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
834	BOOR_100.300a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
835	BOOR_100.312a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
836	BOOR_100.325a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
837	BOOR_100.337a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
838	BOOR_100.350a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
839	BOOR_100.362a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
840	BOOR_100.374a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
841	BOOR_100.387a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
842	BOOR_100.400a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
843	BOOR_100.412a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
844	BOOR_100.425a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
845	BOOR_100.437a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
846	BOOR_100.450a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
847	BOOR_100.462a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
848	BOOR_100.474a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
849	BOOR_100.487a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
850	BOOR_100.500a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
851	BOOR_100.512a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
852	BOOR_100.525a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
853	BOOR_100.537a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
854	BOOR_100.550a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
855	BOOR_100.562a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
856	BOOR_100.574a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
857	BOOR_100.587a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
858	BOOR_100.600a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
859	BOOR_100.612a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
860	BOOR_100.625a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
861	BOOR_100.637a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
862	BOOR_100.650a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
863	BOOR_100.662a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
864	BOOR_100.674a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
865	BOOR_100.687a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
866	BOOR_100.700a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
867	BOOR_100.712a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
868	BOOR_100.725a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
869	BOOR_100.737a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
870	BOOR_100.750a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
871	BOOR_100.762a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
872	BOOR_100.774a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
873	BOOR_100.787a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
874	BOOR_100.800a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
875	BOOR_100.812a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
876	BOOR_100.825a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
877	BOOR_100.837a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
878	BOOR_100.850a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
879	BOOR_100.862a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
880	BOOR_100.874a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
881	BOOR_100.887a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
882	BOOR_100.900a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
883	BOOR_100.912a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
884	BOOR_100.925a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
885	BOOR_100.937a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
886	BOOR_100.950a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
887	BOOR_100.962a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
888	BOOR_100.974a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
889	BOOR_100.987a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0
890	NW_100.00a	0.875	0.875	1.0	0.0	95.4	1.0	1.0	95.4	0.0	325.2	0.0

Mean color difference of this page: delta E\*\* = 0.6

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, ΔE\*\*

input: rgb\*cmYk -> rgbde output: 3D-linearization to rgb\*de





TUB registration: 20130201-QE42/QE42LOFP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, H/C\*Fde, r/gb\*Fde, i/cr\*Fde, i/rs\*Fde, r/gb\*Fde, Lab/C\*Fde, Lab/C\*Fde, r/gb\*Fde, Lab/C\*Fde. Rows 891-971.

Table with 10 columns: n, H/C\*Fde, r/gb\*Fde, i/cr\*Fde, i/rs\*Fde, r/gb\*Fde, Lab/C\*Fde, Lab/C\*Fde, r/gb\*Fde, Lab/C\*Fde. Rows 891-971.

see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Main data table with 10 columns: n, H/C\*Fde, r/gb\*Fde, i/cr\*Fde, i/rs\*Fde, r/gb\*Fde, Lab/C\*Fde, Lab/C\*Fde, r/gb\*Fde, Lab/C\*Fde. Rows 891-971.

http://130.149.60.45/~farbmetrik/QE42/QE42LOFP.PDF /.PS; 3D-linearization F: 3D-linearization QE42/QE42LE30FP.DAT in file (F), page 27/29

input: rgb/cmlyk -> rgbd output: 3D-linearization to rgb\*de

TUB-test chart QE42; hue code: H\*e=Y25Ge colors and differences, AE\*<sup>2</sup>



Mean color difference of this page: delta E\*ab = 0.6

QE420-TN; Page 27/29-F




TUB registration: 20130201-QE42/QE42L0FP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



http://130.149.60.45/~farbmetrik/QE42/QE42L0FP.PDF /.PS; 3D-linearization F: 3D-linearization QE42/QE42LE30FP.DAT in file (F), page 29/29



see similar files: http://130.149.60.45/~farbmetrik/QE42/QE42.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb\*\_de

n	HC*Fde	rgb*_Fde	icT*_Fde	hsa*_Fde	rgb*_Fde	LabCH*Fde	LabCH*Fde	hsa*_Fde	rgb*_Fde	LabCH*Fde	DF*Fde	rgb*_Fde	LabCH*Fde	hsa*_Fde	rgb*_Fde	LabCH*Fde
1053	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	82.6	0.2	0.866	0.866	0.866	0.866	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.0	0.2	0.933	0.933	0.933	0.933	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.2	1.0	1.0	1.0	1.0	0.0
1056	NW_006de	0.066	0.066	0.066	0.066	0.066	6.2	0.066	0.066	6.2	0.0	0.066	0.066	0.066	0.066	0.0
1057	NW_013de	0.133	0.133	0.133	0.133	0.133	12.6	0.133	0.133	12.6	0.0	0.133	0.133	0.133	0.133	0.0
1058	NW_020de	0.2	0.2	0.2	0.2	0.2	19.0	0.2	0.2	19.0	0.0	0.2	0.2	0.2	0.2	0.0
1059	NW_026de	0.266	0.266	0.266	0.266	0.266	25.3	0.266	0.266	25.3	0.0	0.266	0.266	0.266	0.266	0.0
1060	NW_033de	0.333	0.333	0.333	0.333	0.333	31.7	0.333	0.333	31.7	0.0	0.333	0.333	0.333	0.333	0.0
1061	NW_040de	0.4	0.4	0.4	0.4	0.4	38.1	0.4	0.4	38.1	0.0	0.4	0.4	0.4	0.4	0.0
1062	NW_046de	0.466	0.466	0.466	0.466	0.466	44.4	0.466	0.466	44.4	0.0	0.466	0.466	0.466	0.466	0.0
1063	NW_053de	0.533	0.533	0.533	0.533	0.533	50.8	0.533	0.533	50.8	0.0	0.533	0.533	0.533	0.533	0.0
1064	NW_059de	0.566	0.566	0.566	0.566	0.566	57.1	0.566	0.566	57.1	0.0	0.566	0.566	0.566	0.566	0.0
1065	NW_066de	0.6	0.6	0.6	0.6	0.6	63.5	0.6	0.6	63.5	0.0	0.6	0.6	0.6	0.6	0.0
1066	NW_073de	0.734	0.734	0.734	0.734	0.734	70.0	0.734	0.734	70.0	0.0	0.734	0.734	0.734	0.734	0.0
1067	NW_080de	0.8	0.8	0.8	0.8	0.8	76.3	0.8	0.8	76.3	0.0	0.8	0.8	0.8	0.8	0.0
1068	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	82.6	0.0	0.866	0.866	0.866	0.866	0.0
1069	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.0	0.0	0.933	0.933	0.933	0.933	0.0
1070	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1071	NW_006de	0.066	0.066	0.066	0.066	0.066	6.2	0.066	0.066	6.2	0.0	0.066	0.066	0.066	0.066	0.0
1072	NW_013de	0.133	0.133	0.133	0.133	0.133	12.6	0.133	0.133	12.6	0.0	0.133	0.133	0.133	0.133	0.0
1073	NW_020de	0.2	0.2	0.2	0.2	0.2	19.0	0.2	0.2	19.0	0.0	0.2	0.2	0.2	0.2	0.0
1074	NW_026de	0.266	0.266	0.266	0.266	0.266	25.3	0.266	0.266	25.3	0.0	0.266	0.266	0.266	0.266	0.0
1075	NW_033de	0.333	0.333	0.333	0.333	0.333	31.7	0.333	0.333	31.7	0.0	0.333	0.333	0.333	0.333	0.0
1076	NW_040de	0.4	0.4	0.4	0.4	0.4	38.1	0.4	0.4	38.1	0.0	0.4	0.4	0.4	0.4	0.0
1077	NW_046de	0.466	0.466	0.466	0.466	0.466	44.4	0.466	0.466	44.4	0.0	0.466	0.466	0.466	0.466	0.0
1078	NW_053de	0.533	0.533	0.533	0.533	0.533	50.8	0.533	0.533	50.8	0.0	0.533	0.533	0.533	0.533	0.0
1079	NW_059de	0.566	0.566	0.566	0.566	0.566	57.1	0.566	0.566	57.1	0.0	0.566	0.566	0.566	0.566	0.0
1080	NW_066de	0.6	0.6	0.6	0.6	0.6	63.5	0.6	0.6	63.5	0.0	0.6	0.6	0.6	0.6	0.0
1081	NW_073de	0.734	0.734	0.734	0.734	0.734	70.0	0.734	0.734	70.0	0.0	0.734	0.734	0.734	0.734	0.0
1082	NW_080de	0.8	0.8	0.8	0.8	0.8	76.3	0.8	0.8	76.3	0.0	0.8	0.8	0.8	0.8	0.0
1083	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	82.6	0.0	0.866	0.866	0.866	0.866	0.0
1084	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.0	0.0	0.933	0.933	0.933	0.933	0.0
1085	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1086	ROY_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1087	G50B_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1088	Y06C_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1089	B06M_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1090	B08R_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0
1091	B50R_100_100de	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	0.0	1.0	1.0	1.0	1.0	0.0

Mean color difference of this page: delta E\*\* = 0.3

TUB-test chart QE42; hue code: H\*\_e=Y25Ge colors and differences, ΔE\*\*\*

input: rgb/cmyk -> rgbde output: 3D-linearization to rgb\*\_de