

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_ = Y25G_ -$


Data for any device (d) or elementary (e) colour:

$HIC^*_ -$

hue text for the colours of this page:

$H^*_ = Y25G_ -$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 83 -18 79 81 102

$HIC^*_{-,Ma}$: Y25G_100_100_

$rgbic^*_{-,Ma}$:

0.76 1.0 0.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

$H^*_ -$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE48/QE48.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE48/QE48L0NP.PDF /.PS
 application for measurement of offset print output


TUB material: code=rh4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y25G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0
Ye,Ma	83.6	-3.6	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2
Ce,Ma	55.0	-36.2	-27.2	45.3
Be,Ma	40.2	1.2	-40.6	40.6
Me,Ma	31.1	47.7	-29.1	55.9
Ne,Ma	24.3	0.0	0.0	0.0
We,Ma	95.6	0.0	0.0	0.0
Re,CIE	39.9	58.7	27.9	65.0
Ye,CIE	81.2	-2.8	71.5	71.6
Ge,CIE	52.2	-42.4	13.6	44.5
Be,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 74 -25 74 78 108$

$HIC^*_{e, Ma}: Y25G_100_100_e$



$rgbic^*_{e, Ma}: 0.6 1.0 0.0 1.0 1.0$

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0
R25Y_100_100_e	50.5	59.2	51.6	78.6
R50Y_100_100_e	60.2	38.2	63.4	74.1
R75Y_100_100_e	70.9	17.9	75.9	77.9
Y00G_100_100_e	83.6	-3.6	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4
Y50G_100_100_e	62.6	-40.9	53.8	67.6
Y75G_100_100_e	54.1	-55.5	37.5	67.0
G00B_100_100_e	50.6	-62.1	19.9	65.2
G25B_100_100_e	53.0	-48.6	-8.2	49.2
G50B_100_100_e	55.0	-36.2	-27.2	45.3
G75B_100_100_e	53.3	-19.8	-41.3	45.9
B00R_100_100_e	40.2	1.2	-40.6	40.6
B25R_100_100_e	28.1	23.4	-40.3	46.7
B50R_100_100_e	31.1	47.7	-29.1	55.9
B75R_100_100_e	41.4	70.4	-9.8	71.1

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/QE48/QE48.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE48/QE48L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013131-L0 QE480-71

TUB-test chart QE48; hue code: $H^*_e=Y25G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013131-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = Y25G_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 74 -25 74 78 108$

$HIC^*_e, Ma: Y25G_100_100_e$



$rgbic^*_e, Ma:$

0.6 1.0 0.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352



see similar files: http://130.149.60.45/~farbmetrik/QE48/QE48.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE48/QE48L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013231-L0 QE480-71

TUB-test chart QE48; hue code: $H^*_e=Y25G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$


1-013231-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y25G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271



Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 74 -25 74 78 108$
 $HIC^*_{e, Ma}: Y25G_100_100_e$
 $rgbic^*_{e, Ma}: 0.6 1.0 0.0 1.0 1.0$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

triangle lightness T^*
%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE48/QE48.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE48/QE48L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013331-L0 QE480-71

TUB-test chart QE48; hue code: $H^*_e = Y25G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$


1-013331-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 108/360 = 0.3$

$H^*_e = Y25G_e$

Data for any device (d) or elementary (e) colour:

HIC^*_e
hue text for the colours of this page:
 $H^*_e = Y25G_e$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	45.6	72.2	34.4	80.0	25
Ye,Ma	83.6	-3.6	90.4	90.4	92
Ge,Ma	50.6	-62.1	19.9	65.2	162
Ce,Ma	55.0	-36.2	-27.2	45.3	216
Be,Ma	40.2	1.2	-40.6	40.6	271
Me,Ma	31.1	47.7	-29.1	55.9	328
Ne,Ma	24.3	0.0	0.0	0.0	0
We,Ma	95.6	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271



Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 74 -25 74 78 108$
 $HIC^*_{e, Ma}: Y25G_100_100_e$
 $rgbic^*_{e, Ma}: 0.6 1.0 0.0 1.0 1.0$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	45.6	72.2	34.4	80.0	25
R25Y_100_100_e	50.5	59.2	51.6	78.6	41
R50Y_100_100_e	60.2	38.2	63.4	74.1	58
R75Y_100_100_e	70.9	17.9	75.9	77.9	76
Y00G_100_100_e	83.6	-3.6	90.4	90.4	92
Y25G_100_100_e	74.5	-25.0	74.3	78.4	108
Y50G_100_100_e	62.6	-40.9	53.8	67.6	127
Y75G_100_100_e	54.1	-55.5	37.5	67.0	145
G00B_100_100_e	50.6	-62.1	19.9	65.2	162
G25B_100_100_e	53.0	-48.6	-8.2	49.2	189
G50B_100_100_e	55.0	-36.2	-27.2	45.3	216
G75B_100_100_e	53.3	-19.8	-41.3	45.9	244
B00R_100_100_e	40.2	1.2	-40.6	40.6	271
B25R_100_100_e	28.1	23.4	-40.3	46.7	300
B50R_100_100_e	31.1	47.7	-29.1	55.9	328
B75R_100_100_e	41.4	70.4	-9.8	71.1	352

triangle lightness T^*
%Gamut $u^*_{rel} = 92$
%Regularity $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: http://130.149.60.45/~farbmetrik/QE48/QE48.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik




TUB registration: 20130201-QE48/QE48L0NP.PDF /.PS
application for measurement of offset print output, separation cmy0 (CMY0)
TUB material: code=rh4ta

1-013431-L0 QE480-71

TUB-test chart QE48; hue code: $H^*_e = Y25G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

1-013431-F0



see similar files: <http://130.149.60.45/~farbmetrik/QE48/QE48.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


1-013531-L0 QE480-71

TUB-test chart QE48; hue code: $H^*_e=Y25G_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0


input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours RYGBM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


device CIELAB (a^*_d, b^*_d) chroma diagram



elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_s -input values the CIELAB data LCH^*_s and LAB^*_s have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_s the equation:

$$h_{ab,s} = \text{atan} \left[\frac{r^*_s \cos(30) + g^*_s \sin(150)}{r^*_s \sin(30) + g^*_s \sin(150)} \right] + b^*_s \sin(270) \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,ij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,i}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,ej} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{ab} , there is a well defined device hue angle $h_{ab,ds}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_s produce the output of the device-independent elementary hues

http://130.149.60.45/~farbmetrik/QE48/QE48L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 17/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for hue angles (h_ab,d, h_ab,s, h_ab,e), device colours (RYGBM), and separation colours (RYGBM). Rows include color names (e.g., 366, 367, 368) and their corresponding colorimetric values.

I-0131631-L0 QE480-71 LAB*lab0, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE48; hue code: H*_e=Y25G_e 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Output: Offset standard print; separation cmy0*, D65, page 17/33

nif	HC*Fe	rgp_Fe	LabCH*Fe	rgp*Fe	DFe*Fe	Hm*Fe	LabCH*Fe	rgp*Fe	DFe*Fe	Hm*Fe	LabCH*Fe	rgp*Fe	DFe*Fe	Hm*Fe	
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9	38.1	1.0	0.0	0.0	
1/657	R13Y_100_100e	1.0	0.125	0.0	0.0	0.0	46.6	69.6	49.4	79.9	38.5	1.0	0.02	0.0	
2/675	R25Y_100_100e	1.0	0.25	0.0	0.0	0.0	48.9	62.8	55.5	74.0	38.8	1.0	0.06	0.0	
3/675	R35Y_100_100e	1.0	0.375	0.0	0.0	0.0	51.9	55.5	62.0	74.0	38.8	1.0	0.168	0.0	
4/684	R50Y_100_100e	1.0	0.5	0.0	0.0	0.0	59.1	40.3	62.0	74.0	38.8	1.0	0.288	0.0	
5/693	R63Y_100_100e	1.0	0.625	0.0	0.0	0.0	64.9	28.9	68.6	74.0	38.8	1.0	0.396	0.0	
6/702	R75Y_100_100e	1.0	0.75	0.0	0.0	0.0	77.1	15.4	77.1	78.6	38.8	1.0	0.504	0.0	
7/711	R88Y_100_100e	1.0	0.875	0.0	0.0	0.0	83.4	-3.4	83.4	80.2	38.8	1.0	0.604	0.0	
8/720	Y00G_100_100e	1.0	0.0	0.0	0.0	0.0	87.8	-10.2	95.4	96.0	38.8	1.0	0.878	0.0	
9/658	Y13C_100_100e	0.875	1.0	0.0	0.0	0.0	84.3	-15.9	89.2	90.3	98.8	1.0	0.807	1.0	
10/558	Y25C_100_100e	0.75	1.0	0.0	0.0	0.0	74.5	-25.0	83.5	101.8	13.4	1.0	0.605	1.0	
11/477	Y38C_100_100e	0.625	1.0	0.0	0.0	0.0	68.0	-33.0	75.7	114.0	17.7	1.0	0.434	1.0	
12/396	Y50C_100_100e	0.5	1.0	0.0	0.0	0.0	62.6	-40.9	66.5	114.0	18.7	1.0	0.322	1.0	
13/315	Y63C_100_100e	0.375	1.0	0.0	0.0	0.0	57.8	-48.3	58.3	121.5	19.5	1.0	0.232	1.0	
14/234	Y75C_100_100e	0.25	1.0	0.0	0.0	0.0	54.1	-55.5	46.3	133.0	14.4	1.0	0.108	1.0	
15/153	Y88C_100_100e	0.125	1.0	0.0	0.0	0.0	50.6	-63.6	38.5	144.4	12.9	1.0	0.016	1.0	
16/72	G00C_100_100e	0.0	1.0	0.0	0.0	0.0	50.0	-65.0	29.6	155.5	10.1	1.0	0.151	0.0	
17/73	G13C_100_100e	0.0	1.0	0.125	0.0	0.0	50.0	-62.8	21.9	166.5	10.9	1.0	0.261	0.0	
18/74	G25C_100_100e	0.0	1.0	0.25	0.0	0.0	51.2	-58.9	12.7	160.7	8.6	1.0	0.35	0.0	
19/75	G38C_100_100e	0.0	1.0	0.375	0.0	0.0	52.9	-54.5	3.1	176.7	5.7	1.0	0.443	0.0	
20/76	G50C_100_100e	0.0	1.0	0.5	0.0	0.0	52.9	-48.0	-8.0	189.3	0.2	1.0	0.502	0.0	
21/77	G63C_100_100e	0.0	1.0	0.625	0.0	0.0	46.3	-42.3	-18.1	203.2	5.3	1.0	0.568	0.0	
22/78	G75C_100_100e	0.0	1.0	0.75	0.0	0.0	34.1	-42.0	-27.4	217.2	10.4	1.0	0.633	0.0	
23/79	G88C_100_100e	0.0	1.0	0.875	0.0	0.0	34.1	-50.7	-34.3	228.3	14.2	1.0	0.699	0.0	
24/80	C00B_100_100e	0.0	1.0	0.0	0.0	0.0	56.8	-25.5	-41.5	238.4	17.9	1.0	0.747	0.0	
25/71	C13B_100_100e	0.0	1.0	0.125	0.0	0.0	54.1	-21.1	-41.3	242.9	15.7	1.0	0.818	0.0	
26/62	C25B_100_100e	0.0	1.0	0.25	0.0	0.0	50.4	-15.5	-41.1	249.3	16.5	1.0	0.892	0.0	
27/53	C38B_100_100e	0.0	1.0	0.375	0.0	0.0	46.5	-9.4	-40.8	256.9	19.6	1.0	0.982	0.0	
28/44	C50B_100_100e	0.0	1.0	0.5	0.0	0.0	41.3	-4.9	-40.4	268.2	21.9	1.0	0.846	1.0	
29/35	C63B_100_100e	0.0	1.0	0.625	0.0	0.0	37.1	-1.2	-40.2	278.6	23.0	1.0	0.711	1.0	
30/26	C75B_100_100e	0.0	1.0	0.75	0.0	0.0	32.8	14.3	-40.2	289.6	25.7	1.0	0.602	1.0	
31/17	C88B_100_100e	0.0	1.0	0.875	0.0	0.0	28.6	22.4	-40.2	299.0	29.4	1.0	0.532	1.0	
32/8	B00M_100_100e	0.0	1.0	0.0	0.0	0.0	29.5	-40.4	-40.4	306.2	32.1	1.0	0.458	1.0	
33/89	B13M_100_100e	0.125	1.0	0.0	0.0	0.0	27.9	-36.4	-36.4	314.7	31.8	1.0	0.378	1.0	
34/170	B25M_100_100e	0.25	1.0	0.0	0.0	0.0	28.8	-41.9	-32.5	322.1	32.6	1.0	0.302	1.0	
35/251	B38M_100_100e	0.375	1.0	0.0	0.0	0.0	32.7	-51.8	-26.0	333.3	37.9	1.0	0.21	1.0	
36/332	B50M_100_100e	0.5	1.0	0.0	0.0	0.0	35.6	-58.6	-20.7	340.5	40.9	1.0	0.105	1.0	
37/413	B63M_100_100e	0.625	1.0	0.0	0.0	0.0	38.1	-65.4	-14.0	347.9	44.9	1.0	0.022	1.0	
38/494	B75M_100_100e	0.75	1.0	0.0	0.0	0.0	41.8	-71.0	-9.2	352.5	45.8	1.0	0.135	0.0	
39/575	B88M_100_100e	0.875	1.0	0.0	0.0	0.0	44.2	-75.2	-5.0	356.1	45.9	1.0	0.246	0.0	
40/656	M00R_100_100e	1.0	0.0	1.0	0.0	0.0	46.1	79.3	-0.2	359.8	45.3	1.0	0.321	0.0	
41/655	M13R_100_100e	1.0	0.0	0.875	0.0	0.0	45.9	78.2	4.1	363.0	39.9	1.0	0.407	0.0	
42/654	M25R_100_100e	1.0	0.0	0.75	0.0	0.0	45.9	77.1	8.6	366.4	34.5	1.0	0.522	0.0	
43/653	M38R_100_100e	1.0	0.0	0.625	0.0	0.0	46.0	75.6	14.8	371.1	29.3	1.0	0.666	0.0	
44/652	M50R_100_100e	1.0	0.0	0.5	0.0	0.0	45.9	74.2	21.1	375.9	31.5	1.0	0.736	0.0	
45/651	M63R_100_100e	1.0	0.0	0.375	0.0	0.0	45.8	72.9	28.3	381.2	27.6	1.0	0.800	0.0	
46/650	M75R_100_100e	1.0	0.0	0.25	0.0	0.0	45.6	72.1	34.6	385.6	21.7	1.0	0.871	0.0	
47/649	M88R_100_100e	1.0	0.0	0.125	0.0	0.0	45.3	71.4	40.1	389.3	16.7	1.0	0.956	0.0	
48/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	392.3	10.5	1.0	0.0	0.254	45.6
49/0	NV_00e	0.0	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
50/91	NV_01e	0.125	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
51/82	NV_02e	0.25	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
52/73	NV_03e	0.375	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
53/64	NV_04e	0.5	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
54/55	NV_05e	0.625	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
55/46	NV_06e	0.75	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
56/37	NV_07e	0.875	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
57/28	NV_08e	0.875	0.0	0.0	0.0	0.0	48.9	62.8	49.4	398.1	83.6	1.0	0.0	0.0	0.0
57/28	NV_100e	1.0	1.0	1.0	1.0	1.0	48.9	62.8	49.4	398.1	83.6	1.0	1.0	1.0	1.0

Mean color difference of this page:

delta E* = 20.9

input: rgb/cmyk -> rgbe
output: transfer to cmy0e

TUB-test chart QE48; hue code: H*_e=Y25G_e
colors and differences, ΔE*_*

nif	HC*Fe	rgb*Fe	act*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCh*Fe	DF*Fe	HaM*Fe
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	45.6	0.0	0.0	32.3	375	1.0	0.0	10.5	375	1.0	0.0	45.6	375
1/668	R25Y_100_100e	1.0	0.25	0.0	0.0	0.166	0.0	0.0	83.9	375	1.0	0.166	8.8	375	1.0	0.166	8.8	375
2/684	R50Y_100_100e	1.0	0.5	0.0	0.0	0.398	0.0	0.0	55.5	375	1.0	0.398	8.8	375	1.0	0.398	8.8	375
3/702	R75Y_100_100e	1.0	0.75	0.0	0.0	0.604	0.0	0.0	67.1	375	1.0	0.604	11.6	375	1.0	0.604	11.6	375
4/720	Y00C_100_100e	1.0	1.0	0.0	0.0	0.878	0.0	0.0	83.8	375	1.0	0.878	16.3	375	1.0	0.878	16.3	375
5/558	Y25C_100_100e	0.75	1.0	0.0	0.0	0.605	0.0	0.0	96.1	375	1.0	0.605	9.3	375	1.0	0.605	9.3	375
6/396	Y50C_100_100e	0.25	1.0	0.0	0.0	0.322	0.0	0.0	101.8	375	1.0	0.322	13.4	375	1.0	0.322	13.4	375
7/234	Y75C_100_100e	0.0	1.0	0.0	0.0	0.108	0.0	0.0	114.0	375	1.0	0.108	18.7	375	1.0	0.108	18.7	375
8/72	G00B_100_100e	0.0	1.0	0.0	0.0	0.151	0.0	0.0	155.5	375	1.0	0.151	10.1	375	1.0	0.151	10.1	375
9/72	G25B_100_100e	0.0	1.0	0.5	0.0	0.151	0.0	0.0	155.5	375	1.0	0.151	10.1	375	1.0	0.151	10.1	375
10/76	G50B_100_100e	0.0	1.0	1.0	0.0	0.502	0.0	0.0	189.3	375	1.0	0.502	32.3	375	1.0	0.502	32.3	375
11/80	G75B_100_100e	0.0	1.0	1.0	0.5	0.747	0.0	0.0	238.4	375	1.0	0.747	48.8	375	1.0	0.747	48.8	375
12/44	G50B_100_100e	0.0	0.5	1.0	0.0	0.846	0.0	0.0	268.2	375	1.0	0.846	66.6	375	1.0	0.846	66.6	375
13/8	B00M_100_100e	0.0	1.0	1.0	0.0	0.458	0.0	0.0	306.2	375	1.0	0.458	102.2	375	1.0	0.458	102.2	375
14/332	B25R_100_100e	0.5	1.0	1.0	0.5	0.105	0.0	0.0	340.5	375	1.0	0.105	131	375	1.0	0.105	131	375
15/656	B50R_100_100e	1.0	0.0	1.0	0.0	0.322	0.0	0.0	359.8	375	1.0	0.322	242	375	1.0	0.322	242	375
16/652	B75R_100_100e	1.0	0.0	1.0	0.5	0.108	0.0	0.0	371.3	375	1.0	0.108	310	375	1.0	0.108	310	375
17/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.151	0.0	0.0	448	375	1.0	0.151	10.1	375	1.0	0.151	10.1	375
18/688	R00Y_100_050e	1.0	0.5	0.5	0.0	0.627	0.0	0.0	448	375	1.0	0.627	10.1	375	1.0	0.627	10.1	375
19/706	R50Y_100_050e	1.0	0.75	0.5	0.0	0.699	0.0	0.0	448	375	1.0	0.699	10.1	375	1.0	0.699	10.1	375
20/724	Y00C_100_050e	0.75	1.0	0.5	0.0	0.939	0.0	0.0	448	375	1.0	0.939	10.1	375	1.0	0.939	10.1	375
21/400	G00B_100_050e	0.5	1.0	0.5	0.0	0.375	0.0	0.0	448	375	1.0	0.375	10.1	375	1.0	0.375	10.1	375
22/548	B00R_100_050e	0.5	1.0	1.0	0.5	0.179	0.0	0.0	448	375	1.0	0.179	10.1	375	1.0	0.179	10.1	375
25/692	B50R_100_050e	1.0	0.5	1.0	0.5	0.25	0.0	0.0	448	375	1.0	0.25	10.1	375	1.0	0.25	10.1	375
26/688	R00Y_100_050e	1.0	0.5	0.5	0.0	0.627	0.0	0.0	448	375	1.0	0.627	10.1	375	1.0	0.627	10.1	375
27/506	R00Y_075_050e	0.75	0.25	0.75	0.5	0.25	0.25	0.25	39.4	375	1.0	0.25	15.2	375	1.0	0.25	15.2	375
28/524	R50Y_075_050e	0.75	0.5	0.5	0.5	0.449	0.25	0.25	39.4	375	1.0	0.449	15.2	375	1.0	0.449	15.2	375
29/542	Y00C_075_050e	0.75	0.75	0.5	0.5	0.689	0.25	0.25	39.4	375	1.0	0.689	15.2	375	1.0	0.689	15.2	375
30/380	Y50C_075_050e	0.25	0.75	0.5	0.5	0.411	0.75	0.25	39.4	375	1.0	0.411	15.2	375	1.0	0.411	15.2	375
31/218	G00B_075_050e	0.25	0.75	0.5	0.5	0.25	0.75	0.25	39.4	375	1.0	0.25	15.2	375	1.0	0.25	15.2	375
32/222	G50B_075_050e	0.25	0.75	0.5	0.5	0.479	0.75	0.25	39.4	375	1.0	0.479	15.2	375	1.0	0.479	15.2	375
33/186	B00R_075_050e	0.25	0.75	0.5	0.5	0.25	0.75	0.25	39.4	375	1.0	0.25	15.2	375	1.0	0.25	15.2	375
34/510	B50R_075_050e	0.75	0.25	0.75	0.5	0.41	0.25	0.75	39.4	375	1.0	0.41	15.2	375	1.0	0.41	15.2	375
35/506	R00Y_050_050e	0.75	0.25	0.25	0.5	0.25	0.25	0.25	39.4	375	1.0	0.25	15.2	375	1.0	0.25	15.2	375
36/324	R00Y_050_050e	0.5	0.0	0.5	0.5	0.127	0.0	0.0	36.1	375	1.0	0.127	36.1	375	1.0	0.127	36.1	375
37/342	R50Y_050_050e	0.5	0.25	0.5	0.5	0.199	0.0	0.0	36.1	375	1.0	0.199	36.1	375	1.0	0.199	36.1	375
38/360	Y00C_050_050e	0.5	0.5	0.5	0.5	0.439	0.0	0.0	36.1	375	1.0	0.439	36.1	375	1.0	0.439	36.1	375
39/198	Y50C_050_050e	0.25	0.5	0.5	0.5	0.25	0.5	0.25	36.1	375	1.0	0.25	15.2	375	1.0	0.25	15.2	375
40/36	G00B_050_050e	0.0	0.5	0.5	0.5	0.075	0.5	0.25	36.1	375	1.0	0.075	36.1	375	1.0	0.075	36.1	375
41/40	G50B_050_050e	0.0	0.5	0.5	0.5	0.373	0.5	0.25	36.1	375	1.0	0.373	36.1	375	1.0	0.373	36.1	375
42/4	B00R_050_050e	0.0	0.5	0.5	0.5	0.229	0.5	0.25	36.1	375	1.0	0.229	36.1	375	1.0	0.229	36.1	375
43/328	B50R_050_050e	0.5	0.0	0.5	0.5	0.16	0.0	0.5	36.1	375	1.0	0.16	36.1	375	1.0	0.16	36.1	375
44/324	R00Y_050_050e	0.5	0.0	0.5	0.5	0.127	0.0	0.0	36.1	375	1.0	0.127	36.1	375	1.0	0.127	36.1	375
45/0	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.3	360	1.0	0.0	0.0	360	1.0	0.0	0.0	360
46/91	NW_013e	0.125	0.125	0.125	0.125	0.125	0.125	0.125	24.3	360	1.0	0.125	24.3	360	1.0	0.125	24.3	360
47/182	NW_025e	0.25	0.25	0.25	0.25	0.25	0.25	0.25	24.3	360	1.0	0.25	24.3	360	1.0	0.25	24.3	360
48/273	NW_038e	0.375	0.375	0.375	0.375	0.375	0.375	0.375	24.3	360	1.0	0.375	24.3	360	1.0	0.375	24.3	360
49/364	NW_050e	0.5	0.5	0.5	0.5	0.5	0.5	0.5	24.3	360	1.0	0.5	24.3	360	1.0	0.5	24.3	360
50/455	NW_062e	0.625	0.625	0.625	0.625	0.625	0.625	0.625	24.3	360	1.0	0.625	24.3	360	1.0	0.625	24.3	360
51/546	NW_075e	0.75	0.75	0.75	0.75	0.75	0.75	0.75	24.3	360	1.0	0.75	24.3	360	1.0	0.75	24.3	360
52/637	NW_088e	0.875	0.875	0.875	0.875	0.875	0.875	0.875	24.3	360	1.0	0.875	24.3	360	1.0	0.875	24.3	360
53/728	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	24.3	360	1.0	1.0	24.3	360	1.0	1.0	24.3	360

Mean color difference of this page: delta E* = 13.3

input: rgb/cmyk -> rgbe
output: transfer to cmy0e

TUB-test chart QE48; hue code: H*_e=Y25G_e
colors and differences, ΔE*^{*}

http://130.149.60.45/~farbmetrik/QE48/QE48LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

Table with 80 columns (numbered 1-80) and 10 rows of colorimetric data including LabCIE*Fe, LabCIE*Mye, D50*Fe, D50*Mye, Hsb, Fe, LabCIE*Fe, LabCIE*Mye, and Hsb, Fe. Includes a 'Mean color difference of this page: delta E* = 10.9' at the bottom right.

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE48; hue code: H*e=Y25Ge colors and differences, ΔE*

Table with 16 columns: n, HHC*Fe, rpb*Fe, icr*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, rpb*Fe, LabCH*Fe, DF*Fe, hsa*Fe, rpb*Fe, LabCH*Fe, LabCH*Fe, LabCH*Fe. Rows include color patches like B00Y, B25K, B15K, etc.

QE480-TN; Page 21/33-F

TUB-test chart QE48; hue code: H*e=Y25Ge colors and differences, ΔE*

input: rgb/cmyk -> rgbe output: transfer to cmy0e

Mean color difference of this page: delta E* = 12.0

n	HC*Fe	rgb*Fe	act*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	HaM*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe
324	R00Y_050_050k	0.5	0.0	0.125	35.0	0.0	34.8	22.4	50.0	1.0	0.0	25.4
325	R00Y_050_050k	0.5	0.0	0.328	35.0	0.0	34.8	44.7	49.0	1.0	0.0	80.0
326	R00Y_050_050k	0.5	0.0	0.521	35.0	0.0	34.8	66.6	66.6	1.0	0.0	132.2
327	B01R_050_050k	0.5	0.0	0.25	32.8	0.0	34.8	45.7	18.0	1.0	0.0	77.2
328	B01R_050_050k	0.5	0.0	0.5	32.8	0.0	34.8	66.6	45.7	1.0	0.0	91.8
329	B00R_062_062k	0.5	0.0	0.125	31.0	0.0	35.0	22.4	50.0	1.0	0.0	25.4
330	B00R_062_062k	0.5	0.0	0.328	31.0	0.0	35.0	44.7	49.0	1.0	0.0	80.0
331	B00R_062_062k	0.5	0.0	0.521	31.0	0.0	35.0	66.6	66.6	1.0	0.0	132.2
332	R00Y_050_050k	0.5	0.0	0.125	35.0	0.0	34.8	22.4	50.0	1.0	0.0	25.4
333	R00Y_050_050k	0.5	0.0	0.328	35.0	0.0	34.8	44.7	49.0	1.0	0.0	80.0
334	R00Y_050_050k	0.5	0.0	0.521	35.0	0.0	34.8	66.6	66.6	1.0	0.0	132.2
335	B01R_050_050k	0.5	0.0	0.25	32.8	0.0	34.8	45.7	18.0	1.0	0.0	77.2
336	B01R_050_050k	0.5	0.0	0.5	32.8	0.0	34.8	66.6	45.7	1.0	0.0	91.8
337	B00R_062_062k	0.5	0.0	0.125	31.0	0.0	35.0	22.4	50.0	1.0	0.0	25.4
338	B00R_062_062k	0.5	0.0	0.328	31.0	0.0	35.0	44.7	49.0	1.0	0.0	80.0
339	B00R_062_062k	0.5	0.0	0.521	31.0	0.0	35.0	66.6	66.6	1.0	0.0	132.2
340	R00Y_050_050k	0.5	0.0	0.125	35.0	0.0	34.8	22.4	50.0	1.0	0.0	25.4
341	R00Y_050_050k	0.5	0.0	0.328	35.0	0.0	34.8	44.7	49.0	1.0	0.0	80.0
342	R00Y_050_050k	0.5	0.0	0.521	35.0	0.0	34.8	66.6	66.6	1.0	0.0	132.2
343	B01R_050_050k	0.5	0.0	0.25	32.8	0.0	34.8	45.7	18.0	1.0	0.0	77.2
344	B01R_050_050k	0.5	0.0	0.5	32.8	0.0	34.8	66.6	45.7	1.0	0.0	91.8
345	B00R_062_062k	0.5	0.0	0.125	31.0	0.0	35.0	22.4	50.0	1.0	0.0	25.4
346	B00R_062_062k	0.5	0.0	0.328	31.0	0.0	35.0	44.7	49.0	1.0	0.0	80.0
347	B00R_062_062k	0.5	0.0	0.521	31.0	0.0	35.0	66.6	66.6	1.0	0.0	132.2
348	R00Y_050_050k	0.5	0.0	0.125	35.0	0.0	34.8	22.4	50.0	1.0	0.0	25.4
349	R00Y_050_050k	0.5	0.0	0.328	35.0	0.0	34.8	44.7	49.0	1.0	0.0	80.0
350	R00Y_050_050k	0.5	0.0	0.521	35.0	0.0	34.8	66.6	66.6	1.0	0.0	132.2
351	B01R_050_050k	0.5	0.0	0.25	32.8	0.0	34.8	45.7	18.0	1.0	0.0	77.2
352	B01R_050_050k	0.5	0.0	0.5	32.8	0.0	34.8	66.6	45.7	1.0	0.0	91.8
353	B00R_062_062k	0.5	0.0	0.125	31.0	0.0	35.0	22.4	50.0	1.0	0.0	25.4
354	B00R_062_062k	0.5	0.0	0.328	31.0	0.0	35.0	44.7	49.0	1.0	0.0	80.0
355	B00R_062_062k	0.5	0.0	0.521	31.0	0.0	35.0	66.6	66.6	1.0	0.0	132.2
356	B11R_087_050k	0.5	0.0	0.375	51.7	0.0	51.7	22.4	50.0	1.0	0.0	25.4
357	B11R_087_050k	0.5	0.0	0.521	51.7	0.0	51.7	44.7	49.0	1.0	0.0	80.0
358	B09R_100_062k	0.5	0.0	0.625	58.2	0.0	58.2	22.4	50.0	1.0	0.0	25.4
359	B09R_100_062k	0.5	0.0	0.875	58.2	0.0	58.2	44.7	49.0	1.0	0.0	80.0
360	Y00G_050_050k	0.5	0.0	0.25	90.0	0.0	90.0	22.4	50.0	1.0	0.0	25.4
361	Y00G_050_050k	0.5	0.0	0.521	90.0	0.0	90.0	44.7	49.0	1.0	0.0	80.0
362	Y00G_050_050k	0.5	0.0	0.875	90.0	0.0	90.0	66.6	66.6	1.0	0.0	132.2
363	NW_050k	0.5	0.0	0.5	360.0	0.0	360.0	22.4	50.0	1.0	0.0	25.4
364	NW_050k	0.5	0.0	0.875	360.0	0.0	360.0	44.7	49.0	1.0	0.0	80.0
365	B00R_062_062k	0.5	0.0	0.125	31.0	0.0	35.0	22.4	50.0	1.0	0.0	25.4
366	B00R_062_062k	0.5	0.0	0.328	31.0	0.0	35.0	44.7	49.0	1.0	0.0	80.0
367	B00R_062_062k	0.5	0.0	0.521	31.0	0.0	35.0	66.6	66.6	1.0	0.0	132.2
368	B00R_100_050k	0.5	0.0	0.5	77.0	0.0	77.0	22.4	50.0	1.0	0.0	25.4
369	Y18G_062_062k	0.5	0.0	0.625	104.0	0.0	104.0	22.4	50.0	1.0	0.0	25.4
370	Y23G_062_062k	0.5	0.0	0.875	104.0	0.0	104.0	44.7	49.0	1.0	0.0	80.0
371	Y31G_062_062k	0.5	0.0	1.0	104.0	0.0	104.0	66.6	66.6	1.0	0.0	132.2
372	Y30G_062_062k	0.5	0.0	0.625	120.0	0.0	120.0	22.4	50.0	1.0	0.0	25.4
373	G50B_062_012k	0.5	0.0	0.625	150.0	0.0	150.0	22.4	50.0	1.0	0.0	25.4
374	G50B_062_012k	0.5	0.0	0.875	150.0	0.0	150.0	44.7	49.0	1.0	0.0	80.0
375	G50B_062_012k	0.5	0.0	1.0	150.0	0.0	150.0	66.6	66.6	1.0	0.0	132.2
376	G48B_087_037k	0.5	0.0	0.875	251.0	0.0	251.0	22.4	50.0	1.0	0.0	25.4
377	G48B_087_037k	0.5	0.0	1.0	251.0	0.0	251.0	44.7	49.0	1.0	0.0	80.0
378	Y31G_075_075k	0.5	0.0	0.75	251.0	0.0	251.0	22.4	50.0	1.0	0.0	25.4
379	Y38G_075_075k	0.5	0.0	0.875	251.0	0.0	251.0	44.7	49.0	1.0	0.0	80.0
380	Y38G_075_075k	0.5	0.0	1.0	251.0	0.0	251.0	66.6	66.6	1.0	0.0	132.2
381	G00B_075_025k	0.5	0.0	0.75	150.0	0.0	150.0	22.4	50.0	1.0	0.0	25.4
382	G00B_075_025k	0.5	0.0	0.875	150.0	0.0	150.0	44.7	49.0	1.0	0.0	80.0
383	G25B_075_025k	0.5	0.0	0.75	225.0	0.0	225.0	22.4	50.0	1.0	0.0	25.4
384	G50B_075_025k	0.5	0.0	0.875	225.0	0.0	225.0	44.7	49.0	1.0	0.0	80.0
385	G50B_075_025k	0.5	0.0	1.0	225.0	0.0	225.0	66.6	66.6	1.0	0.0	132.2
386	G50B_087_037k	0.5	0.0	0.75	300.0	0.0	300.0	22.4	50.0	1.0	0.0	25.4
387	G50B_087_037k	0.5	0.0	0.875	300.0	0.0	300.0	44.7	49.0	1.0	0.0	80.0
388	Y16G_087_062k	0.5	0.0	0.875	120.0	0.0	120.0	22.4	50.0	1.0	0.0	25.4
389	Y16G_087_062k	0.5	0.0	1.0	120.0	0.0	120.0	44.7	49.0	1.0	0.0	80.0
390	G00B_087_050k	0.5	0.0	0.875	150.0	0.0	150.0	22.4	50.0	1.0	0.0	25.4
391	G00B_087_050k	0.5	0.0	1.0	150.0	0.0	150.0	44.7	49.0	1.0	0.0	80.0
392	G15B_087_037k	0.5	0.0	0.875	225.0	0.0	225.0	22.4	50.0	1.0	0.0	25.4
393	G34B_087_037k	0.5	0.0	0.875	300.0	0.0	300.0	44.7	49.0	1.0	0.0	80.0
394	G50B_087_037k	0.5	0.0	0.875	300.0	0.0	300.0	66.6	66.6	1.0	0.0	132.2
395	G61B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	22.4	50.0	1.0	0.0	25.4
396	Y50G_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	44.7	49.0	1.0	0.0	80.0
397	Y58G_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	66.6	66.6	1.0	0.0	132.2
398	Y81G_100_062k	0.5	0.0	0.5	225.0	0.0	225.0	22.4	50.0	1.0	0.0	25.4
399	G00B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	44.7	49.0	1.0	0.0	80.0
400	G11B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	66.6	66.6	1.0	0.0	132.2
401	G11B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	22.4	50.0	1.0	0.0	25.4
402	G25B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	44.7	49.0	1.0	0.0	80.0
403	G38B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	66.6	66.6	1.0	0.0	132.2
404	G50B_100_050k	0.5	0.0	0.5	225.0	0.0	225.0	22.4	50.0	1.0	0.0	25.4

Mean color difference of this page: delta E* = 15.7

input: *rgb/cmyk* -> *rgbe*
 output: transfer to *cmy0e*

TUB-test chart QE48; hue code: H*e=Y25Ge
 colors and differences, ΔE*

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.7	69.9	1.0	95.6	0.0
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.5	71.6	1.0	95.6	0.0
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	114.3	1.0	95.6	0.0
1056	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	6.7	308.5	6.7	308.5	1.0	95.6	0.0
1057	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	9.0	22.4	1.0	95.6	0.0
1058	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	30.4	11.6	30.4	11.6	1.0	95.6	0.0
1059	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	44.7	12.4	44.7	12.4	1.0	95.6	0.0
1060	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	40.4	15.5	40.4	15.5	1.0	95.6	0.0
1061	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	48.4	14.7	48.4	14.7	1.0	95.6	0.0
1062	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	51.8	11.8	51.8	11.8	1.0	95.6	0.0
1063	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	57.5	7.3	57.5	7.3	1.0	95.6	0.0
1064	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	63.6	6.6	63.6	6.6	1.0	95.6	0.0
1065	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	74.5	4.8	74.5	4.8	1.0	95.6	0.0
1066	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	80.5	2.7	80.5	2.7	1.0	95.6	0.0
1067	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	88.8	1.3	88.8	1.3	1.0	95.6	0.0
1068	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	90.7	0.4	90.7	0.4	1.0	95.6	0.0
1069	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	95.7	0.0	95.7	0.0	1.0	95.6	0.0
1070	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	95.7	0.0	95.7	0.0	1.0	95.6	0.0
1071	NW_006e	0.0	0.0	0.0	0.0	0.0	0.0	23.3	1.3	23.3	1.3	1.0	95.6	0.0
1072	NW_010e	0.1	0.1	0.1	0.1	0.1	0.1	24.3	0.0	24.3	0.0	1.0	95.6	0.0
1073	NW_015e	0.15	0.15	0.15	0.15	0.15	0.15	25.4	0.0	25.4	0.0	1.0	95.6	0.0
1074	ROY_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	45.6	72.2	45.6	72.2	1.0	95.6	0.0
1075	GS0B_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	53.0	0.0	53.0	0.0	1.0	95.6	0.0
1076	Y06C_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	83.6	-36.2	83.6	-36.2	1.0	95.6	0.0
1077	B06M_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	85.6	-5.6	85.6	-5.6	1.0	95.6	0.0
1078	B08L_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	40.2	1.2	40.2	1.2	1.0	95.6	0.0
1079	B50R_100_100e	0.0	0.0	0.0	0.0	0.0	0.0	50.6	0.0	50.6	0.0	1.0	95.6	0.0
1079	B50R_100_100e	1.0	0.0	1.0	1.0	31.1	47.7	79.2	0.0	31.1	47.7	0.321	0.0	328.6

Mean color difference of this page: delta E* = 10.3

http://130.149.60.45/~farbmetrik/QE48/QE48L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

input: rgb/cmyk -> rgbe output: transfer to cmy0e

TUB-test chart QE48; hue code: H*e=Y25Ge colors and differences, ΔE*'