

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 116/360 = 0.32$


Data for any device (d) or elementary (e) colour:

$HIC^*_-$

hue text for the colours of this page:

$H^*_- = Y50G_-$

triangle lightness  $T^*$



**ORS18a; adapted (a) CIELAB data**

name	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$ : 73 -31 62 70 116

$HIC^*_{-,Ma}$ : Y50G\_100\_100\_

$rgbic^*_{-,Ma}$ :

0.5 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

%Gamut

$u^*_{rel} = 92$

%Regularity



$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

$H^*_- = Y50G_-$

**ORS20a; adapted (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



see similar files: <http://130.149.60.45/~farbmetrik/QE52/QE52.HTM>  
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS  
 application for measurement of display output

TUB material: code=rh4ta

Input and Output: Television Luminous System TLS00a for relative CIELAB hue  $h_{ab,a,rel} = h_{ab}/360 = 127/360 = 0.35$

$H^*_e = Y50G_e$


Data for any device (d) or elementary (e) colour:

$HIC^*_e$

hue text for the colours of this page:

$H^*_e = Y50G_e$

triangle lightness  $T^*$



**TLS00a; adapted (a) CIELAB data**

name	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e, Ma}: 85 -63 82 104 127$

$HIC^*_{e, Ma}: Y50G\_100\_100_e$



$rgbic^*_{e, Ma}:$

0.52 1.0 0.0 1.0 1.0

triangle lightness  $T^*$

**TLS00a; adapted (a) CIELAB data**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352



see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours  $RYGCBM_s$ :  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;  
 Six hue angles of the device colours  $RYGCBM_d$ :  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; Six hue angles of the elementary colours  $RYGCBM_e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

**J=Y<sub>d</sub> Yellow**

$LCH^*_d = 92.6 \ 93.0 \ 102.8$   
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

**L=G<sub>d</sub> leaf-green**

$LCH^*_d = 83.6 \ 115.0 \ 136.0$   
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

**C=C<sub>d</sub> cyan-blue**

$LCH^*_d = 86.8 \ 48.1 \ 196.3$   
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

**O=R<sub>d</sub> orange-red**

$LCH^*_d = 50.4 \ 100.4 \ 40.0$   
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

**M=M<sub>d</sub> magenta-red**

$LCH^*_d = 57.2 \ 110.9 \ 328.2$   
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

**V=B<sub>d</sub> violet-blue**

$LCH^*_d = 30.3 \ 128.5 \ 306.2$   
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

**Y<sub>e</sub> yellow**

$LCH^*_e = 83.7 \ 84.5 \ 92.3$   
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$   
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

**G<sub>e</sub> green**

$LCH^*_e = 85.1 \ 67.9 \ 162.2$   
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

**C<sub>e</sub> blue-green**

$LCH^*_e = 79.0 \ 42.8 \ 216.9$   
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$   
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

**B<sub>e</sub> blue**

$LCH^*_e = 59.2 \ 56.6 \ 271.7$   
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$   
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

**R<sub>e</sub> red**

$LCH^*_e = 50.9 \ 86.7 \ 25.4$   
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

**M<sub>e</sub> blue-red**

$LCH^*_e = 57.1 \ 110.3 \ 328.6$   
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

**Y<sub>s</sub> yellow** standard CIELAB ( $a^*_s, b^*_s$ ) chroma diagram

$LCH^*_s = 82.1 \ 83.5 \ 90.0$   
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$   
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

**G<sub>s</sub> green**

$LCH^*_s = 84.4 \ 84.2 \ 150.0$   
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

**R<sub>s</sub> red**

$LCH^*_s = 50.7 \ 90.1 \ 30.0$   
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

**C<sub>s</sub> blue-green**

$LCH^*_s = 81.7 \ 44.6 \ 210.0$   
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$   
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

**M<sub>s</sub> blue-red**

$LCH^*_s = 56.7 \ 107.7 \ 330.0$   
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

**B<sub>s</sub> blue**

$LCH^*_s = 60.2 \ 54.7 \ 270.0$   
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$   
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

Notes to the CIELAB chroma diagrams ( $a^*_d, b^*_d$ ), ( $a^*_s, b^*_s$ ), ( $a^*_e, b^*_e$ )

- For the  $rgb^*_e$ -input values the CIELAB data  $LCH^*_e$  and  $LAB^*_e$  have been calculated.
- For the calculation of the standard hue angle  $h_{ab,s}$  use for any device values  $rgb^*_d$  the equation:  

$$h_{ab,s} = atan [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles  $h_{ab,s}$  of the colours of maximum chroma use the seven hue angles of the 60 degree colours  $s$ :  $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$  ( $i=0,6$ ) and the equations for a 48 and 360 step hue circle:  

$$h_{48ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
  

$$h_{360ab,sij} = h_{ab,si} + j [ h_{ab,si+1} - h_{ab,si} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles  $h_{ab,e}$  of the colours of maximum chroma use the seven hue angles of the elementary colours  $e$ :  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$  ( $i=0,6$ ) and the equations for a 48 and 360 step elementary hue circle:  

$$h_{48ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
  

$$h_{360ab,eij} = h_{ab,ei} + j [ h_{ab,ei+1} - h_{ab,ei} ] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle  $h_{ab,e}$  there is a well defined device hue angle  $h_{ab,d}$  see the following tables, columns 1 to 5 or 1 to 4.
- The values  $rgb^*_{de}$  produce the output of the device-independent elementary hues


see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /.PS; transfer output  
 technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS  
 application for measurement of display output, no separation

TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for device colors (h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup>, d<sub>64M</sub>, LAB\*, d<sub>dx361M</sub>, LAB\*, d<sub>dx361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>dx361M</sub>, LAB\*, d<sub>dsx361M</sub>, LAB\*, d<sub>dsx361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup>, d<sub>dex361M</sub>, LAB\*, d<sub>dex361M</sub>) and rows of color data.




see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /.PS; transfer output  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	1.0 0.0 0.263 50.9	78.3 37.3 86.7 25
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	1.0 0.0 0.156 50.7	77.7 51.0 92.9 33
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	1.0 0.157 0.0	52.2 72.0 65.3 97.2 42
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	1.0 0.358 0.0	57.7 56.9 67.8 88.6 49
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	1.0 0.488 0.0	63.1 42.8 70.9 82.8 58
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	1.0 0.577 0.0	67.6 31.8 73.9 80.5 66
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	1.0 0.673 0.0	72.8 19.8 77.3 79.8 75
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	1.0 0.755 0.0	77.5 9.3 80.1 80.6 83
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	1.0 0.857 0.0	83.7 -3.3 84.5 84.6 92
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	1.0 0.967 0.0	90.6 -16.4 89.5 91.0 100
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	0.888 1.0 0.0	90.7 -31.7 88.5 94.0 109
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	0.743 1.0 0.0	88.5 -45.4 85.8 97.1 117
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	0.529 1.0 0.0	86.0 -62.9 82.9 104.1 127
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	0.132 1.0 0.0	83.8 -81.2 80.1 114.1 135
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	0.0 1.0 0.41	84.1 -76.8 54.3 94.1 144
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	0.0 1.0 0.573	84.6 -70.9 63.3 79.8 152
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	0.0 1.0 0.706	85.2 -64.6 20.7 67.9 162
137.0	157.5	169.0	0.0 1.0 0.125	83.6 -82.1 76.6 112.3 137.0	0.0 1.0 0.778	85.5 -60.6 12.2 61.9 168
139.3	165.0	175.9	0.0 1.0 0.25	83.8 -80.5 69.1 106.1 139.3	0.0 1.0 0.847	85.9 -56.4 4.0 56.7 175
143.2	172.5	182.7	0.0 1.0 0.375	84.0 -77.8 58.1 97.1 143.2	0.0 1.0 0.9	86.2 -53.2 -2.0 53.3 182
148.6	180.0	189.6	0.0 1.0 0.5	84.3 -73.7 44.9 86.4 148.6	0.0 1.0 0.952	86.6 -49.8 -8.3 50.6 189
155.8	187.5	196.4	0.0 1.0 0.625	84.7 -68.5 30.6 75.0 155.8	0.0 1.0 0.997	86.9 -46.3 -13.2 48.3 195
165.6	195.0	203.2	0.0 1.0 0.75	85.3 -62.0 15.9 64.0 165.6	0.0 0.963	1.0 84.3 -42.5 -18.2 46.4 203
178.8	202.5	210.1	0.0 1.0 0.875	86.0 -54.5 1.0 54.5 178.8	0.0 0.929	1.0 81.8 -38.8 -22.1 44.7 209
196.3	210.0	216.9	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196.3	0.0 0.89	1.0 79.1 -34.2 -25.7 42.9 216
219.8	217.5	223.8	0.0 0.875	1.0 77.9 -32.3 -27.0 42.1 219.8	0.0 0.859	1.0 76.9 -30.7 -29.0 42.4 223
247.2	225.0	230.6	0.0 0.75	1.0 69.1 -17.0 -40.7 44.1 247.2	0.0 0.826	1.0 74.5 -27.1 -33.1 43.0 230
269.8	232.5	237.5	0.0 0.625	1.0 60.3 -0.1 -54.6 54.6 269.8	0.0 0.797	1.0 72.4 -23.5 -36.3 43.4 237
285.0	240.0	244.3	0.0 0.5	1.0 51.7 18.3 -68.3 70.7 285.0	0.0 0.763	1.0 70.1 -18.9 -39.5 44.0 244
294.8	247.5	251.2	0.0 0.375	1.0 43.8 37.6 -81.2 89.5 294.8	0.0 0.731	1.0 67.8 -15.0 -43.1 45.8 250
301.1	255.0	258.0	0.0 0.25	1.0 37.1 55.9 -92.3 107.9 301.1	0.0 0.69	1.0 64.9 -10.1 -48.0 49.2 258
304.8	262.5	264.8	0.0 0.125	1.0 32.4 69.5 -100.0 121.8 304.8	0.0 0.655	1.0 62.4 -5.0 -51.8 52.1 264
306.2	270.0	271.7	0.0 0.0	1.0 30.3 76.0 -103.5 128.5 306.2	0.0 0.609	1.0 59.3 1.7 -56.5 56.6 271
306.6	277.5	278.8	0.125 0.0	1.0 31.0 76.2 -102.4 127.7 306.6	0.0 0.555	1.0 55.5 9.3 -62.9 63.7 278
307.5	285.0	285.9	0.25 0.0	1.0 32.6 76.8 -99.8 125.9 307.5	0.0 0.488	1.0 51.0 19.9 -69.6 72.5 285
309.2	292.5	293.0	0.375 0.0	1.0 35.1 77.9 -95.5 123.3 309.2	0.0 0.404	1.0 45.7 32.7 -78.5 85.2 292
311.6	300.0	300.1	0.5 0.0	1.0 38.5 79.8 -89.7 120.0 311.6	0.0 0.27	1.0 38.2 52.8 -90.6 105.0 300
314.8	307.5	307.2	0.625 0.0	1.0 42.7 82.5 -82.7 116.8 314.8	0.0 0.146	0.0 1.0 31.3 76.4 -102.0 127.5 306
318.8	315.0	314.3	0.75 0.0	1.0 47.2 85.8 -75.1 114.0 318.8	0.0 0.605	0.0 1.0 42.1 82.1 -83.8 117.4 314
323.3	322.5	321.4	0.875 0.0	1.0 52.1 89.8 -66.9 112.0 323.3	0.0 0.811	0.0 1.0 49.7 87.9 -71.0 113.1 321
328.2	330.0	328.6	1.0 0.0	1.0 57.2 94.3 -58.4 110.9 328.2	0.0 0.992	0.0 57.2 94.2 -57.4 110.3 328
334.0	337.5	335.7	1.0 0.0 0.875	55.6 90.3 -43.9 100.4 334.0	0.0 0.856	55.4 89.9 -41.4 99.0 335
341.6	345.0	342.8	1.0 0.0 0.75	54.2 86.7 -28.6 91.3 341.6	0.0 0.735	54.1 86.5 -26.6 90.6 342
351.4	352.5	349.9	1.0 0.0 0.625	53.0 83.6 -12.6 84.6 351.4	0.0 0.65	53.3 84.5 -15.6 86.0 349
362.9	360.0	357.0	1.0 0.0 0.5	52.0 81.1 4.1 81.2 362.9	0.0 0.618	53.0 83.6 -11.6 84.4 352
375.2	367.5	364.1	1.0 0.0 0.375	51.3 79.2 21.6 82.1 375.2	0.0 0.533	52.3 82.2 -0.1 82.2 359
386.7	375.0	371.2	1.0 0.0 0.25	50.8 77.9 39.2 87.2 386.7	0.0 0.441	51.7 80.7 12.5 81.7 368
395.4	382.5	378.3	1.0 0.0 0.125	50.6 77.2 54.9 94.8 395.4	0.0 0.361	51.3 79.3 23.6 82.8 376
400.0	390.0	385.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 400.0	0.0 0.263	50.9 78.3 37.3 86.7 385



see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /PS application for measurement of display output, no separation


TUB registration: 20130201-QE52/QE52L0NP.PDF /PS TUB material: code=rh4ta







Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>\*</sup>dd361M, LAB<sup>\*</sup>ddx361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>ds361Mi, LAB<sup>\*</sup>dsx361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>dd361Mi, LAB<sup>\*</sup>de361Mi, LAB<sup>\*</sup>dex361Mi (x=LabCh), r<sub>gb</sub><sup>\*</sup>dd361Mi. Rows 128-139, 136-165.



see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /PS application for measurement of display output, no separation

TUB registration: 20130201-QE52/QE52L0NP.PDF /PS TUB material: code=rha4ta






Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ;



Six hue angles of the device colours RYGBM<sub>d</sub>;  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; Six hue angles of the elementary colours RYGBM<sub>e</sub>;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table with columns for colorimetric data including hue angles, device colors (RYGBM), and elementary colors (RYGBM) in various color spaces (LAB\*, RGB\*, dsx361Mi, ds361Mi, dex361Mi). Rows list color indices from 139 to 196.



see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /.PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rh4ta



Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*\_dd361M, LAB\*\_\*\_d361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_ds361Mi, LAB\*\_\*\_dsx361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_dd361Mi, r<sub>gb</sub>\*\_\*\_de361Mi, LAB\*\_\*\_dex361Mi (x=LabCh), r<sub>gb</sub>\*\_\*\_dd361Mi, r<sub>gb</sub>\*\_\*\_ds361Mi, r<sub>gb</sub>\*\_\*\_ds361Mi, r<sub>gb</sub>\*\_\*\_de361Mi. Rows 196-301.


see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /.PS application for measurement of display output, no separation

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS application for measurement of display output, no separation TUB material: code=rha4ta

technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;  
Six hue angles of the device colours RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)				
301	255	258	0.0	0.25 1.0	37.1	55.9	-92.3	107.9	301	0.0	0.25 1.0	37.1	55.9	-92.3	107.9	301
301	256	258	0.0	0.233 1.0	36.5	57.6	-93.4	109.7	301	0.0	0.233 1.0	36.5	57.6	-93.4	109.7	301
302	257	259	0.0	0.216 1.0	35.9	59.4	-94.5	111.6	302	0.0	0.216 1.0	35.9	59.4	-94.5	111.6	302
302	258	260	0.0	0.2 1.0	35.2	61.2	-95.5	113.5	302	0.0	0.2 1.0	35.2	61.2	-95.5	113.5	302
303	259	261	0.0	0.183 1.0	34.6	63.0	-96.6	115.3	303	0.0	0.183 1.0	34.6	63.0	-96.6	115.3	303
303	260	262	0.0	0.166 1.0	34.0	64.8	-97.6	117.2	303	0.0	0.166 1.0	34.0	64.8	-97.6	117.2	303
304	261	263	0.0	0.15 1.0	33.4	66.7	-98.6	119.1	304	0.0	0.15 1.0	33.4	66.7	-98.6	119.1	304
304	262	264	0.0	0.133 1.0	32.8	68.6	-99.6	120.9	304	0.0	0.133 1.0	32.8	68.6	-99.6	120.9	304
304	263	265	0.0	0.116 1.0	32.3	70.0	-100.3	122.3	304	0.0	0.116 1.0	32.3	70.0	-100.3	122.3	304
305	264	266	0.0	0.1 1.0	32.0	70.8	-100.8	123.2	305	0.0	0.1 1.0	32.0	70.8	-100.8	123.2	305
305	265	267	0.0	0.083 1.0	31.7	71.7	-101.2	124.1	305	0.0	0.083 1.0	31.7	71.7	-101.2	124.1	305
305	266	268	0.0	0.066 1.0	31.5	72.5	-101.7	124.9	305	0.0	0.066 1.0	31.5	72.5	-101.7	124.9	305
305	267	269	0.0	0.049 1.0	31.2	73.4	-102.2	125.8	305	0.0	0.049 1.0	31.2	73.4	-102.2	125.8	305
305	268	269	0.0	0.033 1.0	30.9	74.3	-102.6	126.7	305	0.0	0.033 1.0	30.9	74.3	-102.6	126.7	305
306	269	270	0.0	0.016 1.0	30.6	75.1	-103.1	127.6	306	0.0	0.016 1.0	30.6	75.1	-103.1	127.6	306
306	270	271	0.0	0.0 1.0	30.3	76.0	-103.5	128.5	306	0.0	0.0 1.0	30.3	76.0	-103.5	128.5	306
306	271	272	0.016	0.0 1.0	30.4	76.0	-103.4	128.4	306	0.0	0.016 0.0 1.0	30.4	76.0	-103.4	128.4	306
306	272	273	0.033	0.0 1.0	30.5	76.1	-103.3	128.3	306	0.0	0.033 0.0 1.0	30.5	76.1	-103.3	128.3	306
306	273	274	0.05	0.0 1.0	30.6	76.1	-103.1	128.2	306	0.0	0.05 0.0 1.0	30.6	76.1	-103.1	128.2	306
306	274	275	0.066	0.0 1.0	30.7	76.1	-103.0	128.1	306	0.0	0.066 0.0 1.0	30.7	76.1	-103.0	128.1	306
306	275	276	0.083	0.0 1.0	30.8	76.2	-102.8	128.0	306	0.0	0.083 0.0 1.0	30.8	76.2	-102.8	128.0	306
306	276	277	0.1	0.0 1.0	30.9	76.2	-102.7	127.9	306	0.0	0.1 0.0 1.0	30.9	76.2	-102.7	127.9	306
306	277	278	0.116	0.0 1.0	30.9	76.2	-102.5	127.8	306	0.0	0.116 0.0 1.0	30.9	76.2	-102.5	127.8	306
306	278	279	0.133	0.0 1.0	31.1	76.3	-102.3	127.6	306	0.0	0.133 0.0 1.0	31.1	76.3	-102.3	127.6	306
306	279	280	0.15	0.0 1.0	31.3	76.3	-101.9	127.4	306	0.0	0.15 0.0 1.0	31.3	76.3	-101.9	127.4	306
306	280	281	0.166	0.0 1.0	31.5	76.4	-101.6	127.1	306	0.0	0.166 0.0 1.0	31.5	76.4	-101.6	127.1	306
307	281	282	0.183	0.0 1.0	31.7	76.5	-101.2	126.9	307	0.0	0.183 0.0 1.0	31.7	76.5	-101.2	126.9	307
307	282	283	0.2	0.0 1.0	31.9	76.6	-100.9	126.7	307	0.0	0.2 0.0 1.0	31.9	76.6	-100.9	126.7	307
307	283	284	0.216	0.0 1.0	32.1	76.6	-100.5	126.4	307	0.0	0.216 0.0 1.0	32.1	76.6	-100.5	126.4	307
307	284	285	0.233	0.0 1.0	32.3	76.7	-100.1	126.2	307	0.0	0.233 0.0 1.0	32.3	76.7	-100.1	126.2	307
307	285	285	0.25	0.0 1.0	32.6	76.8	-99.8	125.9	307	0.0	0.25 0.0 1.0	32.6	76.8	-99.8	125.9	307
307	286	286	0.266	0.0 1.0	32.9	77.0	-99.2	125.6	307	0.0	0.266 0.0 1.0	32.9	77.0	-99.2	125.6	307
308	287	287	0.283	0.0 1.0	33.2	77.1	-98.6	125.2	308	0.0	0.283 0.0 1.0	33.2	77.1	-98.6	125.2	308
308	288	288	0.3	0.0 1.0	33.6	77.3	-98.1	124.9	308	0.0	0.3 0.0 1.0	33.6	77.3	-98.1	124.9	308
308	289	289	0.316	0.0 1.0	33.9	77.4	-97.5	124.5	308	0.0	0.316 0.0 1.0	33.9	77.4	-97.5	124.5	308
308	290	290	0.333	0.0 1.0	34.3	77.6	-96.9	124.1	308	0.0	0.333 0.0 1.0	34.3	77.6	-96.9	124.1	308
308	291	291	0.35	0.0 1.0	34.6	77.7	-96.3	123.8	308	0.0	0.35 0.0 1.0	34.6	77.7	-96.3	123.8	308
309	292	292	0.366	0.0 1.0	34.9	77.9	-95.7	123.4	309	0.0	0.366 0.0 1.0	34.9	77.9	-95.7	123.4	309
309	293	293	0.383	0.0 1.0	35.3	78.1	-95.1	123.0	309	0.0	0.383 0.0 1.0	35.3	78.1	-95.1	123.0	309
309	294	294	0.4	0.0 1.0	35.8	78.3	-94.3	122.6	309	0.0	0.4 0.0 1.0	35.8	78.3	-94.3	122.6	309
310	295	295	0.416	0.0 1.0	36.3	78.6	-93.5	122.2	310	0.0	0.416 0.0 1.0	36.3	78.6	-93.5	122.2	310
310	296	296	0.433	0.0 1.0	36.7	78.9	-92.7	121.8	310	0.0	0.433 0.0 1.0	36.7	78.9	-92.7	121.8	310
310	297	297	0.45	0.0 1.0	37.2	79.1	-92.0	121.3	310	0.0	0.45 0.0 1.0	37.2	79.1	-92.0	121.3	310
311	298	298	0.466	0.0 1.0	37.6	79.3	-91.2	120.9	311	0.0	0.466 0.0 1.0	37.6	79.3	-91.2	120.9	311
311	299	299	0.483	0.0 1.0	38.1	79.6	-90.4	120.5	311	0.0	0.483 0.0 1.0	38.1	79.6	-90.4	120.5	311
311	300	300	0.5	0.0 1.0	38.5	79.8	-89.7	120.0	311	0.0	0.5 0.0 1.0	38.5	79.8	-89.7	120.0	311




see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /PS  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE52/QE52L0NP.PDF /PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 18 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>ab</sup>\*\_dd361M, LAB<sup>ab</sup>\*\_d361Mi (x=LabCh), r<sub>gb</sub><sup>ds</sup>\*\_ds361Mi, LAB<sup>ds</sup>\*\_ds361Mi (x=LabCh), r<sub>gb</sub><sup>de</sup>\*\_de361Mi, LAB<sup>de</sup>\*\_de361Mi (x=LabCh), r<sub>gb</sub><sup>dd</sup>\*\_dd361Mi, r<sub>gb</sub><sup>ds</sup>\*\_ds361Mi, r<sub>gb</sub><sup>de</sup>\*\_de361Mi, M<sub>d</sub>, M<sub>s</sub>, M<sub>e</sub>. Rows 311-341.



see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /.PS application for measurement of display output, no separation

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



Table with 40 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub>\*\_dd361M, LAB\*, ddx361Mi (x=LabCh), r<sub>gb</sub>\*\_ds361Mi, LAB\*, dsx361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, LAB\*, dex361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, LAB\*, dex361Mi (x=LabCh), r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_dd361Mi, r<sub>gb</sub>\*\_ds361Mi, r<sub>gb</sub>\*\_de361Mi. Rows 341-400.


see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS  
application for measurement of display output, no separation  
TUB material: code=rha4ta

TUB-test chart QE52; hue code: H\*\_e=Y50G\_e  
48 step hue circles; r<sub>gb</sub>-LabCh\*tables

input: r<sub>gb</sub>/cmyk -> r<sub>gb</sub>e  
output: transfer to r<sub>gb</sub>e





TUB registration: 20130201-QE52/QE52LONP.PDF /.PS  
application for measurement of display output, no separation

TUB material: code=rha4ta






Table with columns: n/f, H/C/Fe, R/B/Fe, i/c/Fe, H/s/Fe, r/g/b/Fe, LabCH/Fe, r/g/b\*/Fe, LabCH\*/Fe, DF\*/Fe, H/s/M/Fe, r/g/b\*/M, LabCH\*/M, L\*a/b\*/M, L\*u\*/M, L\*v\*/M, L\*w\*/M, L\*m\*/M, L\*n\*/M, L\*o\*/M, L\*p\*/M, L\*q\*/M, L\*r\*/M, L\*s\*/M, L\*t\*/M, L\*u\*/M, L\*v\*/M, L\*w\*/M, L\*m\*/M, L\*n\*/M, L\*o\*/M, L\*p\*/M, L\*q\*/M, L\*r\*/M, L\*s\*/M, L\*t\*/M. Rows include color names like R001, R002, etc.

Mean color difference of this page: delta E\* = 26.3

input: rgb/cmyk -> rgbe  
output: transfer to rgbe



see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52.HTM  
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



QE520-7N; Page 14/29-F  
TUB-test chart QE52; hue code: H\*e=Y50Ge  
colors and differences, ΔE\*

TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: nlf, HfC\*Fe, R00Y\_100\_100k, rpb\_Fe, iet\_Fe, hsa\_Fe, rpb\_Fe, LabCh\*Fe, rpb\*Fe, LabCh\*Fe, DF\*Fe, hsa\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe. The table contains 45 rows of color calibration data.

Mean color difference of this page: delta E\* = 21.3

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Main data table with columns: H\*, L\*, a\*, b\*, c\*, h\*, s\*, x\*, y\*, z\*, x1, y1, z1, x2, y2, z2, x3, y3, z3, x4, y4, z4, x5, y5, z5, x6, y6, z6, x7, y7, z7, x8, y8, z8, x9, y9, z9, x10, y10, z10, x11, y11, z11, x12, y12, z12, x13, y13, z13, x14, y14, z14, x15, y15, z15, x16, y16, z16, x17, y17, z17, x18, y18, z18, x19, y19, z19, x20, y20, z20, x21, y21, z21, x22, y22, z22, x23, y23, z23, x24, y24, z24, x25, y25, z25, x26, y26, z26, x27, y27, z27, x28, y28, z28, x29, y29, z29, x30, y30, z30, x31, y31, z31, x32, y32, z32, x33, y33, z33, x34, y34, z34, x35, y35, z35, x36, y36, z36, x37, y37, z37, x38, y38, z38, x39, y39, z39, x40, y40, z40, x41, y41, z41, x42, y42, z42, x43, y43, z43, x44, y44, z44, x45, y45, z45, x46, y46, z46, x47, y47, z47, x48, y48, z48, x49, y49, z49, x50, y50, z50, x51, y51, z51, x52, y52, z52, x53, y53, z53, x54, y54, z54, x55, y55, z55, x56, y56, z56, x57, y57, z57, x58, y58, z58, x59, y59, z59, x60, y60, z60, x61, y61, z61, x62, y62, z62, x63, y63, z63, x64, y64, z64, x65, y65, z65, x66, y66, z66, x67, y67, z67, x68, y68, z68, x69, y69, z69, x70, y70, z70, x71, y71, z71, x72, y72, z72, x73, y73, z73, x74, y74, z74, x75, y75, z75, x76, y76, z76, x77, y77, z77, x78, y78, z78, x79, y79, z79, x80, y80, z80

http://130.149.60.45/~farbmetrik/QE52/QE52LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 16/29

input: rgb/cmlyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, ΔE\*

Mean color difference of this page: ΔE\* = 39.7

see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik



Table with columns: n, HHC\*Fe, rpb\*Fe, iet\*Fe, HsL\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe, rpb\*Fe, LabCH\*Fe, DF\*Fe, HsM\*Fe, rpb\*Fe, LabCH\*Fe, LabCH\*Fe. Rows include color codes like R00Y, B00R, B1S, etc.

delta E\*\* = 36.3

Mean color difference of this page:

Table with 24 columns: n, HHC\*Fe, Rgb\*Fe, iet\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe, iet\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe, Rgb\*Fe, LabCh\*Fe, DF\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe, DF\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe. Rows 162-242.

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, ΔE\*

TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 32 columns (n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, rpb\*Fe) and 32 rows of numerical data.

input: rgb/cmyk -> rgbe output: transfer to rgbe


TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, AE\*'

Mean color difference of this page: delta E\* = 24.5


see similar files: http://130.149.60.45/~farbmatrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta



see similar files: http://130.149.60.45/~farbmatrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik





http://130.149.60.45/~farbmatrik/QE52/QE52LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/29

Table with columns: n, HHC\*Fe, rpb\*Fe, iet\*Fe, ihs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, DF\*Fe, HaM\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, HHC\*Fe, rpb\*Fe, iet\*Fe, ihs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, DF\*Fe, HaM\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe. The table contains 404 rows of numerical data.

Mean color difference of this page: delta E\* = 18.8

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, ΔE\*'

input: rgb/cmyk -> rgbe output: transfer to rgbe



TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

http://130.149.60.45/~farbmatrik/QE52/QE52LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/29

Table with 10 columns: n, HHC\*Fe, rgb\*Fe, iet\*Fe, Hs\*Fe, rgb\*Fe, LabCh\*Fe, LabCh\*Fe, DF\*Fe, Hs\*Fe, rgb\*Fe, LabCh\*Fe. Rows 405-485.

Mean color difference of this page: delta E\* = 14.9

input: rgb/cmyk -> rgbe output: transfer to rgbe

see similar files: http://130.149.60.45/~farbmatrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with columns: n, HHC\*Fe, Rgb\*Fe, iet\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe, 27.9, 65.0, 25.4, Rgb\*Fe, LabCh\*Fe, DF\*Fe, Hs\*Fe, Rgb\*Fe, LabCh\*Fe, 31.9, 80.8, 78.3, 50.9, 78.3, 86.7, 25.4, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566

see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52LONP.PDF /.PS; transfer output technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, AE\*'

Mean color difference of this page:

QE520-TN; Page 22/29-F

I-0132130-F0

I-0132130-F0

http://130.149.60.45/~farbmetrik/QE52/QE52LONP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/29

Table with 15 columns: n, HHC\*Fe, rpb\*Fe, iet\*Fe, Hs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe, rpb\*Fe, LabCh\*Fe, DF\*Fe, Hs\*Fe, rpb\*Fe, LabCh\*Fe, LabCh\*Fe. Rows 567-647.

delta E\* = 12.3

Mean color difference of this page:

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, ΔE\* input: rgb/cmlyk -> rgbe output: transfer to rgbe





TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, HfC\*Fe, Rgb\*Fe, iCr\*Fe, iBs\*Fe, LabCh\*Fe, Rgb\*Fe, LabCh\*Fe, DF\*Fe, HAm\*Fe, Rgb\*Fe, LabCh\*Fe. Rows include color names like NV\_100k, G50B\_100.02k, etc.

see similar files: http://130.149.60.45/~farbmatrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, ΔE\*

QE520-7N; Page 25/29-F

I-013240-F0

I-013240-F0

TUB registration: 20130201-QE52/QE52LONP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

Table with 10 columns: n, HHC\*Fe, rpb\*Fe, iet\*Fe, Hs\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, LabC\*Fe, DF\*Fe, Hs\*Fe, rpb\*Fe, LabC\*Fe, LabC\*Fe, rpb\*Fe, LabC\*Fe, DF\*Fe, Hs\*Fe, rpb\*Fe, LabC\*Fe. Rows 810-890.

see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*\_e=Y50G\_e colors and differences, ΔE\*\_\*

Mean color difference of this page: ΔE\*\_\* = 27.1

QE520-TN; Page 26/29-F

Table with columns: n, HHC\*Fe, rpb\*Fe, icr\*Fe, Hs\*Fe, rpb\*Fe, LabC\*Fe, LabCH\*Fe, rpb\*Fe, LabCH\*Fe, DF\*Fe, Hs\*Fe, rpb\*Fe, LabCH\*Fe. Rows 891-971.

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, ΔE\*

QE520-TN; Page 27/29-F

I-0132630-F0

I-0132630-F0




Table with 25 columns: n, HC\*, Fe, rgb\*, Fe, iet\*, Fe, rgb\*, Fe, Hs\*, Fe, rgb\*, Fe, LabC\*, Fe, LabC\*, Fe, rgb\*, Fe, LabC\*, Fe, LabC\*, Fe, rgb\*, Fe, Hs\*, Fe, rgb\*, Fe, LabC\*, Fe, LabC\*, Fe, rgb\*, Fe. Rows include color names like NW, NN, etc.

Mean color difference of this page: delta E\* = 1.6

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*e=Y50Ge colors and differences, AE\*'

L-0132730-F0

QE520-TN; Page 28/29-F

TUB registration: 20130201-QE52/QE52L0NP.PDF /.PS application for measurement of display output, no separation

TUB material: code=rha4ta

n	HC*Fe	rgb_Fe	iet_Fe	hsa_Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	DF*Fe	hsaMe	rgb*Me	LabCH*Me	LabCH*Me	rgb*Me	DF*Me	hsaMe	rgb*Me	LabCH*Me	LabCH*Me
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	0.866	0.866	83.9	0.866	0.866	0.866	0.866	0.866	83.9	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	0.933	0.933	89.7	0.933	0.933	0.933	0.933	0.933	89.7	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	1.0	95.4	1.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	0.066	6.2	0.066	0.066	0.066	0.066	4.4	0.066	0.066	0.066	0.066	0.066	4.4	0.066
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	12.6	0.133	0.133	0.133	0.133	12.0	0.133	0.133	0.133	0.133	0.133	12.0	0.133
1059	NW_026e	0.2	0.2	0.2	0.2	0.2	19.0	0.2	0.2	0.2	0.2	19.7	0.2	0.2	0.2	0.2	0.2	19.7	0.2
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	25.3	0.266	0.266	0.266	0.266	27.0	0.266	0.266	0.266	0.266	0.266	27.0	0.266
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	31.7	0.333	0.333	0.333	0.333	34.0	0.333	0.333	0.333	0.333	0.333	34.0	0.333
1062	NW_046e	0.4	0.4	0.4	0.4	0.4	38.1	0.4	0.4	0.4	0.4	40.8	0.4	0.4	0.4	0.4	0.4	40.8	0.4
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	44.4	0.466	0.466	0.466	0.466	47.3	0.466	0.466	0.466	0.466	0.466	47.3	0.466
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	50.8	0.533	0.533	0.533	0.533	53.7	0.533	0.533	0.533	0.533	0.533	53.7	0.533
1065	NW_066e	0.6	0.6	0.6	0.6	0.6	57.2	0.6	0.6	0.6	0.6	60.0	0.6	0.6	0.6	0.6	0.6	60.0	0.6
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	63.5	0.666	0.666	0.666	0.666	66.1	0.666	0.666	0.666	0.666	0.666	66.1	0.666
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	70.0	0.734	0.734	0.734	0.734	72.3	0.734	0.734	0.734	0.734	0.734	72.3	0.734
1068	NW_086e	0.8	0.8	0.8	0.8	0.8	76.3	0.8	0.8	0.8	0.8	78.1	0.8	0.8	0.8	0.8	0.8	78.1	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	82.6	0.866	0.866	0.866	0.866	85.9	0.866	0.866	0.866	0.866	0.866	85.9	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	89.0	0.933	0.933	0.933	0.933	89.7	0.933	0.933	0.933	0.933	0.933	89.7	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	1.0	95.4	1.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100e	1.0	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	95.4	1.0	1.0	1.0	1.0	1.0	95.4	1.0
1074	ROY_100_100e	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0
1075	GS0B_100_100e	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	1.0
1076	Y06C_100_100e	1.0	1.0	0.0	1.0	1.0	0.0	0.889	1.0	0.889	1.0	0.889	1.0	0.889	1.0	0.889	1.0	0.889	1.0
1077	B06C_100_100e	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.609	1.0	0.609	0.609	1.0	0.609	1.0	0.609	0.609	1.0	0.609
1078	B06C_100_100e	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.706	1.0	0.706	0.706	1.0	0.706	1.0	0.706	0.706	1.0	0.706
1079	B50R_100_100e	1.0	0.0	1.0	1.0	1.0	0.0	1.0	0.0	0.991	1.0	0.991	1.0	0.991	1.0	0.991	1.0	0.991	1.0

Mean color difference of this page: delta E\*\* = 9.3

http://130.149.60.45/~farbmetrik/QE52/QE52L0NP.PDF /.PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/29

input: rgb/cmyk -> rgbe output: transfer to rgbe

TUB-test chart QE52; hue code: H\*\_e=Y50G\_e colors and differences, delta E\*\*

see similar files: http://130.149.60.45/~farbmetrik/QE52/QE52.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik