

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 234/360 = 0.65$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = G50B_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 63 -30 -42 51 234

$HIC^*_{-,Ma}$: G50B_100_100-

$rgbic^*_{-,Ma}$:

0.0 1.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100-	48.4	66.1	40.2	77.3	31
R25Y_100_100-	56.8	48.0	50.5	69.6	46
R50Y_100_100-	68.6	25.0	63.9	68.6	68
R75Y_100_100-	80.6	4.8	77.2	77.3	86
Y00G_100_100-	90.2	-9.6	88.2	88.7	96
Y25G_100_100-	83.2	-18.4	79.9	81.9	102
Y50G_100_100-	73.3	-31.7	62.7	70.2	116
Y75G_100_100-	62.0	-49.7	43.2	65.8	139
G00B_100_100-	55.8	-65.2	33.8	73.4	152
G25B_100_100-	59.3	-50.3	-9.0	51.0	190
G50B_100_100-	63.0	-30.5	-42.0	51.9	234
G75B_100_100-	45.7	-5.7	-44.6	44.9	262
B00R_100_100-	27.5	25.9	-47.3	53.9	298
B25R_100_100-	38.3	52.6	-28.5	59.8	331
B50R_100_100-	49.5	73.5	-9.0	74.0	353
B75R_100_100-	48.9	69.3	12.9	70.4	10



TUB-test chart QE98; hue code: $H^*_- = G50B_-$
Test chart according to DIN 33872, 3D=1, de=1, $cm y0^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 216/360 = 0.6$

$H^*_e = G50B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G50B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _e ,Ma	45.6	72.2	34.4	80.0
Y _e ,Ma	83.6	-3.6	90.4	92
G _e ,Ma	50.6	-62.1	19.9	65.2
C _e ,Ma	55.0	-36.2	-27.2	45.3
B _e ,Ma	40.2	1.2	-40.6	40.6
M _e ,Ma	31.1	47.7	-29.1	55.9
N _e ,Ma	24.3	0.0	0.0	0.0
W _e ,Ma	95.6	0.0	0.0	0.0
R _e ,CIE	39.9	58.7	27.9	65.0
Y _e ,CIE	81.2	-2.8	71.5	71.6
G _e ,CIE	52.2	-42.4	13.6	44.5
B _e ,CIE	30.5	1.4	-46.4	46.4

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 55 -36 -27 45 216$

$HIC^*_e, Ma: G50B_{100} 100_e$

$rgbic^*_e, Ma:$

0.0 1.0 0.74 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0
R25Y_100_100 _e	50.5	59.2	51.6	78.6
R50Y_100_100 _e	60.2	38.2	63.4	74.1
R75Y_100_100 _e	70.9	17.9	75.9	77.9
Y00G_100_100 _e	83.6	-3.6	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4
Y50G_100_100 _e	62.6	-40.9	53.8	67.6
Y75G_100_100 _e	54.1	-55.5	37.5	67.0
G00B_100_100 _e	50.6	-62.1	19.9	65.2
G25B_100_100 _e	53.0	-48.6	-8.2	49.2
G50B_100_100 _e	55.0	-36.2	-27.2	45.3
G75B_100_100 _e	53.3	-19.8	-41.3	45.9
B00R_100_100 _e	40.2	1.2	-40.6	40.6
B25R_100_100 _e	28.1	23.4	-40.3	46.7
B50R_100_100 _e	31.1	47.7	-29.1	55.9
B75R_100_100 _e	41.4	70.4	-9.8	71.1



1-113131-L0 QE980-73

TUB-test chart QE98; hue code: $H^*_e = G50B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 216/360 = 0.6$

$H^*_e = G50B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G50B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _e ,Ma	45.6	72.2	34.4	80.0	25
Y _e ,Ma	83.6	-3.6	90.4	90.4	92
G _e ,Ma	50.6	-62.1	19.9	65.2	162
C _e ,Ma	55.0	-36.2	-27.2	45.3	216
B _e ,Ma	40.2	1.2	-40.6	40.6	271
M _e ,Ma	31.1	47.7	-29.1	55.9	328
N _e ,Ma	24.3	0.0	0.0	0.0	0
W _e ,Ma	95.6	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 55 -36 -27 45 216

$HIC^*_{e,Ma}$: G50B_100_100_e

$rgbic^*_{e,Ma}$:

0.0 1.0 0.74 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352



TUB-test chart QE98; hue code: $H^*_e = G50B_e$
Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 216/360 = 0.6$

$H^*_e = G50B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G50B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma$: 55 -36 -27 45 216

HIC^*_e, Ma : G50B_100_100_e

$rgbic^*_e, Ma$:

0.0 1.0 0.74 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



1-113331-L0 QE980-73

TUB-test chart QE98; hue code: $H^*_e = G50B_e$

Test chart according to DIN 33872, 3D=1, de=1, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to $cmY0^*_{de}$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 216/360 = 0.6$

$H^*_e = G50B_e$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = G50B_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 55 -36 -27 45 216$

$HIC^*_e, Ma: G50B_{100_{100}_e}$

$rgbic^*_e, Ma:$

0.0 1.0 0.74 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_{100}_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100_{100}_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100_{100}_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100_{100}_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100_{100}_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100_{100}_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100_{100}_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100_{100}_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100_{100}_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100_{100}_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100_{100}_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100_{100}_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100_{100}_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100_{100}_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100_{100}_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100_{100}_e}$	41.4	70.4	-9.8	71.1	352



1-113431-L0 QE980-73

TUB-test chart QE98; hue code: $H^*_e = G50B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

http://130.149.60.45/~farbmetrik/QE98/QE98L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE98/QE98LE30FA.DAT in file (F), page 6/33

TUB-test chart QE98; hue code: $H_e^* = G50B_e$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113531-L0 QE980-73

1-113531-E0

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e green

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e blue-green

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e blue

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e red

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e blue-red

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s green

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

R_s red

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

C_s blue-green

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

M_s blue-red

$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

B_s blue

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

1-113631-L0 QE980-73 LAB*La0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart QE98; hue code: $H^*_e=G50B_e$
48 step hue circles; $rgb-LabCh^*$ -tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

Output: Offset standard print; separation cmy0*, D65, page 7/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$																									
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.0	0.021	0.0	46.0	69.6	45.7	83.3	33
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49	
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58	
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66	
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	52.0	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7	347	0.011	0.0	1.0														

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{dd64M}(x=LabCh)$							$rgb^*_{dex361M}$			$LAB^*_{dex361M}$					rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3				1.0	0.0	0.255	45.7	72.2	34.4	80.0	25			
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1				1.0	0.021	0.0	46.0	69.6	45.7	83.3	33			
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8				1.0	0.183	0.0	51.1	57.9	52.5	78.1	42			
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9				1.0	0.288	0.0	55.4	48.5	57.8	75.4	49			
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1				1.0	0.398	0.0	60.3	38.3	63.5	74.1	58			
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6				1.0	0.494	0.0	64.6	29.5	68.4	74.5	66			
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2				1.0	0.592	0.0	70.2	19.3	75.2	77.6	75			
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1				1.0	0.703	0.0	75.8	9.4	81.5	82.0	83			
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1				1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92			
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8				0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100			
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8				0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109			
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6				0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117			
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0				0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127			
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4				0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135			
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3				0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144			
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4				0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152			
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5				0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162			
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7				0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168			
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7				0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175			
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7				0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182			
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3				0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189			
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2				0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195			
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2				0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203			
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3				0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209			
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4				0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216			
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9				0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223			
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3				0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230			
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9				0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237			
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2				0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244			
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6				0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250			
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6				0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258			
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0				0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264			
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2				0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271			
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7				0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278			
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1				0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285			
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3				0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292			
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5				0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300			
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9				0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306			
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5				0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314			
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1				0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321			
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8				0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328			
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0				0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335			
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4				0.539	0.0	1.0	36.4	60.8	-18.7	63.7	342			
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1				0.667	0.0	1.0	39.3	67.4	-12.4	68.5	349			
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9				0.736	0.0	1.0	41.4	70.5	-9.7	71.1	352			
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2				1.0	0.0	1.0	46.1	79.3	-0.1	79.3	359			
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6				1.0	0.0	0.687	46.0	76.5	11.8	77.4	368			
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3				1.0	0.0	0.485	45.9	74.1	22.0	77.3	376			
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3				1.0	0.0	0.255	45.7	72.2	34.4	80.0	385			

1-113831-L0

QE980-73

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 9/33

TUB-test chart QE98; hue code: $H^*_e = G50B_e$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

TUB registration: 20130201-QE98/QE98L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0	0.0 0.0	45.4	70.9	44.8	83.9	32	1.0	0.0 0.0	45.4	70.9	44.8	83.9
33	31	26	1.0	0.016 0.0	45.9	69.8	45.5	83.4	33	1.0	0.0 0.0	45.9	69.8	45.5	83.4
33	32	27	1.0	0.033 0.0	46.3	68.8	46.1	82.8	33	1.0	0.0 0.0	46.3	68.8	46.1	82.8
34	33	28	1.0	0.05 0.0	46.8	67.7	46.8	82.3	34	1.0	0.0 0.0	46.8	67.7	46.8	82.3
35	34	29	1.0	0.066 0.0	47.3	66.6	47.4	81.8	35	1.0	0.0 0.0	47.3	66.6	47.4	81.8
36	35	31	1.0	0.083 0.0	47.7	65.5	48.0	81.2	36	1.0	0.0 0.0	47.7	65.5	48.0	81.2
36	36	32	1.0	0.1 0.0	48.2	64.4	48.5	80.7	36	1.0	0.0 0.0	48.2	64.4	48.5	80.7
37	37	33	1.0	0.116 0.0	48.6	63.3	49.1	80.2	37	1.0	0.0 0.0	48.6	63.3	49.1	80.2
38	38	34	1.0	0.133 0.0	49.2	62.1	49.8	79.6	38	1.0	0.0 0.0	49.2	62.1	49.8	79.6
39	39	35	1.0	0.15 0.0	49.8	60.7	50.7	79.1	39	1.0	0.0 0.0	49.8	60.7	50.7	79.1
41	40	36	1.0	0.166 0.0	50.5	59.2	51.6	78.6	41	1.0	0.0 0.0	50.5	59.2	51.6	78.6
42	41	37	1.0	0.183 0.0	51.1	57.8	52.5	78.1	42	1.0	0.0 0.0	51.1	57.8	52.5	78.1
43	42	38	1.0	0.2 0.0	51.7	56.3	53.3	77.5	43	1.0	0.0 0.0	51.7	56.3	53.3	77.5
44	43	39	1.0	0.216 0.0	52.4	54.9	54.0	77.0	44	1.0	0.0 0.0	52.4	54.9	54.0	77.0
45	44	41	1.0	0.233 0.0	53.0	53.4	54.8	76.5	45	1.0	0.0 0.0	53.0	53.4	54.8	76.5
46	45	42	1.0	0.25 0.0	53.6	51.9	55.5	76.0	46	1.0	0.0 0.0	53.6	51.9	55.5	76.0
48	46	43	1.0	0.266 0.0	54.4	50.4	56.5	75.7	48	1.0	0.0 0.0	54.4	50.4	56.5	75.7
49	47	44	1.0	0.283 0.0	55.1	48.9	57.4	75.4	49	1.0	0.0 0.0	55.1	48.9	57.4	75.4
50	48	45	1.0	0.3 0.0	55.8	47.4	58.4	75.2	50	1.0	0.0 0.0	55.8	47.4	58.4	75.2
52	49	46	1.0	0.316 0.0	56.6	45.8	59.2	74.9	52	1.0	0.0 0.0	56.6	45.8	59.2	74.9
53	50	47	1.0	0.333 0.0	57.3	44.2	60.1	74.6	53	1.0	0.0 0.0	57.3	44.2	60.1	74.6
54	51	48	1.0	0.35 0.0	58.0	42.7	60.9	74.4	54	1.0	0.0 0.0	58.0	42.7	60.9	74.4
56	52	49	1.0	0.366 0.0	58.8	41.1	61.7	74.1	56	1.0	0.0 0.0	58.8	41.1	61.7	74.1
57	53	51	1.0	0.383 0.0	59.5	39.5	62.5	74.0	57	1.0	0.0 0.0	59.5	39.5	62.5	74.0
59	54	52	1.0	0.4 0.0	60.3	38.1	63.5	74.1	59	1.0	0.0 0.0	60.3	38.1	63.5	74.1
60	55	53	1.0	0.416 0.0	61.0	36.6	64.5	74.1	60	1.0	0.0 0.0	61.0	36.6	64.5	74.1
61	56	54	1.0	0.433 0.0	61.8	35.1	65.4	74.2	61	1.0	0.0 0.0	61.8	35.1	65.4	74.2
63	57	55	1.0	0.45 0.0	62.6	33.6	66.2	74.3	63	1.0	0.0 0.0	62.6	33.6	66.2	74.3
64	58	56	1.0	0.466 0.0	63.3	32.0	67.1	74.4	64	1.0	0.0 0.0	63.3	32.0	67.1	74.4
65	59	57	1.0	0.483 0.0	64.1	30.5	67.9	74.4	65	1.0	0.0 0.0	64.1	30.5	67.9	74.4
67	60	58	1.0	0.5 0.0	64.9	28.9	68.6	74.5	67	1.0	0.0 0.0	64.9	28.9	68.6	74.5
68	61	60	1.0	0.516 0.0	65.8	27.2	69.9	75.0	68	1.0	0.0 0.0	65.8	27.2	69.9	75.0
70	62	61	1.0	0.533 0.0	66.8	25.5	71.1	75.6	70	1.0	0.0 0.0	66.8	25.5	71.1	75.6
71	63	62	1.0	0.55 0.0	67.7	23.8	72.3	76.1	71	1.0	0.0 0.0	67.7	23.8	72.3	76.1
73	64	63	1.0	0.566 0.0	68.7	22.0	73.5	76.7	73	1.0	0.0 0.0	68.7	22.0	73.5	76.7
74	65	64	1.0	0.583 0.0	69.7	20.2	74.6	77.3	74	1.0	0.0 0.0	69.7	20.2	74.6	77.3
76	66	65	1.0	0.6 0.0	70.6	18.3	75.6	77.8	76	1.0	0.0 0.0	70.6	18.3	75.6	77.8
77	67	66	1.0	0.616 0.0	71.6	16.4	76.6	78.4	77	1.0	0.0 0.0	71.6	16.4	76.6	78.4
79	68	67	1.0	0.633 0.0	72.5	14.8	77.6	79.0	79	1.0	0.0 0.0	72.5	14.8	77.6	79.0
80	69	68	1.0	0.65 0.0	73.2	13.6	78.5	79.7	80	1.0	0.0 0.0	73.2	13.6	78.5	79.7
81	70	70	1.0	0.666 0.0	74.0	12.3	79.5	80.4	81	1.0	0.0 0.0	74.0	12.3	79.5	80.4
82	71	71	1.0	0.683 0.0	74.8	11.0	80.4	81.1	82	1.0	0.0 0.0	74.8	11.0	80.4	81.1
83	72	72	1.0	0.7 0.0	75.6	9.6	81.3	81.9	83	1.0	0.0 0.0	75.6	9.6	81.3	81.9
84	73	73	1.0	0.716 0.0	76.3	8.3	82.2	82.6	84	1.0	0.0 0.0	76.3	8.3	82.2	82.6
85	74	74	1.0	0.733 0.0	77.1	6.9	83.0	83.3	85	1.0	0.0 0.0	77.1	6.9	83.0	83.3
86	75	75	1.0	0.75 0.0	77.9	5.4	83.8	84.0	86	1.0	0.0 0.0	77.9	5.4	83.8	84.0

1-113931-L0

QE980-73

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 10/33

TUB-test chart QE98; hue code: $H^*_e=G50B_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

TUB registration: 20130201-QE98/QE98L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{ds361Mi}$	$rgb^*_{de361Mi}$														
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86		
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.767	0.0	78.6	4.3	84.7	84.8	87	1.0	0.767	0.0	78.6	4.3	84.7	84.8	87		
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87		
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88		
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.817	0.0	80.8	0.8	87.3	87.3	89	1.0	0.817	0.0	80.8	0.8	87.3	87.3	89		
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90		
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91		
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.867	0.0	83.1	-2.8	89.8	89.8	91		
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92		
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92		
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.917	0.0	84.9	-5.6	92.0	92.2	93		
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94		
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94		
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.967	0.0	86.6	-8.3	94.1	94.5	95		
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95		
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96		
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.967	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.967	1.0	0.0	86.8	-11.2	93.8	94.5	96
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.917	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.917	1.0	0.0	85.5	-12.7	91.3	92.2	97
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	1.0	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	1.0	0.867	1.0	0.0	84.1	-14.1	88.9	90.0	99	1.0	0.867	1.0	0.0	84.1	-14.1	88.9	90.0	99
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	1.0	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	1.0	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	1.0	0.817	1.0	0.0	82.6	-15.6	86.6	88.0	100	1.0	0.817	1.0	0.0	82.6	-15.6	86.6	88.0	100
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	1.0	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	1.0	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	1.0	0.767	1.0	0.0	81.2	-17.0	84.3	86.0	101	1.0	0.767	1.0	0.0	81.2	-17.0	84.3	86.0	101
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	1.0	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	1.0	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	1.0	0.717	1.0	0.0	79.3	-19.3	81.5	83.8	103	1.0	0.717	1.0	0.0	79.3	-19.3	81.5	83.8	103
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	1.0	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	1.0	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	1.0	0.667	1.0	0.0	77.1	-22.0	78.4	81.4	105	1.0	0.667	1.0	0.0	77.1	-22.0	78.4	81.4	105
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	1.0	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	1.0	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	1.0	0.617	1.0	0.0	75.0	-24.4	75.1	79.0	108	1.0	0.617	1.0	0.0	75.0	-24.4	75.1	79.0	108
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	1.0	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	1.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109
110	116	122	0.566	1.0	0.0	73.1	-26.9	71.4	76.3	110	1.0	0.567	1.0	0.0	73.1	-26.9	71.4	76.3	110	1.0	0.567	1.0	0.0	73.1	-26.9	71.4	76.3	110
111	117	123	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111	1.0	0.55	1.0	0.0	72.4	-27.6	70.2	75.5	111
112	118	124	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112	1.0	0.533	1.0	0.0	71.8	-28.3	69.0	74.6	112
113	119	126	0.516	1.0	0.0	71.2	-29.0	67.7	73.7	113	1.0	0.517	1.0	0.0	71.2	-29.0	67.7	73.7	113	1.0	0.517	1.0	0.0	71.2	-29.0	67.7	73.7	113
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	1.0	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114

1-1131031-L0 QE980-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 11/33

TUB-test chart QE98; hue code: $H^*_e = G50B_e$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

TUB registration: 20130201-QE98/QE98L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}												
114	120	127	0.5	1.0	0.0	70.6	-29.7 66.5 72.8	114	0.399	1.0	0.0	66.7	-34.5 59.9 69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8 53.8 67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5 65.4 72.2	115	0.382	1.0	0.0	66.0	-35.2 58.8 68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8 52.9 67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4 64.3 71.6	116	0.37	1.0	0.0	65.4	-36.1 57.9 68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8 51.9 67.3	129	0.467	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2 63.2 71.0	117	0.361	1.0	0.0	64.9	-37.0 57.1 68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8 50.9 67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0 62.1 70.4	117	0.352	1.0	0.0	64.4	-37.9 56.4 68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7 49.9 67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8 61.0 69.8	118	0.343	1.0	0.0	63.8	-38.8 55.6 67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6 48.9 66.9	133	0.417	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5 59.9 69.2	119	0.334	1.0	0.0	63.3	-39.7 54.8 67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5 47.8 66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2 58.8 68.6	120	0.325	1.0	0.0	62.8	-40.6 54.0 67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4 46.8 66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4 57.6 68.2	122	0.316	1.0	0.0	62.3	-41.5 53.2 67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3 45.8 66.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2 56.2 67.9	124	0.307	1.0	0.0	61.7	-42.3 52.4 67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2 44.7 66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8 54.7 67.7	126	0.298	1.0	0.0	61.2	-43.1 51.5 67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0 43.7 66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4 53.2 67.5	127	0.289	1.0	0.0	60.7	-44.0 50.7 67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9 42.7 66.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0 51.7 67.3	129	0.28	1.0	0.0	60.2	-44.8 49.8 67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7 41.6 66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5 50.1 67.0	131	0.271	1.0	0.0	59.6	-45.5 48.9 66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5 40.5 66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9 48.5 66.8	133	0.262	1.0	0.0	59.1	-46.3 48.0 66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3 39.4 66.4	143	0.267	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3 46.8 66.6	135	0.253	1.0	0.0	58.6	-47.0 47.1 66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2 38.4 66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3 45.8 66.5	136	0.241	1.0	0.0	58.1	-47.8 46.3 66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4 37.6 67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2 44.7 66.5	137	0.227	1.0	0.0	57.7	-48.6 45.4 66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6 36.7 67.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1 43.6 66.5	138	0.213	1.0	0.0	57.3	-49.4 44.5 66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8 35.8 68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0 42.5 66.4	140	0.2	1.0	0.0	56.9	-50.1 43.6 66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0 34.9 68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9 41.4 66.4	141	0.186	1.0	0.0	56.5	-50.8 42.7 66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1 34.0 69.2	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7 40.3 66.4	142	0.172	1.0	0.0	56.1	-51.6 41.8 66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3 33.0 69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5 39.1 66.3	143	0.159	1.0	0.0	55.7	-52.3 40.9 66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4 32.0 70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7 38.0 66.6	145	0.145	1.0	0.0	55.3	-52.9 40.0 66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5 30.9 70.8	154	0.117	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2 37.0 67.3	146	0.131	1.0	0.0	54.9	-53.6 39.0 66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6 29.9 71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7 35.9 68.0	148	0.119	1.0	0.0	54.5	-54.5 38.2 66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6 28.3 70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2 34.7 68.7	149	0.107	1.0	0.0	54.1	-55.5 37.5 67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2 26.5 69.5	157	0.067	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7 33.5 69.4	151	0.096	1.0	0.0	53.7	-56.5 36.8 67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7 24.8 68.4	158	0.05	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2 32.2 70.0	152	0.085	1.0	0.0	53.2	-57.6 36.0 68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1 23.1 67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6 30.9 70.7	154	0.074	1.0	0.0	52.8	-58.6 35.3 68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6 21.5 66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0 29.6 71.4	155	G_d 0.062	1.0	0.0	52.4	-59.6 34.5 68.9	150	G_s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0 19.9 65.2	162	G_e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7 28.5 70.7	156	0.051	1.0	0.0	52.0	-60.6 33.6 69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6 18.7 64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5 27.4 70.1	156	0.04	1.0	0.0	51.5	-61.6 32.8 69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1 17.5 63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2 26.4 69.4	157	0.028	1.0	0.0	51.1	-62.5 31.9 70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6 16.3 62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9 25.4 68.8	158	0.017	1.0	0.0	50.7	-63.5 31.0 70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0 15.1 62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6 24.4 68.1	159	0.006	1.0	0.0	50.3	-64.4 30.1 71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5 14.0 61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3 23.4 67.5	159	0.0	1.0	0.012	50.1	-64.7 28.9 71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9 12.9 60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9 22.4 66.8	160	0.0	1.0	0.035	50.2	-64.4 27.4 70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5 11.8 59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5 21.2 66.1	161	0.0	1.0	0.059	50.3	-64.0 25.9 69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1 10.8 59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1 19.9 65.2	162	0.0	1.0	0.083	50.4	-63.5 24.4 68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7 9.7 58.6	170	0.0	1.0	0.15
163	160	171	0.0	1.0	0.166	50.7	-61.6 18.7 64.4	163	0.0	1.0	0.107	50.5	-63.1 23.0 67.2	160	0.0	1.0	0.167	0.0	1.0	0.3	51.5	-57.3 8.7 58.1	171	0.0	1.0	0.167
164	161	172	0.0	1.0	0.183	50.8	-61.1 17.4 63.6	164	0.0	1.0	0.129	50.6	-62.6 21.6 66.3	161	0.0	1.0	0.183	0.0	1.0	0.313	51.6	-56.9 7.7 57.5	172	0.0	1.0	0.183
164	162	173	0.0	1.0	0.2	50.9	-60.6 16.2 62.7	164	0.0	1.0	0.147	50.7	-62.1 20.2 65.4	162	0.0	1.0	0.2	0.0	1.0	0.325	51.7	-56.4 6.8 56.9	173	0.0	1.0	0.2
165	163	174	0.0	1.0	0.216	51.0	-60.1 15.0 61.9	165	0.0	1.0	0.165	50.8	-61.6 18.9 64.5	163	0.0	1.0	0.217	0.0	1.0	0.338	51.8	-55.9 5.8 56.3	174	0.0	1.0	0.217

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{ds}	rgb^*_{de}				
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25			
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267			
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283			
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3			
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317			
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333			
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35			
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367			
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383			
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4			
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417			
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433			
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45			
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467			
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483			
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5			
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517			
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533			
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55			
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567			
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583			
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6			
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617			
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633			
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65			
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667			
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683			
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7			
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717			
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733			
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75			
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767			
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783			
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8			
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817			
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833			
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85			
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867			
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883			
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9			
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917			
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933			
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95			
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967			
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983			
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0			

1-1131231-L0 QE980-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 13/33

TUB-test chart QE98; hue code: $H^*_e = G50B_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

TUB registration: 20130201-QE98/QE98L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Colorimetric data of the 100 color patches (CIE L*a*b*)										Colorimetric data of the elementary colorimetric patches (CIE L*a*b*)										Colorimetric data of the elementary colorimetric patches (CIE L*a*b*)										Colorimetric data of the elementary colorimetric patches (CIE L*a*b*)																																																																																																																																																																																																																																																																																																																																																											
Lab,d	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}	LAB* _{ddx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{ds361Mi}	LAB* _{dsx3}

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$	$rgb^*_{dd361Mi}$
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2 42.7	289	0.0	0.25 1.0	0.0	0.25 1.0	0.0
290	256	258	0.0	0.233 1.0	32.2	15.3	-40.3 43.1	290	0.0	0.233 1.0	0.0	0.233 1.0	0.0
292	257	259	0.0	0.216 1.0	31.7	16.4	-40.3 43.6	292	0.0	0.217 1.0	0.0	0.217 1.0	0.0
293	258	260	0.0	0.2 1.0	31.1	17.5	-40.4 44.0	293	0.0	0.2 1.0	0.0	0.2 1.0	0.0
294	259	261	0.0	0.183 1.0	30.6	18.5	-40.4 44.5	294	0.0	0.183 1.0	0.0	0.183 1.0	0.0
295	260	262	0.0	0.166 1.0	30.0	19.6	-40.4 44.9	295	0.0	0.167 1.0	0.0	0.167 1.0	0.0
297	261	263	0.0	0.15 1.0	29.5	20.7	-40.4 45.4	297	0.0	0.15 1.0	0.0	0.15 1.0	0.0
298	262	264	0.0	0.133 1.0	28.9	21.8	-40.3 45.8	298	0.0	0.133 1.0	0.0	0.133 1.0	0.0
299	263	265	0.0	0.116 1.0	28.4	22.8	-40.3 46.3	299	0.0	0.117 1.0	0.0	0.117 1.0	0.0
300	264	266	0.0	0.1 1.0	27.9	23.8	-40.4 46.9	300	0.0	0.1 1.0	0.0	0.1 1.0	0.0
301	265	267	0.0	0.083 1.0	27.4	24.7	-40.4 47.4	301	0.0	0.083 1.0	0.0	0.083 1.0	0.0
302	266	268	0.0	0.066 1.0	26.9	25.7	-40.4 47.9	302	0.0	0.067 1.0	0.0	0.067 1.0	0.0
303	267	269	0.0	0.049 1.0	26.5	26.6	-40.5 48.4	303	0.0	0.05 1.0	0.0	0.05 1.0	0.0
304	268	269	0.0	0.033 1.0	26.0	27.6	-40.4 49.0	304	0.0	0.033 1.0	0.0	0.033 1.0	0.0
305	269	270	0.0	0.016 1.0	25.5	28.6	-40.4 49.5	305	0.0	0.017 1.0	0.0	0.017 1.0	0.0
306	270	271	0.0	0.0 1.0	25.0	29.5	-40.4 50.0	306	0.0	0.0 1.0	0.0	0.0 1.0	0.0
307	271	272	0.016 0.0	1.0	25.4	30.4	-39.9 50.2	307	0.0	0.017 0.0	1.0	0.017 0.0	1.0
308	272	273	0.033 0.0	1.0	25.8	31.3	-39.4 50.4	308	0.0	0.033 0.0	1.0	0.033 0.0	1.0
309	273	274	0.05 0.0	1.0	26.2	32.2	-38.9 50.5	309	0.0	0.05 0.0	1.0	0.05 0.0	1.0
310	274	275	0.066 0.0	1.0	26.5	33.1	-38.4 50.7	310	0.0	0.067 0.0	1.0	0.067 0.0	1.0
311	275	276	0.083 0.0	1.0	26.9	33.9	-37.8 50.8	311	0.0	0.083 0.0	1.0	0.083 0.0	1.0
313	276	277	0.1 0.0	1.0	27.3	34.8	-37.3 51.0	313	0.0	0.1 0.0	1.0	0.1 0.0	1.0
314	277	278	0.116 0.0	1.0	27.7	35.6	-36.7 51.1	314	0.0	0.117 0.0	1.0	0.117 0.0	1.0
315	278	279	0.133 0.0	1.0	27.9	36.4	-36.2 51.3	315	0.0	0.133 0.0	1.0	0.133 0.0	1.0
316	279	280	0.15 0.0	1.0	28.1	37.2	-35.7 51.6	316	0.0	0.15 0.0	1.0	0.15 0.0	1.0
317	280	281	0.166 0.0	1.0	28.2	38.0	-35.2 51.9	317	0.0	0.167 0.0	1.0	0.167 0.0	1.0
318	281	282	0.183 0.0	1.0	28.3	38.8	-34.7 52.1	318	0.0	0.183 0.0	1.0	0.183 0.0	1.0
319	282	283	0.2 0.0	1.0	28.5	39.6	-34.2 52.4	319	0.0	0.2 0.0	1.0	0.2 0.0	1.0
320	283	284	0.216 0.0	1.0	28.6	40.4	-33.7 52.6	320	0.0	0.217 0.0	1.0	0.217 0.0	1.0
321	284	285	0.233 0.0	1.0	28.7	41.2	-33.1 52.9	321	0.0	0.233 0.0	1.0	0.233 0.0	1.0
322	285	286	0.25 0.0	1.0	28.8	41.9	-32.5 53.1	322	0.0	0.25 0.0	1.0	0.25 0.0	1.0
323	286	287	0.266 0.0	1.0	29.4	43.3	-31.8 53.8	323	0.0	0.267 0.0	1.0	0.267 0.0	1.0
325	287	287	0.283 0.0	1.0	29.9	44.7	-31.1 54.4	325	0.0	0.283 0.0	1.0	0.283 0.0	1.0
326	288	288	0.3 0.0	1.0	30.4	46.0	-30.3 55.1	326	0.0	0.3 0.0	1.0	0.3 0.0	1.0
328	289	289	0.316 0.0	1.0	30.9	47.3	-29.4 55.7	328	0.0	0.317 0.0	1.0	0.317 0.0	1.0
329	290	290	0.333 0.0	1.0	31.4	48.6	-28.5 56.4	329	0.0	0.333 0.0	1.0	0.333 0.0	1.0
331	291	291	0.35 0.0	1.0	32.0	49.9	-27.5 57.0	331	0.0	0.35 0.0	1.0	0.35 0.0	1.0
332	292	292	0.366 0.0	1.0	32.5	51.2	-26.5 57.7	332	0.0	0.367 0.0	1.0	0.367 0.0	1.0
333	293	293	0.383 0.0	1.0	32.9	52.3	-25.7 58.3	333	0.0	0.383 0.0	1.0	0.383 0.0	1.0
334	294	294	0.4 0.0	1.0	33.3	53.2	-25.0 58.8	334	0.0	0.4 0.0	1.0	0.4 0.0	1.0
335	295	295	0.416 0.0	1.0	33.7	54.1	-24.4 59.4	335	0.0	0.417 0.0	1.0	0.417 0.0	1.0
336	296	296	0.433 0.0	1.0	34.0	55.0	-23.7 59.9	336	0.0	0.433 0.0	1.0	0.433 0.0	1.0
337	297	297	0.45 0.0	1.0	34.4	55.9	-23.0 60.5	337	0.0	0.45 0.0	1.0	0.45 0.0	1.0
338	298	298	0.466 0.0	1.0	34.8	56.8	-22.2 61.0	338	0.0	0.467 0.0	1.0	0.467 0.0	1.0
339	299	299	0.483 0.0	1.0	35.2	57.7	-21.5 61.6	339	0.0	0.483 0.0	1.0	0.483 0.0	1.0
340	300	300	0.5 0.0	1.0	35.6	58.6	-20.7 62.1	340	0.0	0.5 0.0	1.0	0.5 0.0	1.0

1-1131431-L0 QE980-73 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

Output: Offset standard print; separation cmy0*, D65, page 15/33

TUB-test chart QE98; hue code: $H^*_e=G50B_e$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

TUB registration: 20130201-QE98/QE98L0FA.TXT /PS
application for measurement of offset print output, separation cmy0* (CMY0)
TUB material: code=rha4ta

Output: Offset standard print; separation cmy0*, D65, page 16/33

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

1-1131631-L0 QE980-73 LAB*la0, YN=0%, XYZ_{znw}=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{nw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0 Output: Offset standard print; separation cmy0*, D65, page 17/33

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

Output: Offset standard print; separation cmy0*, D65, page 17/33

TUB registration: 20130201-QE98/QE98L0FA.TXT /.PS TUB material: code=rha4ta application for measurement of offset print output, separation cmy0* (CMY0)

http://130.149.60.45/~farbmetrik/QE98/QE98L0FA.TXT /.PS; 3D-linearization F: 3D-linearization QE98/QE98LE30FA.DAT in file (F), page 19/33

n/f	HC*Fide	rgb_Fide	icr_Fide	hsa_Fide	rgb*Fide	LabCH*Fide	cmy0*_sep_Fide	0.0	1.0	0.744	0.0	0.0	0.254	456	72.2	34.4	80.0	25.4
0/648	R00Y_100_100de	1.0	0.0	1.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.166	0.0	0.0	0.0	0.0	0.0
1/666	R25Y_100_100de	0.0	0.5	1.0	0.0	50.5	58.8	41.0	0.0	0.0	0.832	1.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_100de	0.0	0.5	1.0	0.0	60.2	63.4	74.1	58.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_100de	0.0	0.5	1.0	0.0	70.9	75.9	76.7	0.0	0.0	0.397	1.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_100de	1.0	0.0	1.0	0.0	83.6	90.4	90.4	83.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/738	Y25C_100_100de	0.5	0.5	1.0	0.0	74.5	74.3	78.4	108.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/756	Y50C_100_100de	0.5	0.5	1.0	0.0	62.6	53.8	67.6	127.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/774	Y75C_100_100de	0.5	0.5	1.0	0.0	54.1	55.5	65.2	145.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/792	G00B_100_100de	0.0	1.0	0.0	0.0	50.6	62.1	19.9	65.2	162.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/772	G25B_100_100de	0.0	1.0	0.0	0.0	53.0	48.6	19.9	65.2	162.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/766	G50B_100_100de	0.0	1.0	0.0	0.0	50.6	48.6	19.9	65.2	162.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/840	G75B_100_100de	0.0	1.0	0.0	0.0	53.3	48.6	19.9	65.2	162.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/840	B00M_100_100de	0.0	0.5	1.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B25R_100_100de	0.5	0.5	1.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B50R_100_100de	0.5	0.5	1.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/652	B75R_100_100de	0.5	0.5	1.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/688	R00Y_100_100de	1.0	0.0	0.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R25Y_100_100de	0.0	0.5	1.0	0.0	50.6	62.1	19.9	65.2	162.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/666	R50Y_100_100de	0.0	0.5	1.0	0.0	60.2	63.4	74.1	58.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/702	R75Y_100_100de	0.0	0.5	1.0	0.0	70.9	75.9	76.7	0.0	0.0	0.397	1.0	0.0	0.0	0.0	0.0	0.0	0.0
20/720	Y00C_100_100de	1.0	0.0	1.0	0.0	83.6	90.4	90.4	83.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/738	Y25C_100_100de	0.5	0.5	1.0	0.0	74.5	74.3	78.4	108.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/756	Y50C_100_100de	0.5	0.5	1.0	0.0	62.6	53.8	67.6	127.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/774	Y75C_100_100de	0.5	0.5	1.0	0.0	54.1	55.5	65.2	145.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/792	G00B_100_100de	0.0	1.0	0.0	0.0	50.6	62.1	19.9	65.2	162.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_100de	0.5	0.5	1.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_100de	1.0	0.0	0.0	0.0	45.6	72.2	34.4	80.0	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_050de	0.75	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
28/524	R50Y_075_050de	0.75	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
29/542	Y00C_075_050de	0.75	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
30/380	Y50C_075_050de	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
31/218	G00B_075_050de	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
32/222	G50B_075_050de	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
33/186	B00R_075_050de	0.25	0.75	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
34/510	B50R_075_050de	0.75	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
35/506	R00Y_075_050de	0.75	0.25	0.75	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
36/324	R00Y_050_050de	0.5	0.0	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
37/342	R50Y_050_050de	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
38/360	Y00C_050_050de	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
39/198	Y50C_050_050de	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
40/36	G00B_050_050de	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
41/40	G50B_050_050de	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
42/4	B00R_050_050de	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
43/328	B50R_050_050de	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
44/324	R00Y_050_050de	0.5	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
45/0	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_015de	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025de	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_035de	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_050de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
50/455	NW_065de	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
51/66	NW_080de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
52/728	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page:

delta

see similar files: http://130.149.60.45/~farbmetrik/QE98/QE98.HTM technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmetrik

input: rgb/cmyk -> rgbde output: 3D-linearization to cmy0*de

see similar files: <http://130.149.60.45/~farbmatrik/QE98/QE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmy0^*_{de}$

TUB-test chart QE98; hue code: H_e^{*}=G50B_e
colors and differences, ΔE^{*}

JF980-7N Page 20/33-E

1-1131931-E0

[illegible]

see similar files: <http://130.149.60.45/~farbmatrik/QE98/QE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB-test chart QE98; hue code: $H_e^* = G50B_e$
colors and differences, ΔE^*

Mean color difference of this page:

see similar files: <http://130.149.60.45/~farbmetrik/QE98/QE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmatrik/QE98/QE98L0FA.TXT /PS; 3D-linearization QE98/QE98LE30FA.DAT in file (F), page 26/33

input: $rgb/cmyk \rightarrow rgb_{de}$
 output: 3D-linearization to $cmy0^*_{de}$

TUB-test chart QE98; hue code: $H_e^* = G50B_e$
colors and differences, ΔE^*

n	HIC*F ₁ e	rgb_F ₁ e	lcr_F ₁ e	h ₁ a_F ₁ e	rgb*F ₁ e	LaCh*F ₁ e	LaCh*F ₂ e	cmym* ^{sep} F ₁ e	h ₁ a*F ₁ e	rgb*F ₂ e	LaCh*F ₂ e	h ₁ a*F ₂ e
486	R35Y_075_075e	0.75	0.0	0.75	0.75	0.0	40.3	54.1	25.8	60.0	25.4	375
487	R35Y_075_075e	0.75	0.0	0.75	0.75	0.0	0.191	0.0	15.4	57.8	34.4	375
488	R18Y_075_075e	0.75	0.125	0.75	0.75	0.0	0.384	0.0	0.318	0.0	45.6	375
489	R00Y_075_075e	0.75	0.25	0.75	0.75	0.0	0.62	40.5	58.4	4.3	0.512	375
490	R00Y_075_075e	0.75	0.375	0.75	0.75	0.0	0.75	37.1	52.8	4.3	0.827	375
491	B65R_075_075e	0.75	0.0	0.625	0.75	0.0	0.452	0.0	0.572	0.0	0.736	375
492	B57R_075_075e	0.75	0.0	0.625	0.75	0.0	0.375	34.3	48.2	0.0	0.376	375
493	B30R_075_075e	0.75	0.0	0.625	0.75	0.0	0.75	31.7	41.6	0.0	0.342	375
494	B43R_087_087e	0.75	0.0	0.75	0.75	0.0	0.241	0.0	0.738	0.0	0.321	375
495	B43R_087_087e	0.75	0.0	0.875	0.875	0.0	0.875	28.1	35.9	0.0	0.287	375
496	B38R_100_100e	0.75	0.0	1.0	1.0	0.5	0.135	0.0	0.864	1.0	0.277	375
497	R15Y_075_075e	0.75	0.125	0.75	0.75	0.051	0.0	41.6	49.5	0.0	0.068	375
498	R00Y_075_062e	0.75	0.625	0.437	0.390	0.75	0.125	28.84	46.5	0.0	0.254	375
499	R31Y_075_062e	0.75	0.125	0.75	0.75	0.125	0.481	46.7	46.9	0.0	0.057	375
500	R11Y_075_062e	0.75	0.125	0.75	0.75	0.125	0.749	46.8	49.5	0.0	0.999	375
501	B69R_075_062e	0.75	0.125	0.75	0.75	0.625	0.437	36.7	0.0	0.0	0.0	375
502	B59R_075_062e	0.75	0.125	0.75	0.75	0.625	0.437	35.3	0.0	0.0	0.0	375
503	B50R_075_062e	0.75	0.125	0.75	0.75	0.625	0.437	34.0	0.0	0.0	0.0	375
504	B42R_087_075e	0.75	0.125	0.875	0.875	0.75	0.125	36.5	30.2	0.0	0.276	375
505	B36R_100_087e	0.75	0.125	1.0	1.0	0.875	0.562	31.4	0.0	0.0	0.0	375
506	R31Y_075_075e	0.75	0.25	0.0	0.75	0.75	0.184	0.0	46.2	39.2	0.0	375
507	R18Y_075_062e	0.75	0.25	0.125	0.75	0.75	0.197	0.125	48.4	39.6	0.0	375
508	R00Y_075_050e	0.75	0.25	0.25	0.75	0.75	0.25	0.077	52.8	36.1	0.0	375
509	R00Y_075_050e	0.75	0.25	0.75	0.75	0.75	0.25	0.178	53.7	36.6	0.0	375
510	R00Y_075_062e	0.75	0.25	0.75	0.75	0.625	0.618	28.5	35.2	0.0	0.057	375
511	B61R_075_060e	0.75	0.25	0.625	0.75	0.5	0.44	0.0	36.4	0.0	0.0	375
512	B50R_075_060e	0.75	0.25	0.75	0.75	0.5	0.340	0.0	34.1	0.0	0.0	375
513	B40R_087_062e	0.75	0.25	0.875	0.875	0.562	0.562	31.9	0.0	0.0	0.0	375
514	R38Y_075_062e	0.75	0.375	0.75	0.75	0.298	0.25	44.6	24.2	0.0	0.0	375
515	R23Y_075_062e	0.75	0.375	0.75	0.75	0.333	0.125	53.0	29.5	0.0	0.0	375
516	R00Y_075_062e	0.75	0.375	0.75	0.75	0.333	0.25	55.2	29.6	0.0	0.0	375
517	R18Y_075_037e	0.75	0.375	0.75	0.75	0.375	0.447	59.0	27.0	0.0	0.0	375
518	B65R_075_037e	0.75	0.375	0.75	0.75	0.375	0.685	59.1	29.2	0.0	0.0	375
519	B50R_075_037e	0.75	0.375	0.75	0.75	0.375	0.562	34.9	0.0	0.0	0.0	375
520	B38R_087_050e	0.75	0.375	0.75	0.75	0.375	0.562	31.6	0.0	0.0	0.0	375
521	B30R_100_062e	0.75	0.375	1.0	1.0	0.625	0.687	30.7	0.0	0.0	0.0	375
522	B68Y_075_075e	0.75	0.0	0.75	0.75	0.75	0.407	0.0	56.6	18.4	0.0	375
523	R61Y_075_062e	0.75	0.5	0.125	0.75	0.75	0.443	0.125	58.4	18.4	0.0	375
524	R50Y_075_050e	0.75	0.5	0.25	0.75	0.5	0.5	60	0.0	0.0	0.0	375
525	R31Y_075_037e	0.75	0.5	0.375	0.75	0.375	0.562	49.0	0.0	0.0	0.0	375
526	R00Y_075_025e	0.75	0.5	0.5	0.75	0.25	0.625	390	0.0	0.0	0.0	375
527	R00Y_075_025e	0.75	0.5	0.625	0.75	0.5	0.5	563	0.0	0.0	0.0	375
528	B50R_075_025e	0.75	0.5	0.75	0.75	0.25	0.625	360	0.0	0.0	0.0	375
529	B34R_087_037e	0.75	0.5	0.875	0.875	0.375	0.687	311	0.0	0.0	0.0	375
530	R25R_100_050e	0.75	0.5	1.0	1.0	0.5	0.75	300	0.0	0.0	0.0	375
531	R81Y_075_075e	0.75	0.75	0.75	0.75	0.552	1.0	0.5	60.8	12.3	0.0	375
532	R81Y_075_062e	0.75	0.625	0.125	0.75	0.513	0.10	62.2	8.1	60.3	0.0	375
533	R68Y_075_050e	0.75	0.625	0.25	0.75	0.552	0.25	65.4	8.9	37.9	0.0	375
534	R68Y_075_037e	0.75	0.375	0.75	0.75	0.578	0.375	67.2	9.2	26.9	0.0	375
535	R50Y_075_025e	0.75	0.625	0.5	0.75	0.599	0.5	68.9	9.5	15.8	0.0	375
536	R00Y_075_012e	0.75	0.625	0.625	0.75	0.625	0.656	71.5	9.0	4.3	0.0	375
537	B50R_075_012e	0.75	0.625	0.75	0.75	0.625	0.651	0.875	69.7	5.9	0.0	375
538	B25R_087_012e	0.75	0.625	0.875	0.875	0.625	0.718	1.0	72.0	5.4	0.0	375
539	B15R_100_037e	0.75	0.625	1.0	1.0	0.375	0.812	289	0.0	0.0	0.0	375
540	Y00G_075_075e	0.75	0.75	1.0	1.0	0.75	0.75	375	90	0.0	0.0	375
541	Y00G_075_062e	0.75	0.75	1.0	1.0	0.75	0.625	0.437	90	0.0	0.0	375
542	Y00G_075_050e	0.75	0.75	1.0	1.0	0.75	0.625	0.437	90	0.0	0.0	375
543	Y00G_075_037e	0.75	0.75	1.0	1.0	0.75	0.625	0.437	90	0.0	0.0	375
544	Y00G_075_025e	0.75	0.75	1.0	1.0	0.75	0.625	0.437	90	0.0	0.0	375
545	Y00G_075_012e	0.75	0.75	1.0	1.0	0.75	0.625	0.437	90	0.0	0.0	375
546	NV_075_075e	0.75	0.75	1.0	1.0	0.75	0.625	0.437	90	0.0	0.0	375
547	B00R_087_012e	0.75	0.75	0.75	0.75	0.807	0.875	79.7	0.1	0.0	0.0	375
548	B00R_100_025e	0.75	0.75	1.0	1.0	0.25	0.875	270	0.0	0.0	0.0	375
549	Y13G_087_087e	0.75	0.75	1.0	1.0	0.25	0.875	270	0.0	0.0	0.0	375
550	Y15G_087_062e	0.75	0.875	0.125	0.875	0.875	0.875	0.437	98	0.0	0.0	375
551	Y18G_087_062e	0.75	0.875	0.25	0.875	0.875	0.875	0.437	98	0.0	0.0	375
552	Y23G_087_037e	0.75	0.875	0.375	0.875	0.875	0.875	0.437	98	0.0	0.0	375
553	Y31G_087_037e	0.75	0.875	0.5	0.875	0.875	0.875	0.437	98	0.0	0.0	375
554	Y50G_087_025e	0.75	0.875	0.625	0.875	0.875	0.875	0.437	98	0.0	0.0	375
555	G00B_087_012e	0.75	0.875	0.75	0.875	0.875	0.875	0.437	98	0.0	0.0	375
556	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
557	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
558	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
559	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
560	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
561	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
562	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
563	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
564	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
565	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375
566	G00B_087_012e	0.75	0.875	1.0	1.0	0.875	0.875	0.437	98	0.0	0.0	375


Mean color difference of this page: 216.9

http://130.149.60.45/~farbmatrik/QE98/QE98L0FA.TXT /PS; 3D-linearization
F: 3D-linearization QE98/QE98LE30FA.DAT in file (F), page 29/33



QE380-7N, Page 2933-F

TUB-test chart QE98; hue code: H*_e=G50B_e
 colors and differences, ΔE^*

[illegible]




TUB registration: 20130201-QE98/QE98L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0* (CMY0)




http://130.149.60.45/~farbmatrik/QE98/QE98L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization QE98/QE98L0FA.DAT in file (F), page 31/33

n	HC*File	rgb_File	rgb_File	rgb_File	LabCH*File	cmyn*sep_File	delta	LabCH*File	rgb_File	rgb_File	LabCH*File	cmyn*sep_File	delta
891	NW_100de	1.0	1.0	1.0	95.6	0.0	0.0	95.6	1.0	1.0	95.6	0.0	0.0
892	B50R_100.012de	0.875	1.0	0.125	93.37	0.0	0.0	93.37	0.875	1.0	93.37	0.0	0.0
893	B50R_100.025de	0.75	1.0	0.25	91.25	0.0	0.0	91.25	0.75	1.0	91.25	0.0	0.0
894	B50R_100.037de	0.625	1.0	0.375	89.12	0.0	0.0	89.12	0.625	1.0	89.12	0.0	0.0
895	B50R_100.050de	0.5	1.0	0.5	87.0	0.0	0.0	87.0	0.5	1.0	87.0	0.0	0.0
896	B50R_100.062de	0.375	1.0	0.625	84.87	0.0	0.0	84.87	0.375	1.0	84.87	0.0	0.0
897	B50R_100.075de	0.25	1.0	0.75	82.75	0.0	0.0	82.75	0.25	1.0	82.75	0.0	0.0
898	B50R_100.087de	0.125	1.0	0.875	80.62	0.0	0.0	80.62	0.125	1.0	80.62	0.0	0.0
899	B50R_100.100de	0.0	1.0	1.0	78.5	0.0	0.0	78.5	0.0	1.0	78.5	0.0	0.0
900	NW_087de	0.875	1.0	0.125	93.37	0.0	0.0	93.37	0.875	1.0	93.37	0.0	0.0
901	B50R_087.012de	0.875	0.875	0.125	91.25	0.0	0.0	91.25	0.875	0.875	91.25	0.0	0.0
902	B50R_087.025de	0.875	0.875	0.25	89.12	0.0	0.0	89.12	0.875	0.875	89.12	0.0	0.0
903	B50R_087.037de	0.875	0.875	0.375	87.0	0.0	0.0	87.0	0.875	0.875	87.0	0.0	0.0
904	B50R_087.050de	0.875	0.875	0.5	84.87	0.0	0.0	84.87	0.875	0.875	84.87	0.0	0.0
905	B50R_087.062de	0.875	0.875	0.625	82.75	0.0	0.0	82.75	0.875	0.875	82.75	0.0	0.0
906	B50R_087.075de	0.875	0.875	0.75	80.62	0.0	0.0	80.62	0.875	0.875	80.62	0.0	0.0
907	B50R_087.087de	0.875	0.875	0.875	78.5	0.0	0.0	78.5	0.875	0.875	78.5	0.0	0.0
908	B50R_087.100de	0.75	1.0	0.25	87.0	0.0	0.0	87.0	0.75	1.0	87.0	0.0	0.0
909	B50R_087.012de	0.75	0.875	0.125	84.87	0.0	0.0	84.87	0.75	0.875	84.87	0.0	0.0
910	B50R_087.025de	0.75	0.875	0.25	82.75	0.0	0.0	82.75	0.75	0.875	82.75	0.0	0.0
911	B50R_087.037de	0.75	0.875	0.375	80.62	0.0	0.0	80.62	0.75	0.875	80.62	0.0	0.0
912	B50R_087.050de	0.75	0.875	0.5	78.5	0.0	0.0	78.5	0.75	0.875	78.5	0.0	0.0
913	B50R_087.062de	0.75	0.875	0.625	76.37	0.0	0.0	76.37	0.75	0.875	76.37	0.0	0.0
914	B50R_087.075de	0.75	0.875	0.75	74.25	0.0	0.0	74.25	0.75	0.875	74.25	0.0	0.0
915	B50R_087.087de	0.75	0.875	0.875	72.12	0.0	0.0	72.12	0.75	0.875	72.12	0.0	0.0
916	B50R_087.100de	0.625	1.0	0.375	69.99	0.0	0.0	69.99	0.625	1.0	69.99	0.0	0.0
917	B50R_087.012de	0.625	0.875	0.125	67.87	0.0	0.0	67.87	0.625	0.875	67.87	0.0	0.0
918	B50R_087.025de	0.625	0.875	0.25	65.75	0.0	0.0	65.75	0.625	0.875	65.75	0.0	0.0
919	B50R_087.037de	0.625	0.875	0.375	63.62	0.0	0.0	63.62	0.625	0.875	63.62	0.0	0.0
920	B50R_087.050de	0.625	0.875	0.5	61.5	0.0	0.0	61.5	0.625	0.875	61.5	0.0	0.0
921	B50R_087.062de	0.625	0.875	0.625	59.37	0.0	0.0	59.37	0.625	0.875	59.37	0.0	0.0
922	B50R_087.075de	0.625	0.875	0.75	57.25	0.0	0.0	57.25	0.625	0.875	57.25	0.0	0.0
923	B50R_087.087de	0.625	0.875	0.875	55.12	0.0	0.0	55.12	0.625	0.875	55.12	0.0	0.0
924	B50R_087.100de	0.5	1.0	0.5	53.0	0.0	0.0	53.0	0.5	1.0	53.0	0.0	0.0
925	B50R_087.012de	0.5	0.875	0.125	50.87	0.0	0.0	50.87	0.5	0.875	50.87	0.0	0.0
926	B50R_087.025de	0.5	0.875	0.25	48.75	0.0	0.0	48.75	0.5	0.875	48.75	0.0	0.0
927	B50R_087.037de	0.5	0.875	0.375	46.62	0.0	0.0	46.62	0.5	0.875	46.62	0.0	0.0
928	B50R_087.050de	0.5	0.875	0.5	44.5	0.0	0.0	44.5	0.5	0.875	44.5	0.0	0.0
929	B50R_087.062de	0.5	0.875	0.625	42.37	0.0	0.0	42.37	0.5	0.875	42.37	0.0	0.0
930	B50R_087.075de	0.5	0.875	0.75	40.25	0.0	0.0	40.25	0.5	0.875	40.25	0.0	0.0
931	B50R_087.087de	0.5	0.875	0.875	38.12	0.0	0.0	38.12	0.5	0.875	38.12	0.0	0.0
932	B50R_087.100de	0.375	1.0	0.375	36.0	0.0	0.0	36.0	0.375	1.0	36.0	0.0	0.0
933	B50R_087.012de	0.375	0.875	0.125	33.87	0.0	0.0	33.87	0.375	0.875	33.87	0.0	0.0
934	B50R_087.025de	0.375	0.875	0.25	31.75	0.0	0.0	31.75	0.375	0.875	31.75	0.0	0.0
935	B50R_087.037de	0.375	0.875	0.375	29.62	0.0	0.0	29.62	0.375	0.875	29.62	0.0	0.0
936	B50R_087.050de	0.375	0.875	0.5	27.5	0.0	0.0	27.5	0.375	0.875	27.5	0.0	0.0
937	B50R_087.062de	0.375	0.875	0.625	25.37	0.0	0.0	25.37	0.375	0.875	25.37	0.0	0.0
938	B50R_087.075de	0.375	0.875	0.75	23.25	0.0	0.0	23.25	0.375	0.875	23.25	0.0	0.0
939	B50R_087.087de	0.375	0.875	0.875	21.12	0.0	0.0	21.12	0.375	0.875	21.12	0.0	0.0
940	B50R_087.100de	0.25	1.0	0.25	19.0	0.0	0.0	19.0	0.25	1.0	19.0	0.0	0.0
941	NW_037de	0.375	0.875	0.375	16.87	0.0	0.0	16.87	0.375	0.875	16.87	0.0	0.0
942	B50R_037.012de	0.375	0.375	0.125	14.75	0.0	0.0	14.75	0.375	0.375	14.75	0.0	0.0
943	B50R_037.025de	0.375	0.375	0.25	12.62	0.0	0.0	12.62	0.375	0.375	12.62	0.0	0.0
944	B50R_037.037de	0.375	0.375	0.375	10.5	0.0	0.0	10.5	0.375	0.375	10.5	0.0	0.0
945	B50R_037.050de	0.25	1.0	0.25	8.37	0.0	0.0	8.37	0.25	1.0	8.37	0.0	0.0
946	B50R_037.062de	0.25	0.875	0.25	6.25	0.0	0.0	6.25	0.25	0.875	6.25	0.0	0.0
947	B50R_037.075de	0.25	0.875	0.375	4.12	0.0	0.0	4.12	0.25	0.875	4.12	0.0	0.0
948	B50R_037.087de	0.25	0.875	0.5	2.0	0.0	0.0	2.0	0.25	0.875	2.0	0.0	0.0
949	B50R_037.100de	0.25	0.875	0.625	0.0	0.0	0.0	0.0	0.25	0.875	0.0	0.0	0.0
950	NW_012de	0.25	0.875	0.25	16.87	0.0	0.0	16.87	0.25	0.875	16.87	0.0	0.0
951	B50R_012.012de	0.25	0.875	0.125	14.75	0.0	0.0	14.75	0.25	0.875	14.75	0.0	0.0
952	B50R_012.025de	0.25	0.875	0.25	12.62	0.0	0.0	12.62	0.25	0.875	12.62	0.0	0.0
953	B50R_012.037de	0.25	0.875	0.375	10.5	0.0	0.0	10.5	0.25	0.875	10.5	0.0	0.0
954	B50R_012.050de	0.125	1.0	0.125	8.37	0.0	0.0	8.37	0.125	1.0	8.37	0.0	0.0
955	B50R_012.062de	0.125	0.875	0.125	6.25	0.0	0.0	6.25	0.125	0.875	6.25	0.0	0.0
956	B50R_012.075de	0.125	0.875	0.25	4.12	0.0	0.0	4.12	0.125	0.875	4.12	0.0	0.0
957	B50R_012.087de	0.125	0.875	0.375	2.0	0.0	0.0	2.0	0.125	0.875	2.0	0.0	0.0
958	B50R_012.100de	0.125	0.875	0.5	0.0	0.0	0.0	0.0	0.125	0.875	0.0	0.0	0.0
959	B50R_012.012de	0.125	0.375	0.125	16.87	0.0	0.0	16.87	0.125	0.375	16.87	0.0	0.0
960	B50R_012.025de	0.125	0.375	0.25	14.75	0.0	0.0	14.75	0.125	0.375	14.75	0.0	0.0
961	B50R_012.037de	0.125	0.375	0.375	12.62	0.0	0.0	12.62	0.125	0.375	12.62	0.0	0.0
962	B50R_012.050de	0.125	0.375	0.5	10.5	0.0	0.0	10.5	0.125	0.375	10.5	0.0	0.0
963	B50R_012.062de	0.125	0.375	0.625	8.37	0.0	0.0	8.37	0.125	0.375	8.37	0.0	0.0
964	B50R_012.075de	0.125	0.375	0.75	6.25	0.0	0.0	6.25	0.125	0.375	6.25	0.0	0.0
965	B50R_012.087de	0.125	0.375	0.875	4.12	0.0	0.0	4.12	0.125	0.375	4.12	0.0	0.0
966	B50R_012.100de	0.125	0.375	1.0	2.0	0.0	0.0	2.0	0.125	0.375	2.0	0.0	0.0
967	B50R_012.012de	0.125	0.375	0.125	16.87	0.0	0.0	16.87	0.125	0.375	16.87	0.0	0.0
968	B50R_012.025de	0.125	0.375	0.25	14.75	0.0	0.0	14.75	0.125	0.375	14.75	0.0	0.0
969	B50R_012.037de	0.125	0.375	0.375	12.62	0.0	0.0	12.62	0.125	0.375	12.62	0.0	0.0
970	B50R_012.050de	0.125	0.375	0.5	10.5	0.0	0.0	10.5	0.125	0.375	10.5	0.0	0.0
971	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



see similar files: <http://130.149.60.45/~farbmatrik/QE98/QE98L0FA.TXT> /.PS; 3D-linearization
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>



QE980-7N; Page 31/33-F

TUB-test chart QE98; hue code: H*=G50B_e
colors and differences, ΔE*

input: rgb/cmyk -> rgbde
output: 3D-linearization to cmy0*de

Mean color difference of this page:

