

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_-

codice di tonalità per i colori questa pagina:

$H^*_- = R50Y_-$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 68 25 63 68 68

$HIC^*_{-,Ma}$: R50Y_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.5 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$



%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)



H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



vedere dei file simili: http://130.149.60.45/~farbmetrik/QI17/QI17.HTM
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
 la domanda per la misura uscita nella stampa di offset

TUB materiale: code=rh4ta




Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Dati del dispositivo (d) o colori elementari (e):

HIC^*_d
codice di tonalità per i colori questa pagina:
 $H^*_d = R50Y_d$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_{d, Ma}$: 64 28 68 74 67



$HIC^*_{d, Ma}$: R50Y_100_100d

$rgbic^*_{d, Ma}$:
1.0 0.5 0.0 1.0 1.0

triangolo chiarezza T^*

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta




Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Dati del dispositivo (d) o colori elementari (e):

HIC^*_d
codice di tonalità per i colori questa pagina:
 $H^*_d = R50Y_d$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 64\ 28\ 68\ 74\ 67$

$HIC^*_d, Ma: R50Y_100_100_d$

$rgbic^*_d, Ma:$



1.0 0.5 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma
 $u^*_{rel} = 92$
%Regularità
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta



Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$


Dati del dispositivo (d) o colori elementari (e):

HIC^*_d

codice di tonalità per i colori questa pagina:

$H^*_d = R50Y_d$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	45.4	70.9	44.8	83.9	32
Y _{d,Ma}	87.8	-10.2	95.4	96.0	96
G _{d,Ma}	50.0	-65.0	29.6	71.4	155
C _{d,Ma}	56.8	-25.5	-41.5	48.7	238
B _{d,Ma}	25.0	29.5	-40.4	50.0	306
M _{d,Ma}	46.1	79.3	-0.2	79.3	359
N _{d,Ma}	24.3	0.0	0.0	0.0	0
W _{d,Ma}	95.6	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma: 64\ 28\ 68\ 74\ 67$

$HIC^*_d, Ma: R50Y_100_100_d$

$rgbic^*_d, Ma:$



1.0 0.5 0.0 1.0 1.0

triangolo chiarezza T^*

%Gamma
 $u^*_{rel} = 92$
%Regularità
 $g^*_H, rel = 57$
 $g^*_C, rel = 58$

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	45.4	70.9	44.8	83.9	32
R25Y_100_100 _d	53.0	53.4	54.8	76.5	45
R50Y_100_100 _d	64.9	28.9	68.6	74.5	67
R75Y_100_100 _d	78.6	4.3	84.7	84.8	87
Y00G_100_100 _d	87.8	-10.2	95.4	96.0	96
Y25G_100_100 _d	81.2	-17.0	84.3	86.0	101
Y50G_100_100 _d	70.6	-29.7	66.5	72.8	114
Y75G_100_100 _d	57.9	-48.3	45.8	66.5	136
G00B_100_100 _d	50.0	-65.0	29.6	71.4	155
G25B_100_100 _d	52.9	-48.6	-8.0	49.3	189
G50B_100_100 _d	56.8	-25.5	-41.5	48.7	238
G75B_100_100 _d	41.7	-1.2	-40.6	40.6	268
B00R_100_100 _d	25.0	29.5	-40.4	50.0	306
B25R_100_100 _d	35.6	58.6	-20.7	62.1	340
B50R_100_100 _d	46.1	79.3	-0.2	79.3	359
B75R_100_100 _d	45.9	74.2	21.1	77.1	15



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta




Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 67/360 = 0.18$

$H^*_d = R50Y_d$

Dati del dispositivo (d) o colori elementari (e):

HIC^*_d
codice di tonalità per i colori questa pagina:
 $H^*_d = R50Y_d$
triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{d, Ma}	45.4	70.9	44.8	83.9	32
Y _{d, Ma}	87.8	-10.2	95.4	96.0	96
G _{d, Ma}	50.0	-65.0	29.6	71.4	155
C _{d, Ma}	56.8	-25.5	-41.5	48.7	238
B _{d, Ma}	25.0	29.5	-40.4	50.0	306
M _{d, Ma}	46.1	79.3	-0.2	79.3	359
N _{d, Ma}	24.3	0.0	0.0	0.0	0
W _{d, Ma}	95.6	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_d, Ma$: 64 28 68 74 67

HIC^*_d, Ma : R50Y_100_100d



$rgbic^*_d, Ma$:

1.0 0.5 0.0 1.0 1.0

triangolo chiarezza T^*

ORS20a; dati atti CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100d	45.4	70.9	44.8	83.9	32
R25Y_100_100d	53.0	53.4	54.8	76.5	45
R50Y_100_100d	64.9	28.9	68.6	74.5	67
R75Y_100_100d	78.6	4.3	84.7	84.8	87
Y00G_100_100d	87.8	-10.2	95.4	96.0	96
Y25G_100_100d	81.2	-17.0	84.3	86.0	101
Y50G_100_100d	70.6	-29.7	66.5	72.8	114
Y75G_100_100d	57.9	-48.3	45.8	66.5	136
G00B_100_100d	50.0	-65.0	29.6	71.4	155
G25B_100_100d	52.9	-48.6	-8.0	49.3	189
G50B_100_100d	56.8	-25.5	-41.5	48.7	238
G75B_100_100d	41.7	-1.2	-40.6	40.6	268
B00R_100_100d	25.0	29.5	-40.4	50.0	306
B25R_100_100d	35.6	58.6	-20.7	62.1	340
B50R_100_100d	46.1	79.3	-0.2	79.3	359
B75R_100_100d	45.9	74.2	21.1	77.1	15






vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta



TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS TUB materiale: code=rh4ta
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



4-103531-L0 QI170-72

grafico TUB-QI17; codice di tinte: $H^*_d=R50Y_d$
grafico conformemente a DIN 33872, 3D=1, de=0, cmy0*


immettere: $rgb/cmyk \rightarrow rgb_{dd}$
uscita: 3D-linearizzazione a $cmy0^*_{dd}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$
 $LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$
 $LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$
 $LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$



$O=R_d$
 $LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$


$M=M_d$
 $LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$
 $LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e
 $LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_de = 1.0 \ 0.878 \ 0.0$

G_e
 $LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_de = 0.0 \ 1.0 \ 0.151$

C_e
 $LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_de = 0.0 \ 1.0 \ 0.747$



R_e
 $LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_de = 1.0 \ 0.0 \ 0.254$


M_e
 $LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_de = 0.321 \ 0.0 \ 1.0$

B_e
 $LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_de = 0.0 \ 0.458 \ 1.0$

Y_s
 $LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_ds = 1.0 \ 0.828 \ 0.0$

G_s
 $LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_ds = 0.062 \ 1.0 \ 0.0$

C_s
 $LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_ds = 0.0 \ 1.0 \ 0.685$



R_s
 $LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_ds = 1.0 \ 0.0 \ 0.096$

M_s
 $LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_ds = 0.337 \ 0.0 \ 1.0$

B_s
 $LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_ds = 0.0 \ 0.479 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_d, LCH^*_d, LAB^*_d$
 h_{ab}, rgb^*_d

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab}, h_{ab,d}$


rgb^*_e

vedere dei file simili: http://130.149.60.45/~farbmetrik/QI17/QI17.HTM
 informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
 la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
 TUB materiale: code=rh4ta

Data of maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBCM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 24 columns: h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{dd}, ddx64M, LAB*_{ddx64M} (x=LabCh), r_{gb}^{dd}, ddx361M, LAB*_{ddx361M} (x=LabCh), r_{gb}^{ds}, dsx361M, LAB*_{dsx361M} (x=LabCh), r_{gb}^{ds}, dex361M, LAB*_{dex361M} (x=LabCh), r_{gb}^{de}, ddx361M, LAB*_{ddx361M} (x=LabCh), r_{gb}^{de}, dsx361M, LAB*_{dsx361M} (x=LabCh), r_{gb}^{de}, dex361M, LAB*_{dex361M} (x=LabCh). Rows contain numerical data for various color points.



vedere dei file simili: http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT / .PS
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta






grafico TUB-QI17; codice di tinte: H*d=R50Y_d
cerchio delle tinte a 48 passi; r_{gb}-LabCh*tavole

immettere: r_{gb}/cmyk -> r_{gb}^{dd}
uscita: 3D-linearizzazione a cmy0*_{dd}



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^a _{dd}	dd64M	LAB ^a _{dd}	dd64M (x=LabCh)	rgb ^a _{ds}	dex361M	LAB ^a _{ds}	dex361M	rgb ^a _{de}								
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25	
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33	
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42	
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49	
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58	
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66	
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.43	52.5	-52.2	0.2	52.3	182	
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271	
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292	
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1	0.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8	0.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0	0.0	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4	0.0	0.539	0.0	1.0	36.4	60.8	-18.7	63.7	342
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1	0.0	0.667	0.0	1.0	39.3	67.4	-12.4	68.5	349
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9	0.0	0.736	0.0	1.0	41.4	70.5	-9.7	71.1	352
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2	0.0	0.81	0.0	1.0	46.1	79.3	-0.1	79.3	359
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6	0.0	0.887	0.0	1.0	46.0	76.5	11.8	77.4	368
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3	0.0	0.985	0.0	1.0	48.5	74.1	22.0	77.3	376
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3	1.0	0.0	0.255	45.7	72.2	34.4	80.0	385	



vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: *h_{ab,d}* = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_c: *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_{dd}</i> 361M	LAB* _{dd} 361Mi (x=LabCh)	<i>R_d</i>	<i>rgb*_{ds}</i> 361Mi	LAB* _{ds} 361Mi (x=LabCh)	<i>R_s</i>	<i>rgb*_{dd}</i> 361Mi	LAB* _{de} 361Mi (x=LabCh)	<i>R_c</i>	<i>rgb*_{dd}</i> 361Mi	<i>rgb*_{dd}</i> <i>rgb*_{ds}</i> <i>rgb*_{de}</i>
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32	1.0	1.0 0.0 0.096 45.5 71.4 41.2 82.4 30	1.0	1.0 0.0 0.0	1.0 0.0 0.255 45.7 72.2 34.4 80.0 25	1.0	1.0 0.0 0.0		
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33	1.0	1.0 0.0 0.055 45.5 71.2 42.8 83.1 31	1.0	1.0 0.017 0.0	1.0 0.0 0.218 45.6 72.0 36.1 80.6 26	1.0	1.0 0.017 0.0		
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33	1.0	1.0 0.0 0.013 45.5 71.0 44.4 83.7 32	1.0	1.0 0.033 0.0	1.0 0.0 0.18 45.6 71.8 37.7 81.1 27	1.0	1.0 0.033 0.0		
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34	1.0	1.0 0.015 0.0 45.9 70.0 45.5 83.5 33	1.0	1.0 0.05 0.0	1.0 0.0 0.142 45.6 71.6 39.4 81.7 28	1.0	1.0 0.05 0.0		
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35	1.0	1.0 0.036 0.0 46.5 68.6 46.3 82.8 34	1.0	1.0 0.067 0.0	1.0 0.0 0.099 45.5 71.4 41.1 82.4 29	1.0	1.0 0.067 0.0		
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36	1.0	1.0 0.057 0.0 47.1 67.3 47.1 82.1 35	1.0	1.0 0.083 0.0	1.0 0.0 0.053 45.5 71.2 42.9 83.1 31	1.0	1.0 0.083 0.0		
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36	1.0	1.0 0.079 0.0 47.6 65.9 47.9 81.4 36	1.0	1.0 0.1 0.0	1.0 0.0 0.006 45.5 71.0 44.6 83.8 32	1.0	1.0 0.1 0.0		
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37	1.0	1.0 0.1 0.0 48.2 64.5 48.6 80.7 37	1.0	1.0 0.117 0.0	1.0 0.021 0.0 46.0 69.6 45.7 83.3 33	1.0	1.0 0.117 0.0		
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38	1.0	1.0 0.121 0.0 48.8 63.1 49.3 80.1 38	1.0	1.0 0.133 0.0	1.0 0.044 0.0 46.7 68.1 46.6 82.5 34	1.0	1.0 0.133 0.0		
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39	1.0	1.0 0.137 0.0 49.4 61.8 50.1 79.6 39	1.0	1.0 0.15 0.0	1.0 0.068 0.0 47.4 66.6 47.5 81.8 35	1.0	1.0 0.15 0.0		
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41	1.0	1.0 0.151 0.0 49.9 60.6 50.9 79.1 40	1.0	1.0 0.167 0.0	1.0 0.092 0.0 48.0 65.0 48.3 81.0 36	1.0	1.0 0.167 0.0		
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42	1.0	1.0 0.166 0.0 50.5 59.4 51.6 78.7 41	1.0	1.0 0.183 0.0	1.0 0.116 0.0 48.7 63.5 49.1 80.2 37	1.0	1.0 0.183 0.0		
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43	1.0	1.0 0.18 0.0 51.0 58.1 52.3 78.2 42	1.0	1.0 0.2 0.0	1.0 0.135 0.0 49.3 62.0 49.9 79.6 38	1.0	1.0 0.2 0.0		
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44	1.0	1.0 0.194 0.0 51.6 56.9 53.0 77.8 43	1.0	1.0 0.217 0.0	1.0 0.151 0.0 49.9 60.7 50.8 79.1 39	1.0	1.0 0.217 0.0		
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45	1.0	1.0 0.209 0.0 52.1 55.6 53.7 77.3 44	1.0	1.0 0.233 0.0	1.0 0.167 0.0 50.5 59.3 51.7 78.6 41	1.0	1.0 0.233 0.0		
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46	1.0	1.0 0.223 0.0 52.7 54.4 54.4 76.9 45	1.0	1.0 0.25 0.0	1.0 0.183 0.0 51.1 57.9 52.5 78.1 42	1.0	1.0 0.25 0.0		
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48	1.0	1.0 0.237 0.0 53.2 53.1 55.0 76.4 46	1.0	1.0 0.267 0.0	1.0 0.198 0.0 51.7 56.5 53.2 77.6 43	1.0	1.0 0.267 0.0		
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49	1.0	1.0 0.251 0.0 53.7 51.8 55.6 76.0 47	1.0	1.0 0.283 0.0	1.0 0.214 0.0 52.3 55.1 54.0 77.1 44	1.0	1.0 0.283 0.0		
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50	1.0	1.0 0.264 0.0 54.3 50.7 56.3 75.8 48	1.0	1.0 0.3 0.0	1.0 0.23 0.0 52.9 53.7 54.7 76.6 45	1.0	1.0 0.3 0.0		
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52	1.0	1.0 0.276 0.0 54.8 49.6 57.1 75.6 49	1.0	1.0 0.317 0.0	1.0 0.246 0.0 53.5 52.3 55.4 76.1 46	1.0	1.0 0.317 0.0		
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53	1.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 50	1.0	1.0 0.333 0.0	1.0 0.261 0.0 54.2 51.0 56.2 75.9 47	1.0	1.0 0.333 0.0		
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54	1.0	1.0 0.301 0.0 55.9 47.3 58.5 75.2 51	1.0	1.0 0.35 0.0	1.0 0.274 0.0 54.8 49.8 57.0 75.6 48	1.0	1.0 0.35 0.0		
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56	1.0	1.0 0.313 0.0 56.5 46.2 59.1 75.0 52	1.0	1.0 0.367 0.0	1.0 0.288 0.0 55.4 48.5 57.8 75.4 49	1.0	1.0 0.367 0.0		
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57	1.0	1.0 0.326 0.0 57.0 45.0 59.8 74.8 53	1.0	1.0 0.383 0.0	1.0 0.302 0.0 56.0 47.2 58.5 75.2 51	1.0	1.0 0.383 0.0		
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59	1.0	1.0 0.338 0.0 57.6 43.9 60.4 74.6 54	1.0	1.0 0.4 0.0	1.0 0.316 0.0 56.6 45.9 59.3 75.0 52	1.0	1.0 0.4 0.0		
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60	1.0	1.0 0.35 0.0 58.1 42.7 61.0 74.4 55	1.0	1.0 0.417 0.0	1.0 0.33 0.0 57.2 44.6 60.0 74.8 53	1.0	1.0 0.417 0.0		
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61	1.0	1.0 0.363 0.0 58.6 41.5 61.5 74.2 56	1.0	1.0 0.433 0.0	1.0 0.343 0.0 57.8 43.3 60.6 74.5 54	1.0	1.0 0.433 0.0		
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63	1.0	1.0 0.375 0.0 59.2 40.3 62.1 74.0 57	1.0	1.0 0.45 0.0	1.0 0.357 0.0 58.4 42.0 61.3 74.3 55	1.0	1.0 0.45 0.0		
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64	1.0	1.0 0.387 0.0 59.8 39.3 62.8 74.1 58	1.0	1.0 0.467 0.0	1.0 0.371 0.0 59.0 40.7 61.9 74.1 56	1.0	1.0 0.467 0.0		
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65	1.0	1.0 0.4 0.0 60.3 38.2 63.5 74.1 59	1.0	1.0 0.483 0.0	1.0 0.385 0.0 59.6 39.5 62.7 74.1 57	1.0	1.0 0.483 0.0		
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67	1.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60	1.0	1.0 0.5 0.0	1.0 0.398 0.0 60.3 38.3 63.5 74.1 58	1.0	1.0 0.5 0.0		
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68	1.0	1.0 0.424 0.0 61.4 36.0 64.9 74.2 61	1.0	1.0 0.517 0.0	1.0 0.412 0.0 60.9 37.1 64.2 74.2 60	1.0	1.0 0.517 0.0		
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70	1.0	1.0 0.436 0.0 62.0 34.9 65.6 74.3 62	1.0	1.0 0.533 0.0	1.0 0.426 0.0 61.5 35.8 65.0 74.2 61	1.0	1.0 0.533 0.0		
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71	1.0	1.0 0.449 0.0 62.6 33.7 66.2 74.3 63	1.0	1.0 0.55 0.0	1.0 0.439 0.0 62.1 34.6 65.7 74.3 62	1.0	1.0 0.55 0.0		
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73	1.0	1.0 0.461 0.0 63.1 32.6 66.9 74.4 64	1.0	1.0 0.567 0.0	1.0 0.453 0.0 62.8 33.3 66.4 74.3 63	1.0	1.0 0.567 0.0		
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74	1.0	1.0 0.473 0.0 63.7 31.5 67.5 74.4 65	1.0	1.0 0.583 0.0	1.0 0.467 0.0 63.4 32.1 67.1 74.4 64	1.0	1.0 0.583 0.0		
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76	1.0	1.0 0.486 0.0 64.2 30.3 68.0 74.5 66	1.0	1.0 0.6 0.0	1.0 0.48 0.0 64.0 30.8 67.8 74.5 65	1.0	1.0 0.6 0.0		
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77	1.0	1.0 0.498 0.0 64.8 29.1 68.6 74.5 67	1.0	1.0 0.617 0.0	1.0 0.494 0.0 64.6 29.5 68.4 74.5 66	1.0	1.0 0.617 0.0		
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79	1.0	1.0 0.509 0.0 65.4 28.0 69.4 74.8 68	1.0	1.0 0.633 0.0	1.0 0.507 0.0 65.3 28.2 69.2 74.8 67	1.0	1.0 0.633 0.0		
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80	1.0	1.0 0.52 0.0 66.1 26.9 70.2 75.2 69	1.0	1.0 0.65 0.0	1.0 0.519 0.0 66.0 27.0 70.1 75.2 68	1.0	1.0 0.65 0.0		
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81	1.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70	1.0	1.0 0.667 0.0	1.0 0.531 0.0 66.7 25.8 71.0 75.6 70	1.0	1.0 0.667 0.0		
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82	1.0	1.0 0.542 0.0 67.3 24.7 71.8 75.9 71	1.0	1.0 0.683 0.0	1.0 0.543 0.0 67.4 24.6 71.9 76.0 71	1.0	1.0 0.683 0.0		
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83	1.0	1.0 0.553 0.0 67.9 23.6 72.6 76.3 72	1.0	1.0 0.7 0.0	1.0 0.555 0.0 68.1 23.3 72.8 76.4 72	1.0	1.0 0.7 0.0		
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84	1.0	1.0 0.564 0.0 68.6 22.4 73.3 76.6 73	1.0	1.0 0.717 0.0	1.0 0.568 0.0 68.8 22.0 73.6 76.8 73	1.0	1.0 0.717 0.0		
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85	1.0	1.0 0.574 0.0 69.2 21.2 74.0 77.0 74	1.0	1.0 0.733 0.0	1.0 0.58 0.0 69.5 20.6 74.4 77.2 74	1.0	1.0 0.733 0.0		
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86	1.0	1.0 0.585 0.0 69.8 20.0 74.7 77.4 75	1.0	1.0 0.75 0.0	1.0 0.592 0.0 70.2 19.3 75.2 77.6 75	1.0	1.0 0.75 0.0		

4-103931-L0 QI170-72 LAB*La0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 10/33

grafico TUB-QI17; codice di tinte: *H*_d*=R50Y_d
cerchio delle tinte a 48 passi; *rgb-LabCh**tavole

immettere: *rgb/cmyk* -> *rgb_{dd}*
uscita: 3D-linearizzazione a *cmy0*_{dd}*

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM: h_{abe} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd361Mi	rgb* ds361Mi	rgb* ds361Mi	Y _d	Y _s	Y _e
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8	84.0 86	1.0 0.585 0.0	69.8 20.0 74.7	77.4 75	1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2	77.6 75	1.0 0.75 0.0				
87	76	76	1.0 0.766 0.0	78.6 4.3 84.7	84.8 87	1.0 0.596 0.0	70.5 18.8 75.4	77.7 76	1.0 0.767 0.0	1.0 0.604 0.0	70.9 17.9 75.9	78.0 76	1.0 0.767 0.0				
87	77	77	1.0 0.783 0.0	79.4 3.2 85.6	85.7 87	1.0 0.607 0.0	71.1 17.6 76.1	78.1 77	1.0 0.783 0.0	1.0 0.616 0.0	71.6 16.5 76.6	78.4 77	1.0 0.783 0.0				
88	78	78	1.0 0.8 0.0	80.1 2.0 86.5	86.5 88	1.0 0.618 0.0	71.7 16.3 76.7	78.5 78	1.0 0.8 0.0	1.0 0.63 0.0	72.4 15.1 77.4	78.9 78	1.0 0.8 0.0				
89	79	80	1.0 0.816 0.0	80.8 0.8 87.3	87.3 89	1.0 0.631 0.0	72.4 15.1 77.5	78.9 79	1.0 0.817 0.0	1.0 0.648 0.0	73.2 13.8 78.5	79.7 80	1.0 0.817 0.0				
90	80	81	1.0 0.833 0.0	81.6 -0.3 88.2	88.2 90	1.0 0.647 0.0	73.2 13.8 78.4	79.6 80	1.0 0.833 0.0	1.0 0.667 0.0	74.1 12.3 79.5	80.5 81	1.0 0.833 0.0				
91	81	82	1.0 0.85 0.0	82.3 -1.5 89.0	89.0 91	1.0 0.664 0.0	73.9 12.6 79.4	80.4 81	1.0 0.85 0.0	1.0 0.685 0.0	74.9 10.9 80.5	81.3 82	1.0 0.85 0.0				
91	82	83	1.0 0.866 0.0	83.1 -2.8 89.8	89.8 91	1.0 0.68 0.0	74.7 11.3 80.3	81.1 82	1.0 0.867 0.0	1.0 0.703 0.0	75.8 9.4 81.5	82.0 83	1.0 0.867 0.0				
92	83	84	1.0 0.883 0.0	83.7 -3.8 90.5	90.6 92	1.0 0.697 0.0	75.5 10.0 81.2	81.8 83	1.0 0.883 0.0	1.0 0.721 0.0	76.6 7.9 82.4	82.8 84	1.0 0.883 0.0				
92	84	85	1.0 0.9 0.0	84.3 -4.7 91.3	91.4 92	1.0 0.713 0.0	76.2 8.6 82.0	82.5 84	1.0 0.9 0.0	1.0 0.74 0.0	77.5 6.4 83.4	83.6 85	1.0 0.9 0.0				
93	85	86	1.0 0.916 0.0	84.9 -5.6 92.0	92.2 93	1.0 0.729 0.0	77.0 7.2 82.9	83.2 85	1.0 0.917 0.0	1.0 0.76 0.0	78.4 4.8 84.4	84.6 86	1.0 0.917 0.0				
94	86	87	1.0 0.933 0.0	85.5 -6.5 92.7	92.9 94	1.0 0.746 0.0	77.7 5.9 83.7	83.9 86	1.0 0.933 0.0	1.0 0.784 0.0	79.4 3.2 85.7	85.7 87	1.0 0.933 0.0				
94	87	88	1.0 0.95 0.0	86.0 -7.4 93.4	93.7 94	1.0 0.766 0.0	78.6 4.4 84.7	84.8 87	1.0 0.95 0.0	1.0 0.807 0.0	80.5 1.6 86.9	86.9 88	1.0 0.95 0.0				
95	88	90	1.0 0.966 0.0	86.6 -8.3 94.1	94.5 95	1.0 0.787 0.0	79.6 3.0 85.8	85.9 88	1.0 0.967 0.0	1.0 0.831 0.0	81.5 0.0 88.1	88.1 90	1.0 0.967 0.0				
95	89	91	1.0 0.983 0.0	87.2 -9.2 94.8	95.2 95	1.0 0.808 0.0	80.5 1.5 86.9	86.9 89	1.0 0.983 0.0	1.0 0.854 0.0	82.6 -1.8 89.2	89.3 91	1.0 0.983 0.0				
96	90	92	1.0 1.0 0.0	87.8 -10.2 95.4	96.0 96	1.0 0.829 0.0	81.4 0.0 88.0	88.0 90	1.0 1.0 0.0	1.0 0.879 0.0	83.6 -3.6 90.4	90.5 92	1.0 1.0 0.0				
96	91	93	0.983 1.0 0.0	87.3 -10.7 94.6	95.2 96	1.0 0.85 0.0	82.4 -1.5 89.0	89.0 91	0.983 1.0 0.0	1.0 0.916 0.0	84.9 -5.5 92.0	92.2 93	0.983 1.0 0.0				
96	92	94	0.966 1.0 0.0	86.8 -11.2 93.8	94.5 96	1.0 0.871 0.0	83.3 -3.0 90.0	90.1 92	0.967 1.0 0.0	1.0 0.953 0.0	86.2 -7.5 93.6	93.9 94	0.967 1.0 0.0				
97	93	95	0.95 1.0 0.0	86.4 -11.7 93.0	93.7 97	1.0 0.901 0.0	84.4 -4.7 91.4	91.5 93	0.95 1.0 0.0	1.0 0.99 0.0	87.5 -9.6 95.1	95.6 95	0.95 1.0 0.0				
97	94	96	0.933 1.0 0.0	85.9 -12.2 92.2	93.0 97	1.0 0.933 0.0	85.5 -6.4 92.7	93.0 94	0.933 1.0 0.0	0.961 1.0 0.0	86.7 -11.3 93.6	94.3 96	0.933 1.0 0.0				
97	95	98	0.916 1.0 0.0	85.5 -12.7 91.3	92.2 97	1.0 0.965 0.0	86.6 -8.1 94.1	94.4 95	0.917 1.0 0.0	0.907 1.0 0.0	85.3 -12.9 90.9	91.8 98	0.917 1.0 0.0				
98	96	99	0.9 1.0 0.0	85.0 -13.2 90.5	91.5 98	1.0 0.997 0.0	87.7 -9.9 95.4	95.9 96	0.9 1.0 0.0	0.856 1.0 0.0	83.8 -14.4 88.4	89.6 99	0.9 1.0 0.0				
98	97	100	0.883 1.0 0.0	84.5 -13.6 89.7	90.7 98	0.959 1.0 0.0	86.7 -11.4 93.5	94.2 97	0.883 1.0 0.0	0.807 1.0 0.0	82.4 -15.8 86.2	87.7 100	0.883 1.0 0.0				
99	98	101	0.866 1.0 0.0	84.1 -14.1 88.9	90.0 99	0.914 1.0 0.0	85.4 -12.7 91.2	92.1 98	0.867 1.0 0.0	0.759 1.0 0.0	81.0 -17.2 84.0	85.7 101	0.867 1.0 0.0				
99	99	102	0.85 1.0 0.0	83.6 -14.6 88.1	89.3 99	0.869 1.0 0.0	84.2 -14.0 89.0	90.1 99	0.85 1.0 0.0	0.729 1.0 0.0	79.9 -18.6 82.3	84.4 102	0.85 1.0 0.0				
99	100	103	0.833 1.0 0.0	83.1 -15.1 87.4	88.7 99	0.827 1.0 0.0	83.0 -15.3 87.1	88.5 100	0.833 1.0 0.0	0.704 1.0 0.0	78.8 -20.0 80.8	83.2 103	0.833 1.0 0.0				
100	101	105	0.816 1.0 0.0	82.6 -15.6 86.6	88.0 100	0.785 1.0 0.0	81.8 -16.5 85.2	86.8 101	0.817 1.0 0.0	0.679 1.0 0.0	77.7 -21.3 79.2	82.0 105	0.817 1.0 0.0				
100	102	106	0.8 1.0 0.0	82.2 -16.1 85.8	87.3 100	0.747 1.0 0.0	80.6 -17.6 83.4	85.2 102	0.8 1.0 0.0	0.654 1.0 0.0	76.6 -22.6 77.6	80.8 106	0.8 1.0 0.0				
101	103	107	0.783 1.0 0.0	81.7 -16.6 85.1	86.7 101	0.725 1.0 0.0	79.7 -18.8 82.0	84.2 103	0.783 1.0 0.0	0.628 1.0 0.0	75.5 -23.8 76.0	79.6 107	0.783 1.0 0.0				
101	104	108	0.766 1.0 0.0	81.2 -17.0 84.3	86.0 101	0.703 1.0 0.0	78.7 -20.0 80.7	83.2 104	0.767 1.0 0.0	0.605 1.0 0.0	74.6 -25.0 74.3	78.4 108	0.767 1.0 0.0				
101	105	109	0.75 1.0 0.0	80.7 -17.5 83.5	85.3 101	0.682 1.0 0.0	77.8 -21.2 79.4	82.2 105	0.75 1.0 0.0	0.583 1.0 0.0	73.7 -26.1 72.7	77.3 109	0.75 1.0 0.0				
102	106	110	0.733 1.0 0.0	80.0 -18.4 82.5	84.6 102	0.66 1.0 0.0	76.8 -22.3 78.0	81.1 106	0.733 1.0 0.0	0.56 1.0 0.0	72.9 -27.1 71.0	76.1 110	0.733 1.0 0.0				
103	107	112	0.716 1.0 0.0	79.3 -19.3 81.5	83.8 103	0.638 1.0 0.0	75.9 -23.3 76.6	80.1 107	0.717 1.0 0.0	0.538 1.0 0.0	72.0 -28.1 69.3	74.9 112	0.717 1.0 0.0				
104	108	113	0.7 1.0 0.0	78.5 -20.2 80.5	83.0 104	0.617 1.0 0.0	75.0 -24.3 75.2	79.1 108	0.7 1.0 0.0	0.515 1.0 0.0	71.2 -29.0 67.7	73.7 113	0.7 1.0 0.0				
104	109	114	0.683 1.0 0.0	77.8 -21.1 79.4	82.2 104	0.598 1.0 0.0	74.3 -25.3 73.8	78.1 109	0.683 1.0 0.0	0.494 1.0 0.0	70.4 -30.0 66.1	72.6 114	0.683 1.0 0.0				
105	110	115	0.666 1.0 0.0	77.1 -22.0 78.4	81.4 105	0.579 1.0 0.0	73.6 -26.2 72.4	77.0 110	0.667 1.0 0.0	0.474 1.0 0.0	69.6 -31.0 64.8	71.9 115	0.667 1.0 0.0				
106	111	116	0.65 1.0 0.0	76.4 -22.8 77.3	80.6 106	0.559 1.0 0.0	72.9 -27.1 71.0	76.0 111	0.65 1.0 0.0	0.454 1.0 0.0	68.8 -32.0 63.5	71.2 116	0.65 1.0 0.0				
107	112	117	0.633 1.0 0.0	75.6 -23.6 76.2	79.8 107	0.54 1.0 0.0	72.1 -28.0 69.5	75.0 112	0.633 1.0 0.0	0.434 1.0 0.0	68.0 -32.9 62.2	70.5 117	0.633 1.0 0.0				
108	113	119	0.616 1.0 0.0	75.0 -24.4 75.1	79.0 108	0.521 1.0 0.0	71.4 -28.8 68.1	74.0 113	0.617 1.0 0.0	0.414 1.0 0.0	67.3 -33.8 60.9	69.7 119	0.617 1.0 0.0				
108	114	120	0.6 1.0 0.0	74.3 -25.3 73.9	78.1 108	0.501 1.0 0.0	70.7 -29.6 66.6	72.9 114	0.6 1.0 0.0	0.394 1.0 0.0	66.5 -34.7 59.6	69.0 120	0.6 1.0 0.0				
109	115	121	0.583 1.0 0.0	73.7 -26.1 72.7	77.2 109	0.484 1.0 0.0	70.0 -30.4 65.5	72.3 115	0.583 1.0 0.0	0.375 1.0 0.0	65.7 -35.5 58.3	68.3 121	0.583 1.0 0.0				
110	116	122	0.566 1.0 0.0	73.1 -26.9 71.4	76.3 110	0.467 1.0 0.0	69.3 -31.3 64.4	71.7 116	0.567 1.0 0.0	0.364 1.0 0.0	65.1 -36.6 57.4	68.2 122	0.567 1.0 0.0				
111	117	123	0.55 1.0 0.0	72.4 -27.6 70.2	75.5 111	0.45 1.0 0.0	68.7 -32.2 63.3	71.0 117	0.55 1.0 0.0	0.354 1.0 0.0	64.5 -37.7 56.6	68.0 123	0.55 1.0 0.0				
112	118	124	0.533 1.0 0.0	71.8 -28.3 69.0	74.6 112	0.433 1.0 0.0	68.0 -33.0 62.2	70.4 118	0.533 1.0 0.0	0.343 1.0 0.0	63.9 -38.8 55.7	67.9 124	0.533 1.0 0.0				
113	119	126	0.516 1.0 0.0	71.2 -29.0 67.7	73.7 113	0.416 1.0 0.0	67.3 -33.7 61.1	69.8 119	0.517 1.0 0.0	0.333 1.0 0.0	63.3 -39.8 54.7	67.8 126	0.517 1.0 0.0				
114	120	127	0.5 1.0 0.0	70.6 -29.7 66.5	72.8 114	0.399 1.0 0.0	66.7 -34.5 59.9	69.2 120	0.5 1.0 0.0	0.322 1.0 0.0	62.6 -40.8 53.8	67.6 127	0.5 1.0 0.0				

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
La domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

TUB materiale: code=rh4ta

4-1031031-L0 QI170-72 LAB*la, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 11/33

grafico TUB-QI17; codice di tinte: H*d=R50Yd
cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgbdd
uscita: 3D-linearizzazione a cmy0*dd

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dsx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)
114	120	127	0.5 1.0 0.0	70.6 -29.7 66.5 72.8 114	0.399 1.0 0.0	66.7 -34.5 59.9 69.2 120	0.5 1.0 0.0	0.322 1.0 0.0	62.6 -40.8 53.8 67.6 127	0.5 1.0 0.0
115	121	128	0.483 1.0 0.0	69.9 -30.5 65.4 72.2 115	0.382 1.0 0.0	66.0 -35.2 58.8 68.6 121	0.483 1.0 0.0	0.312 1.0 0.0	62.0 -41.8 52.9 67.5 128	0.483 1.0 0.0
116	122	129	0.466 1.0 0.0	69.3 -31.4 64.3 71.6 116	0.37 1.0 0.0	65.4 -36.1 57.9 68.3 122	0.467 1.0 0.0	0.301 1.0 0.0	61.4 -42.8 51.9 67.3 129	0.467 1.0 0.0
117	123	130	0.45 1.0 0.0	68.6 -32.2 63.2 71.0 117	0.361 1.0 0.0	64.9 -37.0 57.1 68.1 123	0.45 1.0 0.0	0.291 1.0 0.0	60.8 -43.8 50.9 67.2 130	0.45 1.0 0.0
117	124	131	0.433 1.0 0.0	68.0 -33.0 62.1 70.4 117	0.352 1.0 0.0	64.4 -37.9 56.4 68.0 124	0.433 1.0 0.0	0.28 1.0 0.0	60.2 -44.7 49.9 67.0 131	0.433 1.0 0.0
118	125	133	0.416 1.0 0.0	67.3 -33.8 61.0 69.8 118	0.343 1.0 0.0	63.8 -38.8 55.6 67.9 125	0.417 1.0 0.0	0.27 1.0 0.0	59.6 -45.6 48.9 66.9 133	0.417 1.0 0.0
119	126	134	0.4 1.0 0.0	66.7 -34.5 59.9 69.2 119	0.334 1.0 0.0	63.3 -39.7 54.8 67.8 126	0.4 1.0 0.0	0.259 1.0 0.0	59.0 -46.5 47.8 66.8 134	0.4 1.0 0.0
120	127	135	0.383 1.0 0.0	66.0 -35.2 58.8 68.6 120	0.325 1.0 0.0	62.8 -40.6 54.0 67.6 127	0.383 1.0 0.0	0.249 1.0 0.0	58.4 -47.4 46.8 66.6 135	0.383 1.0 0.0
122	128	136	0.366 1.0 0.0	65.2 -36.4 57.6 68.2 122	0.316 1.0 0.0	62.3 -41.5 53.2 67.5 128	0.367 1.0 0.0	0.233 1.0 0.0	57.9 -48.3 45.8 66.6 136	0.367 1.0 0.0
124	129	137	0.35 1.0 0.0	64.2 -38.2 56.2 67.9 124	0.307 1.0 0.0	61.7 -42.3 52.4 67.4 129	0.35 1.0 0.0	0.217 1.0 0.0	57.4 -49.2 44.7 66.6 137	0.35 1.0 0.0
126	130	138	0.333 1.0 0.0	63.2 -39.8 54.7 67.7 126	0.298 1.0 0.0	61.2 -43.1 51.5 67.3 130	0.333 1.0 0.0	0.201 1.0 0.0	57.0 -50.0 43.7 66.5 138	0.333 1.0 0.0
127	131	140	0.316 1.0 0.0	62.3 -41.4 53.2 67.5 127	0.289 1.0 0.0	60.7 -44.0 50.7 67.2 131	0.317 1.0 0.0	0.185 1.0 0.0	56.5 -50.9 42.7 66.5 140	0.317 1.0 0.0
129	132	141	0.3 1.0 0.0	61.3 -43.0 51.7 67.3 129	0.28 1.0 0.0	60.2 -44.8 49.8 67.0 132	0.3 1.0 0.0	0.169 1.0 0.0	56.0 -51.7 41.6 66.5 141	0.3 1.0 0.0
131	133	142	0.283 1.0 0.0	60.3 -44.5 50.1 67.0 131	0.271 1.0 0.0	59.6 -45.5 48.9 66.9 133	0.283 1.0 0.0	0.153 1.0 0.0	55.5 -52.5 40.5 66.4 142	0.283 1.0 0.0
133	134	143	0.266 1.0 0.0	59.3 -45.9 48.5 66.8 133	0.262 1.0 0.0	59.1 -46.3 48.0 66.8 134	0.267 1.0 0.0	0.137 1.0 0.0	55.1 -53.3 39.4 66.4 143	0.267 1.0 0.0
135	135	144	0.25 1.0 0.0	58.4 -47.3 46.8 66.6 135	0.253 1.0 0.0	58.6 -47.0 47.1 66.7 135	0.25 1.0 0.0	0.122 1.0 0.0	54.6 -54.2 38.4 66.5 144	0.25 1.0 0.0
136	136	145	0.233 1.0 0.0	57.9 -48.3 45.8 66.5 136	0.241 1.0 0.0	58.1 -47.8 46.3 66.6 136	0.233 1.0 0.0	0.108 1.0 0.0	54.1 -55.4 37.6 67.0 145	0.233 1.0 0.0
137	137	147	0.216 1.0 0.0	57.4 -49.2 44.7 66.5 137	0.227 1.0 0.0	57.7 -48.6 45.4 66.6 137	0.217 1.0 0.0	0.095 1.0 0.0	53.6 -56.6 36.7 67.6 147	0.217 1.0 0.0
138	138	148	0.2 1.0 0.0	56.9 -50.1 43.6 66.5 138	0.213 1.0 0.0	57.3 -49.4 44.5 66.6 138	0.2 1.0 0.0	0.082 1.0 0.0	53.1 -57.8 35.8 68.1 148	0.2 1.0 0.0
140	139	149	0.183 1.0 0.0	56.4 -51.0 42.5 66.4 140	0.2 1.0 0.0	56.9 -50.1 43.6 66.5 139	0.183 1.0 0.0	0.069 1.0 0.0	52.6 -59.0 34.9 68.6 149	0.183 1.0 0.0
141	140	150	0.166 1.0 0.0	55.9 -51.9 41.4 66.4 141	0.186 1.0 0.0	56.5 -50.8 42.7 66.5 140	0.167 1.0 0.0	0.056 1.0 0.0	52.1 -60.1 34.0 69.2 150	0.167 1.0 0.0
142	141	151	0.15 1.0 0.0	55.4 -52.7 40.3 66.4 142	0.172 1.0 0.0	56.1 -51.6 41.8 66.5 141	0.15 1.0 0.0	0.043 1.0 0.0	51.7 -61.3 33.0 69.7 151	0.15 1.0 0.0
143	142	152	0.133 1.0 0.0	54.9 -53.5 39.1 66.3 143	0.159 1.0 0.0	55.7 -52.3 40.9 66.4 142	0.133 1.0 0.0	0.03 1.0 0.0	51.2 -62.4 32.0 70.2 152	0.133 1.0 0.0
145	143	154	0.116 1.0 0.0	54.4 -54.7 38.0 66.6 145	0.145 1.0 0.0	55.3 -52.9 40.0 66.4 143	0.117 1.0 0.0	0.016 1.0 0.0	50.7 -63.5 30.9 70.8 154	0.117 1.0 0.0
146	144	155	0.1 1.0 0.0	53.7 -56.2 37.0 67.3 146	0.131 1.0 0.0	54.9 -53.6 39.0 66.4 144	0.1 1.0 0.0	0.003 1.0 0.0	50.2 -64.6 29.9 71.3 155	0.1 1.0 0.0
148	145	156	0.083 1.0 0.0	53.1 -57.7 35.9 68.0 148	0.119 1.0 0.0	54.5 -54.5 38.2 66.6 145	0.083 1.0 0.0	0.0 1.0	0.021 50.1 -64.6 28.3 70.6 156	0.083 1.0 0.0
149	146	157	0.066 1.0 0.0	52.5 -59.2 34.7 68.7 149	0.107 1.0 0.0	54.1 -55.5 37.5 67.1 146	0.067 1.0 0.0	0.0 1.0	0.049 50.3 -64.2 26.5 69.5 157	0.067 1.0 0.0
151	147	158	0.049 1.0 0.0	51.9 -60.7 33.5 69.4 151	0.096 1.0 0.0	53.7 -56.5 36.8 67.5 147	0.05 1.0 0.0	0.0 1.0	0.077 50.4 -63.7 24.8 68.4 158	0.05 1.0 0.0
152	148	159	0.033 1.0 0.0	51.3 -62.2 32.2 70.0 152	0.085 1.0 0.0	53.2 -57.6 36.0 68.0 148	0.033 1.0 0.0	0.0 1.0	0.104 50.5 -63.1 23.1 67.3 159	0.033 1.0 0.0
154	149	161	0.016 1.0 0.0	50.6 -63.6 30.9 70.7 154	0.074 1.0 0.0	52.8 -58.6 35.3 68.4 149	0.017 1.0 0.0	0.0 1.0	0.13 50.6 -62.6 21.5 66.3 161	0.017 1.0 0.0
155	150	162	0.0 1.0 0.0	50.0 -65.0 29.6 71.4 155	G _d 0.062 1.0 0.0	52.4 -59.6 34.5 68.9 150	G _s 0.0 1.0 0.0	0.0 1.0	0.151 50.7 -62.0 19.9 65.2 162	G _e 0.0 1.0 0.0
156	151	163	0.0 1.0 0.0	0.016 50.1 -64.7 28.5 70.7 156	0.051 1.0 0.0	52.0 -60.6 33.6 69.4 151	0.0 1.0	0.017 0.0 1.0	0.167 50.8 -61.6 18.7 64.4 163	0.0 1.0 0.017
156	152	164	0.0 1.0 0.0	0.033 50.1 -64.5 27.4 70.1 156	0.04 1.0 0.0	51.5 -61.6 32.8 69.8 152	0.0 1.0	0.033 0.0 1.0	0.183 50.9 -61.1 17.5 63.6 164	0.0 1.0 0.033
157	153	164	0.0 1.0 0.0	0.05 50.2 -64.2 26.4 69.4 157	0.028 1.0 0.0	51.1 -62.5 31.9 70.3 153	0.0 1.0	0.05 0.0 1.0	0.2 51.0 -60.6 16.3 62.8 164	0.0 1.0 0.05
158	154	165	0.0 1.0 0.0	0.066 50.3 -63.9 25.4 68.8 158	0.017 1.0 0.0	50.7 -63.5 31.0 70.7 154	0.0 1.0	0.067 0.0 1.0	0.216 51.0 -60.0 15.1 62.0 165	0.0 1.0 0.067
159	155	166	0.0 1.0 0.0	0.083 50.3 -63.6 24.4 68.1 159	0.006 1.0 0.0	50.3 -64.4 30.1 71.2 155	0.0 1.0	0.083 0.0 1.0	0.232 51.1 -59.5 14.0 61.2 166	0.0 1.0 0.083
159	156	167	0.0 1.0 0.1	50.4 -63.3 23.4 67.5 159	0.0 1.0	0.012 50.1 -64.7 28.9 71.0 156	0.0 1.0	0.1 0.0 1.0	0.248 51.2 -58.9 12.9 60.4 167	0.0 1.0 0.1
160	157	168	0.0 1.0 0.0	0.116 50.5 -62.9 22.4 66.8 160	0.0 1.0	0.035 50.2 -64.4 27.4 70.0 157	0.0 1.0	0.117 0.0 1.0	0.261 51.3 -58.5 11.8 59.8 168	0.0 1.0 0.117
161	158	169	0.0 1.0 0.0	0.133 50.5 -62.5 21.2 66.1 161	0.0 1.0	0.059 50.3 -64.0 25.9 69.1 158	0.0 1.0	0.133 0.0 1.0	0.274 51.4 -58.1 10.8 59.2 169	0.0 1.0 0.133
162	159	170	0.0 1.0 0.15	50.6 -62.1 19.9 65.2 162	0.0 1.0	0.083 50.4 -63.5 24.4 68.2 159	0.0 1.0	0.15 0.0 1.0	0.287 51.5 -57.7 9.7 58.6 170	0.0 1.0 0.15
163	160	171	0.0 1.0 0.166	50.7 -61.6 18.7 64.4 163	0.0 1.0	0.107 50.5 -63.1 23.0 67.2 160	0.0 1.0	0.167 0.0 1.0	0.3 51.5 -57.3 8.7 58.1 171	0.0 1.0 0.167
164	161	172	0.0 1.0 0.183	50.8 -61.1 17.4 63.6 164	0.0 1.0	0.129 50.6 -62.6 21.6 66.3 161	0.0 1.0	0.183 0.0 1.0	0.313 51.6 -56.9 7.7 57.5 172	0.0 1.0 0.183
164	162	173	0.0 1.0 0.2	50.9 -60.6 16.2 62.7 164	0.0 1.0	0.147 50.7 -62.1 20.2 65.4 162	0.0 1.0	0.2 0.0 1.0	0.325 51.7 -56.4 6.8 56.9 173	0.0 1.0 0.2
165	163	174	0.0 1.0 0.216	51.0 -60.1 15.0 61.9 165	0.0 1.0	0.165 50.8 -61.6 18.9 64.5 163	0.0 1.0	0.217 0.0 1.0	0.338 51.8 -55.9 5.8 56.3 174	0.0 1.0 0.217
166	164	175	0.0 1.0 0.233	51.1 -59.5 13.9 61.1 166	0.0 1.0	0.183 50.9 -61.1 17.5 63.7 164	0.0 1.0	0.233 0.0 1.0	0.351 51.9 -55.5 4.9 55.8 175	0.0 1.0 0.233
167	165	175	0.0 1.0 0.25	51.2 -58.9 12.7 60.3 167	0.0 1.0	0.2 51.0 -60.5 16.2 62.8 165	0.0 1.0	0.25 0.0 1.0	0.364 52.0 -55.0 3.9 55.2 175	0.0 1.0 0.25

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta

vedere dei file simili: http://130.149.60.45/~farbmetrik/QI17/QI17.HTM
informazioni tecniche: http://www.ps.bam.de o http://130.149.60.45/~farbmetrik

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{dd361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	LAB [*] _{dc361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{dd}	rgb [*] _{ds}	rgb [*] _{de}
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.25
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.917
233	206	213	0.0	1.0	0.933	56.3	-28.4	-37.8	47.3	233	0.0	1.0	0.933
234	207	214	0.0	1.0	0.95	56.4	-27.7	-38.8	47.7	234	0.0	1.0	0.95
235	208	215	0.0	1.0	0.966	56.5	-27.0	-39.7	48.0	235	0.0	1.0	0.967
237	209	216	0.0	1.0	0.983	56.6	-26.2	-40.6	48.3	237	0.0	1.0	0.983
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	1.0

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>



TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta

4-1031231-L0 QI170-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 13/33

grafico TUB-QI17; codice di tinte: H*d=R50Yd
cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgb_{dd}
uscita: 3D-linearizzazione a cmy0*_{dd}



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGCMB_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGCMB_d: h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGCMB_c: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* ds361Mi	rgb* de361Mi		
238	210	216	0.0 1.0 1.0	56.8 -25.5 -41.5 48.7 238	0.0 1.0 0.685 54.5 -39.5 -22.8 45.7 210C _s	0.0 1.0 0.983 1.0	0.0 1.0 0.747 55.0	0.0 1.0 0.747 55.0	-36.1 -27.2 45.3 216C _e	0.0 1.0 1.0	0.0 1.0 1.0	0.0 1.0 1.0		
239	211	217	0.0	0.983 1.0 56.4 -24.9 -41.5 48.4 239	0.0	1.0	0.694 54.6 -39.0 -23.4 45.7 211	0.0	0.983 1.0	0.0	1.0	0.757 55.1 -35.7 -27.8 45.4 217	0.0	0.983 1.0
239	212	218	0.0	0.966 1.0 56.1 -24.3 -41.5 48.1 239	0.0	1.0	0.703 54.7 -38.6 -24.1 45.6 212	0.0	0.967 1.0	0.0	1.0	0.767 55.2 -35.3 -28.4 45.4 218	0.0	0.967 1.0
240	213	219	0.0	0.95 1.0 55.7 -23.7 -41.5 47.8 240	0.0	1.0	0.712 54.7 -38.1 -24.7 45.6 213	0.0	0.95 1.0	0.0	1.0	0.778 55.2 -34.9 -29.0 45.5 219	0.0	0.95 1.0
240	214	220	0.0	0.933 1.0 55.4 -23.1 -41.5 47.5 240	0.0	1.0	0.721 54.8 -37.6 -25.3 45.5 214	0.0	0.933 1.0	0.0	1.0	0.788 55.3 -34.5 -29.6 45.6 220	0.0	0.933 1.0
241	215	221	0.0	0.916 1.0 55.0 -22.5 -41.4 47.2 241	0.0	1.0	0.73 54.9 -37.1 -26.0 45.4 215	0.0	0.917 1.0	0.0	1.0	0.798 55.4 -34.1 -30.2 45.7 221	0.0	0.917 1.0
242	216	222	0.0	0.9 1.0 54.6 -22.0 -41.4 46.9 242	0.0	1.0	0.739 55.0 -36.6 -26.6 45.4 216	0.0	0.9 1.0	0.0	1.0	0.808 55.4 -33.6 -30.8 45.7 222	0.0	0.9 1.0
242	217	223	0.0	0.883 1.0 54.3 -21.4 -41.4 46.6 242	0.0	1.0	0.747 55.0 -36.1 -27.2 45.3 217	0.0	0.883 1.0	0.0	1.0	0.819 55.5 -33.2 -31.3 45.8 223	0.0	0.883 1.0
243	218	224	0.0	0.866 1.0 53.9 -20.7 -41.3 46.3 243	0.0	1.0	0.758 55.1 -35.6 -27.8 45.4 218	0.0	0.867 1.0	0.0	1.0	0.829 55.6 -32.7 -31.9 45.9 224	0.0	0.867 1.0
244	219	225	0.0	0.85 1.0 53.4 -20.0 -41.3 45.9 244	0.0	1.0	0.769 55.2 -35.2 -28.5 45.4 219	0.0	0.85 1.0	0.0	1.0	0.839 55.6 -32.3 -32.5 45.9 225	0.0	0.85 1.0
245	220	226	0.0	0.833 1.0 52.9 -19.2 -41.3 45.6 245	0.0	1.0	0.781 55.3 -34.8 -29.2 45.5 220	0.0	0.833 1.0	0.0	1.0	0.85 55.7 -31.8 -33.1 46.0 226	0.0	0.833 1.0
245	221	227	0.0	0.816 1.0 52.4 -18.5 -41.3 45.3 245	0.0	1.0	0.792 55.3 -34.3 -29.8 45.6 221	0.0	0.817 1.0	0.0	1.0	0.86 55.8 -31.3 -33.6 46.1 227	0.0	0.817 1.0
246	222	227	0.0	0.8 1.0 51.9 -17.7 -41.3 44.9 246	0.0	1.0	0.803 55.4 -33.9 -30.5 45.7 222	0.0	0.8 1.0	0.0	1.0	0.87 55.8 -30.8 -34.2 46.2 227	0.0	0.8 1.0
247	223	228	0.0	0.783 1.0 51.4 -17.0 -41.2 44.6 247	0.0	1.0	0.815 55.5 -33.4 -31.1 45.8 223	0.0	0.783 1.0	0.0	1.0	0.881 55.9 -30.4 -34.8 46.3 228	0.0	0.783 1.0
248	224	229	0.0	0.766 1.0 50.9 -16.2 -41.2 44.2 248	0.0	1.0	0.826 55.6 -32.9 -31.7 45.8 224	0.0	0.767 1.0	0.0	1.0	0.893 56.0 -30.0 -35.4 46.6 229	0.0	0.767 1.0
249	225	230	0.0	0.75 1.0 50.4 -15.5 -41.1 43.9 249	0.0	1.0	0.837 55.6 -32.4 -32.4 45.9 225	0.0	0.75 1.0	0.0	1.0	0.904 56.1 -29.6 -36.1 46.8 230	0.0	0.75 1.0
250	226	231	0.0	0.733 1.0 49.9 -14.7 -41.1 43.6 250	0.0	1.0	0.849 55.7 -31.9 -33.0 46.0 226	0.0	0.733 1.0	0.0	1.0	0.915 56.2 -29.1 -36.7 47.0 231	0.0	0.733 1.0
251	227	232	0.0	0.716 1.0 49.4 -13.8 -41.1 43.4 251	0.0	1.0	0.86 55.8 -31.3 -33.6 46.1 227	0.0	0.717 1.0	0.0	1.0	0.926 56.3 -28.7 -37.4 47.2 232	0.0	0.717 1.0
252	228	233	0.0	0.7 1.0 48.8 -13.0 -41.1 43.1 252	0.0	1.0	0.871 55.9 -30.8 -34.2 46.2 228	0.0	0.7 1.0	0.0	1.0	0.938 56.3 -28.2 -38.0 47.5 233	0.0	0.7 1.0
253	229	234	0.0	0.683 1.0 48.3 -12.2 -41.1 42.9 253	0.0	1.0	0.883 55.9 -30.3 -34.9 46.4 229	0.0	0.683 1.0	0.0	1.0	0.949 56.4 -27.7 -38.6 47.7 234	0.0	0.683 1.0
254	230	235	0.0	0.666 1.0 47.8 -11.4 -41.0 42.6 254	0.0	1.0	0.896 56.0 -29.9 -35.6 46.6 230	0.0	0.667 1.0	0.0	1.0	0.96 56.5 -27.2 -39.3 47.9 235	0.0	0.667 1.0
255	231	236	0.0	0.65 1.0 47.3 -10.6 -41.0 42.3 255	0.0	1.0	0.908 56.1 -29.4 -36.3 46.9 231	0.0	0.65 1.0	0.0	1.0	0.972 56.6 -26.7 -39.9 48.2 236	0.0	0.65 1.0
256	232	237	0.0	0.633 1.0 46.8 -9.8 -40.9 42.1 256	0.0	1.0	0.92 56.2 -28.9 -37.0 47.1 232	0.0	0.633 1.0	0.0	1.0	0.983 56.7 -26.2 -40.5 48.4 237	0.0	0.633 1.0
257	233	237	0.0	0.616 1.0 46.2 -8.9 -40.9 41.8 257	0.0	1.0	0.933 56.3 -28.4 -37.7 47.4 233	0.0	0.617 1.0	0.0	1.0	0.994 56.8 -25.7 -41.1 48.6 237	0.0	0.617 1.0
259	234	238	0.0	0.6 1.0 45.5 -7.8 -40.9 41.7 259	0.0	1.0	0.945 56.4 -27.9 -38.4 47.6 234	0.0	0.6 1.0	0.0	1.0	0.988 1.0 56.6 -25.0 -41.4 48.5 238	0.0	0.6 1.0
260	235	239	0.0	0.583 1.0 44.9 -6.6 -41.0 41.5 260	0.0	1.0	0.957 56.5 -27.4 -39.1 47.9 235	0.0	0.583 1.0	0.0	1.0	0.962 1.0 56.0 -24.1 -41.4 48.1 239	0.0	0.583 1.0
262	236	240	0.0	0.566 1.0 44.2 -5.5 -40.9 41.3 262	0.0	1.0	0.97 56.6 -26.8 -39.8 48.1 236	0.0	0.567 1.0	0.0	1.0	0.937 1.0 55.5 -23.2 -41.4 47.6 240	0.0	0.567 1.0
263	237	241	0.0	0.55 1.0 43.6 -4.4 -40.9 41.1 263	0.0	1.0	0.982 56.7 -26.2 -40.5 48.4 237	0.0	0.55 1.0	0.0	1.0	0.911 1.0 54.9 -22.3 -41.4 47.1 241	0.0	0.55 1.0
265	238	242	0.0	0.533 1.0 43.0 -3.3 -40.8 41.0 265	0.0	1.0	0.994 56.8 -25.7 -41.1 48.6 238	0.0	0.533 1.0	0.0	1.0	0.885 1.0 54.4 -21.4 -41.3 46.7 242	0.0	0.533 1.0
266	239	243	0.0	0.516 1.0 42.3 -2.3 -40.7 40.8 266	0.0	1.0	0.985 1.0 56.5 -24.9 -41.4 48.5 239	0.0	0.517 1.0	0.0	1.0	0.864 1.0 53.9 -20.6 -41.3 46.3 243	0.0	0.517 1.0
268	240	244	0.0	0.5 1.0 41.7 -1.2 -40.6 40.6 268	0.0	1.0	0.956 1.0 55.9 -23.9 -41.4 48.0 240	0.0	0.5 1.0	0.0	1.0	0.847 1.0 53.3 -19.8 -41.3 45.9 244	0.0	0.5 1.0
269	241	245	0.0	0.483 1.0 41.1 -0.2 -40.6 40.6 269	0.0	1.0	0.928 1.0 55.3 -22.9 -41.4 47.4 241	0.0	0.483 1.0	0.0	1.0	0.829 1.0 52.8 -19.0 -41.3 45.6 245	0.0	0.483 1.0
271	242	246	0.0	0.466 1.0 40.5 0.7 -40.6 40.6 271	0.0	0.9	1.0 54.7 -21.9 -41.3 46.9 242	0.0	0.467 1.0	0.0	1.0	0.811 1.0 52.3 -18.1 -41.2 45.2 246	0.0	0.467 1.0
272	243	247	0.0	0.45 1.0 39.9 1.7 -40.6 40.6 272	0.0	0.873	1.0 54.1 -21.0 -41.3 46.4 243	0.0	0.45 1.0	0.0	1.0	0.793 1.0 51.7 -17.3 -41.2 44.8 247	0.0	0.45 1.0
273	244	248	0.0	0.433 1.0 39.3 2.7 -40.6 40.6 273	0.0	0.854	1.0 53.5 -20.1 -41.3 46.1 244	0.0	0.433 1.0	0.0	1.0	0.775 1.0 51.2 -16.6 -41.1 44.5 248	0.0	0.433 1.0
275	245	248	0.0	0.416 1.0 38.8 3.6 -40.5 40.6 275	0.0	0.834	1.0 53.0 -19.2 -41.3 45.7 245	0.0	0.417 1.0	0.0	1.0	0.757 1.0 50.7 -15.8 -41.1 44.1 248	0.0	0.417 1.0
276	246	249	0.0	0.4 1.0 38.2 4.6 -40.4 40.7 276	0.0	0.815	1.0 52.4 -18.3 -41.3 45.3 246	0.0	0.4 1.0	0.0	1.0	0.741 1.0 50.2 -15.0 -41.0 43.8 249	0.0	0.4 1.0
277	247	250	0.0	0.383 1.0 37.6 5.6 -40.3 40.7 277	0.0	0.795	1.0 51.8 -17.4 -41.2 44.9 247	0.0	0.383 1.0	0.0	1.0	0.726 1.0 49.7 -14.3 -41.1 43.6 250	0.0	0.383 1.0
279	248	251	0.0	0.366 1.0 37.0 6.6 -40.2 40.8 279	0.0	0.775	1.0 51.2 -16.6 -41.1 44.5 248	0.0	0.367 1.0	0.0	1.0	0.711 1.0 49.2 -13.5 -41.0 43.4 251	0.0	0.367 1.0
280	249	252	0.0	0.35 1.0 36.4 7.7 -40.3 41.1 280	0.0	0.756	1.0 50.6 -15.7 -41.1 44.1 249	0.0	0.35 1.0	0.0	1.0	0.697 1.0 48.8 -12.8 -41.0 43.1 252	0.0	0.35 1.0
282	250	253	0.0	0.333 1.0 35.8 8.8 -40.4 41.3 282	0.0	0.739	1.0 50.1 -14.9 -41.0 43.8 250	0.0	0.333 1.0	0.0	1.0	0.682 1.0 48.3 -12.1 -41.0 42.9 253	0.0	0.333 1.0
283	251	254	0.0	0.316 1.0 35.2 9.9 -40.4 41.6 283	0.0	0.722	1.0 49.6 -14.1 -41.1 43.5 251	0.0	0.317 1.0	0.0	1.0	0.667 1.0 47.9 -11.4 -41.0 42.6 254	0.0	0.317 1.0
285	252	255	0.0	0.3 1.0 34.6 11.0 -40.4 41.9 285	0.0	0.706	1.0 49.1 -13.3 -41.0 43.3 252	0.0	0.3 1.0	0.0	1.0	0.652 1.0 47.4 -10.7 -40.9 42.4 255	0.0	0.3 1.0
286	253	256	0.0	0.283 1.0 34.0 12.1 -40.3 42.1 286	0.0	0.69 1.0 48.6 -12.5 -41.0 43.0 253	0.0	0.283 1.0	0.0	1.0	0.637 1.0 46.9 -9.9 -40.9 42.2 256	0.0	0.283 1.0	
288	254	257	0.0	0.266 1.0 33.4 13.2 -40.3 42.4 288	0.0	0.673 1.0 48.1 -11.7 -41.0 42.7 254	0.0	0.267 1.0	0.0	1.0	0.623 1.0 46.5 -9.2 -40.8 42.0 257	0.0	0.267 1.0	
289	255	258	0.0	0.25 1.0 32.8 14.3 -40.2 42.7 289	0.0	0.657 1.0 47.5 -10.9 -40.9 42.5 255	0.0	0.25 1.0	0.0	1.0	0.613 1.0 46.1 -8.6 -40.8 41.9 258	0.0	0.25 1.0	

4-1031331-L0 QI170-72 LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*; D65, pagina 14/33

grafico TUB-QI17; codice di tinte: H*d=R50Yd
 cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgb_{dd}
 uscita: 3D-linearizzazione a cmy0*_{dd}

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT>
 informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
 La domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
 TUB materiale: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGCBM*_S; *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
 Six hue angles of the device colours *RYGCBM*_d; *h_{ab,d}* = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours *RYGCBM*_e; *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_{dd}361M</i>	<i>LAB*_d ddx361Mi (x=LabCh)</i>	<i>rgb*_{ds}361Mi</i>	<i>LAB*_s dsx361Mi (x=LabCh)</i>	<i>rgb*_{dd}361Mi</i>	<i>LAB*_e dex361Mi (x=LabCh)</i>	<i>rgb*_{dd}361Mi</i>	<i>rgb*_{ds}361Mi</i>	<i>rgb*_{de}361Mi</i>																					
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0	0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0	0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0	0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0	0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0	0.833	45.9																										

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Six hue angles of the device colours RYGBM_d; h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; Six hue angles of the elementary colours RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6



h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] dd361M	LAB [*] ddx361Mi (x=LabCh)	rgb [*] ds361Mi	LAB [*] dsx361Mi (x=LabCh)	rgb [*] dd361Mi	LAB [*] de361Mi	rgb [*] dex361Mi (x=LabCh)	LAB [*] dd361Mi	rgb [*] dd361Mi	rgb [*] ds361Mi	rgb [*] de361Mi	rgb [*] ds361Mi
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9	-16.7 65.1	345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8	-18.7 63.7	342
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8	-15.8 65.7	346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7	-17.9 64.3	343
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7	-14.8 66.4	347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6	-17.0 64.9	344
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6	-13.8 67.1	348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5	-16.1 65.5	345
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8	-12.9 68.1	349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3	-15.2 66.1	346
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0	-11.9 69.1	350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2	-14.3 66.7	347
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2	-10.9 70.1	351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2	-13.4 67.6	348
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4	-9.8 71.1	352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4	-12.4 68.5	349
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6	-8.7 72.1	353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5	-11.5 69.5	350
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7	-7.5 73.1	354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6	-10.5 70.4	351
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9	-6.4 74.2	355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7	-9.5 71.4	352
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0	-5.1 75.2	356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9	-8.4 72.4	353
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2	-3.9 76.3	357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0	-7.3 73.3	354
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3	-2.6 77.3	358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1	-6.2 74.3	355
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4	-1.3 78.4	359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1	-5.0 75.3	356
375	360	357	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3	0.0 79.3	360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5	-9.7 71.1	352
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0	1.4 79.0	361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8	-8.5 72.3	353
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6	2.7 78.7	362	1.0 0.0 0.467	0.81 0.0 1.0	43.0 73.1	-7.2 73.4	354
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3	4.1 78.4	363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4	-5.9 74.6	355
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0	5.5 78.2	364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6	-4.5 75.8	356
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7	6.8 78.0	365	1.0 0.0 0.417	0.925 0.0 1.0	45.0 76.9	-3.1 77.0	357
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3	8.1 77.8	366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1	-1.6 78.1	358
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0	9.5 77.6	367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3	-0.1 79.3	359
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7	10.8 77.5	368	1.0 0.0 0.367	1.0 0.0 0.956	46.1 79.0	1.3 79.0	360
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4	12.1 77.4	369	1.0 0.0 0.35	1.0 0.0 0.912	46.0 78.6	2.9 78.7	362
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1	13.4 77.2	370	1.0 0.0 0.333	1.0 0.0 0.869	46.0 78.2	4.4 78.3	363
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7	14.7 77.1	371	1.0 0.0 0.317	1.0 0.0 0.828	46.0 77.9	5.9 78.1	364
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4	16.0 77.1	372	1.0 0.0 0.3	1.0 0.0 0.786	46.0 77.5	7.4 77.9	365
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2	17.4 77.1	373	1.0 0.0 0.283	1.0 0.0 0.746	46.0 77.1	8.8 77.7	366
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9	18.7 77.2	374	1.0 0.0 0.267	1.0 0.0 0.717	46.0 76.8	10.3 77.5	367
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5	20.0 77.2	375	1.0 0.0 0.25	1.0 0.0 0.687	46.0 76.5	11.8 77.4	368
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2	21.3 77.2	376	1.0 0.0 0.233	1.0 0.0 0.658	46.0 76.1	13.3 77.2	369
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0	22.6 77.4	377	1.0 0.0 0.217	1.0 0.0 0.628	46.0 75.7	14.7 77.1	370
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8	24.0 77.6	378	1.0 0.0 0.2	1.0 0.0 0.599	46.0 75.4	16.2 77.1	372
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6	25.3 77.8	379	1.0 0.0 0.183	1.0 0.0 0.57	46.0 75.1	17.6 77.1	373
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3	26.7 78.0	380	1.0 0.0 0.167	1.0 0.0 0.541	45.9 74.8	19.1 77.2	374
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1	28.0 78.3	381	1.0 0.0 0.15	1.0 0.0 0.512	45.9 74.4	20.6 77.2	375
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9	29.4 78.6	382	1.0 0.0 0.133	1.0 0.0 0.485	45.9 74.1	22.0 77.3	376
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7	30.9 79.0	383	1.0 0.0 0.117	1.0 0.0 0.459	45.9 73.9	23.6 77.6	377
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5	32.3 79.4	384	1.0 0.0 0.1	1.0 0.0 0.433	45.9 73.6	25.1 77.8	378
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3	33.7 79.8	385	1.0 0.0 0.083	1.0 0.0 0.406	45.9 73.4	26.6 78.0	379
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1	35.2 80.3	386	1.0 0.0 0.067	1.0 0.0 0.38	45.8 73.1	28.1 78.3	381
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0	36.7 80.8	387	1.0 0.0 0.05	1.0 0.0 0.349	45.8 72.9	29.6 78.7	382
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8	38.2 81.3	388	1.0 0.0 0.033	1.0 0.0 0.318	45.8 72.7	31.2 79.1	383
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6	39.7 81.8	389	1.0 0.0 0.017	1.0 0.0 0.286	45.7 72.5	32.8 79.6	384
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	1.0 0.0 0.096	45.5 71.4	41.2 82.4	390	1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2	34.4 80.0	385

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT> / .PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
La domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rh4ta

grafico TUB-QI17; codice di tinte: H*d=R50Yd
cerchio delle tinte a 48 passi; rgb-LabCh*tavole

immettere: rgb/cmyk -> rgbdd
uscita: 3D-linearizzazione a cmy0*dd



QI1710L

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

TUB materiale: code=rha4ta

C

C

M

M

Y

Y

O

O

L

L

V

V

C

C

M

M

http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT /.PS; 3D-linearizzazione
F: 3D-linearizzazione QI17/QI17L0FA.DAT nel file (F), pagina 25/33

n	HH*Fid	rgb_Fid	ier_Fid	hsa_Fid	rgb*Fid	LabCM*Fid	cmy0**sep_Fid	Lab	cmyp**sep_Fid	Lab	H*Y*Lab	rgb*Y*Lab	LabCM*Y*Lab	delta
405	R00Y_062_062ad	0.625	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	45.4	70.9	44.8	83.9
406	R01Y_062_062ad	0.625	0.125	0.625	0.0	0.114	0.0	0.114	0.0	0.183	45.5	71.9	45.1	81.0
407	R02Y_062_062ad	0.625	0.25	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
408	R03Y_062_062ad	0.625	0.375	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
409	B59R_062_062ad	0.625	0.0	0.625	0.0	0.51	0.0	0.51	0.0	0.816	46.0	75.5	46.6	71.1
410	B59R_062_062ad	0.625	0.125	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.3	76.6	47.1	67.2
411	B42R_075_087ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
412	B42R_075_087ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
413	B31R_100_100ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
414	B31R_100_100ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
415	R00Y_062_050ad	0.625	0.0	0.625	0.0	0.114	0.0	0.114	0.0	0.233	45.4	70.9	44.8	83.9
416	R00Y_062_050ad	0.625	0.125	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
417	R00Y_062_050ad	0.625	0.25	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
418	B61R_062_050ad	0.625	0.0	0.625	0.0	0.51	0.0	0.51	0.0	0.816	46.0	75.5	46.6	71.1
419	B61R_062_050ad	0.625	0.125	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.3	76.6	47.1	67.2
420	B40R_075_062ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
421	B40R_075_062ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
422	B34R_087_075ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
423	B34R_087_075ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
424	R23Y_062_062ad	0.625	0.25	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
425	R23Y_062_062ad	0.625	0.375	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
426	R00Y_062_037ad	0.625	0.0	0.625	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
427	B60R_062_037ad	0.625	0.125	0.625	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
428	B60R_062_037ad	0.625	0.25	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
429	B38R_075_090ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
430	B38R_075_090ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
431	R00Y_062_025ad	0.625	0.0	0.625	0.0	0.114	0.0	0.114	0.0	0.233	45.4	70.9	44.8	83.9
432	R00Y_062_025ad	0.625	0.125	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
433	R00Y_062_025ad	0.625	0.25	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
434	B59R_062_025ad	0.625	0.0	0.625	0.0	0.51	0.0	0.51	0.0	0.816	46.0	75.5	46.6	71.1
435	B59R_062_025ad	0.625	0.125	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.3	76.6	47.1	67.2
436	R00Y_062_025ad	0.625	0.25	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
437	B59R_062_025ad	0.625	0.375	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.3	76.6	47.1	67.2
438	B59R_062_025ad	0.625	0.5	0.625	0.0	0.816	0.0	0.816	0.0	1.217	47.1	77.7	47.8	67.2
439	B25R_075_037ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
440	B25R_075_037ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
441	R81Y_062_062ad	0.625	0.0	0.625	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
442	R81Y_062_062ad	0.625	0.125	0.625	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
443	R68Y_062_057ad	0.625	0.0	0.625	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
444	R68Y_062_057ad	0.625	0.125	0.625	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
445	R00Y_062_025ad	0.625	0.0	0.625	0.0	0.114	0.0	0.114	0.0	0.233	45.4	70.9	44.8	83.9
446	R00Y_062_025ad	0.625	0.125	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
447	B59R_062_025ad	0.625	0.25	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
448	B13R_087_037ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
449	B13R_087_037ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
450	R00Y_062_050ad	0.625	0.0	0.625	0.0	0.114	0.0	0.114	0.0	0.233	45.4	70.9	44.8	83.9
451	R00Y_062_050ad	0.625	0.125	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
452	R00Y_062_050ad	0.625	0.25	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
453	R00Y_062_050ad	0.625	0.375	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.3	76.6	47.1	67.2
454	R00Y_062_050ad	0.625	0.5	0.625	0.0	0.816	0.0	0.816	0.0	1.217	47.1	77.7	47.8	67.2
455	R00Y_062_025ad	0.625	0.0	0.625	0.0	0.114	0.0	0.114	0.0	0.233	45.4	70.9	44.8	83.9
456	R00Y_062_025ad	0.625	0.125	0.625	0.0	0.239	0.0	0.239	0.0	0.363	45.8	73.0	45.8	78.2
457	R00Y_062_025ad	0.625	0.25	0.625	0.0	0.364	0.0	0.364	0.0	0.487	46.2	74.1	46.6	74.4
458	R00Y_062_025ad	0.625	0.375	0.625	0.0	0.635	0.0	0.635	0.0	0.941	46.3	76.6	47.1	67.2
459	B00R_100_037ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
460	B00R_100_037ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
461	Y15G_075_075ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
462	Y15G_075_075ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
463	Y15G_075_075ad	0.625	0.25	0.75	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
464	G00B_075_012ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
465	G00B_075_012ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
466	G50B_087_025ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
467	G50B_087_025ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
468	G84R_100_037ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
469	G84R_100_037ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
470	Y30G_087_062ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
471	Y30G_087_062ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
472	Y50G_087_050ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
473	Y50G_087_050ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
474	G25B_087_025ad	0.625	0.0	0.75	0.0	0.375	0.0	0.375	0.0	0.425	46.5	77.7	47.3	79.3
475	G25B_087_025ad	0.625	0.125	0.75	0.0	0.5	0.0	0.5	0.0	0.558	46.7	78.8	47.8	75.4
476	G63B_100_037ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
477	G63B_100_037ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
478	Y41G_100_087ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
479	Y41G_100_087ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
480	Y61G_100_062ad	0.625	0.0	1.0	0.0	0.5	0.0	0.5	0.0	0.816	46.6	79.3	47.8	71.1
481	Y61G_100_062ad	0.625	0.125	1.0	0.0	0.635	0.0	0.635	0.0	0.941	46.9	80.4	48.3	67.2
482	G00B_100_050ad	0.625	0.0	0.75										

QU1710L

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS TUB materiale: code=rha4ta
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

QU1710L

http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT /.PS; 3D-linearizzazione
F: 3D-linearizzazione QI17/QI17L0FA.DAT nel file (F), pagina 27/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC0*Fid	cmy0*sep_Fid	LabC0*Fid	hsa*Fid	rgb*Fid	LabC0*Fid	delta					
567	R0Y0_087_087Ad	0.875	0.0	0.875	0.875	0.437	390	42.8	0.0	0.0	0.0	0.0	45.4	70.9	83.9	32.3	
568	R0Y0_087_087Ad	0.875	0.0	0.875	0.875	0.437	382	0.875	0.0	0.0	0.0	0.0	0.0	45.4	70.9	83.9	32.3
569	R23Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	374	0.875	0.0	0.233	0.0	0.0	0.0	0.266	45.8	72.3	33.8
570	R23Y_087_087Ad	0.875	0.0	0.875	0.875	0.437	365	0.875	0.0	0.364	0.0	0.0	0.0	0.416	45.6	73.4	35.9
571	B70R_087_087Ad	0.875	0.0	0.875	0.875	0.437	355	0.875	0.0	0.51	0.0	0.0	0.0	0.583	45.9	75.0	38.1
572	B63R_087_087Ad	0.875	0.0	0.875	0.875	0.437	346	0.875	0.0	0.641	0.0	0.0	0.0	0.733	45.9	77.0	41.4
573	B56R_087_087Ad	0.875	0.0	0.875	0.875	0.437	338	0.875	0.0	0.758	0.0	0.0	0.0	0.866	46.1	78.3	44.7
574	B50R_087_087Ad	0.875	0.0	0.875	0.875	0.437	330	0.875	0.0	0.875	0.0	0.0	0.0	1.0	46.1	79.3	48.0
575	B44R_100_100Ad	0.875	0.0	1.0	1.0	0.5	323	0.883	0.0	1.0	0.443	0.0	0.0	1.0	46.1	79.3	48.0
576	R13Y_087_087Ad	0.875	0.125	0.875	0.875	0.437	317	0.875	0.116	0.0	46.1	54.3	0.0	0.133	46.2	79.6	48.3
577	R35Y_087_075Ad	0.875	0.125	0.875	0.875	0.437	311	0.875	0.125	0.125	49.1	53.2	0.0	0.15	46.2	79.6	48.3
578	R35Y_087_075Ad	0.875	0.125	0.875	0.875	0.437	301	0.875	0.125	0.221	49.1	53.7	0.0	0.15	46.2	79.6	48.3
579	R18Y_087_075Ad	0.875	0.125	0.875	0.875	0.437	291	0.875	0.125	0.362	49.3	54.3	0.0	0.16	46.2	79.6	48.3
580	R18Y_087_075Ad	0.875	0.125	0.875	0.875	0.437	281	0.875	0.125	0.5	49.4	55.6	0.0	0.16	46.2	79.6	48.3
581	B63R_087_075Ad	0.875	0.125	0.875	0.875	0.437	271	0.875	0.125	0.637	49.4	57.3	0.0	0.16	46.2	79.6	48.3
582	B57R_087_075Ad	0.875	0.125	0.875	0.875	0.437	261	0.875	0.125	0.762	49.4	58.5	0.0	0.16	46.2	79.6	48.3
583	B50R_087_075Ad	0.875	0.125	0.875	0.875	0.437	251	0.883	0.125	0.875	49.4	59.4	0.0	0.16	46.2	79.6	48.3
584	B43R_100_087Ad	0.875	0.125	1.0	1.0	0.875	242	0.883	0.125	1.0	50.5	65.5	0.0	0.16	46.2	79.6	48.3
585	R26Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	237	0.875	0.233	0.0	50.6	64.1	0.0	0.16	46.2	79.6	48.3
586	R15Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	231	0.875	0.233	0.125	52.4	65.5	0.0	0.16	46.2	79.6	48.3
587	R15Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	225	0.875	0.25	0.264	53.4	68.9	0.0	0.16	46.2	79.6	48.3
588	R31Y_087_062Ad	0.875	0.25	0.875	0.875	0.437	219	0.875	0.25	0.364	55.4	74.4	0.0	0.16	46.2	79.6	48.3
589	R11Y_087_062Ad	0.875	0.25	0.875	0.875	0.437	213	0.875	0.25	0.489	55.6	81.4	0.0	0.16	46.2	79.6	48.3
590	B63R_087_062Ad	0.875	0.25	0.875	0.875	0.437	207	0.875	0.25	0.635	55.7	88.4	0.0	0.16	46.2	79.6	48.3
591	B56R_087_062Ad	0.875	0.25	0.875	0.875	0.437	201	0.875	0.25	0.769	55.9	95.4	0.0	0.16	46.2	79.6	48.3
592	B49R_100_07Ad	0.875	0.25	1.0	1.0	0.875	195	0.887	0.25	1.0	57.7	105.7	0.0	0.16	46.2	79.6	48.3
593	R18Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	189	0.875	0.364	0.0	56.5	114.3	0.0	0.16	46.2	79.6	48.3
594	R18Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	183	0.875	0.364	0.125	57.4	123.3	0.0	0.16	46.2	79.6	48.3
595	R18Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	177	0.875	0.364	0.264	58.9	132.3	0.0	0.16	46.2	79.6	48.3
596	R18Y_087_087Ad	0.875	0.25	0.875	0.875	0.437	171	0.875	0.364	0.364	60.4	141.3	0.0	0.16	46.2	79.6	48.3
597	R26Y_087_050Ad	0.875	0.25	0.875	0.875	0.437	165	0.875	0.375	0.375	61.6	150.3	0.0	0.16	46.2	79.6	48.3
598	R26Y_087_050Ad	0.875	0.25	0.875	0.875	0.437	159	0.875	0.375	0.491	62.4	159.3	0.0	0.16	46.2	79.6	48.3
599	R26Y_087_050Ad	0.875	0.25	0.875	0.875	0.437	153	0.875	0.375	0.625	63.8	168.3	0.0	0.16	46.2	79.6	48.3
600	B61R_087_050Ad	0.875	0.25	0.875	0.875	0.437	147	0.875	0.375	0.758	64.8	177.3	0.0	0.16	46.2	79.6	48.3
601	B50R_087_050Ad	0.875	0.25	0.875	0.875	0.437	141	0.885	0.375	1.0	66.8	186.3	0.0	0.16	46.2	79.6	48.3
602	B40R_100_062Ad	0.875	0.25	1.0	1.0	0.625	135	0.875	0.51	0.0	64.0	177.3	0.0	0.16	46.2	79.6	48.3
603	R58Y_087_087Ad	0.875	0.5	0.875	0.875	0.437	129	0.875	0.51	0.125	65.4	186.3	0.0	0.16	46.2	79.6	48.3
604	R58Y_087_087Ad	0.875	0.5	0.875	0.875	0.437	123	0.875	0.51	0.264	66.8	195.3	0.0	0.16	46.2	79.6	48.3
605	R33Y_087_050Ad	0.875	0.5	0.875	0.875	0.437	117	0.875	0.489	0.25	64.1	204.3	0.0	0.16	46.2	79.6	48.3
606	R23Y_087_050Ad	0.875	0.5	0.875	0.875	0.437	111	0.875	0.491	0.375	65.5	213.3	0.0	0.16	46.2	79.6	48.3
607	R18Y_087_050Ad	0.875	0.5	0.875	0.875	0.437	105	0.875	0.5	0.625	66.8	222.3	0.0	0.16	46.2	79.6	48.3
608	R18Y_087_050Ad	0.875	0.5	0.875	0.875	0.437	99	0.875	0.5	0.758	68.1	231.3	0.0	0.16	46.2	79.6	48.3
609	B63R_087_037Ad	0.875	0.5	0.875	0.875	0.437	93	0.875	0.5	0.875	68.1	240.3	0.0	0.16	46.2	79.6	48.3
610	B50R_087_037Ad	0.875	0.5	0.875	0.875	0.437	87	0.875	0.5	1.0	69.5	249.3	0.0	0.16	46.2	79.6	48.3
611	B38R_100_050Ad	0.875	0.5	1.0	1.0	0.5	81	0.883	0.5	1.0	70.5	258.3	0.0	0.16	46.2	79.6	48.3
612	R73Y_087_087Ad	0.875	0.625	0.875	0.875	0.437	75	0.875	0.641	0.0	70.5	267.3	0.0	0.16	46.2	79.6	48.3
613	R68Y_087_075Ad	0.875	0.625	0.875	0.875	0.437	69	0.875	0.637	0.125	71.1	276.3	0.0	0.16	46.2	79.6	48.3
614	R61Y_087_062Ad	0.875	0.625	0.875	0.875	0.437	63	0.875	0.635	0.25	71.7	285.3	0.0	0.16	46.2	79.6	48.3
615	R50Y_087_050Ad	0.875	0.625	0.875	0.875	0.437	57	0.875	0.625	0.375	72.3	294.3	0.0	0.16	46.2	79.6	48.3
616	R31Y_087_050Ad	0.875	0.625	0.875	0.875	0.437	51	0.875	0.618	0.5	72.9	303.3	0.0	0.16	46.2	79.6	48.3
617	R0Y0_087_050Ad	0.875	0.625	0.875	0.875	0.437	45	0.875	0.625	0.625	74.1	312.3	0.0	0.16	46.2	79.6	48.3
618	R0Y0_087_050Ad	0.875	0.625	0.875	0.875	0.437	39	0.875	0.625	0.758	74.3	321.3	0.0	0.16	46.2	79.6	48.3
619	R0Y0_087_050Ad	0.875	0.625	0.875	0.875	0.437	33	0.881	0.625	0.875	74.3	330.3	0.0	0.16	46.2	79.6	48.3
620	B34R_100_037Ad	0.875	0.625	1.0	1.0	0.375	27	0.881	0.625	1.0	74.7	339.3	0.0	0.16	46.2	79.6	48.3
621	R86Y_087_087Ad	0.875	0.75	0.875	0.875	0.437	21	0.875	0.758	0.0	75.7	348.3	0.0	0.16	46.2	79.6	48.3
622	R83Y_087_075Ad	0.875	0.75	0.875	0.875	0.437	15	0.875	0.762	0.125	76.1	357.3	0.0	0.16	46.2	79.6	48.3
623	R76Y_087_062Ad	0.875	0.75	0.875	0.875	0.437	9	0.875	0.762	0.264	76.5	366.3	0.0	0.16	46.2	79.6	48.3
624	R68Y_087_050Ad	0.875	0.75	0.875	0.875	0.437	3	0.875	0.758	0.375	76.5	375.3	0.0	0.16	46.2	79.6	48.3
625	R61Y_087_037Ad	0.875	0.75	0.875	0.875	0.437	-3	0.875	0.758	0.5	76.9	384.3	0.0	0.16	46.2	79.6	48.3
626	R54Y_087_025Ad	0.875	0.75	0.875	0.875	0.437	-9	0.875	0.758	0.625	77.0	393.3	0.0	0.16	46.2	79.6	48.3
627	R47Y_087_012Ad	0.875	0.75	0.875	0.875	0.437	-15	0.875	0.75	0.75	77.0	402.3	0.0	0.16	46.2	79.6	48.3
628	B50R_087_012Ad	0.875	0.75	1.0	1.0	0.25	-21	0.875	0.75	1.0	77.0	411.3	0.0	0.16	46.2	79.6	48.3
629	B28R_100_025Ad	0.875	0.75	1.0	1.0	0.875	-27	0.875	0.75	1.0	77.0	420.3	0.0	0.16	46.2	79.6	48.3
630	Y0G0_087_087Ad	0.875	0.75	1.0	1.0	0.25	-33	0.875	0.75	1.0	77.0	429.3	0.0	0.16	46.2	79.6	48.3
631	Y0G0_087_087Ad	0.875	0.75	1.0	1.0	0.25	-39	0.875	0.75	1.0	77.0	438.3	0.0	0.16	46.2	79.6	48.3
632	Y0G0_087_062Ad	0.875	0.75	1.0	1.0	0.25	-45	0.875	0.75	1.0	77.0	447.3	0.0	0.16	46.2	79.6	48.3
633	Y0G0_087_050Ad	0.875	0.75	1.0	1.0	0.25	-51	0.875	0.75	1.0	77.0	456.3	0.0	0.16	46.2	79.6	48.3
634	Y0G0_																

n	HC*Fid	rgp_Fid	icr_Fid	hsa_Fid	rgp*Fid	LabC*Fid	LabC*Fid	cmyp**sep.Fid	rgp**Fid	hsa**Fid	rgp**Fid	LabC**Fid	delta				
648	R00Y_100_1000ad	1.0	0.0	0.5	390	0.0	45.4	0.0	1.0	0.0	0.0	45.4	70.9	44.8	83.9	83.9	32.3
649	R38Y_100_1000ad	1.0	0.0	0.5	383	0.0	0.116	0.0	0.999	0.0	0.0	0.116	45.5	71.4	40.4	82.1	29.5
650	R26Y_100_1000ad	1.0	0.0	0.5	376	1.0	0.0	0.233	0.0	0.0	0.0	0.233	45.6	72.1	35.3	80.3	26.1
651	R13Y_100_1000ad	1.0	0.0	0.5	368	1.0	0.0	0.366	0.0	1.0	0.0	0.366	45.8	72.9	28.7	78.4	21.5
652	R00Y_100_1000ad	1.0	0.0	0.5	360	1.0	0.0	0.5	0.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	15.9
653	B68R_100_1000ad	1.0	0.0	0.5	352	1.0	0.0	0.633	0.0	1.0	0.0	0.633	46.0	75.7	14.4	77.1	10.8
654	B61R_100_1000ad	1.0	0.0	0.5	344	1.0	0.0	0.766	0.0	1.0	0.0	0.766	45.9	77.3	8.0	77.7	5.9
655	B55R_100_1000ad	1.0	0.0	0.5	337	1.0	0.0	0.883	0.0	1.0	0.0	0.883	45.9	78.3	3.8	78.4	2.8
656	B50R_100_1000ad	1.0	0.0	0.5	330	1.0	0.0	1.0	0.0	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
657	R11Y_100_1000ad	1.0	0.0	0.5	37	1.0	0.116	0.0	0.882	1.0	0.0	0.116	48.6	63.3	49.1	80.2	37.7
658	R00Y_100_087ad	1.0	0.875	0.562	390	1.0	0.125	0.125	0.0	0.845	0.0	0.133	45.5	70.9	44.8	83.9	32.3
659	R36Y_100_087ad	1.0	0.875	0.562	382	1.0	0.125	0.241	0.0	0.845	0.0	0.133	45.5	70.9	44.8	83.9	32.3
660	R23Y_100_087ad	1.0	0.875	0.562	374	1.0	0.125	0.358	0.0	0.875	0.0	0.266	45.6	72.3	33.8	79.8	25.0
661	R08Y_100_087ad	1.0	0.875	0.562	365	1.0	0.125	0.489	0.0	0.875	0.0	0.416	45.8	73.4	25.9	77.9	19.4
662	B70R_100_087ad	1.0	0.875	0.562	355	1.0	0.125	0.635	0.0	0.875	0.0	0.583	45.9	75.2	16.9	77.1	12.7
663	B63R_100_087ad	1.0	0.875	0.562	346	1.0	0.125	0.766	0.0	0.875	0.0	0.733	45.9	77.0	9.4	77.5	7.0
664	B56R_100_087ad	1.0	0.875	0.562	338	1.0	0.125	0.883	0.0	0.874	0.0	0.866	45.9	78.1	4.4	78.3	3.2
665	B50R_100_087ad	1.0	0.875	0.562	330	1.0	0.125	1.0	0.0	0.874	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
666	R23Y_100_1000ad	1.0	0.25	0.0	44	1.0	0.233	0.0	0.765	1.0	0.0	0.233	53.0	53.4	54.8	76.5	45.7
667	R13Y_100_1000ad	1.0	0.25	0.0	44	1.0	0.241	0.125	0.0	0.764	0.0	0.233	53.0	53.4	54.8	76.5	45.7
668	R00Y_100_1000ad	1.0	0.25	0.0	390	1.0	0.25	0.25	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
669	R38Y_100_1000ad	1.0	0.25	0.0	381	1.0	0.25	0.362	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
670	R18Y_100_1000ad	1.0	0.25	0.0	371	1.0	0.25	0.487	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
671	R08Y_100_1000ad	1.0	0.25	0.0	360	1.0	0.25	0.625	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
672	B68R_100_075ad	1.0	0.25	0.25	349	1.0	0.25	0.82	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
673	B61R_100_075ad	1.0	0.25	0.25	340	1.0	0.25	0.957	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
674	B55R_100_075ad	1.0	0.25	0.25	330	1.0	0.25	1.0	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
675	B50R_100_075ad	1.0	0.25	0.25	320	1.0	0.25	1.0	0.0	0.749	0.0	0.233	53.0	53.4	54.8	76.5	45.7
676	R36Y_100_087ad	1.0	0.375	0.125	46	1.0	0.366	0.0	0.633	1.0	0.0	0.366	51.4	50.4	56.5	75.7	48.2
677	R26Y_100_087ad	1.0	0.375	0.125	46	1.0	0.366	0.0	0.633	1.0	0.0	0.366	51.4	50.4	56.5	75.7	48.2
678	R15Y_100_087ad	1.0	0.375	0.125	46	1.0	0.366	0.0	0.633	1.0	0.0	0.366	51.4	50.4	56.5	75.7	48.2
679	R00Y_100_062ad	1.0	0.625	0.687	390	1.0	0.375	0.375	0.0	0.642	0.0	0.375	51.4	50.4	56.5	75.7	48.2
680	R31Y_100_062ad	1.0	0.625	0.687	379	1.0	0.375	0.489	0.0	0.642	0.0	0.375	51.4	50.4	56.5	75.7	48.2
681	B69R_100_062ad	1.0	0.625	0.687	367	1.0	0.375	0.614	0.0	0.642	0.0	0.375	51.4	50.4	56.5	75.7	48.2
682	B62R_100_062ad	1.0	0.625	0.687	353	1.0	0.375	0.76	0.0	0.642	0.0	0.375	51.4	50.4	56.5	75.7	48.2
683	B56R_100_062ad	1.0	0.625	0.687	341	1.0	0.375	0.885	0.0	0.642	0.0	0.375	51.4	50.4	56.5	75.7	48.2
684	B50Y_100_1000ad	1.0	0.0	0.5	60	1.0	0.0	0.5	0.0	0.642	0.0	0.375	51.4	50.4	56.5	75.7	48.2
685	R41Y_100_087ad	1.0	0.875	0.562	59	1.0	0.489	0.125	0.0	0.498	0.0	0.5	51.4	50.4	56.5	75.7	48.2
686	R31Y_100_075ad	1.0	0.5	0.25	45	1.0	0.487	0.25	0.0	0.5	0.0	0.487	51.4	50.4	56.5	75.7	48.2
687	R18Y_100_062ad	1.0	0.5	0.375	41	1.0	0.489	0.375	0.0	0.525	0.0	0.525	51.4	50.4	56.5	75.7	48.2
688	R00Y_100_050ad	1.0	0.5	0.5	390	1.0	0.5	0.5	0.0	0.5	0.0	0.5	51.4	50.4	56.5	75.7	48.2
689	R26Y_100_050ad	1.0	0.5	0.75	376	1.0	0.5	0.616	0.0	0.5	0.0	0.5	51.4	50.4	56.5	75.7	48.2
690	B61R_100_050ad	1.0	0.5	0.75	360	1.0	0.5	0.75	0.0	0.5	0.0	0.5	51.4	50.4	56.5	75.7	48.2
691	B56R_100_050ad	1.0	0.5	0.75	344	1.0	0.5	0.883	0.0	0.5	0.0	0.5	51.4	50.4	56.5	75.7	48.2
692	B50R_100_050ad	1.0	0.5	0.75	330	1.0	0.5	1.0	0.0	0.5	0.0	0.5	51.4	50.4	56.5	75.7	48.2
693	R63Y_100_1000ad	1.0	0.0	0.5	68	1.0	0.633	0.0	0.517	1.0	0.0	0.633	51.4	50.4	56.5	75.7	48.2
694	R38Y_100_087ad	1.0	0.875	0.562	65	1.0	0.633	0.0	0.517	1.0	0.0	0.633	51.4	50.4	56.5	75.7	48.2
695	R30Y_100_075ad	1.0	0.75	0.625	60	1.0	0.625	0.25	0.0	0.583	0.0	0.625	51.4	50.4	56.5	75.7	48.2
696	R38Y_100_062ad	1.0	0.625	0.687	53	1.0	0.614	0.375	0.0	0.402	0.0	0.583	51.4	50.4	56.5	75.7	48.2
697	R23Y_100_050ad	1.0	0.625	0.375	44	1.0	0.616	0.5	0.0	0.422	0.0	0.422	51.4	50.4	56.5	75.7	48.2
698	R00Y_100_062ad	1.0	0.375	0.812	390	1.0	0.625	0.625	0.0	0.4	0.0	0.375	51.4	50.4	56.5	75.7	48.2
699	R18Y_100_037ad	1.0	0.375	0.812	371	1.0	0.625	0.743	0.0	0.401	0.0	0.375	51.4	50.4	56.5	75.7	48.2
700	B68R_100_037ad	1.0	0.625	0.875	349	1.0	0.625	0.881	0.0	0.413	0.0	0.625	51.4	50.4	56.5	75.7	48.2
701	B50R_100_037ad	1.0	0.625	0.875	330	1.0	0.625	1.0	0.0	0.413	0.0	0.625	51.4	50.4	56.5	75.7	48.2
702	R76Y_100_1000ad	1.0	0.75	0.0	76	1.0	0.766	0.0	0.414	1.0	0.0	0.766	51.4	50.4	56.5	75.7	48.2
703	R33Y_100_087ad	1.0	0.875	0.362	74	1.0	0.766	0.125	0.0	0.234	1.0	0.766	51.4	50.4	56.5	75.7	48.2
704	R00Y_100_075ad	1.0	0.75	0.625	71	1.0	0.762	0.375	0.0	0.248	1.0	0.733	51.4	50.4	56.5	75.7	48.2
705	R38Y_100_062ad	1.0	0.75	0.625	60	1.0	0.762	0.625	0.0	0.256	1.0	0.683	51.4	50.4	56.5	75.7	48.2
706	B50Y_100_050ad	1.0	0.75	0.625	49	1.0	0.75	0.5	0.0	0.256	1.0	0.616	51.4	50.4	56.5	75.7	48.2
707	R31Y_100_037ad	1.0	0.375	0.812	49	1.0	0.743	0.625	0.0	0.302	1.0	0.316	51.4	50.4	56.5	75.7	48.2
708	R00Y_100_025ad	1.0	0.375	0.812	49	1.0	0.743	0.625	0.0	0.302	1.0	0.316	51.4	50.4	56.5	75.7	48.2
709	R00Y_100_025ad	1.0	0.25	0.875	390	1.0	0.75	0.75	0.0	0.281	1.0	0.316	51.4	50.4	56.5	75.7	48.2
710	B50R_100_025ad	1.0	0.25	0.875	330	1.0	0.75	1.0	0.0	0.281	1.0	0.316	51.4	50.4	56.5	75.7	48.2
711	R88Y_100_1000ad	1.0	0.0	0.5	83	1.0	0.883	0.0	0.291	1.0	0.0	0.883	51.4	50.4	56.5	75.7	48.2
712	R85Y_100_087ad	1.0	0.875	0.562	81	1.0	0.883	0.125	0.0	0.291	1.0	0.883	51.4	50.4	56.5	75.7	48.2
713	R85Y_100_075ad	1.0	0.875	0.562	81	1.0	0.883	0.25	0.0	0.291	1.0	0.883	51.4	50.4	56.5	75.7	48.2
714	R81Y_100_062ad	1.0	0.875	0.562	79	1.0	0.883	0.375	0.0	0.291	1.0	0.883	51.4	50.4	56.5	75.7	48.2
715	R76Y_100_050ad	1.0	0.875	0.562	76	1.0	0.883	0.5	0.0	0.291	1.0	0.883	51.4	50.4	56.5	75.7	48.2
716	R68Y_100_037ad	1.0	0.375	0.812	71	1.0	0.881	0.625	0.0	0.152	0.0	0.683	51.4	50.4	56.5	75.7	48.2
717	R50Y_100_025ad	1.0	0.25	0.875	60	1.0	0.875	0.75	0.0	0.158	0.0	0.683	51.4	50.4	56.5	75.7	48.2
718	R00Y_100_012ad	1.0	0.125														

Q11710L

TUB iscrizione: 20130201-QI17/QI17L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

TUB materiale: code=rha4ta

http://130.149.60.45/~farbmetrik/QI17/QI17L0FA.TXT /.PS; 3D-linearizzazione
F: 3D-linearizzazione QI17/QI17L30FA.DAT nel file (F), pagina 31/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	cmyp*sep_Fid	hsa_did	rgb*did	LabC*did	delta
891	NW_1000	1.0	1.0	1.0	1.0	95.6	0.0	0.0	360	1.0	1.0	0.0
892	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
893	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
894	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
895	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
896	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
897	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
898	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
899	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
900	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
901	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
902	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
903	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
904	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
905	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
906	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
907	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
908	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
909	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
910	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
911	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
912	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
913	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
914	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
915	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
916	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
917	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
918	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
919	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
920	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
921	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
922	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
923	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
924	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
925	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
926	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
927	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
928	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
929	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
930	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
931	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
932	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
933	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
934	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
935	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
936	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
937	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
938	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
939	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
940	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
941	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
942	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
943	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
944	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
945	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
946	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
947	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
948	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
949	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
950	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
951	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
952	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
953	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
954	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
955	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
956	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
957	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
958	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
959	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
960	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
961	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
962	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
963	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0
964	NW_1000	1.0	0.875	1.0	0.875	1.0	0.0	0.0	360	1.0	1.0	0.0
965	NW_1000	1.0	0.75	1.0	0.75	1.0	0.0	0.0	360	1.0	1.0	0.0
966	NW_1000	1.0	0.625	1.0	0.625	1.0	0.0	0.0	360	1.0	1.0	0.0
967	NW_1000	1.0	0.5	1.0	0.5	1.0	0.0	0.0	360	1.0	1.0	0.0
968	NW_1000	1.0	0.375	1.0	0.375	1.0	0.0	0.0	360	1.0	1.0	0.0
969	NW_1000	1.0	0.25	1.0	0.25	1.0	0.0	0.0	360	1.0	1.0	0.0
970	NW_1000	1.0	0.125	1.0	0.125	1.0	0.0	0.0	360	1.0	1.0	0.0
971	NW_1000	1.0	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	1.0	0.0

immettere: rgb/cmyk -> rgbd
uscita: 3D-linearizzazione a cmy0*dd

grafico TUB-QI17; codice di tinte: H*d=R50Yd
colori e la differenza, ΔE*_a

vedere dei file simili: <http://130.149.60.45/~farbmetrik/QI17/QI17.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HC*Fid	rgb_Fid	iet_Fid	Ins_Fid	rgb*Fid	LabC*Fid	cmy0*_sep.Fid	Ins_did	rgb*did	LabC*did	delta
972	NW_0000ad	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
973	NW_0120ad	0.125	0.125	0.125	0.125	24.3	0.0	0.885	1.0	0.774	0.736
974	NW_0240ad	0.25	0.25	0.25	0.25	33.2	0.0	0.885	1.0	0.774	0.736
975	NW_0360ad	0.375	0.375	0.375	0.375	42.1	0.0	0.885	1.0	0.774	0.736
976	NW_0480ad	0.5	0.5	0.5	0.5	51.0	0.0	0.885	1.0	0.774	0.736
977	NW_0600ad	0.625	0.625	0.625	0.625	60.0	0.0	0.885	1.0	0.774	0.736
978	NW_0720ad	0.75	0.75	0.75	0.75	68.9	0.0	0.885	1.0	0.774	0.736
979	NW_0840ad	0.875	0.875	0.875	0.875	77.8	0.0	0.885	1.0	0.774	0.736
980	NW_1000ad	1.0	1.0	1.0	1.0	86.7	0.0	0.885	1.0	0.774	0.736
981	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
982	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
983	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
984	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
985	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
986	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
987	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
988	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
989	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
990	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
991	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
992	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
993	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
994	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
995	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
996	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
997	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
998	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
999	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
1000	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
1001	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
1002	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
1003	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
1004	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
1005	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
1006	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
1007	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
1008	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
1009	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
1010	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
1011	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
1012	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
1013	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
1014	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
1015	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
1016	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
1017	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
1018	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
1019	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
1020	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
1021	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
1022	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
1023	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
1024	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
1025	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
1026	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
1027	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
1028	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
1029	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
1030	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
1031	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
1032	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
1033	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
1034	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
1035	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
1036	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
1037	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
1038	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
1039	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
1040	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
1041	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
1042	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
1043	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736
1044	NW_1100ad	0.0	0.0	0.0	0.0	24.3	0.0	0.885	1.0	0.774	0.736
1045	NW_0120ad	0.125	0.125	0.125	0.125	33.2	0.0	0.885	1.0	0.774	0.736
1046	NW_0240ad	0.25	0.25	0.25	0.25	42.1	0.0	0.885	1.0	0.774	0.736
1047	NW_0360ad	0.375	0.375	0.375	0.375	51.0	0.0	0.885	1.0	0.774	0.736
1048	NW_0480ad	0.5	0.5	0.5	0.5	60.0	0.0	0.885	1.0	0.774	0.736
1049	NW_0600ad	0.625	0.625	0.625	0.625	68.9	0.0	0.885	1.0	0.774	0.736
1050	NW_0720ad	0.75	0.75	0.75	0.75	77.8	0.0	0.885	1.0	0.774	0.736
1051	NW_0840ad	0.875	0.875	0.875	0.875	86.7	0.0	0.885	1.0	0.774	0.736
1052	NW_1000ad	1.0	1.0	1.0	1.0	95.6	0.0	0.885	1.0	0.774	0.736

immettere: rgb/cmyk -> rgbd
uscita: 3D-linearizzazione a cmy0*dd

grafico TUB-QI17; codice di tinte: H*_d=R50Y_d
colori e la differenza, ΔE^*

