

http://130.149.60.45/~farbmetrik/QN06/QN06L0NP.PDF /.PS; overføring output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 2/2

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 41/360 = 0.11$


Data for ethvert apparat (d) eller
elementærfarge (e):

HIC_e^*

fargetonetekst for fargene
på denne siden:

$H_e^* = R25Y_e$

trekantslyshet T^*



ORS20a; adapterte (a) CIELAB data

navn	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}$
R _e ,Ma	45.6	72.2	34.4	80.0	25
Y _e ,Ma	83.6	-3.6	90.4	90.4	92
G _e ,Ma	50.6	-62.1	19.9	65.2	162
C _e ,Ma	55.0	-36.2	-27.2	45.3	216
B _e ,Ma	40.2	1.2	-40.6	40.6	271
M _e ,Ma	31.1	47.7	-29.1	55.9	328
N _e ,Ma	24.3	0.0	0.0	0.0	0
W _e ,Ma	95.6	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh_{e,Ma}^*$: 50 59 51 78 41

$HIC_{e,Ma}^*$: R25Y_100_100_e

$rgbic_{e,Ma}^*$:

1.0 0.16 0.0 1.0 1.0

trekantslyshet T^*

%Omfang

$u_{rel}^* = 92$



%Regularitet

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; adapterte (a) CIELAB data

H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}$
R00Y_100_100 _e	45.6	72.2	34.4	80.0	25
R25Y_100_100 _e	50.5	59.2	51.6	78.6	41
R50Y_100_100 _e	60.2	38.2	63.4	74.1	58
R75Y_100_100 _e	70.9	17.9	75.9	77.9	76
Y00G_100_100 _e	83.6	-3.6	90.4	90.4	92
Y25G_100_100 _e	74.5	-25.0	74.3	78.4	108
Y50G_100_100 _e	62.6	-40.9	53.8	67.6	127
Y75G_100_100 _e	54.1	-55.5	37.5	67.0	145
G00B_100_100 _e	50.6	-62.1	19.9	65.2	162
G25B_100_100 _e	53.0	-48.6	-8.2	49.2	189
G50B_100_100 _e	55.0	-36.2	-27.2	45.3	216
G75B_100_100 _e	53.3	-19.8	-41.3	45.9	244
B00R_100_100 _e	40.2	1.2	-40.6	40.6	271
B25R_100_100 _e	28.1	23.4	-40.3	46.7	300
B50R_100_100 _e	31.1	47.7	-29.1	55.9	328
B75R_100_100 _e	41.4	70.4	-9.8	71.1	352



5-013131-L0 QN060-71

TUB-prøveplansje QN06; farbetoneplan: $H_e^* = R25Y_e$
prøveplansje infølge DIN 33872, 3D=0, de=1, $cmY0$

input: $rgb/cmyk \rightarrow rgb_e$
output: overføring til $cmY0_e$

TUB registrering: 20150701-QN06/QN06L0NP.PDF /.PS

TUB-material: code=rha4ta

anvendelse for måling av offsettrykk output, separasjon $cmY0$ (CMY0)