


Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$

Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_-$   
fargetonetekst for fargene på denne siden:  
 $H^*_- = R50Y_-$   
trekantslyshet  $T^*$



**ORS18a; adapterte (a) CIELAB data**

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$ : 68 25 63 68 68

$HIC^*_{-,Ma}$ : R50Y\_100\_100\_



$rgbic^*_{-,Ma}$ :

1.0 0.5 0.0 1.0 1.0

trekantslyshet  $T^*$

**ORS20a; adapterte (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

se liggende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
anvendelse for måling av display output


TUB-material: code=rh4ta

Input og output: Fjernsyn-Lysfarge-System TLS00a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 58/360 = 0.16$

$H^*_e = R50Y_e$

Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_e$   
fargetonetekst for fargene på denne siden:  
 $H^*_e = R50Y_e$   
trekantslyshet  $T^*$



**TLS00a; adapterte (a) CIELAB data**

navn	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{e, Ma}$ : 63 42 70 82 58

$HIC^*_{e, Ma}$ : R50Y\_100\_100\_e



$rgbic^*_{e, Ma}$ :

1.0 0.48 0.0 1.0 1.0

trekantslyshet  $T^*$

**TLS00a; adapterte (a) CIELAB data**

$H^*_e$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352



%Omfang  
 $u^*_{rel} = 158$   
%Regularitet  
 $g^*_{H,rel} = 19$   
 $g^*_{C,rel} = 37$



se liggende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12L0FP.PDF> /.PS  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon




TUB-material: code=rh4ta

TUB-prøveplansje QN12; farbetoneplan:  $H^*_e=R50Y_e$   
prøveplansje infølge DIN 33872, 3D=1, de=1, sRGB\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
output: 3D-linearisering til  $rgb^*_{de}$



Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>:  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$   
 $rgb^* \ LCH^* \ LAB^*$   
 $h_{ab, s} \ rgb^*_s$   
 $h_{ab, s} = atan [ r^*_d \ cos(30) + g^*_d \ cos(150) ] / [ r^*_d \ sin(30) + g^*_d \ sin(150) + b^*_d \ sin(270) ]$  (1)  
 $h_{ab, s}$   
 $s: h_{ab, s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 \ (i=0,6)$   
 $h_{48ab, sij} = h_{ab, si} + j [h_{ab, si+1} - h_{ab, si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (2)  
 $h_{360ab, sij} = h_{ab, si} + j [h_{ab, si+1} - h_{ab, si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (3)  
 $h_{ab, e}$   
 $e: h_{ab, e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 \ (i=0,6)$   
 $h_{48ab, eij} = h_{ab, ei} + j [h_{ab, ei+1} - h_{ab, ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7)$  (4)  
 $h_{360ab, eij} = h_{ab, ei} + j [h_{ab, ei+1} - h_{ab, ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59)$  (5)  
 $h_{ab, s} \ h_{ab, d}$   
 $rgb^*_{de}$

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimumsfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* ddx361M	LAB* ddx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M	rgb <sup>a</sup> <sub>de</sub>	rgb <sup>b</sup> <sub>de</sub>	rgb <sup>c</sup> <sub>de</sub>	
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0	
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.0	
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.0	0.0	
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.0	0.0	
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.6
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.0	0.117	0.0	31.0
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307.5	0.0	0.25	0.0	32.6
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.0	0.367	0.0	35.0
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.0	0.5	0.0	38.6
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.0	0.617	0.0	42.4
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.0	0.75	0.0	47.3
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.0	0.867	0.0	51.9
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	1.0	0.0	1.0	57.3
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	1.0	0.0	0.883	55.8
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.75	54.2
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.633	53.1
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	1.0	0.0	0.5	52.1
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	1.0	0.0	0.383	51.4
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	1.0	0.0	0.25	50.9
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	1.0	0.0	0.133	50.6
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	1.0	0.0	0.0	50.5

5-113330-LO QN120-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 4/29


TUB-prøveplansje QN12; farbetoneplan: H\*<sub>e</sub>=R50Y<sub>e</sub>  
 prøveplansje infølge DIN 33872, 3D=1, de=1, sRGB\*

input: rgb/cmyk -> rgb<sub>de</sub>  
 output: 3D-linearisering til rgb\*<sub>de</sub>

5-113330-F0

TUB registrering: 20130201-QN12/QN12LOFP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta



Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene  $RYGCBM_s$ ;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargetonevinkler til apparatfargene  $RYGCBM_d$ ;  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; seks fargetonevinkler til elementærfargene  $RYGCBM_e$ ;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd64M</sub>	LAB* <sub>ddx64M (x=LabCh)</sub>	rgb* <sub>dex361M</sub>	LAB* <sub>dex361M</sub>	rgb* <sub>dd</sub>	rgb* <sub>ds</sub>	rgb* <sub>de</sub>
40.0	30.0	25.4	1.0 0.0 0.0	50.4 76.9 64.5 100.4 40.0	40.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 25			
41.3	37.5	33.8	1.0 0.125 0.0	51.5 73.9 64.9 98.3 41.3	41.3	1.0 0.0 0.156 50.7 77.7 51.0 92.9 33			
44.6	45.0	42.1	1.0 0.25 0.0	54.0 66.7 65.9 93.8 44.6	44.6	1.0 0.157 0.0 52.2 72.0 65.3 97.2 42			
50.7	52.5	50.5	1.0 0.375 0.0	58.2 55.4 67.9 87.7 50.7	50.7	1.0 0.358 0.0 57.7 56.9 67.8 88.6 49			
59.7	60.0	58.8	1.0 0.5 0.0	63.6 41.3 71.0 82.2 59.7	59.7	1.0 0.488 0.0 63.1 42.8 70.9 82.8 58			
71.0	67.5	67.2	1.0 0.625 0.0	70.1 25.7 75.0 79.3 71.0	71.0	1.0 0.577 0.0 67.6 31.8 73.9 80.5 66			
82.9	75.0	75.6	1.0 0.75 0.0	77.2 9.8 79.7 80.4 82.9	82.9	1.0 0.673 0.0 72.8 19.8 77.3 79.8 75			
93.8	82.5	83.9	1.0 0.875 0.0	84.8 -5.7 85.0 85.2 93.8	93.8	1.0 0.755 0.0 77.5 9.3 80.1 80.6 83			
102.8	90.0	92.3	1.0 1.0 0.0	92.6 -20.7 90.7 93.0 102.8	102.8	1.0 0.857 0.0 83.7 -3.3 84.5 84.6 92			
110.5	97.5	101.0	0.875 1.0 0.0	90.4 -33.1 88.1 94.1 110.5	110.5	1.0 0.967 0.0 90.6 -16.4 89.5 91.0 100			
117.6	105.0	109.7	0.75 1.0 0.0	88.5 -44.9 85.8 96.8 117.6	117.6	0.888 1.0 0.0 90.7 -31.7 88.5 94.0 109			
123.6	112.5	118.5	0.625 1.0 0.0	86.9 -55.8 83.9 100.7 123.6	123.6	0.743 1.0 0.0 88.5 -45.4 85.8 97.1 117			
128.3	120.0	127.2	0.5 1.0 0.0	85.7 -65.2 82.4 105.1 128.3	128.3	0.529 1.0 0.0 86.0 -62.9 82.9 104.1 127			
131.8	127.5	136.0	0.375 1.0 0.0	84.7 -72.8 81.2 109.1 131.8	131.8	0.132 1.0 0.0 83.8 -81.2 80.1 114.1 135			
134.1	135.0	144.7	0.25 1.0 0.0	84.1 -78.2 80.5 112.2 134.1	134.1	0.0 1.0 0.41 84.1 -76.8 54.3 94.1 144			
135.5	142.5	153.4	0.125 1.0 0.0	83.7 -81.4 80.0 114.2 135.5	135.5	0.0 1.0 0.573 84.6 -70.9 36.3 79.8 152			
136.0	150.0	162.2	0.0 1.0 0.0	83.6 -82.7 79.8 115.0 136.0	136.0	0.0 1.0 0.706 85.2 -64.6 20.7 67.9 162			
137.0	157.5	169.0	0.0 1.0 0.125 83.6	-82.1 76.6 112.3 137.0	137.0	0.0 1.0 0.778 85.5 -60.6 12.2 61.9 168			
139.3	165.0	175.9	0.0 1.0 0.25 83.8	-80.5 69.1 106.1 139.3	139.3	0.0 1.0 0.847 85.9 -56.4 4.0 56.7 175			
143.2	172.5	182.7	0.0 1.0 0.375 84.0	-77.8 58.1 97.1 143.2	143.2	0.0 1.0 0.9 86.2 -53.2 -2.0 53.3 182			
148.6	180.0	189.6	0.0 1.0 0.5 84.3	-73.7 44.9 86.4 148.6	148.6	0.0 1.0 0.952 86.6 -49.8 -8.3 50.6 189			
155.8	187.5	196.4	0.0 1.0 0.625 84.7	-68.5 30.6 75.0 155.8	155.8	0.0 1.0 0.997 86.9 -46.3 -13.2 48.3 195			
165.6	195.0	203.2	0.0 1.0 0.75 85.3	-62.0 15.9 64.0 165.6	165.6	0.0 0.963 1.0 84.3 -42.5 -18.2 46.4 203			
178.8	202.5	210.1	0.0 1.0 0.875 86.0	-54.5 1.0 54.5 178.8	178.8	0.0 0.929 1.0 81.8 -38.8 -22.1 44.7 209			
196.3	210.0	216.9	0.0 1.0 1.0 86.8	-46.1 -13.5 48.1 196.3	196.3	0.0 0.89 1.0 79.1 -34.2 -25.7 42.9 216			
219.8	217.5	223.8	0.0 0.875 1.0 77.9	-32.3 -27.0 42.1 219.8	219.8	0.0 0.859 1.0 76.9 -30.7 -29.0 42.4 223			
247.2	225.0	230.6	0.0 0.75 1.0 69.1	-17.0 -40.7 44.1 247.2	247.2	0.0 0.826 1.0 74.5 -27.1 -33.1 43.0 230			
269.8	232.5	237.5	0.0 0.625 1.0 60.3	-0.1 -54.6 54.6 269.8	269.8	0.0 0.797 1.0 72.4 -23.5 -36.3 43.4 237			
285.0	240.0	244.3	0.0 0.5 1.0 51.7	18.3 -68.3 70.7 285.0	285.0	0.0 0.763 1.0 70.1 -18.9 -39.5 44.0 244			
294.8	247.5	251.2	0.0 0.375 1.0 43.8	37.6 -81.2 89.5 294.8	294.8	0.0 0.731 1.0 67.8 -15.0 -43.1 45.8 250			
301.1	255.0	258.0	0.0 0.25 1.0 37.1	55.9 -92.3 107.9 301.1	301.1	0.0 0.69 1.0 64.9 -10.1 -48.0 49.2 258			
304.8	262.5	264.8	0.0 0.125 1.0 32.4	69.5 -100.0 121.8 304.8	304.8	0.0 0.655 1.0 62.4 -5.0 -51.8 52.1 264			
306.2	270.0	271.7	0.0 0.0 1.0 30.3	76.0 -103.5 128.5 306.2	306.2	0.0 0.609 1.0 59.3 1.7 -56.5 56.6 271			
306.6	277.5	278.8	0.125 0.0 1.0 31.0	76.2 -102.4 127.7 306.6	306.6	0.0 0.555 1.0 55.5 9.3 -62.9 63.7 278			
307.5	285.0	285.9	0.25 0.0 1.0 32.6	76.8 -99.8 125.9 307.5	307.5	0.0 0.488 1.0 51.0 19.9 -69.6 72.5 285			
309.2	292.5	293.0	0.375 0.0 1.0 35.1	77.9 -95.5 123.3 309.2	309.2	0.0 0.404 1.0 45.7 32.7 -78.5 85.2 292			
311.6	300.0	300.1	0.5 0.0 1.0 38.5	79.8 -89.7 120.0 311.6	311.6	0.0 0.27 1.0 38.2 52.8 -90.6 105.0 300			
314.8	307.5	307.2	0.625 0.0 1.0 42.7	82.5 -82.7 116.8 314.8	314.8	0.0 0.146 0.0 31.3 76.4 -102.0 127.5 306			
318.8	315.0	314.3	0.75 0.0 1.0 47.2	85.8 -75.1 114.0 318.8	318.8	0.0 0.605 0.0 1.0 42.1 82.1 -83.8 117.4 314			
323.3	322.5	321.4	0.875 0.0 1.0 52.1	89.8 -66.9 112.0 323.3	323.3	0.0 0.811 0.0 1.0 49.7 87.9 -71.0 113.1 321			
328.2	330.0	328.6	1.0 0.0 1.0 57.2	94.3 -58.4 110.9 328.2	328.2	0.0 0.992 57.2 94.2 -57.4 110.3 328			
334.0	337.5	335.7	1.0 0.0 0.875 55.6	90.3 -43.9 100.4 334.0	334.0	0.0 0.856 55.4 89.9 -41.4 99.0 335			
341.6	345.0	342.8	1.0 0.0 0.75 54.2	86.7 -28.6 91.3 341.6	341.6	1.0 0.0 0.735 54.1 86.5 -26.6 90.6 342			
351.4	352.5	349.9	1.0 0.0 0.625 53.0	83.6 -12.6 84.6 351.4	351.4	1.0 0.0 0.65 53.3 84.5 -15.6 86.0 349			
362.9	360.0	357.0	1.0 0.0 0.5 52.0	81.1 4.1 81.2 362.9	362.9	1.0 0.0 0.618 53.0 83.6 -11.6 84.4 352			
375.2	367.5	364.1	1.0 0.0 0.375 51.3	79.2 21.6 82.1 375.2	375.2	1.0 0.0 0.533 52.3 82.2 -0.1 82.2 359			
386.7	375.0	371.2	1.0 0.0 0.25 50.8	77.9 39.2 87.2 386.7	386.7	1.0 0.0 0.441 51.7 80.7 12.5 81.7 368			
395.4	382.5	378.3	1.0 0.0 0.125 50.6	77.2 54.9 94.8 395.4	395.4	1.0 0.0 0.361 51.3 79.3 23.6 82.8 376			
400.0	390.0	385.4	1.0 0.0 0.0 50.4	76.9 64.5 100.4 400.0	400.0	1.0 0.0 0.263 50.9 78.3 37.3 86.7 385			

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12L0FP.PDF> / .PS  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargevinkler til 60 graders standardfargene  $RYGBM_s$ ;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargevinkler til apparatfargene  $RYGBM_d$ ;  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; seks fargevinkler til elementærfargene  $RYGBM_e$ ;  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^{*}_{ds361M}$	$LAB^{*}_{ddx361Mi}(x=LabCh)$	$R_d$	$rgb^{*}_{ds361Mi}$	$LAB^{*}_{dsx361Mi}(x=LabCh)$	$R_s$	$rgb^{*}_{dd361Mi}$	$LAB^{*}_{de361Mi}$	$R_e$	$rgb^{*}_{dd361Mi}$	$rgb^{*}_{dd}$	$rgb^{*}_{ds}$	$rgb^{*}_{de}$
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0	0.0	0.0
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017	0.0	0.0
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033	0.0	0.0
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05	0.0	0.0
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.066	0.0	0.0
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083	0.0	0.0
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1	0.0	0.0
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.116	0.0	0.0
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133	0.0	0.0
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15	0.0	0.0
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.166	0.0	0.0
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183	0.0	0.0
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2	0.0	0.0
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.216	0.0	0.0
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233	0.0	0.0
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25	0.0	0.0
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.266	0.0	0.0
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283	0.0	0.0
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3	0.0	0.0
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.316	0.0	0.0
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333	0.0	0.0
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35	0.0	0.0
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.366	0.0	0.0
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383	0.0	0.0
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4	0.0	0.0
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.416	0.0	0.0
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433	0.0	0.0
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45	0.0	0.0
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.466	0.0	0.0
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483	0.0	0.0
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5	0.0	0.0
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.516	0.0	0.0
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533	0.0	0.0
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55	0.0	0.0
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.566	0.0	0.0
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583	0.0	0.0
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6	0.0	0.0
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.616	0.0	0.0
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633	0.0	0.0
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65	0.0	0.0
75	70	70	1.0	0.666	0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.666	0.0	0.0
76	71	71	1.0	0.683	0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683	0.0	0.0
78	72	72	1.0	0.7	0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7	0.0	0.0
79	73	73	1.0	0.716	0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.716	0.0	0.0
81	74	74	1.0	0.733	0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733	0.0	0.0
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75	0.0	0.0

5-113530-L0 QN120-73 LAB\* $l_{a0}$ , YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\* $n_{w0}$ =0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 6/29

TUB-prøveplansje QN12; farbetoneplan:  $H^*_e=R50Y_e$   
 prøveplansje infølge DIN 33872, 3D=1, de=1, sRGB\*

input:  $rgb/cmyk \rightarrow rgb_{de}$   
 output: 3D-linearisering til  $rgb^*_{de}$

5-113530-F0

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>:  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd361M}$	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{dd}$	$rgb^*_{ds}$	$rgb^*_{de}$
82	75	75	1.0	0.75 0.0	77.2	9.8 79.7	80.4	82	1.0	0.667 0.0	72.5	20.6 77.0	79.7	75
84	76	76	1.0	0.766 0.0	78.2	7.8 80.6	81.0	84	1.0	0.677 0.0	73.1	19.3 77.4	79.8	76
85	77	77	1.0	0.783 0.0	79.2	5.8 81.4	81.7	85	1.0	0.688 0.0	73.7	18.0 77.8	79.9	77
87	78	78	1.0	0.8 0.0	80.2	3.8 82.2	82.3	87	1.0	0.698 0.0	74.3	16.6 78.2	80.0	78
88	79	80	1.0	0.816 0.0	81.2	1.7 82.9	83.0	88	1.0	0.708 0.0	74.9	15.3 78.6	80.1	79
90	80	81	1.0	0.833 0.0	82.2	-0.3 83.6	83.6	90	1.0	0.719 0.0	75.5	13.9 78.9	80.1	80
91	81	82	1.0	0.85 0.0	83.3	-2.5 84.2	84.3	91	1.0	0.729 0.0	76.1	12.6 79.2	80.2	81
93	82	83	1.0	0.866 0.0	84.3	-4.6 84.8	84.9	93	1.0	0.74 0.0	76.7	11.2 79.5	80.3	82
94	83	84	1.0	0.883 0.0	85.3	-6.7 85.5	85.8	94	1.0	0.75 0.0	77.3	9.8 79.8	80.4	83
95	84	85	1.0	0.9 0.0	86.3	-8.5 86.4	86.8	95	1.0	0.762 0.0	78.0	8.5 80.4	80.9	84
96	85	86	1.0	0.916 0.0	87.4	-10.5 87.2	87.8	96	1.0	0.773 0.0	78.7	7.1 81.0	81.3	85
98	86	87	1.0	0.933 0.0	88.4	-12.4 88.0	88.9	98	1.0	0.785 0.0	79.3	5.7 81.6	81.8	86
99	87	88	1.0	0.95 0.0	89.5	-14.4 88.7	89.9	99	1.0	0.796 0.0	80.0	4.3 82.1	82.2	87
100	88	90	1.0	0.966 0.0	90.5	-16.5 89.4	91.0	100	1.0	0.808 0.0	80.7	2.9 82.6	82.7	88
101	89	91	1.0	0.983 0.0	91.6	-18.5 90.1	92.0	101	1.0	0.819 0.0	81.4	1.5 83.1	83.1	89
102	90	92	1.0	1.0 0.0	92.6	-20.7 90.7	93.0	102	1.0	0.831 0.0	82.1	0.0 83.5	83.5	90
103	91	93	0.983	1.0 0.0	92.3	-22.3 90.5	93.2	103	1.0	0.842 0.0	82.8	-1.4 84.0	84.0	91
104	92	94	0.966	1.0 0.0	92.0	-24.0 90.2	93.3	104	1.0	0.853 0.0	83.5	-2.8 84.4	84.4	92
105	93	95	0.95	1.0 0.0	91.7	-25.6 89.9	93.5	105	1.0	0.865 0.0	84.2	-4.3 84.8	84.9	93
106	94	96	0.933	1.0 0.0	91.4	-27.3 89.5	93.6	106	1.0	0.877 0.0	84.9	-5.9 85.2	85.4	94
108	95	98	0.916	1.0 0.0	91.1	-28.9 89.1	93.7	108	1.0	0.891 0.0	85.8	-7.4 85.9	86.3	95
109	96	99	0.9	1.0 0.0	90.8	-30.6 88.7	93.9	109	1.0	0.904 0.0	86.7	-9.0 86.6	87.1	96
110	97	100	0.883	1.0 0.0	90.5	-32.2 88.3	94.0	110	1.0	0.918 0.0	87.5	-10.6 87.3	88.0	97
111	98	101	0.866	1.0 0.0	90.3	-33.8 88.0	94.3	111	1.0	0.932 0.0	88.4	-12.3 88.0	88.9	98
111	99	102	0.85	1.0 0.0	90.0	-35.4 87.7	94.6	111	1.0	0.946 0.0	89.3	-13.9 88.6	89.7	99
112	100	103	0.833	1.0 0.0	89.8	-37.0 87.5	95.0	112	1.0	0.96 0.0	90.2	-15.6 89.2	90.6	100
113	101	105	0.816	1.0 0.0	89.5	-38.6 87.2	95.4	113	1.0	0.974 0.0	91.0	-17.4 89.8	91.5	101
114	102	106	0.8	1.0 0.0	89.3	-40.1 86.9	95.7	114	1.0	0.988 0.0	91.9	-19.1 90.3	92.3	102
115	103	107	0.783	1.0 0.0	89.0	-41.7 86.6	96.1	115	0.998	1.0 0.0	92.6	-20.8 90.7	93.1	103
116	104	108	0.766	1.0 0.0	88.7	-43.3 86.2	96.5	116	0.981	1.0 0.0	92.3	-22.5 90.5	93.2	104
117	105	109	0.75	1.0 0.0	88.5	-44.9 85.8	96.8	117	0.965	1.0 0.0	92.0	-24.1 90.2	93.4	105
118	106	110	0.733	1.0 0.0	88.3	-46.3 85.6	97.4	118	0.949	1.0 0.0	91.8	-25.7 89.9	93.5	106
119	107	112	0.716	1.0 0.0	88.1	-47.8 85.4	97.9	119	0.933	1.0 0.0	91.5	-27.3 89.6	93.6	107
120	108	113	0.7	1.0 0.0	87.9	-49.2 85.2	98.4	120	0.917	1.0 0.0	91.2	-28.9 89.2	93.8	108
120	109	114	0.683	1.0 0.0	87.6	-50.7 84.9	98.9	120	0.901	1.0 0.0	90.9	-30.5 88.8	93.9	109
121	110	115	0.666	1.0 0.0	87.4	-52.1 84.7	99.4	121	0.884	1.0 0.0	90.6	-32.1 88.4	94.1	110
122	111	116	0.65	1.0 0.0	87.2	-53.6 84.4	100.0	122	0.868	1.0 0.0	90.3	-33.7 88.0	94.3	111
123	112	117	0.633	1.0 0.0	87.0	-55.0 84.1	100.5	123	0.85	1.0 0.0	90.1	-35.4 87.8	94.7	112
123	113	119	0.616	1.0 0.0	86.8	-56.4 83.8	101.0	123	0.832	1.0 0.0	89.8	-37.1 87.5	95.1	113
124	114	120	0.6	1.0 0.0	86.7	-57.6 83.7	101.6	124	0.814	1.0 0.0	89.5	-38.7 87.2	95.5	114
125	115	121	0.583	1.0 0.0	86.5	-58.9 83.5	102.2	125	0.797	1.0 0.0	89.3	-40.4 86.9	95.9	115
125	116	122	0.566	1.0 0.0	86.3	-60.1 83.3	102.8	125	0.779	1.0 0.0	89.0	-42.1 86.5	96.3	116
126	117	123	0.55	1.0 0.0	86.2	-61.4 83.1	103.3	126	0.761	1.0 0.0	88.7	-43.8 86.1	96.6	117
127	118	124	0.533	1.0 0.0	86.0	-62.7 82.9	103.9	127	0.742	1.0 0.0	88.4	-45.5 85.8	97.1	118
127	119	126	0.516	1.0 0.0	85.8	-63.9 82.6	104.5	127	0.721	1.0 0.0	88.2	-47.3 85.5	97.8	119
128	120	127	0.5	1.0 0.0	85.7	-65.2 82.4	105.1	128	0.7	1.0 0.0	87.9	-49.1 85.3	98.4	120

TUB registrering: 20130201-QN12/QN12LOFP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon  
 TUB-material: code=rh4ta

se liggende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12LJ30FP.DAT>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

Data til maksimalffargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;




seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 16 columns: h\_ab,d, h\_ab,s, h\_ab,e, rgb\*\_dd361M, LAB\*\_dsx361Mi (x=LabCh), rgb\*\_ds361Mi, LAB\*\_dsx361Mi (x=LabCh), rgb\*\_dd361Mi, rgb\*\_dc361Mi, LAB\*\_dex361Mi (x=LabCh), rgb\*\_dd361Mi, G<sub>d</sub>, G<sub>s</sub>, G<sub>e</sub>, and 0.017. It contains 28 rows of color data with numerical values for each parameter.

se liggende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM  
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta





Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0

5-113830-L0 QN120-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 9/29

TUB-prøveplansje QN12; farbetoneplan: H\*<sub>e</sub>=R50Y<sub>e</sub>  
 48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>de</sub>  
 output: 3D-linearisering til rgb\*<sub>de</sub>

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12LOFP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* <sub>dd361M</sub>	LAB* <sub>ddx361Mi</sub> (x=LabCh)	rgb* <sub>ds361Mi</sub>	LAB* <sub>dsx361Mi</sub> (x=LabCh)	rgb* <sub>dd361Mi</sub>	LAB* <sub>dex361Mi</sub> (x=LabCh)	rgb* <sub>dd361Mi</sub>	LAB* <sub>de361Mi</sub>	rgb* <sub>dd361Mi</sub>	rgb* <sub>dd</sub>	rgb* <sub>ds</sub>	rgb* <sub>de</sub>
196	210	216	0.0 1.0 1.0	86.8 -46.1 -13.5 48.1 196	0.0 0.927 1.0	81.7 -38.6 -22.2 44.7 210C <sub>s</sub>	0.0 1.0 1.0	0.0 0.89 1.0	79.1 -34.2 -25.7 42.9 216C <sub>e</sub>	0.0 1.0 1.0	0.0	0.0	0.0	0.0
199	211	217	0.0 0.983 1.0	85.6 -44.6 -15.8 47.3 199	0.0 0.922 1.0	81.3 -38.0 -22.8 44.4 211	0.0 0.983 1.0	0.0 0.885 1.0	78.7 -33.6 -26.1 42.7 217	0.0 0.983 1.0				
202	212	218	0.0 0.966 1.0	84.5 -42.9 -17.9 46.5 202	0.0 0.917 1.0	81.0 -37.3 -23.3 44.2 212	0.0 0.967 1.0	0.0 0.881 1.0	78.4 -33.0 -26.5 42.4 218	0.0 0.967 1.0				
205	213	219	0.0 0.95 1.0	83.3 -41.1 -19.8 45.7 205	0.0 0.911 1.0	80.6 -36.7 -23.8 43.9 213	0.0 0.95 1.0	0.0 0.876 1.0	78.0 -32.3 -26.9 42.2 219	0.0 0.95 1.0				
208	214	220	0.0 0.933 1.0	82.1 -39.3 -21.7 44.9 208	0.0 0.906 1.0	80.2 -36.1 -24.3 43.6 214	0.0 0.933 1.0	0.0 0.871 1.0	77.7 -31.9 -27.4 42.2 220	0.0 0.933 1.0				
212	215	221	0.0 0.916 1.0	80.9 -37.4 -23.4 44.1 212	0.0 0.901 1.0	79.8 -35.4 -24.8 43.4 215	0.0 0.917 1.0	0.0 0.867 1.0	77.4 -31.5 -27.9 42.3 221	0.0 0.917 1.0				
215	216	222	0.0 0.9 1.0	79.7 -35.4 -24.9 43.3 215	0.0 0.895 1.0	79.5 -34.8 -25.3 43.1 216	0.0 0.9 1.0	0.0 0.863 1.0	77.2 -31.1 -28.5 42.3 222	0.0 0.9 1.0				
218	217	223	0.0 0.883 1.0	78.5 -33.4 -26.3 42.5 218	0.0 0.89 1.0	79.1 -34.1 -25.7 42.9 217	0.0 0.883 1.0	0.0 0.859 1.0	76.9 -30.7 -29.0 42.4 223	0.0 0.883 1.0				
221	218	224	0.0 0.866 1.0	77.4 -31.5 -28.1 42.2 221	0.0 0.885 1.0	78.7 -33.5 -26.1 42.6 218	0.0 0.867 1.0	0.0 0.855 1.0	76.6 -30.3 -29.6 42.5 224	0.0 0.867 1.0				
225	219	225	0.0 0.85 1.0	76.2 -29.9 -30.2 42.5 225	0.0 0.879 1.0	78.3 -32.8 -26.6 42.4 219	0.0 0.85 1.0	0.0 0.851 1.0	76.3 -29.9 -30.1 42.6 225	0.0 0.85 1.0				
228	220	226	0.0 0.833 1.0	75.0 -28.1 -32.3 42.8 228	0.0 0.874 1.0	77.9 -32.2 -27.0 42.2 220	0.0 0.833 1.0	0.0 0.846 1.0	76.0 -29.4 -30.6 42.6 226	0.0 0.833 1.0				
232	221	227	0.0 0.816 1.0	73.8 -26.1 -34.2 43.1 232	0.0 0.87 1.0	77.6 -31.8 -27.6 42.2 221	0.0 0.817 1.0	0.0 0.842 1.0	75.7 -29.0 -31.1 42.7 227	0.0 0.817 1.0				
236	222	227	0.0 0.8 1.0	72.6 -24.0 -36.0 43.3 236	0.0 0.865 1.0	77.3 -31.3 -28.2 42.3 222	0.0 0.8 1.0	0.0 0.838 1.0	75.4 -28.5 -31.6 42.8 227	0.0 0.8 1.0				
239	223	228	0.0 0.783 1.0	71.4 -21.8 -37.7 43.6 239	0.0 0.861 1.0	77.0 -30.9 -28.8 42.4 223	0.0 0.783 1.0	0.0 0.834 1.0	75.1 -28.1 -32.1 42.8 228	0.0 0.783 1.0				
243	224	229	0.0 0.766 1.0	70.2 -19.5 -39.3 43.9 243	0.0 0.856 1.0	76.7 -30.4 -29.4 42.5 224	0.0 0.767 1.0	0.0 0.83 1.0	74.8 -27.6 -32.6 42.9 229	0.0 0.767 1.0				
247	225	230	0.0 0.75 1.0	69.1 -17.0 -40.7 44.1 247	0.0 0.851 1.0	76.3 -30.0 -30.0 42.5 225	0.0 0.75 1.0	0.0 0.826 1.0	74.5 -27.1 -33.1 43.0 230	0.0 0.75 1.0				
250	226	231	0.0 0.733 1.0	67.9 -15.3 -42.9 45.5 250	0.0 0.847 1.0	76.0 -29.5 -30.6 42.6 226	0.0 0.733 1.0	0.0 0.821 1.0	74.2 -26.6 -33.6 43.0 231	0.0 0.733 1.0				
253	227	232	0.0 0.716 1.0	66.7 -13.5 -44.9 46.9 253	0.0 0.842 1.0	75.7 -29.0 -31.1 42.7 227	0.0 0.717 1.0	0.0 0.817 1.0	73.9 -26.1 -34.1 43.1 232	0.0 0.717 1.0				
256	228	233	0.0 0.7 1.0	65.5 -11.4 -46.9 48.3 256	0.0 0.838 1.0	75.4 -28.5 -31.7 42.8 228	0.0 0.7 1.0	0.0 0.813 1.0	73.6 -25.6 -34.6 43.2 233	0.0 0.7 1.0				
259	229	234	0.0 0.683 1.0	64.4 -9.2 -48.8 49.7 259	0.0 0.833 1.0	75.0 -28.0 -32.2 42.8 229	0.0 0.683 1.0	0.0 0.809 1.0	73.3 -25.1 -35.0 43.2 234	0.0 0.683 1.0				
262	230	235	0.0 0.666 1.0	63.2 -6.8 -50.6 51.1 262	0.0 0.829 1.0	74.7 -27.5 -32.8 42.9 230	0.0 0.667 1.0	0.0 0.805 1.0	73.0 -24.6 -35.5 43.3 235	0.0 0.667 1.0				
265	231	236	0.0 0.65 1.0	62.0 -4.2 -52.3 52.5 265	0.0 0.824 1.0	74.4 -26.9 -33.3 43.0 231	0.0 0.65 1.0	0.0 0.801 1.0	72.7 -24.1 -35.9 43.4 236	0.0 0.65 1.0				
268	232	237	0.0 0.633 1.0	60.9 -1.5 -53.9 53.9 268	0.0 0.82 1.0	74.1 -26.4 -33.8 43.1 232	0.0 0.633 1.0	0.0 0.797 1.0	72.4 -23.5 -36.3 43.4 237	0.0 0.633 1.0				
270	233	237	0.0 0.616 1.0	59.7 0.8 -55.6 55.7 270	0.0 0.815 1.0	73.7 -25.9 -34.3 43.1 233	0.0 0.617 1.0	0.0 0.792 1.0	72.1 -23.0 -36.8 43.5 237	0.0 0.617 1.0				
272	234	238	0.0 0.6 1.0	58.6 2.9 -57.7 57.8 272	0.0 0.81 1.0	73.4 -25.3 -34.9 43.2 234	0.0 0.6 1.0	0.0 0.788 1.0	71.8 -22.4 -37.2 43.6 238	0.0 0.6 1.0				
274	235	239	0.0 0.583 1.0	57.4 5.1 -59.7 59.9 274	0.0 0.806 1.0	73.1 -24.7 -35.4 43.3 235	0.0 0.583 1.0	0.0 0.784 1.0	71.5 -21.8 -37.6 43.6 239	0.0 0.583 1.0				
276	236	240	0.0 0.566 1.0	56.3 7.4 -61.6 62.1 276	0.0 0.801 1.0	72.8 -24.1 -35.8 43.4 236	0.0 0.567 1.0	0.0 0.78 1.0	71.2 -21.3 -38.0 43.7 240	0.0 0.567 1.0				
278	237	241	0.0 0.55 1.0	55.2 10.0 -63.5 64.2 278	0.0 0.797 1.0	72.4 -23.6 -36.3 43.4 237	0.0 0.55 1.0	0.0 0.776 1.0	70.9 -20.7 -38.4 43.8 241	0.0 0.55 1.0				
280	238	242	0.0 0.533 1.0	54.0 12.6 -65.2 66.4 280	0.0 0.792 1.0	72.1 -23.0 -36.8 43.5 238	0.0 0.533 1.0	0.0 0.772 1.0	70.6 -20.1 -38.8 43.8 242	0.0 0.533 1.0				
283	239	243	0.0 0.516 1.0	52.9 15.4 -66.8 68.5 283	0.0 0.788 1.0	71.8 -22.3 -37.2 43.6 239	0.0 0.517 1.0	0.0 0.767 1.0	70.3 -19.5 -39.2 43.9 243	0.0 0.517 1.0				
285	240	244	0.0 0.5 1.0	51.7 18.3 -68.3 70.7 285	0.0 0.783 1.0	71.5 -21.7 -37.7 43.6 240	0.0 0.5 1.0	0.0 0.763 1.0	70.1 -18.9 -39.5 44.0 244	0.0 0.5 1.0				
286	241	245	0.0 0.483 1.0	50.7 20.6 -70.2 73.2 286	0.0 0.779 1.0	71.1 -21.1 -38.1 43.7 241	0.0 0.483 1.0	0.0 0.759 1.0	69.8 -18.3 -39.9 44.0 245	0.0 0.483 1.0				
287	242	246	0.0 0.466 1.0	49.6 22.9 -72.1 75.7 287	0.0 0.774 1.0	70.8 -20.5 -38.6 43.8 242	0.0 0.467 1.0	0.0 0.755 1.0	69.5 -17.7 -40.2 44.1 246	0.0 0.467 1.0				
288	243	247	0.0 0.45 1.0	48.6 25.4 -74.0 78.2 288	0.0 0.769 1.0	70.5 -19.8 -39.0 43.9 243	0.0 0.45 1.0	0.0 0.751 1.0	69.2 -17.1 -40.6 44.2 247	0.0 0.45 1.0				
290	244	248	0.0 0.433 1.0	47.5 28.0 -75.7 80.7 290	0.0 0.765 1.0	70.2 -19.2 -39.4 43.9 244	0.0 0.433 1.0	0.0 0.746 1.0	68.8 -16.6 -41.2 44.5 248	0.0 0.433 1.0				
291	245	248	0.0 0.416 1.0	46.5 30.6 -77.4 83.2 291	0.0 0.76 1.0	69.8 -18.5 -39.8 44.0 245	0.0 0.417 1.0	0.0 0.741 1.0	68.5 -16.1 -41.8 45.0 248	0.0 0.417 1.0				
292	246	249	0.0 0.4 1.0	45.4 33.3 -79.0 85.7 292	0.0 0.756 1.0	69.5 -17.8 -40.2 44.1 246	0.0 0.4 1.0	0.0 0.736 1.0	68.1 -15.5 -42.5 45.4 249	0.0 0.4 1.0				
294	247	250	0.0 0.383 1.0	44.3 36.2 -80.5 88.2 294	0.0 0.751 1.0	69.2 -17.2 -40.6 44.2 247	0.0 0.383 1.0	0.0 0.731 1.0	67.8 -15.0 -43.1 45.8 250	0.0 0.383 1.0				
295	248	251	0.0 0.366 1.0	43.4 38.7 -82.0 90.7 295	0.0 0.746 1.0	68.8 -16.6 -41.2 44.5 248	0.0 0.367 1.0	0.0 0.726 1.0	67.4 -14.4 -43.8 46.2 251	0.0 0.367 1.0				
296	249	252	0.0 0.35 1.0	42.5 41.0 -83.6 93.2 296	0.0 0.74 1.0	68.4 -16.0 -41.9 45.0 249	0.0 0.35 1.0	0.0 0.721 1.0	67.0 -13.9 -44.4 46.6 252	0.0 0.35 1.0				
296	250	253	0.0 0.333 1.0	41.6 43.4 -85.2 95.6 296	0.0 0.735 1.0	68.0 -15.4 -42.6 45.5 250	0.0 0.333 1.0	0.0 0.716 1.0	66.7 -13.3 -45.0 47.1 253	0.0 0.333 1.0				
297	251	254	0.0 0.316 1.0	40.7 45.8 -86.7 98.1 297	0.0 0.729 1.0	67.7 -14.8 -43.3 45.9 251	0.0 0.317 1.0	0.0 0.71 1.0	66.3 -12.7 -45.6 47.5 254	0.0 0.317 1.0				
298	252	255	0.0 0.3 1.0	39.8 48.2 -88.2 100.5 298	0.0 0.724 1.0	67.3 -14.2 -44.0 46.4 252	0.0 0.3 1.0	0.0 0.705 1.0	66.0 -12.0 -46.2 47.9 255	0.0 0.3 1.0				
299	253	256	0.0 0.283 1.0	38.9 50.7 -89.6 103.0 299	0.0 0.718 1.0	66.9 -13.6 -44.7 46.8 253	0.0 0.283 1.0	0.0 0.7 1.0	65.6 -11.4 -46.8 48.3 256	0.0 0.283 1.0				
300	254	257	0.0 0.266 1.0	38.0 53.3 -91.0 105.4 300	0.0 0.713 1.0	66.5 -12.9 -45.4 47.3 254	0.0 0.267 1.0	0.0 0.695 1.0	65.3 -10.8 -47.4 48.8 257	0.0 0.267 1.0				
301	255	258	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301	0.0 0.707 1.0	66.1 -12.3 -46.0 47.8 255	0.0 0.25 1.0	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258	0.0 0.25 1.0				

5-113930-L0 QN120-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 10/29

TUB-prøveplansje QN12; farbetoneplan: H\*<sub>e</sub>=R50Y<sub>e</sub>  
48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>de</sub>  
output: 3D-linearisering til rgb\*<sub>de</sub>

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12L0FP.PDF /.PS; 3D-linearisering  
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta





Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi	rgb* dd	rgb* ds	rgb* de				
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733	54.0	86.5	-25.0	89.9	343
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.716	53.8	86.1	-23.4	89.3	344
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7	53.7	85.8	-21.8	88.6	345
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683	53.6	85.6	-20.3	87.9	346
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667	53.5	85.2	-18.7	87.3	347
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65	53.4	84.9	-17.2	86.6	348
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633	53.0	83.6	-15.6	86.0	349
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617	53.1	84.1	-14.1	85.3	350
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6	53.0	83.7	-12.6	84.7	351
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583	52.9	83.6	-11.2	84.4	352
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567	52.9	83.5	-9.8	84.1	353
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55	52.8	83.4	-8.4	83.8	354
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533	52.7	83.2	-7.0	83.5	355
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517	52.6	83.1	-5.6	83.3	356
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5	52.0	83.6	-11.6	84.4	352
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483	52.9	83.5	-9.9	84.1	353
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467	52.8	83.4	-8.2	83.8	354
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45	52.7	83.2	-6.6	83.5	355
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433	52.6	83.0	-5.0	83.1	356
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417	52.5	82.7	-3.3	82.8	357
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4	52.4	82.5	-1.7	82.5	358
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383	52.3	82.2	-0.1	82.2	359
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367	52.2	81.8	1.4	81.9	360
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35	52.1	81.5	3.0	81.5	362
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333	52.1	81.2	4.5	81.3	363
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317	52.0	81.1	6.1	81.4	364
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3	51.9	81.1	7.7	81.5	365
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283	51.9	81.0	9.3	81.5	366
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267	51.8	80.9	10.9	81.6	367
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25	51.7	80.7	12.5	81.7	368
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233	51.7	80.6	14.0	81.8	369
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217	51.6	80.4	15.6	81.9	370
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2	51.5	80.1	17.2	81.9	372
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183	51.5	79.9	18.8	82.0	373
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167	51.4	79.6	20.3	82.1	374
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.15	51.3	79.3	21.9	82.3	375
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133	51.3	79.3	23.6	82.8	376
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117	51.3	79.3	25.3	83.3	377
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1	51.2	79.3	27.0	83.8	378
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083	51.2	79.2	28.7	84.2	379
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067	51.1	79.1	30.4	84.7	381
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05	51.1	79.0	32.1	85.2	382
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033	51.0	78.8	33.8	85.7	383
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017	51.0	78.6	35.6	86.2	384
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0	50.9	78.3	37.3	86.7	385

5-1131230-L0 QN120-73 LAB\*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB\*nmw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 13/29



TUB-prøveplansje QN12; farbetoneplan: H\*<sub>e</sub>=R50Y<sub>e</sub>  
48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>de</sub>  
output: 3D-linearisering til rgb\*<sub>de</sub>

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12L0FP.PDF>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12L0FP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon  
TUB-material: code=rh4ta





nrf	HC*File	rgb*File	icc*File	hsa*File	rgb*File	LabCH*File	LabCH*File	rgb*File	DF*File	rgb*File	LabCH*File	LabCH*File
0/668	ROY_100_100de	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
1/668	ROY_100_100de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
2/684	R5Y_100_100de	1.0	0.5	44	1.0	0.102	0.0	0.999	86.5	78.1	50.9	78.3
3/670	R5Y_100_100de	1.0	0.5	60	1.0	0.102	0.0	0.999	86.5	78.1	50.9	78.3
4/720	Y0G_100_100de	1.0	0.0	0.0	1.0	0.684	0.0	0.315	42.6	70.7	79.8	79.8
5/558	Y25G_100_100de	0.75	1.0	0.5	1.0	0.856	0.0	0.315	42.6	70.7	79.8	79.8
6/396	Y50G_100_100de	0.5	1.0	0.5	1.0	0.856	0.0	0.315	42.6	70.7	79.8	79.8
7/234	Y75G_100_100de	0.25	1.0	0.5	1.0	0.856	0.0	0.315	42.6	70.7	79.8	79.8
8/72	COB_100_100de	0.0	1.0	0.5	1.0	0.439	0.0	0.0	0.0	0.0	0.0	0.0
9/72	COB_100_100de	0.0	1.0	0.5	1.0	0.439	0.0	0.0	0.0	0.0	0.0	0.0
10/76	G25B_100_100de	0.0	1.0	0.5	1.0	0.706	0.0	0.0	0.0	0.0	0.0	0.0
11/440	G50B_100_100de	0.0	1.0	0.5	1.0	0.706	0.0	0.0	0.0	0.0	0.0	0.0
12/440	G75B_100_100de	0.0	1.0	0.5	1.0	0.706	0.0	0.0	0.0	0.0	0.0	0.0
13/8	B00K_100_100de	0.0	1.0	0.5	1.0	0.609	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25K_100_100de	0.5	1.0	0.5	1.0	0.609	0.0	0.0	0.0	0.0	0.0	0.0
15/652	B50K_100_100de	1.0	1.0	0.5	1.0	0.609	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75K_100_100de	1.0	1.0	0.5	1.0	0.609	0.0	0.0	0.0	0.0	0.0	0.0
17/648	ROY_100_100de	1.0	0.0	0.0	1.0	0.263	0.0	0.0	0.0	0.0	0.0	0.0
18/688	ROY_100_100de	1.0	0.5	0.5	1.0	0.631	0.0	0.0	0.0	0.0	0.0	0.0
19/706	ROY_100_100de	1.0	0.5	0.5	1.0	0.631	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y0G_100_100de	0.75	1.0	0.5	1.0	0.743	0.0	0.0	0.0	0.0	0.0	0.0
21/562	Y25G_100_100de	0.25	1.0	0.5	1.0	0.743	0.0	0.0	0.0	0.0	0.0	0.0
22/400	G50B_100_100de	0.5	1.0	0.5	1.0	0.853	0.0	0.0	0.0	0.0	0.0	0.0
23/400	G75B_100_100de	0.5	1.0	0.5	1.0	0.853	0.0	0.0	0.0	0.0	0.0	0.0
24/602	B00K_100_100de	0.5	1.0	0.5	1.0	0.995	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50K_100_100de	1.0	1.0	0.5	1.0	0.995	0.0	0.0	0.0	0.0	0.0	0.0
26/688	ROY_100_100de	1.0	0.5	0.5	1.0	0.631	0.0	0.0	0.0	0.0	0.0	0.0
27/506	ROY_075_050de	0.75	0.25	0.75	0.5	0.5	0.631	0.0	0.0	0.0	0.0	0.0
28/524	ROY_075_050de	0.75	0.25	0.75	0.5	0.5	0.631	0.0	0.0	0.0	0.0	0.0
29/542	Y0G_075_050de	0.75	0.25	0.75	0.5	0.5	0.631	0.0	0.0	0.0	0.0	0.0
30/380	Y50G_075_050de	0.25	0.75	0.25	0.75	0.5	0.631	0.0	0.0	0.0	0.0	0.0
32/222	G50B_075_050de	0.25	0.75	0.25	0.75	0.5	0.631	0.0	0.0	0.0	0.0	0.0
33/186	B00K_075_050de	0.25	0.75	0.25	0.75	0.5	0.631	0.0	0.0	0.0	0.0	0.0
34/510	B50K_075_050de	0.75	0.25	0.75	0.5	0.5	0.631	0.0	0.0	0.0	0.0	0.0
35/506	ROY_075_050de	0.75	0.25	0.75	0.5	0.5	0.631	0.0	0.0	0.0	0.0	0.0
36/324	ROY_050_050de	0.5	0.0	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
37/342	ROY_050_050de	0.5	0.0	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
38/360	Y0G_050_050de	0.25	0.5	0.25	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0
39/198	Y50G_050_050de	0.25	0.5	0.25	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0
40/36	G0B_050_050de	0.0	0.5	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
41/40	G50B_050_050de	0.0	0.5	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
42/4	B00K_050_050de	0.0	0.5	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
43/328	B50K_050_050de	0.5	0.0	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
44/324	ROY_050_050de	0.5	0.0	0.5	0.5	0.25	0.390	0.0	0.0	0.0	0.0	0.0
45/0	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_015de	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_025de	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/274	NW_035de	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/455	NW_050de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
50/455	NW_050de	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/616	NW_085de	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
52/616	NW_085de	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_100de	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

input: rgb/cmyk -> rgbde  
output: 3D-linearisering til rgb\*de

delta E\*\* = 0.8











Table with 24 columns: n, HHC\*Fide, rpb\*Fide, icr\*Fide, hsa\*Fide, rpb\*Fide, LabCH\*Fide, rpb\*Fide, LabCH\*Fide, DF\*Fide, hsa\*Fide, rpb\*Fide, LabCH\*Fide, rpb\*Fide, LabCH\*Fide, DF\*Fide, hsa\*Fide, rpb\*Fide, LabCH\*Fide, rpb\*Fide, LabCH\*Fide, DF\*Fide, hsa\*Fide, rpb\*Fide, LabCH\*Fide. Rows 162-242.

delta F\*\* = 0.5

input: rgb\*cmlyk -> rgb\*de  
output: 3D-linearisering fil rgb\*de

QN120--7N, 1829-F

5-1131730-F0

5-1131730-F0








n	HC*File	rgb*File	ief*File	hsa*File	rgb*File	LabCH*File	LabCH*File	rgb*File	DF*File	rgb*File	LabCH*File
486	ROY0_075_075Se	0.75	0.75	0.375	380	0.75	0.0	0.125	0.125	0.125	0.125
487	R35Y_075_075Se	0.75	0.75	0.375	381	0.75	0.0	0.125	0.125	0.125	0.125
488	R15Y_075_075Se	0.75	0.75	0.375	382	0.75	0.0	0.125	0.125	0.125	0.125
489	R15Y_075_075Se	0.75	0.75	0.375	383	0.75	0.0	0.125	0.125	0.125	0.125
490	B6SK_075_075Se	0.75	0.75	0.375	384	0.75	0.0	0.125	0.125	0.125	0.125
491	B57K_075_075Se	0.75	0.75	0.375	385	0.75	0.0	0.125	0.125	0.125	0.125
492	B48K_075_075Se	0.75	0.75	0.375	386	0.75	0.0	0.125	0.125	0.125	0.125
493	B48K_075_075Se	0.75	0.75	0.375	387	0.75	0.0	0.125	0.125	0.125	0.125
494	B38K_100_100Se	0.75	1.0	0.5	316	0.75	0.0	0.125	0.125	0.125	0.125
495	R15Y_075_075Se	0.75	0.75	0.375	389	0.75	0.0	0.125	0.125	0.125	0.125
496	ROY0_075_062Se	0.75	0.75	0.375	390	0.75	0.0	0.125	0.125	0.125	0.125
497	R15Y_075_062Se	0.75	0.75	0.375	391	0.75	0.0	0.125	0.125	0.125	0.125
498	R15Y_075_062Se	0.75	0.75	0.375	392	0.75	0.0	0.125	0.125	0.125	0.125
499	B69K_075_062Se	0.75	0.75	0.375	393	0.75	0.0	0.125	0.125	0.125	0.125
500	B59K_075_062Se	0.75	0.75	0.375	394	0.75	0.0	0.125	0.125	0.125	0.125
501	B59K_075_062Se	0.75	0.75	0.375	395	0.75	0.0	0.125	0.125	0.125	0.125
502	B42K_087_075Se	0.75	0.75	0.375	396	0.75	0.0	0.125	0.125	0.125	0.125
503	B36K_100_087Se	0.75	1.0	0.5	321	0.75	0.0	0.125	0.125	0.125	0.125
504	R15Y_075_062Se	0.75	0.75	0.375	397	0.75	0.0	0.125	0.125	0.125	0.125
505	R15Y_075_062Se	0.75	0.75	0.375	398	0.75	0.0	0.125	0.125	0.125	0.125
506	R26Y_075_090Se	0.75	0.75	0.375	399	0.75	0.0	0.125	0.125	0.125	0.125
507	R26Y_075_090Se	0.75	0.75	0.375	400	0.75	0.0	0.125	0.125	0.125	0.125
508	ROY0_075_090Se	0.75	0.75	0.375	401	0.75	0.0	0.125	0.125	0.125	0.125
509	ROY0_075_090Se	0.75	0.75	0.375	402	0.75	0.0	0.125	0.125	0.125	0.125
510	ROY0_075_090Se	0.75	0.75	0.375	403	0.75	0.0	0.125	0.125	0.125	0.125
511	B34K_100_075Se	0.75	1.0	0.5	322	0.75	0.0	0.125	0.125	0.125	0.125
512	B34K_100_075Se	0.75	1.0	0.5	323	0.75	0.0	0.125	0.125	0.125	0.125
513	R38Y_075_075Se	0.75	0.75	0.375	404	0.75	0.0	0.125	0.125	0.125	0.125
514	R38Y_075_062Se	0.75	0.75	0.375	405	0.75	0.0	0.125	0.125	0.125	0.125
515	R23Y_075_050Se	0.75	0.75	0.375	406	0.75	0.0	0.125	0.125	0.125	0.125
516	R15Y_075_050Se	0.75	0.75	0.375	407	0.75	0.0	0.125	0.125	0.125	0.125
517	R15Y_075_037Se	0.75	0.75	0.375	408	0.75	0.0	0.125	0.125	0.125	0.125
518	B6SK_075_037Se	0.75	0.75	0.375	409	0.75	0.0	0.125	0.125	0.125	0.125
519	B58K_075_037Se	0.75	0.75	0.375	410	0.75	0.0	0.125	0.125	0.125	0.125
520	B38K_087_050Se	0.75	0.75	0.375	411	0.75	0.0	0.125	0.125	0.125	0.125
521	B30K_100_062Se	0.75	1.0	0.5	324	0.75	0.0	0.125	0.125	0.125	0.125
522	R68Y_075_075Se	0.75	0.75	0.375	412	0.75	0.0	0.125	0.125	0.125	0.125
523	R61Y_075_062Se	0.75	0.75	0.375	413	0.75	0.0	0.125	0.125	0.125	0.125
524	R30Y_075_050Se	0.75	0.75	0.375	414	0.75	0.0	0.125	0.125	0.125	0.125
525	R15Y_075_050Se	0.75	0.75	0.375	415	0.75	0.0	0.125	0.125	0.125	0.125
526	R15Y_075_037Se	0.75	0.75	0.375	416	0.75	0.0	0.125	0.125	0.125	0.125
527	ROY0_075_025Se	0.75	0.75	0.375	417	0.75	0.0	0.125	0.125	0.125	0.125
528	B50K_075_025Se	0.75	0.75	0.375	418	0.75	0.0	0.125	0.125	0.125	0.125
529	B34K_087_037Se	0.75	0.75	0.375	419	0.75	0.0	0.125	0.125	0.125	0.125
530	B25K_100_090Se	0.75	1.0	0.5	325	0.75	0.0	0.125	0.125	0.125	0.125
531	R85Y_075_075Se	0.75	0.75	0.375	420	0.75	0.0	0.125	0.125	0.125	0.125
532	R85Y_075_062Se	0.75	0.75	0.375	421	0.75	0.0	0.125	0.125	0.125	0.125
533	R76Y_075_050Se	0.75	0.75	0.375	422	0.75	0.0	0.125	0.125	0.125	0.125
534	R68Y_075_037Se	0.75	0.75	0.375	423	0.75	0.0	0.125	0.125	0.125	0.125
535	ROY0_075_025Se	0.75	0.75	0.375	424	0.75	0.0	0.125	0.125	0.125	0.125
536	B23K_087_025Se	0.75	0.75	0.375	425	0.75	0.0	0.125	0.125	0.125	0.125
537	ROY0_075_012Se	0.75	0.75	0.375	426	0.75	0.0	0.125	0.125	0.125	0.125
538	B13K_100_037Se	0.75	1.0	0.5	326	0.75	0.0	0.125	0.125	0.125	0.125
539	Y06G_075_075Se	0.75	0.75	0.375	427	0.75	0.0	0.125	0.125	0.125	0.125
540	Y06G_075_062Se	0.75	0.75	0.375	428	0.75	0.0	0.125	0.125	0.125	0.125
541	Y06G_075_050Se	0.75	0.75	0.375	429	0.75	0.0	0.125	0.125	0.125	0.125
542	Y06G_075_037Se	0.75	0.75	0.375	430	0.75	0.0	0.125	0.125	0.125	0.125
543	Y06G_075_025Se	0.75	0.75	0.375	431	0.75	0.0	0.125	0.125	0.125	0.125
544	Y06G_075_012Se	0.75	0.75	0.375	432	0.75	0.0	0.125	0.125	0.125	0.125
545	Y06G_075_012Se	0.75	0.75	0.375	433	0.75	0.0	0.125	0.125	0.125	0.125
546	Y06G_075_012Se	0.75	0.75	0.375	434	0.75	0.0	0.125	0.125	0.125	0.125
547	ROY0_087_012Se	0.75	0.75	0.375	435	0.75	0.0	0.125	0.125	0.125	0.125
548	ROY0_087_012Se	0.75	0.75	0.375	436	0.75	0.0	0.125	0.125	0.125	0.125
549	Y13G_087_087Se	0.75	0.75	0.375	437	0.75	0.0	0.125	0.125	0.125	0.125
550	Y13G_087_062Se	0.75	0.75	0.375	438	0.75	0.0	0.125	0.125	0.125	0.125
551	Y18G_087_050Se	0.75	0.75	0.375	439	0.75	0.0	0.125	0.125	0.125	0.125
552	Y23G_087_050Se	0.75	0.75	0.375	440	0.75	0.0	0.125	0.125	0.125	0.125
553	Y23G_087_037Se	0.75	0.75	0.375	441	0.75	0.0	0.125	0.125	0.125	0.125
554	Y50G_087_025Se	0.75	0.75	0.375	442	0.75	0.0	0.125	0.125	0.125	0.125
555	G00B_087_012Se	0.75	0.75	0.375	443	0.75	0.0	0.125	0.125	0.125	0.125
556	G50B_087_012Se	0.75	0.75	0.375	444	0.75	0.0	0.125	0.125	0.125	0.125
557	G73B_100_025Se	0.75	1.0	0.5	327	0.75	0.0	0.125	0.125	0.125	0.125
558	Y23G_100_025Se	0.75	1.0	0.5	328	0.75	0.0	0.125	0.125	0.125	0.125
559	Y26G_100_087Se	0.75	1.0	0.5	329	0.75	0.0	0.125	0.125	0.125	0.125
560	Y31G_100_075Se	0.75	1.0	0.5	330	0.75	0.0	0.125	0.125	0.125	0.125
561	Y38G_100_062Se	0.75	1.0	0.5	331	0.75	0.0	0.125	0.125	0.125	0.125
562	Y38G_100_050Se	0.75	1.0	0.5	332	0.75	0.0	0.125	0.125	0.125	0.125
563	Y68G_100_037Se	0.75	1.0	0.5	333	0.75	0.0	0.125	0.125	0.125	0.125
564	G00B_100_025Se	0.75	1.0	0.5	334	0.75	0.0	0.125	0.125	0.125	0.125
565	G25B_100_025Se	0.75	1.0	0.5	335	0.75	0.0	0.125	0.125	0.125	0.125
566	G50B_100_025Se	0.75	1.0	0.5	336	0.75	0.0	0.125	0.125	0.125	0.125

input: rgb\*cmYk -> rgb\*de  
output: 3D-linearisering til rgb\*de  
QN120~7N, 22/29-F  
H\*e=R50Ye  
farger og fargeavstander, ΔE\*  
5-1132130-F0  
5-1132130-F0

delta E\*\*= 0.4





TUB registrering: 20130201-QN12/QN12LOFP.PDF /.PS
anvendelse for maling af display output, ingen separasjon

TUB-material: code=rha4ta






Table with 10 columns: n, HHC\*Fide, rpb\*Fide, icr\*Fide, Hrs\*Fide, rpb\*Fide, LabCH\*Fide, LabCH\*Fide, LabCH\*Fide, LabCH\*Fide, delta\_F\* = 2.5

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik



input: rgb/cmyk -> rgbd
output: 3D-linearisering ful rgb\*de

QN120-7N, 24/29-F
5-1132330-F0
5-1132330-F0















TUB registrering: 20130201-QN12/QN12LOFP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta




http://130.149.60.45/~farbmetrik/QN12/QN12LOFP.PDF /.PS; 3D-linearisering  
 F: 3D-linearisering QN12/QN12LJ30FP.DAT i fil (F), side 29/29


input: rgb/cmyk -> rgbde  
 output: 3D-linearisering fil rgb\*de

n	HC*Fde	rgb*Fde	ict*Fde	hsa*Fde	rgb*Fde	LabCH*Fde	LabCH*Fde	rgb*Fde	DF*Fde	hsv*Fde	rgb*Fde	LabCH*Fde	DF*Fde	hsv*Fde	rgb*Fde	LabCH*Fde	DF*Fde	hsv*Fde	rgb*Fde	LabCH*Fde	DF*Fde	hsv*Fde	
1053	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	82.5	0.1	209.2	0.1	209.2	0.2	360	1.0	1.0	95.4	0.0	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	88.9	-0.2	207.0	0.2	207.0	0.2	360	1.0	1.0	95.4	0.0	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	95.4	0.0	325.2	0.0	325.2	0.0	360	1.0	1.0	95.4	0.0	0.0
1056	NW_006de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0
1057	NW_006de	0.066	0.066	0.066	0.066	0.066	6.2	0.0	0.0	0.0	0.0	6.2	0.0	215.3	1.5	215.3	1.5	360	1.0	1.0	95.4	0.0	0.0
1058	NW_013de	0.133	0.133	0.133	0.133	0.133	12.6	0.0	0.0	0.0	0.0	12.6	-0.5	198.8	0.5	198.8	0.5	360	1.0	1.0	95.4	0.0	0.0
1059	NW_020de	0.2	0.2	0.2	0.2	0.2	19.0	0.0	0.0	0.0	0.0	18.7	-1.1	198.2	1.3	198.2	1.3	360	1.0	1.0	95.4	0.0	0.0
1060	NW_026de	0.266	0.266	0.266	0.266	0.266	25.3	0.0	0.0	0.0	0.0	25.4	0.0	203.1	0.8	203.1	0.8	360	1.0	1.0	95.4	0.0	0.0
1061	NW_033de	0.333	0.333	0.333	0.333	0.333	31.7	0.0	0.0	0.0	0.0	31.6	0.0	198.2	1.0	198.2	1.0	360	1.0	1.0	95.4	0.0	0.0
1062	NW_040de	0.4	0.4	0.4	0.4	0.4	38.1	0.0	0.0	0.0	0.0	38.2	0.0	217.7	0.1	217.7	0.1	360	1.0	1.0	95.4	0.0	0.0
1063	NW_046de	0.466	0.466	0.466	0.466	0.466	44.4	0.0	0.0	0.0	0.0	44.4	-0.5	203.8	0.5	203.8	0.5	360	1.0	1.0	95.4	0.0	0.0
1064	NW_053de	0.533	0.533	0.533	0.533	0.533	50.8	0.0	0.0	0.0	0.0	51.0	0.0	222.6	0.1	222.6	0.1	360	1.0	1.0	95.4	0.0	0.0
1065	NW_060de	0.6	0.6	0.6	0.6	0.6	57.2	0.0	0.0	0.0	0.0	57.2	-0.3	207.4	0.2	207.4	0.2	360	1.0	1.0	95.4	0.0	0.0
1066	NW_066de	0.666	0.666	0.666	0.666	0.666	63.5	0.0	0.0	0.0	0.0	63.3	-0.1	207.4	0.2	207.4	0.2	360	1.0	1.0	95.4	0.0	0.0
1067	NW_073de	0.734	0.734	0.734	0.734	0.734	70.0	0.0	0.0	0.0	0.0	69.8	-0.3	206.4	0.2	206.4	0.2	360	1.0	1.0	95.4	0.0	0.0
1068	NW_080de	0.8	0.8	0.8	0.8	0.8	76.3	0.0	0.0	0.0	0.0	76.1	0.0	209.2	0.2	209.2	0.2	360	1.0	1.0	95.4	0.0	0.0
1069	NW_086de	0.866	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	82.5	-0.1	209.2	0.2	209.2	0.2	360	1.0	1.0	95.4	0.0	0.0
1070	NW_093de	0.933	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	88.9	-0.2	207.0	0.2	207.0	0.2	360	1.0	1.0	95.4	0.0	0.0
1071	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	95.4	0.0	325.2	0.0	325.2	0.0	360	1.0	1.0	95.4	0.0	0.0
1072	NW_006de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0
1073	NW_100de	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	95.4	0.0	325.2	0.0	325.2	0.0	360	1.0	1.0	95.4	0.0	0.0
1074	ROY_100_100de	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	325.2	0.0	325.2	0.0	360	1.0	1.0	95.4	0.0	0.0
1075	G50L_100_100de	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0
1076	Y06C_100_100de	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0
1077	B06B_100_100de	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0
1078	B08L_100_100de	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0
1079	B50R_100_100de	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	95.4	0.0	0.0

delta E\* = 0.3



se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



QN120-7N\_2929-F

TUB-prøveplanse QN12; farbetoneplan: H\*\_e=R50Ye  
 farger og fargeavstander, ΔE\*\_e

5-1132830-F0

5-1132830-F0