


Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 68/360 = 0.19$

$H^*_- = R50Y_-$

Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_-
fargetonetekst for fargene på denne siden:
 $H^*_- = R50Y_-$
trekantslyshet T^*



ORS18a; adapterte (a) CIELAB data

navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$: 68 25 63 68 68

$HIC^*_{-,Ma}$: R50Y_100_100_



$rgbic^*_{-,Ma}$:

1.0 0.5 0.0 1.0 1.0

trekantslyshet T^*

ORS20a; adapterte (a) CIELAB data

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10





%Omfang
 $u^*_{rel} = 92$
%Regularitet
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

se liggende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
anvendelse for måling av display output

TUB-material: code=rh4ta




Input og output: Fjernsyn-Lysfarge-System TLS00a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 58/360 = 0.16$

$H^*_e = R50Y_e$

Data for ethvert apparat (d) eller elementærfarge (e):

HIC^*_e
fargetonetekst for fargene på denne siden:
 $H^*_e = R50Y_e$
trekantslyshet T^*



TLS00a; adapterte (a) CIELAB data

navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
Re,Ma	50.9	78.3	37.3	86.7	25
Ye,Ma	83.7	-3.4	84.5	84.5	92
Ge,Ma	85.1	-64.6	20.7	67.9	162
Ce,Ma	79.0	-34.2	-25.7	42.8	216
Be,Ma	59.2	1.7	-56.6	56.6	271
Me,Ma	57.1	94.1	-57.4	110.3	328
Ne,Ma	0.0	0.0	0.0	0.0	0
We,Ma	95.4	0.0	0.0	0.0	0
Re,CIE	39.9	58.7	27.9	65.0	25
Ye,CIE	81.2	-2.8	71.5	71.6	92
Ge,CIE	52.2	-42.4	13.6	44.5	162
Be,CIE	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{e, Ma}$: 63 42 70 82 58

$HIC^*_{e, Ma}$: R50Y_100_100_e

$rgbic^*_{e, Ma}$:



1.0 0.48 0.0 1.0 1.0

trekantslyshet T^*

TLS00a; adapterte (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352

%Omfang
 $u^*_{rel} = 158$
%Regularitet
 $g^*_{H,rel} = 19$
 $g^*_{C,rel} = 37$



se liggende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; seks fargetonevinkler til apparatfargene RYGBM_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; seks fargetonevinkler til elementærfargene RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$
 $LCH^*_d = 92.6 \ 93.0 \ 102.8$
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$
 $LCH^*_d = 83.6 \ 115.0 \ 136.0$
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$
 $LCH^*_d = 86.8 \ 48.1 \ 196.3$
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$
 $LCH^*_d = 50.4 \ 100.4 \ 40.0$
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$
 $LCH^*_d = 57.2 \ 110.9 \ 328.2$
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$
 $LCH^*_d = 30.3 \ 128.5 \ 306.2$
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e
 $LCH^*_e = 83.7 \ 84.5 \ 92.3$
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

G_e
 $LCH^*_e = 85.1 \ 67.9 \ 162.2$
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

C_e
 $LCH^*_e = 79.0 \ 42.8 \ 216.9$
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

B_e
 $LCH^*_e = 59.2 \ 56.6 \ 271.7$
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$

R_e
 $LCH^*_e = 50.9 \ 86.7 \ 25.4$
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

M_e
 $LCH^*_e = 57.1 \ 110.3 \ 328.6$
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

Y_s
 $LCH^*_s = 82.1 \ 83.5 \ 90.0$
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

G_s
 $LCH^*_s = 84.4 \ 84.2 \ 150.0$
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

C_s
 $LCH^*_s = 81.7 \ 44.6 \ 210.0$
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$

R_s
 $LCH^*_s = 50.7 \ 90.1 \ 30.0$
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

M_s
 $LCH^*_s = 56.7 \ 107.7 \ 330.0$
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

B_s
 $LCH^*_s = 60.2 \ 54.7 \ 270.0$
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_e, LCH^*_e, LAB^*_e$

h_{ab}, rgb^*_e

$$h_{ab,s} = atan [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 \ (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 \ (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab}, h_{ab,d}$

rgb^*_{de}

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimumsfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dxx361M	LAB* dxx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M																											
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.6	100.4	40.0	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40.0	1.0	0.0	0.203	50.8	78.0	45.1	90.1	30	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	rgb _{dd}	rgb _{ds}	rgb _{de}
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0	51.5	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33			
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.7	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42			
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49			
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58			
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66			
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75			
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83			
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92			
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100			
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109			
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117			
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127			
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135			
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144			
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152			
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162			
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168			
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175			
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182			
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189			
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195			
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203			
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209			
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216			
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223			
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230			
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237			
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244			
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250			
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258			
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264			
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271			
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0	76.3	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278			
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307.5	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285			
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0	77.9	-95.7	123.5	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292			</

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	40.0	90.0	150.0	210.0	270.0	330.0	rgb* dex361M	LAB* dex361M	rgb* dd	rgb* ds	rgb* de				
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25	
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33	
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.0	0.673	0.0	72.8	19.8	77.3	79.8	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.0	0.755	0.0	77.5	9.3	80.1	80.6	83
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	0.0	0.857	0.0	83.7	-3.3	84.5	84.6	92
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	1.0	0.0	0.967	0.0	90.6	-16.4	89.5	91.0	100
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144	
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152	
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162	
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168	
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175	
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182	
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189	
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195	
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	1.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	1.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	1.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	1.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	1.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	1.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	1.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	1.0	0.609	1.0	59.3	1.7	-56.5	56.6	271
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.0	1.0	0.555	1.0	55.5	9.3	-62.9	63.7	278
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.0	1.0	0.488	1.0	51.0	19.9	-69.6	72.5	285
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.0	1.0	0.404	1.0	45.7	32.7	-78.5	85.2	292
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.0	1.0	0.27	1.0	38.2	52.8	-90.6	105.0	300
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.0	1.0	0.146	0.0	31.3	76.4	-102.0	127.5	306
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.0	1.0	0.605	0.0	42.1	82.1	-83.8	117.4	314
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.0	1.0	0.811	0.0	49.7	87.9	-71.0	113.1	321
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	0.0	1.0	0.992	57.2	94.2	-57.4	110.3	328	
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	0.0	1.0	0.856	55.4	89.9	-41.4	99.0	335	
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	0.0	1.0	0.735	54.1	86.5	-26.6	90.6	342	
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	0.0	1.0	0.65	53.3	84.5	-15.6	86.0	349	
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	0.0	1.0	0.618	53.0	83.6	-11.6	84.4	352	
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	0.0	1.0	0.533	52.3	82.2	-0.1	82.2	359	
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	0.0	1.0	0.441	51.7	80.7	12.5	81.7	368	
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	0.0	1.0	0.361	51.3	79.3	23.6	82.8	376	
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	0.0	1.0	0.263	50.9	78.3	37.3	86.7	385	

se liggende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12LONA.TXT /PS
 anvendelse for måling av display output, ingen separasjon
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361Mi	LAB* ddx361Mi (x=LabCh)	R _d	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R _s	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	R _e	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de			
40	30	25	1.0 0.0 0.0	50.4 76.9 64.5	100.4 40	1.0 0.0	0.203 50.8	78.0 45.1	90.1 30	1.0 0.0	0.0 0.0	1.0 0.0	0.263 50.9	78.3 37.3	86.7 25	1.0 0.0	0.0 0.0		
40	31	26	1.0 0.016 0.0	50.6 76.5 64.6	100.1 40	1.0 0.0	0.189 50.7	78.0 46.9	91.0 31	1.0 0.0	0.017 0.0	1.0 0.0	0.251 50.9	78.0 39.0	87.2 26	1.0 0.0	0.017 0.0		
40	32	27	1.0 0.033 0.0	50.7 76.1 64.6	99.8 40	1.0 0.0	0.174 50.7	77.9 48.7	91.8 32	1.0 0.0	0.033 0.0	1.0 0.0	0.236 50.8	78.0 41.0	88.1 27	1.0 0.0	0.033 0.0		
40	33	28	1.0 0.05 0.0	50.9 75.7 64.7	99.6 40	1.0 0.0	0.16 50.7	77.7 50.5	92.7 33	1.0 0.0	0.05 0.0	1.0 0.0	0.22 50.8	78.1 43.0	89.1 28	1.0 0.0	0.05 0.0		
40	34	29	1.0 0.066 0.0	51.0 75.3 64.7	99.3 40	1.0 0.0	0.146 50.6	77.6 52.3	93.6 34	1.0 0.0	0.067 0.0	1.0 0.0	0.204 50.8	78.0 44.9	90.1 29	1.0 0.0	0.067 0.0		
40	35	31	1.0 0.083 0.0	51.1 74.9 64.8	99.0 40	1.0 0.0	0.131 50.6	77.3 54.2	94.4 35	1.0 0.0	0.083 0.0	1.0 0.0	0.188 50.7	78.0 46.9	91.0 31	1.0 0.0	0.083 0.0		
41	36	32	1.0 0.1 0.0	51.3 74.5 64.8	98.7 41	1.0 0.0	0.11 50.6	77.3 56.1	95.5 36	1.0 0.1	0.1 0.0	1.0 0.0	0.172 50.7	77.9 49.0	92.0 32	1.0 0.1	0.1 0.0		
41	37	33	1.0 0.116 0.0	51.4 74.1 64.9	98.5 41	1.0 0.0	0.082 50.6	77.2 58.2	96.7 37	1.0 0.117	0.0	1.0 0.0	0.156 50.7	77.7 51.0	92.9 33	1.0 0.117	0.0		
41	38	34	1.0 0.133 0.0	51.7 73.4 65.0	98.0 41	1.0 0.0	0.055 50.5	77.2 60.3	98.0 38	1.0 0.133	0.0	1.0 0.0	0.14 50.6	77.5 53.0	93.9 34	1.0 0.133	0.0		
41	39	35	1.0 0.15 0.0	52.0 72.4 65.2	97.4 41	1.0 0.0	0.028 50.5	77.1 62.4	99.2 39	1.0 0.15	0.0	1.0 0.0	0.123 50.6	77.2 55.1	94.9 35	1.0 0.15	0.0		
42	40	36	1.0 0.166 0.0	52.3 71.4 65.3	96.8 42	1.0 0.0	0.0 0.0	50.5 76.9	64.6 100.4	40	1.0 0.167	0.0	1.0 0.0	0.093 50.6	77.3 57.4	96.3 36	1.0 0.167	0.0	
42	41	37	1.0 0.183 0.0	52.7 70.5 65.5	96.2 42	1.0 0.0	0.095 0.0	51.3 74.6	64.9 98.9	41	1.0 0.183	0.0	1.0 0.0	0.062 50.5	77.2 59.7	97.6 37	1.0 0.183	0.0	
43	42	38	1.0 0.2 0.0	53.0 69.5 65.6	95.6 43	1.0 0.151	0.0	52.1 72.4	65.2 97.5	42	1.0 0.2	0.0	1.0 0.0	0.032 50.5	77.1 62.1	99.0 38	1.0 0.2	0.0	
43	43	39	1.0 0.216 0.0	53.4 68.6 65.7	95.0 43	1.0 0.188	0.0	52.8 70.3	65.5 96.1	43	1.0 0.217	0.0	1.0 0.0	0.001 50.5	76.9 64.5	100.4 39	1.0 0.217	0.0	
44	44	41	1.0 0.233 0.0	53.7 67.6 65.8	94.4 44	1.0 0.225	0.0	53.6 68.2	65.8 94.8	44	1.0 0.233	0.0	1.0 0.102	0.0	51.4 74.4	64.9 98.8	41	1.0 0.233	0.0
44	45	42	1.0 0.25 0.0	54.0 66.7 65.9	93.8 44	1.0 0.256	0.0	54.3 66.1	66.1 93.5	45	1.0 0.25	0.0	1.0 0.157	0.0	52.2 72.0	65.3 97.2	42	1.0 0.25	0.0
45	46	43	1.0 0.266 0.0	54.6 65.1 66.3	93.0 45	1.0 0.277	0.0	55.0 64.3	66.6 92.5	46	1.0 0.267	0.0	1.0 0.199	0.0	53.0 69.6	65.6 95.7	43	1.0 0.267	0.0
46	47	44	1.0 0.283 0.0	55.1 63.6 66.6	92.2 46	1.0 0.297	0.0	55.6 62.4	66.9 91.5	47	1.0 0.283	0.0	1.0 0.24 0.0	53.9	67.3 65.9	94.2 44	1.0 0.283	0.0	
47	48	45	1.0 0.3 0.0	55.7 62.1 66.9	91.3 47	1.0 0.318	0.0	56.3 60.6	67.3 90.5	48	1.0 0.3	0.0	1.0 0.267	0.0	54.7 65.1	66.4 93.0	45	1.0 0.3	0.0
47	49	46	1.0 0.316 0.0	56.2 60.6 67.2	90.5 47	1.0 0.338	0.0	57.0 58.7	67.6 89.5	49	1.0 0.317	0.0	1.0 0.29 0.0	55.4	63.1 66.8	91.9 46	1.0 0.317	0.0	
48	50	47	1.0 0.333 0.0	56.8 59.1 67.5	89.7 48	1.0 0.359	0.0	57.7 56.9	67.8 88.5	50	1.0 0.333	0.0	1.0 0.313	0.0	56.2 61.0	67.2 90.8	47	1.0 0.333	0.0
49	51	48	1.0 0.35 0.0	57.3 57.6 67.7	88.9 49	1.0 0.378	0.0	58.3 55.1	68.1 87.6	51	1.0 0.35	0.0	1.0 0.336	0.0	56.9 59.0	67.5 89.7	48	1.0 0.35	0.0
50	52	49	1.0 0.366 0.0	57.9 56.2 67.9	88.1 50	1.0 0.392	0.0	58.9 53.6	68.6 87.0	52	1.0 0.367	0.0	1.0 0.358	0.0	57.7 56.9	67.8 88.6	49	1.0 0.367	0.0
51	53	51	1.0 0.383 0.0	58.5 54.5 68.2	87.3 51	1.0 0.406	0.0	59.6 52.0	69.0 86.4	53	1.0 0.383	0.0	1.0 0.379	0.0	58.4 55.0	68.1 87.6	51	1.0 0.383	0.0
52	54	52	1.0 0.4 0.0	59.3 52.6 68.8	86.6 52	1.0 0.42 0.0	60.2	50.4 69.4	85.8 54	1.0 0.4	0.0	1.0 0.395	0.0	59.1 53.2	68.7 86.9	52	1.0 0.4	0.0	
53	55	53	1.0 0.416 0.0	60.0 50.7 69.3	85.9 53	1.0 0.433	0.0	60.8 48.8	69.8 85.2	55	1.0 0.417	0.0	1.0 0.41 0.0	59.7	51.5 69.1	86.2 53	1.0 0.417	0.0	
54	56	54	1.0 0.433 0.0	60.7 48.8 69.7	85.1 54	1.0 0.447	0.0	61.4 47.3	70.1 84.5	56	1.0 0.433	0.0	1.0 0.426	0.0	60.4 49.7	69.6 85.5	54	1.0 0.433	0.0
56	57	55	1.0 0.45 0.0	61.4 46.9 70.1	84.4 56	1.0 0.461	0.0	62.0 45.7	70.4 83.9	57	1.0 0.45	0.0	1.0 0.441	0.0	61.1 48.0	69.9 84.8	55	1.0 0.45	0.0
57	58	56	1.0 0.466 0.0	62.2 45.1 70.4	83.6 57	1.0 0.475	0.0	62.6 44.1	70.7 83.3	58	1.0 0.467	0.0	1.0 0.457	0.0	61.8 46.2	70.3 84.1	56	1.0 0.467	0.0
58	59	57	1.0 0.483 0.0	62.9 43.2 70.7	82.9 58	1.0 0.489	0.0	63.2 42.6	70.9 82.7	59	1.0 0.483	0.0	1.0 0.472	0.0	62.5 44.5	70.6 83.4	57	1.0 0.483	0.0
59	60	58	1.0 0.5 0.0	63.6 41.3 71.0	82.2 59	1.0 0.502	0.0	63.8 41.1	71.2 82.2	60	1.0 0.5	0.0	1.0 0.488	0.0	63.1 42.8	70.9 82.8	58	1.0 0.5	0.0
61	61	60	1.0 0.516 0.0	64.5 39.3 71.7	81.8 61	1.0 0.513	0.0	64.4 39.7	71.6 81.9	61	1.0 0.517	0.0	1.0 0.502	0.0	63.8 41.1	71.2 82.2	60	1.0 0.517	0.0
62	62	61	1.0 0.533 0.0	65.3 37.2 72.4	81.4 62	1.0 0.525	0.0	64.9 38.3	72.1 81.7	62	1.0 0.533	0.0	1.0 0.515	0.0	64.4 39.5	71.7 81.9	61	1.0 0.533	0.0
64	63	62	1.0 0.55 0.0	66.2 35.1 73.0	81.0 64	1.0 0.536	0.0	65.5 37.0	72.5 81.4	63	1.0 0.55	0.0	1.0 0.527	0.0	65.1 38.0	72.2 81.6	62	1.0 0.55	0.0
65	64	63	1.0 0.566 0.0	67.1 33.0 73.5	80.6 65	1.0 0.547	0.0	66.1 35.6	72.9 81.1	64	1.0 0.567	0.0	1.0 0.54 0.0	65.7	36.5 72.7	81.3 63	1.0 0.567	0.0	
67	65	64	1.0 0.583 0.0	67.9 31.0 74.0	80.3 67	1.0 0.558	0.0	66.7 34.2	73.3 80.9	65	1.0 0.583	0.0	1.0 0.552	0.0	66.4 34.9	73.1 81.0	64	1.0 0.583	0.0
68	66	65	1.0 0.6 0.0	68.8 28.9 74.5	79.9 68	1.0 0.569	0.0	67.2 32.8	73.7 80.6	66	1.0 0.6	0.0	1.0 0.564	0.0	67.0 33.4	73.5 80.7	65	1.0 0.6	0.0
70	67	66	1.0 0.616 0.0	69.6 26.8 74.8	79.5 70	1.0 0.58 0.0	67.8	31.4 74.0	80.4 67	1.0 0.617	0.0	1.0 0.577	0.0	67.6 31.8	73.9 80.5	66	1.0 0.617	0.0	
71	68	67	1.0 0.633 0.0	70.5 24.7 75.4	79.4 71	1.0 0.591	0.0	68.4 30.0	74.3 80.1	68	1.0 0.633	0.0	1.0 0.589	0.0	68.3 30.3	74.2 80.2	67	1.0 0.633	0.0
73	69	68	1.0 0.65 0.0	71.5 22.7 76.2	79.5 73	1.0 0.602	0.0	69.0 28.6	74.6 79.9	69	1.0 0.65	0.0	1.0 0.602	0.0	68.9 28.7	74.5 79.9	68	1.0 0.65	0.0
75	70	70	1.0 0.666 0.0	72.4 20.6 76.9	79.7 75	1.0 0.614	0.0	69.5 27.2	74.8 79.6	70	1.0 0.667	0.0	1.0 0.614	0.0	69.5 27.2	74.8 79.6	70	1.0 0.667	0.0
76	71	71	1.0 0.683 0.0	73.4 18.5 77.6	79.8 76	1.0 0.625	0.0	70.1 25.8	75.0 79.4	71	1.0 0.683	0.0	1.0 0.626	0.0	70.2 25.6	75.1 79.4	71	1.0 0.683	0.0
78	72	72	1.0 0.7 0.0	74.3 16.3 78.2	79.9 78	1.0 0.635	0.0	70.7 24.5	75.6 79.4	72	1.0 0.7	0.0	1.0 0.638	0.0	70.9 24.2	75.7 79.5	72	1.0 0.7	0.0
79	73	73	1.0 0.716 0.0	75.3 14.2 78.8	80.1 79	1.0 0.646	0.0	71.3 23.3	76.1 79.5	73	1.0 0.717	0.0	1.0 0.65 0.0	71.5	22.8 76.2	79.6 73	1.0 0.717	0.0	
81	74	74	1.0 0.733 0.0	76.2 12.0 79.3	80.2 81	1.0 0.656	0.0	71.9 21.9	76.5 79.6	74	1.0 0.733	0.0	1.0 0.661	0.0	72.2 21.3	76.8 79.7	74	1.0 0.733	0.0
82	75	75	1.0 0.75 0.0	77.2 9.8 79.7	80.4 82	1.0 0.667	0.0	72.5 20.6	77.0 79.7	75	1.0 0.75	0.0	1.0 0.673	0.0	72.8 19.8	77.3 79.8	75	1.0 0.75	0.0

5-013530-L0 QN120-71 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

output: sRGB standard device; no separation, D65, side 6/29

TUB-prøveplansje QN12; farbetoneplan: H*_e=R50Y_e
 prøveplansje infølge DIN 33872, 3D=0, de=1, sRGB

input: rgb/cmyk -> rgb_e
 output: overføring til rgb_e

se liggende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12LONA.TXT /PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s: h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d: h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb ^a _{dd361Mi}	LAB ^a _{ddx361Mi (x=LabCh)}	rgb ^a _{ds361Mi}	LAB ^a _{dsx361Mi (x=LabCh)}	rgb ^a _{de361Mi}	LAB ^a _{dex361Mi (x=LabCh)}	rgb ^a _{dd361Mi}	rgb ^a _{de361Mi}	rgb ^a _{ds361Mi}	rgb ^a _{de361Mi}																							
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0			
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.677	0.0	73.1	19.3	77.4	79.8	76	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.767	0.0			
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.688	0.0	73.7	18.0	77.8	79.9	77	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0			
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.698	0.0	74.3	16.6	78.2	80.0	78	1.0	0.8	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0			
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.708	0.0	74.9	15.3	78.6	80.1	79	1.0	0.817	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.719	0.0	75.5	13.9	78.9	80.1	80	1.0	0.833	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.729	0.0	76.1	12.6	79.2	80.2	81	1.0	0.85	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0			
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.867	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0			
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.75	0.0	77.3	9.8	79.8	80.4	83	1.0	0.883	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0			
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.762	0.0	78.0	8.5	80.4	80.9	84	1.0	0.9	0.0	1.0	0.78	0.0	79.1	6.2	81.4	81.6	85	1.0	0.9	0.0			
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.773	0.0	78.7	7.1	81.0	81.3	85	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.7	82.0	82.1	86	1.0	0.917	0.0			
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.785	0.0	79.3	5.7	81.6	81.8	86	1.0	0.933	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0			
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.796	0.0	80.0	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0			
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.808	0.0	80.7	2.9	82.6	82.7	88	1.0	0.967	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0			
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.819	0.0	81.4	1.5	83.1	83.1	89	1.0	0.983	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0			
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	Y _d	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	Y _s	1.0	1.0	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	Y _e	1.0	1.0	0.0
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.842	0.0	82.8	-1.4	84.0	84.0	91	0.983	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0			
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.853	0.0	83.5	-2.8	84.4	84.4	92	0.967	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0			
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.865	0.0	84.2	-4.3	84.8	84.9	93	0.95	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0			
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.877	0.0	84.9	-5.9	85.2	85.4	94	0.933	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0			
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.891	0.0	85.8	-7.4	85.9	86.3	95	0.917	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0			
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.904	0.0	86.7	-9.0	86.6	87.1	96	0.9	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0			
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	0.883	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0			
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.932	0.0	88.4	-12.3	88.0	88.9	98	0.867	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0			
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.946	0.0	89.3	-13.9	88.6	89.7	99	0.85	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0			
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.96	0.0	90.2	-15.6	89.2	90.6	100	0.833	1.0	0.0	1.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0		
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.974	0.0	91.0	-17.4	89.8	91.5	101	0.817	1.0	0.0	1.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0		
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.988	0.0	91.9	-19.1	90.3	92.3	102	0.8	1.0	0.0	1.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0		
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	1.0	0.926	1.0	0.0	91.3	-28.0	89.4	93.7	107	0.783	1.0	0.0		
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	1.0	0.907	1.0	0.0	91.0	-29.9	89.0	93.9	108	0.767	1.0	0.0		
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	0.75	1.0	0.0		
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	1.0	0.868	1.0	0.0	90.3	-33.6	88.0	94.3	110	0.733	1.0	0.0		
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	1.0	0.848	1.0	0.0	90.0	-35.6	87.8	94.7	112	0.717	1.0	0.0		
120	108	113	0.7	1.0	0.0	87.9	-49.2	85.2	98.4	120	0.917	1.0	0.0	91.2	-28.9	89.2	93.8	108	0.7	1.0	0.0	1.0	0.827	1.0	0.0	89.7	-37.5	87.4	95.2	113	0.7	1.0	0.0		
120	109	114	0.683	1.0	0.0	87.6	-50.7	84.9	98.9	120	0.901	1.0	0.0	90.9	-30.5	88.8	93.9	109	0.683	1.0	0.0	1.0	0.806	1.0	0.0	89.4	-39.5	87.1	95.7	114	0.683	1.0	0.0		
121	110	115	0.666	1.0	0.0	87.4	-52.1	84.7	99.4	121	0.884	1.0	0.0	90.6	-32.1	88.4	94.1	110	0.667	1.0	0.0	1.0	0.786	1.0	0.0	89.1	-41.5	86.7	96.1	115	0.667	1.0	0.0		
122	111	116	0.65	1.0	0.0	87.2	-53.6	84.4	100.0	122	0.868	1.0	0.0	90.3	-33.7	88.0	94.3	111	0.65	1.0	0.0	1.0	0.765	1.0	0.0	88.8	-43.4	86.2	96.6	116	0.65	1.0	0.0		
123	112	117	0.633	1.0	0.0	87.0	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.633	1.0	0.0	1.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	0.633	1.0	0.0		
123	113	119	0.616	1.0	0.0	86.8	-56.4	83.8	101.0	123	0.832	1.0	0.0	89.8	-37.1	87.5	95.1	113	0.617	1.0	0.0	1.0	0.719	1.0	0.0	88.2	-47.5	85.5	97.9	119	0.617	1.0	0.0		
124	114	120	0.6	1.0	0.0	86.7	-57.6	83.7	101.6	124	0.814	1.0	0.0	89.5	-38.7	87.2	95.5	114	0.6	1.0	0.0	1.0	0.695	1.0	0.0	87.8	-49.6	85.2	98.6	120	0.6	1.0	0.0		
125	115	121	0.583	1.0	0.0	86.5	-58.9	83.5	102.2</																										

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns of color data (h_{ab,d}, h_{ab,s}, h_{ab,e}, r_{gb}^{*}, d_{sx361Mi}, LAB^{*}, d_{dx361Mi} (x=LabCh), r_{gb}^{*}, d_{ds361Mi}, LAB^{*}, d_{dsx361Mi} (x=LabCh), r_{gb}^{*}, d_{de361Mi}, LAB^{*}, d_{dex361Mi} (x=LabCh), r_{gb}^{*}, d_{dd361Mi}) and 4 columns of color bars (r_{gb}^{*}, d_{dd}, r_{gb}^{*}, d_{ds}, r_{gb}^{*}, d_{de}, r_{gb}^{*}, d_{de}).

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12LONA.TXT /PS anvendelse for måling av display output, ingen separasjon TUB-material: code=rh4ta

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb [*] _{dd361M}	LAB [*] _{ddx361Mi (x=LabCh)}	rgb [*] _{ds361Mi}	LAB [*] _{dsx361Mi (x=LabCh)}	rgb [*] _{de361Mi}	LAB [*] _{dex361Mi (x=LabCh)}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	rgb [*] _{dd361Mi}	rgb [*] _{de361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}	rgb [*] _{ds361Mi}	rgb [*] _{de361Mi}																						
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	C _d	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	C _s	0.0	0.983	1.0	0.0	0.885	1.0	79.1	-34.2	-25.7	42.9	216	C _e	0.0	0.983	1.0	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199		0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211		0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217		0.0	0.983	1.0	0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202		0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212		0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218		0.0	0.967	1.0	0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205		0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213		0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219		0.0	0.95	1.0	0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208		0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214		0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220		0.0	0.933	1.0	0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212		0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215		0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221		0.0	0.917	1.0	0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215		0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216		0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222		0.0	0.9	1.0	0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218		0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217		0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223		0.0	0.883	1.0	0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221		0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218		0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224		0.0	0.867	1.0	0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225		0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219		0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225		0.0	0.85	1.0	0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228		0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220		0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226		0.0	0.833	1.0	0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232		0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221		0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.817	1.0	0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236		0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222		0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227		0.0	0.8	1.0	0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239		0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223		0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228		0.0	0.783	1.0	0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243		0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224		0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229		0.0	0.767	1.0	0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247		0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225		0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230		0.0	0.75	1.0	0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250		0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226		0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231		0.0	0.733	1.0	0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253		0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227		0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232		0.0	0.717	1.0	0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256		0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228		0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233		0.0	0.7	1.0	0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259		0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229		0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234		0.0	0.683	1.0	0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262		0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230		0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235		0.0	0.667	1.0	0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265		0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231		0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236		0.0	0.65	1.0	0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268		0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232		0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237		0.0	0.633	1.0	0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270		0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233		0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237		0.0	0.617	1.0	0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272		0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234		0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238		0.0	0.6	1.0	0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274		0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235		0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239		0.0	0.583	1.0	0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276		0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236		0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240		0.0	0.567	1.0	0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.6	64.2	278		0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237		0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241		0.0	0.55	1.0	0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280		0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238		0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242		0.0	0.533	1.0	0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283		0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239		0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243		0.0	0.517	1.0	0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285		0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240		0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244		0.0	0.5	1.0	0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286		0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241		0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245		0.0	0.483	1.0	0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287		0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242		0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246		0.0	0.467	1.0	0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288		0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243		0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247		0.0	0.45	1.0	0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290		0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244		0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248		0.0	0.433	1.0	0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291		0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245		0.0	0.417	1.0															

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_a; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* de361Mi	LAB* dex361Mi (x=LabCh)																		
301	255	258	0.0	0.25 1.0	37.1	55.9	-92.3	107.9	301	0.0	0.702	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25	1.0	0.0	0.691	1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25	1.0		
301	256	258	0.0	0.233 1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702	1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0		
302	257	259	0.0	0.216 1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696	1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.217	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217	1.0		
302	258	260	0.0	0.2 1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691	1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0		
303	259	261	0.0	0.183 1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685	1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0		
303	260	262	0.0	0.166 1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679	1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.167	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167	1.0		
304	261	263	0.0	0.15 1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674	1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0		
304	262	264	0.0	0.133 1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0		
304	263	265	0.0	0.116 1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663	1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.117	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117	1.0		
305	264	266	0.0	0.1 1.0	32.0	70.8	-100.8	123.2	305	0.0	0.657	1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0		
305	265	267	0.0	0.083 1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652	1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0		
305	266	268	0.0	0.066 1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646	1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.067	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067	1.0		
305	267	269	0.0	0.049 1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641	1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.05	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05	1.0		
305	268	269	0.0	0.033 1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635	1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0		
306	269	270	0.0	0.016 1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.017	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017	1.0		
306	270	271	0.0	0.0 1.0	30.3	76.0	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0	1.0		
306	271	272	0.016	0.0 1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615	1.0	59.7	1.0	-55.7	55.9	271	0.0	0.017	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.0	0.017	0.0	1.0
306	272	273	0.033	0.0 1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607	1.0	59.1	2.0	-56.8	56.9	272	0.0	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.0	0.033	0.0	1.0
306	273	274	0.05	0.0 1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599	1.0	58.5	3.0	-57.8	58.0	273	0.0	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.0	0.05	0.0	1.0
306	274	275	0.066	0.0 1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591	1.0	58.0	4.1	-58.8	59.0	274	0.0	0.067	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.0	0.067	0.0	1.0
306	275	276	0.083	0.0 1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583	1.0	57.4	5.2	-59.8	60.1	275	0.0	0.083	0.0	1.0	0.0	0.57	1.0	56.6	7.0	-61.2	61.7	276	0.0	0.083	0.0	1.0
306	276	277	0.1	0.0 1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574	1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0	1.0	
306	277	278	0.116	0.0 1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.117	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0	1.0	1.0	
306	278	279	0.133	0.0 1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558	1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0	1.0	
306	279	280	0.15	0.0 1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55	1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0	1.0	
306	280	281	0.166	0.0 1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541	1.0	54.6	11.4	-64.3	65.4	280	0.167	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0	1.0	1.0	
307	281	282	0.183	0.0 1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533	1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0	1.0	
307	282	283	0.2	0.0 1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525	1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0	1.0	
307	283	284	0.216	0.0 1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517	1.0	52.9	15.4	-66.7	68.6	283	0.217	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0	1.0	1.0	
307	284	285	0.233	0.0 1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508	1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0	1.0	
307	285	285	0.25	0.0 1.0	32.6	76.8	-99.8	125.9	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0	1.0	1.0	
307	286	286	0.266	0.0 1.0	32.9	77.0	-99.2	125.6	307	0.0	0.488	1.0	51.0	20.0	-69.7	72.6	286	0.267	0.0	1.0	0.0	0.476	1.0	50.3	21.6	-71.0	74.3	286	0.267	0.0	1.0	1.0	
308	287	287	0.283	0.0 1.0	33.2	77.1	-98.6	125.2	308	0.0	0.475	1.0	50.2	21.8	-71.2	74.5	287	0.283	0.0	1.0	0.0	0.464	1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0	1.0	1.0	
308	288	288	0.3	0.0 1.0	33.6	77.3	-98.1	124.9	308	0.0	0.462	1.0	49.4	23.6	-72.6	76.4	288	0.3	0.0	1.0	0.0	0.452	1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0	1.0	1.0	
308	289	289	0.316	0.0 1.0	33.9	77.4	-97.5	124.5	308	0.0	0.45	1.0	48.6	25.5	-74.0	78.3	289	0.317	0.0	1.0	0.0	0.44	1.0	48.0	26.9	-75.0	79.8	289	0.317	0.0	1.0	1.0	
308	290	290	0.333	0.0 1.0	34.3	77.6	-96.9	124.1	308	0.0	0.437	1.0	47.8	27.4	-75.3	80.2	290	0.333	0.0	1.0	0.0	0.428	1.0	47.2	28.8	-76.2	81.6	290	0.333	0.0	1.0	1.0	
308	291	291	0.35	0.0 1.0	34.6	77.7	-96.3	123.8	308	0.0	0.424	1.0	47.0	29.4	-76.6	82.1	291	0.35	0.0	1.0	0.0	0.416	1.0	46.5	30.7	-77.4	83.4	291	0.35	0.0	1.0	1.0	
309	292	292	0.366	0.0 1.0	34.9	77.9	-95.7	123.4	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	0.367	0.0	1.0	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292	0.367	0.0	1.0	1.0	
309	293	293	0.383	0.0 1.0	35.3	78.1	-95.1	123.0	309	0.0	0.399	1.0	45.4	33.6	-79.0	86.0	293	0.383	0.0	1.0	0.0	0.392	1.0	44.9	34.7	-79.7	87.0	293	0.383	0.0	1.0	1.0	
309	294	294	0.4	0.0 1.0	35.8	78.3	-94.3	122.6	309	0.0	0.386	1.0	44.6	35.7	-80.2	87.9	294	0.4	0.0	1.0	0.0	0.38	1.0	44.2	36.8	-80.7	88.8	294	0.4	0.0	1.0	1.0	
3																																	

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM_s; h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM_d; h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM_e; h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{ds361Mi}	LAB* _{dsx361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi (x=LabCh)}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dd361Mi}	LAB* _{de361Mi}	rgb* _{dd361Mi}	LAB* _{de361Mi}																			
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M _d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M _s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M _e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85														

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta





n#	HC*Fe	rgb*Fe	id*Fe	hsa_Fe	rgb*Fe	LabCH*Fe	id*Fe	hsa_Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsa_Fe	rgb*Fe	LabCH*Fe
0	NV_000b	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	BOOR_012_012a	0.0	0.125	0.125	0.062	0.0	0.0	0.0	0.0	0.0	12.1	360	0.0	95.4
2	BOOR_025_025a	0.0	0.25	0.25	0.125	0.0	0.0	0.0	0.0	0.0	15.5	16.6	0.0	59.2
3	BOOR_037_037a	0.0	0.375	0.375	0.187	0.0	0.0	0.0	0.0	0.0	35.3	62.3	0.0	59.2
4	BOOR_050_050a	0.0	0.5	0.5	0.25	0.0	0.0	0.0	0.0	0.0	61.9	76.8	0.0	59.2
5	BOOR_062_062a	0.0	0.625	0.625	0.312	0.0	0.0	0.0	0.0	0.0	72.9	90.4	0.0	59.2
6	BOOR_075_075a	0.0	0.75	0.75	0.375	0.0	0.0	0.0	0.0	0.0	83.4	103.5	0.0	59.2
7	BOOR_087_087a	0.0	0.875	0.875	0.437	0.0	0.0	0.0	0.0	0.0	93.6	116.1	0.0	59.2
8	BOOR_100_100a	0.0	1.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	103.5	128.5	0.0	59.2
9	BOOR_112_012a	0.0	0.125	0.125	0.062	1.0	0.0	0.0	0.0	0.0	11.9	20.6	0.0	85.1
10	G75B_012_012a	0.0	0.125	0.125	0.062	2.10	0.0	0.0	0.0	0.0	3.3	11.2	0.0	0.89
11	G75B_025_025a	0.0	0.25	0.25	0.125	2.40	0.0	0.0	0.0	0.0	22.2	27.7	0.0	0.763
12	G88B_037_037a	0.0	0.375	0.375	0.187	2.51	0.0	0.0	0.0	0.0	39.0	42.8	0.0	0.71
13	G88B_050_050a	0.0	0.5	0.5	0.25	2.56	0.0	0.0	0.0	0.0	53.4	58.9	0.0	0.685
14	G92B_062_062a	0.0	0.625	0.625	0.312	2.59	0.0	0.0	0.0	0.0	66.3	73.3	0.0	0.67
15	G92B_075_075a	0.0	0.75	0.75	0.375	2.61	0.0	0.0	0.0	0.0	78.2	95.8	0.0	0.659
16	G93B_087_087a	0.0	0.875	0.875	0.437	2.62	0.0	0.0	0.0	0.0	89.4	108.1	0.0	0.649
17	G94B_100_100a	0.0	1.0	1.0	0.5	2.63	0.0	0.0	0.0	0.0	100.0	121.9	0.0	0.654
18	G94B_012_012a	0.0	0.125	0.125	0.062	1.80	0.0	0.0	0.0	0.0	28.3	29.7	0.0	1.0
19	G94B_025_025a	0.0	0.25	0.25	0.125	1.80	0.0	0.0	0.0	0.0	13.8	29.7	0.0	0.951
20	G94B_037_037a	0.0	0.375	0.375	0.187	2.29	0.0	0.0	0.0	0.0	17.1	17.8	0.0	0.89
21	G94B_050_050a	0.0	0.5	0.5	0.25	2.40	0.0	0.0	0.0	0.0	25.9	24.4	0.0	0.808
22	G94B_062_062a	0.0	0.625	0.625	0.312	2.47	0.0	0.0	0.0	0.0	34.0	29.6	0.0	0.763
23	G94B_075_075a	0.0	0.75	0.75	0.375	2.51	0.0	0.0	0.0	0.0	40.7	35.8	0.0	0.71
24	G94B_087_087a	0.0	0.875	0.875	0.437	2.54	0.0	0.0	0.0	0.0	47.7	42.4	0.0	0.685
25	G94B_100_100a	0.0	1.0	1.0	0.5	2.56	0.0	0.0	0.0	0.0	58.9	53.1	0.0	0.659
26	G94B_012_012a	0.0	0.125	0.125	0.062	1.50	0.0	0.0	0.0	0.0	9.2	10.7	0.0	1.0
27	G94B_025_025a	0.0	0.25	0.25	0.125	1.50	0.0	0.0	0.0	0.0	38.9	56.1	0.0	0.685
28	G94B_037_037a	0.0	0.375	0.375	0.187	1.69	0.0	0.0	0.0	0.0	46.9	63.6	0.0	0.685
29	G94B_050_050a	0.0	0.5	0.5	0.25	1.91	0.0	0.0	0.0	0.0	56.1	74.6	0.0	0.685
30	G94B_062_062a	0.0	0.625	0.625	0.312	2.33	0.0	0.0	0.0	0.0	67.7	86.1	0.0	0.685
31	G94B_075_075a	0.0	0.75	0.75	0.375	2.40	0.0	0.0	0.0	0.0	81.1	101.9	0.0	0.685
32	G94B_087_087a	0.0	0.875	0.875	0.437	2.45	0.0	0.0	0.0	0.0	95.4	117.9	0.0	0.685
33	G94B_100_100a	0.0	1.0	1.0	0.5	2.48	0.0	0.0	0.0	0.0	108.1	134.9	0.0	0.685
34	G94B_012_012a	0.0	0.125	0.125	0.062	1.20	0.0	0.0	0.0	0.0	1.6	1.6	0.0	1.0
35	G94B_025_025a	0.0	0.25	0.25	0.125	1.20	0.0	0.0	0.0	0.0	6.3	6.3	0.0	1.0
36	G94B_037_037a	0.0	0.375	0.375	0.187	1.20	0.0	0.0	0.0	0.0	13.8	13.8	0.0	1.0
37	G94B_050_050a	0.0	0.5	0.5	0.25	1.20	0.0	0.0	0.0	0.0	21.4	21.4	0.0	1.0
38	G94B_062_062a	0.0	0.625	0.625	0.312	1.20	0.0	0.0	0.0	0.0	28.6	28.6	0.0	1.0
39	G94B_075_075a	0.0	0.75	0.75	0.375	1.20	0.0	0.0	0.0	0.0	35.8	35.8	0.0	1.0
40	G94B_087_087a	0.0	0.875	0.875	0.437	1.20	0.0	0.0	0.0	0.0	43.0	43.0	0.0	1.0
41	G94B_100_100a	0.0	1.0	1.0	0.5	1.20	0.0	0.0	0.0	0.0	50.2	50.2	0.0	1.0
42	G94B_012_012a	0.0	0.125	0.125	0.062	0.80	0.0	0.0	0.0	0.0	0.8	0.8	0.0	1.0
43	G94B_025_025a	0.0	0.25	0.25	0.125	0.80	0.0	0.0	0.0	0.0	3.2	3.2	0.0	1.0
44	G94B_037_037a	0.0	0.375	0.375	0.187	0.80	0.0	0.0	0.0	0.0	6.3	6.3	0.0	1.0
45	G94B_050_050a	0.0	0.5	0.5	0.25	0.80	0.0	0.0	0.0	0.0	9.5	9.5	0.0	1.0
46	G94B_062_062a	0.0	0.625	0.625	0.312	0.80	0.0	0.0	0.0	0.0	12.7	12.7	0.0	1.0
47	G94B_075_075a	0.0	0.75	0.75	0.375	0.80	0.0	0.0	0.0	0.0	15.9	15.9	0.0	1.0
48	G94B_087_087a	0.0	0.875	0.875	0.437	0.80	0.0	0.0	0.0	0.0	19.1	19.1	0.0	1.0
49	G94B_100_100a	0.0	1.0	1.0	0.5	0.80	0.0	0.0	0.0	0.0	22.3	22.3	0.0	1.0
50	G94B_012_012a	0.0	0.125	0.125	0.062	0.40	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.0
51	G94B_025_025a	0.0	0.25	0.25	0.125	0.40	0.0	0.0	0.0	0.0	1.6	1.6	0.0	1.0
52	G94B_037_037a	0.0	0.375	0.375	0.187	0.40	0.0	0.0	0.0	0.0	3.2	3.2	0.0	1.0
53	G94B_050_050a	0.0	0.5	0.5	0.25	0.40	0.0	0.0	0.0	0.0	4.9	4.9	0.0	1.0
54	G94B_062_062a	0.0	0.625	0.625	0.312	0.40	0.0	0.0	0.0	0.0	6.5	6.5	0.0	1.0
55	G94B_075_075a	0.0	0.75	0.75	0.375	0.40	0.0	0.0	0.0	0.0	8.1	8.1	0.0	1.0
56	G94B_087_087a	0.0	0.875	0.875	0.437	0.40	0.0	0.0	0.0	0.0	9.7	9.7	0.0	1.0
57	G94B_100_100a	0.0	1.0	1.0	0.5	0.40	0.0	0.0	0.0	0.0	11.3	11.3	0.0	1.0
58	G94B_012_012a	0.0	0.125	0.125	0.062	0.20	0.0	0.0	0.0	0.0	0.2	0.2	0.0	1.0
59	G94B_025_025a	0.0	0.25	0.25	0.125	0.20	0.0	0.0	0.0	0.0	0.8	0.8	0.0	1.0
60	G94B_037_037a	0.0	0.375	0.375	0.187	0.20	0.0	0.0	0.0	0.0	1.6	1.6	0.0	1.0
61	G94B_050_050a	0.0	0.5	0.5	0.25	0.20	0.0	0.0	0.0	0.0	2.4	2.4	0.0	1.0
62	G94B_062_062a	0.0	0.625	0.625	0.312	0.20	0.0	0.0	0.0	0.0	3.2	3.2	0.0	1.0
63	G94B_075_075a	0.0	0.75	0.75	0.375	0.20	0.0	0.0	0.0	0.0	4.0	4.0	0.0	1.0
64	G94B_087_087a	0.0	0.875	0.875	0.437	0.20	0.0	0.0	0.0	0.0	4.8	4.8	0.0	1.0
65	G94B_100_100a	0.0	1.0	1.0	0.5	0.20	0.0	0.0	0.0	0.0	5.6	5.6	0.0	1.0
66	G94B_012_012a	0.0	0.125	0.125	0.062	0.10	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.0
67	G94B_025_025a	0.0	0.25	0.25	0.125	0.10	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.0
68	G94B_037_037a	0.0	0.375	0.375	0.187	0.10	0.0	0.0	0.0	0.0	0.8	0.8	0.0	1.0
69	G94B_050_050a	0.0	0.5	0.5	0.25	0.10	0.0	0.0	0.0	0.0	1.2	1.2	0.0	1.0
70	G94B_062_062a	0.0	0.625	0.625	0.312	0.10	0.0	0.0	0.0	0.0	1.6	1.6	0.0	1.0
71	G94B_075_075a	0.0	0.75	0.75	0.375	0.10	0.0	0.0	0.0	0.0	2.0	2.0	0.0	1.0
72	G94B_087_087a	0.0	0.875	0.875	0.437	0.10	0.0	0.0	0.0	0.0	2.4	2.4	0.0	1.0
73	G94B_100_100a	0.0	1.0	1.0	0.5	0.10	0.0	0.0	0.0	0.0	2.8	2.8	0.0	1.0
74	G94B_012_012a	0.0	0.125	0.125	0.062	0.05	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.0
75	G94B_025_025a	0.0	0.25	0.25	0.125	0.05	0.0	0.0	0.0	0.0	0.2	0.2	0.0	1.0
76	G94B_037_037a	0.0	0.375	0.375	0.187	0.05	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.0
77	G94B_050_050a	0.0	0.5	0.5	0.25	0.05	0.0	0.0	0.0	0.0	0.5	0.5	0.0	1.0
78	G94B_062_062a	0.0	0.625	0.625	0.312	0.05	0.0	0.0	0.0	0.0	0.6	0.6	0.0	1.0
79	G94B_075_075a	0.0	0.75	0.75	0.375	0.05	0.0	0.0	0.0	0.0	0.8	0.8	0.0	1.0
80	G94B_087_087a	0.0	0.875	0.875	0.437	0.05	0.0	0.0	0.0	0.0	1.0	1.0	0.0	1.0

input: rgb/cmlyk -> rgb
 output: overføring til rgb

TUB-prøveplanse QN12; farbetoneplan: H*e=R50Ye
 farger og fargeavstander, ΔE*

5-0131530-F0
 5-0131530-F0

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



http://130.149.60.45/~farbmetrik/QN12/QN12LONA.TXT /.PS; overføring output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 17/29

input: rgb/cmyk -> rgb
output: overføring til rgb

TUB-prøveplansje QN12; farbetoneplan: H*e=R50Ye
farger og fargeavstander, ΔE*

QN120-7N, 17/29-F

n	HC*Fe	rgb_Fe	ief_Fe	hsa_Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
81	BOYR_012_012a	0.125 0.0	0.125 0.0	0.125 0.0	0.032 6.1	9.7	4.6	10.8	25.4	0.125 0.0	0.032 6.1	9.7	4.6
82	BOYR_012_012b	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0	0.125 0.0
83	B2SK_025_025a	0.125 0.0	0.25 0.25	0.125 0.0	0.067 12.5	11.7	7.1	13.7	32.6	0.125 0.0	0.067 12.5	11.7	7.1
84	B1SK_025_025b	0.125 0.0	0.25 0.25	0.125 0.0	0.165 0.375	17.9	10.1	28.1	29.9	0.125 0.0	0.165 0.375	17.9	10.1
85	B1LK_050_050a	0.125 0.0	0.5 0.5	0.25 0.25	0.025 0.5	25.9	9.1	34.1	35.3	0.125 0.0	0.025 0.5	25.9	9.1
86	BOYR_062_062a	0.125 0.0	0.625 0.625	0.312 0.312	0.0327 0.625	33.3	8.9	41.3	42.3	0.125 0.0	0.0327 0.625	33.3	8.9
87	BOYR_075_075a	0.125 0.0	0.75 0.75	0.375 0.375	0.048 0.875	40.8	9.1	48.8	49.2	0.125 0.0	0.048 0.875	40.8	9.1
88	BOYR_087_087a	0.125 0.0	0.875 0.875	0.437 0.437	0.0554 1.0	55.5	9.4	63.9	63.6	0.125 0.0	0.0554 1.0	55.5	9.4
89	BOYR_100_100a	0.125 0.0	1.0 1.0	0.5 0.5	0.104 0.4	10.4	10.5	10.5	10.5	0.125 0.0	0.104 0.4	10.4	10.5
90	YOCG_012_012a	0.125 0.125	0.125 0.125	0.062 0.062	0.125 0.125	11.9	0.0	0.0	0.0	0.125 0.125	0.125 0.125	11.9	0.0
91	BOYR_025_012a	0.125 0.125	0.125 0.125	0.062 0.062	0.125 0.125	11.9	0.0	0.0	0.0	0.125 0.125	0.125 0.125	11.9	0.0
92	BOYR_025_012b	0.125 0.125	0.125 0.125	0.062 0.062	0.125 0.125	11.9	0.0	0.0	0.0	0.125 0.125	0.125 0.125	11.9	0.0
93	BOYR_037_025a	0.125 0.125	0.375 0.375	0.25 0.25	0.124 0.201	22.5	19.3	0.2	7.0	0.125 0.125	0.124 0.201	22.5	19.3
94	BOYR_050_037a	0.125 0.125	0.5 0.5	0.375 0.312	0.124 0.355	34.1	0.6	21.2	21.2	0.125 0.125	0.124 0.355	34.1	0.6
95	BOYR_062_050a	0.125 0.125	0.625 0.625	0.437 0.437	0.125 0.429	46.25	0.8	28.3	28.3	0.125 0.125	0.125 0.429	46.25	0.8
96	BOYR_075_062a	0.125 0.125	0.75 0.75	0.625 0.437	0.125 0.505	57.5	48.1	35.3	35.3	0.125 0.125	0.125 0.505	57.5	48.1
97	BOYR_087_075a	0.125 0.125	0.875 0.875	0.5 0.5	0.125 0.582	68.75	1.2	42.4	42.4	0.125 0.125	0.125 0.582	68.75	1.2
98	BOYR_100_087a	0.125 0.125	1.0 1.0	0.875 0.562	0.125 0.658	81.0	63.7	1.5	49.5	0.125 0.125	0.125 0.658	81.0	63.7
99	Y30G_025_025a	0.125 0.25	0.25 0.25	0.125 0.125	0.132 0.25	20.1	21.4	15.7	20.7	0.125 0.25	0.132 0.25	20.1	21.4
100	G0B_025_012a	0.125 0.25	0.125 0.125	0.187 0.187	0.124 0.236	22.5	8.4	26.5	8.4	0.125 0.25	0.124 0.236	22.5	8.4
101	G35B_025_012a	0.125 0.25	0.25 0.25	0.187 0.187	0.124 0.315	37.5	29.4	4.7	9.9	0.125 0.25	0.124 0.315	37.5	29.4
102	G35B_037_012a	0.125 0.25	0.375 0.375	0.25 0.25	0.124 0.391	46.25	4.7	17.1	17.1	0.125 0.25	0.124 0.391	46.25	4.7
103	G4B_050_010a	0.125 0.25	0.5 0.5	0.375 0.312	0.125 0.465	57.5	4.4	24.2	24.2	0.125 0.25	0.125 0.465	57.5	4.4
104	G8B_062_010a	0.125 0.25	0.625 0.625	0.437 0.437	0.125 0.543	68.75	51.6	4.3	31.4	0.125 0.25	0.125 0.543	68.75	51.6
105	G9B_075_010a	0.125 0.25	0.75 0.75	0.625 0.437	0.125 0.618	81.0	59.5	4.3	38.5	0.125 0.25	0.125 0.618	81.0	59.5
106	G9B_100_087a	0.125 0.25	0.875 0.875	0.562 0.562	0.125 0.698	1.0	48.3	48.3	48.3	0.125 0.25	0.125 0.698	1.0	48.3
107	Y8G_087_037a	0.125 0.375	0.375 0.375	0.187 0.187	0.125 0.775	10.4	30.0	25.1	16.9	0.125 0.375	0.125 0.775	10.4	30.0
108	Y8G_087_037b	0.125 0.375	0.375 0.375	0.187 0.187	0.124 0.375	30.0	33.2	16.2	16.2	0.125 0.375	0.124 0.375	30.0	33.2
109	G0B_037_025a	0.125 0.375	0.125 0.125	0.25 0.25	0.124 0.375	30.0	33.2	16.2	16.2	0.125 0.375	0.124 0.375	30.0	33.2
110	G25B_037_025a	0.125 0.375	0.25 0.25	0.187 0.187	0.124 0.375	30.0	33.2	16.2	16.2	0.125 0.375	0.124 0.375	30.0	33.2
111	G35B_050_037a	0.125 0.375	0.375 0.375	0.25 0.25	0.124 0.375	30.0	33.2	16.2	16.2	0.125 0.375	0.124 0.375	30.0	33.2
112	G65B_050_037a	0.125 0.375	0.5 0.5	0.375 0.312	0.124 0.428	46.25	39.4	9.4	9.4	0.125 0.375	0.124 0.428	46.25	39.4
113	G75B_050_037a	0.125 0.375	0.625 0.625	0.437 0.437	0.125 0.506	62.5	46.9	9.4	9.4	0.125 0.375	0.125 0.506	62.5	46.9
114	G8B_075_062a	0.125 0.375	0.75 0.75	0.625 0.437	0.125 0.581	75.0	54.2	9.4	9.4	0.125 0.375	0.125 0.581	75.0	54.2
115	G8B_087_075a	0.125 0.375	0.875 0.875	0.562 0.562	0.125 0.657	87.5	61.6	9.4	9.4	0.125 0.375	0.125 0.657	87.5	61.6
116	Y6G_087_087a	0.125 0.375	1.0 1.0	0.875 0.562	0.125 0.733	1.0	69.0	9.4	41.5	0.125 0.375	0.125 0.733	1.0	69.0
117	Y6G_087_087b	0.125 0.5 0.5	0.5 0.5	0.25 0.25	0.125 0.810	25.7	45.9	14.5	14.5	0.125 0.5 0.5	0.125 0.810	25.7	45.9
118	G0B_050_037a	0.125 0.5 0.125	0.125 0.125	0.375 0.312	0.124 0.5 0.389	43.8	44.2	7.7	25.4	0.125 0.5 0.125	0.124 0.5 0.389	43.8	44.2
119	G15B_050_037a	0.125 0.5 0.25	0.25 0.25	0.375 0.312	0.124 0.5 0.455	44.0	44.0	20.3	17.9	0.125 0.5 0.25	0.124 0.5 0.455	44.0	44.0
120	G35B_050_037a	0.125 0.5 0.375	0.375 0.375	0.25 0.25	0.124 0.498	51.5	41.5	12.8	9.9	0.125 0.5 0.375	0.124 0.498	51.5	41.5
121	G50B_050_037a	0.125 0.5 0.5	0.5 0.5	0.375 0.312	0.124 0.539	62.5	49.0	13.8	16.3	0.125 0.5 0.5	0.124 0.539	62.5	49.0
122	G61B_062_050a	0.125 0.5 0.625	0.625 0.625	0.437 0.437	0.125 0.62	77.5	57.0	14.4	23.0	0.125 0.5 0.625	0.125 0.62	77.5	57.0
123	G6B_075_062a	0.125 0.5 0.75	0.75 0.75	0.625 0.437	0.125 0.697	87.5	64.4	14.2	29.7	0.125 0.5 0.75	0.125 0.697	87.5	64.4
124	G75B_087_075a	0.125 0.5 0.875	0.875 0.875	0.562 0.562	0.125 0.773	1.0	71.8	14.1	36.7	0.125 0.5 0.875	0.125 0.773	1.0	71.8
125	G9B_100_087a	0.125 0.5 1.0	1.0 1.0	0.875 0.562	0.125 0.850	2.0	80.0	14.1	43.9	0.125 0.5 1.0	0.125 0.850	2.0	80.0
126	Y8G_062_062a	0.125 0.625 0.125	0.625 0.625	0.312 0.312	0.125 0.927	3.0	88.0	14.1	51.9	0.125 0.625 0.125	0.125 0.927	3.0	88.0
127	G15B_062_050a	0.125 0.625 0.25	0.25 0.25	0.375 0.312	0.125 1.004	4.0	96.0	14.1	59.9	0.125 0.625 0.25	0.125 1.004	4.0	96.0
128	G15B_062_050b	0.125 0.625 0.375	0.375 0.375	0.25 0.25	0.125 1.081	5.0	104.0	14.1	67.9	0.125 0.625 0.375	0.125 1.081	5.0	104.0
129	G38B_062_050a	0.125 0.625 0.5	0.5 0.5	0.375 0.312	0.125 1.158	6.0	112.0	14.1	75.9	0.125 0.625 0.5	0.125 1.158	6.0	112.0
130	G50B_062_050a	0.125 0.625 0.625	0.625 0.625	0.437 0.437	0.125 1.235	7.0	120.0	14.1	83.9	0.125 0.625 0.625	0.125 1.235	7.0	120.0
131	G61B_062_050a	0.125 0.625 0.75	0.75 0.75	0.625 0.437	0.125 1.312	8.0	128.0	14.1	91.9	0.125 0.625 0.75	0.125 1.312	8.0	128.0
132	G65B_062_050a	0.125 0.625 0.875	0.875 0.875	0.562 0.562	0.125 1.389	9.0	136.0	14.1	99.9	0.125 0.625 0.875	0.125 1.389	9.0	136.0
133	G75B_075_062a	0.125 0.625 1.0	1.0 1.0	0.875 0.562	0.125 1.466	10.0	144.0	14.1	107.9	0.125 0.625 1.0	0.125 1.466	10.0	144.0
134	Y8G_075_075a	0.125 0.75 0.125	0.75 0.75	0.375 0.312	0.125 1.543	11.0	152.0	14.1	115.9	0.125 0.75 0.125	0.125 1.543	11.0	152.0
135	Y8G_075_075b	0.125 0.75 0.25	0.25 0.25	0.375 0.312	0.125 1.620	12.0	160.0	14.1	123.9	0.125 0.75 0.25	0.125 1.620	12.0	160.0
136	G0B_087_062a	0.125 0.75 0.375	0.375 0.375	0.25 0.25	0.125 1.697	13.0	168.0	14.1	131.9	0.125 0.75 0.375	0.125 1.697	13.0	168.0
137	G15B_087_062a	0.125 0.75 0.5	0.5 0.5	0.375 0.312	0.125 1.774	14.0	176.0	14.1	139.9	0.125 0.75 0.5	0.125 1.774	14.0	176.0
138	G35B_087_062a	0.125 0.75 0.625	0.625 0.625	0.437 0.437	0.125 1.851	15.0	184.0	14.1	147.9	0.125 0.75 0.625	0.125 1.851	15.0	184.0
139	G50B_087_062a	0.125 0.75 0.75	0.75 0.75	0.625 0.437	0.125 1.928	16.0	192.0	14.1	155.9	0.125 0.75 0.75	0.125 1.928	16.0	192.0
140	G61B_087_062a	0.125 0.75 0.875	0.875 0.875	0.562 0.562	0.125 2.005	17.0	200.0	14.1	163.9	0.125 0.75 0.875	0.125 2.005	17.0	200.0
141	G75B_087_062a	0.125 0.75 1.0	1.0 1.0	0.875 0.562	0.125 2.082	18.0	208.0	14.1	171.9	0.125 0.75 1.0	0.125 2.082	18.0	208.0
142	G87B_087_075a	0.125 0.75 1.0	1.0 1.0	0.875 0.562	0.125 2.159	19.0	216.0	14.1	179.9	0.125 0.75 1.0	0.125 2.159	19.0	216.0
143	G9B_100_087a	0.125 0.75 1.0	1.0 1.0	0.875 0.562	0.125 2.236	20.0	224.0	14.1	187.9	0.125 0.75 1.0	0.125 2.236	20.0	224.0
144	Y8G_087_087a	0.125 0.75 1.0	1.0 1.0	0.875 0.562	0.125 2.313	21.0	232.0	14.1	195.9	0.125 0.75 1.0	0.125 2.313	21.0	232.0
145	G0B_087_075a	0.125 0.875 0.125	0.875 0.875	0.25 0.25	0.125 2.390	22.0	240.0	14.1	203.9	0.125 0.875 0.125	0.125 2.390	22.0	240.0
146	G15B_087_075a	0.125 0.875 0.25	0.25										

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

input: *rgb/cmlyk* -> *rgbe*
 output: overføring til *rgbe*

n	HC*Fe	rgb*Fe	ier*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	rgb*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe															
162	ROOY_025_025a	0.25	0.0	0.0	0.0	0.065	12.7	19.5	9.3	21.6	25.4	0.25	0.0	0.0	8.6	28.5	13.6	31.6	25.5	10.7	37.5	1.0	0.0	0.263	50.9	78.3	86.7	25.4				
163	ROOY_025_025b	0.25	0.0	0.0	0.0	0.154	13.2	19.5	-2.9	21.1	352.0	0.25	0.0	0.0	0.125	9.4	30.5	-1.8	34.0	35.6	10.4	37.2	1.0	0.0	0.617	52.9	83.6	-11.6	84.4			
164	B50R_025_025a	0.25	0.0	0.0	0.0	0.247	14.2	23.5	-14.3	27.5	328.6	0.25	0.0	0.0	0.25	11.1	34.9	-21.6	41.1	328.2	13.9	32.0	1.0	0.0	0.991	57.1	94.1	-57.4	102.3			
165	B3AR_037_037a	0.25	0.0	0.0	0.0	0.375	13.9	29.6	-34.5	45.5	328.6	0.25	0.0	0.0	0.375	11.1	48.0	-52.8	56.2	316.9	22.0	29.6	1.0	0.0	0.444	57.0	79.0	-92.2	101.5			
166	B2SK_050_050a	0.25	0.0	0.0	0.0	0.135	0.5	0.5	0.5	0.5	0.5	0.25	0.0	0.0	0.5	17.1	48.0	-52.8	56.2	316.9	22.0	29.6	1.0	0.0	0.27	10.0	34.2	-90.7	104.9			
167	B1K_062_062a	0.25	0.0	0.0	0.0	0.245	0.625	0.312	0.93	20.3	293.5	0.25	0.0	0.0	0.625	20.7	55.2	-65.9	86.0	309.2	37.0	24.7	1.0	0.0	0.392	10.0	44.9	-79.7	86.9			
168	B1SK_075_075a	0.25	0.0	0.0	0.0	0.33	0.75	0.375	2.89	20.2	286.7	0.25	0.0	0.0	0.75	24.6	62.5	-77.8	81.8	308.8	48.8	24.3	1.0	0.0	0.44	10.0	47.9	-75.0	79.7			
169	B1R_100_100a	0.25	0.0	0.0	0.0	0.416	0.875	0.437	2.86	20.0	286.7	0.25	0.0	0.0	0.875	28.6	69.7	-89.1	113.1	308.8	59.5	24.1	1.0	0.0	0.476	10.0	50.2	-71.1	74.3			
170	RSOY_025_025a	0.25	0.0	0.0	0.0	0.121	0.0	0.0	0.0	0.0	28.8	0.25	0.0	0.0	1.0	34.2	76.8	-99.8	125.9	69.2	69.2	25.9	1.0	0.0	0.487	10.0	51.8	-68.3	70.7			
171	RSOY_025_025b	0.25	0.0	0.0	0.0	0.124	0.148	18.2	9.7	4.6	10.8	0.25	0.0	0.0	1.0	12.2	22.0	22.0	60.9	4.7	59	31.9	1.0	0.0	0.263	50.9	78.3	86.7	58.8			
172	B50R_025_012a	0.25	0.0	0.0	0.0	0.124	0.248	19.0	11.7	10.7	13.7	0.25	0.0	0.0	1.0	14.7	6.5	16.1	24.2	32.6	10.7	33.0	1.0	0.0	0.091	57.1	94.1	-57.4	110.3			
173	B2SK_037_025a	0.25	0.0	0.0	0.0	0.124	0.192	0.375	21.4	13.1	328.6	0.25	0.0	0.0	1.0	16.4	20.2	-13.2	24.2	32.6	10.7	33.0	1.0	0.0	0.27	10.0	34.2	-90.7	104.9			
174	B1R_062_037a	0.25	0.0	0.0	0.0	0.124	0.29	0.5	13.1	22.6	26.2	0.25	0.0	0.0	1.0	18.0	36.0	-30.9	41.7	312.1	17.2	25.4	1.0	0.0	0.44	10.0	47.9	-75.0	79.7			
175	B1R_062_050a	0.25	0.0	0.0	0.0	0.125	0.375	0.625	37.8	9.1	28.1	0.25	0.0	0.0	1.0	20.9	36.7	-46.5	59.3	308.3	33.6	24.3	1.0	0.0	0.5	10.0	51.8	-68.3	70.7			
176	B0R_075_050a	0.25	0.0	0.0	0.0	0.125	0.452	0.75	45.3	8.9	28.1	0.25	0.0	0.0	1.0	23.4	54.4	-73.4	91.4	306.5	48.5	23.8	1.0	0.0	0.523	10.0	53.3	-68.3	70.7			
177	B0R_087_050a	0.25	0.0	0.0	0.0	0.125	0.509	0.875	52.7	8.7	28.1	0.25	0.0	0.0	1.0	25.9	62.8	-85.3	106.8	306.2	69.0	23.7	1.0	0.0	0.539	10.0	54.4	-64.6	65.6			
178	B0R_100_087a	0.25	0.0	0.0	0.0	0.125	0.603	1.0	60.0	9.1	28.1	0.25	0.0	0.0	1.0	34.5	70.9	-96.6	119.8	306.2	78.3	23.6	1.0	0.0	0.546	10.0	54.4	-63.8	64.6			
179	Y00G_025_012a	0.25	0.0	0.0	0.0	0.225	0.14	0.0	20.9	-0.8	12.1	0.25	0.0	0.0	24.2	-5.3	18.6	19.4	105.9	9.7	82.1	14.0	8.2	1.0	0.856	0.0	83.7	-3.4	84.5			
180	Y00G_025_012b	0.25	0.0	0.0	0.0	0.225	0.232	0.124	22.3	0.4	10.5	0.25	0.0	0.0	24.2	-5.3	18.6	19.4	105.9	9.7	82.1	14.0	8.2	1.0	0.856	0.0	83.7	-3.4	84.5			
181	NW_025*	0.25	0.0	0.0	0.0	0.25	0.25	0.25	23.8	0.0	0.0	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
182	B0R_037_012a	0.25	0.0	0.0	0.0	0.249	0.326	0.375	31.2	0.2	7.0	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
183	B0R_050_012a	0.25	0.0	0.0	0.0	0.249	0.402	0.5	38.6	0.4	-14.1	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
184	B0R_062_012a	0.25	0.0	0.0	0.0	0.25	0.478	0.625	46.0	0.6	-14.1	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
185	B0R_075_012a	0.25	0.0	0.0	0.0	0.25	0.534	0.75	53.4	0.8	-28.3	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
186	B0R_087_012a	0.25	0.0	0.0	0.0	0.25	0.591	0.875	60.5	1.0	-32.4	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
187	B0R_100_012a	0.25	0.0	0.0	0.0	0.25	0.707	1.0	70.7	1.0	-42.4	0.25	0.0	0.0	25.2	25.2	25.2	25.2	25.2	25.2	25.2	36.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0		
188	Y1G_037_037a	0.25	0.0	0.0	0.0	0.375	0.375	0.187	10.9	33.6	14.8	0.25	0.0	0.0	34.6	-24.3	41.4	48.0	104.4	13.0	10.0	118	1.0	0.0	0.896	1.0	0.0	85.9	87.0	95.4	114.4	
189	Y50G_050_050a	0.25	0.0	0.0	0.0	0.375	0.375	0.124	33.4	-15.7	20.7	0.25	0.0	0.0	34.6	-24.3	41.4	48.0	104.4	13.0	10.0	118	1.0	0.0	0.896	1.0	0.0	85.9	87.0	95.4	114.4	
190	G0B_037_012a	0.25	0.0	0.0	0.0	0.267	0.375	0.124	33.4	-15.7	20.7	0.25	0.0	0.0	34.6	-24.3	41.4	48.0	104.4	13.0	10.0	118	1.0	0.0	0.896	1.0	0.0	85.9	87.0	95.4	114.4	
191	G0B_037_012b	0.25	0.0	0.0	0.0	0.267	0.375	0.124	33.4	-15.7	20.7	0.25	0.0	0.0	34.6	-24.3	41.4	48.0	104.4	13.0	10.0	118	1.0	0.0	0.896	1.0	0.0	85.9	87.0	95.4	114.4	
192	G7SB_050_025a	0.25	0.0	0.0	0.0	0.249	0.361	0.375	33.7	-4.2	3.2	0.25	0.0	0.0	35.2	-11.0	14.0	22.9	142.2	15.2	19.5	162	1.0	0.0	0.706	1.0	0.0	88.1	64.6	20.7	67.9	
193	G7SB_050_025b	0.25	0.0	0.0	0.0	0.249	0.44	0.5	41.3	-4.7	-9.9	0.25	0.0	0.0	35.2	-11.0	14.0	22.9	142.2	15.2	19.5	162	1.0	0.0	0.706	1.0	0.0	88.1	64.6	20.7	67.9	
194	G8AB_062_037a	0.25	0.0	0.0	0.0	0.25	0.516	0.625	45.7	-4.7	-17.1	0.25	0.0	0.0	37.2	-8.2	-36.6	37.2	25.4	226	25.4	226	1.0	0.0	0.685	1.0	0.0	66.5	-9.4	-48.6	49.4	24.3
195	G8AB_062_037b	0.25	0.0	0.0	0.0	0.25	0.592	0.75	56.1	-4.5	-14.3	0.25	0.0	0.0	37.2	-8.2	-36.6	37.2	25.4	226	25.4	226	1.0	0.0	0.685	1.0	0.0	66.5	-9.4	-48.6	49.4	24.3
196	G8AB_062_037c	0.25	0.0	0.0	0.0	0.25	0.668	0.875	63.5	-4.5	-14.3	0.25	0.0	0.0	37.2	-8.2	-36.6	37.2	25.4	226	25.4	226	1.0	0.0	0.685	1.0	0.0	66.5	-9.4	-48.6	49.4	24.3
197	G92B_100_050a	0.25	0.0	0.0	0.0	0.25	0.744	1.0	74.4	-4.3	-38.5	0.25	0.0	0.0	40.6	19.1	-51.6	55.0	290.3	39.4	22.8	228	1.0	0.0	0.67	1.0	0.0	63.4	-7.3	-50.3	50.8	261.6
198	Y50G_050_050b	0.25	0.0	0.0	0.0	0.264	0.5	0.0	42.9	-31.5	41.4	0.25	0.0	0.0	44.9	-37.9	49.4	45.2	204.6	28.1	22.8	228	1.0	0.0	0.659	1.0	0.0	62.7	-5.8	-51.3	51.7	265.5
199	G0B_050_037a	0.25	0.0	0.0	0.0	0.124	0.5	0.0	22.7	43.3	30.0	0.25	0.0	0.0	12.5	0.5	0.0	0.0	0.0	0.0	0.0	118	1.0	0.0	0.273	83.8	-80.1	67.0	104.4	162.2		
200	G0B_050_037b	0.25	0.0	0.0	0.0	0.124	0.5	0.0	22.7	43.3	30.0	0.25	0.0	0.0	12.5	0.5	0.0	0.0	0.0	0.0	0.0	118	1.0	0.0	0.273	83.8	-80.1	67.0	104.4	162.2		
201	G2SB_050_025a	0.25	0.0	0.0	0.0	0.249	0.5	0.426	45.1	-16.1	5.1	0.25	0.0	0.0	45.4	-33.0	27.2	42.8	140.5	17.6	19.5	193	1.0	0.0	0.706	1.0	0.0	85.1	-64.6	20.7	67.9	
202	G2SB_050_025b	0.25	0.0	0.0	0.0	0.249	0.5	0.426	45.1	-16.1	5.1	0.25	0.0	0.0	45.4	-33.0	27.2	42.8	140.5	17.6	19.5	193	1.0	0.0	0.706	1.0	0.0	85.1	-64.6	20.7	67.9	
203	G6SB_062_037a	0.25	0.0	0.0	0.0	0.249	0.472	0.5	43.6	-6.4	-12.6	0.25	0.0	0.0	46.8	-19.5	-6.0	29.3	158.6	19.6	20.7											

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

http://130.149.60.45/~farbmetrik/QN12/QN12LONA.TXT /.PS; overføring output
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 20/29

n	HC*Fe	rgb*Fe	iet*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	DF*Fe	hsa*Me	rgb*Me	LabCH*Me	LabCH*Me
324	R05Y_050_050k	0.5	0.0	0.131	25.4	43.3	18.6	39.1	0.0	0.131	25.4	43.3	18.6
325	R05Y_050_050k	0.5	0.0	0.214	25.8	40.8	7.0	40.8	0.5	0.0	0.125	24.7	46.0
326	R05Y_050_050k	0.5	0.0	0.308	27.0	41.8	-5.8	42.2	352.0	0.5	0.0	0.25	34.8
327	B61R_050_050k	0.5	0.0	0.495	28.5	40.0	-28.7	41.1	45.6	0.5	0.0	0.375	26.0
328	B50R_050_050k	0.5	0.0	0.625	31.0	33.0	-31.0	33.0	328.6	0.5	0.0	0.500	18.0
329	B40R_062_050k	0.5	0.0	0.750	33.0	33.0	-47.7	71.5	318.1	0.5	0.0	0.625	30.0
330	B34R_075_050k	0.5	0.0	0.875	33.0	33.0	-69.1	111.1	304.9	0.5	0.0	0.750	32.5
331	B29R_087_050k	0.5	0.0	1.000	33.0	33.0	-87.7	107.0	310.5	0.5	0.0	0.875	35.0
332	B23R_100_050k	0.5	0.0	1.000	30.0	30.0	-90.7	104.9	300.0	0.5	0.0	1.000	38.5
333	B18R_100_050k	0.5	0.0	1.000	25.4	32.4	32.4	49.3	41.0	0.5	0.0	1.000	46.0
334	R05Y_050_037k	0.5	0.125	0.125	31.0	31.0	2.2	30.5	4.3	0.5	0.125	0.125	26.8
335	R18Y_050_037k	0.5	0.125	0.250	31.0	31.0	7.6	32.9	346.6	0.5	0.125	0.250	28.5
336	B63R_050_037k	0.5	0.125	0.375	33.0	33.0	-14.3	31.0	328.6	0.5	0.125	0.375	30.0
337	B63R_050_037k	0.5	0.125	0.500	33.0	33.0	-21.5	41.3	328.6	0.5	0.125	0.500	30.0
338	B38R_062_050k	0.5	0.125	0.625	33.0	33.0	-40.9	58.2	315.3	0.5	0.125	0.625	32.1
339	B38R_062_050k	0.5	0.125	0.750	33.0	33.0	-63.7	79.6	306.8	0.5	0.125	0.750	34.5
340	B25R_087_050k	0.5	0.125	0.875	33.0	33.0	-87.7	79.6	306.8	0.5	0.125	0.875	37.2
341	B20R_100_087k	0.5	0.125	1.000	49.7	34.2	-72.0	79.7	295.4	0.5	0.125	1.000	40.1
342	R50Y_050_050k	0.5	0.250	0.250	31.5	35.4	41.3	58.6	4.6	0.5	0.250	0.250	32.3
343	R31Y_050_050k	0.5	0.250	0.375	31.2	49.0	23.6	25.0	34.4	0.5	0.250	0.375	33.0
344	R05Y_050_025k	0.5	0.250	0.500	31.5	36.5	19.9	9.3	21.6	0.5	0.250	0.500	33.0
345	R05Y_050_025k	0.5	0.250	0.625	33.0	36.0	20.9	-2.9	21.1	0.5	0.250	0.625	33.0
346	B50R_050_025k	0.5	0.250	0.750	33.0	33.0	-14.3	21.5	328.6	0.5	0.250	0.750	33.0
347	B34R_075_050k	0.5	0.250	0.875	33.0	33.0	-34.5	45.5	310.5	0.5	0.250	0.875	35.0
348	B29R_087_050k	0.5	0.250	1.000	33.0	33.0	-45.3	52.4	300.0	0.5	0.250	1.000	38.5
349	B23R_100_050k	0.5	0.250	1.000	25.4	32.4	32.4	49.3	41.0	0.5	0.250	1.000	46.0
350	B18R_100_050k	0.5	0.250	1.000	25.4	32.4	32.4	49.3	41.0	0.5	0.250	1.000	46.0
351	R05Y_050_050k	0.5	0.375	0.375	31.0	31.0	2.2	30.5	4.3	0.5	0.375	0.375	26.8
352	R18Y_050_050k	0.5	0.375	0.500	31.0	31.0	7.6	32.9	346.6	0.5	0.375	0.500	28.5
353	R05Y_050_012k	0.5	0.375	0.625	33.0	33.0	-14.3	31.0	328.6	0.5	0.375	0.625	30.0
354	B63R_050_012k	0.5	0.375	0.750	33.0	33.0	-21.5	41.3	328.6	0.5	0.375	0.750	32.1
355	B63R_050_012k	0.5	0.375	0.875	33.0	33.0	-40.9	58.2	315.3	0.5	0.375	0.875	34.5
356	B38R_062_050k	0.5	0.375	0.875	33.0	33.0	-63.7	79.6	306.8	0.5	0.375	0.875	37.2
357	B18R_087_050k	0.5	0.375	0.875	33.0	33.0	-87.7	79.6	306.8	0.5	0.375	0.875	37.2
358	B18R_087_050k	0.5	0.375	1.000	49.7	34.2	-72.0	79.7	295.4	0.5	0.375	1.000	40.1
359	B09R_100_062k	0.5	0.5	0.5	42.2	42.2	42.2	42.2	282.1	0.5	0.5	0.5	42.2
360	Y09C_050_050k	0.5	0.5	0.5	42.2	42.2	42.2	42.2	282.1	0.5	0.5	0.5	42.2
361	Y09C_050_050k	0.5	0.5	0.5	44.2	44.2	44.2	44.2	311.1	0.5	0.5	0.5	44.2
362	Y09C_050_050k	0.5	0.5	0.5	46.2	46.2	46.2	46.2	341.1	0.5	0.5	0.5	46.2
363	Y09C_050_012k	0.5	0.5	0.5	48.2	48.2	48.2	48.2	371.1	0.5	0.5	0.5	48.2
364	Y09C_050_012k	0.5	0.5	0.5	50.2	50.2	50.2	50.2	401.1	0.5	0.5	0.5	50.2
365	B09R_062_012k	0.5	0.5	0.5	52.2	52.2	52.2	52.2	431.1	0.5	0.5	0.5	52.2
366	B09R_075_025k	0.5	0.5	0.5	54.2	54.2	54.2	54.2	461.1	0.5	0.5	0.5	54.2
367	B09R_087_037k	0.5	0.5	0.5	56.2	56.2	56.2	56.2	491.1	0.5	0.5	0.5	56.2
368	B09R_100_050k	0.5	0.5	0.5	58.2	58.2	58.2	58.2	521.1	0.5	0.5	0.5	58.2
369	Y18G_062_062k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
370	Y23G_062_050k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
371	Y31G_062_037k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
372	Y30G_062_025k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
373	G09B_062_012k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
374	G50B_062_012k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
375	G35B_075_025k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
376	G48B_087_037k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
377	G88B_100_050k	0.5	0.625	0.625	62.5	62.5	62.5	62.5	563.3	0.5	0.625	0.625	62.5
378	Y31G_075_075k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
379	Y36G_075_062k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
380	Y36G_075_062k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
381	Y36G_075_062k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
382	G09B_075_025k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
383	G25B_075_025k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
384	G50B_075_025k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
385	G65B_087_037k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
386	G75B_100_050k	0.5	0.750	0.750	75.0	75.0	75.0	75.0	675.0	0.5	0.750	0.750	75.0
387	Y41G_087_087k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
388	Y50G_087_062k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
389	Y62G_087_062k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
390	Y62G_087_062k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
391	G09B_087_037k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
392	G15B_087_037k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
393	G35B_087_037k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
394	G50B_087_037k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
395	G61B_100_050k	0.5	0.875	0.875	87.5	87.5	87.5	87.5	766.3	0.5	0.875	0.875	87.5
396	Y50G_100_087k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
397	Y58G_100_087k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
398	Y81G_100_075k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
399	Y81G_100_062k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
400	G09B_100_050k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
401	G11B_100_050k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
402	G35B_100_050k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
403	G58B_100_050k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0
404	G58B_100_050k	0.5	1.000	1.000	100.0	100.0	100.0	100.0	866.3	0.5	1.000	1.000	100.0

delta E* = 18.8

input: rgb/cmlyk -> rgb
 output: overføring til rgb

TUB-prøveplanse QN12; farbetoneplan: H*e=R50Ye
 farger og fargeavstander, ΔE*
 QN1201-TN_2029-F

5-0131930-F0
 5-0131930-F0

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

http://130.149.60.45/~farbmetrik/QN12/QN12LONA.TXT /.PS; overføring output
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 21/29

n	HC*Fe	rgb*Fe	ief*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	hsa*Me	rgb*Me	LabCH*Me	LabCH*Me
405	0.625	0.0	0.625	0.312	0.625	0.0	0.164	48.9	23.3	54.2	25.4	0.625	0.0
406	0.625	0.0	0.625	0.312	0.625	0.0	0.247	31.8	49.9	11.7	51.2	13.2	0.625
407	0.625	0.0	0.625	0.312	0.625	0.0	0.333	32.7	51.3	359.8	10.9	57.2	0.625
408	0.625	0.0	0.625	0.312	0.625	0.0	0.398	32.2	52.5	8.8	53.0	350.4	0.625
409	0.625	0.0	0.625	0.312	0.625	0.0	0.495	34.1	55.1	21.1	59.0	339.6	0.625
410	0.625	0.0	0.625	0.312	0.625	0.0	0.619	35.0	58.8	68.9	328.2	310.0	0.625
411	0.625	0.0	0.625	0.312	0.625	0.0	0.775	36.4	65.2	54.6	105.1	320.0	0.625
412	0.625	0.0	0.625	0.312	0.625	0.0	0.875	35.7	71.1	75.1	103.7	318.3	0.625
413	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
414	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
415	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
416	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
417	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
418	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
419	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
420	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
421	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
422	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
423	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
424	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
425	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
426	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
427	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
428	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
429	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
430	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
431	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
432	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
433	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
434	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
435	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
436	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
437	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
438	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
439	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
440	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
441	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
442	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
443	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
444	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
445	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
446	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
447	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
448	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
449	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
450	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
451	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
452	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
453	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
454	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
455	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
456	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
457	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
458	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
459	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
460	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
461	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
462	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
463	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
464	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
465	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
466	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
467	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
468	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
469	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
470	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
471	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
472	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
473	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
474	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
475	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
476	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
477	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
478	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
479	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
480	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
481	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
482	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
483	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
484	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625
485	0.625	0.0	0.625	0.312	0.625	0.0	1.0	32.8	76.9	99.3	125.7	307.7	0.625

input: rgb/cmlyk -> rgb
 output: overføring til rgb
 delta E* = 14.9

QN120-JN, 21/29-F
 TUB-prøveplansje QN12; farbetoneplan: H*e=R50Ye
 farger og fargeavstander, ΔE*
 5-0137030-F0
 5-0137030-F0

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

http://130.149.60.45/~farbmetrik/QN12/QN12LONA.TXT /.PS; overføring output
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 23/29

n	HC*Fe	rgb*Fe	ief*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	rgb*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe
567	ROYX.087.087a	0.875	0.0	0.875	0.875	0.437	390	0.875	0.0	0.23	44.8	68.5	75.8
568	R3YX.087.087a	0.875	0.0	0.875	0.875	0.437	382	0.875	0.0	0.315	44.8	69.4	72.4
569	R23Y.087.087a	0.875	0.0	0.875	0.875	0.437	374	0.875	0.0	0.395	45.9	70.7	71.4
570	R0YX.087.087a	0.875	0.0	0.875	0.875	0.437	366	0.875	0.0	0.475	45.9	72.4	71.4
571	B7KX.087.087a	0.875	0.0	0.875	0.875	0.437	358	0.875	0.0	0.558	46.7	73.1	73.8
572	B6KX.087.087a	0.875	0.0	0.875	0.875	0.437	346	0.875	0.0	0.632	47.2	75.5	74.5
573	B5KX.087.087a	0.875	0.0	0.875	0.875	0.437	338	0.875	0.0	0.735	48.0	82.3	80.5
574	B4KX.087.087a	0.875	0.0	0.875	0.875	0.437	330	0.875	0.0	0.850	50.3	83.6	82.6
575	B3KX.087.087a	0.875	0.0	0.875	0.875	0.437	322	0.875	0.0	1.0	50.7	88.7	87.6
576	B2KX.087.087a	0.875	0.0	0.875	0.875	0.437	314	0.875	0.0	1.122	44.7	67.7	46.4
577	ROYX.087.075e	0.875	0.125	0.875	0.125	0.437	306	0.875	0.125	0.322	50.1	58.7	27.9
578	R3YX.087.075e	0.875	0.125	0.875	0.125	0.437	298	0.875	0.125	0.404	50.4	59.4	16.4
579	R23Y.087.075e	0.875	0.125	0.875	0.125	0.437	290	0.875	0.125	0.489	50.9	60.8	4.5
580	R0YX.087.075e	0.875	0.125	0.875	0.125	0.437	282	0.875	0.125	0.575	51.6	62.7	-8.7
581	B7KX.087.075e	0.875	0.125	0.875	0.125	0.437	274	0.875	0.125	0.663	52.1	64.1	-15.2
582	B6KX.087.075e	0.875	0.125	0.875	0.125	0.437	266	0.875	0.125	0.750	53.1	66.8	-28.1
583	B5KX.087.075e	0.875	0.125	0.875	0.125	0.437	258	0.875	0.125	0.838	54.8	70.6	-43.0
584	B4KX.087.075e	0.875	0.125	0.875	0.125	0.437	250	0.875	0.125	1.0	55.1	82.7	-58.9
585	B3KX.087.075e	0.875	0.125	0.875	0.125	0.437	242	0.875	0.125	1.122	46.4	69.9	-74.7
586	R1YX.087.075e	0.875	0.25	0.875	0.25	0.437	39	0.875	0.25	0.122	49.8	57.4	8.7
587	R2YX.087.075e	0.875	0.25	0.875	0.25	0.437	31	0.875	0.25	0.204	49.8	57.4	8.7
588	R3YX.087.075e	0.875	0.25	0.875	0.25	0.437	23	0.875	0.25	0.286	49.8	57.4	8.7
589	R4YX.087.075e	0.875	0.25	0.875	0.25	0.437	15	0.875	0.25	0.368	49.8	57.4	8.7
590	R5KX.087.062a	0.875	0.25	0.875	0.25	0.562	367	0.875	0.25	0.048	56.5	51.3	359.8
591	R6KX.087.062a	0.875	0.25	0.875	0.25	0.562	359	0.875	0.25	0.130	56.5	51.3	359.8
592	R7KX.087.062a	0.875	0.25	0.875	0.25	0.562	351	0.875	0.25	0.212	56.5	51.3	359.8
593	R8KX.087.062a	0.875	0.25	0.875	0.25	0.562	343	0.875	0.25	0.294	56.5	51.3	359.8
594	R9KX.087.062a	0.875	0.25	0.875	0.25	0.562	335	0.875	0.25	0.376	56.5	51.3	359.8
595	R0YX.087.057e	0.875	0.125	0.875	0.125	0.437	49	0.875	0.125	0.338	44.0	52.2	45.0
596	R1YX.087.057e	0.875	0.125	0.875	0.125	0.437	41	0.875	0.125	0.420	44.0	52.2	45.0
597	R2YX.087.057e	0.875	0.125	0.875	0.125	0.437	33	0.875	0.125	0.502	44.0	52.2	45.0
598	R3YX.087.057e	0.875	0.125	0.875	0.125	0.437	25	0.875	0.125	0.584	44.0	52.2	45.0
599	R4YX.087.057e	0.875	0.125	0.875	0.125	0.437	17	0.875	0.125	0.666	44.0	52.2	45.0
600	B0KX.087.050a	0.875	0.375	0.875	0.375	0.625	360	0.875	0.375	0.063	61.6	61.6	41.8
601	B1KX.087.050a	0.875	0.375	0.875	0.375	0.625	352	0.875	0.375	0.145	61.6	61.6	41.8
602	B2KX.087.050a	0.875	0.375	0.875	0.375	0.625	344	0.875	0.375	0.227	61.6	61.6	41.8
603	B3KX.087.050a	0.875	0.375	0.875	0.375	0.625	336	0.875	0.375	0.309	61.6	61.6	41.8
604	B4KX.087.050a	0.875	0.375	0.875	0.375	0.625	328	0.875	0.375	0.391	61.6	61.6	41.8
605	B5KX.087.050a	0.875	0.375	0.875	0.375	0.625	320	0.875	0.375	0.473	61.6	61.6	41.8
606	B6KX.087.050a	0.875	0.375	0.875	0.375	0.625	312	0.875	0.375	0.555	61.6	61.6	41.8
607	B7KX.087.050a	0.875	0.375	0.875	0.375	0.625	304	0.875	0.375	0.637	61.6	61.6	41.8
608	B8KX.087.050a	0.875	0.375	0.875	0.375	0.625	296	0.875	0.375	0.719	61.6	61.6	41.8
609	B9KX.087.050a	0.875	0.375	0.875	0.375	0.625	288	0.875	0.375	0.801	61.6	61.6	41.8
610	B0KX.087.043e	0.875	0.5	0.875	0.5	0.875	349	0.875	0.5	0.071	69.3	69.3	41.8
611	B1KX.087.043e	0.875	0.5	0.875	0.5	0.875	341	0.875	0.5	0.153	69.3	69.3	41.8
612	B2KX.087.043e	0.875	0.5	0.875	0.5	0.875	333	0.875	0.5	0.235	69.3	69.3	41.8
613	B3KX.087.043e	0.875	0.5	0.875	0.5	0.875	325	0.875	0.5	0.317	69.3	69.3	41.8
614	B4KX.087.043e	0.875	0.5	0.875	0.5	0.875	317	0.875	0.5	0.399	69.3	69.3	41.8
615	B5KX.087.043e	0.875	0.5	0.875	0.5	0.875	309	0.875	0.5	0.481	69.3	69.3	41.8
616	B6KX.087.043e	0.875	0.5	0.875	0.5	0.875	301	0.875	0.5	0.563	69.3	69.3	41.8
617	B7KX.087.043e	0.875	0.5	0.875	0.5	0.875	293	0.875	0.5	0.645	69.3	69.3	41.8
618	B8KX.087.043e	0.875	0.5	0.875	0.5	0.875	285	0.875	0.5	0.727	69.3	69.3	41.8
619	B9KX.087.043e	0.875	0.5	0.875	0.5	0.875	277	0.875	0.5	0.809	69.3	69.3	41.8
620	R3KX.087.037e	0.875	0.125	0.875	0.125	0.437	311	0.875	0.125	0.375	44.0	52.2	45.0
621	R4KX.087.037e	0.875	0.125	0.875	0.125	0.437	303	0.875	0.125	0.457	44.0	52.2	45.0
622	R5KX.087.037e	0.875	0.125	0.875	0.125	0.437	295	0.875	0.125	0.539	44.0	52.2	45.0
623	R6KX.087.037e	0.875	0.125	0.875	0.125	0.437	287	0.875	0.125	0.621	44.0	52.2	45.0
624	R7KX.087.037e	0.875	0.125	0.875	0.125	0.437	279	0.875	0.125	0.703	44.0	52.2	45.0
625	R8KX.087.037e	0.875	0.125	0.875	0.125	0.437	271	0.875	0.125	0.785	44.0	52.2	45.0
626	R9KX.087.037e	0.875	0.125	0.875	0.125	0.437	263	0.875	0.125	0.867	44.0	52.2	45.0
627	ROYX.087.021a	0.875	0.75	0.875	0.75	0.875	390	0.875	0.75	0.063	75.8	75.8	41.8
628	B0KX.087.021a	0.875	0.75	0.875	0.75	0.875	382	0.875	0.75	0.145	75.8	75.8	41.8
629	B1KX.087.021a	0.875	0.75	0.875	0.75	0.875	374	0.875	0.75	0.227	75.8	75.8	41.8
630	B2KX.087.021a	0.875	0.75	0.875	0.75	0.875	366	0.875	0.75	0.309	75.8	75.8	41.8
631	B3KX.087.021a	0.875	0.75	0.875	0.75	0.875	358	0.875	0.75	0.391	75.8	75.8	41.8
632	B4KX.087.021a	0.875	0.75	0.875	0.75	0.875	350	0.875	0.75	0.473	75.8	75.8	41.8
633	B5KX.087.021a	0.875	0.75	0.875	0.75	0.875	342	0.875	0.75	0.555	75.8	75.8	41.8
634	B6KX.087.021a	0.875	0.75	0.875	0.75	0.875	334	0.875	0.75	0.637	75.8	75.8	41.8
635	B7KX.087.021a	0.875	0.75	0.875	0.75	0.875	326	0.875	0.75	0.719	75.8	75.8	41.8
636	B8KX.087.021a	0.875	0.75	0.875	0.75	0.875	318	0.875	0.75	0.801	75.8	75.8	41.8
637	B9KX.087.021a	0.875	0.75	0.875	0.75	0.875	310	0.875	0.75	0.883	75.8	75.8	41.8
638	ROYX.087.014a	0.875	1.0	0.875	1.0	0.875	400	0.875	1.0	0.063	80.1	80.1	41.8
639	B0KX.087.014a	0.875	1.0	0.875	1.0	0.875	392	0.875	1.0	0.145	80.1	80.1	41.8
640	B1KX.087.014a	0.875	1.0	0.875	1.0	0.875	384	0.875	1.0	0.227	80.1	80.1	41.8
641	B2KX.087.014a	0.875	1.0	0.875	1.0	0.875	376	0.875	1.0	0.309	80.1	80.1	41.8
642	B3KX.087.014a	0.875	1.0	0.875	1.0	0.875	368	0.875	1.0	0.391	80.1	80.1	41.8
643	B4KX.087.014a	0.875	1.0	0.875	1.0	0.875	360	0.875	1.0	0.473	80.1	80.1	41.8
644	B5KX.087.014a	0.875	1.0	0.875	1.0	0.875	352	0.875	1.0	0.555	80.1	80.1	41.8
645	B6KX.087.014a	0.875	1.0	0.875	1.0	0.875	344	0.875	1.0	0.637	80.1	80.1	41.8
646	B7KX.087.014a	0.875	1.0	0.875	1.0	0.875	336	0.875	1.0	0.719	80.1	80.1	41.8
647	B8KX.087.014a	0.875	1.0	0.875	1.0	0.875	328	0.875	1.0	0.801	80.1	80.1	41.8

delta E* = 12.3

input: rgb/cmlyk -> rgb
 output: overføring til rgb

QN120-JN.2329-F

TUB-prøveplanse QN12; farbetoneplan: H*e=R50Ye
 farger og fargeavstander, ΔE*^{*}

5-0132230-F0

se lignende filer: http://130.149.60.45/~farbmetrik/QN12/QN12.HTM
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik



TUB registrering: 20130201-QN12/QN12LONA.TXT /.PS
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta

n	HC*Fe	rgb*Fe	icr*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCh*Fe	LabCh*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCh*Fe
729	NV_100k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
730	G50B_100.012k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
731	G50B_100.025k	0.75	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
732	G50B_100.050k	0.625	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
733	G50B_100.075k	0.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
734	G50B_100.100k	0.375	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
735	G50B_100.125k	0.25	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
736	G50B_100.150k	0.125	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
737	G50B_100.175k	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
738	ROY_100.012k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
739	NV_087k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
740	G50B_087.012k	0.75	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
741	G50B_087.025k	0.625	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
742	G50B_087.050k	0.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
743	G50B_087.075k	0.375	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
744	G50B_087.100k	0.25	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
745	G50B_087.125k	0.125	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
746	G50B_087.150k	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
747	ROY_100.012k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
748	ROY_100.025k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
749	NV_075k	0.75	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
750	G50B_075.012k	0.625	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
751	G50B_075.025k	0.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
752	G50B_075.050k	0.375	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
753	G50B_075.075k	0.25	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
754	G50B_075.100k	0.125	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
755	G50B_075.125k	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
756	G50B_075.150k	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
757	ROY_100.037k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
758	ROY_100.050k	0.875	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
759	NV_062k	0.625	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
760	G50B_062.012k	0.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
761	G50B_062.025k	0.375	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
762	G50B_062.050k	0.25	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
763	G50B_062.075k	0.125	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
764	G50B_062.100k	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
765	ROY_100.050k	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
766	ROY_087.037k	0.875	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
767	ROY_087.050k	0.75	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
768	ROY_062.012k	0.625	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
769	NV_050k	0.5	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
770	G50B_050.012k	0.375	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
771	G50B_050.025k	0.25	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
772	G50B_050.037k	0.125	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
773	G50B_050.050k	0.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0
774	ROY_100.062k	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
775	ROY_087.050k	0.875	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
776	ROY_087.075k	0.75	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
777	ROY_062.025k	0.625	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
778	ROY_050.012k	0.5	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
779	NV_037k	0.375	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
780	G50B_037.012k	0.25	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
781	G50B_037.025k	0.125	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
782	G50B_037.050k	0.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375	0.375	1.0	0.375
783	ROY_100.075k	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
784	ROY_100.100k	0.875	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
785	ROY_087.025k	0.75	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
786	ROY_062.037k	0.625	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
787	ROY_050.037k	0.5	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
788	ROY_050.050k	0.375	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
789	NV_025k	0.25	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
790	G50B_025.012k	0.125	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
791	G50B_025.025k	0.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25	0.25	1.0	0.25
792	ROY_100.087k	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125
793	ROY_087.050k	0.875	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125
794	ROY_062.062k	0.75	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125
795	ROY_050.057k	0.625	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125
796	ROY_037.025k	0.5	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125
797	ROY_037.050k	0.375	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125
798	ROY_025.012k	0.25	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0.125	1.0	0.125	0		

TUB registrering: 20130201-QN12/QN12L0NA.TXT /.PS
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta



http://130.149.60.45/~farbmetrik/QN12/QN12L0NA.TXT /.PS; overføring output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 29/29

n	HC*Fe	rgb_Fe	iet_Fe	hsa_Fe	rgb*Fe	LabCH*Fe	DF*Fe	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me	rgb*Me	LabCH*Me	DF*Me
1053	NW_086e	0.866	0.866	0.866	0.866	82.6	0.866	0.866	83.9	0.866	0.866	83.9	0.866	0.866	83.9	0.866	0.866	83.9	0.866
1054	NW_093e	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.7	0.933	0.933	89.7	0.933	0.933	89.7	0.933	0.933	89.7	0.933
1055	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0
1056	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1057	NW_100e	0.066	0.066	0.066	0.066	6.2	0.066	0.066	6.4	0.066	0.066	6.4	0.066	0.066	6.4	0.066	0.066	6.4	0.066
1058	NW_013e	0.133	0.133	0.133	0.133	12.6	0.133	0.133	12.9	0.133	0.133	12.9	0.133	0.133	12.9	0.133	0.133	12.9	0.133
1059	NW_020e	0.2	0.2	0.2	0.2	19.0	0.2	0.2	19.7	0.2	0.2	19.7	0.2	0.2	19.7	0.2	0.2	19.7	0.2
1060	NW_026e	0.266	0.266	0.266	0.266	25.3	0.266	0.266	27.0	0.266	0.266	27.0	0.266	0.266	27.0	0.266	0.266	27.0	0.266
1061	NW_033e	0.333	0.333	0.333	0.333	31.7	0.333	0.333	34.0	0.333	0.333	34.0	0.333	0.333	34.0	0.333	0.333	34.0	0.333
1062	NW_040e	0.4	0.4	0.4	0.4	38.1	0.4	0.4	40.8	0.4	0.4	40.8	0.4	0.4	40.8	0.4	0.4	40.8	0.4
1063	NW_046e	0.466	0.466	0.466	0.466	44.4	0.466	0.466	47.3	0.466	0.466	47.3	0.466	0.466	47.3	0.466	0.466	47.3	0.466
1064	NW_053e	0.533	0.533	0.533	0.533	50.8	0.533	0.533	53.7	0.533	0.533	53.7	0.533	0.533	53.7	0.533	0.533	53.7	0.533
1065	NW_060e	0.6	0.6	0.6	0.6	57.2	0.6	0.6	60.0	0.6	0.6	60.0	0.6	0.6	60.0	0.6	0.6	60.0	0.6
1066	NW_066e	0.666	0.666	0.666	0.666	63.5	0.666	0.666	66.1	0.666	0.666	66.1	0.666	0.666	66.1	0.666	0.666	66.1	0.666
1067	NW_073e	0.734	0.734	0.734	0.734	70.0	0.734	0.734	72.3	0.734	0.734	72.3	0.734	0.734	72.3	0.734	0.734	72.3	0.734
1068	NW_080e	0.8	0.8	0.8	0.8	76.3	0.8	0.8	78.1	0.8	0.8	78.1	0.8	0.8	78.1	0.8	0.8	78.1	0.8
1069	NW_086e	0.866	0.866	0.866	0.866	82.6	0.866	0.866	85.9	0.866	0.866	85.9	0.866	0.866	85.9	0.866	0.866	85.9	0.866
1070	NW_093e	0.933	0.933	0.933	0.933	89.0	0.933	0.933	89.7	0.933	0.933	89.7	0.933	0.933	89.7	0.933	0.933	89.7	0.933
1071	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0
1072	NW_100e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1073	NW_100e	1.0	1.0	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0	1.0	95.4	1.0
1074	ROY_100_100e	1.0	0.0	1.0	0.5	390	1.0	0.0	360	1.0	0.0	360	1.0	0.0	360	1.0	0.0	360	1.0
1075	G50B_100_100e	0.0	1.0	1.0	1.0	0.5	0.0	0.866	0.0	0.866	0.0	0.866	0.0	0.866	0.0	0.866	0.0	0.866	0.0
1076	Y06G_100_100e	1.0	1.0	0.0	0.5	210	1.0	0.889	1.0	0.889	1.0	0.889	1.0	0.889	1.0	0.889	1.0	0.889	1.0
1077	B00L_100_100e	0.0	0.0	1.0	0.5	270	0.0	0.609	0.0	0.609	0.0	0.609	0.0	0.609	0.0	0.609	0.0	0.609	0.0
1078	B00L_100_100e	0.0	1.0	0.0	0.5	330	0.0	0.856	0.0	0.856	0.0	0.856	0.0	0.856	0.0	0.856	0.0	0.856	0.0
1079	B50R_100_100e	1.0	0.0	1.0	0.5	330	1.0	0.0	328.6	1.0	0.0	328.6	1.0	0.0	328.6	1.0	0.0	328.6	1.0

delta E** = 9.3

se lignende filer: <http://130.149.60.45/~farbmetrik/QN12/QN12.HTM>
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

input: rgb/cmyk -> rgb
output: overføring til rgb

TUB-prøveplansje QN12; farbetoneplan: H*_e=R50Ye
farger og fargeavstander, ΔE^*

QN120-TN_2929-F

5-0132830-F0

5-0132830-F0