

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 96/360 = 0.26$

$H^*_ = Y00G_ -$


Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_ -$

fargetonetekst for fargene på denne siden:

$H^*_ = Y00G_ -$

trekantslyshet  $T^*$



**ORS18a; adapterte (a) CIELAB data**

navn	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>-,Ma</sub>	47.9	65.3	50.5	82.6	37
Y <sub>-,Ma</sub>	90.3	-10.2	91.7	92.3	96
G <sub>-,Ma</sub>	50.9	-62.8	34.9	71.9	150
C <sub>-,Ma</sub>	58.6	-30.3	-45.0	54.2	236
B <sub>-,Ma</sub>	25.7	31.0	-44.4	54.2	305
M <sub>-,Ma</sub>	48.1	75.2	-8.3	75.7	353
N <sub>-,Ma</sub>	18.0	0.0	0.0	0.0	0
W <sub>-,Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>-,CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>-,CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>-,CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>-,CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}$ : 90 -9 88 88 96

$HIC^*_{-,Ma}$ : Y00G\_100\_100\_



$rgbic^*_{-,Ma}$ :

1.0 1.0 0.0 1.0 1.0

trekantslyshet  $T^*$

**ORS20a; adapterte (a) CIELAB data**

$H^*_ -$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$

se liggende filer: <http://130.149.60.45/~farbmetrik/QN31/QN31.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN31/QN31L0NP.PDF /.PS  
anvendelse for måling av display output

TUB-material: code=rh4ta


Input og output: Fjernsyn-Lysfarge-System TLS00a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 102/360 = 0.28$

$H^*_d = Y00G_d$

Data for ethvert apparat (d) eller elementærfarge (e):  
 $HIC^*_d$

fargetonetekst for fargene på denne siden:  
 $H^*_d = Y00G_d$

trekantslyshet  $T^*$



**TLS00a; adapterte (a) CIELAB data**

navn	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	50.4	76.9	64.5	100.4	40
Y <sub>d, Ma</sub>	92.6	-20.7	90.7	93.0	102
G <sub>d, Ma</sub>	83.6	-82.7	79.8	115.0	136
C <sub>d, Ma</sub>	86.8	-46.1	-13.5	48.1	196
B <sub>d, Ma</sub>	30.3	76.0	-103.5	128.5	306
M <sub>d, Ma</sub>	57.2	94.3	-58.4	110.9	328
N <sub>d, Ma</sub>	0.0	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.4	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):  
 $LabCh^*_{d, Ma}$ : 92 -20 90 93 102

$HIC^*_{d, Ma}$ : Y00G\_100\_100d



$rgbic^*_{d, Ma}$ :  
1.0 1.0 0.0 1.0 1.0

trekantslyshet  $T^*$

**TLS00a; adapterte (a) CIELAB data**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	50.4	76.9	64.5	100.4	40
R25Y_100_100d	53.7	67.6	65.8	94.4	44
R50Y_100_100d	63.6	41.3	71.0	82.2	59
R75Y_100_100d	78.2	7.8	80.6	81.0	84
Y00G_100_100d	92.6	-20.7	90.7	93.0	102
Y25G_100_100d	88.7	-43.3	86.2	96.5	116
Y50G_100_100d	85.7	-65.2	82.4	105.1	128
Y75G_100_100d	84.0	-78.7	80.4	112.5	134
G00B_100_100d	83.6	-82.7	79.8	115.0	136
G25B_100_100d	84.3	-73.7	44.9	86.4	148
G50B_100_100d	86.8	-46.1	-13.5	48.1	196
G75B_100_100d	51.7	18.3	-68.3	70.7	285
B00R_100_100d	30.3	76.0	-103.5	128.5	306
B25R_100_100d	38.5	79.8	-89.7	120.0	311
B50R_100_100d	57.2	94.3	-58.4	110.9	328
B75R_100_100d	52.0	81.1	4.1	81.2	2

%Omfang  
 $u^*_{rel} = 158$   
%Regularitet  
 $g^*_{H, rel} = 19$   
 $g^*_{C, rel} = 37$





se liggende filer: <http://130.149.60.45/~farbmetrik/QN31/QN31.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN31/QN31L0NP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon

TUB-material: code=rh4ta

TUB-prøveplansje QN31; farbetoneplan:  $H^*_d = Y00G_d$   
prøveplansje infølge DIN 33872, 3D=0, de=0, sRGB

input:  $rgb/cmyk \rightarrow rgb_d$   
output: overføring til  $rgb_d$




Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>:  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>:  $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$ ; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>:  $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$   
 $LCH^*_d = 92.6 \ 93.0 \ 102.8$   
 $LAB^*_d = 92.6 \ -20.7 \ 90.7$   
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$   
 $LCH^*_d = 83.6 \ 115.0 \ 136.0$   
 $LAB^*_d = 83.6 \ -82.7 \ 79.8$   
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$   
 $LCH^*_d = 86.8 \ 48.1 \ 196.3$   
 $LAB^*_d = 86.8 \ -46.1 \ -13.5$   
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$



$O=R_d$   
 $LCH^*_d = 50.4 \ 100.4 \ 40.0$   
 $LAB^*_d = 50.4 \ 76.9 \ 64.5$   
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$   
 $LCH^*_d = 57.2 \ 110.9 \ 328.2$   
 $LAB^*_d = 57.2 \ 94.3 \ -58.4$   
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$


$V=B_d$   
 $LCH^*_d = 30.3 \ 128.5 \ 306.2$   
 $LAB^*_d = 30.3 \ 76.0 \ -103.5$   
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

$Y_e$   
 $LCH^*_e = 83.7 \ 84.5 \ 92.3$   
 $LAB^*_e = 83.7 \ -3.4 \ 84.5$   
 $rgb^*_{de} = 1.0 \ 0.856 \ 0.0$

$G_e$   
 $LCH^*_e = 85.1 \ 67.9 \ 162.2$   
 $LAB^*_e = 85.1 \ -64.6 \ 20.7$   
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.706$

$C_e$   
 $LCH^*_e = 79.0 \ 42.8 \ 216.9$   
 $LAB^*_e = 79.0 \ -34.2 \ -25.7$   
 $rgb^*_{de} = 0.0 \ 0.89 \ 1.0$

$B_e$   
 $LCH^*_e = 59.2 \ 56.6 \ 271.7$   
 $LAB^*_e = 59.2 \ 1.7 \ -56.6$   
 $rgb^*_{de} = 0.0 \ 0.609 \ 1.0$




$R_e$   
 $LCH^*_e = 50.9 \ 86.7 \ 25.4$   
 $LAB^*_e = 50.9 \ 78.3 \ 37.3$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.263$

$M_e$   
 $LCH^*_e = 57.1 \ 110.3 \ 328.6$   
 $LAB^*_e = 57.1 \ 94.1 \ -57.4$   
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.991$

$Y_s$   
 $LCH^*_s = 82.1 \ 83.5 \ 90.0$   
 $LAB^*_s = 82.1 \ 0.0 \ 83.5$   
 $rgb^*_{ds} = 1.0 \ 0.83 \ 0.0$

$G_s$   
 $LCH^*_s = 84.4 \ 84.2 \ 150.0$   
 $LAB^*_s = 84.4 \ -72.9 \ 42.1$   
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.523$

$C_s$   
 $LCH^*_s = 81.7 \ 44.6 \ 210.0$   
 $LAB^*_s = 81.7 \ -38.6 \ -22.3$   
 $rgb^*_{ds} = 0.0 \ 0.927 \ 1.0$



$R_s$   
 $LCH^*_s = 50.7 \ 90.1 \ 30.0$   
 $LAB^*_s = 50.7 \ 78.0 \ 45.0$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.202$

$M_s$   
 $LCH^*_s = 56.7 \ 107.7 \ 330.0$   
 $LAB^*_s = 56.7 \ 93.3 \ -53.8$   
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.962$

$B_s$   
 $LCH^*_s = 60.2 \ 54.7 \ 270.0$   
 $LAB^*_s = 60.2 \ 0.0 \ -54.7$   
 $rgb^*_{ds} = 0.0 \ 0.623 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_e LCH^*_e LAB^*_e$

$h_{ab}, rgb^*_e$

$$h_{ab,s} = atan [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$

$h_{ab,s}$

$$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 \ (i=0,6)$$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 \ (i=0,6)$$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab}, h_{ab,d}$

$rgb^*_{de}$

Data til maksimumsfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with 15 columns: h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>gb</sub><sup>a</sup><sub>dd</sub>, r<sub>gb</sub><sup>a</sup><sub>ds</sub>, r<sub>gb</sub><sup>a</sup><sub>de</sub>, LAB\*<sub>ddx64M</sub>, LAB\*<sub>ddx64M</sub> (x=LabCh), LAB\*<sub>dsx361M</sub>, LAB\*<sub>dsx361M</sub> (x=LabCh), LAB\*<sub>dex361M</sub>, LAB\*<sub>dex361M</sub> (x=LabCh), r<sub>gb</sub><sup>a</sup><sub>dd</sub>, r<sub>gb</sub><sup>a</sup><sub>ds</sub>, r<sub>gb</sub><sup>a</sup><sub>de</sub>. Rows contain numerical data for various color and device parameters.

se lignende filer: http://130.149.60.45/~farbmetrik/QN31/QN31.HTM  
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN31/QN31LONP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon  
TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	40.0	90.0	150.0	210.0	270.0	330.0	rgb* dex361M	LAB* dex361M	rgb* dd	rgb* ds	rgb* de					
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25		
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33		
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42	
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49	
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58	
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66	
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.0	0.673	0.0	72.8	19.8	77.3	79.8	75	
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.0	0.755	0.0	77.5	9.3	80.1	80.6	83	
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	0.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.875	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109		
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117		
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127		
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135		
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.0	1.0	0.0	0.41	84.1	-76.8	54.3	94.1	144	
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.0	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152	
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	162	
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.0	0.778	85.5	-60.6	12.2	61.9	168	
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.0	0.847	85.9	-56.4	4.0	56.7	175	
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.0	0.9	86.2	-53.2	-2.0	53.3	182	
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.0	0.952	86.6	-49.8	-8.3	50.6	189	
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.0	0.997	86.9	-46.3	-13.2	48.3	195	
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223		
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230		
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237		
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244		
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250		
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258		
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264		
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271		
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278		
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285		
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292		
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300		
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306		
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	0.0	0.0	0.992	57.2	94.2	-57.4	110.3	328		
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	0.0	0.0	0.856	55.4	89.9	-41.4	99.0	335		
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	0.0	0.0	0.735	54.1	86.5	-26.6	90.6	342		
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	0.0	0.0	0.65	53.3	84.5	-15.6	86.0	349		
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	0.0	0.0	0.618	53.0	83.6	-11.6	84.4	352		
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	0.0	0.0	0.533	52.3	82.2	-0.1	82.2	359		
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	0.0	0.0	0.441	51.7	80.7	12.5	81.7	368		
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	0.0	0.0	0.361	51.3	79.3	23.6	82.8	376		
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	0.0	0.0	0.263	50.9	78.3	37.3	86.7	385		

se liggende filer: <http://130.149.60.45/~farbmetrik/QN31/QN31.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20130201-QN31/QN31L0NP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon  
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Table with columns for h<sub>ab,d</sub>, h<sub>ab,s</sub>, h<sub>ab,e</sub>, r<sub>g</sub>b<sup>\*</sup>dd361Mi, LAB<sup>\*</sup>ddx361Mi (x=LabCh), R<sub>d</sub>, r<sub>g</sub>b<sup>\*</sup>ds361Mi, LAB<sup>\*</sup>dsx361Mi (x=LabCh), R<sub>s</sub>, r<sub>g</sub>b<sup>\*</sup>dd361Mi, r<sub>g</sub>b<sup>\*</sup>de361Mi, LAB<sup>\*</sup>dex361Mi (x=LabCh), R<sub>c</sub>, r<sub>g</sub>b<sup>\*</sup>dd361Mi, and r<sub>g</sub>b<sup>\*</sup>dd361Mi. The table contains 82 rows of color data.

se liggende filer: http://130.149.60.45/~farbmetrik/QN31/QN31.HTM  
teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20130201-QN31/QN31L0NP.PDF /.PS  
anvendelse for måling av display output, ingen separasjon  
TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>a</sup> <sub>dd361Mi</sub>	LAB <sup>a</sup> <sub>ddx361Mi (x=LabCh)</sub>	rgb <sup>a</sup> <sub>ds361Mi</sub>	LAB <sup>a</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>a</sup> <sub>de361Mi</sub>	LAB <sup>a</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>a</sup> <sub>dd361Mi</sub>	rgb <sup>a</sup> <sub>de361Mi</sub>	rgb <sup>a</sup> <sub>ds361Mi</sub>	rgb <sup>a</sup> <sub>dd361Mi</sub>	rgb <sup>a</sup> <sub>de361Mi</sub>	rgb <sup>a</sup> <sub>ds361Mi</sub>																					
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0			
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.677	0.0	73.1	19.3	77.4	79.8	76	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.767	0.0			
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.688	0.0	73.7	18.0	77.8	79.9	77	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0			
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.698	0.0	74.3	16.6	78.2	80.0	78	1.0	0.8	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0			
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.708	0.0	74.9	15.3	78.6	80.1	79	1.0	0.817	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.719	0.0	75.5	13.9	78.9	80.1	80	1.0	0.833	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.729	0.0	76.1	12.6	79.2	80.2	81	1.0	0.85	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0			
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.867	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0			
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.75	0.0	77.3	9.8	79.8	80.4	83	1.0	0.883	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0			
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.762	0.0	78.0	8.5	80.4	80.9	84	1.0	0.9	0.0	1.0	0.78	0.0	79.1	6.2	81.4	81.6	85	1.0	0.9	0.0			
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.773	0.0	78.7	7.1	81.0	81.3	85	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.7	82.0	82.1	86	1.0	0.917	0.0			
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.785	0.0	79.3	5.7	81.6	81.8	86	1.0	0.933	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0			
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.796	0.0	80.0	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0			
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.808	0.0	80.7	2.9	82.6	82.7	88	1.0	0.967	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0			
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.819	0.0	81.4	1.5	83.1	83.1	89	1.0	0.983	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0			
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	Y <sub>d</sub>	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	Y <sub>s</sub>	1.0	1.0	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	Y <sub>e</sub>	1.0	1.0	0.0
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.842	0.0	82.8	-1.4	84.0	84.0	91	0.983	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0			
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.853	0.0	83.5	-2.8	84.4	84.4	92	0.967	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0			
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.865	0.0	84.2	-4.3	84.8	84.9	93	0.95	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0			
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.877	0.0	84.9	-5.9	85.2	85.4	94	0.933	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0			
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.891	0.0	85.8	-7.4	85.9	86.3	95	0.917	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0			
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.904	0.0	86.7	-9.0	86.6	87.1	96	0.9	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0			
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	0.883	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0			
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.932	0.0	88.4	-12.3	88.0	88.9	98	0.867	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0			
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.946	0.0	89.3	-13.9	88.6	89.7	99	0.85	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0			
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.96	0.0	90.2	-15.6	89.2	90.6	100	0.833	1.0	0.0	1.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0		
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.974	0.0	91.0	-17.4	89.8	91.5	101	0.817	1.0	0.0	1.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0		
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.988	0.0	91.9	-19.1	90.3	92.3	102	0.8	1.0	0.0	1.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0		
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	1.0	0.926	1.0	0.0	91.3	-28.0	89.4	93.7	107	0.783	1.0	0.0		
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	1.0	0.907	1.0	0.0	91.0	-29.9	89.0	93.9	108	0.767	1.0	0.0		
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	0.75	1.0	0.0		
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	1.0	0.868	1.0	0.0	90.3	-33.6	88.0	94.3	110	0.733	1.0	0.0		
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	1.0	0.848	1.0	0.0	90.0	-35.6	87.8	94.7	112	0.717	1.0	0.0		
120	108	113	0.7	1.0	0.0	87.9	-49.2	85.2	98.4	120	0.917	1.0	0.0	91.2	-28.9	89.2	93.8	108	0.7	1.0	0.0	1.0	0.827	1.0	0.0	89.7	-37.5	87.4	95.2	113	0.7	1.0	0.0		
120	109	114	0.683	1.0	0.0	87.6	-50.7	84.9	98.9	120	0.901	1.0	0.0	90.9	-30.5	88.8	93.9	109	0.683	1.0	0.0	1.0	0.806	1.0	0.0	89.4	-39.5	87.1	95.7	114	0.683	1.0	0.0		
121	110	115	0.666	1.0	0.0	87.4	-52.1	84.7	99.4	121	0.884	1.0	0.0	90.6	-32.1	88.4	94.1	110	0.667	1.0	0.0	1.0	0.786	1.0	0.0	89.1	-41.5	86.7	96.1	115	0.667	1.0	0.0		
122	111	116	0.65	1.0	0.0	87.2	-53.6	84.4	100.0	122	0.868	1.0	0.0	90.3	-33.7	88.0	94.3	111	0.65	1.0	0.0	1.0	0.765	1.0	0.0	88.8	-43.4	86.2	96.6	116	0.65	1.0	0.0		
123	112	117	0.633	1.0	0.0	87.0	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.633	1.0	0.0	1.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	0.633	1.0	0.0		
123	113	119	0.616	1.0	0.0	86.8	-56.4	83.8	101.0	123	0.832	1.0	0.0	89.8	-37.1	87.5	95.1	113	0.617	1.0	0.0	1.0	0.719	1.0	0.0	88.2	-47.5	85.5	97.9	119	0.617	1.0	0.0		
124	114	120	0.6	1.0	0.0	86.7	-57.6	83.7	101.6	124	0.814	1.0	0.0	89.5	-38.7	87.2	95.5	114	0.6	1.0	0.0	1.0	0.695	1.0	0.0	87.8	-49.6	85.2	98.6	120	0.6	1.0	0.0		
125	115	121	0.583	1.0																															





Data til maksimalfargen M in fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>ddx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	LAB <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	rgb <sup>*</sup> <sub>de361Mi</sub>													
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267	83.8	-80.2	67.6	104.9	139
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317	83.9	-79.2	63.1	101.3	141
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367	84.0	-78.0	58.8	97.7	142
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417	84.1	-76.6	53.6	93.5	145
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467	84.2	-75.0	48.3	89.2	147
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517	84.4	-73.2	42.9	84.8	149
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567	84.5	-71.2	37.0	80.3	152
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617	84.7	-68.9	31.5	75.8	155
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667	84.9	-66.7	25.4	71.3	159
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717	85.2	-64.0	19.5	67.0	163
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767	85.4	-61.2	13.7	62.8	167
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817	85.7	-58.5	7.5	59.0	172
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867	86.0	-55.1	1.9	55.2	177
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917	86.3	-52.2	-4.2	52.4	184
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967	86.6	-48.8	-10.1	49.8	191
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196
C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>	C <sub>d</sub>

se lignende filer: http://130.149.60.45/~farbmetrik/QN31/QN31.HTM  
teknisk informasjon: http://www.ps.bam.de eller http://

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dd361Mi	LAB* de361Mi	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)								
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	0.922	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.983	1.0	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	0.983	1.0	0.0	0.885	1.0	79.1	-34.2	-25.7	42.9	216	0.0	0.983	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199	0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212	0.0	0.967	1.0	0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213	0.0	0.95	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202	0.0	0.901	1.0	80.2	-36.1	-24.3	43.6	214	0.0	0.933	1.0	0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215	0.0	0.917	1.0	0.0	0.876	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205	0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212	0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215	0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218	0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221	0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225	0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228	0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232	0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.821	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239	0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.826	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247	0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250	0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253	0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259	0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262	0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265	0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268	0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270	0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274	0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278	0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280	0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246	0.0	0.467	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283	0.0	0.769	1.0	70.5	-19.8	-39.0	43.																										

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>e</sub>; h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>a*</sup>	dd361M	LAB <sup>a*</sup>	ddx361Mi (x=LabCh)	rgb <sup>a*</sup>	ds361Mi	LAB <sup>a*</sup>	dsx361Mi (x=LabCh)	rgb <sup>a*</sup>	dd361Mi	rgb <sup>a*</sup>	de361Mi	LAB <sup>a*</sup>	dex361Mi (x=LabCh)	rgb <sup>a*</sup>	dd361Mi																
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25	1.0	0.0	0.691	1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25	1.0		
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702	1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0		
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696	1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.217	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217	1.0		
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691	1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0		
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685	1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0		
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679	1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.167	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167	1.0		
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674	1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0		
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0		
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663	1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.117	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117	1.0		
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.657	1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0		
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652	1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0		
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646	1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.067	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067	1.0		
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641	1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.05	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05	1.0		
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635	1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0		
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.017	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017	1.0		
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0	1.0		
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615	1.0	59.7	1.0	-55.7	55.9	271	0.0	0.017	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.0	0.017	0.0	1.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607	1.0	59.1	2.0	-56.8	56.9	272	0.0	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.0	0.033	0.0	1.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599	1.0	58.5	3.0	-57.8	58.0	273	0.0	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.0	0.05	0.0	1.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591	1.0	58.0	4.1	-58.8	59.0	274	0.0	0.067	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.0	0.067	0.0	1.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583	1.0	57.4	5.2	-59.8	60.1	275	0.0	0.083	0.0	1.0	0.0	0.57	1.0	56.6	7.0	-61.2	61.7	276	0.0	0.083	0.0	1.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574	1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0	1.0	
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.117	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0	1.0	1.0	
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558	1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0	1.0	
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55	1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0	1.0	
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541	1.0	54.6	11.4	-64.3	65.4	280	0.167	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0	1.0	1.0	
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533	1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0	1.0	
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525	1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0	1.0	
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517	1.0	52.9	15.4	-66.7	68.6	283	0.217	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0	1.0	1.0	
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508	1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0	1.0	
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0	1.0	1.0	
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.0	0.488	1.0	51.0	20.0	-69.7	72.6	286	0.267	0.0	1.0	0.0	0.476	1.0	50.3	21.6	-71.0	74.3	286	0.267	0.0	1.0	1.0	
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.0	0.475	1.0	50.2	21.8	-71.2	74.5	287	0.283	0.0	1.0	0.0	0.464	1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0	1.0	1.0	
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.0	0.462	1.0	49.4	23.6	-72.6	76.4	288	0.3	0.0	1.0	0.0	0.452	1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0	1.0	1.0	
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.0	0.45	1.0	48.6	25.5	-74.0	78.3	289	0.317	0.0	1.0	0.0	0.44	1.0	48.0	26.9	-75.0	79.8	289	0.317	0.0	1.0	1.0	
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.0	0.437	1.0	47.8	27.4	-75.3	80.2	290	0.333	0.0	1.0	0.0	0.428	1.0	47.2	28.8	-76.2	81.6	290	0.333	0.0	1.0	1.0	
308	291	291	0.35	0.0	1.0	34.9	77.7	-96.3	123.8	308	0.0	0.424	1.0	47.0	29.4	-76.6	82.1	291	0.35	0.0	1.0	0.0	0.416	1.0	46.5	30.7	-77.4	83.4	291	0.35	0.0	1.0	1.0	
309	292	292	0.366	0.0	1.0	34.6	77.9	-95.7	123.4	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292	0.367	0.0	1.0	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292	0.367	0.0	1.0	1.0	
309	293	293	0.383	0.0	1.0	35.3	78.1	-95.1	123.0	309	0.0	0.399	1.0	45.4	33.6	-79.0	86.0	293	0.383	0.0	1.0	0.0	0.392	1.0	44.9	34.7	-79.7	87.0	293	0.383	0.0	1.0	1.0	
309	294	294	0.4	0.0	1.0	35.8	78.3	-94.3	122.6	309	0.0	0.386	1.0	44.6	35.7	-80.2	87.9	294	0.4															

Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetoneer til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetoneer til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetoneer til elementærkolorer RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi																									
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	304	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	1.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0		
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M <sub>d</sub>	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M <sub>s</sub>	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M <sub>e</sub>	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.2	-39.8	98.3	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.6	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	55.1	89.2	-37.5	96.8	337	1.0	0.0	0.85			
336	340	338	1.																																


Data til maksimalfargen M i fargemetrisk system sRGB standard device; no separation, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dd361Mi	rgb* dd361Mi	rgb* dd361Mi																					
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.707	53.8	86.0	-23.0	89.1	345	1.0	0.0	0.75	1.0	0.0	0.75	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.695	53.7	85.7	-21.3	88.4	346	1.0	0.0	0.733	1.0	0.0	0.723	54.0	86.3	-25.0	89.9	343	1.0	0.0	0.733			
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.682	53.6	85.4	-19.6	87.7	347	1.0	0.0	0.717	1.0	0.0	0.711	53.8	86.1	-23.4	89.3	344	1.0	0.0	0.717			
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.669	53.4	85.1	-18.0	87.0	348	1.0	0.0	0.7	1.0	0.0	0.699	53.7	85.8	-21.8	88.6	345	1.0	0.0	0.7			
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.656	53.3	84.7	-16.4	86.3	349	1.0	0.0	0.683	1.0	0.0	0.687	53.6	85.6	-20.3	87.9	346	1.0	0.0	0.683			
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.643	53.2	84.3	-14.8	85.6	350	1.0	0.0	0.667	1.0	0.0	0.674	53.5	85.2	-18.7	87.3	347	1.0	0.0	0.667			
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.63	53.1	83.9	-13.2	84.9	351	1.0	0.0	0.65	1.0	0.0	0.662	53.4	84.9	-17.2	86.6	348	1.0	0.0	0.65			
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.619	53.0	83.6	-11.7	84.4	352	1.0	0.0	0.633	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349	1.0	0.0	0.633			
352	353	350	1.0	0.0	0.616	52.9	83.4	-11.4	84.3	352	1.0	0.0	0.608	52.9	83.5	-10.2	84.2	353	1.0	0.0	0.617	1.0	0.0	0.638	53.1	84.1	-14.1	85.7	350	1.0	0.0	0.617			
353	354	351	1.0	0.0	0.6	52.8	83.6	-9.1	83.9	353	1.0	0.0	0.597	52.8	83.4	-8.7	83.9	354	1.0	0.0	0.6	1.0	0.0	0.626	53.0	83.7	-12.6	84.7	351	1.0	0.0	0.6			
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.586	52.7	83.3	-7.2	83.6	355	1.0	0.0	0.583	1.0	0.0	0.615	52.9	83.6	-11.2	84.4	352	1.0	0.0	0.583			
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.575	52.6	83.1	-5.7	83.3	356	1.0	0.0	0.567	1.0	0.0	0.605	52.9	83.5	-9.8	84.1	353	1.0	0.0	0.567			
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.564	52.6	82.9	-4.2	83.0	357	1.0	0.0	0.55	1.0	0.0	0.595	52.8	83.4	-8.4	83.8	354	1.0	0.0	0.55			
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.554	52.5	82.7	-2.8	82.7	358	1.0	0.0	0.533	1.0	0.0	0.584	52.7	83.2	-7.0	83.5	355	1.0	0.0	0.533			
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.543	52.4	82.4	-1.3	82.4	359	1.0	0.0	0.517	1.0	0.0	0.574	52.6	83.1	-5.6	83.3	356	1.0	0.0	0.517			
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.532	52.3	82.1	0.0	82.1	360	1.0	0.0	0.5	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352	1.0	0.0	0.5			
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.521	52.2	81.8	1.4	81.8	361	1.0	0.0	0.483	1.0	0.0	0.606	52.9	83.5	-9.9	84.1	353	1.0	0.0	0.483			
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.51	52.1	81.5	2.8	81.6	362	1.0	0.0	0.467	1.0	0.0	0.594	52.8	83.4	-8.2	83.8	354	1.0	0.0	0.467			
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.499	52.1	81.2	4.3	81.3	363	1.0	0.0	0.45	1.0	0.0	0.582	52.7	83.2	-6.6	83.5	355	1.0	0.0	0.45			
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.489	52.0	81.2	5.7	81.4	364	1.0	0.0	0.433	1.0	0.0	0.57	52.6	83.0	-5.0	83.1	356	1.0	0.0	0.433			
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.479	51.9	81.1	7.1	81.4	365	1.0	0.0	0.417	1.0	0.0	0.558	52.5	82.7	-3.3	82.8	357	1.0	0.0	0.417			
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.469	51.9	81.1	8.5	81.5	366	1.0	0.0	0.4	1.0	0.0	0.546	52.4	82.5	-1.7	82.5	358	1.0	0.0	0.4			
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.459	51.8	81.0	9.9	81.6	367	1.0	0.0	0.383	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359	1.0	0.0	0.383			
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.449	51.8	80.9	11.4	81.6	368	1.0	0.0	0.367	1.0	0.0	0.521	52.2	81.8	1.4	81.9	360	1.0	0.0	0.367			
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.439	51.7	80.7	12.8	81.7	369	1.0	0.0	0.35	1.0	0.0	0.509	52.1	81.5	3.0	81.5	362	1.0	0.0	0.35			
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.429	51.7	80.6	14.2	81.8	370	1.0	0.0	0.333	1.0	0.0	0.497	52.1	81.2	4.5	81.3	363	1.0	0.0	0.333			
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.418	51.6	80.4	15.6	81.9	371	1.0	0.0	0.317	1.0	0.0	0.486	52.0	81.1	6.1	81.4	364	1.0	0.0	0.317			
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.408	51.5	80.1	17.0	81.9	372	1.0	0.0	0.3	1.0	0.0	0.475	51.9	81.1	7.7	81.5	365	1.0	0.0	0.3			
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.398	51.5	79.9	18.4	82.0	373	1.0	0.0	0.283	1.0	0.0	0.464	51.9	81.0	9.3	81.5	366	1.0	0.0	0.283			
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.388	51.4	79.6	19.9	82.1	374	1.0	0.0	0.267	1.0	0.0	0.452	51.8	80.9	10.9	81.6	367	1.0	0.0	0.267			
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.378	51.4	79.4	21.3	82.2	375	1.0	0.0	0.25	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368	1.0	0.0	0.25			
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.367	51.3	79.3	22.7	82.5	376	1.0	0.0	0.233	1.0	0.0	0.43	51.7	80.6	14.0	81.8	369	1.0	0.0	0.233			
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.356	51.3	79.3	24.3	82.9	377	1.0	0.0	0.217	1.0	0.0	0.418	51.6	80.4	15.6	81.9	370	1.0	0.0	0.217			
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.345	51.2	79.3	25.8	83.4	378	1.0	0.0	0.2	1.0	0.0	0.407	51.5	80.1	17.2	81.9	372	1.0	0.0	0.2			
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.334	51.2	79.3	27.3	83.8	379	1.0	0.0	0.183	1.0	0.0	0.396	51.5	79.9	18.8	82.0	373	1.0	0.0	0.183			
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.323	51.2	79.2	28.8	84.3	380	1.0	0.0	0.167	1.0	0.0	0.385	51.4	79.6	20.3	82.1	374	1.0	0.0	0.167			
393	381	375	1.0	0.0	0.15	50.6	77.6	51.9	93.3	393	1.0	0.0	0.312	51.1	79.1	30.4	84.7	381	1.0	0.0	0.15	1.0	0.0	0.373	51.3	79.3	21.9	82.3	375	1.0	0.0	0.15			
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.301	51.1	79.0	31.9	85.2	382	1.0	0.0	0.133	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376	1.0	0.0	0.133			
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.291	51.0	78.8	33.5	85.6	383	1.0	0.0	0.117	1.0	0.0	0.349	51.3	79.3	25.3	83.3	377	1.0	0.0	0.117			
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.28	51.0	78.6	35.0	86.1	384	1.0	0.0	0.1	1.0	0.0	0.337	51.2	79.3	27.0	83.8	378	1.0	0.0	0.1			
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.269	50.																					



TUB registrering: 20130201-QN31/QN31LONP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta



nrf	HC#Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb#Fd	LabCH#Fd	LabCH#Fd	DF#Fd	hsa#Fd	rgb#Md	LabCH#Md	LabCH#Md						
0/648	R00Y_100_100a	1.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	39.9	64.5	76.9	64.5	100.4	39.9	64.5	100.4	
1/657	R13Y_100_100a	1.0	0.0	0.5	37	1.0	0.116	0.0	0.0	0.0	51.4	74.1	64.9	98.3	41.3	0.2	36	40.0
2/666	R25Y_100_100a	1.0	0.0	0.5	42	1.0	0.233	0.0	0.0	0.0	51.5	73.9	64.9	98.3	41.3	0.2	36	40.0
3/675	R38Y_100_100a	1.0	0.0	0.5	44	1.0	0.350	0.0	0.0	0.0	54.0	66.7	67.9	87.7	44.6	0.1	42	44.2
4/684	R50Y_100_100a	1.0	0.0	0.5	44	1.0	0.467	0.0	0.0	0.0	57.9	56.2	67.9	87.7	44.6	0.1	42	44.2
5/693	R63Y_100_100a	1.0	0.0	0.5	68	1.0	0.584	0.0	0.0	0.0	63.6	41.3	71.0	82.2	59.7	0.0	59	71.8
6/702	R75Y_100_100a	1.0	0.0	0.5	83	1.0	0.701	0.0	0.0	0.0	70.1	25.8	75.0	79.7	82.9	2.3	77	84.4
7/711	R88Y_100_100a	1.0	0.0	0.5	83	1.0	0.818	0.0	0.0	0.0	84.8	-5.7	85.0	85.2	93.8	1.1	83	94.4
8/720	Y00G_100_100a	1.0	0.0	0.0	90	1.0	0.0	0.0	0.0	0.0	92.6	-20.6	90.7	93.0	102.8	0.0	89	102.8
9/639	Y13C_100_100a	0.875	1.0	0.0	97	0.883	1.0	0.0	0.0	0.0	33.0	88.1	90.4	110.5	0.8	96	110.0	
10/558	Y25C_100_100a	0.625	1.0	0.0	104	0.633	1.0	0.0	0.0	0.0	88.7	-43.3	86.2	96.5	116.6	0.0	102	116.6
11/477	Y38C_100_100a	0.375	1.0	0.0	112	0.385	1.0	0.0	0.0	0.0	85.9	-55.7	83.9	100.7	123.6	0.7	111	123.6
12/396	Y50C_100_100a	0.5	1.0	0.0	120	0.5	1.0	0.0	0.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.0	119	128.3
13/315	Y63C_100_100a	0.375	1.0	0.0	136	0.385	1.0	0.0	0.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.3	128	131.8
14/234	Y75C_100_100a	0.25	1.0	0.0	143	0.253	1.0	0.0	0.0	0.0	84.0	-78.2	80.4	112.2	134.1	0.4	137	134.1
15/153	Y88C_100_100a	0.125	1.0	0.0	143	0.116	1.0	0.0	0.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.1	143	135.5
16/72	G00C_100_100a	0.0	1.0	0.0	150	0.0	0.0	0.0	0.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	149	136.0
17/73	G13C_100_100a	0.0	1.0	0.0	157	0.0	0.116	0.0	0.0	0.0	0.125	83.6	-82.1	76.5	112.3	0.2	156	112.3
18/74	G25C_100_100a	0.0	1.0	0.0	164	0.0	0.233	0.0	0.0	0.0	0.233	83.7	-80.8	70.1	106.9	0.0	161	106.9
19/75	G38C_100_100a	0.0	1.0	0.0	172	0.0	0.350	0.0	0.0	0.0	0.375	84.0	-77.7	58.1	97.1	0.0	171	97.1
20/76	G50C_100_100a	0.0	1.0	0.0	180	0.0	0.467	0.0	0.0	0.0	0.5	84.3	-73.7	44.9	86.3	0.0	180	86.3
21/77	G63C_100_100a	0.0	1.0	0.0	188	0.0	0.584	0.0	0.0	0.0	0.625	84.7	-68.5	30.6	75.0	0.0	188	75.0
22/78	G75C_100_100a	0.0	1.0	0.0	196	0.0	0.701	0.0	0.0	0.0	0.75	85.3	-61.2	13.7	64.9	0.0	195	64.9
23/79	G88C_100_100a	0.0	1.0	0.0	203	0.0	0.818	0.0	0.0	0.0	0.875	86.0	-54.1	0.0	54.1	0.0	203	54.1
24/80	C00B_100_100a	0.0	1.0	0.0	210	0.0	0.0	0.0	0.0	0.0	86.8	-46.1	11.5	196.3	0.0	210	196.3	
25/71	C13B_100_100a	0.0	1.0	0.0	217	0.0	0.883	1.0	0.0	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	216	42.1
26/62	C25B_100_100a	0.0	0.75	1.0	224	0.0	0.766	1.0	0.0	0.0	0.725	1.0	69.1	-17.0	-40.7	44.1	212	44.1
27/53	C38B_100_100a	0.0	0.625	1.0	232	0.0	0.633	1.0	0.0	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	209	54.6
28/44	C50B_100_100a	0.0	0.5	1.0	240	0.0	0.5	1.0	0.0	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	231	70.7
29/35	C63B_100_100a	0.0	0.375	1.0	248	0.0	0.375	1.0	0.0	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	240	89.5
30/26	C75B_100_100a	0.0	0.25	1.0	256	0.0	0.233	1.0	0.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	257	107.9
31/17	C88B_100_100a	0.0	0.125	1.0	263	0.0	0.116	1.0	0.0	0.0	0.125	1.0	32.4	69.6	-100.0	121.9	263	121.9
32/8	B00M_100_100a	0.0	1.0	0.0	270	0.0	0.0	0.0	0.0	0.0	30.3	76.0	-103.5	128.5	306.2	0.0	270	306.2
33/89	B13M_100_100a	0.125	1.0	0.0	277	0.116	0.0	0.0	0.0	0.0	31.0	76.2	-102.5	127.7	306.6	0.0	276	306.6
34/170	B25M_100_100a	0.25	1.0	0.0	284	0.233	0.0	0.0	0.0	0.0	32.6	76.8	-99.8	125.9	307.5	0.4	282	307.5
35/251	B38M_100_100a	0.375	1.0	0.0	292	0.350	0.0	0.0	0.0	0.0	34.9	77.9	-95.7	123.4	309.1	0.3	291	309.1
36/332	B50M_100_100a	0.5	1.0	0.0	300	0.5	0.0	0.0	0.0	0.0	38.5	79.8	-89.7	120.1	311.6	0.0	300	311.6
37/413	B63M_100_100a	0.625	1.0	0.0	308	0.633	0.0	0.0	0.0	0.0	42.7	82.5	-82.8	116.8	314.8	0.6	308	314.8
38/494	B75M_100_100a	0.75	1.0	0.0	316	0.766	0.0	0.0	0.0	0.0	47.2	85.8	-75.1	114.1	318.8	1.3	317	318.8
39/575	B88M_100_100a	0.875	1.0	0.0	323	0.883	0.0	0.0	0.0	0.0	52.1	89.8	-66.9	112.0	323.3	0.7	323	323.3
40/656	M00R_100_100a	1.0	0.0	0.5	330	1.0	0.0	0.0	0.0	0.0	57.2	94.3	-58.4	111.0	328.2	0.0	330	328.2
41/655	M13R_100_100a	1.0	0.0	0.875	337	1.0	0.0	0.0	0.0	0.0	57.6	90.3	-43.9	100.4	334.0	0.9	336	334.0
42/654	M25R_100_100a	1.0	0.0	0.75	344	1.0	0.0	0.0	0.0	0.0	54.2	86.7	-28.6	91.3	341.6	2.0	342	341.6
43/653	M38R_100_100a	1.0	0.0	0.625	352	1.0	0.0	0.0	0.0	0.0	53.0	83.6	-12.6	84.6	351.4	1.0	351	351.4
44/652	M50R_100_100a	1.0	0.0	0.5	360	1.0	0.0	0.0	0.0	0.0	52.0	81.1	4.1	81.2	350.7	0.0	360	350.7
45/651	M63R_100_100a	1.0	0.0	0.375	368	1.0	0.0	0.0	0.0	0.0	51.3	79.2	21.6	82.1	349.2	1.1	368	349.2
46/650	M75R_100_100a	1.0	0.0	0.25	376	1.0	0.0	0.0	0.0	0.0	50.8	77.9	39.2	82.7	348.2	2.0	377	348.2
47/649	M88R_100_100a	1.0	0.0	0.125	383	1.0	0.0	0.0	0.0	0.0	50.5	76.2	54.9	84.8	347.2	3.0	383	347.2
48/648	R00Y_100_100a	1.0	0.0	0.0	390	1.0	0.0	0.0	0.0	0.0	50.4	76.9	64.5	100.4	339.0	0.0	389	339.0
49/0	NV_000a	0.0	0.0	0.0	360	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
50/91	NV_013a	0.125	0.125	0.125	360	0.125	0.125	0.125	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
51/182	NV_025a	0.25	0.25	0.25	360	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
52/273	NV_038a	0.375	0.375	0.375	360	0.375	0.375	0.375	0.375	0.375	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
53/364	NV_050a	0.5	0.5	0.5	360	0.5	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
54/455	NV_063a	0.625	0.625	0.625	360	0.625	0.625	0.625	0.625	0.625	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
55/546	NV_075a	0.75	0.75	0.75	360	0.75	0.75	0.75	0.75	0.75	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
56/637	NV_088a	0.875	0.875	0.875	360	0.875	0.875	0.875	0.875	0.875	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0
57/728	NV_100a	1.0	1.0	1.0	360	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0


QN31-07N\_1429-F

TUB-prøveplanse QN31; farbetoneplan: H\*d=Y00Gd  
 farger og fargeavstander, ΔE\*<sub>ab</sub>


input: rgb/cmlyk -> rgbd  
 output: overføring til rgbd

5-0031330-F0

5-0031330-F0



se lignende filer: <http://130.149.60.45/~farbmetrik/QN31/QN31.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>





































n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb_Fd	LabCH*Fd	LabCH*Fd	rgb*Fd	LabCH*Fd	DF*Fd	hsa_Md	rgb*Md	LabCH*Md	0.0
891	NW_100a	1.0	1.0	1.0	1.0	95.4	95.4	1.0	95.4	325.2	0.0	360	95.4	0.0
892	BSOR_100.0124	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	325.1	5.9	330	95.4	109.3282
893	BSOR_100.0254	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	325.8	11.8	300	95.4	109.3282
894	BSOR_100.0374	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	326.4	17.0	330	95.4	109.3282
895	BSOR_100.0504	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	327.0	20.6	330	95.4	109.3282
896	BSOR_100.0624	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	327.5	21.6	330	95.4	109.3282
897	BSOR_100.0754	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	327.9	18.9	330	95.4	109.3282
898	BSOR_100.0874	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	328.2	11.6	330	95.4	109.3282
899	BSOR_100.1004	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	328.4	0.0	330	95.4	109.3282
900	BSOR_100.1124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	328.6	5.4	330	95.4	109.3282
901	BSOR_100.1254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	329.1	11.2	360	95.4	109.3282
902	BSOR_100.1374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	329.5	6.0	330	95.4	109.3282
903	BSOR_100.1504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	329.9	12.3	330	95.4	109.3282
904	BSOR_100.1624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	330.2	17.3	330	95.4	109.3282
905	BSOR_100.1754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	330.5	20.6	330	95.4	109.3282
906	BSOR_100.1874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	330.7	18.9	330	95.4	109.3282
907	BSOR_100.2004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	330.9	11.6	330	95.4	109.3282
908	BSOR_100.2124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	331.1	0.0	330	95.4	109.3282
909	BSOR_100.2254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	331.2	5.4	330	95.4	109.3282
910	BSOR_100.2374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	331.3	11.2	360	95.4	109.3282
911	BSOR_100.2504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	331.4	16.6	330	95.4	109.3282
912	BSOR_100.2624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	331.5	21.6	330	95.4	109.3282
913	BSOR_100.2754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	331.6	18.2	330	95.4	109.3282
914	BSOR_100.2874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	331.7	11.6	330	95.4	109.3282
915	BSOR_100.3004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	331.8	0.0	330	95.4	109.3282
916	BSOR_100.3124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	331.9	5.4	330	95.4	109.3282
917	BSOR_100.3254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	332.0	11.2	360	95.4	109.3282
918	BSOR_100.3374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	332.1	16.6	330	95.4	109.3282
919	BSOR_100.3504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	332.2	21.6	330	95.4	109.3282
920	BSOR_100.3624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	332.3	18.2	330	95.4	109.3282
921	BSOR_100.3754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	332.4	11.6	330	95.4	109.3282
922	BSOR_100.3874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	332.5	0.0	330	95.4	109.3282
923	BSOR_100.4004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	332.6	5.4	330	95.4	109.3282
924	BSOR_100.4124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	332.7	11.2	360	95.4	109.3282
925	BSOR_100.4254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	332.8	16.6	330	95.4	109.3282
926	BSOR_100.4374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	332.9	21.6	330	95.4	109.3282
927	BSOR_100.4504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	333.0	18.2	330	95.4	109.3282
928	BSOR_100.4624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	333.1	11.6	330	95.4	109.3282
929	BSOR_100.4754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	333.2	0.0	330	95.4	109.3282
930	BSOR_100.4874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	333.3	5.4	330	95.4	109.3282
931	BSOR_100.5004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	333.4	11.2	360	95.4	109.3282
932	BSOR_100.5124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	333.5	16.6	330	95.4	109.3282
933	BSOR_100.5254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	333.6	21.6	330	95.4	109.3282
934	BSOR_100.5374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	333.7	18.2	330	95.4	109.3282
935	BSOR_100.5504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	333.8	11.6	330	95.4	109.3282
936	BSOR_100.5624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	333.9	0.0	330	95.4	109.3282
937	BSOR_100.5754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	334.0	5.4	330	95.4	109.3282
938	BSOR_100.5874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	334.1	11.2	360	95.4	109.3282
939	BSOR_100.6004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	334.2	16.6	330	95.4	109.3282
940	BSOR_100.6124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	334.3	21.6	330	95.4	109.3282
941	BSOR_100.6254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	334.4	18.2	330	95.4	109.3282
942	BSOR_100.6374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	334.5	11.6	330	95.4	109.3282
943	BSOR_100.6504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	334.6	0.0	330	95.4	109.3282
944	BSOR_100.6624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	334.7	5.4	330	95.4	109.3282
945	BSOR_100.6754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	334.8	11.2	360	95.4	109.3282
946	BSOR_100.6874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	334.9	16.6	330	95.4	109.3282
947	BSOR_100.7004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	335.0	21.6	330	95.4	109.3282
948	BSOR_100.7124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	335.1	18.2	330	95.4	109.3282
949	BSOR_100.7254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	335.2	11.6	330	95.4	109.3282
950	BSOR_100.7374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	335.3	0.0	330	95.4	109.3282
951	BSOR_100.7504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	335.4	5.4	330	95.4	109.3282
952	BSOR_100.7624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	335.5	11.2	360	95.4	109.3282
953	BSOR_100.7754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	335.6	16.6	330	95.4	109.3282
954	BSOR_100.7874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	335.7	21.6	330	95.4	109.3282
955	BSOR_100.8004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	335.8	18.2	330	95.4	109.3282
956	BSOR_100.8124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	335.9	11.6	330	95.4	109.3282
957	BSOR_100.8254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	336.0	0.0	330	95.4	109.3282
958	BSOR_100.8374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	336.1	5.4	330	95.4	109.3282
959	BSOR_100.8504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	336.2	11.2	360	95.4	109.3282
960	BSOR_100.8624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	336.3	16.6	330	95.4	109.3282
961	BSOR_100.8754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	336.4	21.6	330	95.4	109.3282
962	BSOR_100.8874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	336.5	18.2	330	95.4	109.3282
963	BSOR_100.9004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	336.6	11.6	330	95.4	109.3282
964	BSOR_100.9124	1.0	0.0	1.0	0.0	1.0	1.0	1.0	1.0	336.7	0.0	330	95.4	109.3282
965	BSOR_100.9254	1.0	0.875	1.0	0.875	1.0	1.0	1.0	1.0	336.8	5.4	330	95.4	109.3282
966	BSOR_100.9374	1.0	0.75	1.0	0.75	1.0	1.0	1.0	1.0	336.9	11.2	360	95.4	109.3282
967	BSOR_100.9504	1.0	0.625	1.0	0.625	1.0	1.0	1.0	1.0	337.0	16.6	330	95.4	109.3282
968	BSOR_100.9624	1.0	0.5	1.0	0.5	1.0	1.0	1.0	1.0	337.1	21.6	330	95.4	109.3282
969	BSOR_100.9754	1.0	0.375	1.0	0.375	1.0	1.0	1.0	1.0	337.2	18.2	330	95.4	109.3282
970	BSOR_100.9874	1.0	0.25	1.0	0.25	1.0	1.0	1.0	1.0	337.3	11.6	330	95.4	109.3282
971	BSOR_100.10004	1.0	0.125	1.0	0.125	1.0	1.0	1.0	1.0	337.4	0.0	360	95.4	109.3282


QN310-7N, 27.29-F

input: rgb/cmlyk -> rgbd  
output: overføring til rgbd

TUB-prøveplanse QN31; farbetoneplan: H\*d=Y00Gd  
farger og fargeavstander, ΔE\*<sub>uv</sub>


5-0032630-F0





TUB registrering: 20130201-QN31/QN31LONP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta




n	HC*Fd	rgb_Fd	icr_Fd	hsa_Fd	rgb*Fd	LabCb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DFb**Fd	rgb**Md	hsa**Md	LabCh**Md	LabCh**Yd
972	NW_0004	0.125	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	95.4
973	NW_0124	0.125	0.125	0.0	0.125	0.125	11.9	0.0	0.0	0.0	1.0	360	1.0	95.4
974	NW_0254	0.125	0.125	0.0	0.25	0.25	23.8	0.0	0.0	0.0	1.0	360	1.0	95.4
975	NW_0374	0.375	0.375	0.0	0.375	0.375	35.7	0.0	0.0	0.0	1.0	360	1.0	95.4
976	NW_0504	0.5	0.5	0.0	0.5	0.5	47.7	0.0	0.0	0.0	1.0	360	1.0	95.4
977	NW_0624	0.625	0.625	0.0	0.625	0.625	59.6	0.0	0.0	0.0	1.0	360	1.0	95.4
978	NW_0754	0.75	0.75	0.0	0.75	0.75	71.5	0.0	0.0	0.0	1.0	360	1.0	95.4
979	NW_0874	0.875	0.875	0.0	0.875	0.875	83.4	0.0	0.0	0.0	1.0	360	1.0	95.4
980	NW_1004	1.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	360	1.0	95.4
981	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	95.4
982	NW_0124	0.125	0.125	0.0	0.125	0.125	11.9	0.0	0.0	0.0	1.0	360	1.0	95.4
983	NW_0254	0.25	0.25	0.0	0.25	0.25	23.8	0.0	0.0	0.0	1.0	360	1.0	95.4
984	NW_0374	0.375	0.375	0.0	0.375	0.375	35.7	0.0	0.0	0.0	1.0	360	1.0	95.4
985	NW_0504	0.5	0.5	0.0	0.5	0.5	47.7	0.0	0.0	0.0	1.0	360	1.0	95.4
986	NW_0624	0.625	0.625	0.0	0.625	0.625	59.6	0.0	0.0	0.0	1.0	360	1.0	95.4
987	NW_0754	0.75	0.75	0.0	0.75	0.75	71.5	0.0	0.0	0.0	1.0	360	1.0	95.4
988	NW_0874	0.875	0.875	0.0	0.875	0.875	83.4	0.0	0.0	0.0	1.0	360	1.0	95.4
989	NW_1004	1.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	360	1.0	95.4
990	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	95.4
991	NW_0124	0.125	0.125	0.0	0.125	0.125	11.9	0.0	0.0	0.0	1.0	360	1.0	95.4
992	NW_0254	0.25	0.25	0.0	0.25	0.25	23.8	0.0	0.0	0.0	1.0	360	1.0	95.4
993	NW_0374	0.375	0.375	0.0	0.375	0.375	35.7	0.0	0.0	0.0	1.0	360	1.0	95.4
994	NW_0504	0.5	0.5	0.0	0.5	0.5	47.7	0.0	0.0	0.0	1.0	360	1.0	95.4
995	NW_0624	0.625	0.625	0.0	0.625	0.625	59.6	0.0	0.0	0.0	1.0	360	1.0	95.4
996	NW_0754	0.75	0.75	0.0	0.75	0.75	71.5	0.0	0.0	0.0	1.0	360	1.0	95.4
997	NW_0874	0.875	0.875	0.0	0.875	0.875	83.4	0.0	0.0	0.0	1.0	360	1.0	95.4
998	NW_1004	1.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	360	1.0	95.4
999	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1000	NW_0124	0.125	0.125	0.0	0.125	0.125	11.9	0.0	0.0	0.0	1.0	360	1.0	95.4
1001	NW_0254	0.25	0.25	0.0	0.25	0.25	23.8	0.0	0.0	0.0	1.0	360	1.0	95.4
1002	NW_0374	0.375	0.375	0.0	0.375	0.375	35.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1003	NW_0504	0.5	0.5	0.0	0.5	0.5	47.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1004	NW_0624	0.625	0.625	0.0	0.625	0.625	59.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1005	NW_0754	0.75	0.75	0.0	0.75	0.75	71.5	0.0	0.0	0.0	1.0	360	1.0	95.4
1006	NW_0874	0.875	0.875	0.0	0.875	0.875	83.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1007	NW_1004	1.0	1.0	0.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1008	NW_0004	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1009	NW_0064	0.066	0.066	0.066	0.066	0.066	6.2	0.0	0.0	0.0	1.0	360	1.0	95.4
1010	NW_0134	0.133	0.133	0.133	0.133	0.133	12.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1011	NW_0204	0.2	0.2	0.2	0.2	0.2	19.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1012	NW_0264	0.266	0.266	0.266	0.266	0.266	25.3	0.0	0.0	0.0	1.0	360	1.0	95.4
1013	NW_0334	0.333	0.333	0.333	0.333	0.333	31.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1014	NW_0404	0.4	0.4	0.4	0.4	0.4	38.1	0.0	0.0	0.0	1.0	360	1.0	95.4
1015	NW_0464	0.466	0.466	0.466	0.466	0.466	44.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1016	NW_0534	0.533	0.533	0.533	0.533	0.533	50.8	0.0	0.0	0.0	1.0	360	1.0	95.4
1017	NW_0604	0.6	0.6	0.6	0.6	0.6	57.2	0.0	0.0	0.0	1.0	360	1.0	95.4
1018	NW_0664	0.666	0.666	0.666	0.666	0.666	63.5	0.0	0.0	0.0	1.0	360	1.0	95.4
1019	NW_0734	0.734	0.734	0.734	0.734	0.734	72.3	0.0	0.0	0.0	1.0	360	1.0	95.4
1020	NW_0804	0.8	0.8	0.8	0.8	0.8	78.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1021	NW_0864	0.866	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1022	NW_0934	0.933	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1023	NW_1004	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1024	NW_0004	0.066	0.066	0.066	0.066	0.066	6.2	0.0	0.0	0.0	1.0	360	1.0	95.4
1025	NW_0064	0.133	0.133	0.133	0.133	0.133	12.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1026	NW_0134	0.2	0.2	0.2	0.2	0.2	19.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1027	NW_0204	0.266	0.266	0.266	0.266	0.266	25.3	0.0	0.0	0.0	1.0	360	1.0	95.4
1028	NW_0264	0.333	0.333	0.333	0.333	0.333	31.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1029	NW_0334	0.4	0.4	0.4	0.4	0.4	38.1	0.0	0.0	0.0	1.0	360	1.0	95.4
1030	NW_0404	0.466	0.466	0.466	0.466	0.466	44.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1031	NW_0464	0.533	0.533	0.533	0.533	0.533	50.8	0.0	0.0	0.0	1.0	360	1.0	95.4
1032	NW_0534	0.6	0.6	0.6	0.6	0.6	57.2	0.0	0.0	0.0	1.0	360	1.0	95.4
1033	NW_0604	0.666	0.666	0.666	0.666	0.666	63.5	0.0	0.0	0.0	1.0	360	1.0	95.4
1034	NW_0664	0.734	0.734	0.734	0.734	0.734	72.3	0.0	0.0	0.0	1.0	360	1.0	95.4
1035	NW_0734	0.8	0.8	0.8	0.8	0.8	78.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1036	NW_0804	0.866	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1037	NW_0864	0.933	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1038	NW_0934	1.0	1.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1039	NW_1004	0.066	0.066	0.066	0.066	0.066	6.2	0.0	0.0	0.0	1.0	360	1.0	95.4
1040	NW_0064	0.133	0.133	0.133	0.133	0.133	12.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1041	NW_0134	0.2	0.2	0.2	0.2	0.2	19.0	0.0	0.0	0.0	1.0	360	1.0	95.4
1042	NW_0204	0.266	0.266	0.266	0.266	0.266	25.3	0.0	0.0	0.0	1.0	360	1.0	95.4
1043	NW_0264	0.333	0.333	0.333	0.333	0.333	31.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1044	NW_0334	0.4	0.4	0.4	0.4	0.4	38.1	0.0	0.0	0.0	1.0	360	1.0	95.4
1045	NW_0404	0.466	0.466	0.466	0.466	0.466	44.4	0.0	0.0	0.0	1.0	360	1.0	95.4
1046	NW_0464	0.533	0.533	0.533	0.533	0.533	50.8	0.0	0.0	0.0	1.0	360	1.0	95.4
1047	NW_0534	0.6	0.6	0.6	0.6	0.6	57.2	0.0	0.0	0.0	1.0	360	1.0	95.4
1048	NW_0604	0.666	0.666	0.666	0.666	0.666	63.5	0.0	0.0	0.0	1.0	360	1.0	95.4
1049	NW_0664	0.734	0.734	0.734	0.734	0.734	72.3	0.0	0.0	0.0	1.0	360	1.0	95.4
1050	NW_0734	0.8	0.8	0.8	0.8	0.8	78.7	0.0	0.0	0.0	1.0	360	1.0	95.4
1051	NW_0804	0.866	0.866	0.866	0.866	0.866	82.6	0.0	0.0	0.0	1.0	360	1.0	95.4
1052	NW_0864	0.933	0.933	0.933	0.933	0.933	89.0	0.0	0.0	0.0	1.0	360	1.0	95.4

QN310-7N, 2829-F


input: rgb/cmlyk -> rgb<sub>d</sub>  
 output: overføring til rgb<sub>d</sub>


TUB-prøveplanse QN31; farbetoneplan: H\*d=Y00Gd  
 farger og fargeavstander, ΔE\*<sub>uv</sub>

5-0032730-F0




se lignende filer: <http://130.149.60.45/~farbmetrik/QN31/QN31.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>





TUB registrering: 20130201-QN31/QN31LONP.PDF /.PS  
 anvendelse for måling av display output, ingen separasjon

TUB-material: code=rha4ta



http://130.149.60.45/~farbmetrik/QN31/QN31LONP.PDF /.PS; overføring output  
 N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 29/29



5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

5-0032830-F0

n	HC*Fd	rgb_Fd	icr_Fd	h_s_Fd	rgb*Fd	LabCh*Fd	h_s_Fd	rgb*Fd	LabCh*Fd	DF*Fd	h_s*Fd	rgb*Fd	LabCh*Fd
1053	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0
1054	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0
1055	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1056	NW_0066d	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.0
1057	NW_0133d	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.0
1058	NW_0200d	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0
1059	NW_0266d	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.0
1060	NW_0333d	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.0
1061	NW_0400d	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.0
1062	NW_0466d	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.0
1063	NW_0533d	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.0
1064	NW_0600d	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.0
1065	NW_0666d	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.0
1066	NW_0734d	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.0
1067	NW_0800d	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.0
1068	NW_0866d	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.0
1069	NW_0933d	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.0
1070	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1071	NW_0066d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1072	NW_0100d	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0
1073	NW_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1074	RGB_100_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
1075	CS0B_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1076	Y00C_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1077	B00M_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1078	B00R_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1079	B50R_100_100d	1.0	0.0	1.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0

delta E\*\* = 1.0


input: rgb/cmyk -> rgb  
 output: overføring til rgb

TUB-prøveplansje QN31; farbetoneplan: H\*\_d=Y00Gd  
 farger og fargeavstander, ΔE\*\*

QN310--7N, 29/29-F

5-0032830-F0

5-0032830-F0



se lignende filer: <http://130.149.60.45/~farbmetrik/QN31/QN31.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

