


http://130.149.60.45/~farbmetrik/QN73/QN73L0N1.TXT /PS; start output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 1/1

QN73S0L

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

Data for ethvert apparat (d) eller
elementærfarge (e):

$H^*_e = G00B_-$
fargetonetekst for fargene
på denne siden:
 $H^*_e = G00B_-$
trekantslyset T^*



ORS18a; adapterte (a) CIELAB data						
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-Ma}	47.9	65.3	50.5	82.6	37	
Y _{-Ma}	90.3	-10.2	91.7	92.3	96	
G _{-Ma}	50.9	-62.8	34.9	71.9	150	
C _{-Ma}	58.6	-30.3	-45.0	54.2	236	
B _{-Ma}	25.7	31.0	-44.4	54.2	305	
M _{-Ma}	48.1	75.2	-8.3	75.7	353	
N _{-Ma}	18.0	0.0	0.0	0.0	0	
W _{-Ma}	95.4	0.0	0.0	0.0	0	
R _{-CIE}	39.9	58.7	27.9	65.0	25	
Y _{-CIE}	81.2	-2.8	71.5	71.6	92	
G _{-CIE}	52.2	-42.4	13.6	44.5	162	
B _{-CIE}	30.5	1.4	-46.4	46.4	271	

Data for maksimalfarge (Ma):

LabCh_{-Ma}: 55 -65 33 73 152

HIC_{-Ma}: G00B_100_100

rgbic_{-Ma}:

0.0 1.0 0.0 1.0 1.0

trekantslyset T^*



%Omfang

$u^*_{rel} = 92$

%Regularitet

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$



5-003030-L0 QN730-7N

TUB-prøveplansje QN73; farbetoneplan: $H^*_e = G00B_-$
prøveplansje infølge DIN 33872, 3D=0, de=0, cmky

input: rgb/cmyk -> rgb/cmyk
output: ingen endring

TUB registrering: 20150701-QN73/QN73L0N1.TXT /PS
anvendelse for måling av offsettrykk output

TUB-material: code=rha4a