


http://130.149.60.45/~farbmetrik/QN79/QN79L0N1.TXT /PS; start output
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S), side 1/1

QN79S0P

Input og output: Printer-Reflektiv-System FRS06a for relativ CIELAB fargetone $h_{ab,a,rel} = h_{ab}/360 = 152/360 = 0.42$

Data for ethvert apparat (d) eller
elementærfarge (e):

HIC^*_-
fargetonetekst for fargene
på denne siden:
 $H^*_- = G00B_-$
trekantslyset T^*



FRS06a; adapterte (a) CIELAB data						
navn	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{Ma}	32.5	62.3	46.4	77.7	36	
Y _{Ma}	82.7	-3.1	113.9	114.0	91	
G _{Ma}	39.4	-61.8	45.8	76.9	143	
C _{Ma}	47.8	-26.8	-34.2	43.4	231	
B _{Ma}	10.1	55.1	-61.0	82.2	312	
M _{Ma}	34.5	80.6	-33.9	87.5	337	
N _{Ma}	6.2	0.0	0.0	0.0	0	
W _{Ma}	91.9	0.0	0.0	0.0	0	
R _{CIE}	39.9	58.7	27.9	65.0	25	
Y _{CIE}	81.2	-2.8	71.5	71.6	92	
G _{CIE}	52.2	-42.4	13.6	44.5	162	
B _{CIE}	30.5	1.4	-46.4	46.4	271	

Data for maksimalfarge (Ma):

LabCh_{Ma}: 55 -65 33 73 152

HIC^*_- Ma: G00B_100_100_

rgbic_{Ma}:

0.0 1.0 0.0 1.0 1.0

trekantslyset T^*

%Omfang



$u^*_{rel} = 114$

%Regularitet

$g^*_{H,rel} = 28$

$g^*_{C,rel} = 38$

ORS20a; adapterte (a) CIELAB data						
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31	
R25Y_100_100_	56.8	48.0	50.5	69.6	46	
R50Y_100_100_	68.6	25.0	63.9	68.6	68	
R75Y_100_100_	80.6	4.8	77.2	77.3	86	
Y00G_100_100_	90.2	-9.6	88.2	88.7	96	
Y25G_100_100_	83.2	-18.4	79.9	81.9	102	
Y50G_100_100_	73.3	-31.7	62.7	70.2	116	
Y75G_100_100_	62.0	-49.7	43.2	65.8	139	
G00B_100_100_	55.8	-65.2	33.8	73.4	152	
G25B_100_100_	59.3	-50.3	-9.0	51.0	190	
G50B_100_100_	63.0	-30.5	-42.0	51.9	234	
G75B_100_100_	45.7	-5.7	-44.6	44.9	262	
B00R_100_100_	27.5	25.9	-47.3	53.9	298	
B25R_100_100_	38.3	52.6	-28.5	59.8	331	
B50R_100_100_	49.5	73.5	-9.0	74.0	353	
B75R_100_100_	48.9	69.3	12.9	70.4	10	



5-003030-L0 QN790-7N

TUB-prøveplansje QN79; farbetoneplan: $H^*_- = G00B_-$
prøveplansje infølge DIN 33872, 3D=0, de=0, cmky

input: rgb/cmyk -> rgb/cmyk
output: ingen endring

TUB registrering: 20150701-QN79/QN79L0N1.TXT /PS
anvendelse for måling av laserprinter output

TUB-material: code=rha4a