

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 190/360 = 0.52$

$H^*_ = G25B_-$


Datos del dispositivo (d) o elemental (e) color:

$HIC^*_$

código de tono para les colore esta página:

$H^*_ = G25B_-$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_{-,Ma}$: 59 -50 -9 51 190

$HIC^*_{-,Ma}$: G25B_100_100_

$rgbic^*_{-,Ma}$:

0.0 1.0 0.5 1.0 1.0

triángulo claridad T^*

% Gama



$u^*_{rel} = 92$

% Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)					
$H^*_$	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10




Datos del dispositivo (d) o elemental (e) color:

 HIC^*_d

código de tono para les colore
esta página:

$$H^*_d = G25B_d$$

triàngulo claridad T^*



ORS20a; datos adaptados CIELAB (a)					
name	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	47.3	63.8	41.2	76.0	32
Y _d ,Ma	88.3	-11.9	95.1	95.8	97
G _d ,Ma	51.9	-68.8	28.1	74.3	157
C _d ,Ma	58.3	-29.2	-43.7	52.6	236
B _d ,Ma	25.3	23.5	-47.3	52.8	296
M _d ,Ma	48.2	72.8	-8.5	73.3	353
N _d ,Ma	17.7	0.0	0.0	0.0	0
W _d ,Ma	95.4	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

LabCh*d.Ma: 54 -51 -12 52 193

*HIC**_{d,Ma}: G25B_100_100d

*rqbic**d.Ma:

0.0 1.0 0.5 1.0 1.0

triàngulo claridad T^*

▲ %C

%Gama

$$u^*_{rel} = 92$$

%Regularidad

$$g^*_{H,rel} = 57$$
$$g^*_{C,rel} = 58$$

ORS20a; datos adaptados CIELAB (a)					
H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11





gráfico TUB-QS83; código de tono: $H^*_d=G25B_d$
gráfico según a DIN 33872, $3D=0$, $de=0$, *cmyk*

entrada: $rgb/cmyk \rightarrow rgb_d$
salida: transfiera a $cmyk_d$

Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 190/360 = 0.52$

$H^*_- = G25B_-$


Datos del dispositivo (d) o elemental (e) color:

HIC^*_-

código de tono para les colore esta página:

$H^*_- = G25B_-$

triángulo claridad T^*



ORS18a; datos adaptados CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_- ,Ma: 59 -50 -9 51 190$

$HIC^*_- ,Ma: G25B_100_100_-$

$rgbic^*_- ,Ma:$



0.0 1.0 0.5 1.0 1.0

triángulo claridad T^*

% Gama
 $u^*_{rel} = 92$
% Regularidad
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)

H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_-	48.4	66.1	40.2	77.3	31
R25Y_100_100_-	56.8	48.0	50.5	69.6	46
R50Y_100_100_-	68.6	25.0	63.9	68.6	68
R75Y_100_100_-	80.6	4.8	77.2	77.3	86
Y00G_100_100_-	90.2	-9.6	88.2	88.7	96
Y25G_100_100_-	83.2	-18.4	79.9	81.9	102
Y50G_100_100_-	73.3	-31.7	62.7	70.2	116
Y75G_100_100_-	62.0	-49.7	43.2	65.8	139
G00B_100_100_-	55.8	-65.2	33.8	73.4	152
G25B_100_100_-	59.3	-50.3	-9.0	51.0	190
G50B_100_100_-	63.0	-30.5	-42.0	51.9	234
G75B_100_100_-	45.7	-5.7	-44.6	44.9	262
B00R_100_100_-	27.5	25.9	-47.3	53.9	298
B25R_100_100_-	38.3	52.6	-28.5	59.8	331
B50R_100_100_-	49.5	73.5	-9.0	74.0	353
B75R_100_100_-	48.9	69.3	12.9	70.4	10



Entrada i salida: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 189/360 = 0.52$

$H^*_e = G25B_e$


Datos del dispositivo (d) o elemental (e) color:

HIC^*_e

código de tono para los colores
esta página:

$H^*_e = G25B_e$

triángulo claridad T^*



ORS20a; datos adaptados CIELAB (a)					
name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R_e, Ma	47.6	64.9	30.9	71.9	25
Y_e, Ma	82.9	-3.5	87.8	87.9	92
G_e, Ma	52.4	-67.1	21.5	70.5	162
C_e, Ma	56.6	-39.7	-29.9	49.8	216
B_e, Ma	37.9	1.3	-45.4	45.4	271
M_e, Ma	34.8	49.2	-30.0	57.7	328
N_e, Ma	17.7	0.0	0.0	0.0	0
W_e, Ma	95.4	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Los datos de color máximo (Ma):

$LabCh^*_e, Ma$: 54 -53 -9 53 189

HIC^*_e, Ma : G25B_100_100_e

$rgbic^*_e, Ma$:

0.0 1.0 0.46 1.0 1.0

triángulo claridad T^*

% Gama

$u^*_{rel} = 92$

% Regularidad

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; datos adaptados CIELAB (a)					
H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
$R00Y_100_100_e$	47.6	64.9	30.9	71.9	25
$R25Y_100_100_e$	51.5	54.2	47.2	71.9	41
$R50Y_100_100_e$	60.3	35.6	59.0	68.9	58
$R75Y_100_100_e$	70.4	17.0	72.2	74.1	76
$Y00G_100_100_e$	82.9	-3.5	87.8	87.9	92
$Y25G_100_100_e$	76.9	-25.5	75.9	80.1	108
$Y50G_100_100_e$	65.8	-41.4	54.4	68.3	127
$Y75G_100_100_e$	56.9	-56.3	38.1	68.0	145
$G00B_100_100_e$	52.4	-67.1	21.5	70.5	162
$G25B_100_100_e$	54.6	-53.2	-9.0	53.9	189
$G50B_100_100_e$	56.6	-39.7	-29.9	49.8	216
$G75B_100_100_e$	52.7	-21.1	-44.1	48.9	244
$B00R_100_100_e$	37.9	1.3	-45.4	45.4	271
$B25R_100_100_e$	26.7	26.6	-45.8	52.9	300
$B50R_100_100_e$	34.8	49.2	-30.0	57.7	328
$B75R_100_100_e$	47.3	71.5	-9.9	72.1	352





gráfico TUB-QS83; código de tono: $H^*_e=G25B_e$
gráfico según a DIN 33872, 3D=0, de=1, *cmk*

entrada: *rgb/cmyk* -> *rgb_e*
salida: transfiera a *cmk_e*

TUB matrícula: 20130201-QS83/QS83L0NA.TXT /.PS
aplicación para la medida salida en la impresión offset, separación *cmk*6 (CMYK)

TUB material: code=rha4ta