

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$


Data for any device (d) or elementary (e) colour:

HIC^*

hue text for the colours of this page:

$H^*_- = B00R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R ₋ ,Ma	47.9	65.3	50.5	82.6	37
Y ₋ ,Ma	90.3	-10.2	91.7	92.3	96
G ₋ ,Ma	50.9	-62.8	34.9	71.9	150
C ₋ ,Ma	58.6	-30.3	-45.0	54.2	236
B ₋ ,Ma	25.7	31.0	-44.4	54.2	305
M ₋ ,Ma	48.1	75.2	-8.3	75.7	353
N ₋ ,Ma	18.0	0.0	0.0	0.0	0
W ₋ ,Ma	95.4	0.0	0.0	0.0	0
R ₋ ,CIE	39.9	58.7	27.9	65.0	25
Y ₋ ,CIE	81.2	-2.8	71.5	71.6	92
G ₋ ,CIE	52.2	-42.4	13.6	44.5	162
B ₋ ,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 27 25 -47 53 298

$HIC^*_{-,Ma}$: B00R_100_100_

$rgbic^*_{-,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart RE11; hue code: $H^*_- = B00R_-$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Television Luminous System TLS00a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 306/360 = 0.85$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B00R_d$

triangle lightness T^*



TLS00a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	50.4	76.9	64.5	100.4	40
$Y_{d,Ma}$	92.6	-20.7	90.7	93.0	102
$G_{d,Ma}$	83.6	-82.7	79.8	115.0	136
$C_{d,Ma}$	86.8	-46.1	-13.5	48.1	196
$B_{d,Ma}$	30.3	76.0	-103.5	128.5	306
$M_{d,Ma}$	57.2	94.3	-58.4	110.9	328
$N_{d,Ma}$	0.0	0.0	0.0	0.0	0
$W_{d,Ma}$	95.4	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 30 76 -103 128 306

$HIC^*_{d,Ma}$: B00R_100_100_d

$rgbic^*_{d,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 158$

% Regularity



$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

$H^*_d = B00R_d$

TLS00a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_d}$	50.4	76.9	64.5	100.4	40
$R25Y_{100_100_d}$	53.7	67.6	65.8	94.4	44
$R50Y_{100_100_d}$	63.6	41.3	71.0	82.2	59
$R75Y_{100_100_d}$	78.2	7.8	80.6	81.0	84
$Y00G_{100_100_d}$	92.6	-20.7	90.7	93.0	102
$Y25G_{100_100_d}$	88.7	-43.3	86.2	96.5	116
$Y50G_{100_100_d}$	85.7	-65.2	82.4	105.1	128
$Y75G_{100_100_d}$	84.0	-78.7	80.4	112.5	134
$G00B_{100_100_d}$	83.6	-82.7	79.8	115.0	136
$G25B_{100_100_d}$	84.3	-73.7	44.9	86.4	148
$G50B_{100_100_d}$	86.8	-46.1	-13.5	48.1	196
$G75B_{100_100_d}$	51.7	18.3	-68.3	70.7	285
$B00R_{100_100_d}$	30.3	76.0	-103.5	128.5	306
$B25R_{100_100_d}$	38.5	79.8	-89.7	120.0	311
$B50R_{100_100_d}$	57.2	94.3	-58.4	110.9	328
$B75R_{100_100_d}$	52.0	81.1	4.1	81.2	2



1-103130-L0 RE110-72




TUB-test chart RE11; hue code: $H^*_d=B00R_d$

Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$

output: 3D-linearization to rgb^*_{dd}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:
$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$
$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$
$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

1-103230-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

TUB-test chart RE11; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

Output: sRGB standard device; no separation, D65, page 3/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$ (x=LabCh)	rgb^*_{de}	rgb^*_{ds}	rgb^*_{de}
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.0	0.125
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.0	0.25
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.0	0.375
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.0	0.5
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.0	0.625
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.0	0.75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.0	0.875
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	0.0	1.0
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.125
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.375
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.625
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.875
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307.5	0.25	0.0	1.0
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.617	0.0	1.0
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.75	0.0	1.0
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.867	0.0	1.0
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	1.0	0.0	1.0
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	1.0	0.0	0.883
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.75
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.633
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	1.0	0.0	0.5
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	1.0	0.0	0.383
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.3	386.7	1.0	0.0	0.25
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	1.0	0.0	0.133
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	1.0	0.0	0.0

1-103330-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 4/29

TUB-test chart RE11; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

TUB registration: 20130201-RE11/RE11L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M} (x=LabCh)$						$rgb^*_{dex361M}$			$LAB^*_{dex361M}$						rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25					
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33					
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42					
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49					
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58					
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66					
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75					
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83					
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92					
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100					
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109				
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	1.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117				
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	1.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127				
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	1.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135				
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	1.0	0.41	84.1	-76.8	54.3	94.1	144						
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152					
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	162					
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	1.0	0.0	0.778	85.5	-60.6	12.2	61.9	168					
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	1.0	0.0	0.847	85.9	-56.4	4.0	56.7	175					
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	1.0	0.0	0.9	86.2	-53.2	-2.0	53.3	182					
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	1.0	0.0	0.952	86.6	-49.8	-8.3	50.6	189					
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	1.0	0.0	0.997	86.9	-46.3	-13.2	48.3	195					
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	1.0	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203				
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	1.0	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209				
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216				
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223				
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230				
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237				
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244				
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250				
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	1.0	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258				
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264				
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271				
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278				
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285				
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	1.0	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292				
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300				
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	1.0	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306				
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	1.0	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314				
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	1.0	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321				
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328					
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335					
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342					
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349					
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352					
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359					
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368					
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376					
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385					

1-103430-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 5/29

TUB-test chart RE11; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

TUB registration: 20130201-RE11/RE11L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0	0.0	0.0
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017	0.0	0.0
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033	0.0	0.0
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05	0.0	0.0
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.067	0.0	0.0
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083	0.0	0.0
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1	0.0	0.0
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.117	0.0	0.0
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133	0.0	0.0
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15	0.0	0.0
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.167	0.0	0.0
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183	0.0	0.0
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2	0.0	0.0
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.217	0.0	0.0
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233	0.0	0.0
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25	0.0	0.0
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.267	0.0	0.0
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283	0.0	0.0
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3	0.0	0.0
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.317	0.0	0.0
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333	0.0	0.0
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35	0.0	0.0
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.367	0.0	0.0
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383	0.0	0.0
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4	0.0	0.0
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.417	0.0	0.0
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433	0.0	0.0
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45	0.0	0.0
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.467	0.0	0.0
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483	0.0	0.0
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5	0.0	0.0
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.517	0.0	0.0
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533	0.0	0.0
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55	0.0	0.0
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.567	0.0	0.0
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583	0.0	0.0
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6	0.0	0.0
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.617	0.0	0.0
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633	0.0	0.0
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65	0.0	0.0
75	70	70	1.0	0.666	0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.667	0.0	0.0
76	71	71	1.0	0.683	0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683	0.0	0.0
78	72	72	1.0	0.7	0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7	0.0	0.0
79	73	73	1.0	0.716	0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.717	0.0	0.0
81	74	74	1.0	0.733	0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733	0.0	0.0
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75	0.0	0.0

1-103530-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 6/29

TUB-test chart RE11; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

TUB registration: 20130201-RE11/RE11L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

The angles of the three colours (red, green, blue) in the primary colour space (x=LabCh)										The angles of the elementary colours (red, green, blue) in the primary colour space (x=LabCh)										The angles of the three colours (red, green, blue) in the primary colour space (x=LabCh)										The angles of the elementary colours (red, green, blue) in the primary colour space (x=LabCh)									
Lab,d	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{dd361M}	LAB* _{dd361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dd361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dd361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	LAB* _{dd361Mi}	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)										
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0							
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.677	0.0	73.1	19.3	77.4	79.8	76	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.767	0.0							
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.688	0.0	73.7	18.0	77.8	79.9	77	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0							
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.698	0.0	74.3	16.6	78.2	80.0	78	1.0	0.8	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0							
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.708	0.0	74.9	15.3	78.6	80.1	79	1.0	0.817	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0							
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.719	0.0	75.5	13.9	78.9	80.1	80	1.0	0.833	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0							
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.729	0.0	76.1	12.6	79.2	80.2	81	1.0	0.85	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0							
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.867	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0							
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.75	0.0	77.3	9.8	79.8	80.4	83	1.0	0.883	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0							
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.762	0.0	78.0	8.5	80.4	80.9	84	1.0	0.9	0.0	1.0	0.78	0.0	79.1	6.2	81.4	81.6	85	1.0	0.9	0.0							
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.773	0.0	78.7	7.1	81.0	81.3	85	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.7	82.0	82.1	86	1.0	0.917	0.0							
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.785	0.0	79.3	5.7	81.6	81.8	86	1.0	0.933	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0							
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.796	0.0	80.0	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0							
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.808	0.0	80.7	2.9	82.6	82.7	88	1.0	0.967	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0							
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.819	0.0	81.4	1.5	83.1	83.1	89	1.0	0.983	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0							
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	Y _d	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	Y _s	1.0	1.0	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	Y _e	1.0	1.0	0.0				
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.842	0.0	82.8	-1.4	84.0	84.0	91	0.983	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0							
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.853	0.0	83.5	-2.8	84.4	84.4	92	0.967	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0							
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.865	0.0	84.2	-4.3	84.8	84.9	93	0.95	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0							
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.877	0.0	84.9	-5.9	85.2	85.4	94	0.933	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0							
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.891	0.0	85.8	-7.4	85.9	86.3	95	0.917	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0							
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.904	0.0	86.7	-9.0	86.6	87.1	96	0.9	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0							
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	0.883	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0							
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.932	0.0	88.4	-12.3	88.0	88.9	98	0.867	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0							
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.946	0.0	89.3	-13.9	88.6	89.7	99	0.85	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0							
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.96	0.0	90.2	-15.6	89.2	90.6	100	0.833	1.0	0.0	1.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0						
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.974	0.0	91.0	-17.4	89.8	91.5	101	0.817	1.0	0.0	1.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0						
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.988	0.0	91.9	-19.1	90.3	92.3	102	0.8	1.0	0.0	1.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0						
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	1.0	0.926	1.0	0.0	91.3	-28.0	89.4	93.7	107	0.783	1.0	0.0						
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	1.0	0.907	1.0	0.0	91.0	-29.9	89.0	93.9	108	0.767	1.0	0.0						
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	1.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	0.75	1.0	0.0						
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	1.0	0.868	1.0	0.0	90.3	-33.6	88.0	94.3	110	0.733	1.0	0.0						
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	1.0	0.848	1.0	0.0	90.0	-35.6	87.8	94.7	112	0.717	1.0	0.0						
120	108	113	0.7	1.0	0.0	87.9	-49.2																																

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi} (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*														
128	120	127	0.5	1.0	0.0	85.7 -65.2 82.4	105.1 128	0.7	1.0	0.0	87.9 -49.1 85.3	98.4 120	0.5	1.0	0.0	0.529 1.0	0.0	86.0	-62.9 82.9	104.1 127	0.5	1.0	0.0		
128	121	128	0.483	1.0	0.0	85.5 -66.2 82.3	105.6 128	0.68	1.0	0.0	87.7 -50.9 84.9	99.1 121	0.483	1.0	0.0	0.498 1.0	0.0	85.7	-65.3 82.4	105.2 128	0.483	1.0	0.0		
129	122	129	0.466	1.0	0.0	85.4 -67.2 82.1	106.1 129	0.659	1.0	0.0	87.4 -52.8 84.6	99.7 122	0.467	1.0	0.0	0.456 1.0	0.0	85.4	-67.8 82.1	106.5 129	0.467	1.0	0.0		
129	123	130	0.45	1.0	0.0	85.3 -68.2 82.0	106.7 129	0.638	1.0	0.0	87.1 -54.6 84.2	100.4 123	0.45	1.0	0.0	0.414 1.0	0.0	85.1	-70.3 81.7	107.9 130	0.45	1.0	0.0		
130	124	131	0.433	1.0	0.0	85.2 -69.2 81.8	107.2 130	0.615	1.0	0.0	86.9 -56.5 83.9	101.1 124	0.433	1.0	0.0	0.372 1.0	0.0	84.7	-72.9 81.3	109.2 131	0.433	1.0	0.0		
130	125	133	0.416	1.0	0.0	85.0 -70.2 81.7	107.8 130	0.589	1.0	0.0	86.6 -58.4 83.6	102.1 125	0.417	1.0	0.0	0.309 1.0	0.0	84.4	-75.6 80.9	110.8 133	0.417	1.0	0.0		
131	126	134	0.4	1.0	0.0	84.9 -71.3 81.5	108.3 131	0.562	1.0	0.0	86.3 -60.4 83.3	103.0 126	0.4	1.0	0.0	0.244 1.0	0.0	84.1	-78.3 80.5	112.4 134	0.4	1.0	0.0		
131	127	135	0.383	1.0	0.0	84.8 -72.3 81.3	108.8 131	0.536	1.0	0.0	86.1 -62.4 83.0	103.9 127	0.383	1.0	0.0	0.132 1.0	0.0	83.8	-81.2 80.1	114.1 135	0.383	1.0	0.0		
132	128	136	0.366	1.0	0.0	84.7 -73.2 81.2	109.3 132	0.51	1.0	0.0	85.8 -64.4 82.6	104.8 128	0.367	1.0	0.0	0.0	1.0	0.073 83.7	-82.3 78.0	113.5 136	0.367	1.0	0.0		
132	129	137	0.35	1.0	0.0	84.6 -73.9 81.1	109.7 132	0.477	1.0	0.0	85.5 -66.5 82.3	105.8 129	0.35	1.0	0.0	0.0	1.0	0.165 83.7	-81.6 74.2	110.4 137	0.35	1.0	0.0		
132	130	138	0.333	1.0	0.0	84.5 -74.6 81.0	110.1 132	0.442	1.0	0.0	85.3 -68.7 82.0	107.0 130	0.333	1.0	0.0	0.0	1.0	0.227 83.8	-80.8 70.5	107.3 138	0.333	1.0	0.0		
132	131	140	0.316	1.0	0.0	84.4 -75.3 80.9	110.6 132	0.406	1.0	0.0	85.0 -70.9 81.6	108.1 131	0.317	1.0	0.0	0.0	1.0	0.273 83.8	-80.0 67.0	104.5 140	0.317	1.0	0.0		
133	132	141	0.3	1.0	0.0	84.3 -76.0 80.8	111.0 133	0.368	1.0	0.0	84.7 -73.1 81.2	109.3 132	0.3	1.0	0.0	0.0	1.0	0.311 83.9	-79.3 63.7	101.8 141	0.3	1.0	0.0		
133	133	142	0.283	1.0	0.0	84.2 -76.8 80.7	111.4 133	0.314	1.0	0.0	84.5 -75.4 80.9	110.7 133	0.283	1.0	0.0	0.0	1.0	0.349 84.0	-78.4 60.4	99.0 142	0.283	1.0	0.0		
133	134	143	0.266	1.0	0.0	84.2 -77.5 80.6	111.8 133	0.261	1.0	0.0	84.2 -77.7 80.6	112.0 134	0.267	1.0	0.0	0.0	1.0	0.383 84.0	-77.5 57.3	96.4 143	0.267	1.0	0.0		
134	135	144	0.25	1.0	0.0	84.1 -78.2 80.5	112.2 134	0.173	1.0	0.0	83.9 -80.2 80.3	113.5 135	0.25	1.0	0.0	0.0	1.0	0.41	84.1	-76.8 54.3	94.1 144	0.25	1.0	0.0	
134	136	145	0.233	1.0	0.0	84.0 -78.7 80.4	112.5 134	0.004	1.0	0.0	83.6 -82.6 79.9	115.0 136	0.233	1.0	0.0	0.0	1.0	0.437 84.2	-75.9 51.5	91.8 145	0.233	1.0	0.0		
134	137	147	0.216	1.0	0.0	84.0 -79.1 80.4	112.8 134	0.0	1.0	0.125 83.7	-82.1 76.6	112.3 137	0.217	1.0	0.0	0.0	1.0	0.464 84.2	-75.0 48.7	89.5 147	0.217	1.0	0.0		
134	138	148	0.2	1.0	0.0	83.9 -79.5 80.3	113.0 134	0.0	1.0	0.178 83.7	-81.4 73.4	109.7 138	0.2	1.0	0.0	0.0	1.0	0.491 84.3	-74.1 45.9	87.2 148	0.2	1.0	0.0		
134	139	149	0.183	1.0	0.0	83.9 -79.9 80.2	113.3 134	0.0	1.0	0.231 83.8	-80.7 70.3	107.1 139	0.183	1.0	0.0	0.0	1.0	0.513 84.4	-73.3 43.4	85.2 149	0.183	1.0	0.0		
135	140	150	0.166	1.0	0.0	83.8 -80.4 80.2	113.5 135	0.0	1.0	0.271 83.8	-80.1 67.3	104.7 140	0.167	1.0	0.0	0.0	1.0	0.533 84.5	-72.5 41.0	83.4 150	0.167	1.0	0.0		
135	141	151	0.15	1.0	0.0	83.8 -80.8 80.1	113.8 135	0.0	1.0	0.303 83.9	-79.4 64.4	102.3 141	0.15	1.0	0.0	0.0	1.0	0.553 84.5	-71.7 38.6	81.6 151	0.15	1.0	0.0		
135	142	152	0.133	1.0	0.0	83.7 -81.2 80.1	114.1 135	0.0	1.0	0.335 83.9	-78.7 61.6	100.0 142	0.133	1.0	0.0	0.0	1.0	0.573 84.6	-70.9 36.3	79.8 152	0.133	1.0	0.0		
135	143	154	0.116	1.0	0.0	83.7 -81.5 80.0	114.2 135	0.0	1.0	0.368 84.0	-77.9 58.8	97.7 143	0.117	1.0	0.0	0.0	1.0	0.593 84.7	-70.0 34.1	77.9 154	0.117	1.0	0.0		
135	144	155	0.1	1.0	0.0	83.7 -81.7 80.0	114.4 135	0.0	1.0	0.393 84.1	-77.3 56.2	95.6 144	0.1	1.0	0.0	0.0	1.0	0.614 84.7	-69.0 31.9	76.1 155	0.1	1.0	0.0		
135	145	156	0.083	1.0	0.0	83.7 -81.9 80.0	114.5 135	0.0	1.0	0.416 84.1	-76.6 53.7	93.6 145	0.083	1.0	0.0	0.0	1.0	0.631 84.8	-68.2 29.8	74.5 156	0.083	1.0	0.0		
135	146	157	0.066	1.0	0.0	83.7 -82.0 79.9	114.6 135	0.0	1.0	0.439 84.2	-75.9 51.3	91.7 146	0.067	1.0	0.0	0.0	1.0	0.646 84.9	-67.5 27.9	73.2 157	0.067	1.0	0.0		
135	147	158	0.049	1.0	0.0	83.6 -82.2 79.9	114.7 135	0.0	1.0	0.462 84.2	-75.1 48.8	89.7 147	0.05	1.0	0.0	0.0	1.0	0.661 85.0	-66.9 26.1	71.9 158	0.05	1.0	0.0		
135	148	159	0.033	1.0	0.0	83.6 -82.4 79.9	114.8 135	0.0	1.0	0.485 84.3	-74.3 46.5	87.7 148	0.033	1.0	0.0	0.0	1.0	0.676 85.0	-66.2 24.3	70.6 159	0.033	1.0	0.0		
135	149	161	0.016	1.0	0.0	83.6 -82.6 79.9	114.9 135	0.0	1.0	0.506 84.4	-73.5 44.2	85.9 149	0.017	1.0	0.0	0.0	1.0	0.691 85.1	-65.4 22.5	69.2 161	0.017	1.0	0.0		
136	150	162	0.0	1.0	0.0	83.6 -82.7 79.8	115.0 136	G_d 0.0	1.0	0.523 84.4	-72.9 42.1	84.3 150	G_s 0.0	1.0	0.0	0.0	1.0	0.706 85.2	-64.6 20.7	67.9 162	G_e 0.0	1.0	0.0		
136	151	163	0.0	1.0	0.016 83.6	-82.7 79.4	114.6 136	0.0	1.0	0.541 84.5	-72.3 40.1	82.7 151	0.0	1.0	0.017	0.0	1.0	0.718 85.2	-63.9 19.4	66.9 163	0.0	1.0	0.017		
136	152	164	0.0	1.0	0.033 83.6	-82.6 79.0	114.3 136	0.0	1.0	0.558 84.5	-71.6 38.1	81.2 152	0.0	1.0	0.033	0.0	1.0	0.73	85.3	-63.2 18.1	65.9 164	0.0	1.0	0.033	
136	153	164	0.0	1.0	0.05	83.6	-82.5 78.5	113.9 136	0.0	1.0	0.575 84.6	-70.8 36.1	79.6 153	0.0	1.0	0.05	0.0	1.0	0.741 85.3	-62.5 16.8	64.8 164	0.0	1.0	0.05	
136	154	165	0.0	1.0	0.066 83.6	-82.4 78.1	113.5 136	0.0	1.0	0.592 84.7	-70.0 34.2	78.0 154	0.0	1.0	0.067	0.0	1.0	0.752 85.4	-61.9 15.6	63.9 165	0.0	1.0	0.067		
136	155	166	0.0	1.0	0.083 83.6	-82.3 77.6	113.2 136	0.0	1.0	0.61	84.7	-69.2 32.3	76.5 155	0.0	1.0	0.083	0.0	1.0	0.761 85.4	-61.5 14.5	63.2 166	0.0	1.0	0.083	
136	156	167	0.0	1.0	0.1	83.6	-82.2 77.2	112.8 136	0.0	1.0	0.626 84.8	-68.4 30.5	74.9 156	0.0	1.0	0.1	0.0	1.0	0.77	85.5	-61.1 13.3	62.6 167	0.0	1.0	0.1
136	157	168	0.0	1.0	0.116 83.6	-82.1 76.8	112.5 136	0.0	1.0	0.639 84.9	-67.8 28.8	73.8 157	0.0	1.0	0.117	0.0	1.0	0.778 85.5	-60.6 12.2	61.9 168	0.0	1.0	0.117		

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																		
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}	LAB^*_{d361Mi}
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267	83.8	-80.2	67.6	104.9	139
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317	83.9	-79.2	63.1	101.3	141
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367	84.0	-78.0	58.8	97.7	142
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417	84.1	-76.6	53.6	93.5	145
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467	84.2	-75.0	48.3	89.2	147
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517	84.4	-73.2	42.9	84.8	149
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567	84.5	-71.2	37.0	80.3	152
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617	84.7	-68.9	31.5	75.8	155
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667	84.9	-66.7	25.4	71.3	159
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717	85.2	-64.0	19.5	67.0	163
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767	85.4	-61.2	13.7	62.8	167
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817	85.7	-58.5	7.5	59.0	172
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867	86.0	-55.1	1.9	55.2	177
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917	86.3	-52.2	-4.2	52.4	184
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967	86.6	-48.8	-10.1	49.8	191
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196

1-103830-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

TUB-test chart RE11; hue code: $H^*_d=B00R_d$
48 step hue circles; $rgb-LabCh^*$ tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

Output: sRGB standard device; no separation, D65, page 9/29

TUB registration: 20130201-RE11/RE11L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{d361Mi}(x=LabCh)$				C_d	$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mi}(x=LabCh)$				C_s	$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$				C_e	$rgb^*_{dd361Mi}$			rgb^*_d	rgb^*_s	rgb^*_e
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210	0.0	1.0	1.0	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216	0.0	1.0	1.0			
199	211	217	0.0	0.983	1.0	85.6	-44.6	-15.8	47.3	199	0.0	0.922	1.0	81.3	-38.0	-22.8	44.4	211	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6	-26.1	42.7	217	0.0	0.983	1.0			
202	212	218	0.0	0.966	1.0	84.5	-42.9	-17.9	46.5	202	0.0	0.917	1.0	81.0	-37.3	-23.3	44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0	-26.5	42.4	218	0.0	0.967	1.0			
205	213	219	0.0	0.95	1.0	83.3	-41.1	-19.8	45.7	205	0.0	0.911	1.0	80.6	-36.7	-23.8	43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3	-26.9	42.2	219	0.0	0.95	1.0			
208	214	220	0.0	0.933	1.0	82.1	-39.3	-21.7	44.9	208	0.0	0.906	1.0	80.2	-36.1	-24.3	43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9	-27.4	42.2	220	0.0	0.933	1.0			
212	215	221	0.0	0.916	1.0	80.9	-37.4	-23.4	44.1	212	0.0	0.901	1.0	79.8	-35.4	-24.8	43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5	-27.9	42.3	221	0.0	0.917	1.0			
215	216	222	0.0	0.9	1.0	79.7	-35.4	-24.9	43.3	215	0.0	0.895	1.0	79.5	-34.8	-25.3	43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1	-28.5	42.3	222	0.0	0.9	1.0			
218	217	223	0.0	0.883	1.0	78.5	-33.4	-26.3	42.5	218	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223	0.0	0.883	1.0			
221	218	224	0.0	0.866	1.0	77.4	-31.5	-28.1	42.2	221	0.0	0.885	1.0	78.7	-33.5	-26.1	42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3	-29.6	42.5	224	0.0	0.867	1.0			
225	219	225	0.0	0.85	1.0	76.2	-29.9	-30.2	42.5	225	0.0	0.879	1.0	78.3	-32.8	-26.6	42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9	-30.1	42.6	225	0.0	0.85	1.0			
228	220	226	0.0	0.833	1.0	75.0	-28.1	-32.3	42.8	228	0.0	0.874	1.0	77.9	-32.2	-27.0	42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4	-30.6	42.6	226	0.0	0.833	1.0			
232	221	227	0.0	0.816	1.0	73.8	-26.1	-34.2	43.1	232	0.0	0.87	1.0	77.6	-31.8	-27.6	42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.817	1.0			
236	222	227	0.0	0.8	1.0	72.6	-24.0	-36.0	43.3	236	0.0	0.865	1.0	77.3	-31.3	-28.2	42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5	-31.6	42.8	227	0.0	0.8	1.0			
239	223	228	0.0	0.783	1.0	71.4	-21.8	-37.7	43.6	239	0.0	0.861	1.0	77.0	-30.9	-28.8	42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1	-32.1	42.8	228	0.0	0.783	1.0			
243	224	229	0.0	0.766	1.0	70.2	-19.5	-39.3	43.9	243	0.0	0.856	1.0	76.7	-30.4	-29.4	42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6	-32.6	42.9	229	0.0	0.767	1.0			
247	225	230	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230	0.0	0.75	1.0			
250	226	231	0.0	0.733	1.0	67.9	-15.3	-42.9	45.5	250	0.0	0.847	1.0	76.0	-29.5	-30.6	42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6	-33.6	43.0	231	0.0	0.733	1.0			
253	227	232	0.0	0.716	1.0	66.7	-13.5	-44.9	46.9	253	0.0	0.842	1.0	75.7	-29.0	-31.1	42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1	-34.1	43.1	232	0.0	0.717	1.0			
256	228	233	0.0	0.7	1.0	65.5	-11.4	-46.9	48.3	256	0.0	0.838	1.0	75.4	-28.5	-31.7	42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6	-34.6	43.2	233	0.0	0.7	1.0			
259	229	234	0.0	0.683	1.0	64.4	-9.2	-48.8	49.7	259	0.0	0.833	1.0	75.0	-28.0	-32.2	42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1	-35.0	43.2	234	0.0	0.683	1.0			
262	230	235	0.0	0.666	1.0	63.2	-6.8	-50.6	51.1	262	0.0	0.829	1.0	74.7	-27.5	-32.8	42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6	-35.5	43.3	235	0.0	0.667	1.0			
265	231	236	0.0	0.65	1.0	62.0	-4.2	-52.3	52.5	265	0.0	0.824	1.0	74.4	-26.9	-33.3	43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1	-35.9	43.4	236	0.0	0.65	1.0			
268	232	237	0.0	0.633	1.0	60.9	-1.5	-53.9	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237	0.0	0.633	1.0			
270	233	237	0.0	0.616	1.0	59.7	0.8	-55.6	55.7	270	0.0	0.815	1.0	73.7	-25.9	-34.3	43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	237	0.0	0.617	1.0			
272	234	238	0.0	0.6	1.0	58.6	2.9	-57.7	57.8	272	0.0	0.81	1.0	73.4	-25.3	-34.9	43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4	-37.2	43.6	238	0.0	0.6	1.0			
274	235	239	0.0	0.583	1.0	57.4	5.1	-59.7	59.9	274	0.0	0.806	1.0	73.1	-24.7	-35.4	43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8	-37.6	43.6	239	0.0	0.583	1.0			
276	236	240	0.0	0.566	1.0	56.3	7.4	-61.6	62.1	276	0.0	0.801	1.0	72.8	-24.1	-35.8	43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3	-38.0	43.7	240	0.0	0.567	1.0			
278	237	241	0.0	0.55	1.0	55.2	10.0	-63.5	64.2	278	0.0	0.797	1.0	72.4	-23.6	-36.3	43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7	-38.4	43.8	241	0.0	0.55	1.0			
280	238	242	0.0	0.533	1.0	54.0	12.6	-65.2	66.4	280	0.0	0.792	1.0	72.1	-23.0	-36.8	43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1	-38.8	43.8	242	0.0	0.533	1.0			
283	239	243	0.0	0.516	1.0	52.9	15.4	-66.8	68.5	283	0.0	0.788	1.0	71.8	-22.3	-37.2	43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5	-39.2	43.9	243	0.0	0.517	1.0			
285	240	244	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244	0.0	0.5	1.0			
286	241	245	0.0	0.483	1.0	50.7	20.6	-70.2	73.2	286	0.0	0.779	1.0	71.1	-21.1	-38.1	43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3	-39.9	44.0	245	0.0	0.483	1.0			
287	242	246	0.0	0.466	1.0	49.6	22.9	-72.1	75.7	287	0.0	0.774	1.0	70.8	-20.5	-38.6	43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7	-40.2	44.1	246	0.0	0.467	1.0			
288	243	247	0.0	0.45	1.0	48.6	25.4	-74.0	78.2	288	0.0	0.769	1.0	70.5	-19.8	-39.0	43.9	243	0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1	-40.6	44.2	247	0.0	0.45	1.0			
290	244	248	0.0	0.433	1.0	47.5	28.0	-75.7	80.7	290	0.0	0.765	1.0	70.2	-19.2	-39.4	43.9	244	0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.433	1.0			
291	245	248	0.0	0.416	1.0	46.5	30.6	-77.4	83.2	291	0.0	0.76	1.0	69.8	-18.5	-39.8	44.0	245	0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1	-41.8	45.0	248	0.0	0.417	1.0			
292	246	249	0.0	0.4	1.0	45.4	33.3	-79.0	85.7	292	0.0	0.756	1.0	69.5	-17.8	-40.2	44.1	246	0.0	0.4	1.0	0.0	0.736	1.0	68.1	-15.5	-42.5	45.4	249	0.0	0.4	1.0			
294	247	250	0.0	0.383	1.0	44.3	36.2	-80.5	88.2	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247	0.0	0.383	1.0	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250	0.0	0.383	1.0			
295	248	251	0.0	0.366	1.0	43.4	38.7	-82.0	90.7	295	0.0	0.746	1.0	68.8	-16.6	-41.2	44.5	248	0.0	0.367	1.0	0.0	0.726	1.0	67.4	-14.4	-43.8	46.2	251	0.0	0.367	1.0			
296	249	252	0.0	0.35	1.0	42.5	41.0	-83.6	93.2	296	0.0	0.74	1.0	68.4	-16.0	-41.9	45.0	249	0.0	0.35	1.0	0.0	0.721	1.0	67.0	-13.9	-44.4	46.6	252	0.0	0.35	1.0			
296	250	253	0.0	0.333	1.0	41.6	43.4	-85.2	95.6																										

1-103930-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 10/29

TUB-test chart RE11; hue code: $H^*_d=B00R_d$
48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _s : h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM _d : h _{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																														
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd361M	LAB* dxx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																														
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25	1.0	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0			
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702	1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0			
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696	1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.217	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217	1.0			
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691	1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0			
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685	1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0			
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679	1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.167	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167	1.0			
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674	1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0			
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0			
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663	1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.117	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117	1.0			
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	122.2	305	0.0	0.657	1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0			
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652	1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0			
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646	1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.067	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067	1.0			
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641	1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.05	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05	1.0			
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635	1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0			
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.017	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017	1.0			
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0	1.0			
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615	1.0	59.7	1.0	-55.7	55.9	271	0.0	0.017	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.0	0.017	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.0	0.017	0.0	1.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607	1.0	59.1	2.0	-56.8	56.9	272	0.0	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.0	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.0	0.033	0.0	1.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599	1.0	58.5	3.0	-57.8	58.0	273	0.0	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.0	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.0	0.05	0.0	1.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591	1.0	58.0	4.1	-58.8	59.0	274	0.0	0.067	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.0	0.067	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.0	0.067	0.0	1.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583	1.0	57.4	5.2	-59.8	60.1	275	0.0	0.083	0.0	1.0	0.0	0.567	1.0	56.6	7.0	-61.2	61.7	276	0.0	0.083	0.0	1.0	0.0	0.567	1.0	56.6	7.0	-61.2	61.7	276	0.0	0.083	0.0	1.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574	1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0			
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.117	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0	1.0			
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558	1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0			
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55	1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0			
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541	1.0	54.6	11.4	-64.3	65.4	280	0.167	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0	1.0			
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533	1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0			
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525	1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0			
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517	1.0	52.9	15.4	-66.7	68.6	283	0.217	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0	1.0			
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508	1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0			
307																																														

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{dsx361Mi}$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$																								
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0			
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0			
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0			
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0			
313	304	303	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0			
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0			
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0			
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0			
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0			
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0			
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0			
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0			
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0			
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0			
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0			
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0			
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0			
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0			
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0			
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0			
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0			
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0			
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0			
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0			
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0			
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0			
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0			
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0			
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0			
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0			
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M_d	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M_s	1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M_e	1.0	0.0	1.0
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983			
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967			
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95			
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933			
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917			
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	98.1	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9			
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883			
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.8	99.8	334	1.0	0.0	0.811	54.9	88.8	-35.8	95.8	338	1.0	0.0	0.867	1.0	0.0	0.84	55.2	89.6	-39.4	97.9	336	1.0	0.0	0.867			
335	339	337	1.0	0.0	0.85	55.3	89.8	-40.7	98.6	335	1.0	0.0	0.794	54.7	88.3	-33.8	94.6	339	1.0	0.0	0.85	1.0	0.0	0.825	55.1	89.2	-37.5	96.8	337	1.0	0.0	0.85			
336	340	33																																	

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM_s*: *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours *RYGBM_d*: *h_{ab,d}* = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours *RYGBM_e*: *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*</i> <i>dd361M</i>	<i>LAB*</i> <i>ddx361Mi</i> (x=LabCh)	<i>rgb*</i> <i>ds361Mi</i>	<i>LAB*</i> <i>dsx361Mi</i> (x=LabCh)	<i>rgb*</i> <i>dd361Mi</i>	<i>LAB*</i> <i>de361Mi</i>	<i>dex361Mi</i> (x=LabCh)	<i>rgb*</i> <i>dd361Mi</i>	<i>rgb*</i> <i>dd361Mi</i>	<i>rgb*</i> <i>ds361Mi</i>	<i>rgb*</i> <i>ds361Mi</i>
341	345	342	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341	1.0	0.0	0.75
342	346	343	1.0	0.0	0.733	54.0	86.5	-26.4	90.4	342	1.0	0.0	0.733
344	347	344	1.0	0.0	0.716	53.8	86.2	-24.2	89.5	344	1.0	0.0	0.717
345	348	345	1.0	0.0	0.7	53.7	85.8	-22.0	88.6	345	1.0	0.0	0.7
346	349	346	1.0	0.0	0.683	53.5	85.4	-19.9	87.7	346	1.0	0.0	0.683
348	350	347	1.0	0.0	0.666	53.4	85.0	-17.8	86.8	348	1.0	0.0	0.667
349	351	348	1.0	0.0	0.65	53.2	84.5	-15.7	85.9	349	1.0	0.0	0.65
350	352	349	1.0	0.0	0.633	53.0	83.9	-13.6	85.0	350	1.0	0.0	0.633
352	353	350	1.0	0.0	0.616	52.9	83.6	-11.4	84.3	352	1.0	0.0	0.617
353	354	351	1.0	0.0	0.6	52.8	83.4	-9.1	83.9	353	1.0	0.0	0.6
355	355	352	1.0	0.0	0.583	52.7	83.2	-6.9	83.5	355	1.0	0.0	0.583
356	356	353	1.0	0.0	0.566	52.5	82.9	-4.6	83.0	356	1.0	0.0	0.567
358	357	354	1.0	0.0	0.55	52.4	82.5	-2.4	82.6	358	1.0	0.0	0.55
359	358	355	1.0	0.0	0.533	52.3	82.1	-0.1	82.1	359	1.0	0.0	0.533
361	359	356	1.0	0.0	0.516	52.1	81.6	2.0	81.7	361	1.0	0.0	0.517
362	360	352	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362	1.0	0.0	0.5
364	361	353	1.0	0.0	0.483	51.9	81.1	6.5	81.3	364	1.0	0.0	0.483
366	362	354	1.0	0.0	0.466	51.8	81.0	8.8	81.5	366	1.0	0.0	0.467
367	363	355	1.0	0.0	0.45	51.7	80.8	11.1	81.6	367	1.0	0.0	0.45
369	364	356	1.0	0.0	0.433	51.6	80.6	13.5	81.7	369	1.0	0.0	0.433
371	365	357	1.0	0.0	0.416	51.5	80.3	15.8	81.8	371	1.0	0.0	0.417
372	366	358	1.0	0.0	0.4	51.4	79.9	18.1	81.9	372	1.0	0.0	0.4
374	367	359	1.0	0.0	0.383	51.4	79.5	20.4	82.1	374	1.0	0.0	0.383
376	368	360	1.0	0.0	0.366	51.3	79.3	22.7	82.5	376	1.0	0.0	0.367
377	369	362	1.0	0.0	0.35	51.2	79.3	25.1	83.2	377	1.0	0.0	0.35
379	370	363	1.0	0.0	0.333	51.1	79.2	27.4	83.8	379	1.0	0.0	0.333
380	371	364	1.0	0.0	0.316	51.1	79.1	29.7	84.5	380	1.0	0.0	0.317
382	372	365	1.0	0.0	0.3	51.0	78.9	32.1	85.2	382	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	51.0	78.7	34.4	85.9	383	1.0	0.0	0.283
385	374	367	1.0	0.0	0.266	50.9	78.3	36.8	86.6	385	1.0	0.0	0.267
386	375	368	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386	1.0	0.0	0.25
387	376	369	1.0	0.0	0.233	50.8	78.0	41.2	88.2	387	1.0	0.0	0.233
389	377	370	1.0	0.0	0.216	50.8	78.0	43.3	89.2	389	1.0	0.0	0.217
390	378	372	1.0	0.0	0.2	50.7	78.0	45.4	90.2	390	1.0	0.0	0.2
391	379	373	1.0	0.0	0.183	50.7	77.9	47.5	91.2	391	1.0	0.0	0.183
392	380	374	1.0	0.0	0.166	50.6	77.8	49.6	92.2	392	1.0	0.0	0.167
393	381	375	1.0	0.0	0.15	50.6	77.6	51.7	93.3	393	1.0	0.0	0.15
394	382	376	1.0	0.0	0.133	50.6	77.3	53.9	94.3	394	1.0	0.0	0.133
395	383	377	1.0	0.0	0.116	50.5	77.2	55.6	95.1	395	1.0	0.0	0.117
396	384	378	1.0	0.0	0.1	50.5	77.2	56.8	95.9	396	1.0	0.0	0.1
396	385	379	1.0	0.0	0.083	50.5	77.2	58.1	96.6	396	1.0	0.0	0.083
397	386	381	1.0	0.0	0.066	50.5	77.2	59.4	97.4	397	1.0	0.0	0.067
398	387	382	1.0	0.0	0.049	50.5	77.1	60.6	98.1	398	1.0	0.0	0.05
398	388	383	1.0	0.0	0.033	50.5	77.1	61.9	98.9	398	1.0	0.0	0.033
399	389	384	1.0	0.0	0.016	50.5	77.0	63.2	99.6	399	1.0	0.0	0.017
400	390	385	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400	1.0	0.0	0.0

1-1031230-L0 RE110-72 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0


Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart RE11; hue code: H*_d=B00R_d
48 step hue circles; *rgb-LabCh**tables

input: *rgb/cmyk* -> *rgb_{dd}*
output: 3D-linearization to *rgb*_{dd}*

TUB registration: 20130201-RE11/RE11L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta




TUB material: code=rha4ta

input: *rgb/cmyk* $\rightarrow$ *rgb*_{dd}
output: 3D-linearization to *rgb*^{*}_{dd}

Mean color difference of this page:

 $\Delta E^* = 0.8$

-see similar files: <http://130.149.60.45/~farbmatrik/RE11/RE11.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>




TUB material: code=rha4ta

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

	1.0	1.0	0.5.0	0.4.0	10.1	50.1	150.2	Mean color difference of this page:	
0.493	1.0	0.333	0.667	0.493	1.0	0.333	0.667		

 $\Delta E^* = 0.6$ $\Delta E^* = 0.6$



TUB material: code=rha4ta

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *rgb^{*}_{dd}*

[illegible]


see similar files: <http://130.149.60.45/~farbmatrik/RE11/RE11.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB-test chart RE11; hue code: H_d^{*}=B00R_d^{*}
colors and differences, ΔE^*

input: *rgb/cmyk* -> *rgb*_{dd}
output: 3D-linearization to *rgb*^{*}_{dd}

DE110-7N Page 20/20-E

n	HIC ^o -Tad	rgb ^o -Tad	icd ^o -Tad	h3 ^o -Tad	rgb ^o -Tad	LabCh ^o -Tad	LabCh ^o -Tad	DE ^o -Tad/h3axial	rgb ^o -Tad	LabCh ^o -Tad	LabCh ^o -Tad																			
486	ROY1_075_075 ^o Tad	0.75	0.0	0.0	0.0	37.8	57.7	48.4	75.3	37.6	58.1	48.7	75.8	39.9	0.6	389	1.0	0.0	50.4	76.9	64.5	100.4								
487	R35Y_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.112	37.8	58.2	38.8	69.9	33.6	0.732	0.085	0.016	0.7	58.7	38.5	70.2	33.2	0.6	382	1.0	0.0	50.6	77.3	64.5	100.4			
488	R18Y_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.237	38.3	59.3	22.3	63.4	20.6	0.732	0.084	0.021	0.6	37.1	0.6	37.1	0.0	0.316	51.1	79.1	29.7	84.1	100.4					
489	ROY1_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.375	39.0	60.8	3.1	60.9	29.9	0.728	0.092	0.371	38.8	61.3	2.5	61.4	2.4	0.7	360	1.0	0.0	50.5	79.1	29.7	84.1			
490	B65R_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.512	40.1	64.1	-14.9	65.8	346.8	0.733	0.093	0.502	39.9	64.5	-15.5	66.4	346.4	0.7	348	1.0	0.0	0.683	53.5	85.4	-19.9	87.7		
491	B57R_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.637	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
492	B50R_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.745	42.9	70.7	-43.8	88.1	328.0	0.728	0.11	0.725	42.7	70.8	-44.0	88.3	328.1	0.2	330	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
493	B43R_087_087 ^o Tad	0.75	0.0	0.0	0.0	0.875	45.3	78.4	-59.0	98.2	332.3	0.748	0.059	0.86	45.1	78.8	-59.3	98.6	332.0	0.5	322	1.0	0.0	0.886	60.0	1.0	57.2	94.3	-38.4	110.9
494	B38R_100_100 ^o Tad	0.75	0.0	1.0	0.0	1.0	47.9	86.4	-74.0	113.8	319.4	0.765	0.0	1.0	47.9	86.3	-74.0	113.7	319.3	0.1	317	1.0	0.0	0.786	60.0	1.0	47.9	86.4	-74.0	113.8
495	R15Y_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.112	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
496	R11Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
497	R11Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
498	R11Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
499	R11Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
500	B50R_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
501	B50R_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
502	B42R_087_075 ^o Tad	0.75	0.0	0.0	0.0	0.125	48.3	86.9	73.1	41.9	31.4	0.731	0.148	0.032	38.8	54.6	48.2	73.5	42.0	0.5	37	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
503	B36R_100_087 ^o Tad	0.75	0.0	1.0	0.0	0.875	50.3	66.8	-51.4	84.3	328.2	0.736	0.269	0.863	47.1	66.9	-51.6	69.4	328.1	0.2	322	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
504	R31Y_075_075 ^o Tad	0.75	0.0	0.0	0.0	0.227	44.7	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
505	R18Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.229	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
506	ROY1_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
507	R26Y_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
508	ROY1_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
509	B61R_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
510	B50R_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
511	B40R_087_062 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
512	R30Y_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.25	44.8	66.6	100.1	318.3	47.9	0.731	0.252	0.036	42.1	45.3	50.9	68.2	48.3	0.5	48	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
513	R34R_100_075 ^o Tad	0.75	0.0	1.0	0.0	0.75	47.9	86.4	-74.0	113.8	319.4	0.765	0.0	1.0	47.9	86.3	-74.0	113.7	319.3	0.1	317	1.0	0.0	0.786	60.0	1.0	47.9	86.4	-74.0	113.8
514	R38Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.375	40.1	64.1	-14.9	65.8	346.8	0.733	0.093	0.502	39.9	64.5	-15.5	66.4	346.4	0.7	348	1.0	0.0	0.683	53.5	85.4	-19.9	87.7		
515	R23Y_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.512	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
516	R18Y_075_037 ^o Tad	0.75	0.0	0.0	0.0	0.637	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
517	R18Y_075_037 ^o Tad	0.75	0.0	0.0	0.0	0.637	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
518	B65R_075_037 ^o Tad	0.75	0.0	0.0	0.0	0.745	42.9	70.7	-43.8	88.1	328.0	0.728	0.11	0.725	42.7	70.8	-44.0	88.3	328.1	0.2	330	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
519	B38R_087_037 ^o Tad	0.75	0.0	0.0	0.0	0.875	45.3	78.4	-59.0	98.2	332.3	0.748	0.059	0.86	45.1	78.8	-59.3	98.6	332.0	0.5	322	1.0	0.0	0.886	60.0	1.0	57.2	94.3	-38.4	110.9
520	B38R_087_037 ^o Tad	0.75	0.0	0.0	0.0	0.875	45.3	78.4	-59.0	98.2	332.3	0.748	0.059	0.86	45.1	78.8	-59.3	98.6	332.0	0.5	322	1.0	0.0	0.886	60.0	1.0	57.2	94.3	-38.4	110.9
521	B38R_100_062 ^o Tad	0.75	0.0	1.0	0.0	1.0	47.9	86.4	-74.0	113.8	319.4	0.765	0.0	1.0	47.9	86.3	-74.0	113.7	319.3	0.1	317	1.0	0.0	0.786	60.0	1.0	47.9	86.4	-74.0	113.8
522	R68Y_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.512	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
523	R61Y_075_062 ^o Tad	0.75	0.0	0.0	0.0	0.637	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
524	R30Y_075_050 ^o Tad	0.75	0.0	0.0	0.0	0.745	42.9	70.7	-43.8	88.1	328.0	0.728	0.11	0.725	42.7	70.8	-44.0	88.3	328.1	0.2	330	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
525	R31Y_075_037 ^o Tad	0.75	0.0	0.0	0.0	0.875	45.3	78.4	-59.0	98.2	332.3	0.748	0.059	0.86	45.1	78.8	-59.3	98.6	332.0	0.5	322	1.0	0.0	0.886	60.0	1.0	57.2	94.3	-38.4	110.9
526	ROY1_075_025 ^o Tad	0.75	0.0	0.0	0.0	0.637	41.5	67.1	-30.3	73.9	333.3	0.729	0.1	0.618	41.3	67.6	-30.7	74.2	333.5	0.3	337	1.0	0.0	0.085	58.5	89.8	-40.7	98.6		
527	B50R_075_025 ^o Tad	0.75	0.0	0.0	0.0	0.745	42.9	70.7	-43.8	88.1	328.0	0.728	0.11	0.725	42.7	70.8	-44.0	88.3	328.1	0.2	330	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
528	B50R_075_025 ^o Tad	0.75	0.0	0.0	0.0	0.745	42.9	70.7	-43.8	88.1	328.0	0.728	0.11	0.725	42.7	70.8	-44.0	88.3	328.1	0.2	330	1.0	0.0	0.512	94.3	-38.4	110.9	110.9		
529	B34R_100_037 ^o Tad	0.75	0.0	1.0	0.0	1.0	47.9	86.4	-74.0	113.8	319.4	0.765	0.0	1.0	47.9	86.3	-74.0	113.7	319.3	0.1	317	1.0	0							



TUB material: code=rha4ta

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *rgb_{dd}^{*}*

047 0002_1002
1-1032230-F0

[illegible]

see similar files: <http://130.149.60.45/~farbmatrik/RE11/RE11.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>


TUB-test chart RE11; hue code: $H_d^* = B00R_d$
colors and differences. ΔE^*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

http://130.149.60.45/~farbmatrik/RE11/RE11L0FA.TXT /PS; 3D-linearization
F: 3D-linearization RE11/RE11LE30FA.DAT in file (F), page 25/29

[illegible]

Mean color difference of this page:



TUB material: code=rha4ta

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to rgb^*_{dd}

[illegible]

PE110-7N Page 27/29-E

971 NW_000dd

TUB registration: 20130201-RE11/RE11L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE11/RE11.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/RE11/RE11L0FA.TXT> /.PS; 3D-linearization
F: 3D-linearization RE11/RE11L30FA.DAT in file (F), page 29/29

n	HVC_Fid	rgb_Fid	lcr_Fid	hsa_Fid	LabCH*Fid	rgb*Fid	LabCH*Fid	DF*Fid	rgb*Fid	LabCH*Fid
1053	NW_086ad	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	95.4
1054	NW_093ad	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	95.4
1055	NW_100ad	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	95.4
1056	NW_006ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4
1057	NW_006ad	0.066	0.066	0.066	6.2	0.0	0.0	0.0	0.0	95.4
1058	NW_013ad	0.133	0.133	0.133	12.6	0.0	0.0	0.0	0.0	95.4
1059	NW_020ad	0.2	0.2	0.2	19.0	0.0	0.0	0.0	0.0	95.4
1060	NW_026ad	0.266	0.266	0.266	25.3	0.0	0.0	0.0	0.0	95.4
1061	NW_033ad	0.333	0.333	0.333	31.7	0.0	0.0	0.0	0.0	95.4
1062	NW_040ad	0.4	0.4	0.4	38.1	0.0	0.0	0.0	0.0	95.4
1063	NW_046ad	0.466	0.466	0.466	44.4	0.0	0.0	0.0	0.0	95.4
1064	NW_053ad	0.533	0.533	0.533	50.8	0.0	0.0	0.0	0.0	95.4
1065	NW_060ad	0.6	0.6	0.6	57.2	0.0	0.0	0.0	0.0	95.4
1066	NW_066ad	0.666	0.666	0.666	63.5	0.0	0.0	0.0	0.0	95.4
1067	NW_073ad	0.734	0.734	0.734	70.0	0.0	0.0	0.0	0.0	95.4
1068	NW_080ad	0.8	0.8	0.8	76.3	0.0	0.0	0.0	0.0	95.4
1069	NW_086ad	0.866	0.866	0.866	82.6	0.0	0.0	0.0	0.0	95.4
1070	NW_093ad	0.933	0.933	0.933	89.0	0.0	0.0	0.0	0.0	95.4
1071	NW_100ad	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	95.4
1072	NW_000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4
1073	ROXY_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.4
1074	G50B_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4
1075	Y06C_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.4
1076	B00R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4
1077	B00R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4
1078	B00R_100_100ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4
1079	B50R_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	95.4

Mean color difference of this page: $\Delta E^* = 0.2$

RE110-7N, Page 29/29-F

TUB-test chart RE11; hue code: H*_d=B00Rd
colors and differences, ΔE^*

input: *rgb/cmyk* -> *rgbdd*
output: 3D-linearization to *rgb*dd*