

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$

$H^*_- = B00R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B00R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 27 25 -47 53 298

$HIC^*_{-,Ma}$: B00R_100_100_

$rgbic^*_{-,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



TUB-test chart RE14; hue code: $H^*_- = B00R_-$
Test chart according to DIN 33872, 3D=1, de=0, $cm yk^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$

$H^*_d = B00R_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B00R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	47.3	63.8	41.2	76.0	32
$Y_{d,Ma}$	88.3	-11.9	95.1	95.8	97
$G_{d,Ma}$	51.9	-68.8	28.1	74.3	157
$C_{d,Ma}$	58.3	-29.2	-43.7	52.6	236
$B_{d,Ma}$	25.3	23.5	-47.3	52.8	296
$M_{d,Ma}$	48.2	72.8	-8.5	73.3	353
$N_{d,Ma}$	17.7	0.0	0.0	0.0	0
$W_{d,Ma}$	95.4	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 25 23 -47 52 296

$HIC^*_{d,Ma}$: B00R_100_100_d

$rgbic^*_{d,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_d}$	47.3	63.8	41.2	76.0	32
$R25Y_{100_100_d}$	55.3	45.8	52.2	69.5	48
$R50Y_{100_100_d}$	67.2	22.6	67.6	71.2	71
$R75Y_{100_100_d}$	79.9	1.0	83.9	83.9	89
$Y00G_{100_100_d}$	88.3	-11.9	95.1	95.8	97
$Y25G_{100_100_d}$	83.3	-19.2	83.7	85.9	102
$Y50G_{100_100_d}$	72.7	-31.3	66.0	73.1	115
$Y75G_{100_100_d}$	60.4	-48.8	46.7	67.6	136
$G00B_{100_100_d}$	51.9	-68.8	28.1	74.3	157
$G25B_{100_100_d}$	54.8	-51.0	-12.3	52.5	193
$G50B_{100_100_d}$	58.3	-29.2	-43.7	52.6	236
$G75B_{100_100_d}$	42.7	-6.0	-45.0	45.4	262
$B00R_{100_100_d}$	25.3	23.5	-47.3	52.8	296
$B25R_{100_100_d}$	37.8	53.8	-26.3	59.9	333
$B50R_{100_100_d}$	48.2	72.8	-8.5	73.3	353
$B75R_{100_100_d}$	47.7	67.7	14.0	69.1	11



TUB-test chart RE14; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cm\dot{y}k^*_{dd}$

TUB registration: 20150701-RE14/RE14L0FA.TXT /.PS
application for measurement of offset print output, separation $cm\dot{y}n\dot{b}^*$ (CMYK)

TUB material: code=rha4ta

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,rel} = h_{ab}/360 = 296/360 = 0.82$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B00R_d$

triangle lightness T^*



Data for maximum colour (Ma):

$LabCh^*_{d, Ma}$: 25 23 -47 52 296

$HIC^*_{d, Ma}$: B00R_100_100_d

$rgbic^*_{d, Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H, rel} = 57$
 $g^*_{C, rel} = 58$

$H^*_d = B00R_d$

see similar files: <http://130.149.60.45/~farbmetrik/RE14/RE14L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE14/RE14L0FA.TXT /.PS
application for measurement of offset print output, separation $cmyn6^*$ (CMYK)

TUB material: code=rha4ta



1-103230-L0 RE140-72








TUB-test chart RE14; hue code: $H^*_d = B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, $cm yk^*$


input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cm yk^*_{dd}$

1-103330-L0 RE140-72

TUB-test chart RE14; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, $de=0$, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$





1-103430-L0 RE140-72

TUB-test chart RE14; hue code: $H^*_d=B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103430-E0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 296/360 = 0.82$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours
of this page:

$H^*_d = B00R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{d,Ma}$	47.3	63.8	41.2	76.0	32
$Y_{d,Ma}$	88.3	-11.9	95.1	95.8	97
$G_{d,Ma}$	51.9	-68.8	28.1	74.3	157
$C_{d,Ma}$	58.3	-29.2	-43.7	52.6	236
$B_{d,Ma}$	25.3	23.5	-47.3	52.8	296
$M_{d,Ma}$	48.2	72.8	-8.5	73.3	353
$N_{d,Ma}$	17.7	0.0	0.0	0.0	0
$W_{d,Ma}$	95.4	0.0	0.0	0.0	0
$R_{d,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{d,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{d,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{d,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{d,Ma}$: 25 23 -47 52 296

$HIC^*_{d,Ma}$: B00R_100_100_d

$rgbic^*_{d,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$

% Regularity



$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

$H^*_d = B00R_d$

ORS20a; adapted (a) CIELAB data



H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_d$	47.3	63.8	41.2	76.0	32
$R25Y_100_100_d$	55.3	45.8	52.2	69.5	48
$R50Y_100_100_d$	67.2	22.6	67.6	71.2	71
$R75Y_100_100_d$	79.9	1.0	83.9	83.9	89
$Y00G_100_100_d$	88.3	-11.9	95.1	95.8	97
$Y25G_100_100_d$	83.3	-19.2	83.7	85.9	102
$Y50G_100_100_d$	72.7	-31.3	66.0	73.1	115
$Y75G_100_100_d$	60.4	-48.8	46.7	67.6	136
$G00B_100_100_d$	51.9	-68.8	28.1	74.3	157
$G25B_100_100_d$	54.8	-51.0	-12.3	52.5	193
$G50B_100_100_d$	58.3	-29.2	-43.7	52.6	236
$G75B_100_100_d$	42.7	-6.0	-45.0	45.4	262
$B00R_100_100_d$	25.3	23.5	-47.3	52.8	296
$B25R_100_100_d$	37.8	53.8	-26.3	59.9	333
$B50R_100_100_d$	48.2	72.8	-8.5	73.3	353
$B75R_100_100_d$	47.7	67.7	14.0	69.1	11




TUB-test chart RE14; hue code: $H^*_d = B00R_d$
Test chart according to DIN 33872, 3D=1, de=0, $cm yk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cm yk^*_{dd}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB (a^*, b^*) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:

$$h_{ab,s} = \arctan \left[\frac{r^*_d \cos(30) + g^*_d \cos(150)}{1 + \frac{r^*_d \sin(30) + g^*_d \sin(150)}{b^*_d \sin(270)}} \right] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours e : $h_{ab,e} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,si} = h_{ab,si} + j \left[\frac{h_{ab,si+1} - h_{ab,si}}{18} \right] \quad (i=0,1,...,5; j=0,1,...,7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j \left[\frac{h_{ab,si+1} - h_{ab,si}}{60} \right] \quad (i=0,1,...,5; j=0,1,...,59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j \left[\frac{h_{ab,ei+1} - h_{ab,ei}}{18} \right] \quad (i=0,1,...,5; j=0,1,...,7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j \left[\frac{h_{ab,ei+1} - h_{ab,ei}}{60} \right] \quad (i=0,1,...,5; j=0,1,...,59) \quad (5)$$
- For any elementary hue angle h_{ab} there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

1-103630-L0 RE140-72 LAB*_{ab}0, YN=0%, XY Z_{nm}=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*_{nm}=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE14; hue code: H*_d=B00Rd
48 step hue circles; $rgb-LabCh$ -tables

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

Output: Offset standard print; separation cmyk*, D65, page 7/33

TUB registration: 20150701-RE14/RE14L0FA.TXT /PS
application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta

Six hue angles of the device colours RYGBM_d: h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM_e: h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM _d : h _{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;									
Six hue angles of the device colours RYGBM _d : h _{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM _e : h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6									
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*	rgb*
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	81.7
88.5	75.0	75.6	1.0	0.75	0.0	79.2	2.0	83.0	83.1
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8
100.3	97.5	101.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0
103.3	105.0	109.7	0.75	1.0	0.0	82.9	-19.7	83.0	85.3
108.3	112.5	118.5	0.625	1.0	0.0	77.0	-25.2	76.3	80.4
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0

1-103830-L0 RE140-72 LAB*lab,0 YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*nw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE14; hue code: H*_d=B00Rd
48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

Output: Offset standard print; separation cmyk6*, D65, page 9/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,d}$ = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;									
Six hue angles of the device colours RYGBCM; $h_{ab,d}$ = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBCM; $h_{ab,e}$ = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$	$LAB^*_{ds361MI}$
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3
291	264	266	0.0	0.1	1.0	27.9	18.6	-47.1	50.6
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8
297	271	272	0.016	0.0	1.0	25.8	24.6	-46.8	52.9
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

TUB-test chart RE14; hue code: $H^*_d=B00R_d$
48 step hue circles; $rgb-LabCh$ *tables

1-1031430-L0 RE140-72 LAB*lab, YN=0%, XY Znw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

Output: Offset standard print; separation cmyk6*, D65, page 15/38


input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmyk*_{dd}*

TUB-test chart RE14; hue code: H_d^{*}=B00R_d
colors and differences, ΔE^*

-see similar files: <http://130.149.60.45/~farbmatrik/RE14/RE14.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

[illegible]

Mean color difference of this page: 0.0 0.0 0.0




TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

[illegible]


1-1031930-F0



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

[illegible]




TUB material: code=rha4ta
nyn6* (CMYK)

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}*

[illegible]

TTUB-test chart RE14; hue code: H_d^{*}=B00R_d
colors and differences, ΔE^*



TUB material: code=rha4ta
nyn6* (CMYK)


input: *rgb/cmyk* → *rgb_{dd}*
 output: 3D-linearization to *cmyk*_{dd}*

1-032330-F
RE140-7N, Page 24/33-F

TUB-test chart RE14; hue code: H*d=B00Rd
colors and differences, ΔE^*

input: *rgb/cmyk* - > *rgb*_{dd}
output: 3D-linearization to *cmyk**_{dd}






TUB material: code=rha4ta
nyn6* (CMYK)

input: *rgb/cmyk* -> *rgb*_{dd}
output: 3D-linearization to *cmyk*_{dd}

[illegible]



TUB material: code=rha4ta
nyn6* (CMYK)


input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
 output: *3D-linearization to cmyk*_{dd}*

1

1-1032630-F0
RE140-7N, Page 27/33-F

n	HIC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabCH*Fid	cmyk*_sep_Fid	hsa_id	rgb*Mid	LabCH*Mid	delta
648	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	390	1.0	0.0	0.0
649	R38Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	383	1.0	0.0	0.0
650	R26Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	378	1.0	0.0	0.0
651	R13Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	366	1.0	0.0	0.0
652	R00Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	351	1.0	0.0	0.0
653	B68R_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	342	1.0	0.0	0.0
654	B61R_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	337	1.0	0.0	0.0
655	B55R_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
656	B55R_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
657	R11Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	36	1.0	0.0	0.0
658	R00Y_100_097ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	0.0
659	R36Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	382	1.0	0.0	0.0
660	R23Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	375	1.0	0.0	0.0
661	R00Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	365	1.0	0.0	0.0
662	B70R_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	354	1.0	0.0	0.0
663	B63R_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	344	1.0	0.0	0.0
664	B56R_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	337	1.0	0.0	0.0
665	B50R_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
666	R23Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	42	1.0	0.0	0.0
667	R13Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	37	1.0	0.0	0.0
668	R00Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	382	1.0	0.0	0.0
669	R35Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	369	1.0	0.0	0.0
670	R18Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	371	1.0	0.0	0.0
671	R00Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	360	1.0	0.0	0.0
672	B65R_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	346	1.0	0.0	0.0
673	B50R_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
674	B50R_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
675	R26Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	54	1.0	0.0	0.0
676	R26Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	51	1.0	0.0	0.0
677	R15Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	37	1.0	0.0	0.0
678	R00Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	369	1.0	0.0	0.0
679	R31Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	380	1.0	0.0	0.0
680	R11Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	367	1.0	0.0	0.0
681	B69R_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	352	1.0	0.0	0.0
682	B50R_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	359	1.0	0.0	0.0
683	B50R_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
684	B50Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	59	1.0	0.0	0.0
685	R41Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	54	1.0	0.0	0.0
686	R31Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	48	1.0	0.0	0.0
687	R18Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	39	1.0	0.0	0.0
688	R00Y_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	0.0
689	R26Y_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	377	1.0	0.0	0.0
690	R00Y_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	360	1.0	0.0	0.0
691	B61R_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	342	1.0	0.0	0.0
692	B61R_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
693	R63Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	68	1.0	0.0	0.0
694	R63Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	65	1.0	0.0	0.0
695	R50Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	52	1.0	0.0	0.0
696	R38Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	52	1.0	0.0	0.0
697	R23Y_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	42	1.0	0.0	0.0
698	R00Y_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	0.0
699	R18Y_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	371	1.0	0.0	0.0
700	B65R_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	348	1.0	0.0	0.0
701	B50R_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
702	R76Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	77	1.0	0.0	0.0
703	R63Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	75	1.0	0.0	0.0
704	R38Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	71	1.0	0.0	0.0
705	R61Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	67	1.0	0.0	0.0
706	R50Y_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	59	1.0	0.0	0.0
707	R31Y_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	0.0
708	R00Y_100_025ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	0.0
709	R38Y_100_025ad	1.0	0.0	0.0	1.0	0.0	0.0	360	1.0	0.0	0.0
710	B50R_100_025ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
711	R86Y_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	83	1.0	0.0	0.0
712	R86Y_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	82	1.0	0.0	0.0
713	R65Y_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	81	1.0	0.0	0.0
714	R61Y_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	77	1.0	0.0	0.0
715	R63Y_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	77	1.0	0.0	0.0
716	R63Y_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	59	1.0	0.0	0.0
717	R50Y_100_025ad	1.0	0.0	0.0	1.0	0.0	0.0	389	1.0	0.0	0.0
718	R00Y_100_012ad	1.0	0.0	0.0	1.0	0.0	0.0	330	1.0	0.0	0.0
719	B50R_100_012ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
720	Y00G_100_100ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
721	Y00G_100_087ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
722	Y00G_100_075ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
723	Y00G_100_062ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
724	Y00G_100_050ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
725	Y00G_100_037ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
726	Y00G_100_025ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
727	Y00G_100_012ad	1.0	0.0	0.0	1.0	0.0	0.0	89	1.0	0.0	0.0
728	NW_100ad	1.0	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	0.0

Mean color difference of this page: 0.0



TUB material: code=rha4ta
nyn6* (CMYK)


input: *rgb/cmyk* -> *rgb*_{dd}
output: 3D-linearization to *cmyk*_{dd}

UB-test chart RE14; hue code: H_d^{*}=B00R_d
 colors and differences, ΔE^*

RE140-7N, Page 30/33-F

1-1032930-F0

[illegible]



TUB material: code=rha4ta
nyn6* (CMYK)

input: $rgb/cmyk \rightarrow rgb_{dd}$
 output: 3D-linearization to $cmyk^*_{dd}$

1-033030-F0	RE140-7N, Page 31/33-F		TUB-test chart RE14; hue code: $H^*_d = B00R_d$ colors and differences, ΔE^*_{ab}	input: $rgb/cmyk - > rgb_{dd}$ output: 3D-linearization to $cmyk^*_{dd}$	
-------------	------------------------	--	---	---	--


RE140-7N, Page 31/33-F

TTUB-test chart RE14; hue code: $H^*_d=B00R_d$
 colors and differences, ΔE^*_{uv}

-1033030-F0

see similar files: <http://130.149.60.45/~farbmatrik/RE14/RE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>





TUB material: code=rha4ta
nyn6* (CMYK)

8 6

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*
 output: 3D-linearization to *cmyk_{dd}*

1-1033130-F0
REL40-7N, Page 32/33-F

RE140-7N, Page 32/33-F

1-1033130-F0

TUB registration: 20150701-RE14/RE14L0FA.TXT /.PS
application for measurement of offset print output, separation cmyk6* (CMYK)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE14/RE14.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

<http://130.149.60.45/~farbmetrik/RE14/RE14L0FA.TXT> /.PS; 3D-linearization
F: 3D-linearization RE14/RE14L30FA.DAT in file (F), page 33/33

n	HC*Fid	rgb_Fid	lct_Fid	hsa_Fid	rgb*Fid	LabCh*Fid	cmyn*sep_Fid	cmyn*sep_Fdd	rgb*Fdd	hsa_Fdd	LabCh*Fdd	delta
1053	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	85.0 0.0 0.0	0.024 0.007 0.0	0.179 0.0 0.084	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1054	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.2 0.0 0.0	0.02 0.005 0.0	0.084 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1055	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1056	NW_100dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	22.8 0.0 0.0	0.139 0.022 0.0	0.933 0.871 0.871	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1057	NW_006dd	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	22.8 0.0 0.0	0.0 0.043 0.048	0.871 0.871 0.871	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1058	NW_013dd	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	33.2 0.0 0.0	0.057 0.036 0.0	0.825 0.825 0.825	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1059	NW_020dd	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	33.2 0.0 0.0	0.013 0.015 0.0	0.781 0.781 0.781	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1060	NW_026dd	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	33.2 0.0 0.0	0.016 0.016 0.005	0.672 0.672 0.672	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1061	NW_033dd	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	43.6 0.0 0.0	0.027 0.013 0.0	0.628 0.628 0.628	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1062	NW_040dd	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	48.8 0.0 0.0	0.019 0.018 0.0	0.541 0.541 0.541	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1063	NW_046dd	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	53.9 0.0 0.0	0.021 0.007 0.0	0.478 0.478 0.478	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1064	NW_053dd	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	59.1 0.0 0.0	0.006 0.005 0.0	0.405 0.405 0.405	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1065	NW_060dd	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	64.3 0.0 0.0	0.021 0.011 0.0	0.322 0.322 0.322	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1066	NW_066dd	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	69.5 0.0 0.0	0.007 0.005 0.0	0.26 0.26 0.26	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1067	NW_073dd	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	74.7 0.0 0.0	0.024 0.007 0.0	0.179 0.179 0.179	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1068	NW_080dd	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	79.9 0.0 0.0	0.02 0.005 0.0	0.084 0.084 0.084	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1069	NW_086dd	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	85.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1070	NW_093dd	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.2 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1071	NW_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1072	NW_100dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1073	ROY_100_100dd	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	360 1.0 1.0	95.4 0.0 0.0	0.0
1074	G50B_100_100dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	47.3 63.8 41.2	0.999 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	210 0.0 0.0	58.3 63.8 41.2	32.8
1075	Y06C_100_100dd	0.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	58.3 -29.2 -43.7	0.0 0.999 0.0	0.0 0.0 0.0	1.0 1.0 1.0	210 0.0 0.0	58.3 -29.2 -43.7	32.8
1076	B00C_100_100dd	1.0 0.0 0.0	0.0 1.0 1.0	0.0 0.0 0.0	0.0 1.0 1.0	58.3 -29.2 -43.7	0.0 0.0 0.999	0.0 0.0 0.0	1.0 0.0 0.0	210 0.0 0.0	58.3 -29.2 -43.7	32.8
1077	B00C_100_100dd	0.0 1.0 1.0	1.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	58.3 -29.2 -43.7	0.999 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	210 0.0 0.0	58.3 -29.2 -43.7	32.8
1078	B00C_100_100dd	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	58.3 -29.2 -43.7	0.0 0.0 0.999	0.0 0.0 0.0	1.0 0.0 0.0	210 0.0 0.0	58.3 -29.2 -43.7	32.8
1079	B50R_100_100dd	1.0 0.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	46.2 72.8 48.5	0.0 1.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	330 1.0 0.0	46.2 72.8 48.5	353.3

input: *rgb/cmyk* -> *rgb*
output: 3D-linearization to *cmyk*

TUB-test chart RE14; hue code: H*_d=B00Rd
colors and differences, ΔE^*