

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 298/360 = 0.82$

$H^*_- = B00R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B00R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 27 25 -47 53 298

$HIC^*_{-,Ma}$: B00R_100_100-

$rgbic^*_{-,Ma}$:

0.0 0.0 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_-	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100-	48.4	66.1	40.2	77.3	31
R25Y_100_100-	56.8	48.0	50.5	69.6	46
R50Y_100_100-	68.6	25.0	63.9	68.6	68
R75Y_100_100-	80.6	4.8	77.2	77.3	86
Y00G_100_100-	90.2	-9.6	88.2	88.7	96
Y25G_100_100-	83.2	-18.4	79.9	81.9	102
Y50G_100_100-	73.3	-31.7	62.7	70.2	116
Y75G_100_100-	62.0	-49.7	43.2	65.8	139
G00B_100_100-	55.8	-65.2	33.8	73.4	152
G25B_100_100-	59.3	-50.3	-9.0	51.0	190
G50B_100_100-	63.0	-30.5	-42.0	51.9	234
G75B_100_100-	45.7	-5.7	-44.6	44.9	262
B00R_100_100-	27.5	25.9	-47.3	53.9	298
B25R_100_100-	38.3	52.6	-28.5	59.8	331
B50R_100_100-	49.5	73.5	-9.0	74.0	353
B75R_100_100-	48.9	69.3	12.9	70.4	10



TUB-test chart RE18; hue code: $H^*_- = B00R_-$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

http://130.149.60.45/~farbmetrik/RE18/RE18LONA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/33

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$


Data for any device (d) or elementary (e) colour:

HIC^*_e

hue text for the colours of this page:

$H^*_e = B00R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_e, Ma: 40 \ 1 \ -40 \ 40 \ 271$

$HIC^*_e, Ma: B00R_100_100_e$

$rgbic^*_e, Ma:$

0.0 0.45 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u^*_{rel} = 92$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data					
H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



1-013131-L0 RE180-71

TUB-test chart RE18; hue code: $H^*_e = B00R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = B00R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 40 \ 1 \ -40 \ 40 \ 271$

$HIC_e^*, Ma: B00R_100_100_e$

$rgbic_e^*, Ma:$

0.0 0.45 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u_{rel}^* = 92$



% Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; adapted (a) CIELAB data

H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



1-013231-L0 RE180-71

TUB-test chart RE18; hue code: $H_e^* = B00R_e$

Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$

output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = B00R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data					
name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh_e^*, Ma: 40 \ 1 \ -40 \ 40 \ 271$

$HIC_e^*, Ma: B00R_100_100_e$

$rgbic_e^*, Ma:$

0.0 0.45 1.0 1.0 1.0

triangle lightness T^*

% Gamut



$u_{rel}^* = 92$

% Regularity

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 58$

ORS20a; adapted (a) CIELAB data					
H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352



TUB-test chart RE18; hue code: $H_e^* = B00R_e$
Test chart according to DIN 33872, 3D=0, de=1, cmy0

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 271/360 = 0.75$


Data for any device (d) or elementary (e) colour:

HIC_e^*

hue text for the colours of this page:

$H_e^* = B00R_e$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L_a^*$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0	25
$Y_{e,Ma}$	83.6	-3.6	90.4	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2	162
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3	216
$B_{e,Ma}$	40.2	1.2	-40.6	40.6	271
$M_{e,Ma}$	31.1	47.7	-29.1	55.9	328
$N_{e,Ma}$	24.3	0.0	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0	25
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6	92
$G_{e,CIE}$	52.2	-42.4	13.6	44.5	162
$B_{e,CIE}$	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{e,Ma}$: 40 1 -40 40 271

$HIC^*_{e,Ma}$: B00R_100_100_e

$rgbic^*_{e,Ma}$:

0.0 0.45 1.0 1.0 1.0

triangle lightness T^*

% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

H_e^*	$L^*=L_a^*$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	45.6	72.2	34.4	80.0	25
$R25Y_{100_100_e}$	50.5	59.2	51.6	78.6	41
$R50Y_{100_100_e}$	60.2	38.2	63.4	74.1	58
$R75Y_{100_100_e}$	70.9	17.9	75.9	77.9	76
$Y00G_{100_100_e}$	83.6	-3.6	90.4	90.4	92
$Y25G_{100_100_e}$	74.5	-25.0	74.3	78.4	108
$Y50G_{100_100_e}$	62.6	-40.9	53.8	67.6	127
$Y75G_{100_100_e}$	54.1	-55.5	37.5	67.0	145
$G00B_{100_100_e}$	50.6	-62.1	19.9	65.2	162
$G25B_{100_100_e}$	53.0	-48.6	-8.2	49.2	189
$G50B_{100_100_e}$	55.0	-36.2	-27.2	45.3	216
$G75B_{100_100_e}$	53.3	-19.8	-41.3	45.9	244
$B00R_{100_100_e}$	40.2	1.2	-40.6	40.6	271
$B25R_{100_100_e}$	28.1	23.4	-40.3	46.7	300
$B50R_{100_100_e}$	31.1	47.7	-29.1	55.9	328
$B75R_{100_100_e}$	41.4	70.4	-9.8	71.1	352



1-013431-L0 RE180-71

TUB-test chart RE18; hue code: $H_e^* = B00R_e$

Test chart according to DIN 33872, 3D=0, de=1, cmy0




input: $rgb/cmyk \rightarrow rgb_e$

output: transfer to $cmy0_e$

TUB registration: 20150701-RE18/RE18L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)



http://130.149.60.45/~farbmetrik/RE18/RE18L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 6/33





1-013531-L0 RE180-71
TUB-test chart RE18; hue code: $H^*_e=B00R_e$
Test chart according to DIN 33872, 3D=0, de=1, $cmy0$

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmy0_e$


see similar files: <http://130.149.60.45/~farbmetrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*: D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBCM; $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBCM; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



standard CIELAB ($a^*_{\text{s}}, b^*_{\text{s}}$) chroma diagram



Notes to the CIELAB chroma diagrams ($a^*_{\text{d}}, b^*_{\text{d}}$), ($a^*_{\text{s}}, b^*_{\text{s}}$), ($a^*_{\text{e}}, b^*_{\text{e}}$)

- For the rgb^*_{de} -input values the CIELAB data LCH^*_{e} and LAB^*_{e} have been calculated.
- For the calculation of the standard hue angle h_{ds} use for any device values rgb^*_{de} the equation:

$$h_{\text{ds}} = \arctan \left[\frac{r^*_{\text{d}} \cos(30) + g^*_{\text{d}} \sin(150)}{1 / r^*_{\text{d}} \sin(30) + g^*_{\text{d}} \sin(150)} + b^*_{\text{d}} \sin(270) \right] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles h_{ds} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{\text{ds}} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48\text{ab},sj} = h_{\text{ab},si} + j [h_{\text{ab},si+1} - h_{\text{ab},si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360\text{ab},sij} = h_{\text{ab},si} + j [h_{\text{ab},si+1} - h_{\text{ab},si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles h_{de} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{\text{de}} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48\text{ab},ej} = h_{\text{ab},ei} + j [h_{\text{ab},ei+1} - h_{\text{ab},ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360\text{ab},ej} = h_{\text{ab},ei} + j [h_{\text{ab},ei+1} - h_{\text{ab},ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle h_{de} there is a well defined device hue angle h_{ds} see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

LAB*_{la0}, YN=0%, XY Znw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*_{nw}=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

TUB-test chart RE18; hue code: H*_e=B00R_e
48 step hue circles; rgb^*_{de} -LabCh*tables

input: $rgb^*_{\text{cmyk}} \rightarrow rgb^*_{\text{e}}$
output: transfer to $cmy0_{\text{e}}$

Output: Offset standard print; separation cmy0*, D65, page 7/33

[illegible]

input: *rgb/cmyk* -> *rgb*
output: transfer to *cmy*

LAB*1a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, REI180-71

1-013831-L0	
-------------	---

see similar files: <http://130.149.60.45/~farbmatrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/RE18/RE18L0NA.TXT> /PS; transfer output N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 11/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGCBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*rw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

REI80-71

TUB-test chart RE18; hue code: H*_e=B00R_e

48 step hue circles: *rab-LabCh**tables

input: *rgb/cmyk* - > *rgbe*

output: transfer to *cmy0_a*

Output: Offset standard print; separation cmy0*, D65, page 11/33

see similar files: <http://130.149.60.45/~farbmatrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

http://130.149.60.45/~farbmatrik/RE18/RE18L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 12/33

RE180-71	LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0	input: <i>rgb/cmyk</i> -> <i>rgb</i> output: transfer to <i>cmy0a</i>
----------	--	--

[illegible]

see similar files: <http://130.149.60.45/~farbmatrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>


http://130.149.60.45/~farbmatrik/RE18/RE18L0NA.TXT /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 14/33

LAB*180-71	LAB*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0	input: <i>rgb/cmyk</i> → <i>rgb</i> output: transfer to <i>cmy0a</i>
------------	--	---

[illegible]



see similar files: <http://130.149.60.45/~farbmatrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>




<http://130.149.60.45/~farbmatrik/RE18/RE18L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

Y

M

C



TUB registration: 20150701-RE18/RE18L0NA.TXT /PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmy0 (CMY0)



1-0131731-F0

RE180-7N, Page 18/33-F

TUB-test chart RE18; hue code: H*e=B00Re
colors and differences, ΔE^*

input: *rgb/cmyk* -> *rgbe*
output: transfer to *cmy0e*

nf	H*Ch*Fe	rgb_Fe	icr_Fe	hsa_Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	rgb*Fe	DF*Fe	hsa_Fe	rgb*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	rgb*Fe	LabCh*Fe	rgb*Fe
0/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/657	R13Y_100_100e	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/666	R25Y_100_100e	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/675	R38Y_100_100e	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/684	R50Y_100_100e	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/693	R63Y_100_100e	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/702	R75Y_100_100e	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/711	R88Y_100_100e	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/720	Y00C_100_100e	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9/639	Y13C_100_100e	0.875	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/658	Y25C_100_100e	0.75	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/477	Y38C_100_100e	0.625	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/396	Y50C_100_100e	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/315	Y63C_100_100e	0.375	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/234	Y75C_100_100e	0.25	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/153	Y88C_100_100e	0.125	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/72	G00C_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/73	G13C_100_100e	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/74	G25C_100_100e	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/75	G38C_100_100e	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/76	G50C_100_100e	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/77	G63C_100_100e	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22/78	G75C_100_100e	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/79	G88C_100_100e	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/80	C00B_100_100e	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/81	C13B_100_100e	0.0	1.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/82	C25B_100_100e	0.0	1.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/83	C38B_100_100e	0.0	1.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28/84	C50B_100_100e	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29/85	C63B_100_100e	0.0	1.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30/86	C75B_100_100e	0.0	1.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31/87	C88B_100_100e	0.0	1.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32/8	B00M_100_100e	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33/89	B13M_100_100e	0.125	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34/170	B25M_100_100e	0.25	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35/251	B38M_100_100e	0.375	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36/332	B50M_100_100e	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/413	B63M_100_100e	0.625	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38/494	B75M_100_100e	0.75	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39/575	B88M_100_100e	0.875	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40/656	M00R_100_100e	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41/655	M13R_100_100e	1.0	0.0	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42/654	M25R_100_100e	1.0	0.0	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43/653	M38R_100_100e	1.0	0.0	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/652	M50R_100_100e	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/651	M63R_100_100e	1.0	0.0	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/650	M75R_100_100e	1.0	0.0	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47/649	M88R_100_100e	1.0	0.0	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48/648	R00Y_100_100e	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49/0	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NW_012e	0.125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NW_025e	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NW_038e	0.375	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53/364	NW_050e	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NW_063e	0.625	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NW_075e	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NW_088e	0.875	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

Mean color difference of this page:

delta E* = 20.9

V

L

O

Y

M

C

1-0131731-F0



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgbe*
output: transfer to *cmy0_e*

[illegible]



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgb*
output: transfer to *cmy* θ_e

colors and differences, ΔE^* ,

0132021-F0

[illegible]


TUB registration: 20150701-RE18/RE18LONA.TXT /PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmatrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/RE18/RE18LONA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33


n	HIC-Fe	rgb-Fe	icL-Fe	hsa-Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	rgb*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
243	R00Y.037.037a	0.375 0.0 0.125	0.375 0.375 0.187	390	0.375 0.0 0.095	32.3 27.0	32.3 27.0	0.375 0.0 0.095	32.3 27.0	25.4	30.0	12.9	30.0
244	R18Y.037.037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.31	32.4 27.1	32.4 27.1	0.375 0.0 0.31	32.4 27.1	29.2	29.2	12.9	29.2
245	B65R.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	349	0.126 0.0 0.375	26.9 17.1	26.9 17.1	0.126 0.0 0.375	26.9 17.1	39.8	39.8	12.9	39.8
246	B65R.037.037a	0.375 0.0 0.375	0.375 0.375 0.187	349	0.126 0.0 0.375	26.9 17.1	26.9 17.1	0.126 0.0 0.375	26.9 17.1	39.8	39.8	12.9	39.8
247	B38R.050.050a	0.375 0.0 0.5	0.5 0.5 0.25	316	0.067 0.0 0.5	26.1 18.2	26.1 18.2	0.067 0.0 0.5	26.1 18.2	39.8	39.8	12.9	39.8
248	B38R.062.062a	0.375 0.0 0.625	0.625 0.625 0.312	307	0.005 0.0 0.625	24.9 18.7	24.9 18.7	0.005 0.0 0.625	24.9 18.7	39.8	39.8	12.9	39.8
249	B25R.075.075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.079 0.75	27.1 17.6	27.1 17.6	0.0 0.079 0.75	27.1 17.6	39.8	39.8	12.9	39.8
250	B25R.075.075a	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.079 0.75	27.1 17.6	27.1 17.6	0.0 0.079 0.75	27.1 17.6	39.8	39.8	12.9	39.8
251	B18R.100.100a	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.21 1.0	16.8 20.7	16.8 20.7	0.0 0.21 1.0	16.8 20.7	39.8	39.8	12.9	39.8
252	R31Y.103.037a	0.375 0.125 0.125	0.375 0.375 0.187	49	0.375 0.092 0.0	35.3 19.6	35.3 19.6	0.375 0.092 0.0	35.3 19.6	39.8	39.8	12.9	39.8
253	R00Y.037.025a	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.188	38.6 18.0	38.6 18.0	0.375 0.124 0.188	38.6 18.0	39.8	39.8	12.9	39.8
254	R00Y.037.025a	0.375 0.125 0.125	0.375 0.25 0.25	360	0.309 0.124 0.375	34.9 11.9	34.9 11.9	0.309 0.124 0.375	34.9 11.9	39.8	39.8	12.9	39.8
255	B34R.050.037a	0.375 0.125 0.5	0.5 0.375 0.312	311	0.149 0.124 0.5	34.0 12.3	34.0 12.3	0.149 0.124 0.5	34.0 12.3	39.8	39.8	12.9	39.8
256	B34R.050.037a	0.375 0.125 0.625	0.625 0.5 0.375	300	0.125 0.177 0.625	35.1 11.7	35.1 11.7	0.125 0.177 0.625	35.1 11.7	39.8	39.8	12.9	39.8
257	B25R.062.050a	0.375 0.125 0.625	0.625 0.5 0.375	293	0.125 0.248 0.75	37.4 11.1	37.4 11.1	0.125 0.248 0.75	37.4 11.1	39.8	39.8	12.9	39.8
258	B18R.075.050a	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.311 0.875	39.6 10.8	39.6 10.8	0.125 0.311 0.875	39.6 10.8	39.8	39.8	12.9	39.8
259	B18R.087.075a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.37 1.0	41.6 10.7	41.6 10.7	0.125 0.37 1.0	41.6 10.7	39.8	39.8	12.9	39.8
260	B18R.100.075a	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.37 1.0	41.6 10.7	41.6 10.7	0.125 0.37 1.0	41.6 10.7	39.8	39.8	12.9	39.8
261	R65Y.037.037a	0.375 0.25 0.125	0.375 0.375 0.187	71	0.375 0.224 0.124	42.2 9.5	42.2 9.5	0.375 0.224 0.124	42.2 9.5	39.8	39.8	12.9	39.8
262	R65Y.037.037a	0.375 0.25 0.125	0.375 0.375 0.187	71	0.375 0.224 0.124	42.2 9.5	42.2 9.5	0.375 0.224 0.124	42.2 9.5	39.8	39.8	12.9	39.8
263	R00Y.037.012a	0.375 0.25 0.375	0.375 0.125 0.312	390	0.29 0.249 0.875	44.8 9.0	44.8 9.0	0.29 0.249 0.875	44.8 9.0	39.8	39.8	12.9	39.8
264	B50R.037.012a	0.375 0.25 0.375	0.375 0.125 0.312	330	0.249 0.276 0.5	43.1 5.4	43.1 5.4	0.249 0.276 0.5	43.1 5.4	39.8	39.8	12.9	39.8
265	B25R.060.025a	0.375 0.25 0.5	0.5 0.25 0.375	300	0.249 0.276 0.5	43.1 5.4	43.1 5.4	0.249 0.276 0.5	43.1 5.4	39.8	39.8	12.9	39.8
266	B18R.062.037a	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.343 0.625	45.3 5.8	45.3 5.8	0.25 0.343 0.625	45.3 5.8	39.8	39.8	12.9	39.8
267	B18R.075.050a	0.375 0.25 0.75	0.75 0.5 0.375	284	0.25 0.401 0.75	47.4 5.4	47.4 5.4	0.25 0.401 0.75	47.4 5.4	39.8	39.8	12.9	39.8
268	B07R.100.075a	0.375 0.25 1.0	1.0 0.75 0.625	279	0.25 0.517 1.0	49.3 5.4	49.3 5.4	0.25 0.517 1.0	49.3 5.4	39.8	39.8	12.9	39.8
269	B07R.100.075a	0.375 0.25 1.0	1.0 0.75 0.625	279	0.25 0.517 1.0	49.3 5.4	49.3 5.4	0.25 0.517 1.0	49.3 5.4	39.8	39.8	12.9	39.8
270	Y00C.037.037a	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.339 0.0	46.5 -1.3	46.5 -1.3	0.375 0.339 0.0	46.5 -1.3	39.8	39.8	12.9	39.8
271	Y00C.037.037a	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.344 0.124	48.0 -0.9	48.0 -0.9	0.375 0.344 0.124	48.0 -0.9	39.8	39.8	12.9	39.8
272	Y00C.037.012a	0.375 0.375 0.375	0.375 0.125 0.312	90	0.375 0.359 0.249	49.5 -0.4	49.5 -0.4	0.375 0.359 0.249	49.5 -0.4	39.8	39.8	12.9	39.8
273	NW.037a	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.432 0.5	53.0 0.1	53.0 0.1	0.375 0.432 0.5	53.0 0.1	39.8	39.8	12.9	39.8
274	B00R.050.012a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.489 0.625	55.0 0.3	55.0 0.3	0.375 0.489 0.625	55.0 0.3	39.8	39.8	12.9	39.8
275	B00R.050.012a	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.489 0.625	55.0 0.3	55.0 0.3	0.375 0.489 0.625	55.0 0.3	39.8	39.8	12.9	39.8
276	B00R.075.037a	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.546 0.75	57.0 0.4	57.0 0.4	0.375 0.546 0.75	57.0 0.4	39.8	39.8	12.9	39.8
277	B00R.075.037a	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.546 0.75	57.0 0.4	57.0 0.4	0.375 0.546 0.75	57.0 0.4	39.8	39.8	12.9	39.8
278	B00R.100.060a	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.661 1.0	61.0 0.7	61.0 0.7	0.375 0.661 1.0	61.0 0.7	39.8	39.8	12.9	39.8
279	Y23C.050.050a	0.375 0.5 0.25	0.5 0.25 0.125	109	0.31 0.5 0.124	50.5 -1.2	50.5 -1.2	0.31 0.5 0.124	50.5 -1.2	39.8	39.8	12.9	39.8
280	Y30C.050.037a	0.375 0.5 0.25	0.5 0.25 0.375	120	0.33 0.5 0.249	51.7 -10.2	51.7 -10.2	0.33 0.5 0.249	51.7 -10.2	39.8	39.8	12.9	39.8
281	G00B.050.012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.393	54.3 -7.7	54.3 -7.7	0.375 0.5 0.393	54.3 -7.7	39.8	39.8	12.9	39.8
282	G00B.050.012a	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.393	54.3 -7.7	54.3 -7.7	0.375 0.5 0.393	54.3 -7.7	39.8	39.8	12.9	39.8
283	G50B.050.012a	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.586 0.625	58.3 -4.9	58.3 -4.9	0.375 0.586 0.625	58.3 -4.9	39.8	39.8	12.9	39.8
284	G73B.062.025a	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.625 0.75	59.8 -4.4	59.8 -4.4	0.375 0.625 0.75	59.8 -4.4	39.8	39.8	12.9	39.8
285	G84B.075.037a	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.676 0.875	61.7 -3.9	61.7 -3.9	0.375 0.676 0.875	61.7 -3.9	39.8	39.8	12.9	39.8
286	G88B.087.050a	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.732 1.0	63.6 -3.7	63.6 -3.7	0.375 0.732 1.0	63.6 -3.7	39.8	39.8	12.9	39.8
287	G90B.100.060a	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.732 1.0	63.6 -3.7	63.6 -3.7	0.375 0.732 1.0	63.6 -3.7	39.8	39.8	12.9	39.8
288	Y38C.062.062a	0.375 0.625 0.0	0.625 0.625 0.312	113	0.258 0.625 0.0	51.1 -20.4	51.1 -20.4	0.258 0.625 0.0	51.1 -20.4	39.8	39.8	12.9	39.8
289	Y38C.062.050a	0.375 0.625 0.125	0.625 0.5 0.375	120	0.286 0.625 0.125	52.4 -20.2	52.4 -20.2	0.286 0.625 0.125	52.4 -20.2	39.8	39.8	12.9	39.8
290	Y68C.062.037a	0.375 0.625 0.25	0.625 0.375 0.437	131	0.319 0.625 0.25	54.2 -19.1	54.2 -19.1	0.319 0.625 0.25	54.2 -19.1	39.8	39.8	12.9	39.8
291	G00B.062.037a	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.5	58.2 -12.1	58.2 -12.1	0.375 0.625 0.5	58.2 -12.1	39.8	39.8	12.9	39.8
292	G25B.062.025a	0.375 0.625 0.5	0.625 0.25 0.5	180	0.375 0.625 0.5	58.2 -12.1	58.2 -12.1	0.375 0.625 0.5	58.2 -12.1	39.8	39.8	12.9	39.8
293	G58B.075.037a	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.75 0.73	63.1 -10.4	63.1 -10.4	0.375 0.75 0.73	63.1 -10.4	39.8	39.8	12.9	39.8
294	G58B.075.037a	0.375 0.625 0.75	0.75 0.375 0.562	2									



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgb*_e
output: transfer to *cmy*_e

n	HIC ^{Fe}	rgb^{Fe}	lct^{Fe}	h_{α}^{Fe}	rgb^{Fe}	$LubCh^{Fe}$	rgb^{Fe}	$LubCh^{Fe}$	DE^{Fe}	h_{α}^{Fe}	rgb^{Fe}	$LubCh^{Fe}$	h_{α}^{Fe}	rgb^{Fe}	$LubCh^{Fe}$	DE^{Fe}	h_{α}^{Fe}	rgb^{Fe}	$LubCh^{Fe}$	h_{α}^{Fe}									
567	R00Y_087_087e	0.875	0.0	0.875	0.875	0.437	390	63.1	30.1	70.0	25.4	16.5	0.875	0.0	43.2	65.4	40.5	76.9	31.8	10.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4		
568	R36Y_087_087e	0.875	0.0	0.875	0.875	0.437	382	64.8	19.2	67.6	16.5	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.485	45.6	74.1	22.0	77.3	16.5	
569	R23Y_087_087e	0.875	0.0	0.875	0.875	0.437	374	67.2	67.8	7.6	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.716	45.6	76.8	10.3	77.5	7.6		
570	R00Y_087_087e	0.875	0.0	0.875	0.875	0.437	365	67.2	-2.7	67.3	357.6	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.925	0.0	0.0	45.0	76.8	-3.1	76.9	357.6	
571	B70R_087_087e	0.875	0.0	0.875	0.875	0.437	355	61.8	-61.8	62.4	353.3	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.742	0.0	0.0	41.6	70.7	-9.5	71.4	70.7	
572	B63R_087_087e	0.875	0.0	0.875	0.875	0.437	346	54.0	-15.7	56.2	342.7	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.554	0.0	0.0	33.8	54.5	-17.9	64.2	342.7	
573	B56R_087_087e	0.875	0.0	0.875	0.875	0.437	338	47.7	-47.7	52.2	336.1	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.424	0.0	0.0	33.8	54.5	-20.1	59.6	336.1	
574	B50R_087_087e	0.875	0.0	0.875	0.875	0.437	330	30.2	-41.8	-25.5	48.9	328.6	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.321	0.0	0.0	31.1	47.7	-29.1	55.9	328.6
575	B44R_100_100e	0.875	0.0	1.0	1.0	0.5	323	41.8	-32.7	53.1	321.9	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.246	0.0	0.0	28.8	41.8	-32.7	53.1	321.9	
576	R13Y_087_087e	0.875	0.0	0.875	0.875	0.437	38	41.8	-32.7	53.1	321.9	0.875	0.0	0.875	0.0	0.875	0.0	0.875	0.0	0.0	0.044	0.0	0.0	0.254	45.6	72.2	34.4	80.0	25.4
577	R00Y_087_075e	0.875	0.125	0.125	0.875	0.437	55	43.9	59.5	40.7	72.2	34.3	0.875	0.125	0.125	0.472	75.2	44.0	71.5	38.0	5.7	32	1.0	0.827	45.6	82.5	34.3	32.9	
578	R35Y_087_075e	0.875	0.125	0.125	0.875	0.437	55	54.1	25.8	60.0	25.4	0.875	0.125	0.125	0.472	75.2	44.0	71.5	38.0	5.7	32	1.0	0.827	45.6	82.5	34.3	32.9		
579	R18Y_087_075e	0.875	0.125	0.125	0.875	0.437	55	57.8	15.4	57.8	15.4	0.875	0.125	0.125	0.472	75.2	44.0	71.5	38.0	5.7	32	1.0	0.827	45.6	82.5	34.3	32.9		
580	R00Y_087_075e	0.875	0.125	0.125	0.875	0.437	55	58.3	35.2	58.3	35.2	0.875	0.125	0.125	0.472	75.2	44.0	71.5	38.0	5.7	32	1.0	0.827	45.6	82.5	34.3	32.9		
581																													



TUB material: code=rha4ta
ny0 (CMY0)

input: *rgb/cmyk* → *rgbe*
 output: transfer to *cmy0e*

RE180-7N, Page 31/33-F

[illegible]

<http://130.149.60.45/~farbmatrik/RE18/RE18L0NA.TXT> /PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

n	HC*Fe	rgb*Fe	icL*Fe	hsa*Fe	rgb*Fe	LabCH*Fe	LabCH*Fe	DF*Fe	hsa*Fe	rgb*Fe	LabCH*Fe
972	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
973	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
974	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
975	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
976	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
977	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
978	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
979	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
980	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
981	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
982	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
983	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
984	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
985	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
986	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
987	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
988	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
989	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
990	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
991	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
992	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
993	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
994	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
995	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
996	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
997	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
998	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
999	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
1000	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
1001	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
1002	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
1003	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
1004	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
1005	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
1006	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
1007	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
1008	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
1009	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
1010	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
1011	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
1012	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
1013	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
1014	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
1015	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
1016	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
1017	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
1018	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
1019	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
1020	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
1021	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
1022	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
1023	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
1024	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
1025	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
1026	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
1027	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
1028	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
1029	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
1030	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
1031	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
1032	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
1033	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
1034	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
1035	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
1036	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
1037	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
1038	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
1039	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
1040	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
1041	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
1042	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
1043	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956
1044	NW 000e	0.0	0.0	0.0	0.0	0.0	23.1	1.0	360	1.0	956
1045	NW 012e	0.125	0.125	0.125	0.125	0.125	23.1	1.0	360	1.0	956
1046	NW 025e	0.25	0.25	0.25	0.25	0.25	23.1	1.0	360	1.0	956
1047	NW 037e	0.375	0.375	0.375	0.375	0.375	23.1	1.0	360	1.0	956
1048	NW 050e	0.5	0.5	0.5	0.5	0.5	23.1	1.0	360	1.0	956
1049	NW 062e	0.625	0.625	0.625	0.625	0.625	23.1	1.0	360	1.0	956
1050	NW 075e	0.75	0.75	0.75	0.75	0.75	23.1	1.0	360	1.0	956
1051	NW 087e	0.875	0.875	0.875	0.875	0.875	23.1	1.0	360	1.0	956
1052	NW 100e	1.0	1.0	1.0	1.0	1.0	23.1	1.0	360	1.0	956

RE180-7N, Page 32/33-F

TUB-test chart RE18; hue code: H*e=B00Re
colors and differences, ΔE*

input: rgb/cmyk -> rgbe
output: transfer to cmy0e

Mean color difference of this page: $\Delta E^* = 9.2$

TUB registration: 20150701-RE18/RE18L0NA.TXT /.PS
application for measurement of offset print output, separation cmy0 (CMY0)

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmatrik/RE18/RE18.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

<http://130.149.60.45/~farbmatrik/RE18/RE18L0NA.TXT> /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

n	HC*Fe	rgb_Fe	ic*_Fe	h*_Fe	rgb*_Fe	LabCh*_Fe	h*_Fe	LabCh*_Fe	rgb*_Fe	DF*Fe	h*_Fe	rgb*_Fe	LabCh*_Fe
1053	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	3.7	69.9	3.7	69.9
1054	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	1.5	71.6	1.5	71.6
1055	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.1	114.3	0.1	114.3
1056	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	308.5	6.7	308.5
1057	NW_006e	0.066	0.066	0.066	0.066	0.066	0.066	0.066	0.066	5.5	6.7	5.5	6.7
1058	NW_013e	0.133	0.133	0.133	0.133	0.133	0.133	0.133	0.133	9.0	22.4	9.0	22.4
1059	NW_020e	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	11.6	30.4	11.6	30.4
1060	NW_026e	0.266	0.266	0.266	0.266	0.266	0.266	0.266	0.266	12.4	44.7	12.4	44.7
1061	NW_033e	0.333	0.333	0.333	0.333	0.333	0.333	0.333	0.333	13.3	48.4	13.3	48.4
1062	NW_040e	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	14.0	36.0	14.0	36.0
1063	NW_046e	0.466	0.466	0.466	0.466	0.466	0.466	0.466	0.466	14.5	36.0	14.5	36.0
1064	NW_053e	0.533	0.533	0.533	0.533	0.533	0.533	0.533	0.533	11.0	56.7	11.0	56.7
1065	NW_060e	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	8.3	9.8	8.3	9.8
1066	NW_066e	0.666	0.666	0.666	0.666	0.666	0.666	0.666	0.666	5.9	62.0	5.9	62.0
1067	NW_073e	0.734	0.734	0.734	0.734	0.734	0.734	0.734	0.734	3.6	69.4	3.6	69.4
1068	NW_080e	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1.5	71.7	1.5	71.7
1069	NW_086e	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.1	118.4	0.1	118.4
1070	NW_093e	0.933	0.933	0.933	0.933	0.933	0.933	0.933	0.933	2.9	38.7	2.9	38.7
1071	NW_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	11.2	37.5	11.2	37.5
1072	NW_000e	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.9	32.8	83.9	32.8
1073	ROY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	36.0	18.2	36.0	18.2
1074	ROY_100_100e	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	83.9	32.8	83.9	32.8
1075	G50B_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	36.0	18.2	36.0	18.2
1076	G50B_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	83.9	32.8	83.9	32.8
1077	B00B_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	36.0	18.2	36.0	18.2
1078	B00B_100_100e	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	83.9	32.8	83.9	32.8
1079	B50B_100_100e	1.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	36.0	18.2	36.0	18.2

Mean color difference of this page:

delta E* = 10.3

input: *rgb/cmyk* - > *rgbe*
output: transfer to *cmy0e*

TUB-test chart RE18; hue code: H*_e=B00Re
colors and differences, ΔE^*

RE180-7N, Page 33/33-F

I-0133231-F0