

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_- = B50R_-$


Data for any device (d) or elementary (e) colour:

HIC^*_-

hue text for the colours of this page:

$H^*_- = B50R_-$

triangle lightness T^*



ORS18a; adapted (a) CIELAB data

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R _{-,Ma}	47.9	65.3	50.5	82.6	37
Y _{-,Ma}	90.3	-10.2	91.7	92.3	96
G _{-,Ma}	50.9	-62.8	34.9	71.9	150
C _{-,Ma}	58.6	-30.3	-45.0	54.2	236
B _{-,Ma}	25.7	31.0	-44.4	54.2	305
M _{-,Ma}	48.1	75.2	-8.3	75.7	353
N _{-,Ma}	18.0	0.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0	25
Y _{-,CIE}	81.2	-2.8	71.5	71.6	92
G _{-,CIE}	52.2	-42.4	13.6	44.5	162
B _{-,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_{-,Ma}$: 49 73 -9 74 353

$HIC^*_{-,Ma}$: B50R_100_100_

$rgbic^*_{-,Ma}$:



1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10

%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF> / .PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE34/RE34L0FP.PDF / .PS
application for measurement of offset print output



TUB material: code=rh4ta

1-103030-L0 RE340-7N

TUB-test chart RE34; hue code: $H^*_- = B50R_-$

Test chart according to DIN 33872, 3D=1, de=0, $cm\dot{y}k^*$

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change




Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_d = B50R_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d
hue text for the colours of this page:
 $H^*_d = B50R_d$
triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.3	63.8	41.2	76.0	32
Y _{d, Ma}	88.3	-11.9	95.1	95.8	97
G _{d, Ma}	51.9	-68.8	28.1	74.3	157
C _{d, Ma}	58.3	-29.2	-43.7	52.6	236
B _{d, Ma}	25.3	23.5	-47.3	52.8	296
M _{d, Ma}	48.2	72.8	-8.5	73.3	353
N _{d, Ma}	17.7	0.0	0.0	0.0	0
W _{d, Ma}	95.4	0.0	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0	25
Y _{d, CIE}	81.2	-2.8	71.5	71.6	92
G _{d, CIE}	52.2	-42.4	13.6	44.5	162
B _{d, CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma$: 48 72 -8 73 353



HIC^*_d, Ma : B50R_100_100_d

$rgbic^*_d, Ma$:
1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11



%Gamut
 $u^*_{rel} = 92$
%Regularity
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 58$

see similar files: <http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE34/RE34L0FP.PDF / .PS
application for measurement of offset print output, separation cmykn6* (CMYK)
TUB material: code=rh4ta

1-103130-L0 RE340-72

TUB-test chart RE34; hue code: $H^*_d=B50R_d$
Test chart according to DIN 33872, 3D=1, de=0, $cmyk^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103130-F0

Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_d = B50R_d$

Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B50R_d$

triangle lightness T^*

Data for maximum colour (Ma):

$LabCh^*_{d, Ma}: 48 \ 72 \ -8 \ 73 \ 353$

$HIC^*_{d, Ma}: B50R_{100_{100}d}$

$rgbic^*_{d, Ma}: 1.0 \ 0.0 \ 1.0 \ 1.0 \ 1.0$

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$

%Regularity

$g^*H_{rel} = 57$

$g^*C_{rel} = 58$



see similar files: <http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>


TUB registration: 20150701-RE34/RE34L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)

1-103230-L0 RE340-72

TUB-test chart RE34; hue code: $H^*_d = B50R_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*





input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1-103230-F0



see similar files: <http://130.149.60.45/~farbmetrik/RE34/RE34.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE34/RE34L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)




1-103330-L0 RE340-72

TUB-test chart RE34; hue code: $H^*_d=B50R_d$
Test chart according to DIN 33872, 3D=1, de=0, cmyk*

input: *rgb/cmyk* \rightarrow *rgb_{dd}*
output: 3D-linearization to *cmyk_{dd}**




1-103330-F0





see similar files: <http://130.149.60.45/~farbmetrik/RE34/RE34.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE34/RE34L0FP.PDF /.PS TUB material: code=rh4ta
application for measurement of offset print output, separation cmyk* (CMYK)



1-103430-L0 RE340-72

TUB-test chart RE34; hue code: $H^*_d=B50R_d$
Test chart according to DIN 33872, 3D=1, $de=0$, cmyk*

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$

1=103430-F0



Input and Output: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 353/360 = 0.98$

$H^*_d = B50R_d$


Data for any device (d) or elementary (e) colour:

HIC^*_d

hue text for the colours of this page:

$H^*_d = B50R_d$

triangle lightness T^*



ORS20a; adapted (a) CIELAB data

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d,Ma}	47.3	63.8	41.2	76.0	32
Y _{d,Ma}	88.3	-11.9	95.1	95.8	97
G _{d,Ma}	51.9	-68.8	28.1	74.3	157
C _{d,Ma}	58.3	-29.2	-43.7	52.6	236
B _{d,Ma}	25.3	23.5	-47.3	52.8	296
M _{d,Ma}	48.2	72.8	-8.5	73.3	353
N _{d,Ma}	17.7	0.0	0.0	0.0	0
W _{d,Ma}	95.4	0.0	0.0	0.0	0
R _{d,CIE}	39.9	58.7	27.9	65.0	25
Y _{d,CIE}	81.2	-2.8	71.5	71.6	92
G _{d,CIE}	52.2	-42.4	13.6	44.5	162
B _{d,CIE}	30.5	1.4	-46.4	46.4	271

Data for maximum colour (Ma):

$LabCh^*_d, Ma: 48\ 72\ -8\ 73\ 353$

$HIC^*_d, Ma: B50R_100_100_d$

$rgbic^*_d, Ma:$

1.0 0.0 1.0 1.0 1.0

triangle lightness T^*

%Gamut

$u^*_{rel} = 92$



%Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data


H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 _d	47.3	63.8	41.2	76.0	32
R25Y_100_100 _d	55.3	45.8	52.2	69.5	48
R50Y_100_100 _d	67.2	22.6	67.6	71.2	71
R75Y_100_100 _d	79.9	1.0	83.9	83.9	89
Y00G_100_100 _d	88.3	-11.9	95.1	95.8	97
Y25G_100_100 _d	83.3	-19.2	83.7	85.9	102
Y50G_100_100 _d	72.7	-31.3	66.0	73.1	115
Y75G_100_100 _d	60.4	-48.8	46.7	67.6	136
G00B_100_100 _d	51.9	-68.8	28.1	74.3	157
G25B_100_100 _d	54.8	-51.0	-12.3	52.5	193
G50B_100_100 _d	58.3	-29.2	-43.7	52.6	236
G75B_100_100 _d	42.7	-6.0	-45.0	45.4	262
B00R_100_100 _d	25.3	23.5	-47.3	52.8	296
B25R_100_100 _d	37.8	53.8	-26.3	59.9	333
B50R_100_100 _d	48.2	72.8	-8.5	73.3	353
B75R_100_100 _d	47.7	67.7	14.0	69.1	11




http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization
 F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 7/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk* D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_d; $h_{ab,d} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
 Six hue angles of the device colours RYGBM_d; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours RYGBM_e; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$


J=Y_d Yellow
 device CIELAB (a^*_d, b^*_d) chroma diagram



Y_e yellow
 elementary CIELAB (a^*_e, b^*_e) chroma diagram



standard CIELAB (a^*_s, b^*_s) chroma diagram



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle h_{ab} use for any device values rgb^*_e the equation:
 $h_{abs} = \text{atan} [r^*_e \cos(30) + g^*_e \sin(150)] / [r^*_e \sin(30) + g^*_e \sin(150)] + b^*_e \sin(270)]$ (1)
- For the 48 or 360 equally spaced standard hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{abs} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
 $h_{48abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (2)
 $h_{360abs,ij} = h_{abs,i} + j [h_{abs,i+1} - h_{abs,i}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (3)
- For the 48 or 360 elementary hue angles h_{ab} of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{abs} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
 $h_{48abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 8$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 7$) (4)
 $h_{360abs,ej} = h_{abs,e} + j [h_{abs,e+1} - h_{abs,e}] / 60$ ($i = 0, 1, \dots, 5; j = 0, 1, \dots, 59$) (5)
- For any elementary hue angle h_{ab} there is a well defined device hue angle h_{ad} see the following tables, columns 1 to 4.
- The values rgb^*_e produce the output of the device-independent elementary hues

I=103630-L0 RE340-72 LAB*la0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE34; hue code: H*_d=B50Rd
 48 step hue circles; $rgb-LabCh$ *tables

input: $rgb/cmyk \rightarrow rgbdd$
 output: 3D-linearization to $cmyk^*dd$

Output: Offset standard print; separation cmyk* D65, page 7/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with columns for device colours (LAB, RGB, CMYK) and standard colours (RYGBM). Rows include device color data (LAB, RGB, CMYK) and standard color data (LAB, RGB, CMYK) for 30, 90, 150, 210, 270, and 330 degrees.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*d=B50Rd 48 step hue circles; rgb-LabCh*tables

Output: Offset standard print; separation cmyk6*; D65, page 8/35

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h_ab,d	h_ab,s	h_ab,e	rgb* dd64M	rgb* ds	rgb* de	LAB* dex36IM	LAB* dex36IM	LAB* dex36IM													
32.8	30.0	25.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	32.8	32.8	1.0	0.0	0.209	47.6	64.9	30.9	71.9	25		
40.4	37.5	33.8	1.0	0.125	0.0	51.2	54.9	46.7	72.1	40.4	40.4	1.0	0.007	0.0	47.6	63.4	41.6	75.8	33		
50.0	45.0	42.1	1.0	0.25	0.0	56.0	44.4	53.0	69.1	50.0	50.0	1.0	0.148	0.0	52.1	53.0	48.1	71.6	42		
61.1	52.5	50.5	1.0	0.375	0.0	61.4	33.2	60.3	68.8	61.1	61.1	1.0	0.25	0.0	56.0	44.5	53.0	69.2	49		
71.4	60.0	58.8	1.0	0.5	0.0	67.2	22.6	67.6	71.2	71.4	71.4	1.0	0.35	0.0	60.3	35.6	59.0	69.0	58		
81.7	67.5	67.2	1.0	0.625	0.0	73.6	11.0	76.1	76.9	81.7	81.7	1.0	0.442	0.0	64.5	27.8	64.5	70.2	66		
88.5	75.0	75.6	1.0	0.75	0.0	82.2	2.0	83.0	83.1	88.5	88.5	1.0	0.55	0.0	69.8	18.3	71.3	73.6	75		
93.6	82.5	83.9	1.0	0.875	0.0	84.2	-5.7	89.4	89.6	93.6	93.6	1.0	0.655	0.0	75.0	9.0	77.9	78.5	83		
97.1	90.0	92.3	1.0	1.0	0.0	88.3	-11.9	95.1	95.8	97.1	97.1	1.0	0.842	0.0	83.0	-3.4	87.8	87.9	92		
100.3	97.5	101.0	1.0	0.875	1.0	0.0	85.8	-16.2	88.6	90.0	100.3	100.3	1.0	0.871	1.0	0.0	85.8	-16.2	88.4	89.9	100
103.3	105.0	109.7	1.0	0.0	82.9	-19.7	83.0	85.3	103.3	103.3	103.3	1.0	0.599	1.0	0.0	76.2	-26.6	74.3	78.9	109	
108.3	112.5	118.5	1.0	0.0	77.0	-25.2	76.3	80.4	108.3	108.3	108.3	1.0	0.455	1.0	0.0	71.4	-33.4	63.2	71.6	117	
115.3	120.0	127.2	0.5	1.0	0.0	72.7	-31.3	66.0	73.1	115.3	115.3	0.5	0.327	1.0	0.0	65.8	-41.3	54.4	68.4	127	
122.4	127.5	136.0	0.375	1.0	0.0	68.9	-36.9	58.1	68.8	122.4	122.4	0.375	0.244	1.0	0.0	60.7	-48.1	47.5	67.6	135	
134.9	135.0	144.7	0.25	1.0	0.0	60.8	-47.8	47.8	67.6	134.9	134.9	0.25	0.124	1.0	0.0	57.4	-54.9	38.9	67.4	144	
144.6	142.5	153.4	0.125	1.0	0.0	57.4	-54.9	38.9	67.3	144.6	144.6	0.125	0.047	1.0	0.0	54.0	-63.8	32.7	71.7	152	
157.7	150.0	162.2	0.0	1.0	0.0	51.9	-68.8	28.1	74.3	157.7	157.7	0.0	0.093	52.4	-67.0	21.5	70.5	162			
163.7	157.5	169.0	0.0	1.0	0.125	52.5	-66.4	19.3	69.1	163.7	163.7	0.0	0.209	53.1	-63.5	12.8	64.9	168			
170.9	165.0	175.9	0.0	1.0	0.25	53.2	-61.9	9.8	62.7	170.9	170.9	0.0	0.311	53.7	-59.7	4.3	59.9	175			
181.0	172.5	182.7	0.0	1.0	0.375	54.1	-56.9	-1.0	56.9	181.0	181.0	0.0	0.387	54.2	-56.4	-2.2	56.5	182			
193.5	180.0	189.6	0.0	1.0	0.5	54.8	-51.0	-12.3	52.5	193.5	193.5	0.0	0.46	54.6	-53.1	-8.9	54.0	189			
205.9	187.5	196.4	0.0	1.0	0.625	55.8	-45.1	-21.9	50.1	205.9	205.9	0.0	0.524	55.0	-50.0	-14.3	52.1	195			
218.4	195.0	203.2	0.0	1.0	0.75	56.7	-38.9	-30.9	49.7	218.4	218.4	0.0	0.598	55.6	-46.5	-19.9	50.7	203			
227.3	202.5	210.1	0.0	1.0	0.875	57.5	-34.3	-37.2	50.6	227.3	227.3	0.0	0.662	56.1	-43.4	-24.7	50.1	209			
236.1	210.0	216.9	0.0	1.0	1.0	58.3	-29.2	-43.7	52.6	236.1	236.1	0.0	0.736	56.7	-39.7	-29.9	49.8	216			
240.3	217.5	223.8	0.0	0.875	1.0	55.2	-25.0	-43.9	50.5	240.3	240.3	0.0	0.819	57.2	-36.4	-34.4	50.3	223			
245.8	225.0	230.6	0.0	0.75	1.0	51.7	-19.7	-44.1	48.3	245.8	245.8	0.0	0.922	57.9	-32.5	-39.7	51.4	230			
252.5	232.5	237.5	0.0	0.625	1.0	47.7	-13.9	-44.4	46.5	252.5	252.5	0.0	0.974	1.0	57.7	-28.3	-43.7	52.2	237		
262.3	240.0	244.3	0.0	0.5	1.0	42.7	-6.0	-45.0	45.4	262.3	262.3	0.0	0.785	1.0	52.7	-21.1	-44.1	49.0	244		
271.7	247.5	251.2	0.0	0.375	1.0	37.9	1.3	-45.4	45.4	271.7	271.7	0.0	0.659	1.0	48.9	-15.4	-44.3	47.1	250		
281.6	255.0	258.0	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281.6	281.6	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258		
290.3	262.5	264.8	0.0	0.125	1.0	28.6	17.4	-46.9	50.1	290.3	290.3	0.0	0.472	1.0	41.7	-4.3	-45.1	45.4	264		
296.4	270.0	271.7	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296.4	296.4	0.0	0.375	1.0	37.9	1.4	-45.3	45.5	271		
306.7	277.5	278.8	0.125	0.0	1.0	29.3	31.8	-42.6	53.1	306.7	306.7	0.0	0.291	1.0	34.9	6.8	-45.9	46.5	278		
312.7	285.0	285.9	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312.7	312.7	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285		
326.7	292.5	293.0	0.375	0.0	1.0	33.8	47.6	-31.2	56.9	326.7	326.7	0.0	0.079	1.0	27.4	19.6	-47.1	51.1	292		
333.9	300.0	300.1	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333.9	333.9	0.0	0.046	0.0	1.0	26.8	26.6	-45.7	53.0	300	
339.6	307.5	307.2	0.625	0.0	1.0	40.9	58.8	-21.8	62.7	339.6	339.6	0.0	0.126	0.0	1.0	29.4	31.9	-42.5	53.2	306	
347.2	315.0	314.3	0.75	0.0	1.0	43.1	65.9	-14.9	67.6	347.2	347.2	0.0	0.265	0.0	1.0	31.8	37.7	-38.4	53.8	314	
350.2	322.5	321.4	0.875	0.0	1.0	45.9	69.4	-11.9	70.5	350.2	350.2	0.0	0.324	0.0	1.0	32.9	43.2	-34.8	55.5	321	
353.3	330.0	328.6	1.0	0.0	1.0	48.2	72.8	-8.5	73.3	353.3	353.3	0.0	0.407	0.0	1.0	34.9	49.3	-30.0	57.7	328	
356.5	337.5	335.7	1.0	0.0	0.875	48.2	71.6	-4.3	71.7	356.5	356.5	0.0	0.529	0.0	1.0	38.6	55.0	-25.3	60.6	335	
360.3	345.0	342.8	1.0	0.0	0.75	48.1	70.4	0.3	70.4	360.3	360.3	0.0	0.678	0.0	1.0	41.9	61.9	-19.0	64.8	342	
365.8	352.5	349.9	1.0	0.0	0.625	48.0	68.9	7.1	69.3	365.8	365.8	0.0	0.842	0.0	1.0	45.2	68.6	-12.7	69.8	349	
371.6	360.0	357.0	1.0	0.0	0.5	47.7	67.7	14.0	69.1	371.6	371.6	0.0	0.949	0.0	1.0	47.3	71.5	-9.9	72.2	352	
378.2	367.5	364.1	1.0	0.0	0.375	47.7	66.1	21.8	69.6	378.2	378.2	0.0	0.765	48.2	70.6	-0.1	70.6	359			
383.9	375.0	371.2	1.0	0.0	0.25	47.7	65.0	28.9	71.2	383.9	383.9	0.0	0.563	47.9	68.4	10.6	69.2	368			
388.6	382.5	378.3	1.0	0.0	0.125	47.4	64.4	35.1	73.4	388.6	388.6	0.0	0.408	47.8	66.7	19.8	69.6	376			
392.8	390.0	385.4	1.0	0.0	0.0	47.3	63.8	41.2	76.0	392.8	392.8	0.0	0.209	47.6	64.9	30.9	71.9	385			

Input: *rgb/cmyk* -> *rgbd*
Output: *Offset standard print; separation cmyk6*, D65, page 9/35*
Output: *3D-linearization to cmyk*dd*

http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 10/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBM; h_ab,d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYGBM; h_ab,e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6


Table with 88 rows and 15 columns: h_ab,d, h_ab,s, h_ab,e, rgb%_dd361M, LAB*_dss361MI (x=LabCh), LAB*_dss361MI (x=LabCh), LAB*_dex361MI (x=LabCh), LAB*_dex361MI (x=LabCh), rgb%_dd361MI, rgb%_dd361MI, rgb%_ds, rgb%_ds, rgb%_de, rgb%_de

I-103930-L0 RE340-72 LAB*lab,0, YN=0%, XYZnw=2.4, 2.5, 2.6, 85.1, 88.8, 104.3, LAB*rw=17.7, 0.0, 0.0, 95.5, 0.0, 0.0

TUB-test chart RE34; hue code: H*_d=B50Rd 48 step hue circles; rgb-LabCh*tables

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd


Output: Offset standard print; separation cmyk6*; D65, page 10/33



http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 1/33

Color calibration bars and registration marks at the top of the page, including grayscale and CMYK patches.

Main data table with 115 rows (88-202) and 11 columns (h_ab,d to Y_e). Columns contain device and standard colorimetric values for 60 degrees standard colors.



Input: rgb/cmyk -> rgbd
Output: 3D-linearization to cmyk*dd
Output: Offset standard print; separation cmyk6*, D65, page 1/33

http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF / PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 12/33

Data of Maximum color; M in colorimetric system Offset standard print; separation cmyk* D65 for input or output; Six hue angles of the 60 degree standard colours RYCGBM; h_ab_ds = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours RYCGBM; h_ab_d = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3; Six hue angles of the elementary colours RYCGBM; h_ab_e = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h_ab_d	h_ab_s	h_ab_e	rgb*_d	rgb*_s	rgb*_e	LAB*_ds361MI	LAB*_ds361MI (x=LabCh)	rgb*_ds361MI	LAB*_ds361MI (x=LabCh)	rgb*_ds361MI	LAB*_ds361MI (x=LabCh)	rgb*_ds361MI	LAB*_ds361MI (x=LabCh)	rgb*_ds361MI	LAB*_ds361MI (x=LabCh)	rgb*_ds361MI	LAB*_ds361MI (x=LabCh)								
115	120	127	0.5	1.0	0.0	72.7	-31.3 66.0 73.1	115	0.418	1.0	70.3	-35.1 60.9 70.3	120	0.5	1.0	0.0	0.327	1.0	0.0	65.8	-41.3 54.4 68.4	127	0.5	1.0	0.0
116	121	128	0.483	1.0	0.0	72.2	-32.1 65.0 72.5	116	0.4	1.0	69.7	-35.8 59.8 69.7	121	0.483	1.0	0.0	0.315	1.0	0.0	65.1	-42.3 53.5 68.3	128	0.483	1.0	0.0
117	122	129	0.466	1.0	0.0	71.7	-32.9 63.9 71.9	117	0.383	1.0	69.2	-36.5 58.6 69.1	122	0.467	1.0	0.0	0.303	1.0	0.0	64.3	-43.3 52.5 68.2	129	0.467	1.0	0.0
118	123	130	0.45	1.0	0.0	71.2	-33.7 62.9 71.4	118	0.369	1.0	68.5	-37.4 57.7 68.8	123	0.45	1.0	0.0	0.292	1.0	0.0	63.6	-44.3 51.5 68.1	130	0.45	1.0	0.0
119	124	131	0.433	1.0	0.0	70.7	-34.5 61.8 70.8	119	0.349	1.0	67.9	-38.3 56.9 68.7	124	0.433	1.0	0.0	0.28	1.0	0.0	62.8	-45.3 50.6 67.9	131	0.433	1.0	0.0
120	125	133	0.416	1.0	0.0	70.2	-35.2 60.8 70.2	120	0.349	1.0	67.3	-39.2 56.2 68.6	125	0.417	1.0	0.0	0.269	1.0	0.0	62.1	-46.2 49.5 67.8	133	0.417	1.0	0.0
121	126	134	0.4	1.0	0.0	69.6	-35.9 59.7 69.6	121	0.339	1.0	66.6	-40.2 55.4 68.5	126	0.4	1.0	0.0	0.257	1.0	0.0	61.3	-47.2 48.5 67.7	134	0.4	1.0	0.0
121	127	135	0.383	1.0	0.0	69.1	-36.5 58.6 69.1	121	0.329	1.0	66.0	-41.1 54.6 68.4	127	0.383	1.0	0.0	0.244	1.0	0.0	60.7	-48.1 47.5 67.6	135	0.383	1.0	0.0
123	128	136	0.366	1.0	0.0	68.3	-37.7 57.4 68.7	123	0.319	1.0	65.3	-42.0 53.8 68.3	128	0.367	1.0	0.0	0.229	1.0	0.0	60.3	-49.0 46.5 67.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	67.3	-39.2 56.2 68.6	124	0.309	1.0	64.7	-42.8 53.0 68.2	129	0.35	1.0	0.0	0.214	1.0	0.0	59.9	-49.9 45.4 67.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	66.2	-40.8 54.9 68.4	126	0.299	1.0	64.1	-43.7 52.2 68.1	130	0.333	1.0	0.0	0.199	1.0	0.0	59.5	-50.8 44.4 67.5	138	0.333	1.0	0.0
128	131	140	0.316	1.0	0.0	65.1	-42.3 53.6 68.2	128	0.289	1.0	63.4	-44.5 51.3 68.0	131	0.317	1.0	0.0	0.184	1.0	0.0	59.1	-51.7 43.3 67.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	64.0	-43.7 52.2 68.1	129	0.28	1.0	62.8	-45.4 50.5 67.9	132	0.3	1.0	0.0	0.169	1.0	0.0	58.6	-52.5 42.2 67.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	63.0	-45.1 50.8 67.9	131	0.27	1.0	62.1	-46.2 49.6 67.8	133	0.283	1.0	0.0	0.154	1.0	0.0	58.2	-53.3 41.1 67.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	61.9	-46.5 49.3 67.8	133	0.26	1.0	61.5	-47.0 48.7 67.8	134	0.267	1.0	0.0	0.139	1.0	0.0	57.4	-54.1 40.0 67.4	143	0.267	1.0	0.0
134	135	144	0.25	1.0	0.0	60.8	-47.8 47.8 67.6	134	0.249	1.0	60.9	-47.7 47.8 67.7	135	0.25	1.0	0.0	0.124	1.0	0.0	57.4	-54.9 38.9 67.4	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	60.4	-48.8 46.7 67.6	136	0.237	1.0	60.5	-48.5 47.0 67.6	136	0.233	1.0	0.0	0.113	1.0	0.0	56.9	-56.2 38.1 68.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	59.9	-49.8 45.6 67.5	137	0.224	1.0	60.1	-49.3 46.1 67.6	137	0.217	1.0	0.0	0.102	1.0	0.0	56.4	-57.5 37.3 68.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	59.4	-50.8 44.4 67.5	138	0.211	1.0	59.8	-50.1 45.2 67.6	138	0.2	1.0	0.0	0.091	1.0	0.0	55.9	-58.8 36.4 69.2	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	59.0	-51.8 43.2 67.4	140	0.198	1.0	59.4	-50.9 44.3 67.5	139	0.183	1.0	0.0	0.08	1.0	0.0	55.4	-60.0 35.6 69.9	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	58.5	-52.7 42.0 67.4	141	0.185	1.0	59.1	-51.6 43.4 67.5	140	0.167	1.0	0.0	0.069	1.0	0.0	55.0	-61.3 34.6 70.5	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	58.1	-53.6 40.8 67.4	142	0.172	1.0	58.7	-52.3 42.5 67.5	141	0.15	1.0	0.0	0.058	1.0	0.0	54.5	-62.5 33.7 71.1	151	0.15	1.0	0.0
144	142	152	0.133	1.0	0.0	57.6	-54.5 39.5 67.3	144	0.159	1.0	58.4	-53.0 41.5 67.4	142	0.133	1.0	0.0	0.047	1.0	0.0	54.0	-63.8 32.7 71.7	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	57.0	-55.9 38.3 67.8	145	0.147	1.0	58.0	-53.7 40.6 67.4	143	0.117	1.0	0.0	0.035	1.0	0.0	53.5	-65.0 31.7 72.4	154	0.117	1.0	0.0
147	144	155	0.1	1.0	0.0	56.3	-57.8 37.1 68.7	147	0.134	1.0	57.7	-54.4 39.6 67.4	144	0.1	1.0	0.0	0.024	1.0	0.0	53.0	-66.2 30.6 73.0	155	0.1	1.0	0.0
149	145	157	0.083	1.0	0.0	55.5	-59.7 35.8 69.6	149	0.122	1.0	57.3	-55.2 38.7 67.5	145	0.083	1.0	0.0	0.013	1.0	0.0	52.5	-67.4 29.5 73.6	156	0.083	1.0	0.0
150	146	157	0.066	1.0	0.0	54.8	-61.6 34.4 70.6	150	0.112	1.0	56.9	-56.3 38.1 68.0	146	0.067	1.0	0.0	0.002	1.0	0.0	52.0	-68.5 28.3 74.2	157	0.067	1.0	0.0
152	147	158	0.049	1.0	0.0	54.1	-63.4 32.9 71.5	152	0.103	1.0	56.4	-57.4 37.4 68.6	147	0.05	1.0	0.0	0.001	1.0	0.0	52.1	-68.4 26.7 73.6	158	0.05	1.0	0.0
154	148	159	0.033	1.0	0.0	53.4	-65.3 31.4 72.4	154	0.093	1.0	56.0	-58.5 36.6 69.1	148	0.033	1.0	0.0	0.0	1.0	0.044	52.2	-68.0 24.9 72.5	159	0.033	1.0	0.0
156	149	161	0.016	1.0	0.0	52.6	-67.1 29.8 73.4	156	0.084	1.0	55.6	-59.6 35.9 69.7	149	0.017	1.0	0.0	0.0	1.0	0.069	52.3	-67.6 23.2 71.5	161	0.017	1.0	0.0
157	150	162	0.0	1.0	0.0	51.9	-68.8 28.1 74.3	157	0.074	1.0	55.2	-60.7 35.1 70.2	150	0.0	1.0	0.0	0.0	1.0	0.093	52.4	-67.0 21.5 70.5	162	0.0	1.0	0.0
158	151	163	0.0	1.0	0.0	51.2	-68.5 26.9 73.6	158	0.065	1.0	54.8	-61.8 34.3 70.7	151	0.0	1.0	0.0	0.017	0.0	0.112	52.5	-66.6 20.2 69.7	163	0.0	1.0	0.0
159	152	164	0.0	1.0	0.0	50.3	-68.3 25.7 72.9	159	0.055	1.0	54.4	-62.8 33.5 71.3	152	0.0	1.0	0.0	0.033	0.0	0.1	52.6	-66.2 18.9 68.9	164	0.0	1.0	0.033
160	153	164	0.0	1.0	0.0	50.5	-68.0 24.5 72.2	160	0.046	1.0	53.9	-63.9 32.6 71.8	153	0.0	1.0	0.0	0.05	0.0	0.1	52.7	-65.7 17.7 68.1	164	0.0	1.0	0.05
160	154	165	0.0	1.0	0.0	50.6	-67.6 23.3 71.6	160	0.036	1.0	53.5	-64.9 31.7 72.3	154	0.0	1.0	0.067	0.0	0.1	52.8	-65.2 16.4 67.3	165	0.0	1.0	0.067	
161	155	166	0.0	1.0	0.0	50.8	-67.3 22.1 70.9	161	0.027	1.0	53.1	-65.9 30.8 72.9	155	0.0	1.0	0.083	0.0	0.1	52.9	-64.6 15.2 66.5	166	0.0	1.0	0.083	
162	156	167	0.0	1.0	0.0	50.1	-66.9 21.0 70.2	162	0.017	1.0	52.7	-67.0 29.9 73.4	156	0.0	1.0	0.1	0.0	0.1	53.0	-64.1 14.0 65.7	167	0.0	1.0	0.1	
163	157	168	0.0	1.0	0.0	51.6	-66.6 19.9 69.5	163	0.008	1.0	52.3	-68.0 28.9 73.9	157	0.0	1.0	0.117	0.0	0.1	53.1	-63.5 12.8 64.9	168	0.0	1.0	0.117	
164	158	169	0.0	1.0	0.0	51.3	-66.1 18.6 68.7	164	0.0	1.0	52.0	-68.7 27.8 74.2	158	0.0	1.0	0.133	0.0	0.1	53.2	-62.9 11.6 64.1	169	0.0	1.0	0.133	
165	159	170	0.0	1.0	0.0	51.5	-65.7 17.3 67.9	165	0.0	1.0	52.1	-68.3 26.3 73.3	159	0.0	1.0	0.15	0.0	0.1	53.2	-62.3 10.5 63.3	170	0.0	1.0	0.15	
166	160	171	0.0	1.0	0.0	51.6	-65.0 16.0 67.0	166	0.0	1.0	52.2	-68.0 24.8 72.4	160	0.0	1.0	0.167	0.0	0.1	53.3	-61.7 9.4 62.6	171	0.0	1.0	0.167	
167	161	172	0.0	1.0	0.0	51.8	-64.5 14.7 66.1	167	0.0	1.0	52.3	-67.6 23.3 71.6	161	0.0	1.0	0.183	0.0	0.1	53.4	-61.4 8.4 62.0	172	0.0	1.0	0.183	
168	162	173	0.0	1.0	0.0	52.0	-64.3 13.4 65.3	168	0.0	1.0	52.4	-67.1 21.8 70.7	162	0.0	1.0	0.2	0.0	0.1	53.5	-61.0 7.3 61.5	173	0.0	1.0	0.2	
169	163	174	0.0	1.0	0.0	52.1	-63.3 12.2 64.4	169	0.0	1.0	52.5	-66.7 20.4 69.8	163	0.0	1.0	0.217	0.0	0.1	53.6	-60.6 6.3 61.0	174	0.0	1.0	0.217	
170	164	175	0.0	1.0	0.0	52.3	-62.6 11.0 63.6	170	0.0	1.0	52.6	-66.2 19.0 69.0	164	0.0	1.0	0.233	0.0	0.1	53.7	-60.1 5.3 60.5	175	0.0	1.0	0.233	
170	165	175	0.0	1.0	0.0	52.5	-61.9 9.8 62.7	170	0.0	1.0	52.7	-65.7 17.6 68.1	165	0.0	1.0	0.25	0.0	0.1	53.7	-59.7 4.3 59.9	175	0.0	1.0	0.25	

I=1031130

Table with 38 columns: h_ab,d, h_ab,s, h_ab,e, Lab*_*_dd361MI, Lab*_*_ds361MI, Lab*_*_dx361MI (x=LabCh), Lab*_*_dys361MI (y=LabCh), Lab*_*_dys361MI (z=LabCh), Lab*_*_dys361MI (d), Lab*_*_dys361MI (e), Lab*_*_dys361MI (d), Lab*_*_dys361MI (e). Rows contain data for 236 different color angles.

TUB-test chart RE34; hue code: H*_d=B50Rd 48 step hue circles; rgb-LabCh*tables input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd Output: Offset standard print; separation cmyk*; D65, page 13/36




http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 15/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*: D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_d$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$; $h_{ab,d} = 32.8, 97.2, 157.8, 236.2, 296.4, 353.3$; Six hue angles of the elementary colours $RYGCBM_c$; $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^{*}_{ds}	rgb^{*}_{ds361M}	$LAB^{*}_{ds361MI}$	$LAB^{*}_{ds361MI} (x=LabCh)$	$rgb^{*}_{ds361MI}$	$LAB^{*}_{de361MI}$	$LAB^{*}_{de361MI} (x=LabCh)$	$rgb^{*}_{de361MI}$	$rgb^{*}_{dd361MI}$	$rgb^{*}_{dd361MI}$	rgb^{*}_{ds}	rgb^{*}_{ds}	rgb^{*}_{ds}	rgb^{*}_{ds}	rgb^{*}_{ds}							
281	255	258	0.0	0.25	1.0	33.3	9.4	-46.0	47.0	281	0.0	0.555	1.0	45.0	-9.4	-44.8	45.9	258	0.0	0.25	1.0			
282	256	258	0.0	0.233	1.0	32.7	10.5	-46.2	47.4	282	0.0	0.581	1.0	44.5	-8.7	-44.9	45.8	258	0.0	0.233	1.0			
283	257	259	0.0	0.216	1.0	32.0	11.5	-46.4	47.8	283	0.0	0.568	1.0	44.5	-10.3	-44.8	46.1	257	0.0	0.217	1.0			
285	258	260	0.0	0.2	1.0	31.4	12.5	-46.5	48.2	285	0.0	0.556	1.0	45.0	-9.5	-44.8	45.9	258	0.0	0.2	1.0			
286	259	261	0.0	0.183	1.0	30.8	13.6	-46.7	48.6	286	0.0	0.543	1.0	44.5	-8.6	-44.9	45.8	259	0.0	0.183	1.0			
287	260	262	0.0	0.166	1.0	30.1	14.7	-46.8	49.0	287	0.0	0.53	1.0	44.0	-7.8	-44.9	45.7	260	0.0	0.167	1.0			
288	261	263	0.0	0.15	1.0	29.5	15.8	-46.9	49.4	288	0.0	0.517	1.0	43.5	-7.0	-44.9	45.6	261	0.0	0.15	1.0			
289	262	264	0.0	0.133	1.0	28.9	16.8	-46.9	49.9	289	0.0	0.505	1.0	43.0	-6.2	-44.9	45.5	262	0.0	0.133	1.0			
290	263	265	0.0	0.116	1.0	28.3	17.8	-47.0	50.3	290	0.0	0.491	1.0	42.5	-5.4	-45.0	45.4	263	0.0	0.117	1.0			
291	264	266	0.0	0.1	1.0	27.7	18.6	-47.1	50.6	291	0.0	0.478	1.0	41.9	-4.6	-45.1	45.4	264	0.0	0.1	1.0			
292	265	267	0.0	0.083	1.0	27.5	19.4	-47.1	51.0	292	0.0	0.465	1.0	41.4	-3.9	-45.2	45.4	265	0.0	0.083	1.0			
293	266	268	0.0	0.066	1.0	27.0	20.2	-47.2	51.4	293	0.0	0.451	1.0	40.9	-3.1	-45.2	45.4	266	0.0	0.067	1.0			
293	267	269	0.0	0.049	1.0	26.6	21.0	-47.3	51.7	293	0.0	0.438	1.0	40.4	-2.3	-45.3	45.4	267	0.0	0.05	1.0			
294	268	269	0.0	0.033	1.0	26.2	21.8	-47.3	52.1	294	0.0	0.425	1.0	39.9	-1.5	-45.3	45.4	268	0.0	0.033	1.0			
295	269	270	0.0	0.016	1.0	25.7	22.6	-47.3	52.5	295	0.0	0.411	1.0	39.4	-0.7	-45.3	45.4	269	0.0	0.017	1.0			
296	270	271	0.0	0.0	1.0	25.3	23.5	-47.3	52.8	296	0.0	0.398	1.0	38.8	-0.7	-45.3	45.4	270	0.0	0.0	1.0			
297	271	272	0.0016	0.0	1.0	25.8	24.6	-46.8	52.9	297	0.0	0.385	1.0	38.3	0.8	-45.3	45.4	271	0.0	0.017	0.0	1.0		
299	272	273	0.033	0.0	1.0	26.3	25.8	-46.2	52.9	299	0.0	0.371	1.0	37.8	1.6	-45.4	45.5	272	0.0	0.033	0.0	1.0		
300	273	274	0.05	0.0	1.0	26.9	26.9	-45.6	52.9	300	0.0	0.359	1.0	37.3	2.4	-45.5	45.7	273	0.0	0.05	0.0	1.0		
301	274	275	0.066	0.0	1.0	27.4	28.0	-45.0	53.0	301	0.0	0.346	1.0	36.9	3.2	-45.6	45.8	274	0.0	0.067	0.0	1.0		
303	275	276	0.083	0.0	1.0	27.9	29.1	-44.3	53.0	303	0.0	0.334	1.0	36.4	4.0	-45.7	46.0	275	0.0	0.083	0.0	1.0		
304	276	277	0.1	0.0	1.0	28.5	30.2	-43.6	53.1	304	0.0	0.321	1.0	36.0	4.8	-45.8	46.1	276	0.0	0.1	0.0	1.0		
306	277	278	0.116	0.0	1.0	29.0	31.2	-42.9	53.1	306	0.0	0.309	1.0	35.5	5.6	-45.8	46.3	277	0.0	0.117	0.0	1.0		
307	278	279	0.133	0.0	1.0	29.4	32.1	-42.3	53.1	307	0.0	0.296	1.0	35.0	6.5	-45.9	46.4	278	0.0	0.133	0.0	1.0		
307	279	280	0.15	0.0	1.0	29.7	32.7	-41.9	53.2	307	0.0	0.283	1.0	34.6	7.3	-45.9	46.6	279	0.0	0.15	0.0	1.0		
308	280	281	0.166	0.0	1.0	30.0	33.3	-41.5	53.2	308	0.0	0.271	1.0	34.1	8.1	-45.9	46.7	280	0.0	0.167	0.0	1.0		
309	281	282	0.183	0.0	1.0	30.3	33.9	-41.0	53.2	309	0.0	0.258	1.0	33.6	8.9	-45.9	46.9	281	0.0	0.183	0.0	1.0		
310	282	283	0.2	0.0	1.0	30.6	34.5	-40.6	53.3	310	0.0	0.245	1.0	33.1	9.8	-46.0	47.1	282	0.0	0.2	0.0	1.0		
311	283	284	0.216	0.0	1.0	30.9	35.0	-40.1	53.3	311	0.0	0.231	1.0	32.6	10.7	-46.2	47.5	283	0.0	0.217	0.0	1.0		
311	284	285	0.233	0.0	1.0	31.2	35.6	-39.6	53.3	311	0.0	0.216	1.0	32.1	11.6	-46.3	47.8	284	0.0	0.233	0.0	1.0		
312	285	285	0.25	0.0	1.0	31.5	36.2	-39.2	53.4	312	0.0	0.202	1.0	31.5	12.5	-46.5	48.2	285	0.0	0.202	0.0	1.0		
314	286	286	0.266	0.0	1.0	31.8	37.8	-38.3	53.8	314	0.0	0.188	1.0	31.0	13.3	-46.6	48.5	285	0.0	0.25	0.0	1.0		
316	287	287	0.283	0.0	1.0	32.1	39.4	-37.4	54.3	316	0.0	0.175	1.0	30.5	14.2	-46.7	48.9	286	0.0	0.267	0.0	1.0		
318	288	288	0.3	0.0	1.0	32.4	40.9	-36.4	54.8	318	0.0	0.161	1.0	30.0	15.1	-46.8	49.2	287	0.0	0.283	0.0	1.0		
320	289	289	0.316	0.0	1.0	32.7	42.4	-35.3	55.3	320	0.0	0.15	1.0	29.9	15.2	-46.8	49.3	288	0.0	0.3	0.0	1.0		
322	290	290	0.333	0.0	1.0	33.0	43.9	-34.2	55.7	322	0.0	0.145	1.0	29.4	16.2	-46.8	49.6	289	0.0	0.317	0.0	1.0		
323	291	291	0.35	0.0	1.0	33.3	45.4	-33.1	56.2	323	0.0	0.13	1.0	28.8	17.1	-46.9	50.0	290	0.0	0.333	0.0	1.0		
325	292	292	0.366	0.0	1.0	33.6	46.9	-31.8	56.7	325	0.0	0.112	1.0	28.3	18.1	-47.0	50.4	291	0.0	0.35	0.0	1.0		
327	293	293	0.383	0.0	1.0	34.0	48.0	-30.9	57.1	327	0.0	0.091	1.0	27.7	19.1	-47.1	50.9	292	0.0	0.367	0.0	1.0		
328	294	294	0.4	0.0	1.0	34.6	48.9	-30.3	57.5	328	0.0	0.07	1.0	27.2	20.1	-47.1	51.3	293	0.0	0.383	0.0	1.0		
329	295	295	0.416	0.0	1.0	35.1	49.7	-29.7	57.9	329	0.0	0.05	1.0	26.6	21.1	-47.2	51.8	294	0.0	0.4	0.0	1.0		
330	296	296	0.433	0.0	1.0	35.7	50.5	-29.0	58.3	330	0.0	0.029	1.0	26.1	22.1	-47.2	52.2	295	0.0	0.417	0.0	1.0		
331	297	297	0.45	0.0	1.0	36.2	51.4	-28.4	58.7	331	0.0	0.008	1.0	25.6	23.1	-47.3	52.7	296	0.0	0.433	0.0	1.0		
332	298	298	0.466	0.0	1.0	36.7	52.2	-27.7	59.1	332	0.007	0.0	1.0	25.6	24.0	-47.3	52.9	297	0.0	0.45	0.0	1.0		
332	299	299	0.483	0.0	1.0	37.3	53.0	-27.0	59.5	332	0.019	0.0	1.0	25.9	24.8	-46.6	52.9	298	0.0	0.467	0.0	1.0		
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.031	0.0	1.0	26.3	25.7	-46.2	52.9	299	0.0	0.483	0.0	1.0		
333	300	300	0.5	0.0	1.0	37.8	53.8	-26.3	59.9	333	0.043	0.0	1.0	26.7	26.5	-45.8	53.0	300	0.5	0.0	1.0	0.046	0.0	1.0

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*
Output: Offset standard print; separation cmyk6*: D65, page 15/36

TUB-test chart RE34; hue code: H*d=B50Rd
48 step hue circles; rgb-LabCh*tables



http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 16/33

Data of Maximum color, M in colorimetric system Offset standard print; separation cmyk6*; D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; h_ab,ab = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;

Table with 12 columns: h_ab,d, h_ab,s, h_ab,e, rgb%_dd361M, LAB*_dcs361MI (x=LabCh), rgb%_dd361MI, LAB*_dcs361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh), rgb%_dd361MI, LAB*_dex361MI (x=LabCh)

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

Table with 11 columns: hue angle, R_d, Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b), Lab* (L, a, b). Rows 360 to 392.

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 18/33

Table with columns: nrf, HHC*Fid, rgp*_Fid, icr*_Fid, hsa*_Fid, rgp*_Fid, LabC*_Fid, LabC*_Fid, cmyk*_sep_Fid, rgp*_Fid, hsa*_Fid, rgp*_Fid, LabC*_Fid, LabC*_Fid, delta. Rows represent various color patches and their corresponding colorimetric data.

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd





Mean color difference of this page:

TUB-test chart RE34; hue code: H*_d=B50Rd colors and differences, ΔE*_*

ref	HC*Fid	RGB_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep,Fid	cmyp*_sep,Fid	hsa*Fid	rgb*Fid	LabC*Fid	delta
0/648	ROY_100_100d	1.0	0.0	1.0	0.0	0.0	0.0	0.0	389	1.0	0.0	0.0
1/668	ROY_100_100d	0.0	1.0	0.0	0.0	0.0	0.0	0.0	389	0.0	1.0	0.0
2/684	ROY_100_100d	0.0	0.0	1.0	0.0	0.0	0.0	0.0	389	0.0	0.0	1.0
3/702	ROY_100_100d	0.0	0.0	0.0	1.0	0.0	0.0	0.0	389	0.0	0.0	0.0
4/720	ROY_100_100d	0.0	0.0	0.0	0.0	1.0	0.0	0.0	389	0.0	0.0	0.0
5/738	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	1.0	0.0	389	0.0	0.0	0.0
6/756	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	1.0	389	0.0	0.0	0.0
7/774	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
8/792	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
9/810	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
10/828	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
11/846	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
12/864	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
13/882	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
14/900	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
15/918	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
16/936	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
17/954	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
18/972	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
19/990	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
20/1008	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
21/1026	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
22/1044	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
23/1062	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
24/1080	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
25/1098	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
26/1116	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
27/1134	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
28/1152	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
29/1170	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
30/1188	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
31/1206	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
32/1224	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
33/1242	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
34/1260	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
35/1278	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
36/1296	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
37/1314	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
38/1332	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
39/1350	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
40/1368	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
41/1386	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
42/1404	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
43/1422	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
44/1440	ROY_100_100d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	389	0.0	0.0	0.0
45/0	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0
46/91	NW_013d	0.125	0.125	0.125	0.125	0.125	0.125	0.125	360	0.0	0.0	0.0
47/182	NW_025d	0.25	0.25	0.25	0.25	0.25	0.25	0.25	360	0.0	0.0	0.0
48/273	NW_038d	0.375	0.375	0.375	0.375	0.375	0.375	0.375	360	0.0	0.0	0.0
49/364	NW_050d	0.5	0.5	0.5	0.5	0.5	0.5	0.5	360	0.0	0.0	0.0
50/455	NW_063d	0.625	0.625	0.625	0.625	0.625	0.625	0.625	360	0.0	0.0	0.0
51/546	NW_075d	0.75	0.75	0.75	0.75	0.75	0.75	0.75	360	0.0	0.0	0.0
52/637	NW_088d	0.875	0.875	0.875	0.875	0.875	0.875	0.875	360	0.0	0.0	0.0
53/728	NW_100d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	360	0.0	0.0	0.0

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*_d=B50Rd
colors and differences, ΔE*_d



http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF / PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 20/33

Table with 80 rows and 15 columns: #, H#*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabC*Fid, LabC*Fid, cmyk*sep, cmyk*sep, rpb*Fid, LabC*Fid, Hsa*Fid, LabC*Fid, delta. Each row contains numerical data for color calibration.

delta

Mean color difference of this page:

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

RE340-TN; Page 20/33-F

TUB-test chart RE34; hue code: H*d=B50Rd
colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 21/33

Table with 16 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, LabCM*Fid, cmyk*_sep,Fid, LabCM*Fid, rpb*Fid, hsa_Fid, LabCM*Fid, LabCM*Fid, delta. Rows include color names like B00Y, B25K, B50K, etc.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

RE340-TN; Page 21/33-F

TUB-test chart RE34; hue code: H*d=B50Rd colors and differences, AE*F

I-1032030-F0

I-1032030-F0

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 22/33

Table with 24 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCH*Fid, cmyk*_sep,Fid, rpb*_Fid, hsa*_Fid, LabCH*_Fid, delta. Rows 162-242.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*d=B50Rd colors and differences, AE*^{*}

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 23/33

Table with 32 columns: n, HHC*Fid, rpb_Fid, icr_Fid, hsa_Fid, rpb*Fid, LabCM*Fid, LabCM*Sep, cmyk*Sep, rpb*Fid, hsa*Fid, rpb**Fid, LabCM**Fid, delta. Rows 243-523.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*d=B50Rd colors and differences, AE*

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 24/33

Table with 40 columns: n, HHC*Fid, rpb_Fid, icr_Fid, Hs_Fid, rpb*Fid, LabCM*Fid, 20.6, 38.0, 32.8, cmyk*_sep_Fid, 0.845, 0.803, 0.544, LabCM*Yad, LabCM*Mad, rpb*Yad, rpb*Mad, Hs*Yad, Hs*Mad, delta. Rows list various color patches and their corresponding colorimetric and colorimetric difference values.

Mean color difference of this page: 0.597

TUB-test chart RE34; hue code: H*d=B50Rd colors and differences, ΔE*

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd



<http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF> /PS; 3D-linearization
<http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.DAT> in file (F), page 25/33

Table with 11 columns: n, HHC*Fid, rgb_Fid, icr_Fid, Hsa_Fid, rpb*Fid, LabCh*Fid, cmyk*_sep,Fid, Hsa,Lab, rpb*Fid, LabCh*Fid, delta. It contains 485 rows of color calibration data.

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*_d=B50Rd
colors and differences, AE*
Mean color difference of this page: 0.455

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 27/33

Table with columns: n, HHC*Fid, rgb_Fid, icr_Fid, Hsa_Fid, rgp_Fid, LabC*Fid, cmyk*_sep,Fid, Hax*Fid, rgp*_Fid, LabC*_Fid, delta. Rows 567-647.

Mean color difference of this page: 1.779 0.002 0.0 0.004

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 28/33

Table with 15 columns: n, HHC*Fid, rpb*Fid, icr*Fid, Hrs*Fid, rpb*Fid, LabC*Fid, LabC*Fid, cmyk*sep,Fid, rpb*Fid, Hrs*Fid, LabC*Fid, LabC*Fid, delta. Rows 648-728.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbdd output: 3D-linearization to cmyk*dd

RE340-TN, Page 28/33-F

TUB-test chart RE34; hue code: H*_d=B50Rd colors and differences, ΔE*_a*

Table with columns: n, H#C*Fid, H#C*Mid, iCr*Fid, iCr*Mid, LabC*Fid, LabC*Mid, H#Y*Fid, H#Y*Mid, H#M*Fid, H#M*Mid, H#X*Fid, H#X*Mid, LabCH*Fid, LabCH*Mid, H#Y*Mid, H#M*Mid, H#X*Mid, LabCH*Mid, delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*d=B50Rd
colors and differences, ΔE*

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 30/33

Table with 15 columns: n, H#C*Fid, rpb*Fid, icr*Fid, hsa*Fid, rpb*Fid, LabC*Fid, cmyk*sep,Fid, cmyk*sep,Red, LabC*Fid, hsa*Fid, rpb*Fid, LabC*Fid, delta. Rows 810-890.

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd output: 3D-linearization to cmyk*dd

TUB-test chart RE34; hue code: H*_d=B50Rd colors and differences, AE*_*

http://130.149.60.45/~farbmetrik/RE34/RE34LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 31/33



Table with 15 columns: n, H#C*Fid, rpb_Fid, icr_Fid, H#s_Fid, rpb_Fid, LabC*Fid, LabC*Fid, cmyk*_sep_Fid, H#s_Fid, rpb_Fid, LabC*Fid, LabC*Fid, delta. Rows 891-971.

Mean color difference of this page: delta



input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd

RE34-7N; Page 31/33-F

TUB-test chart RE34; hue code: H*_d=B50Rd
colors and differences, ΔE*_a*



n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyk*_sep.Fid	hsa*.Id	rgb*.Id	LabC*.Id	delta
972	NW_000Id	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	0.0
973	NW_012Id	0.125	0.125	0.125	0.125	17.7	0.0	360	1.0	1.0	95.4
974	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0	360	1.0	1.0	95.4
975	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0	360	1.0	1.0	95.4
976	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0	360	1.0	1.0	95.4
977	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0	360	1.0	1.0	95.4
978	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0	360	1.0	1.0	95.4
979	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0	360	1.0	1.0	95.4
980	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0	360	1.0	1.0	95.4
981	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
982	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
983	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
984	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
985	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
986	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
987	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
988	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
989	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
990	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
991	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
992	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
993	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
994	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
995	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
996	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
997	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
998	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
999	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
1000	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
1001	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
1002	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
1003	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
1004	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
1005	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
1006	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
1007	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
1008	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
1009	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
1010	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
1011	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
1012	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
1013	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
1014	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
1015	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
1016	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
1017	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
1018	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
1019	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
1020	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
1021	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
1022	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
1023	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
1024	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
1025	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
1026	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
1027	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
1028	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
1029	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
1030	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
1031	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
1032	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
1033	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
1034	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
1035	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
1036	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
1037	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
1038	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
1039	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
1040	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
1041	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
1042	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
1043	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4
1044	NW_000Id	0.0	0.0	0.0	0.0	17.7	0.0	360	1.0	1.0	95.4
1045	NW_012Id	0.125	0.125	0.125	0.125	27.4	0.0037	360	1.0	1.0	95.4
1046	NW_025Id	0.25	0.25	0.25	0.25	37.1	0.0071	360	1.0	1.0	95.4
1047	NW_037Id	0.375	0.375	0.375	0.375	46.8	0.0104	360	1.0	1.0	95.4
1048	NW_050Id	0.5	0.5	0.5	0.5	56.5	0.0138	360	1.0	1.0	95.4
1049	NW_062Id	0.625	0.625	0.625	0.625	66.3	0.0171	360	1.0	1.0	95.4
1050	NW_075Id	0.75	0.75	0.75	0.75	76.0	0.0205	360	1.0	1.0	95.4
1051	NW_087Id	0.875	0.875	0.875	0.875	85.7	0.0238	360	1.0	1.0	95.4
1052	NW_100Id	1.0	1.0	1.0	1.0	95.4	0.0272	360	1.0	1.0	95.4



http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 32/33

input: rgb/cmyk -> rgbdd
output: 3D-linearization to cmyk*dd
Mean color difference of this page: delta

RE340-TN, Page 32/33-F

TUB-test chart RE34; hue code: H*_d=B50Rd
colors and differences, ΔE*_a*

I-1033130-F0

http://130.149.60.45/~farbmetrik/RE34/RE34L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE34/RE34LE30FP.DAT in file (F), page 33/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	hsa_Fid	cmyp*_sep_Fid	0.007	0.0	0.179	LabC*Fid	rgb*Fid	hsa_Fid	LabC*Fid	rgb*Fid	hsa_Fid	0.0	0.0
1053	NW_0860ad	0.866	0.866	0.866	0.866	0.866	0.866	0.024	0.007	0.0	0.179	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1054	NW_0975ad	0.933	0.933	0.933	0.933	0.933	0.933	0.024	0.005	0.0	0.084	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1055	NW_1000ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1056	NW_0000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1057	NW_0060ad	0.066	0.066	0.066	0.066	0.066	0.066	0.139	0.022	0.0	0.933	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1058	NW_0130ad	0.133	0.133	0.133	0.133	0.133	0.133	0.0	0.043	0.048	0.871	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1059	NW_0200ad	0.2	0.2	0.2	0.2	0.2	0.2	0.0	0.057	0.0	0.825	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1060	NW_0260ad	0.266	0.266	0.266	0.266	0.266	0.266	0.0	0.013	0.0	0.781	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1061	NW_0330ad	0.333	0.333	0.333	0.333	0.333	0.333	0.0	0.016	0.005	0.731	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1062	NW_0400ad	0.4	0.4	0.4	0.4	0.4	0.4	0.0	0.019	0.018	0.628	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1063	NW_0460ad	0.466	0.466	0.466	0.466	0.466	0.466	0.0	0.021	0.0	0.541	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1064	NW_0530ad	0.533	0.533	0.533	0.533	0.533	0.533	0.0	0.006	0.0	0.478	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1065	NW_0600ad	0.6	0.6	0.6	0.6	0.6	0.6	0.0	0.006	0.0	0.405	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1066	NW_0660ad	0.666	0.666	0.666	0.666	0.666	0.666	0.0	0.021	0.011	0.322	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1067	NW_0730ad	0.734	0.734	0.734	0.734	0.734	0.734	0.0	0.007	0.005	0.26	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1068	NW_0800ad	0.8	0.8	0.8	0.8	0.8	0.8	0.0	0.024	0.0	0.179	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1069	NW_0860ad	0.866	0.866	0.866	0.866	0.866	0.866	0.0	0.005	0.0	0.084	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1070	NW_0930ad	0.933	0.933	0.933	0.933	0.933	0.933	0.0	0.024	0.007	0.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1071	NW_1000ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1072	NW_0000ad	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1073	ROY_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1074	ROY_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	95.4	1.0	360	95.4	1.0	360	0.0	0.0
1075	GY00_100_100ad	0.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	41.2	0.0	210	0.0	0.0	210	63.8	41.2
1076	Y000_100_100ad	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	26.1	0.0	210	0.0	0.0	210	26.1	26.1
1077	B000_100_100ad	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	52.6	0.0	210	0.0	0.0	210	52.6	52.6
1078	B000_100_100ad	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	23.8	0.0	210	0.0	0.0	210	23.8	23.8
1079	B50R_100_100ad	0.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	28.1	0.0	210	0.0	0.0	210	28.1	28.1
1079	B50R_100_100ad	1.0	0.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	48.2	0.0	330	48.2	0.0	330	48.2	48.2

Mean color difference of this page: delta

input: rgb/cmyk -> rgbd
output: 3D-linearization to cmyk*dd