

http://130.149.60.45/~farbmetrik/RE53/RE53L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

RE53SOL

TUB registration: 20150701-RE53/RE53L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

1-003030-L0 RE530-7N
TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=0, cmyk


input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb + cmy0* (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0NA.TXT / .PS
application for measurement of offset print output, separation cmykn6 (CMYK) TUB material: code=rha4ta



1-003130-L0 RE530-70

TUB-test chart RE53; 1080 standard colours

Test chart according to DIN 33872, 3D=0, de=0, cmyk

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n)$, 3D=0

input: $rgb/cmyk \rightarrow rgb_d$

output: transfer to $cmyk_d$


1-003130-F0

C

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0NA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta



1-013030-L0 RE530-7N

TUB-test chart RE53; 1080 standard colours
Test chart according to DIN 33872, 3D=0, de=1, cmyk

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb + cmy0* (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

http://130.149.60.45/~farbmetrik/RE53/RE53L0NA.TXT /.PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE53/RE53.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE53/RE53L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation cmykn6 (CMYK)



1-013130-L0 RE530-71

TUB-test chart RE53; 1080 standard colours

Test chart according to DIN 33872, 3D=0, de=1, cmyk

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb (A-n), 3D=0**

input: *rgb/cmyk* -> *rgb_e*

output: transfer to *cmyk_e*

1-013130-F0