

http://130.149.60.45/~farbmetrik/RE56/RE56L0FA.TXT /.PS; start output
F: 3D-linearization RE56/RE56LE30FA.DAT in file (F), page 1/2

RE56SOL

TUB registration: 20150701-RE56/RE56L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

1-103031-L0 RE560-7N
TUB-test chart RE56; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, *cmY0**

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb + cmy0* (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

see similar files: <http://130.149.60.45/~farbmetrik/RE56/RE56.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmetrik/RE56/RE56L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE56/RE56LE30FA.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE56/RE56.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE56/RE56L0FA.TXT /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rha4ta



1-103131-L0 RE560-72

TUB-test chart RE56; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=0, $cmY0^*$

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n)$, 3D = 1

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103131-F0


http://130.149.60.45/~farbmetrik/RE56/RE56L0FA.TXT /.PS; start output
F: 3D-linearization RE56/RE56LE30FA.DAT in file (F), page 1/2

RE56SOL

TUB registration: 20150701-RE56/RE56L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/RE56/RE56.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



1-113031-L0 RE560-7N

TUB-test chart RE56; 1080 standard colours
Test chart according to DIN 33872, 3D=1, de=1, *cmY0**


input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): *rgb* + *cmY0* (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

http://130.149.60.45/~farbmetrik/RE56/RE56L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization RE56/RE56LE30FA.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE56/RE56.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE56/RE56L0FA.TXT /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)



1-113131-L0 RE560-73

TUB-test chart RE56; 1080 standard colours
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A~n): $rgb(A_n)$, 3D = 1

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113131-F0