


http://130.149.60.45/~farbmetrik/RE60/RE60L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/RE60/RE60.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE60/RE60L0NA.TXT /.PS
application for measurement of laser printer output

TUB material: code=rha4ta



RE600-7N_RGB 1-003034-L0


TUB-test chart RE60; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmetrik/RE60/RE60.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE60/RE60L0NA.TXT /.PS TUB material: code=rha4ta
application for measurement of laser printer output, no separation rgb (RGB)



RE600-70 1-003134-L0


TUB-test chart RE60; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, 3D=0, $de=0$, rgb

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to rgb_d

1-003134-F0

http://130.149.60.45/~farbmetrik/RE60/RE60L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/RE60/RE60.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



RE600-7N_RGB 1-013034-L0

TUB-test chart RE60; 1080 standard colours, $cf=1$
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0


input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

<http://130.149.60.45/~farbmetrik/RE60/RE60L0NA.TXT> /PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE60/RE60.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE60/RE60L0NA.TXT /PS
application for measurement of laser printer output, no separation rgb (RGB)
TUB material: code=rha4ta



RE600-71 1-013134-L0

TUB-test chart RE60; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, 3D=0, $de=1$, *rgb*

input: *rgb/cmyk* $\rightarrow$ *rgb_e*
output: transfer to *rgb_e*

1-013134-F0