


see similar files: <http://130.149.60.45/~farbmetrik/RE64/RE64.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



RE640-7N_RGB 1-103031-L0

TUB-test chart RE64; 1080 standard colours, $cf=1$
Test chart according to DIN 33872


Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

http://130.149.60.45/~farbmetrik/RE64/RE64L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization RE64/RE64LE30FP.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/RE64/RE64.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE64/RE64L0FP.PDF /.PS TUB material: code=rha4ta
application for measurement of laser printer output, separation $cmY0^*$ (CMY0)



RE640-72 1-103131-L0

TUB-test chart RE64; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, $3D=1$, $de=0$, $cmY0^*$


input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103131-F0

see similar files: <http://130.149.60.45/~farbmetrik/RE64/RE64.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE64/RE64L0FP.PDF /.PS
application for measurement of laser printer output

TUB material: code=rha4ta



RE640-7N_RGB 1-113031-L0

TUB-test chart RE64; 1080 standard colours, $cf=1$
Test chart according to DIN 33872



Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/RE64/RE64.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE64/RE64L0FP.PDF /.PS
application for measurement of laser printer output, separation $cmY0^*$ (CMY0)
TUB material: code=rha4ta



TUB-test chart RE64; 1080 standard colours, $cf=1$
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

