


http://130.149.60.45/~farbmetrik/RE76/RE76L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0NP.PDF /.PS
application for measurement of laser printer output

TUB material: code=rha4ta



RE760-7N_RGB 1-003030-L0

TUB-test chart RE76; 1080 standard colours, $cf=0,9$
Test chart according to DIN 33872




Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change



see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0NP.PDF /.PS
application for measurement of laser printer output, separation cmyk6 (CMYK)
TUB material: code=rha4ta



TUB-test chart RE76; 1080 standard colours, $cf=0,9$
Test chart according to DIN 33872, $3D=0$, $de=0$, cmyk

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$




http://130.149.60.45/~farbmetrik/RE76/RE76L0NP.PDF /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0NP.PDF /.PS
application for measurement of laser printer output

TUB material: code=rha4ta



RE760-7N_RGB 1-013030-L0



TUB-test chart RE76; 1080 standard colours, $cf=0,9$
Test chart according to DIN 33872

Test chart G with 40x27=1080 colours; equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (A_j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 0

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmetrik/RE76/RE76.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20150701-RE76/RE76L0NP.PDF /.PS
application for measurement of laser printer output, separation cmykn6 (CMYK)
TUB material: code=rha4ta



TUB-test chart RE76; 1080 standard colours, $cf=0,9$
Test chart according to DIN 33872, 3D=0, $de=1$, cmyk

input: $rgb/cmyk \rightarrow rgb_e$
output: transfer to $cmyk_e$

