



see similar files: <http://130.149.60.45/~farbmetrik/RE97/RE97L0NP.PDF> / .PS; start output
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>




RE970-3, Picture D1W-: Flower motif, 14 CIE-test colours and 2 + 16 grey steps (sf); PS operator 4 colorimage




RE970-5, Picture D2W-: radial gratings W-R-; W-G-; W-B-; W-N; PS operator rgb->rgb_ setrgbcolor




RE970-7, Picture D3W-: 14 CIE-test colours and 2 + 16 grey steps (sf); rgb/cmy0 set(rgb/cmyk)color




<http://130.149.60.45/~farbmetrik/RE97/RE97L0NP.PDF> / .PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/2




RE971-1, Picture D4W-: 16 equidistant steps W-R-; W-G-; W-B-; W-N; rgb/cmy0 set(rgb/cmyk)color



RE971-3, Picture D5W-: Sript and Landolt-rings N; R-; G-; B-; Z; PS operator rgb->rgb_ setrgbcolor



RE971-5, Picture D6W-: Landolt-rings W-R-; W-G-; PS operator rgb setrgbcolor



RE971-7, Picture D7W-: Landolt-rings W-B-; W-N; PS operator rgb setrgbcolor

input: *rgb/cmyk* -> *w/rgb/cmyk*-
output: no change

TUB registration: 20130201-RE97/RE97L0NP.PDF / .PS
application for measurement of offset print output

TUB material: code=th4ta