





http://130.149.60.45/~farbmatrik/RE98/RE98L0FA.TXT /.PS; start output
F: 3D-linearization RE98/RE98LE30FA.DAT in file (F), page 1/2

RE98SOL


TUB registration: 20150901-RE98/RE98L0FA.TXT /.PS
application for measurement of offset print output

TUB material: code=rha4ta


see similar files: http://130.149.60.45/~farbmatrik/RE98/RE98.HTM
technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmatrik



RE980-3, Picture A1W-: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: w* setgray




RE980-5, Picture A2W-: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: w* setgray




RE980-7, Picture A3W-: Element C: 16 visual equidistant L^* -grey steps; PS operator: w* setgray

test chart RE98; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N


input: rgb/cmyk -> rgb/cmyk
output: no change



RE981-1, Picture A4W-: Element D: Landolt-rings W-N; PS operator: w* setgray







RE981-3, Picture A5W-: Element E: Line raster under 45° (or 135°); PS operator: w* setgray




RE981-5, Picture A6W-: Element F: Line raster under 90° (or 0°); PS operator: w* setgray

see similar files: <http://130.149.60.45/~farbmeterik/RE98/RE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>


TUB registration: 20150901-RE98/RE98L0FA.TXT /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rha4ta



RE980-3, Picture A1Wdd: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: w* setgray




RE980-5, Picture A2Wdd: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: w* setgray




RE980-7, Picture A3Wdd: Element C: 16 visual equidistant L^* -grey steps; PS operator: w* setgray

test chart RE98; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N, 3D=1, de=0, cmyk*


input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmyk^*_{dd}$



RE981-1, Picture A4Wdd: Element D: Landolt-rings W-N; PS operator: w* setgray



RE981-3, Picture A5Wdd: Element E: Line raster under 45° (or 135°); PS operator: w* setgray



RE981-5, Picture A6Wdd: Element F: Line raster under 90° (or 0°); PS operator: w* setgray





http://130.149.60.45/~farbmeterik/RE98/RE98L0FA.TXT /.PS; start output
F: 3D-linearization RE98/RE98LE30FA.DAT in file (F), page 1/2

RE98SOL


see similar files: <http://130.149.60.45/~farbmeterik/RE98/RE98L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20150901-RE98/RE98L0FA.TXT /.PS
application for measurement of offset print output


TUB material: code=rha4ta



RE980-3, Picture A1W-: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: w* setgray



RE980-5, Picture A2W-: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: w* setgray



RE980-7, Picture A3W-: Element C: 16 visual equidistant L^* -grey steps; PS operator: w* setgray


test chart RE98; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


background step 0		1	ring step	0-1
Hex code		8	Hex code	7-8
7		F	E	E-F
E		0	0	2-0
2		6	D	8-6
8				F-D
F				

Landolt-rings W-N code: background-ring

RE981-1, Picture A4W-: Element D: Landolt-rings W-N; PS operator: w* setgray







RE981-3, Picture A5W-: Element E: Line raster under 45° (or 135°); PS operator: w* setgray




RE981-5, Picture A6W-: Element F: Line raster under 90° (or 0°); PS operator: w* setgray

see similar files: <http://130.149.60.45/~farbmeterik/RE98/RE98.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>


TUB registration: 20150901-RE98/RE98L0FA.TXT /.PS
application for measurement of offset print output, separation cmyk* (CMYK)
TUB material: code=rha4ta



RE980-3, Picture A1Wde: Element A: radial gratings N-W, W-N, N-Z and W-Z; PS operator: w* setgray




RE980-5, Picture A2Wde: Element B: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: w* setgray




RE980-7, Picture A3Wde: Element C: 16 visual equidistant L^* -grey steps; PS operator: w* setgray

test chart RE98; ME16(ISO 9241-306), 3(ISO/IEC 15775)
achromatic test chart N, 3D=1, de=1, cmyk*


input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmyk^*_{de}$



RE981-1, Picture A4Wde: Element D: Landolt-rings W-N; PS operator: w* setgray



RE981-3, Picture A5Wde: Element E: Line raster under 45° (or 135°); PS operator: w* setgray



RE981-5, Picture A6Wde: Element F: Line raster under 90° (or 0°); PS operator: w* setgray