


Ein- und Ausgabe: Laser-Reflektiv-System LRS18a

Daten für jede Geräte- (d) oder  
Elementarfarbe (e):

$HIC^*_d$   
Bunttontext für die Farben  
dieser Seite:



$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

| LRS18a; adaptierte CIELAB-Daten |                   |         |              |              |     |
|---------------------------------|-------------------|---------|--------------|--------------|-----|
| $H^*_d$                         | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
| R00Y_100_100_d                  | 47.0              | 60.1    | 37.1         | 70.6         | 31  |
| R25Y_100_100_d                  | 59.3              | 41.4    | 58.7         | 71.9         | 54  |
| R50Y_100_100_d                  | 72.6              | 16.6    | 70.9         | 72.8         | 76  |
| R75Y_100_100_d                  | 84.3              | -3.3    | 76.4         | 76.5         | 92  |
| Y00G_100_100_d                  | 91.3              | -14.5   | 82.1         | 83.4         | 100 |
| Y25G_100_100_d                  | 91.1              | -20.0   | 90.8         | 92.9         | 102 |
| Y50G_100_100_d                  | 74.8              | -36.6   | 64.9         | 74.5         | 119 |
| Y75G_100_100_d                  | 61.6              | -54.7   | 43.8         | 70.1         | 141 |
| G00B_100_100_d                  | 55.7              | -64.0   | 32.6         | 71.8         | 152 |
| G25B_100_100_d                  | 57.5              | -47.9   | -6.0         | 48.3         | 187 |
| G50B_100_100_d                  | 53.0              | -31.0   | -40.9        | 51.4         | 232 |
| G75B_100_100_d                  | 46.1              | -11.3   | -49.4        | 50.6         | 257 |
| B00R_100_100_d                  | 32.3              | 24.2    | -42.5        | 48.9         | 299 |
| B25R_100_100_d                  | 35.9              | 51.1    | -28.6        | 58.6         | 330 |
| B50R_100_100_d                  | 47.1              | 71.4    | -11.5        | 72.3         | 350 |
| B75R_100_100_d                  | 45.9              | 63.0    | 11.0         | 64.0         | 9   |



%Umfang  
 $u^*_{rel} = 114$   
%Regularität  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; adaptierte CIELAB-Daten |                   |         |              |              |     |
|---------------------------------|-------------------|---------|--------------|--------------|-----|
| Name                            | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
| R <sub>d, Ma</sub>              | 47.0              | 60.1    | 37.1         | 70.6         | 31  |
| Y <sub>d, Ma</sub>              | 91.3              | -14.5   | 82.1         | 83.4         | 100 |
| G <sub>d, Ma</sub>              | 55.7              | -64.0   | 32.6         | 71.8         | 152 |
| C <sub>d, Ma</sub>              | 53.0              | -31.0   | -40.9        | 51.4         | 232 |
| B <sub>d, Ma</sub>              | 32.3              | 24.2    | -42.5        | 48.9         | 299 |
| M <sub>d, Ma</sub>              | 47.1              | 71.4    | -11.5        | 72.3         | 350 |
| N <sub>d, Ma</sub>              | 14.7              | 0.0     | 0.0          | 0.0          | 0   |
| W <sub>d, Ma</sub>              | 96.3              | 0.0     | 0.0          | 0.0          | 0   |
| R <sub>d, CIE</sub>             | 39.9              | 58.7    | 27.9         | 65.0         | 25  |
| Y <sub>d, CIE</sub>             | 81.2              | -2.8    | 71.5         | 71.6         | 92  |
| G <sub>d, CIE</sub>             | 52.2              | -42.4   | 13.6         | 44.5         | 162 |
| B <sub>d, CIE</sub>             | 30.5              | 1.4     | -46.4        | 46.4         | 271 |




Ein- und Ausgabe: Laser-Reflektiv-System LRS18a

Daten für jede Geräte- (d) oder  
Elementarfarbe (e):

$HIC^*_e$   
Bunttextext für die Farben  
dieser Seite:



$H^*_e = R00Y_e, R25Y_e, ..., B75R_e$

| LRS18a; adaptierte CIELAB-Daten |                   |         |              |              |     |
|---------------------------------|-------------------|---------|--------------|--------------|-----|
| $H^*_e$                         | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
| R00Y_100_100_e                  | 46.3              | 60.0    | 28.5         | 66.4         | 25  |
| R25Y_100_100_e                  | 51.3              | 56.3    | 49.1         | 74.7         | 41  |
| R50Y_100_100_e                  | 61.8              | 36.6    | 60.7         | 70.9         | 58  |
| R75Y_100_100_e                  | 72.5              | 16.7    | 70.9         | 72.8         | 76  |
| Y00G_100_100_e                  | 84.1              | -3.0    | 76.7         | 76.7         | 92  |
| Y25G_100_100_e                  | 84.5              | -26.8   | 79.7         | 84.1         | 108 |
| Y50G_100_100_e                  | 69.6              | -42.9   | 56.4         | 70.9         | 127 |
| Y75G_100_100_e                  | 59.2              | -58.5   | 39.6         | 70.7         | 145 |
| G00B_100_100_e                  | 55.2              | -61.3   | 19.6         | 64.4         | 162 |
| G25B_100_100_e                  | 57.5              | -47.1   | -7.9         | 47.8         | 189 |
| G50B_100_100_e                  | 56.1              | -37.4   | -28.1        | 46.8         | 216 |
| G75B_100_100_e                  | 52.0              | -23.1   | -48.1        | 53.4         | 244 |
| B00R_100_100_e                  | 38.0              | 1.4     | -49.0        | 49.1         | 271 |
| B25R_100_100_e                  | 32.3              | 24.6    | -42.4        | 49.0         | 300 |
| B50R_100_100_e                  | 34.7              | 49.3    | -30.1        | 57.8         | 328 |
| B75R_100_100_e                  | 46.8              | 71.6    | -9.9         | 72.3         | 352 |



%Umfang  
 $u^*_{rel} = 114$   
%Regularität  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; adaptierte CIELAB-Daten |                   |         |              |              |     |
|---------------------------------|-------------------|---------|--------------|--------------|-----|
| Name                            | $L^*=L^*_a a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |     |
| Re,Ma                           | 46.3              | 60.0    | 28.5         | 66.4         | 25  |
| Ye,Ma                           | 84.1              | -3.0    | 76.7         | 76.7         | 92  |
| Ge,Ma                           | 55.2              | -61.3   | 19.6         | 64.4         | 162 |
| Ce,Ma                           | 56.1              | -37.4   | -28.1        | 46.8         | 216 |
| Be,Ma                           | 38.0              | 1.4     | -49.0        | 49.1         | 271 |
| Me,Ma                           | 34.7              | 49.3    | -30.1        | 57.8         | 328 |
| Ne,Ma                           | 14.7              | 0.0     | 0.0          | 0.0          | 0   |
| We,Ma                           | 96.3              | 0.0     | 0.0          | 0.0          | 0   |
| Re,CIE                          | 39.9              | 58.7    | 27.9         | 65.0         | 25  |
| Ye,CIE                          | 81.2              | -2.8    | 71.5         | 71.6         | 92  |
| Ge,CIE                          | 52.2              | -42.4   | 13.6         | 44.5         | 162 |
| Be,CIE                          | 30.5              | 1.4     | -46.4        | 46.4         | 271 |




Ein- und Ausgabe: Laser-Reflektiv-System LRS18a

Daten für jede Geräte- (d) oder  
Elementarfarbe (e):

$HIC^*_d$   
Bunttextext für die Farben  
dieser Seite:



$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

| LRS18a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_d$                         | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100_d                  | 47.0        | 60.1    | 37.1    | 70.6         | 31           |
| R25Y_100_100_d                  | 59.3        | 41.4    | 58.7    | 71.9         | 54           |
| R50Y_100_100_d                  | 72.6        | 16.6    | 70.9    | 72.8         | 76           |
| R75Y_100_100_d                  | 84.3        | -3.3    | 76.4    | 76.5         | 92           |
| Y00G_100_100_d                  | 91.3        | -14.5   | 82.1    | 83.4         | 100          |
| Y25G_100_100_d                  | 91.1        | -20.0   | 90.8    | 92.9         | 102          |
| Y50G_100_100_d                  | 74.8        | -36.6   | 64.9    | 74.5         | 119          |
| Y75G_100_100_d                  | 61.6        | -54.7   | 43.8    | 70.1         | 141          |
| G00B_100_100_d                  | 55.7        | -64.0   | 32.6    | 71.8         | 152          |
| G25B_100_100_d                  | 57.5        | -47.9   | -6.0    | 48.3         | 187          |
| G50B_100_100_d                  | 53.0        | -31.0   | -40.9   | 51.4         | 232          |
| G75B_100_100_d                  | 46.1        | -11.3   | -49.4   | 50.6         | 257          |
| B00R_100_100_d                  | 32.3        | 24.2    | -42.5   | 48.9         | 299          |
| B25R_100_100_d                  | 35.9        | 51.1    | -28.6   | 58.6         | 330          |
| B50R_100_100_d                  | 47.1        | 71.4    | -11.5   | 72.3         | 350          |
| B75R_100_100_d                  | 45.9        | 63.0    | 11.0    | 64.0         | 9            |



%Umfang  
 $u^*_{rel} = 114$   
%Regularität  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| Name                            | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R <sub>d, Ma</sub>              | 47.0        | 60.1    | 37.1    | 70.6         | 31           |
| Y <sub>d, Ma</sub>              | 91.3        | -14.5   | 82.1    | 83.4         | 100          |
| G <sub>d, Ma</sub>              | 55.7        | -64.0   | 32.6    | 71.8         | 152          |
| C <sub>d, Ma</sub>              | 53.0        | -31.0   | -40.9   | 51.4         | 232          |
| B <sub>d, Ma</sub>              | 32.3        | 24.2    | -42.5   | 48.9         | 299          |
| M <sub>d, Ma</sub>              | 47.1        | 71.4    | -11.5   | 72.3         | 350          |
| N <sub>d, Ma</sub>              | 14.7        | 0.0     | 0.0     | 0.0          | 0            |
| W <sub>d, Ma</sub>              | 96.3        | 0.0     | 0.0     | 0.0          | 0            |
| R <sub>d, CIE</sub>             | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Y <sub>d, CIE</sub>             | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| G <sub>d, CIE</sub>             | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| B <sub>d, CIE</sub>             | 30.5        | 1.4     | -46.4   | 46.4         | 271          |




Ein- und Ausgabe: Laser-Reflektiv-System LRS18a

Daten für jede Geräte- (d) oder  
Elementarfarbe (e):

$HIC^*_e$   
Bunttext für die Farben  
dieser Seite:

$H^*_e = R00Y_e, R25Y_e, ..., B75R_e$

| LRS18a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| $H^*_e$                         | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| R00Y_100_100_e                  | 46.3        | 60.0    | 28.5    | 66.4         | 25           |
| R25Y_100_100_e                  | 51.3        | 56.3    | 49.1    | 74.7         | 41           |
| R50Y_100_100_e                  | 61.8        | 36.6    | 60.7    | 70.9         | 58           |
| R75Y_100_100_e                  | 72.5        | 16.7    | 70.9    | 72.8         | 76           |
| Y00G_100_100_e                  | 84.1        | -3.0    | 76.7    | 76.7         | 92           |
| Y25G_100_100_e                  | 84.5        | -26.8   | 79.7    | 84.1         | 108          |
| Y50G_100_100_e                  | 69.6        | -42.9   | 56.4    | 70.9         | 127          |
| Y75G_100_100_e                  | 59.2        | -58.5   | 39.6    | 70.7         | 145          |
| G00B_100_100_e                  | 55.2        | -61.3   | 19.6    | 64.4         | 162          |
| G25B_100_100_e                  | 57.5        | -47.1   | -7.9    | 47.8         | 189          |
| G50B_100_100_e                  | 56.1        | -37.4   | -28.1   | 46.8         | 216          |
| G75B_100_100_e                  | 52.0        | -23.1   | -48.1   | 53.4         | 244          |
| B00R_100_100_e                  | 38.0        | 1.4     | -49.0   | 49.1         | 271          |
| B25R_100_100_e                  | 32.3        | 24.6    | -42.4   | 49.0         | 300          |
| B50R_100_100_e                  | 34.7        | 49.3    | -30.1   | 57.8         | 328          |
| B75R_100_100_e                  | 46.8        | 71.6    | -9.9    | 72.3         | 352          |



%Umfang  
 $u^*_{rel} = 114$   
%Regularität  
 $g^*_{H,rel} = 28$   
 $g^*_{C,rel} = 38$

| LRS18a; adaptierte CIELAB-Daten |             |         |         |              |              |
|---------------------------------|-------------|---------|---------|--------------|--------------|
| Name                            | $L^*=L^*_a$ | $a^*_a$ | $b^*_a$ | $C^*_{ab,a}$ | $h^*_{ab,a}$ |
| Re,Ma                           | 46.3        | 60.0    | 28.5    | 66.4         | 25           |
| Ye,Ma                           | 84.1        | -3.0    | 76.7    | 76.7         | 92           |
| Ge,Ma                           | 55.2        | -61.3   | 19.6    | 64.4         | 162          |
| Ce,Ma                           | 56.1        | -37.4   | -28.1   | 46.8         | 216          |
| Be,Ma                           | 38.0        | 1.4     | -49.0   | 49.1         | 271          |
| Me,Ma                           | 34.7        | 49.3    | -30.1   | 57.8         | 328          |
| Ne,Ma                           | 14.7        | 0.0     | 0.0     | 0.0          | 0            |
| We,Ma                           | 96.3        | 0.0     | 0.0     | 0.0          | 0            |
| Re,CIE                          | 39.9        | 58.7    | 27.9    | 65.0         | 25           |
| Ye,CIE                          | 81.2        | -2.8    | 71.5    | 71.6         | 92           |
| Ge,CIE                          | 52.2        | -42.4   | 13.6    | 44.5         | 162          |
| Be,CIE                          | 30.5        | 1.4     | -46.4   | 46.4         | 271          |

