

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 10/360 = 0.02$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_-

codice di tonalità per i colori
questa pagina:

$H^*_- = B75R_-$

triangolo chiarezza T^*



ORS18a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{-,Ma}	47.9	65.3	50.5	82.6
Y _{-,Ma}	90.3	-10.2	91.7	92.3
G _{-,Ma}	50.9	-62.8	34.9	71.9
C _{-,Ma}	58.6	-30.3	-45.0	54.2
B _{-,Ma}	25.7	31.0	-44.4	54.2
M _{-,Ma}	48.1	75.2	-8.3	75.7
N _{-,Ma}	18.0	0.0	0.0	0
W _{-,Ma}	95.4	0.0	0.0	0
R _{-,CIE}	39.9	58.7	27.9	65.0
Y _{-,CIE}	81.2	-2.8	71.5	71.6
G _{-,CIE}	52.2	-42.4	13.6	44.5
B _{-,CIE}	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{-,Ma}$: 48 69 12 70 10

$HIC^*_{-,Ma}$: B75R_100_100_

$rgbic^*_{-,Ma}$:

1.0 0.0 0.5 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4





grafico TUB-RI48; codice di tinte: $H^*_- = B75R_-$
grafico conformemente a DIN 33872, 3D=1, de=1, $cm y0^*$

immettere: $rgb/cmyk \rightarrow rgb/cmyk$
uscita: nessun cambiamento

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 352/360 = 0.97$

$H^*_e = B75R_e$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = B75R_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_e, Ma$: 41 70 -9 71 352

HIC^*_e, Ma : B75R_100_100_e

$rgbic^*_e, Ma$:

0.73 0.0 1.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352





grafico TUB-RI48; codice di tinte: $H^*_e = B75R_e$
grafico conformemente a DIN 33872, 3D=1, de=1, $cmY0^*$

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazzione a $cmY0^*_{de}$

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione $cmY0^*$ (CMY0)

TUB materiale: code=rh4ta

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 352/360 = 0.97$

$H^*_e = B75R_e$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = B75R_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_e, Ma$: 41 70 -9 71 352

HIC^*_e, Ma : B75R_100_100_e

$rgbic^*_e, Ma$:

0.73 0.0 1.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regolarità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352





grafico TUB-RI48; codice di tinte: $H^*_e = B75R_e$
grafico conformemente a DIN 33872, 3D=1, de=1, $cmY0^*$

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazzione a $cmY0^*_{de}$

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 352/360 = 0.97$

$H^*_e = B75R_e$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = B75R_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R_{e,Ma}$	45.6	72.2	34.4	80.0
$Y_{e,Ma}$	83.6	-3.6	90.4	92
$G_{e,Ma}$	50.6	-62.1	19.9	65.2
$C_{e,Ma}$	55.0	-36.2	-27.2	45.3
$B_{e,Ma}$	40.2	1.2	-40.6	40.6
$M_{e,Ma}$	31.1	47.7	-29.1	55.9
$N_{e,Ma}$	24.3	0.0	0.0	0
$W_{e,Ma}$	95.6	0.0	0.0	0
$R_{e,CIE}$	39.9	58.7	27.9	65.0
$Y_{e,CIE}$	81.2	-2.8	71.5	71.6
$G_{e,CIE}$	52.2	-42.4	13.6	44.5
$B_{e,CIE}$	30.5	1.4	-46.4	46.4

Il dati per il massimo colore (Ma):

$LabCh^*_{e,Ma}$: 41 70 -9 71 352

$HIC^*_{e,Ma}$: B75R_100_100_e

$rgbic^*_{e,Ma}$:

0.73 0.0 1.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regularità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_{100_100_e}$	45.6	72.2	34.4	80.0
$R25Y_{100_100_e}$	50.5	59.2	51.6	78.6
$R50Y_{100_100_e}$	60.2	38.2	63.4	74.1
$R75Y_{100_100_e}$	70.9	17.9	75.9	77.9
$Y00G_{100_100_e}$	83.6	-3.6	90.4	92
$Y25G_{100_100_e}$	74.5	-25.0	74.3	78.4
$Y50G_{100_100_e}$	62.6	-40.9	53.8	67.6
$Y75G_{100_100_e}$	54.1	-55.5	37.5	67.0
$G00B_{100_100_e}$	50.6	-62.1	19.9	65.2
$G25B_{100_100_e}$	53.0	-48.6	-8.2	49.2
$G50B_{100_100_e}$	55.0	-36.2	-27.2	45.3
$G75B_{100_100_e}$	53.3	-19.8	-41.3	45.9
$B00R_{100_100_e}$	40.2	1.2	-40.6	40.6
$B25R_{100_100_e}$	28.1	23.4	-40.3	46.7
$B50R_{100_100_e}$	31.1	47.7	-29.1	55.9
$B75R_{100_100_e}$	41.4	70.4	-9.8	71.1





grafico TUB-RI48; codice di tinte: $H^*_e = B75R_e$
grafico conformemente a DIN 33872, 3D=1, de=1, $cmY0^*$

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmY0^*_{de}$

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione $cmY0^*$ (CMY0)

TUB materiale: code=rh4ta

Immettere y uscita: Offset Reflective System ORS18a for relative CIELAB hue $h_{ab,a,rel} = h_{ab}/360 = 352/360 = 0.97$

$H^*_e = B75R_e$


Dati del dispositivo (d) o
colori elementari (e):

HIC^*_e

codice di tonalità per i colori
questa pagina:

$H^*_e = B75R_e$

triangolo chiarezza T^*



ORS20a; dati atti CIELAB (a)

name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_e, Ma	45.6	72.2	34.4	80.0	25
Y_e, Ma	83.6	-3.6	90.4	90.4	92
G_e, Ma	50.6	-62.1	19.9	65.2	162
C_e, Ma	55.0	-36.2	-27.2	45.3	216
B_e, Ma	40.2	1.2	-40.6	40.6	271
M_e, Ma	31.1	47.7	-29.1	55.9	328
N_e, Ma	24.3	0.0	0.0	0.0	0
W_e, Ma	95.6	0.0	0.0	0.0	0
R_e, CIE	39.9	58.7	27.9	65.0	25
Y_e, CIE	81.2	-2.8	71.5	71.6	92
G_e, CIE	52.2	-42.4	13.6	44.5	162
B_e, CIE	30.5	1.4	-46.4	46.4	271

Il dati per il massimo colore (Ma):

$LabCh^*_e, Ma$: 41 70 -9 71 352

HIC^*_e, Ma : B75R_100_100_e

$rgbic^*_e, Ma$:

0.73 0.0 1.0 1.0 1.0

triangolo chiarezza T^*

%Gamma

$u^*_{rel} = 92$

%Regolarità

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; dati atti CIELAB (a)

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$R00Y_100_100_e$	45.6	72.2	34.4	80.0	25
$R25Y_100_100_e$	50.5	59.2	51.6	78.6	41
$R50Y_100_100_e$	60.2	38.2	63.4	74.1	58
$R75Y_100_100_e$	70.9	17.9	75.9	77.9	76
$Y00G_100_100_e$	83.6	-3.6	90.4	90.4	92
$Y25G_100_100_e$	74.5	-25.0	74.3	78.4	108
$Y50G_100_100_e$	62.6	-40.9	53.8	67.6	127
$Y75G_100_100_e$	54.1	-55.5	37.5	67.0	145
$G00B_100_100_e$	50.6	-62.1	19.9	65.2	162
$G25B_100_100_e$	53.0	-48.6	-8.2	49.2	189
$G50B_100_100_e$	55.0	-36.2	-27.2	45.3	216
$G75B_100_100_e$	53.3	-19.8	-41.3	45.9	244
$B00R_100_100_e$	40.2	1.2	-40.6	40.6	271
$B25R_100_100_e$	28.1	23.4	-40.3	46.7	300
$B50R_100_100_e$	31.1	47.7	-29.1	55.9	328
$B75R_100_100_e$	41.4	70.4	-9.8	71.1	352






grafico TUB-RI48; codice di tinte: $H^*_e = B75R_e$
grafico conformemente a DIN 33872, 3D=1, de=1, $cmY0^*$

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazzione a $cmY0^*_{de}$

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione $cmY0^*$ (CMY0)

TUB materiale: code=rh4ta



Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$

$LCH^*_d = 87.8 \ 96.0 \ 96.1$
 $LAB^*_d = 87.8 \ -10.2 \ 95.4$
 $rgb^*_d = 1.0 \ 1.0 \ 0.0$


$L=G_d$

$LCH^*_d = 50.0 \ 71.4 \ 155.5$
 $LAB^*_d = 50.0 \ -65.0 \ 29.6$
 $rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$

$LCH^*_d = 56.8 \ 48.7 \ 238.4$
 $LAB^*_d = 56.8 \ -25.5 \ -41.5$
 $rgb^*_d = 0.0 \ 1.0 \ 1.0$

b^*_d CIELAB (a^*_d, b^*_d)



$O=R_d$

$LCH^*_d = 45.4 \ 83.9 \ 32.3$
 $LAB^*_d = 45.4 \ 70.9 \ 44.8$
 $rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$

$LCH^*_d = 46.1 \ 79.3 \ 359.8$
 $LAB^*_d = 46.1 \ 79.3 \ -0.2$
 $rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$

$LCH^*_d = 25.0 \ 50.0 \ 306.2$
 $LAB^*_d = 25.0 \ 29.5 \ -40.4$
 $rgb^*_d = 0.0 \ 0.0 \ 1.0$

b^*_e CIELAB (a^*_e, b^*_e)

Y_e
 $LCH^*_e = 83.6 \ 90.4 \ 92.3$
 $LAB^*_e = 83.6 \ -3.6 \ 90.4$
 $rgb^*_{de} = 1.0 \ 0.878 \ 0.0$

G_e

$LCH^*_e = 50.6 \ 65.2 \ 162.2$
 $LAB^*_e = 50.6 \ -62.1 \ 19.9$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.151$

C_e

$LCH^*_e = 55.0 \ 45.3 \ 216.9$
 $LAB^*_e = 55.0 \ -36.2 \ -27.2$
 $rgb^*_{de} = 0.0 \ 1.0 \ 0.747$

B_e

$LCH^*_e = 40.2 \ 40.6 \ 271.7$
 $LAB^*_e = 40.2 \ 1.2 \ -40.6$
 $rgb^*_{de} = 0.0 \ 0.458 \ 1.0$

R_e

$LCH^*_e = 45.6 \ 80.0 \ 25.4$
 $LAB^*_e = 45.6 \ 72.2 \ 34.4$
 $rgb^*_{de} = 1.0 \ 0.0 \ 0.254$

M_e

$LCH^*_e = 31.1 \ 55.9 \ 328.6$
 $LAB^*_e = 31.1 \ 47.7 \ -29.1$
 $rgb^*_{de} = 0.321 \ 0.0 \ 1.0$

b^*_s CIELAB (a^*_s, b^*_s)

Y_s
 $LCH^*_s = 81.4 \ 87.9 \ 90.0$
 $LAB^*_s = 81.4 \ 0.0 \ 87.9$
 $rgb^*_{ds} = 1.0 \ 0.828 \ 0.0$

G_s

$LCH^*_s = 52.3 \ 68.9 \ 150.0$
 $LAB^*_s = 52.3 \ -59.6 \ 34.4$
 $rgb^*_{ds} = 0.062 \ 1.0 \ 0.0$

R_s

$LCH^*_s = 45.5 \ 82.4 \ 30.0$
 $LAB^*_s = 45.5 \ 71.3 \ 41.2$
 $rgb^*_{ds} = 1.0 \ 0.0 \ 0.096$

M_s


$LCH^*_s = 31.6 \ 56.5 \ 330.0$
 $LAB^*_s = 31.6 \ 49.0 \ -28.2$
 $rgb^*_{ds} = 0.337 \ 0.0 \ 1.0$

C_s

$LCH^*_s = 54.5 \ 45.7 \ 210.0$
 $LAB^*_s = 54.5 \ -39.6 \ -22.8$
 $rgb^*_{ds} = 0.0 \ 1.0 \ 0.685$

B_s

$LCH^*_s = 40.9 \ 40.6 \ 270.0$
 $LAB^*_s = 40.9 \ 0.0 \ -40.6$
 $rgb^*_{ds} = 0.0 \ 0.479 \ 1.0$



(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

$rgb^*_d LCH^*_d LAB^*_d$

$h_{ab,i} rgb^*_{di}$

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \ (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab,i} h_{ab,d}$

rgb^*_{de}

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$																									
32.3	30.0	25.4	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25									
38.1	37.5	33.8	1.0	0.125	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.0	0.021	0.0	46.0	69.6	45.7	83.3	33								
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42									
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49									
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58									
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	66									
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75									
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82									
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	52.0	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175	
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	1.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	1.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	1.0	0.458	1.0	40.3	1.2	-40.6	40.7	271
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	1.0	0.378	1.0	37.5	5.9	-40.2	40.7	278
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	1.0	0.292	1.0	34.4	11.6	-40.3	42.0	285
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	1.0	0.211	1.0	31.5	16.8	-40.3	43.8	292
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	1.0	0.106	1.0	28.1	23.5	-40.3	46.7	300
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	
356.1	322.5	321.4	0.875	0.0	1.0																														

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{dd64M}	LAB^*_{dd64M}	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	90.2	92.1
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5
160.7	157.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7
189.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189.3
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9
352.5	315.0	314.3	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352.5
356.1	322.5	321.4	0.875	0.0	1.0	44.2	75.2	-5.0	75.3	356.1
359.8	330.0	328.6	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359.8
363.0	337.5	335.7	1.0	0.0	0.875	45.9	78.2	4.1	78.3	363.0
366.4	345.0	342.8	1.0	0.0	0.75	45.9	77.1	8.6	77.6	366.4
371.1	352.5	349.9	1.0	0.0	0.625	46.0	75.6	14.8	77.0	371.1
375.9	360.0	357.0	1.0	0.0	0.5	45.9	74.2	21.1	77.1	375.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8	72.9	28.3	78.3	381.2
385.6	375.0	371.2	1.0	0.0	0.25	45.6	72.1	34.6	80.0	385.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5	71.4	40.1	81.9	389.3
392.3	390.0	385.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	392.3

4-113831-L0

RI480-73

LAB*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

uscita: Offset standard print; separation cmy0*, D65, pagina 9/33

grafico TUB-RI48; codice di tinte: $H^*_e=B75R_e$
cerchio delle tinte a 48 passi; $rgb-LabCh^*$ tavole

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

4-113831-F0

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)
TUB materiale: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32	1.0	0.0	0.0	0.0	0.0	0.0
33	31	26	1.0	0.016	0.0	45.9	69.8	45.5	83.4	33	1.0	0.0	0.017	0.0	0.0	0.017
33	32	27	1.0	0.033	0.0	46.3	68.8	46.1	82.8	33	1.0	0.0	0.033	0.0	0.0	0.033
34	33	28	1.0	0.05	0.0	46.8	67.7	46.8	82.3	34	1.0	0.0	0.05	0.0	0.0	0.05
35	34	29	1.0	0.066	0.0	47.3	66.6	47.4	81.8	35	1.0	0.0	0.067	0.0	0.0	0.067
36	35	31	1.0	0.083	0.0	47.7	65.5	48.0	81.2	36	1.0	0.0	0.083	0.0	0.0	0.083
36	36	32	1.0	0.1	0.0	48.2	64.4	48.5	80.7	36	1.0	0.0	0.1	0.0	0.0	0.1
37	37	33	1.0	0.116	0.0	48.6	63.3	49.1	80.2	37	1.0	0.0	0.117	0.0	0.0	0.117
38	38	34	1.0	0.133	0.0	49.2	62.1	49.8	79.6	38	1.0	0.0	0.133	0.0	0.0	0.133
39	39	35	1.0	0.15	0.0	49.8	60.7	50.7	79.1	39	1.0	0.0	0.15	0.0	0.0	0.15
41	40	36	1.0	0.166	0.0	50.5	59.2	51.6	78.6	41	1.0	0.0	0.167	0.0	0.0	0.167
42	41	37	1.0	0.183	0.0	51.1	57.8	52.5	78.1	42	1.0	0.0	0.183	0.0	0.0	0.183
43	42	38	1.0	0.2	0.0	51.7	56.3	53.3	77.5	43	1.0	0.0	0.2	0.0	0.0	0.2
44	43	39	1.0	0.216	0.0	52.4	54.9	54.0	77.0	44	1.0	0.0	0.217	0.0	0.0	0.217
45	44	41	1.0	0.233	0.0	53.0	53.4	54.8	76.5	45	1.0	0.0	0.233	0.0	0.0	0.233
46	45	42	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46	1.0	0.0	0.25	0.0	0.0	0.25
48	46	43	1.0	0.266	0.0	54.4	50.4	56.5	75.7	48	1.0	0.0	0.267	0.0	0.0	0.267
49	47	44	1.0	0.283	0.0	55.1	48.9	57.4	75.4	49	1.0	0.0	0.283	0.0	0.0	0.283
50	48	45	1.0	0.3	0.0	55.8	47.4	58.4	75.2	50	1.0	0.0	0.3	0.0	0.0	0.3
52	49	46	1.0	0.316	0.0	56.6	45.8	59.2	74.9	52	1.0	0.0	0.317	0.0	0.0	0.317
53	50	47	1.0	0.333	0.0	57.3	44.2	60.1	74.6	53	1.0	0.0	0.333	0.0	0.0	0.333
54	51	48	1.0	0.35	0.0	58.0	42.7	60.9	74.4	54	1.0	0.0	0.35	0.0	0.0	0.35
56	52	49	1.0	0.366	0.0	58.8	41.1	61.7	74.1	56	1.0	0.0	0.367	0.0	0.0	0.367
57	53	51	1.0	0.383	0.0	59.5	39.5	62.5	74.0	57	1.0	0.0	0.383	0.0	0.0	0.383
59	54	52	1.0	0.4	0.0	60.3	38.1	63.5	74.1	59	1.0	0.0	0.4	0.0	0.0	0.4
60	55	53	1.0	0.416	0.0	61.0	36.6	64.5	74.1	60	1.0	0.0	0.417	0.0	0.0	0.417
61	56	54	1.0	0.433	0.0	61.8	35.1	65.4	74.2	61	1.0	0.0	0.433	0.0	0.0	0.433
63	57	55	1.0	0.45	0.0	62.6	33.6	66.2	74.3	63	1.0	0.0	0.45	0.0	0.0	0.45
64	58	56	1.0	0.466	0.0	63.3	32.0	67.1	74.4	64	1.0	0.0	0.467	0.0	0.0	0.467
65	59	57	1.0	0.483	0.0	64.1	30.5	67.9	74.4	65	1.0	0.0	0.483	0.0	0.0	0.483
67	60	58	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67	1.0	0.0	0.5	0.0	0.0	0.5
68	61	60	1.0	0.516	0.0	65.8	27.2	69.9	75.0	68	1.0	0.0	0.517	0.0	0.0	0.517
70	62	61	1.0	0.533	0.0	66.8	25.5	71.1	75.6	70	1.0	0.0	0.533	0.0	0.0	0.533
71	63	62	1.0	0.55	0.0	67.7	23.8	72.3	76.1	71	1.0	0.0	0.55	0.0	0.0	0.55
73	64	63	1.0	0.566	0.0	68.7	22.0	73.5	76.7	73	1.0	0.0	0.567	0.0	0.0	0.567
74	65	64	1.0	0.583	0.0	69.7	20.2	74.6	77.3	74	1.0	0.0	0.583	0.0	0.0	0.583
76	66	65	1.0	0.6	0.0	70.6	18.3	75.6	77.8	76	1.0	0.0	0.6	0.0	0.0	0.6
77	67	66	1.0	0.616	0.0	71.6	16.4	76.6	78.4	77	1.0	0.0	0.617	0.0	0.0	0.617
79	68	67	1.0	0.633	0.0	72.5	14.8	77.6	79.0	79	1.0	0.0	0.633	0.0	0.0	0.633
80	69	68	1.0	0.65	0.0	73.2	13.6	78.5	79.7	80	1.0	0.0	0.65	0.0	0.0	0.65
81	70	70	1.0	0.666	0.0	74.0	12.3	79.5	80.4	81	1.0	0.0	0.667	0.0	0.0	0.667
82	71	71	1.0	0.683	0.0	74.8	11.0	80.4	81.1	82	1.0	0.0	0.683	0.0	0.0	0.683
83	72	72	1.0	0.7	0.0	75.6	9.6	81.3	81.9	83	1.0	0.0	0.7	0.0	0.0	0.7
84	73	73	1.0	0.716	0.0	76.3	8.3	82.2	82.6	84	1.0	0.0	0.717	0.0	0.0	0.717
85	74	74	1.0	0.733	0.0	77.1	6.9	83.0	83.3	85	1.0	0.0	0.733	0.0	0.0	0.733
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.0	0.75	0.0	0.0	0.75

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Angles of the device colours RGB* (x=LabCh)										Angles of the elementary colours RGB* (x=LabCh)										Angles of the elementary colours RGB* (x=LabCh)									
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}	LAB* _{dd361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{ds361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{ds361Mi}	LAB* _{ds361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{ds361Mi}	LAB* _{ds361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{ds361Mi}	LAB* _{ds361Mi} (x=LabCh)	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)						
114	120	127	0.5	1.0	0.0	70.6	-29.7 66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5 59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8 53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5 65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2 58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8 52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4 64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1 57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8 51.9	67.3	129	0.467	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2 63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0 57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8 50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0 62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9 56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7 49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8 61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8 55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6 48.9	66.9	133	0.417	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5 59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7 54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5 47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2 58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6 54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4 46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4 57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5 53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3 45.8	66.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2 56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3 52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2 44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8 54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1 51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0 43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4 53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0 50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9 42.7	66.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0 51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8 49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7 41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5 50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5 48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5 40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9 48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3 48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3 39.4	66.4	143	0.267	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3 46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0 47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2 38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3 45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8 46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4 37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2 44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6 45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6 36.7	67.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1 43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4 44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8 35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0 42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1 43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0 34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9 41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8 42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1 34.0	69.2	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7 40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6 41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3 33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5 39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3 40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4 32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7 38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9 40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5 30.9	70.8	154	0.117	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2 37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6 39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6 29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7 35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5 38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6 28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2 34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5 37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2 26.5	69.5	157	0.067	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7 33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5 36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7 24.8	68.4	158	0.05	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2 32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6 36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1 23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6 30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6 35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6 21.5	66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0 29.6	71.4	155	G_d 0.062	1.0	0.0	52.4	-59.6 34.5	68.9	150	G_s 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0 19.9	65.2	162	G_e 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7 28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6 33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6 18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5 27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6 32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1 17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2 26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5 31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6 16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9 25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5 31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0 15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083																								

uscita: Offset standard print; separation cmy0*, D65, pagina 13/33

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{ddx361Mi} (x=LabCh)$				C_d	$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi} (x=LabCh)$				C_s	$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi} (x=LabCh)$				C_e	$rgb^*_{dd361Mi}$			rgb^*_{ad}	rgb^*_{ds}	rgb^*_{de}	
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	1.0	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216	0.0	1.0	1.0				
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239	0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211	0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0				
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239	0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212	0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0				
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240	0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213	0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0				
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240	0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214	0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0				
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241	0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215	0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0				
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242	0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216	0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0				
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0				
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243	0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218	0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0				
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244	0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219	0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0				
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245	0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220	0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0				
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245	0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221	0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0				
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246	0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222	0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0				
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247	0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223	0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0				
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248	0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224	0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0				
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0				
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250	0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226	0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0				
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0				
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252	0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228	0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0				
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253	0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229	0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0				
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254	0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230	0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0				
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255	0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231	0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0				
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0				
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257	0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233	0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0				
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259	0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234	0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0			
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260	0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235	0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0			
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262	0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236	0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0			
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263	0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237	0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0			
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238	0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0			
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266	0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239	0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0			
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	0.0	0.5	1.0			
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269	0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241	0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	0.0	0.483	1.0			
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271	0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242	0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	0.0	0.467	1.0	</		

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$			$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}				LAB^*_{d361Mi} (x=LabCh)				$rgb^*_{ds361Mi}$				LAB^*_{s361Mi} (x=LabCh)				$rgb^*_{dd361Mi}$				LAB^*_{e361Mi} (x=LabCh)				$rgb^*_{dd361Mi}$				
289	255	258	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.25	1.0	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25	1.0	
290	256	258	0.0	0.233	1.0	32.2	15.3	-40.3	43.1	290	0.0	0.641	1.0	47.0	-10.1	-40.9	42.2	256	0.0	0.233	1.0	0.0	0.603	1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233	1.0	
292	257	259	0.0	0.216	1.0	31.7	16.4	-40.3	43.6	292	0.0	0.624	1.0	46.5	-9.3	-40.8	42.0	257	0.0	0.217	1.0	0.0	0.593	1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217	1.0	
293	258	260	0.0	0.2	1.0	31.1	17.5	-40.4	44.0	293	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.2	1.0	0.0	0.583	1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2	1.0	
294	259	261	0.0	0.183	1.0	30.6	18.5	-40.4	44.5	294	0.0	0.602	1.0	45.7	-7.9	-40.9	41.7	259	0.0	0.183	1.0	0.0	0.573	1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183	1.0	
295	260	262	0.0	0.166	1.0	30.0	19.6	-40.4	44.9	295	0.0	0.591	1.0	45.3	-7.1	-40.9	41.6	260	0.0	0.167	1.0	0.0	0.562	1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.167	1.0	
297	261	263	0.0	0.15	1.0	29.5	20.7	-40.4	45.4	297	0.0	0.58	1.0	44.8	-6.4	-40.9	41.5	261	0.0	0.15	1.0	0.0	0.552	1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15	1.0	
298	262	264	0.0	0.133	1.0	28.9	21.8	-40.3	45.8	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.133	1.0	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133	1.0	
299	263	265	0.0	0.116	1.0	28.4	22.8	-40.3	46.3	299	0.0	0.558	1.0	44.0	-4.9	-40.9	41.3	263	0.0	0.117	1.0	0.0	0.532	1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.117	1.0	
300	264	266	0.0	0.1	1.0	27.9	23.8	-40.4	46.9	300	0.0	0.547	1.0	43.5	-4.2	-40.8	41.2	264	0.0	0.1	1.0	0.0	0.522	1.0	42.6	-2.6	-40.7	40.9	266	0.0	0.1	1.0	
301	265	267	0.0	0.083	1.0	27.4	24.7	-40.4	47.4	301	0.0	0.536	1.0	43.1	-3.5	-40.8	41.1	265	0.0	0.083	1.0	0.0	0.512	1.0	42.2	-1.9	-40.7	40.8	267	0.0	0.083	1.0	
302	266	268	0.0	0.066	1.0	26.9	25.7	-40.4	47.9	302	0.0	0.525	1.0	42.7	-2.8	-40.7	40.9	266	0.0	0.067	1.0	0.0	0.502	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.067	1.0	
303	267	269	0.0	0.049	1.0	26.5	26.6	-40.5	48.4	303	0.0	0.514	1.0	42.3	-2.0	-40.7	40.8	267	0.0	0.05	1.0	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.05	1.0	
304	268	269	0.0	0.033	1.0	26.0	27.6	-40.4	49.0	304	0.0	0.503	1.0	41.8	-1.3	-40.6	40.7	268	0.0	0.033	1.0	0.0	0.48	1.0	41.0	0.0	-40.6	40.7	269	0.0	0.033	1.0	
305	269	270	0.0	0.016	1.0	25.5	28.6	-40.4	49.5	305	0.0	0.491	1.0	41.4	-0.6	-40.6	40.7	269	0.0	0.017	1.0	0.0	0.469	1.0	40.6	0.6	-40.6	40.7	270	0.0	0.017	1.0	
306	270	271	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306	B_d	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	$270B_s$	0.0	0.0	1.0	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	$271B_e$	0.0	0.0	1.0
307	271	272	0.016	0.0	1.0	25.4	30.4	-39.9	50.2	307	0.0	0.467	1.0	40.6	0.7	-40.6	40.7	271	0.017	0.0	1.0	0.0	0.447	1.0	39.9	1.9	-40.5	40.7	272	0.017	0.0	1.0	
308	272	273	0.033	0.0	1.0	25.8	31.3	-39.4	50.4	308	0.0	0.455	1.0	40.2	1.4	-40.6	40.7	272	0.033	0.0	1.0	0.0	0.435	1.0	39.5	2.6	-40.5	40.7	273	0.033	0.0	1.0	
309	273	274	0.05	0.0	1.0	26.2	32.2	-38.9	50.5	309	0.0	0.443	1.0	39.7	2.1	-40.5	40.7	273	0.05	0.0	1.0	0.0	0.424	1.0	39.1	3.3	-40.5	40.7	274	0.05	0.0	1.0	
310	274	275	0.066	0.0	1.0	26.5	33.1	-38.4	50.7	310	0.0	0.431	1.0	39.3	2.8	-40.5	40.7	274	0.067	0.0	1.0	0.0	0.413	1.0	38.7	3.9	-40.4	40.7	275	0.067	0.0	1.0	
311	275	276	0.083	0.0	1.0	26.9	33.9	-37.8	50.8	311	0.0	0.419	1.0	38.9	3.5	-40.4	40.7	275	0.083	0.0	1.0	0.0	0.401	1.0	38.3	4.6	-40.3	40.7	276	0.083	0.0	1.0	
313	276	277	0.1	0.0	1.0	27.3	34.8	-37.3	51.0	313	0.0	0.407	1.0	38.5	4.3	-40.4	40.7	276	0.1	0.0	1.0	0.0	0.39	1.0	37.9	5.3	-40.3	40.7	277	0.1	0.0	1.0	
314	277	278	0.116	0.0	1.0	27.7	35.6	-36.7	51.1	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.117	0.0	1.0	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278	0.117	0.0	1.0	
315	278	279	0.133	0.0	1.0	27.9	36.4	-36.2	51.3	315	0.0	0.383	1.0	37.6	5.7	-40.2	40.7	278	0.133	0.0	1.0	0.0	0.367	1.0	37.1	6.6	-40.2	40.8	279	0.133	0.0	1.0	
316	279	280	0.15	0.0	1.0	28.1	37.2	-35.7	51.6	316	0.0	0.371	1.0	37.2	6.4	-40.2	40.8	279	0.15	0.0	1.0	0.0	0.357	1.0	36.7	7.3	-40.2	41.0	280	0.15	0.0	1.0	
317	280	281	0.166	0.0	1.0	28.2	38.0	-35.2	51.9	317	0.0	0.36	1.0	36.8	7.1	-40.2	41.0	280	0.167	0.0	1.0	0.0	0.346	1.0	36.3	8.0	-40.3	41.2	281	0.167	0.0	1.0	
318	281	282	0.183	0.0	1.0	28.3	38.8	-34.7	52.1	318	0.0	0.348	1.0	36.4	7.8	-40.3	41.1	281	0.183	0.0	1.0	0.0	0.335	1.0	35.9	8.7	-40.3	41.3	282	0.183	0.0	1.0	
319	282	283	0.2	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.0	0.337	1.0	36.0	8.6	-40.3	41.3	282	0.2	0.0	1.0	0.0	0.324	1.0	35.5	9.4	-40.3	41.5	283	0.2	0.0	1.0	
320	283	284	0.216	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.0	0.326	1.0	35.6	9.3	-40.3	41.5	283	0.217	0.0	1.0	0.0	0.313	1.0	35.1	10.1	-40.3	41.7	284	0.217	0.0	1.0	
321	284	285	0.233	0.0	1.0	28.7	41.2	-33.1	52.9	321	0.0	0.314	1.0	35.2	10.1	-40.3	41.7	284	0.233	0.0	1.0	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.233	0.0	1.0	
322	285	285	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.25	0.0	1.0	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285	0.25	0.0	1.0	
323	286	286	0.266	0.0	1.0	29.4	43.3	-31.8	53.8	323	0.0	0.291	1.0	34.3	11.6	-40.3	42.0	286	0.267	0.0	1.0	0.0	0.281	1.0	34.0	12.3	-40.3	42.2	286	0.267	0.0	1.0	
325	287	287	0.283	0.0	1.0	29.9	44.7	-31.1	54.4	325	0.0	0.28	1.0	33.9	12.3	-40.3	42.2	287	0.283	0.0	1.0	0.0	0.27	1.0	33.6	13.0	-40.2	42.4	287	0.283	0.0	1.0	
326	288	288	0.3	0.0	1.0	30.4	46.0	-30.3	55.1	326	0.0	0.269	1.0	33.5	13.1	-40.2	42.4	288	0.3	0.0	1.0	0.0	0.26	1.0	33.2	13.7	-40.2	42.5	288	0.3	0.0	1.0	
328	289	289	0.316	0.0	1.0	30.9	47.3	-29.4	55.7	328	0.0	0.257	1.0	33.1	13.9	-40.2	42.6	289	0.317	0.0	1.0	0.0	0.249	1.0	32.8	14.4	-40.1	42.7	289	0.317	0.0	1.0	
329	290	290	0.333	0.0	1.0	31.4	48.6	-28.5	56.4	329	0.0	0.245	1.0	32.7	14.6	-40.1	42.8	290	0.333	0.0	1.0	0.0	0.236	1.0									

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}								$LAB^*_{d361Mi}(x=LabCh)$								$rgb^*_{ds361Mi}$								$LAB^*_{dsx361Mi}(x=LabCh)$								$rgb^*_{dd361Mi}$								$rgb^*_{de361Mi}$								$LAB^*_{dex361Mi}(x=LabCh)$								$rgb^*_{dd361Mi}$							
340	300	300	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0																																		
341	301	301	0.516	0.0	1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0																																		
342	302	302	0.533	0.0	1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0																																		
343	303	303	0.55	0.0	1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0																																		
344	304	303	0.566	0.0	1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0																																		
345	305	304	0.583	0.0	1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0																																		
346	306	305	0.6	0.0	1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0																																		
347	307	306	0.616	0.0	1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0																																		
348	308	307	0.633	0.0	1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0																																		
348	309	308	0.65	0.0	1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0																																		
349	310	309	0.666	0.0	1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0																																		
350	311	310	0.683	0.0	1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0																																		
350	312	311	0.7	0.0	1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0																																		
351	313	312	0.716	0.0	1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0																																		
351	314	313	0.733	0.0	1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0																																		
352	315	314	0.75	0.0	1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0																																		
353	316	315	0.766	0.0	1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0																																		
353	317	316	0.783	0.0	1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0																																		
353	318	317	0.8	0.0	1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0																																		
354	319	318	0.816	0.0	1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0																																		
354	320	319	0.833	0.0	1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0																																		
355	321	320	0.85	0.0	1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0																																		
355	322	321	0.866	0.0	1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0																																		
356	323	321	0.883	0.0	1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0																																		
356	324	322	0.9	0.0	1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0																																		
357	325	323	0.916	0.0	1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0																																		
357	326	324	0.933	0.0	1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0																																		
358	327	325	0.95	0.0	1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0																																		
358	328	326	0.966	0.0	1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0																																		
359	329	327	0.983	0.0	1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0																																		
359	330	328	1.0	0.0	1.0	46.1	79.3	-0.2	79.3	359	M_d 0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	M_s 1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	M_e 1.0	0.0	1.0																																		
360	331	329	1.0	0.0	0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983																																		
360	332	330	1.0	0.0	0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967																																		
361	333	331	1.0	0.0	0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95																																		
361	334	332	1.0	0.0	0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933																																		
361	335	333	1.0	0.0	0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0																																															

uscita: Offset standard print; separation cmY0*, D65, pagina 17/32

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

[illegible]

uscita: 3D-linearizzazione a $cmy0^*_{de}$

grafico TUB-RI48; codice di tinte: H*_e=B75R_e

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

grafico TUB-RI48; codice di tinte: H^{*}_e=B75R_e

uscita: 3D-linearizzazione a $cmy0^*_{de}$

[illegible]

http://130.149.60.45/~farbmatrik/RI48/RI48L0FA.TXT /PS; 3D-linearizzazione
F: 3D-linearizzazione RI48/RI48L30FA.DAT nel file (F), pagina 20/33

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

TUB materiale: code=rha4ta

vedere dei file simili: <http://130.149.60.45/~farbmatrik/RI48/RI48L0FA.TXT>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmatrik>

HVC-Ede		rgb-Ede		icL-Ede		hsa-Ede		rgb-Ede		LabCH-Ede		cmy0*Ede		hsa-Ede		rgb-Ede		LabCH-Ede		delta	
n	f	n	f	n	f	n	f	n	f	n	f	n	f	n	f	n	f	n	f	n	f
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
34	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
37	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
38	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
39	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
40	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
41	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
42	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
43	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
46	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
47	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
48	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
49	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
51	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
52	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
53	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
54	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
55	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
57	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
58	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
59	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
60	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
63	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
64	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
65	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
66	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
67	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
68	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
69	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
71	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
72	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
74	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
76	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
77	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
78	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
80	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

grafico TUB-RI48; codice di tinte: H*e=B75Re
colori e la differenza, ΔE*

immettere: rgb/cmyk -> rgbde
uscita: 3D-linearizzazione a cmy0*de

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
+ la domanda per la misura uscita nella stampa di offset

TUB materiale: code=rha4ta
one cmy0* (CMY0)

[illegible]

-vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

grafico TUB-RI48; codice di tinte: H*_e=B75R_e

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

uscita: 3D-linearizzazione a $cmy0^{*}_{de}$

grafico TUB-RI48; codice di tinte: H*_e=B75R_e

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmatrik/RI48/RI48L0FA.TXT /PS; 3D-linearizzazione
F: 3D-linearizzazione RI48/RI48L30FA.DAT nel file (F), pagina 26/33

4-1132531-E0

PI480-7N 26/23-F

1041

grafico TUB-RI48; codice di tinte: H*_e=B75R_e


immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

	HIC^{Fide}	rgb^{Fide}	icr^{Fide}	hsa^{Fide}	rgb^{Fide}	$\text{LabCh}^{\text{Fide}}$	$\text{LabCh}^{\text{Fide}}$	$\text{cmyn}^{\text{SepFide}}$	hsa^{nde}	rgb^{nde}	$\text{LabCh}^{\text{nde}}$
486	R00Y, 0.75, 0.75de	0.75	0.0	0.75	0.75	0.375	390	0.75	0.0	0.0	0.0
487	R03Y, 0.75, 0.75de	0.75	0.0	0.125	0.75	0.375	381	0.75	0.0	0.0	0.0
488	R10Y, 0.75, 0.75de	0.75	0.0	0.25	0.75	0.375	371	0.75	0.0	0.0	0.0
489	R18Y, 0.75, 0.75de	0.75	0.0	0.375	0.75	0.375	360	0.552	0.0	0.0	0.0
490	B65R, 0.75, 0.75de	0.75	0.0	0.5	0.75	0.375	349	0.452	0.0	0.0	0.0
491	B57R, 0.75, 0.75de	0.75	0.0	0.625	0.75	0.375	339	0.433	0.0	0.0	0.0
492	B50R, 0.75, 0.75de	0.75	0.0	0.75	0.75	0.375	330	0.421	0.0	0.0	0.0
493	B43R, 0.87, 0.87de	0.75	0.0	0.875	0.875	0.437	322	0.201	0.0	0.0	0.0
494	B38R, 1.00, 1.00de	0.75	0.0	1.0	1.0	0.5	316	0.135	0.0	0.0	0.0
495	R15Y, 0.75, 0.75de	0.75	0.125	0.0	0.75	0.375	39	0.75	0.051	0.0	0.0
496	R11Y, 0.75, 0.62de	0.75	0.125	0.125	0.75	0.625	437	0.75	0.125	0.284	0.0
497	R31Y, 0.75, 0.62de	0.75	0.125	0.25	0.75	0.625	437	0.75	0.125	0.481	0.0
498	R11Y, 0.75, 0.62de	0.75	0.125	0.375	0.75	0.625	437	0.75	0.125	0.749	0.0
499	B69R, 0.75, 0.62de	0.75	0.125	0.5	0.75	0.625	437	0.75	0.125	0.749	0.0
500	B59R, 0.75, 0.62de	0.75	0.125	0.625	0.75	0.625	437	0.75	0.125	0.749	0.0
501	B50R, 0.75, 0.62de	0.75	0.125	0.75	0.75	0.625	437	0.75	0.125	0.749	0.0
502	B42R, 0.87, 0.87de	0.75	0.125	0.875	0.875	0.75	0.5	0.21	0.286	0.125	0.875
503	B36R, 1.00, 0.87de	0.75	0.125	1.0	1.0	0.875	0.562	0.314	0.217	0.125	1.0
504	R31Y, 0.75, 0.75de	0.75	0.25	0.0	0.75	0.375	49	0.75	0.184	0.0	0.0
505	R18Y, 0.75, 0.62de	0.75	0.25	0.125	0.75	0.625	437	41	0.75	0.197	0.125
506	R00Y, 0.75, 0.50de	0.75	0.25	0.25	0.75	0.5	390	0.75	0.25	0.377	0.58
507	R26Y, 0.75, 0.50de	0.75	0.25	0.375	0.75	0.5	376	0.75	0.25	0.578	0.58
508	R00Y, 0.75, 0.50de	0.75	0.25	0.5	0.75	0.5	360	0.618	0.25	0.75	0.507
509	B61R, 0.75, 0.50de	0.75	0.25	0.625	0.75	0.5	344	0.511	0.25	0.75	0.48
510	B30R, 0.75, 0.50de	0.75	0.25	0.75	0.75	0.5	330	0.404	0.25	0.75	0.453
511	B24R, 1.00, 0.50de	0.75	0.25	0.875	0.875	0.625	311	0.298	0.25	0.875	0.44
512	B18Y, 0.75, 0.75de	0.75	0.375	0.0	0.75	0.375	311	0.298	0.25	0.875	0.44
513	R50Y, 0.75, 0.75de	0.75	0.375	0.0	0.75	0.375	311	0.298	0.25	0.875	0.44
514	R38Y, 0.75, 0.62de	0.75	0.375	0.125	0.75	0.625	437	53	0.75	0.313	0.125
515	R23Y, 0.75, 0.50de	0.75	0.375	0.25	0.75	0.5	44	0.75	0.333	0.25	0.52
516	R00Y, 0.75, 0.37de	0.75	0.375	0.375	0.75	0.375	0.562	390	0.75	0.375	0.47
517	R18Y, 0.75, 0.37de	0.75	0.375	0.5							

n	HVC*File	rgb*File	Lab*File	rgb*File	Lab*File	cmyn*SepFile	rgb*File	Lab*File	delta
567	R00Y.087.087de	0.875 0.0 0.125	0.875 0.875 0.437	0.875 0.0 0.222	42.9 63.1	0.173	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
568	R36Y.087.087de	0.875 0.0 0.125	0.875 0.875 0.437	0.875 0.0 0.222	42.9 63.1	0.173	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
569	R00Y.087.087de	0.875 0.0 0.125	0.875 0.875 0.437	0.875 0.0 0.222	42.9 63.1	0.173	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
570	R23Y.087.087de	0.875 0.0 0.375	0.875 0.875 0.437	0.875 0.0 0.627	43.2 67.2	0.175	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
571	B70R.087.087de	0.875 0.0 0.625	0.875 0.875 0.437	0.875 0.0 0.875	35.1 61.8	0.175	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
572	B56R.087.087de	0.875 0.0 0.625	0.875 0.875 0.437	0.875 0.0 0.875	35.1 61.8	0.175	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
573	B50R.087.087de	0.875 0.0 0.625	0.875 0.875 0.437	0.875 0.0 0.875	35.1 61.8	0.175	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
574	B44R.100.100de	0.875 0.0 0.625	0.875 0.875 0.437	0.875 0.0 0.875	35.1 61.8	0.175	0.986	0.785 0.0	456 72.2 34.4 80.0 25.4
575	R13Y.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
576	R00Y.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
577	R33Y.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
578	R00Y.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
579	R18Y.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
580	R00Y.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
581	B65R.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
582	B57R.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
583	B50R.087.087de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
584	B43R.100.100de	0.875 0.125 0.125	0.875 0.875 0.437	0.875 0.125 0.125	43.9 59.5	0.171	0.947	1.0 0.0	456 72.2 34.4 80.0 25.4
585	R15Y.087.087de	0.875 0.25 0.125	0.875 0.875 0.437	0.875 0.25 0.125	48.3 49.9	0.169	0.814	1.0 0.0	456 72.2 34.4 80.0 25.4
586	R00Y.087.087de	0.875 0.25 0.125	0.875 0.875 0.437	0.875 0.25 0.125	48.3 49.9	0.169	0.814	1.0 0.0	456 72.2 34.4 80.0 25.4
587	R00Y.087.087de	0.875 0.25 0.125	0.875 0.875 0.437	0.875 0.25 0.125	48.3 49.9	0.169	0.814	1.0 0.0	456 72.2 34.4 80.0 25.4
588	R31Y.087.087de	0.875 0.25 0.375	0.875 0.875 0.437	0.875 0.25 0.375	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
589	R11Y.087.087de	0.875 0.25 0.375	0.875 0.875 0.437	0.875 0.25 0.375	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
590	B60R.087.087de	0.875 0.25 0.625	0.875 0.875 0.437	0.875 0.25 0.625	42.9 42.9	0.128	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
591	B53R.087.087de	0.875 0.25 0.625	0.875 0.875 0.437	0.875 0.25 0.625	42.9 42.9	0.128	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
592	B46R.100.100de	0.875 0.25 0.625	0.875 0.875 0.437	0.875 0.25 0.625	42.9 42.9	0.128	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
593	R23Y.087.087de	0.875 0.375 0.125	0.875 0.875 0.437	0.875 0.375 0.125	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
594	R11Y.087.087de	0.875 0.375 0.125	0.875 0.875 0.437	0.875 0.375 0.125	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
595	R00Y.087.087de	0.875 0.375 0.125	0.875 0.875 0.437	0.875 0.375 0.125	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
596	R18Y.087.087de	0.875 0.375 0.125	0.875 0.875 0.437	0.875 0.375 0.125	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
597	R00Y.087.087de	0.875 0.375 0.125	0.875 0.875 0.437	0.875 0.375 0.125	45.6 46.9	0.119	0.739	0.392 0.0	456 72.2 34.4 80.0 25.4
598	R26Y.087.087de	0.875 0.375 0.375	0.875 0.875 0.437	0.875 0.375 0.375	41.9 36.1	0.106	0.616	0.12 0.0	456 72.2 34.4 80.0 25.4
599	R00Y.087.087de	0.875 0.375 0.375	0.875 0.875 0.437	0.875 0.375 0.375	41.9 36.1	0.106	0.616	0.12 0.0	456 72.2 34.4 80.0 25.4
600	B61R.087.087de	0.875 0.375 0.625	0.875 0.875 0.437	0.875 0.375 0.625	39.6 35.2	0.094	0.586	0.101 0.0	456 72.2 34.4 80.0 25.4
601	B54R.087.087de	0.875 0.375 0.625	0.875 0.875 0.437	0.875 0.375 0.625	39.6 35.2	0.094	0.586	0.101 0.0	456 72.2 34.4 80.0 25.4
602	B40R.100.100de	0.875 0.375 0.625	0.875 0.875 0.437	0.875 0.375 0.625	39.6 35.2	0.094	0.586	0.101 0.0	456 72.2 34.4 80.0 25.4
603	R58Y.087.087de	0.875 0.5 0.125	0.875 0.875 0.437	0.875 0.5 0.125	53.5 28.0	0.058	0.584	1.0 0.0	456 72.2 34.4 80.0 25.4
604	R50Y.087.087de	0.875 0.5 0.125	0.875 0.875 0.437	0.875 0.5 0.125	53.5 28.0	0.058	0.584	1.0 0.0	456 72.2 34.4 80.0 25.4
605	R23Y.087.087de	0.875 0.5 0.375	0.875 0.875 0.437	0.875 0.5 0.375	61.9 29.6	0.096	0.544	0.317 0.0	456 72.2 34.4 80.0 25.4
606	R00Y.087.087de	0.875 0.5 0.375	0.875 0.875 0.437	0.875 0.5 0.375	61.9 29.6	0.096	0.544	0.317 0.0	456 72.2 34.4 80.0 25.4
607	R23Y.087.087de	0.875 0.5 0.625	0.875 0.875 0.437	0.875 0.5 0.625	67.9 27.0	0.129	0.300	0.25 0.0	456 72.2 34.4 80.0 25.4
608	R00Y.087.087de	0.875 0.5 0.625	0.875 0.875 0.437	0.875 0.5 0.625	67.9 27.0	0.129	0.300	0.25 0.0	456 72.2 34.4 80.0 25.4
609	B65R.087.087de	0.875 0.5 0.875	0.875 0.875 0.437	0.875 0.5 0.875	68.0 29.2	0.2 0.2	0.437	0.0 0.0	456 72.2 34.4 80.0 25.4
610	B50R.087.087de	0.875 0.5 0.875	0.875 0.875 0.437	0.875 0.5 0.875	68.0 29.2	0.2 0.2	0.437	0.0 0.0	456 72.2 34.4 80.0 25.4
611	B38R.100.100de	0.875 0.5 0.875	0.875 0.875 0.437	0.875 0.5 0.875	68.0 29.2	0.2 0.2	0.437	0.0 0.0	456 72.2 34.4 80.0 25.4
612	R73Y.087.087de	0.875 0.5 0.75	0.875 0.875 0.437	0.875 0.5 0.75	61.8 18.0	0.057	0.575	0.74 0.0	456 72.2 34.4 80.0 25.4
613	R68Y.087.087de	0.875 0.5 0.75	0.875 0.875 0.437	0.875 0.5 0.75	61.8 18.0	0.057	0.575	0.74 0.0	456 72.2 34.4 80.0 25.4
614	R51Y.087.087de	0.875 0.625 0.125	0.875 0.875 0.437	0.875 0.625 0.125	65.5 18.4	0.137	0.464	0.856 0.0	456 72.2 34.4 80.0 25.4
615	R00Y.087.087de	0.875 0.625 0.125	0.875 0.875 0.437	0.875 0.625 0.125	65.5 18.4	0.137	0.464	0.856 0.0	456 72.2 34.4 80.0 25.4
616	R31Y.087.087de	0.875 0.625 0.375	0.875 0.875 0.437	0.875 0.625 0.375	69.0 19.1	0.317	0.588	0.11 0.0	456 72.2 34.4 80.0 25.4
617	R00Y.087.087de	0.875 0.625 0.375	0.875 0.875 0.437	0.875 0.625 0.375	69.0 19.1	0.317	0.588	0.11 0.0	456 72.2 34.4 80.0 25.4
618	R00Y.087.087de	0.875 0.625 0.625	0.875 0.875 0.437	0.875 0.625 0.625	74.2 18.0	0.207	0.285	0.46 0.0	456 72.2 34.4 80.0 25.4
619	B50R.087.087de	0.875 0.625 0.625	0.875 0.875 0.437	0.875 0.625 0.625	74.2 18.0	0.207	0.285	0.46 0.0	456 72.2 34.4 80.0 25.4
620	R34R.100.107de	0.875 0.625 1.0	0.875 0.875 0.437	0.875 0.625 1.0	69.7 12.3	0.144	0.352	0.0 0.0	456 72.2 34.4 80.0 25.4
621	R66Y.087.087de	0.875 0.75 0.125	0.875 0.875 0.437	0.875 0.75 0.125	71.1 8.1	0.033	0.376	0.084 0.0	456 72.2 34.4 80.0 25.4
622	R53Y.087.087de	0.875 0.75 0.125	0.875 0.875 0.437	0.875 0.75 0.125	71.1 8.1	0.033	0.376	0.084 0.0	456 72.2 34.4 80.0 25.4
623	R34R.100.107de	0.875 0.75 0.375	0.875 0.875 0.437	0.875 0.75 0.375	72.1 8.5	0.033	0.376	0.084 0.0	456 72.2 34.4 80.0 25.4
624	R58Y.087.087de	0.875 0.75 0.375	0.875 0.875 0.437	0.875 0.75 0.375	72.1 8.5	0.033	0.376	0.084 0.0	456 72.2 34.4 80.0 25.4
625	R50Y.087.087de	0.875 0.75 0.625	0.875 0.875 0.437	0.875 0.75 0.625	76.9 9.2	0.119	0.303	0.464 0.0	456 72.2 34.4 80.0 25.4
626	R00Y.087.087de	0.875 0.75 0.625	0.875 0.875 0.437	0.875 0.75 0.625	76.9 9.2	0.119	0.303	0.464 0.0	456 72.2 34.4 80.0 25.4
627	R00Y.087.087de	0.875 0.75 0.875	0.875 0.875 0.437	0.875 0.75 0.875	78.6 9.0	0.131	0.248	0.167 0.0	456 72.2 34.4 80.0 25.4
628	B50R.087.087de	0.875 0.75 0.875	0.875 0.875 0.437	0.875 0.75 0.875	78.6 9.0	0.131	0.248	0.167 0.0	456 72.2 34.4 80.0 25.4
629	B25R.100.105de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
630	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
631	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
632	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
633	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
634	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
635	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
636	Y00C.087.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
637	NW.087de	0.875 0.75 1.0	0.875 0.875 0.437	0.875 0.75 1.0	76.7 5.8	0.100	0.274	0.211 0.0	456 72.2 34.4 80.0 25.4
638	B00R.100.102de	0.875 1.0 0.0	0.875 0.875 0.437	0.875 1.0 0.0	82.4 -15.9	0.076	0.194	0.0 0.0	456 72.2 34.4 80.0 25.4
639	Y11C.100.100de	0.875 1.0 0.0	0.875 0.875 0.437	0.875 1.0 0.0	82.4 -15.9	0.076			



TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)



http://130.149.60.45/~farbmetrik/RI48/RI48L0FA.TXT /.PS; 3D-linearizzazione
F: 3D-linearizzazione RI48/RI48L30FA.DAT nel file (F), pagina 29/33

n	HVC*File	rgb_*File	icr_*File	hsa_*File	rgb_*File	LabCh*File	cmym*_sep*File	hsa*de	rgb*File	LabCh*File	delta
729	NW_1000de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
730	G50B_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
731	G50B_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
732	G50B_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
733	G50B_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
734	G50B_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
735	G50B_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
736	G50B_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
737	G50B_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
738	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
739	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
740	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
741	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
742	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
743	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
744	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
745	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
746	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
747	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
748	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
749	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
750	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
751	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
752	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
753	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
754	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
755	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
756	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
757	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
758	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
759	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
760	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
761	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
762	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
763	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
764	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
765	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
766	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
767	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
768	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
769	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
770	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
771	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
772	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
773	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
774	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
775	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
776	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
777	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
778	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
779	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
780	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
781	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
782	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
783	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
784	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
785	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
786	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
787	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
788	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
789	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
790	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
791	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
792	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
793	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
794	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
795	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
796	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
797	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
798	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
799	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
800	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
801	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
802	ROY_100.012de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
803	ROY_100.025de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
804	ROY_100.037de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
805	ROY_100.050de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
806	ROY_100.062de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
807	ROY_100.075de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
808	ROY_100.087de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0
809	ROY_100.100de	0.875	1.0	1.0	0.875	1.0	0.0	360	1.0	956	0.0

immettere: rgb/cmyk -> rgbde
uscita: 3D-linearizzazione a cmy0*de

RI48-7N, 29/33-F

4-1132831-F0

grafico TUB-RI48; codice di tinte: H*e=B75Re
colori e la differenza, ΔE*

vedere dei file simil: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

http://130.149.60.45/~farbmatrik/RI48/RI48L0FA.TXT /PS; 3D-linearizzazione
F: 3D-linearizzazione RI48/RI48LI30FA.DAT nel file (F), pagina 30/33

grafico TUB-RI48; codice di tinte: H^{*}_e=B75R_e

immettere: $rgb/cmyk \rightarrow rgb_{de}$
uscita: 3D-linearizzazione a $cmy0^*_{de}$

n	HC ⁺ Fide	rgb ⁺ Fide	ict ⁺ Fide	hs ⁺ Fide	rgb ⁺ Fide	LabCh ⁺ Fide	cmv ⁺ sep ⁺ Fide	hs ⁺ nd ⁺	rgb ⁺ nd ⁺	LabCh ⁺ nd ⁺	δ
8101	NW_100 nd	0.0	1.0	0.0	1.0	0.0	0.0	360	1.0	95.6	0.0
8110	BOOR_100 nd	0.875	0.875	1.0	0.875	0.932	0.156	242	0.0	0.008	0.0
8111	BOOR_100_012 nd	0.875	0.875	1.0	0.875	0.932	0.156	242	0.0	0.008	0.0
8112	BOOR_100_025 nd	0.75	0.75	1.0	0.875	0.786	0.133	242	0.0	0.458	1.0
8113	BOOR_100_037 nd	0.625	0.625	1.0	0.75	0.812	0.289	242	0.0	0.458	1.0
8114	BOOR_100_050 nd	0.5	0.5	1.0	0.625	0.796	0.406	242	0.0	0.458	1.0
8115	BOOR_100_062 nd	0.375	0.375	1.0	0.5	0.729	0.53	242	0.0	0.458	1.0
8116	BOOR_100_075 nd	0.25	0.25	1.0	0.625	0.687	0.717	242	0.0	0.458	1.0
8117	BOOR_100_087 nd	0.125	0.125	1.0	0.75	0.625	0.904	242	0.0	0.458	1.0
8118	BOOR_100_100 nd	0.0	0.0	1.0	0.875	0.562	1.0	242	0.0	0.458	1.0
8119	Y00C_100_012 nd	1.0	1.0	0.0	0.5	0.270	0.0	242	0.0	0.458	1.0
8120	NW_087 nd	0.875	0.875	1.0	0.875	0.937	0.0	83	1.0	0.878	0.0
8121	BOOR_087_012 nd	0.875	0.875	1.0	0.875	0.937	0.0	83	1.0	0.878	0.0
8122	BOOR_087_025 nd	0.75	0.75	1.0	0.875	0.812	0.156	360	1.0	0.956	0.0
8123	BOOR_087_037 nd	0.625	0.625	1.0	0.75	0.787	0.292	242	0.0	0.458	1.0
8124	BOOR_087_050 nd	0.5	0.5	1.0	0.625	0.739	0.406	242	0.0	0.458	1.0
8125	BOOR_087_062 nd	0.375	0.375	1.0	0.5	0.671	0.529	242	0.0	0.458	1.0
8126	BOOR_087_075 nd	0.25	0.25	1.0	0.625	0.604	0.645	242	0.0	0.458	1.0
8127	BOOR_087_087 nd	0.125	0.125	1.0	0.75	0.536	0.729	242	0.0	0.458	1.0
8128	BOOR_087_100 nd	0.0	0.0	1.0	0.875	0.468	0.904	242	0.0	0.458	1.0
8129	Y00C_100_025 nd	1.0	1.0	0.0	0.875	0.385	0.1	83	1.0	0.878	0.0
8130	NW_075 nd	0.875	0.875	1.0	0.875	0.937	0.0	83	1.0	0.878	0.0
8131	BOOR_075_012 nd	0.875	0.875	1.0	0.875	0.937	0.0	83	1.0	0.878	0.0
8132	BOOR_075_025 nd	0.75	0.75	1.0	0.875	0.812	0.156	360	1.0	0.956	0.0
8133	BOOR_075_037 nd	0.625	0.625	1.0	0.75	0.786	0.289	242	0.0	0.458	1.0
8134	BOOR_075_050 nd	0.5	0.5	1.0	0.625	0.729	0.406	242	0.0	0.458	1.0
8135	BOOR_075_062 nd	0.375	0.375	1.0	0.5	0.661	0.529	242	0.0	0.458	1.0
8136	BOOR_075_075 nd	0.25	0.25	1.0	0.625	0.604	0.645	242	0.0	0.458	1.0
8137	BOOR_075_087 nd	0.125	0.125	1.0	0.75	0.536	0.729	242	0.0	0.458	1.0
8138	BOOR_075_100 nd	0.0	0.0	1.0	0.875	0.468	0.904	242	0.0	0.458	1.0
8139	Y00C_087_012 nd	1.0	1.0	0.0	0.875	0.385	0.1	83	1.0	0.878	0.0
8140	NW_062 nd	0.625	0.625	1.0	0.625	0.687	0.729	242	0.0	0.458	1.0

<i>n</i>	HIC*Fide	rgb_Fide	lct_Fide	hsa_Fide	rgb*Fide	LabCh*Fide	cmym*expFide	hsa*Fide	rgb*Fide	LabCh*Fide	delta
881	NW_1000e	1.0	1.0	1.0	1.0	95.6	0.0	0.0	0.0	0.0	0.0
882	B50R_100.0124e	1.0	0.875	1.0	0.875	5.9	-3.6	6.9	328.6	0.0	0.0
883	B50R_100.0254e	1.0	0.75	1.0	0.75	11.9	-7.2	13.9	328.6	0.0	0.0
884	B50R_100.0374e	1.0	0.625	1.0	0.625	1.0	-10.9	20.9	328.6	0.0	0.0
885	B50R_100.0504e	1.0	0.5	1.0	0.5	63.3	23.8	-14.5	27.9	328.6	0.0
886	B50R_100.0624e	1.0	0.375	1.0	0.375	1.0	55.3	29.8	-18.2	34.9	328.6
887	B50R_100.0754e	1.0	0.25	1.0	0.25	41.9	-21.8	41.9	328.6	0.0	0.0
888	B50R_100.0874e	1.0	0.125	1.0	0.125	35.8	-25.5	48.9	328.6	0.0	0.0
889	B50R_100.1004e	1.0	0.0	1.0	0.0	31.1	-29.1	55.9	328.6	0.0	0.0
890	G00B_100.0124e	0.875	1.0	0.875	1.0	0.893	90.0	-7.7	2.4	8.1	162.2
891	NW_0874e	0.875	0.875	0.875	0.875	86.7	0.0	0.0	0.0	0.0	0.0
892	B50R_087.0124e	0.875	0.75	0.875	0.75	78.6	5.9	-3.6	6.9	328.6	0.0
893	B50R_087.0254e	0.875	0.625	0.875	0.625	70.5	11.9	-7.2	13.9	328.6	0.0
894	B50R_087.0374e	0.875	0.5	0.875	0.5	62.5	17.9	-10.9	20.9	328.6	0.0
895	B50R_087.0504e	0.875	0.375	0.875	0.375	54.4	23.8	-14.5	27.9	328.6	0.0
896	B50R_087.0624e	0.875	0.25	0.875	0.25	46.4	29.8	-18.2	34.9	328.6	0.0
897	B50R_087.0754e	0.875	0.125	0.875	0.125	38.3	35.8	-21.8	41.9	328.6	0.0
898	B50R_087.0874e	0.875	0.0	0.875	0.0	30.2	41.8	-25.5	48.9	328.6	0.0
899	G00B_100.0254e	0.75	1.0	0.75	1.0	0.787	84.3	-15.5	4.9	16.3	162.2
900	NW_0754e	0.75	0.875	0.75	0.875	81.1	-7.7	2.4	8.1	162.2	0.0
901	B50R_075.0124e	0.75	0.75	0.75	0.75	77.8	0.0	0.0	0.0	0.0	0.0
902	B50R_075.0254e	0.75	0.625	0.75	0.625	69.7	5.9	-3.6	6.9	328.6	0.0
903	B50R_075.0374e	0.75	0.5	0.75	0.5	61.6	11.9	-7.2	13.9	328.6	0.0
904	B50R_075.0504e	0.75	0.375	0.75	0.375	53.5	17.9	-10.9	20.9	328.6	0.0
905	B50R_075.0624e	0.75	0.25	0.75	0.25	45.5	23.8	-14.5	27.9	328.6	0.0
906	B50R_075.0754e	0.75	0.125	0.75	0.125	37.5	29.8	-18.2	34.9	328.6	0.0
907	B50R_075.0874e	0.75	0.0	0.75	0.0	29.4	35.8	-21.8	41.9	328.6	0.0
908	G00B_075.0124e	0.625	1.0	0.625	1.0	0.661	78.7	-23.2	7.4	24.4	162.2
909	NW_0624e	0.625	0.875	0.625	0.875	69.4	5.9	-3.6	6.9	328.6	0.0
910	B50R_062.0124e	0.625	0.75	0.625	0.75	61.3	11.9	-7.2	13.9	328.6	0.0
911	B50R_062.0254e	0.625	0.625	0.625	0.625	53.2	17.9	-10.9	20.9	328.6	0.0
912	B50R_062.0374e	0.625	0.5	0.625	0.5	45.1	23.8	-14.5	27.9	328.6	0.0
913	B50R_062.0504e	0.625	0.375	0.625	0.375	37.0	29.8	-18.2	34.9	328.6	0.0
914	B50R_062.0624e	0.625	0.25	0.625	0.25	28.5	35.8	-21.8	41.9	328.6	0.0
915	B50R_062.0874e	0.625	0.125	0.625	0.125	20.0	41.8	-25.5	48.9	328.6	0.0
916	B50R_062.1004e	0.625	0.0	0.625	0.0	12.5	48.9	-25.5	48.9	328.6	0.0
917	G00B_062.0124e	0.5	1.0	0.5	1.0	0.575	73.1	-31.0	9.9	32.6	162.2
918	NW_0504e	0.5	0.875	0.5	0.875	69.8	-23.2	7.4	24.4	162.2	0.0
919	B50R_050.0124e	0.5	0.75	0.5	0.75	66.5	-15.5	4.9	16.3	162.2	0.0
920	B50R_050.0254e	0.5	0.625	0.5	0.625	58.8	-7.7	2.4	8.1	162.2	0.0
921	NW_0424e	0.5	0.5	0.5	0.5	51.0	0.0	0.0	0.0	0.0	0.0
922	B50R_050.0124e	0.5	0.375	0.5	0.375	43.0	5.9	-3.6	6.9	328.6	0.0
923	B50R_050.0254e	0.5	0.25	0.5	0.25	35.9	11.9	-7.2	13.9	328.6	0.0
924	B50R_050.0374e	0.5	0.125	0.5	0.125	28.0	17.9	-10.9	20.9	328.6	0.0
925	B50R_050.0504e	0.5	0.0	0.5	0.0	20.0	24.4	-16.3	16.3	162.2	0.0
926	G00B_050.0124e	0.375	1.0	0.375	1.0	0.469	67.5	-38.8	12.4	40.7	162.2
927	NW_0374e	0.375	0.875	0.375	0.875	64.5	64.2	-31.0	9.9	32.6	162.2
928	B50R_037.0124e	0.375	0.75	0.375	0.75	56.9	-23.2	7.4	24.4	162.2	0.0
929	B50R_037.0254e	0.375	0.625	0.375	0.625	49.2	-15.5	4.9	16.3	162.2	0.0
930	B50R_037.0374e	0.375	0.5	0.375	0.5	42.0	-7.7	2.4	8.1	162.2	0.0
931	B50R_037.0504e	0.375	0.375	0.375	0.375	34.0	5.9	-3.6	6.9	328.6	0.0
932	B50R_037.0624e	0.375	0.25	0.375	0.25	26.0	11.9	-7.2	13.9	328.6	0.0
933	B50R_037.0754e	0.375	0.125	0.375	0.125	18.0	17.9	-10.9	20.9	328.6	0.0
934	B50R_037.0874e	0.375	0.0	0.375	0.0	10.0	24.4	-16.3	16.3	162.2	0.0
935	G00B_037.0124e	0.25	1.0	0.25	1.0	0.363	61.9	-46.5	14.9	48.9	162.2
936	NW_0254e	0.25	0.875	0.25	0.875	58.6	-38.8	12.4	40.7	162.2	0.0
937	B50R_037.0124e	0.25	0.75	0.25	0.75	51.0	5.9	-3.6	6.9	328.6	0.0
938	B50R_037.0254e	0.25	0.625	0.25	0.625	43.0	11.9	-7.2	13.9	328.6	0.0
939	B50R_037.0374e	0.25	0.5	0.25	0.5	35.9	17.9	-10.9	20.9	328.6	0.0
940	B50R_037.0504e	0.25	0.375	0.25	0.375	28.0	24.4	-16.3	16.3	162.2	0.0
941	B50R_037.0624e	0.25	0.25	0.25	0.25	20.0	24.4	-16.3	16.3	162.2	0.0
942	B50R_037.0754e	0.25	0.125	0.25	0.125	12.0	24.4	-16.3	16.3	162.2	0.0
943	B50R_037.0874e	0.25	0.0	0.25	0.0	4.0	24.4	-16.3	16.3	162.2	0.0
944	G00B_037.0124e	0.125	1.0	0.125	1.0	0.363	61.9	-46.5	14.9	48.9	162.2
945	NW_0124e	0.125	0.875	0.125	0.875	58.6	-38.8	12.4	40.7	162.2	0.0
946	B50R_037.0124e	0.125	0.75	0.125	0.75	51.0	5.9	-3.6	6.9	328.6	0.0
947	B50R_037.0254e	0.125	0.625	0.125	0.625	43.0	11.9	-7.2	13.9	328.6	0.0
948	B50R_037.0374e	0.125	0.5	0.125	0.5	35.9	17.9	-10.9	20.9	328.6	0.0
949	B50R_037.0504e	0.125	0.375	0.125	0.375	28.0	24.4	-16.3	16.3	162.2	0.0
950	B50R_037.0624e	0.125	0.25	0.125	0.25	20.0	24.4	-16.3	16.3	162.2	0.0
951	B50R_037.0754e	0.125	0.125	0.125	0.125	12.0	24.4	-16.3	16.3	162.2	0.0
952	B50R_037.0874e	0.125	0.0	0.125	0.0	4.0	24.4	-16.3	16.3	162.2	0.0
953	G00B_037.0124e	0.0	1.0	0.0	1.0	0.363	61.9	-46.5	14.9	48.9	162.2
954	NW_0004e	0.0	0.875	0.0	0.875	58.6	-38.8	12.4	40.7	162.2	0.0
955	B50R_037.0124e	0.0	0.75	0.0	0.75	51.0	5.9	-3.6	6.9	328.6	0.0
956	B50R_037.0254e	0.0	0.625	0.0	0.625	43.0	11.9	-7.2	13.9	328.6	0.0
957	B50R_037.0374e	0.0	0.5	0.0	0.5	35.9	17.9	-10.9	20.9	328.6	0.0
958	B50R_037.0504e	0.0	0.375	0.0	0.375	28.0	24.4	-16.3	16.3	162.2	0.0
959	B50R_037.0624e	0.0	0.25	0.0	0.25	20.0	24.4	-16.3	16.3	162.2	0.0
960	B50R_037.0754e	0.0	0.125	0.0	0.125	12.0	24.4	-16.3	16.3	162.2	0.0
961	B50R_037.0874e	0.0	0.0	0.0	0.0	4.0	24.4	-16.3	16.3	162.2	0.0
962	G00B_037.0124e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
963	NW_0004e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
964	B50R_037.0124e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
965	B50R_037.0254e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
966	B50R_037.0374e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
967	B50R_037.0504e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
968	B50R_037.0624e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
969	B50R_037.0754e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
970	B50R_037.0874e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
971	G00B_037.0124e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0
972	NW_0004e	0.0	0.0	0.0	0.0	0.0	24.4	-16.3	16.3	162.2	0.0

-vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)

TUB materiale: code=rha4ta

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48L0FA.TXT> /.PS
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

n	HC*File	rgb*File	icL*File	hsa*File	rgb*File	LabCH*File	cmy0*Sep.File	hsa*de	rgb*File	LabCH*File
972	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
973	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
974	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
975	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
976	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
977	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
978	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
979	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
980	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
981	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
982	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
983	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
984	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
985	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
986	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
987	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
988	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
989	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
990	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
991	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
992	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
993	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
994	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
995	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
996	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
997	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
998	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
999	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
1000	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
1001	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
1002	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
1003	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
1004	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
1005	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
1006	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
1007	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
1008	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
1009	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
1010	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
1011	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
1012	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
1013	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
1014	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
1015	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
1016	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
1017	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
1018	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
1019	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
1020	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
1021	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
1022	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
1023	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
1024	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
1025	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
1026	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
1027	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
1028	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
1029	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
1030	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
1031	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
1032	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
1033	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
1034	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
1035	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
1036	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
1037	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
1038	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
1039	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
1040	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
1041	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
1042	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
1043	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6
1044	NW_000de	0.0	0.0	0.0	0.0	24.3	0.0	360	1.0	95.6
1045	NW_012de	0.125	0.125	0.125	0.125	33.2	0.0	360	1.0	95.6
1046	NW_025de	0.25	0.25	0.25	0.25	42.1	0.0	360	1.0	95.6
1047	NW_037de	0.375	0.375	0.375	0.375	51.0	0.0	360	1.0	95.6
1048	NW_050de	0.5	0.5	0.5	0.5	60.0	0.0	360	1.0	95.6
1049	NW_062de	0.625	0.625	0.625	0.625	68.9	0.0	360	1.0	95.6
1050	NW_075de	0.75	0.75	0.75	0.75	77.8	0.0	360	1.0	95.6
1051	NW_087de	0.875	0.875	0.875	0.875	86.7	0.0	360	1.0	95.6
1052	NW_100de	1.0	1.0	1.0	1.0	95.6	0.0	360	1.0	95.6

RI48-7N, 32/33-F


grafico TUB-RI48; codice di tinte: H*e=B75R_e
colori e la differenza, ΔE*

immettere: *rgb/cmyk* -> *rgbde*
uscita: 3D-linearizzazione a *cmy0** de


delta



http://130.149.60.45/~farbmetrik/RI48/RI48L0FA.TXT /.PS; 3D-linearizzazione
F: 3D-linearizzazione RI48/RI48L30FA.DAT nel file (F), pagina 33/33



TUB iscrizione: 20130201-RI48/RI48L0FA.TXT /.PS TUB materiale: code=rha4ta
la domanda per la misura uscita nella stampa di offset, separazione cmy0* (CMY0)



n	HVC*File	rgb_*File	icT_*File	hsa_*File	rgb*File	LabCH*File	cmy0*_sep*File	cmyn*_sep*File	hsaX.de	rgb*File	LabCH*File	delta
1053	NW_086de	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.6 0.0 0.0	0.173 0.108 0.099	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1054	NW_093de	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 0.0 0.0	0.09 0.054 0.05	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1055	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1056	NW_100de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	24.3 0.0 0.0	1.0 1.0 1.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1057	NW_006de	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	0.066 0.066 0.066	29.0 0.0 0.0	0.935 0.855 0.825	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1058	NW_013de	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	0.133 0.133 0.133	33.8 0.0 0.0	0.879 0.763 0.725	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1059	NW_020de	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	38.6 0.0 0.0	0.799 0.661 0.614	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1060	NW_026de	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	0.266 0.266 0.266	43.3 0.0 0.0	0.731 0.571 0.537	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1061	NW_033de	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	0.333 0.333 0.333	48.1 0.0 0.0	0.682 0.507 0.485	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1062	NW_040de	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	0.4 0.4 0.4	52.8 0.0 0.0	0.636 0.454 0.433	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1063	NW_046de	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	0.466 0.466 0.466	57.5 0.0 0.0	0.574 0.404 0.381	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1064	NW_053de	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	0.533 0.533 0.533	62.3 0.0 0.0	0.509 0.354 0.33	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1065	NW_060de	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	0.6 0.6 0.6	67.1 0.0 0.0	0.442 0.285 0.278	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1066	NW_066de	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	0.666 0.666 0.666	71.8 0.0 0.0	0.377 0.228 0.228	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1067	NW_073de	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	0.734 0.734 0.734	76.6 0.0 0.0	0.314 0.191 0.186	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1068	NW_080de	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	0.8 0.8 0.8	81.3 0.0 0.0	0.252 0.153 0.146	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1069	NW_086de	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	0.866 0.866 0.866	86.0 0.0 0.0	0.173 0.108 0.099	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1070	NW_093de	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	0.933 0.933 0.933	90.8 0.0 0.0	0.09 0.054 0.05	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1071	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1072	NW_100de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	24.3 0.0 0.0	1.0 1.0 1.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1073	ROY_100_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	95.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	95.6 0.0 0.0	0.0
1074	G50B_100_100de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	45.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	375	1.0 0.0 0.254	45.6 72.2 34.4	80.0
1075	Y06C_100_100de	0.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	55.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	375	0.0 1.0 0.0	55.0 -36.2 -27.2	45.3
1076	B06C_100_100de	1.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	83.6 0.0 0.0	0.121 0.0 0.0	0.0 0.0 0.0	83	0.0 0.878 0.0	83.6 -3.6 90.4	92.3
1077	B06C_100_100de	0.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	40.2 0.0 0.0	0.539 0.0 0.0	0.0 0.0 0.0	156	0.0 0.488 1.0	40.2 1.2 59.8	40.6
1078	B50R_100_100de	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	0.0 0.0 1.0	50.6 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	156	0.0 0.0 0.151	50.6 47.1 19.1	65.2
1079	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	1.0 1.0 1.0	31.1 0.0 0.0	0.999 0.0 0.0	0.677 0.999 0.0	288	0.321 0.0 1.0	31.1 47.7 -29.1	55.9

vedere dei file simili: <http://130.149.60.45/~farbmetrik/RI48/RI48.HTM>
informazioni tecniche: <http://www.ps.bam.de> o <http://130.149.60.45/~farbmetrik>

immettere: *rgb/cmyk* -> *rgbde*
uscita: 3D-linearizzazione a *cmy0*de*

grafico TUB-RI48; codice di tinte: H*e=B75Re
colori e la differenza, ΔE^*