


Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 331/360 = 0.92$

$H^*_- = B25R_-$

Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_-$   
fargetonetekst for fargene på denne siden:  
 $H^*_- = B25R_-$   
trekantslyshet  $T^*$



**ORS18a; adapterte (a) CIELAB data**

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R <sub>-</sub> ,Ma	47.9	65.3	50.5	82.6	37
Y <sub>-</sub> ,Ma	90.3	-10.2	91.7	92.3	96
G <sub>-</sub> ,Ma	50.9	-62.8	34.9	71.9	150
C <sub>-</sub> ,Ma	58.6	-30.3	-45.0	54.2	236
B <sub>-</sub> ,Ma	25.7	31.0	-44.4	54.2	305
M <sub>-</sub> ,Ma	48.1	75.2	-8.3	75.7	353
N <sub>-</sub> ,Ma	18.0	0.0	0.0	0.0	0
W <sub>-</sub> ,Ma	95.4	0.0	0.0	0.0	0
R <sub>-</sub> ,CIE	39.9	58.7	27.9	65.0	25
Y <sub>-</sub> ,CIE	81.2	-2.8	71.5	71.6	92
G <sub>-</sub> ,CIE	52.2	-42.4	13.6	44.5	162
B <sub>-</sub> ,CIE	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{-,Ma}: 38\ 52\ -28\ 59\ 331$



$HIC^*_{-,Ma}: B25R\_100\_100\_$

$rgbic^*_{-,Ma}: 0.5\ 0.0\ 1.0\ 1.0\ 1.0$

trekantslyshet  $T^*$

**ORS20a; adapterte (a) CIELAB data**

$H^*_-$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$	
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



se liggende filer: <http://130.149.60.45/~farbmetrik/RN27/RN27L0FA.TXT> /PS  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN27/RN27L0FA.TXT /PS  
anvendelse for måling av offsettrykk output

TUB-material: code=rh4ta


Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$

Data for ethvert apparat (d) eller elementærfarge (e):  
 $HIC^*_d$

fargetonetekst for fargene på denne siden:  
 $H^*_d = B25R_d$

trekantslyshet  $T^*$



ORS20a; adapterte (a) CIELAB data

navn	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d,Ma</sub>	45.4	70.9	44.8	83.9
Y <sub>d,Ma</sub>	87.8	-10.2	95.4	96.0
G <sub>d,Ma</sub>	50.0	-65.0	29.6	71.4
C <sub>d,Ma</sub>	56.8	-25.5	-41.5	48.7
B <sub>d,Ma</sub>	25.0	29.5	-40.4	50.0
M <sub>d,Ma</sub>	46.1	79.3	-0.2	79.3
N <sub>d,Ma</sub>	24.3	0.0	0.0	0.0
W <sub>d,Ma</sub>	95.6	0.0	0.0	0.0
R <sub>d,CIE</sub>	39.9	58.7	27.9	65.0
Y <sub>d,CIE</sub>	81.2	-2.8	71.5	71.6
G <sub>d,CIE</sub>	52.2	-42.4	13.6	44.5
B <sub>d,CIE</sub>	30.5	1.4	-46.4	46.4

Data for maksimalfarge (Ma):

$LabCh^*_{d,Ma}$ : 35 58 -20 62 340

$HIC^*_{d,Ma}$ : B25R\_100\_100d

$rgbic^*_{d,Ma}$ :



0.5 0.0 1.0 1.0 1.0

trekantslyshet  $T^*$

ORS20a; adapterte (a) CIELAB data

$H^*_d$	$L^*=L^*_a a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100d	45.4	70.9	44.8	83.9
R25Y_100_100d	53.0	53.4	54.8	76.5
R50Y_100_100d	64.9	28.9	68.6	74.5
R75Y_100_100d	78.6	4.3	84.7	84.8
Y00G_100_100d	87.8	-10.2	95.4	96.0
Y25G_100_100d	81.2	-17.0	84.3	86.0
Y50G_100_100d	70.6	-29.7	66.5	72.8
Y75G_100_100d	57.9	-48.3	45.8	66.5
G00B_100_100d	50.0	-65.0	29.6	71.4
G25B_100_100d	52.9	-48.6	-8.0	49.3
G50B_100_100d	56.8	-25.5	-41.5	48.7
G75B_100_100d	41.7	-1.2	-40.6	40.6
B00R_100_100d	25.0	29.5	-40.4	50.0
B25R_100_100d	35.6	58.6	-20.7	62.1
B50R_100_100d	46.1	79.3	-0.2	79.3
B75R_100_100d	45.9	74.2	21.1	77.1

%Omfang  
 $u^*_{rel} = 92$   
%Regularitet  
 $g^*_H,rel = 57$   
 $g^*_C,rel = 58$



se lignende filer: <http://130.149.60.45/~farbmetrik/RN27/RN27.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)


TUB-material: code=rh4ta

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$

Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_d$   
 fargetonetekst for fargene på denne siden:  
 $H^*_d = B25R_d$   
 trekantslyshet  $T^*$



**ORS20a; adapterte (a) CIELAB data**

navn	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{d, Ma}: 35 \ 58 \ -20 \ 62 \ 340$

$HIC^*_{d, Ma}: B25R\_100\_100_d$

$rgbic^*_{d, Ma}$ :



0.5 0.0 1.0 1.0 1.0

trekantslyshet  $T^*$

**ORS20a; adapterte (a) CIELAB data**

$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15

%Omfang  
 $u^*_{rel} = 92$   
 %Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$



se lignende filer: <http://130.149.60.45/~farbmetrik/RN27/RN27.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)

TUB-material: code=rh4ta

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$


Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_d$

fargetonetekst for fargene på denne siden:

$H^*_d = B25R_d$

trekantslyshet  $T^*$



ORS20a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_{d, Ma}: 35\ 58\ -20\ 62\ 340$

$HIC^*_{d, Ma}: B25R\_100\_100_d$

$rgbic^*_{d, Ma}$ :

0.5 0.0 1.0 1.0 1.0

trekantslyshet  $T^*$

%Omfang



$u^*_{rel} = 92$

%Regularitet

$g^*_{H, rel} = 57$

$g^*_{C, rel} = 58$

ORS20a; adapterte (a) CIELAB data					
$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



se liggende filer: <http://130.149.60.45/~farbmetrik/RN27/RN27.HTM>  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)

TUB-material: code=rh4ta

Input og output: Offset-Reflektiv-System ORS18a for relativ CIELAB fargetone  $h_{ab,a,rel} = h_{ab}/360 = 340/360 = 0.94$

$H^*_d = B25R_d$


Data for ethvert apparat (d) eller elementærfarge (e):

$HIC^*_d$

fargetonetekst for fargene på denne siden:

$H^*_d = B25R_d$

trekantslyshet  $T^*$



ORS20a; adapterte (a) CIELAB data					
navn	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R <sub>d, Ma</sub>	45.4	70.9	44.8	83.9	32
Y <sub>d, Ma</sub>	87.8	-10.2	95.4	96.0	96
G <sub>d, Ma</sub>	50.0	-65.0	29.6	71.4	155
C <sub>d, Ma</sub>	56.8	-25.5	-41.5	48.7	238
B <sub>d, Ma</sub>	25.0	29.5	-40.4	50.0	306
M <sub>d, Ma</sub>	46.1	79.3	-0.2	79.3	359
N <sub>d, Ma</sub>	24.3	0.0	0.0	0.0	0
W <sub>d, Ma</sub>	95.6	0.0	0.0	0.0	0
R <sub>d, CIE</sub>	39.9	58.7	27.9	65.0	25
Y <sub>d, CIE</sub>	81.2	-2.8	71.5	71.6	92
G <sub>d, CIE</sub>	52.2	-42.4	13.6	44.5	162
B <sub>d, CIE</sub>	30.5	1.4	-46.4	46.4	271

Data for maksimalfarge (Ma):

$LabCh^*_d, Ma: 35\ 58\ -20\ 62\ 340$

$HIC^*_d, Ma: B25R\_100\_100_d$



$rgbic^*_d, Ma:$

0.5 0.0 1.0 1.0 1.0

trekantslyshet  $T^*$

%Omfang  
 $u^*_{rel} = 92$   
 %Regularitet  
 $g^*_{H,rel} = 57$   
 $g^*_{C,rel} = 58$


ORS20a; adapterte (a) CIELAB data					
$H^*_d$	$L^*=L^*_a$	$a^*_a$	$b^*_a$	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100 <sub>d</sub>	45.4	70.9	44.8	83.9	32
R25Y_100_100 <sub>d</sub>	53.0	53.4	54.8	76.5	45
R50Y_100_100 <sub>d</sub>	64.9	28.9	68.6	74.5	67
R75Y_100_100 <sub>d</sub>	78.6	4.3	84.7	84.8	87
Y00G_100_100 <sub>d</sub>	87.8	-10.2	95.4	96.0	96
Y25G_100_100 <sub>d</sub>	81.2	-17.0	84.3	86.0	101
Y50G_100_100 <sub>d</sub>	70.6	-29.7	66.5	72.8	114
Y75G_100_100 <sub>d</sub>	57.9	-48.3	45.8	66.5	136
G00B_100_100 <sub>d</sub>	50.0	-65.0	29.6	71.4	155
G25B_100_100 <sub>d</sub>	52.9	-48.6	-8.0	49.3	189
G50B_100_100 <sub>d</sub>	56.8	-25.5	-41.5	48.7	238
G75B_100_100 <sub>d</sub>	41.7	-1.2	-40.6	40.6	268
B00R_100_100 <sub>d</sub>	25.0	29.5	-40.4	50.0	306
B25R_100_100 <sub>d</sub>	35.6	58.6	-20.7	62.1	340
B50R_100_100 <sub>d</sub>	46.1	79.3	-0.2	79.3	359
B75R_100_100 <sub>d</sub>	45.9	74.2	21.1	77.1	15



se liggende filer: <http://130.149.60.45/~farbmetrik/RN27/RN27L0FA.TXT> / .PS  
 teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>


TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)

TUB-material: code=rh4ta



TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS TUB-material: code=rha4ta  
anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)

se lignende filer: <http://130.149.60.45/~farbmetrik/RN27/RN27.HTM>  
teknisk informasjon: <http://www.ps.bam.de> eller <http://130.149.60.45/~farbmetrik>



5-103531-L0 RN270-72

TUB-prøveplansje RN27; farbetoneplan:  $H^*_d=B25R_d$   
prøveplansje infølge DIN 33872, 3D=1,  $de=0$ ,  $cmy0^*$

input:  $rgb/cmyk \rightarrow rgb_{dd}$   
output: 3D-linearisering til  $cmy0^*_{dd}$

5=103531=F0




Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

**J=Y<sub>d</sub>**  
 LCH\*<sub>d</sub> = 87.8 96.0 96.1  
 LAB\*<sub>d</sub> = 87.8 -10.2 95.4  
 rgb\*<sub>d</sub> = 1.0 1.0 0.0

**L=G<sub>d</sub>**  
 LCH\*<sub>d</sub> = 50.0 71.4 155.5  
 LAB\*<sub>d</sub> = 50.0 -65.0 29.6  
 rgb\*<sub>d</sub> = 0.0 1.0 0.0

**C=C<sub>d</sub>**  
 LCH\*<sub>d</sub> = 56.8 48.7 238.4  
 LAB\*<sub>d</sub> = 56.8 -25.5 -41.5  
 rgb\*<sub>d</sub> = 0.0 1.0 1.0



**O=R<sub>d</sub>**  
 LCH\*<sub>d</sub> = 45.4 83.9 32.3  
 LAB\*<sub>d</sub> = 45.4 70.9 44.8  
 rgb\*<sub>d</sub> = 1.0 0.0 0.0


**M=M<sub>d</sub>**  
 LCH\*<sub>d</sub> = 46.1 79.3 359.8  
 LAB\*<sub>d</sub> = 46.1 79.3 -0.2  
 rgb\*<sub>d</sub> = 1.0 0.0 1.0

**V=B<sub>d</sub>**  
 LCH\*<sub>d</sub> = 25.0 50.0 306.2  
 LAB\*<sub>d</sub> = 25.0 29.5 -40.4  
 rgb\*<sub>d</sub> = 0.0 0.0 1.0

**Y<sub>e</sub>**  
 LCH\*<sub>e</sub> = 83.6 90.4 92.3  
 LAB\*<sub>e</sub> = 83.6 -3.6 90.4  
 rgb\*<sub>de</sub> = 1.0 0.878 0.0

**G<sub>e</sub>**  
 LCH\*<sub>e</sub> = 50.6 65.2 162.2  
 LAB\*<sub>e</sub> = 50.6 -62.1 19.9  
 rgb\*<sub>de</sub> = 0.0 1.0 0.151

**C<sub>e</sub>**  
 LCH\*<sub>e</sub> = 55.0 45.3 216.9  
 LAB\*<sub>e</sub> = 55.0 -36.2 -27.2  
 rgb\*<sub>de</sub> = 0.0 1.0 0.747



**R<sub>e</sub>**  
 LCH\*<sub>e</sub> = 45.6 80.0 25.4  
 LAB\*<sub>e</sub> = 45.6 72.2 34.4  
 rgb\*<sub>de</sub> = 1.0 0.0 0.254


**M<sub>e</sub>**  
 LCH\*<sub>e</sub> = 31.1 55.9 328.6  
 LAB\*<sub>e</sub> = 31.1 47.7 -29.1  
 rgb\*<sub>de</sub> = 0.321 0.0 1.0

**B<sub>e</sub>**  
 LCH\*<sub>e</sub> = 40.2 40.6 271.7  
 LAB\*<sub>e</sub> = 40.2 1.2 -40.6  
 rgb\*<sub>de</sub> = 0.0 0.458 1.0

**Y<sub>s</sub>**  
 LCH\*<sub>s</sub> = 81.4 87.9 90.0  
 LAB\*<sub>s</sub> = 81.4 0.0 87.9  
 rgb\*<sub>ds</sub> = 1.0 0.828 0.0

**G<sub>s</sub>**  
 LCH\*<sub>s</sub> = 52.3 68.9 150.0  
 LAB\*<sub>s</sub> = 52.3 -59.6 34.4  
 rgb\*<sub>ds</sub> = 0.062 1.0 0.0

**C<sub>s</sub>**  
 LCH\*<sub>s</sub> = 54.5 45.7 210.0  
 LAB\*<sub>s</sub> = 54.5 -39.6 -22.8  
 rgb\*<sub>ds</sub> = 0.0 1.0 0.685



**R<sub>s</sub>**  
 LCH\*<sub>s</sub> = 45.5 82.4 30.0  
 LAB\*<sub>s</sub> = 45.5 71.3 41.2  
 rgb\*<sub>ds</sub> = 1.0 0.0 0.096

**M<sub>s</sub>**  
 LCH\*<sub>s</sub> = 31.6 56.5 330.0  
 LAB\*<sub>s</sub> = 31.6 49.0 -28.2  
 rgb\*<sub>ds</sub> = 0.337 0.0 1.0

**B<sub>s</sub>**  
 LCH\*<sub>s</sub> = 40.9 40.6 270.0  
 LAB\*<sub>s</sub> = 40.9 0.0 -40.6  
 rgb\*<sub>ds</sub> = 0.0 0.479 1.0

(a\*<sub>d</sub> b\*<sub>d</sub>), (a\*<sub>s</sub> b\*<sub>s</sub>), (a\*<sub>e</sub> b\*<sub>e</sub>)

rgb\*<sub>d</sub> LCH\*<sub>s</sub> LAB\*<sub>s</sub>

h<sub>ab,s</sub> rgb\*<sub>s</sub>

$$h_{ab,s} = \text{atan} [ r^*_d \cos(30) + g^*_d \cos(150) ] / [ r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270) ] \quad (1)$$

h<sub>ab,s</sub>

s: h<sub>ab,s</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

h<sub>ab,e</sub>

e: h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

h<sub>ab,d</sub>

rgb\*<sub>d</sub>

se liggende filer: http://130.149.60.45/~farbmetrik/RN27/RN27.HTM  
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)

TUB-material: code=rh4ta




Data til maksimumsfanger M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene *RYGCBM<sub>s</sub>*;  $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$ ; seks fargetonevinkler til apparatfargene *RYGCBM<sub>d</sub>*;  $h_{ab,d} = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8$ ; seks fargetonevinkler til elementærfargene *RYGCBM<sub>c</sub>*;  $h_{ab,c} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h <sub>a,b,d</sub>	h <sub>a,b,s</sub>	h <sub>a,b,c</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* ddx361M	LAB* ddx361M (x=LabCh)	rgb* dsx361M	LAB* dsx361M (x=LabCh)	rgb* dex361M	LAB* dex361M																								
32.3	30.0	25.4	1.0	0.0	0.0	45.4	70.9	44.8	83.9	32.3	1.0	0.0	0.0	45.5	70.9	44.9	83.9	32	1.0	0.0	0.096	45.5	71.4	41.2	82.4	30	1.0	0.0	0.255	45.7	72.2	34.4	80.0	25
38.1	37.5	33.8	1.0	0.125	0.0	48.9	62.8	49.4	79.9	38.1	1.0	0.117	0.0	48.7	63.4	49.1	80.2	37	1.0	0.1	0.0	48.2	64.5	48.6	80.7	37	1.0	0.021	0.0	46.0	69.6	45.7	83.3	33
46.8	45.0	42.1	1.0	0.25	0.0	53.6	51.9	55.5	76.0	46.8	1.0	0.25	0.0	53.7	52.0	55.5	76.0	46	1.0	0.223	0.0	52.7	54.4	54.4	76.9	45	1.0	0.183	0.0	51.1	57.9	52.5	78.1	42
56.9	52.5	50.5	1.0	0.375	0.0	59.1	40.3	62.0	74.0	56.9	1.0	0.367	0.0	58.8	41.1	61.7	74.2	56	1.0	0.313	0.0	56.5	46.2	59.1	75.0	52	1.0	0.288	0.0	55.4	48.5	57.8	75.4	49
67.1	60.0	58.8	1.0	0.5	0.0	64.9	28.9	68.6	74.5	67.1	1.0	0.5	0.0	64.9	28.9	68.7	74.5	67	1.0	0.412	0.0	60.9	37.1	64.2	74.2	60	1.0	0.398	0.0	60.3	38.3	63.5	74.1	58
78.6	67.5	67.2	1.0	0.625	0.0	72.1	15.4	77.1	78.6	78.6	1.0	0.617	0.0	71.6	16.5	76.7	78.4	77	1.0	0.498	0.0	64.8	29.1	68.6	74.5	67	1.0	0.494	0.0	64.6	29.5	68.4	74.5	66
86.2	75.0	75.6	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86.2	1.0	0.75	0.0	77.9	5.5	83.9	84.1	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75
92.1	82.5	83.9	1.0	0.875	0.0	83.4	-3.4	90.2	92.0	92.1	1.0	0.867	0.0	83.1	-2.7	89.8	89.9	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83
96.1	90.0	92.3	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	1.0	1.0	0.0	87.8	-10.1	95.5	96.0	96	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92
98.8	97.5	101.0	0.875	1.0	0.0	84.3	-13.9	89.2	90.3	98.8	0.883	1.0	0.0	84.6	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100
101.8	105.0	109.7	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101.8	0.75	1.0	0.0	80.8	-17.4	83.6	85.4	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109
107.6	112.5	118.5	0.625	1.0	0.0	75.3	-24.0	75.7	79.4	107.6	0.633	1.0	0.0	75.7	-23.6	76.3	79.9	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117
114.0	120.0	127.2	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114.0	0.5	1.0	0.0	70.6	-29.6	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127
121.4	127.5	136.0	0.375	1.0	0.0	65.7	-35.6	58.3	68.3	121.4	0.383	1.0	0.0	66.1	-35.2	58.9	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135
135.3	135.0	144.7	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135.3	0.25	1.0	0.0	58.4	-47.3	46.9	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144
144.4	142.5	153.4	0.125	1.0	0.0	54.7	-53.9	38.5	66.3	144.4	0.133	1.0	0.0	55.0	-53.5	39.2	66.4	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152
155.5	150.0	162.2	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	1.0	0.0	50.1	-64.9	29.6	71.4	155	0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162
160.7	147.5	169.0	0.0	1.0	0.125	50.5	-62.8	21.9	66.5	160.7	0.0	1.0	0.117	50.5	-62.9	22.4	66.9	160	0.0	1.0	0.035	52.0	-64.4	27.4	70.0	157	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168
167.7	165.0	175.9	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167.7	0.0	1.0	0.25	51.2	-58.8	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.364	52.0	-55.0	3.9	55.2	175
176.7	172.5	182.7	0.0	1.0	0.375	52.0	-54.5	3.1	54.6	176.7	0.0	1.0	0.367	52.0	-54.8	3.7	55.1	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182
183.3	180.0	189.6	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	183.3	0.0	1.0	0.5	53.0	-48.6	-7.9	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189
203.2	187.5	196.4	0.0	1.0	0.625	54.0	-42.3	-18.1	46.1	203.2	0.0	1.0	0.617	54.0	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195
217.2	195.0	203.2	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217.2	0.0	1.0	0.75	55.0	-35.9	-27.3	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203
228.3	202.5	210.1	0.0	1.0	0.875	55.8	-30.7	-34.5	46.2	228.3	0.0	1.0	0.867	55.8	-31.0	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209
238.4	210.0	216.9	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238.4	0.0	1.0	1.0	56.8	-25.4	-41.4	48.7	238	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	216
242.9	217.5	223.8	0.0	0.875	1.0	54.1	-21.1	-41.3	46.4	242.9	0.0	0.883	1.0	54.3	-21.4	-41.3	46.6	242	0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223
249.3	225.0	230.6	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249.3	0.0	0.75	1.0	50.4	-15.4	-41.0	44.0	249	0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230
256.9	232.5	237.5	0.0	0.625	1.0	46.5	-9.4	-40.8	41.9	256.9	0.0	0.633	1.0	46.8	-9.8	-40.8	42.1	256	0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237
268.2	240.0	244.3	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268.2	0.0	0.5	1.0	41.7	-1.1	-40.6	40.7	268	0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240	0.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244
278.6	247.5	251.2	0.0	0.375	1.0	37.3	6.1	-40.2	40.7	278.6	0.0	0.383	1.0	37.6	5.6	-40.2	40.7	277	0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247	0.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250
289.6	255.0	258.0	0.0	0.25	1.0	32.8	14.3	-40.2	42.7	289.6	0.0	0.25	1.0	32.9	14.4	-40.1	42.7	289	0.0	0.657	1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.613	1.0	46.1	-8.6	-40.8	41.9	258
299.0	262.5	264.8	0.0	0.125	1.0	28.6	22.4	-40.2	46.1	299.0	0.0	0.133	1.0	28.9	21.9	-40.2	45.9	298	0.0	0.569	1.0	44.4	-5.7	-40.9	41.4	262	0.0	0.542	1.0	43.4	-3.9	-40.8	41.1	264
306.2	270.0	271.7	0.0	0.0	1.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0	1.0	25.1	29.6	-40.3	50.1	306	0.0	0.479	1.0	41.0	0.0	-40.6	40.7	270	0.0	0.458	1.0	40.3	1.2	-40.6	40.7	271
314.7	277.5	278.8	0.125	0.0	1.0	27.9	36.0	-36.4	51.2	314.7	0.117	0.0	1.0	27.7	35.7	-36.6	51.2	314	0.0	0.395	1.0	38.1	5.0	-40.3	40.7	277	0.0	0.378	1.0	37.5	5.9	-40.2	40.7	278
322.1	285.0	285.9	0.25	0.0	1.0	28.8	41.9	-32.5	53.1	322.1	0.25	0.0	1.0	28.9	42.0	-32.5	53.2	322	0.0	0.303	1.0	34.8	10.8	-40.3	41.9	285	0.0	0.292	1.0	34.4	11.6	-40.3	42.0	285
333.3	292.5	293.0	0.375	0.0	1.0	32.7	51.8	-26.0	58.0	333.3	0.367	0.0	1.0	32.5	51.3	-26.5	57.7	332	0.0	0.219	1.0	31.8	16.3	-40.3	43.6	292	0.0	0.211	1.0	31.5	16.8	-40.3	43.8	292
340.5	300.0	300.1	0.5	0.0	1.0	35.6	58.6	-20.7	62.1	340.5	0.5	0.0	1.0	35.6	58.6	-20.6	62.2	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.0	0.106	1.0	28.1	23.3	-40.3	46.7	300
347.9	307.5	307.2	0.625	0.0	1.0	38.1	65.4	-14.0	66.9	347.9	0.617	0.0	1.0	37.9	65.1	-14.4	66.7																	



Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM<sub>s</sub>: h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM<sub>d</sub>: h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM<sub>c</sub>: h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M
32.3	30.0	25.4	1.0	0.0	0.0	0.0
38.1	37.5	33.8	1.0	0.125	0.0	0.0
46.8	45.0	42.1	1.0	0.25	0.0	0.0
56.9	52.5	50.5	1.0	0.375	0.0	0.0
67.1	60.0	58.8	1.0	0.5	0.0	0.0
78.6	67.5	67.2	1.0	0.625	0.0	0.0
86.2	75.0	75.6	1.0	0.75	0.0	0.0
92.1	82.5	83.9	1.0	0.875	0.0	0.0
96.1	90.0	92.3	1.0	1.0	0.0	0.0
98.8	97.5	101.0	0.875	1.0	0.0	0.0
101.8	105.0	109.7	0.75	1.0	0.0	0.0
107.6	112.5	118.5	0.625	1.0	0.0	0.0
114.0	120.0	127.2	0.5	1.0	0.0	0.0
121.4	127.5	136.0	0.375	1.0	0.0	0.0
135.3	135.0	144.7	0.25	1.0	0.0	0.0
144.4	142.5	153.4	0.125	1.0	0.0	0.0
155.5	150.0	162.2	0.0	1.0	0.0	0.0
160.7	157.5	169.0	0.0	1.0	0.125	50.5
167.7	165.0	175.9	0.0	1.0	0.25	51.2
176.7	172.5	182.7	0.0	1.0	0.375	52.0
189.3	180.0	189.6	0.0	1.0	0.5	52.9
203.2	187.5	196.4	0.0	1.0	0.625	54.0
217.2	195.0	203.2	0.0	1.0	0.75	55.0
228.3	202.5	210.1	0.0	1.0	0.875	55.8
238.4	210.0	216.9	0.0	1.0	1.0	56.8
242.9	217.5	223.8	0.0	0.875	1.0	54.1
249.3	225.0	230.6	0.0	0.75	1.0	50.4
256.9	232.5	237.5	0.0	0.625	1.0	46.5
268.2	240.0	244.3	0.0	0.5	1.0	41.7
278.6	247.5	251.2	0.0	0.375	1.0	37.3
289.6	255.0	258.0	0.0	0.25	1.0	32.8
299.0	262.5	264.8	0.0	0.125	1.0	28.6
306.2	270.0	271.7	0.0	0.0	1.0	25.0
314.7	277.5	278.8	0.125	0.0	1.0	27.9
322.1	285.0	285.9	0.25	0.0	1.0	28.8
333.3	292.5	293.0	0.375	0.0	1.0	32.7
340.5	300.0	300.1	0.5	0.0	1.0	35.6
347.9	307.5	307.2	0.625	0.0	1.0	38.1
352.5	315.0	314.3	0.75	0.0	1.0	41.8
356.1	322.5	321.4	0.875	0.0	1.0	44.2
359.8	330.0	328.6	1.0	0.0	1.0	46.1
363.0	337.5	335.7	1.0	0.0	0.875	45.9
366.4	345.0	342.8	1.0	0.0	0.75	45.9
371.1	352.5	349.9	1.0	0.0	0.625	46.0
375.9	360.0	357.0	1.0	0.0	0.5	45.9
381.2	367.5	364.1	1.0	0.0	0.375	45.8
385.6	375.0	371.2	1.0	0.0	0.25	45.6
389.3	382.5	378.3	1.0	0.0	0.125	45.5
392.3	390.0	385.4	1.0	0.0	0.0	45.4



se lignende filer: http://130.149.60.45/~farbmetrik/RN27/RN27L0FA.TXT /.PS  
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)  
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM<sub>c</sub>; h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	R <sub>d</sub>	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	R <sub>s</sub>	rgb* dd361Mi	LAB* de361Mi	LAB* dex361Mi (x=LabCh)	R <sub>c</sub>	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de
32	30	25	1.0 0.0 0.0	45.4 70.9 44.8 83.9 32		1.0 0.0 0.0	0.096 45.5 71.4 41.2 82.4 30		1.0 0.0 0.0	0.0 0.0 0.0	1.0 0.0 0.0	0.255 45.7 72.2 34.4 80.0 25				
33	31	26	1.0 0.016 0.0	45.9 69.8 45.5 83.4 33		1.0 0.0 0.055	45.5 71.2 42.8 83.1 31		1.0 0.017 0.0	1.0 0.0 0.218	45.6 72.0 36.1 80.6 26					
33	32	27	1.0 0.033 0.0	46.3 68.8 46.1 82.8 33		1.0 0.0 0.013	45.5 71.0 44.4 83.7 32		1.0 0.033 0.0	1.0 0.0 0.18	45.6 71.8 37.7 81.1 27					
34	33	28	1.0 0.05 0.0	46.8 67.7 46.8 82.3 34		1.0 0.015 0.0	45.9 70.0 45.5 83.5 33		1.0 0.05 0.0	1.0 0.0 0.142	45.6 71.6 39.4 81.7 28					
35	34	29	1.0 0.066 0.0	47.3 66.6 47.4 81.8 35		1.0 0.036 0.0	46.5 68.6 46.3 82.8 34		1.0 0.067 0.0	1.0 0.0 0.099	45.5 71.4 41.1 82.4 29					
36	35	31	1.0 0.083 0.0	47.7 65.5 48.0 81.2 36		1.0 0.057 0.0	47.1 67.3 47.1 82.1 35		1.0 0.083 0.0	1.0 0.0 0.053	45.5 71.2 42.9 83.1 31					
36	36	32	1.0 0.1 0.0	48.2 64.4 48.5 80.7 36		1.0 0.079 0.0	47.6 65.9 47.9 81.4 36		1.0 0.1 0.0	1.0 0.0 0.006	45.5 71.0 44.6 83.8 32					
37	37	33	1.0 0.116 0.0	48.6 63.3 49.1 80.2 37		1.0 0.1 0.0	48.2 64.5 48.6 80.7 37		1.0 0.117 0.0	1.0 0.021 0.0	46.0 69.6 45.7 83.3 33					
38	38	34	1.0 0.133 0.0	49.2 62.1 49.8 79.6 38		1.0 0.121 0.0	48.8 63.1 49.3 80.1 38		1.0 0.133 0.0	1.0 0.044 0.0	46.7 68.1 46.6 82.5 34					
39	39	35	1.0 0.15 0.0	49.8 60.7 50.7 79.1 39		1.0 0.137 0.0	49.4 61.8 50.1 79.6 39		1.0 0.15 0.0	1.0 0.068 0.0	47.4 66.6 47.5 81.8 35					
41	40	36	1.0 0.166 0.0	50.5 59.2 51.6 78.6 41		1.0 0.151 0.0	49.9 60.6 50.9 79.1 40		1.0 0.167 0.0	1.0 0.092 0.0	48.0 65.0 48.3 81.0 36					
42	41	37	1.0 0.183 0.0	51.1 57.8 52.5 78.1 42		1.0 0.166 0.0	50.5 59.4 51.6 78.7 41		1.0 0.183 0.0	1.0 0.116 0.0	48.7 63.5 49.1 80.2 37					
43	42	38	1.0 0.2 0.0	51.7 56.3 53.3 77.5 43		1.0 0.18 0.0	51.0 58.1 52.3 78.2 42		1.0 0.2 0.0	1.0 0.135 0.0	49.3 62.0 49.9 79.6 38					
44	43	39	1.0 0.216 0.0	52.4 54.9 54.0 77.0 44		1.0 0.194 0.0	51.6 56.9 53.0 77.8 43		1.0 0.217 0.0	1.0 0.151 0.0	49.9 60.7 50.8 79.1 39					
45	44	41	1.0 0.233 0.0	53.0 53.4 54.8 76.5 45		1.0 0.209 0.0	52.1 55.6 53.7 77.3 44		1.0 0.233 0.0	1.0 0.167 0.0	50.5 59.3 51.7 78.6 41					
46	45	42	1.0 0.25 0.0	53.6 51.9 55.5 76.0 46		1.0 0.223 0.0	52.7 54.4 54.4 76.9 45		1.0 0.25 0.0	1.0 0.183 0.0	51.1 57.9 52.5 78.1 42					
48	46	43	1.0 0.266 0.0	54.4 50.4 56.5 75.7 48		1.0 0.237 0.0	53.2 53.1 55.0 76.4 46		1.0 0.267 0.0	1.0 0.198 0.0	51.7 56.5 53.2 77.6 43					
49	47	44	1.0 0.283 0.0	55.1 48.9 57.4 75.4 49		1.0 0.251 0.0	53.7 51.8 55.6 76.0 47		1.0 0.283 0.0	1.0 0.214 0.0	52.3 55.1 54.0 77.1 44					
50	48	45	1.0 0.3 0.0	55.8 47.4 58.4 75.2 50		1.0 0.264 0.0	54.3 50.7 56.3 75.8 48		1.0 0.3 0.0	1.0 0.23 0.0	52.9 53.7 54.7 76.6 45					
52	49	46	1.0 0.316 0.0	56.6 45.8 59.2 74.9 52		1.0 0.276 0.0	54.8 49.6 57.1 75.6 49		1.0 0.317 0.0	1.0 0.246 0.0	53.5 52.3 55.4 76.1 46					
53	50	47	1.0 0.333 0.0	57.3 44.2 60.1 74.6 53		1.0 0.288 0.0	55.4 48.5 57.8 75.4 50		1.0 0.333 0.0	1.0 0.261 0.0	54.2 51.0 56.2 75.9 47					
54	51	48	1.0 0.35 0.0	58.0 42.7 60.9 74.4 54		1.0 0.301 0.0	55.9 47.3 58.5 75.2 51		1.0 0.35 0.0	1.0 0.274 0.0	54.8 49.8 57.0 75.6 48					
56	52	49	1.0 0.366 0.0	58.8 41.1 61.7 74.1 56		1.0 0.313 0.0	56.5 46.2 59.1 75.0 52		1.0 0.367 0.0	1.0 0.288 0.0	55.4 48.5 57.8 75.4 49					
57	53	51	1.0 0.383 0.0	59.5 39.5 62.5 74.0 57		1.0 0.326 0.0	57.0 45.0 59.8 74.8 53		1.0 0.383 0.0	1.0 0.302 0.0	56.0 47.2 58.5 75.2 51					
59	54	52	1.0 0.4 0.0	60.3 38.1 63.5 74.1 59		1.0 0.338 0.0	57.6 43.9 60.4 74.6 54		1.0 0.4 0.0	1.0 0.316 0.0	56.6 45.9 59.3 75.0 52					
60	55	53	1.0 0.416 0.0	61.0 36.6 64.5 74.1 60		1.0 0.35 0.0	58.1 42.7 61.0 74.4 55		1.0 0.417 0.0	1.0 0.33 0.0	57.2 44.6 60.0 74.8 53					
61	56	54	1.0 0.433 0.0	61.8 35.1 65.4 74.2 61		1.0 0.363 0.0	58.6 41.5 61.5 74.2 56		1.0 0.433 0.0	1.0 0.343 0.0	57.8 43.3 60.6 74.5 54					
63	57	55	1.0 0.45 0.0	62.6 33.6 66.2 74.3 63		1.0 0.375 0.0	59.2 40.3 62.1 74.0 57		1.0 0.45 0.0	1.0 0.357 0.0	58.4 42.0 61.3 74.3 55					
64	58	56	1.0 0.466 0.0	63.3 32.0 67.1 74.4 64		1.0 0.387 0.0	59.8 39.3 62.8 74.1 58		1.0 0.467 0.0	1.0 0.371 0.0	59.0 40.7 61.9 74.1 56					
65	59	57	1.0 0.483 0.0	64.1 30.5 67.9 74.4 65		1.0 0.4 0.0	60.3 38.2 63.5 74.1 59		1.0 0.483 0.0	1.0 0.385 0.0	59.6 39.5 62.7 74.1 57					
67	60	58	1.0 0.5 0.0	64.9 28.9 68.6 74.5 67		1.0 0.412 0.0	60.9 37.1 64.2 74.2 60		1.0 0.5 0.0	1.0 0.398 0.0	60.3 38.3 63.5 74.1 58					
68	61	60	1.0 0.516 0.0	65.8 27.2 69.9 75.0 68		1.0 0.424 0.0	61.4 36.0 64.9 74.2 61		1.0 0.517 0.0	1.0 0.412 0.0	60.9 37.1 64.2 74.2 60					
70	62	61	1.0 0.533 0.0	66.8 25.5 71.1 75.6 70		1.0 0.436 0.0	62.0 34.9 65.6 74.3 62		1.0 0.533 0.0	1.0 0.426 0.0	61.5 35.8 65.0 74.2 61					
71	63	62	1.0 0.55 0.0	67.7 23.8 72.3 76.1 71		1.0 0.449 0.0	62.6 33.7 66.2 74.3 63		1.0 0.55 0.0	1.0 0.439 0.0	62.1 34.6 65.7 74.3 62					
73	64	63	1.0 0.566 0.0	68.7 22.0 73.5 76.7 73		1.0 0.461 0.0	63.1 32.6 66.9 74.4 64		1.0 0.567 0.0	1.0 0.453 0.0	62.8 33.3 66.4 74.3 63					
74	65	64	1.0 0.583 0.0	69.7 20.2 74.6 77.3 74		1.0 0.473 0.0	63.7 31.5 67.5 74.4 65		1.0 0.583 0.0	1.0 0.467 0.0	63.4 32.1 67.1 74.4 64					
76	66	65	1.0 0.6 0.0	70.6 18.3 75.6 77.8 76		1.0 0.486 0.0	64.2 30.3 68.0 74.5 66		1.0 0.6 0.0	1.0 0.48 0.0	64.0 30.8 67.8 74.5 65					
77	67	66	1.0 0.616 0.0	71.6 16.4 76.6 78.4 77		1.0 0.498 0.0	64.8 29.1 68.6 74.5 67		1.0 0.617 0.0	1.0 0.494 0.0	64.6 29.5 68.4 74.5 66					
79	68	67	1.0 0.633 0.0	72.5 14.8 77.6 79.0 79		1.0 0.509 0.0	65.4 28.0 69.4 74.8 68		1.0 0.633 0.0	1.0 0.507 0.0	65.3 28.2 69.2 74.8 67					
80	69	68	1.0 0.65 0.0	73.2 13.6 78.5 79.7 80		1.0 0.52 0.0	66.1 26.9 70.2 75.2 69		1.0 0.65 0.0	1.0 0.519 0.0	66.0 27.0 70.1 75.2 68					
81	70	70	1.0 0.666 0.0	74.0 12.3 79.5 80.4 81		1.0 0.531 0.0	66.7 25.8 71.0 75.6 70		1.0 0.667 0.0	1.0 0.531 0.0	66.7 25.8 71.0 75.6 70					
82	71	71	1.0 0.683 0.0	74.8 11.0 80.4 81.1 82		1.0 0.542 0.0	67.3 24.7 71.8 75.9 71		1.0 0.683 0.0	1.0 0.543 0.0	67.4 24.6 71.9 76.0 71					
83	72	72	1.0 0.7 0.0	75.6 9.6 81.3 81.9 83		1.0 0.553 0.0	67.9 23.6 72.6 76.3 72		1.0 0.7 0.0	1.0 0.555 0.0	68.1 23.3 72.8 76.4 72					
84	73	73	1.0 0.716 0.0	76.3 8.3 82.2 82.6 84		1.0 0.564 0.0	68.6 22.4 73.3 76.6 73		1.0 0.717 0.0	1.0 0.568 0.0	68.8 22.0 73.6 76.8 73					
85	74	74	1.0 0.733 0.0	77.1 6.9 83.0 83.3 85		1.0 0.574 0.0	69.2 21.2 74.0 77.0 74		1.0 0.733 0.0	1.0 0.58 0.0	69.5 20.6 74.4 77.2 74					
86	75	75	1.0 0.75 0.0	77.9 5.4 83.8 84.0 86		1.0 0.585 0.0	69.8 20.0 74.7 77.4 75		1.0 0.75 0.0	1.0 0.592 0.0	70.2 19.3 75.2 77.6 75					

5-103931-L0 RN270-72 LAB\*a0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0

output: Offset standard print; separation cmy0\*, D65, side 10/33

TUB-prøveplansje RN27; farbetoneplan: H\*d=B25Rd  
 48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>dd</sub>  
 output: 3D-linearisering til cmy0\*<sub>dd</sub>

se liggende filer: http://130.149.60.45/~farbmetrik/RN27/RN27L0FA.TXT / .PS  
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-RN27/RN27L0FA.TXT / .PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)  
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>S</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM<sub>c</sub>; h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361Mi	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dd361Mi	rgb* dd	rgb* ds	rgb* de																				
86	75	75	1.0	0.75	0.0	77.9	5.4	83.8	84.0	86	1.0	0.585	0.0	69.8	20.0	74.7	77.4	75	1.0	0.75	0.0	1.0	0.592	0.0	70.2	19.3	75.2	77.6	75	1.0	0.75	0.0			
87	76	76	1.0	0.766	0.0	78.6	4.3	84.7	84.8	87	1.0	0.596	0.0	70.5	18.8	75.4	77.7	76	1.0	0.767	0.0	1.0	0.604	0.0	70.9	17.9	75.9	78.0	76	1.0	0.767	0.0			
87	77	77	1.0	0.783	0.0	79.4	3.2	85.6	85.7	87	1.0	0.607	0.0	71.1	17.6	76.1	78.1	77	1.0	0.783	0.0	1.0	0.616	0.0	71.6	16.5	76.6	78.4	77	1.0	0.783	0.0			
88	78	78	1.0	0.8	0.0	80.1	2.0	86.5	86.5	88	1.0	0.618	0.0	71.7	16.3	76.7	78.5	78	1.0	0.8	0.0	1.0	0.63	0.0	72.4	15.1	77.4	78.9	78	1.0	0.8	0.0			
89	79	80	1.0	0.816	0.0	80.8	0.8	87.3	87.3	89	1.0	0.631	0.0	72.4	15.1	77.5	78.9	79	1.0	0.817	0.0	1.0	0.648	0.0	73.2	13.8	78.5	79.7	80	1.0	0.817	0.0			
90	80	81	1.0	0.833	0.0	81.6	-0.3	88.2	88.2	90	1.0	0.647	0.0	73.2	13.8	78.4	79.6	80	1.0	0.833	0.0	1.0	0.667	0.0	74.1	12.3	79.5	80.5	81	1.0	0.833	0.0			
91	81	82	1.0	0.85	0.0	82.3	-1.5	89.0	89.0	91	1.0	0.664	0.0	73.9	12.6	79.4	80.4	81	1.0	0.85	0.0	1.0	0.685	0.0	74.9	10.9	80.5	81.3	82	1.0	0.85	0.0			
91	82	83	1.0	0.866	0.0	83.1	-2.8	89.8	89.8	91	1.0	0.68	0.0	74.7	11.3	80.3	81.1	82	1.0	0.867	0.0	1.0	0.703	0.0	75.8	9.4	81.5	82.0	83	1.0	0.867	0.0			
92	83	84	1.0	0.883	0.0	83.7	-3.8	90.5	90.6	92	1.0	0.697	0.0	75.5	10.0	81.2	81.8	83	1.0	0.883	0.0	1.0	0.721	0.0	76.6	7.9	82.4	82.8	84	1.0	0.883	0.0			
92	84	85	1.0	0.9	0.0	84.3	-4.7	91.3	91.4	92	1.0	0.713	0.0	76.2	8.6	82.0	82.5	84	1.0	0.9	0.0	1.0	0.74	0.0	77.5	6.4	83.4	83.6	85	1.0	0.9	0.0			
93	85	86	1.0	0.916	0.0	84.9	-5.6	92.0	92.2	93	1.0	0.729	0.0	77.0	7.2	82.9	83.2	85	1.0	0.917	0.0	1.0	0.76	0.0	78.4	4.8	84.4	84.6	86	1.0	0.917	0.0			
94	86	87	1.0	0.933	0.0	85.5	-6.5	92.7	92.9	94	1.0	0.746	0.0	77.7	5.9	83.7	83.9	86	1.0	0.933	0.0	1.0	0.784	0.0	79.4	3.2	85.7	85.7	87	1.0	0.933	0.0			
94	87	88	1.0	0.95	0.0	86.0	-7.4	93.4	93.7	94	1.0	0.766	0.0	78.6	4.4	84.7	84.8	87	1.0	0.95	0.0	1.0	0.807	0.0	80.5	1.6	86.9	86.9	88	1.0	0.95	0.0			
95	88	90	1.0	0.966	0.0	86.6	-8.3	94.1	94.5	95	1.0	0.787	0.0	79.6	3.0	85.8	85.9	88	1.0	0.967	0.0	1.0	0.831	0.0	81.5	0.0	88.1	88.1	90	1.0	0.967	0.0			
95	89	91	1.0	0.983	0.0	87.2	-9.2	94.8	95.2	95	1.0	0.808	0.0	80.5	1.5	86.9	86.9	89	1.0	0.983	0.0	1.0	0.854	0.0	82.6	-1.8	89.2	89.3	91	1.0	0.983	0.0			
96	90	92	1.0	1.0	0.0	87.8	-10.2	95.4	96.0	96	Y <sub>d</sub>	1.0	0.829	0.0	81.4	0.0	88.0	88.0	90	Y <sub>s</sub>	1.0	1.0	0.0	1.0	0.879	0.0	83.6	-3.6	90.4	90.5	92	Y <sub>e</sub>	1.0	1.0	0.0
96	91	93	0.983	1.0	0.0	87.3	-10.7	94.6	95.2	96	1.0	0.85	0.0	82.4	-1.5	89.0	89.0	91	0.983	1.0	0.0	1.0	0.916	0.0	84.9	-5.5	92.0	92.2	93	0.983	1.0	0.0			
96	92	94	0.966	1.0	0.0	86.8	-11.2	93.8	94.5	96	1.0	0.871	0.0	83.3	-3.0	90.0	90.1	92	0.967	1.0	0.0	1.0	0.953	0.0	86.2	-7.5	93.6	93.9	94	0.967	1.0	0.0			
97	93	95	0.95	1.0	0.0	86.4	-11.7	93.0	93.7	97	1.0	0.901	0.0	84.4	-4.7	91.4	91.5	93	0.95	1.0	0.0	1.0	0.99	0.0	87.5	-9.6	95.1	95.6	95	0.95	1.0	0.0			
97	94	96	0.933	1.0	0.0	85.9	-12.2	92.2	93.0	97	1.0	0.933	0.0	85.5	-6.4	92.7	93.0	94	0.933	1.0	0.0	0.961	1.0	0.0	86.7	-11.3	93.6	94.3	96	0.933	1.0	0.0			
97	95	98	0.916	1.0	0.0	85.5	-12.7	91.3	92.2	97	1.0	0.965	0.0	86.6	-8.1	94.1	94.4	95	0.917	1.0	0.0	0.907	1.0	0.0	85.3	-12.9	90.9	91.8	98	0.917	1.0	0.0			
98	96	99	0.9	1.0	0.0	85.0	-13.2	90.5	91.5	98	1.0	0.997	0.0	87.7	-9.9	95.4	95.9	96	0.9	1.0	0.0	0.856	1.0	0.0	83.8	-14.4	88.4	89.6	99	0.9	1.0	0.0			
98	97	100	0.883	1.0	0.0	84.5	-13.6	89.7	90.7	98	0.959	1.0	0.0	86.7	-11.4	93.5	94.2	97	0.883	1.0	0.0	0.807	1.0	0.0	82.4	-15.8	86.2	87.7	100	0.883	1.0	0.0			
99	98	101	0.866	1.0	0.0	84.1	-14.1	88.9	90.0	99	0.914	1.0	0.0	85.4	-12.7	91.2	92.1	98	0.867	1.0	0.0	0.759	1.0	0.0	81.0	-17.2	84.0	85.7	101	0.867	1.0	0.0			
99	99	102	0.85	1.0	0.0	83.6	-14.6	88.1	89.3	99	0.869	1.0	0.0	84.2	-14.0	89.0	90.1	99	0.85	1.0	0.0	0.729	1.0	0.0	79.9	-18.6	82.3	84.4	102	0.85	1.0	0.0			
99	100	103	0.833	1.0	0.0	83.1	-15.1	87.4	88.7	99	0.827	1.0	0.0	83.0	-15.3	87.1	88.5	100	0.833	1.0	0.0	0.704	1.0	0.0	78.8	-20.0	80.8	83.2	103	0.833	1.0	0.0			
100	101	105	0.816	1.0	0.0	82.6	-15.6	86.6	88.0	100	0.785	1.0	0.0	81.8	-16.5	85.2	86.8	101	0.817	1.0	0.0	0.679	1.0	0.0	77.7	-21.3	79.2	82.0	105	0.817	1.0	0.0			
100	102	106	0.8	1.0	0.0	82.2	-16.1	85.8	87.3	100	0.747	1.0	0.0	80.6	-17.6	83.4	85.2	102	0.8	1.0	0.0	0.654	1.0	0.0	76.6	-22.6	77.6	80.8	106	0.8	1.0	0.0			
101	103	107	0.783	1.0	0.0	81.7	-16.6	85.1	86.7	101	0.725	1.0	0.0	79.7	-18.8	82.0	84.2	103	0.783	1.0	0.0	0.628	1.0	0.0	75.5	-23.8	76.0	79.6	107	0.783	1.0	0.0			
101	104	108	0.766	1.0	0.0	81.2	-17.0	84.3	86.0	101	0.703	1.0	0.0	78.7	-20.0	80.7	83.2	104	0.767	1.0	0.0	0.605	1.0	0.0	74.6	-25.0	74.3	78.4	108	0.767	1.0	0.0			
101	105	109	0.75	1.0	0.0	80.7	-17.5	83.5	85.3	101	0.682	1.0	0.0	77.8	-21.2	79.4	82.2	105	0.75	1.0	0.0	0.583	1.0	0.0	73.7	-26.1	72.7	77.3	109	0.75	1.0	0.0			
102	106	110	0.733	1.0	0.0	80.0	-18.4	82.5	84.6	102	0.66	1.0	0.0	76.8	-22.3	78.0	81.1	106	0.733	1.0	0.0	0.56	1.0	0.0	72.9	-27.1	71.0	76.1	110	0.733	1.0	0.0			
103	107	112	0.716	1.0	0.0	79.3	-19.3	81.5	83.8	103	0.638	1.0	0.0	75.9	-23.3	76.6	80.1	107	0.717	1.0	0.0	0.538	1.0	0.0	72.0	-28.1	69.3	74.9	112	0.717	1.0	0.0			
104	108	113	0.7	1.0	0.0	78.5	-20.2	80.5	83.0	104	0.617	1.0	0.0	75.0	-24.3	75.2	79.1	108	0.7	1.0	0.0	0.515	1.0	0.0	71.2	-29.0	67.7	73.7	113	0.7	1.0	0.0			
104	109	114	0.683	1.0	0.0	77.8	-21.1	79.4	82.2	104	0.598	1.0	0.0	74.3	-25.3	73.8	78.1	109	0.683	1.0	0.0	0.494	1.0	0.0	70.4	-30.0	66.1	72.6	114	0.683	1.0	0.0			
105	110	115	0.666	1.0	0.0	77.1	-22.0	78.4	81.4	105	0.579	1.0	0.0	73.6	-26.2	72.4	77.0	110	0.667	1.0	0.0	0.474	1.0	0.0	69.6	-31.0	64.8	71.9	115	0.667	1.0	0.0			
106	111	116	0.65	1.0	0.0	76.4	-22.8	77.3	80.6	106	0.559	1.0	0.0	72.9	-27.1	71.0	76.0	111	0.65	1.0	0.0	0.454	1.0	0.0	68.8	-32.0	63.5	71.2	116	0.65	1.0	0.0			
107	112	117	0.633	1.0	0.0	75.6	-23.6	76.2	79.8	107	0.54	1.0	0.0	72.1	-28.0	69.5	75.0	112	0.633	1.0	0.0	0.434	1.0	0.0	68.0	-32.9	62.2	70.5	117	0.633	1.0	0.0			
108	113	119	0.616	1.0	0.0	75.0	-24.4	75.1	79.0	108	0.521	1.0	0.0	71.4	-28.8	68.1	74.0	113	0.617	1.0	0.0	0.414	1.0	0.0	67.3	-33.8	60.9	69.7	119	0.617	1.0	0.0			
108	114	120	0.6	1.0	0.0	74.3	-25.3	73.9	78.1	108	0.501	1.0	0.0	70.7	-29.6	66.6	72.9	114	0.6	1.0	0.0	0.394	1.0	0.0	66.5	-34.7	59.6	69.0	120	0.6	1.0	0.0			
109	115	121	0.583	1.0	0.0	73.7	-26.1	72.7	77.2	109	0.484	1.0	0.0	70.0	-30.4	65.5	72.3	115	0.583	1.0	0.0	0.375	1.0	0.0	65.7	-35.5	58.3	68.3	121</						

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM<sub>S</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM<sub>c</sub>; h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi	rgb* ds361Mi	rgb* ds361Mi	rgb* ds361Mi																		
114	120	127	0.5	1.0	0.0	70.6	-29.7	66.5	72.8	114	0.399	1.0	0.0	66.7	-34.5	59.9	69.2	120	0.5	1.0	0.0	0.322	1.0	0.0	62.6	-40.8	53.8	67.6	127	0.5	1.0	0.0
115	121	128	0.483	1.0	0.0	69.9	-30.5	65.4	72.2	115	0.382	1.0	0.0	66.0	-35.2	58.8	68.6	121	0.483	1.0	0.0	0.312	1.0	0.0	62.0	-41.8	52.9	67.5	128	0.483	1.0	0.0
116	122	129	0.466	1.0	0.0	69.3	-31.4	64.3	71.6	116	0.37	1.0	0.0	65.4	-36.1	57.9	68.3	122	0.467	1.0	0.0	0.301	1.0	0.0	61.4	-42.8	51.9	67.3	129	0.467	1.0	0.0
117	123	130	0.45	1.0	0.0	68.6	-32.2	63.2	71.0	117	0.361	1.0	0.0	64.9	-37.0	57.1	68.1	123	0.45	1.0	0.0	0.291	1.0	0.0	60.8	-43.8	50.9	67.2	130	0.45	1.0	0.0
117	124	131	0.433	1.0	0.0	68.0	-33.0	62.1	70.4	117	0.352	1.0	0.0	64.4	-37.9	56.4	68.0	124	0.433	1.0	0.0	0.28	1.0	0.0	60.2	-44.7	49.9	67.0	131	0.433	1.0	0.0
118	125	133	0.416	1.0	0.0	67.3	-33.8	61.0	69.8	118	0.343	1.0	0.0	63.8	-38.8	55.6	67.9	125	0.417	1.0	0.0	0.27	1.0	0.0	59.6	-45.6	48.9	66.9	133	0.417	1.0	0.0
119	126	134	0.4	1.0	0.0	66.7	-34.5	59.9	69.2	119	0.334	1.0	0.0	63.3	-39.7	54.8	67.8	126	0.4	1.0	0.0	0.259	1.0	0.0	59.0	-46.5	47.8	66.8	134	0.4	1.0	0.0
120	127	135	0.383	1.0	0.0	66.0	-35.2	58.8	68.6	120	0.325	1.0	0.0	62.8	-40.6	54.0	67.6	127	0.383	1.0	0.0	0.249	1.0	0.0	58.4	-47.4	46.8	66.6	135	0.383	1.0	0.0
122	128	136	0.366	1.0	0.0	65.2	-36.4	57.6	68.2	122	0.316	1.0	0.0	62.3	-41.5	53.2	67.5	128	0.367	1.0	0.0	0.233	1.0	0.0	57.9	-48.3	45.8	66.6	136	0.367	1.0	0.0
124	129	137	0.35	1.0	0.0	64.2	-38.2	56.2	67.9	124	0.307	1.0	0.0	61.7	-42.3	52.4	67.4	129	0.35	1.0	0.0	0.217	1.0	0.0	57.4	-49.2	44.7	66.6	137	0.35	1.0	0.0
126	130	138	0.333	1.0	0.0	63.2	-39.8	54.7	67.7	126	0.298	1.0	0.0	61.2	-43.1	51.5	67.3	130	0.333	1.0	0.0	0.201	1.0	0.0	57.0	-50.0	43.7	66.5	138	0.333	1.0	0.0
127	131	140	0.316	1.0	0.0	62.3	-41.4	53.2	67.5	127	0.289	1.0	0.0	60.7	-44.0	50.7	67.2	131	0.317	1.0	0.0	0.185	1.0	0.0	56.5	-50.9	42.7	66.5	140	0.317	1.0	0.0
129	132	141	0.3	1.0	0.0	61.3	-43.0	51.7	67.3	129	0.28	1.0	0.0	60.2	-44.8	49.8	67.0	132	0.3	1.0	0.0	0.169	1.0	0.0	56.0	-51.7	41.6	66.5	141	0.3	1.0	0.0
131	133	142	0.283	1.0	0.0	60.3	-44.5	50.1	67.0	131	0.271	1.0	0.0	59.6	-45.5	48.9	66.9	133	0.283	1.0	0.0	0.153	1.0	0.0	55.5	-52.5	40.5	66.4	142	0.283	1.0	0.0
133	134	143	0.266	1.0	0.0	59.3	-45.9	48.5	66.8	133	0.262	1.0	0.0	59.1	-46.3	48.0	66.8	134	0.267	1.0	0.0	0.137	1.0	0.0	55.1	-53.3	39.4	66.4	143	0.267	1.0	0.0
135	135	144	0.25	1.0	0.0	58.4	-47.3	46.8	66.6	135	0.253	1.0	0.0	58.6	-47.0	47.1	66.7	135	0.25	1.0	0.0	0.122	1.0	0.0	54.6	-54.2	38.4	66.5	144	0.25	1.0	0.0
136	136	145	0.233	1.0	0.0	57.9	-48.3	45.8	66.5	136	0.241	1.0	0.0	58.1	-47.8	46.3	66.6	136	0.233	1.0	0.0	0.108	1.0	0.0	54.1	-55.4	37.6	67.0	145	0.233	1.0	0.0
137	137	147	0.216	1.0	0.0	57.4	-49.2	44.7	66.5	137	0.227	1.0	0.0	57.7	-48.6	45.4	66.6	137	0.217	1.0	0.0	0.095	1.0	0.0	53.6	-56.6	36.7	67.6	147	0.217	1.0	0.0
138	138	148	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	138	0.213	1.0	0.0	57.3	-49.4	44.5	66.6	138	0.2	1.0	0.0	0.082	1.0	0.0	53.1	-57.8	35.8	68.1	148	0.2	1.0	0.0
140	139	149	0.183	1.0	0.0	56.4	-51.0	42.5	66.4	140	0.2	1.0	0.0	56.9	-50.1	43.6	66.5	139	0.183	1.0	0.0	0.069	1.0	0.0	52.6	-59.0	34.9	68.6	149	0.183	1.0	0.0
141	140	150	0.166	1.0	0.0	55.9	-51.9	41.4	66.4	141	0.186	1.0	0.0	56.5	-50.8	42.7	66.5	140	0.167	1.0	0.0	0.056	1.0	0.0	52.1	-60.1	34.0	69.2	150	0.167	1.0	0.0
142	141	151	0.15	1.0	0.0	55.4	-52.7	40.3	66.4	142	0.172	1.0	0.0	56.1	-51.6	41.8	66.5	141	0.15	1.0	0.0	0.043	1.0	0.0	51.7	-61.3	33.0	69.7	151	0.15	1.0	0.0
143	142	152	0.133	1.0	0.0	54.9	-53.5	39.1	66.3	143	0.159	1.0	0.0	55.7	-52.3	40.9	66.4	142	0.133	1.0	0.0	0.03	1.0	0.0	51.2	-62.4	32.0	70.2	152	0.133	1.0	0.0
145	143	154	0.116	1.0	0.0	54.4	-54.7	38.0	66.6	145	0.145	1.0	0.0	55.3	-52.9	40.0	66.4	143	0.117	1.0	0.0	0.016	1.0	0.0	50.7	-63.5	30.9	70.8	154	0.117	1.0	0.0
146	144	155	0.1	1.0	0.0	53.7	-56.2	37.0	67.3	146	0.131	1.0	0.0	54.9	-53.6	39.0	66.4	144	0.1	1.0	0.0	0.003	1.0	0.0	50.2	-64.6	29.9	71.3	155	0.1	1.0	0.0
148	145	156	0.083	1.0	0.0	53.1	-57.7	35.9	68.0	148	0.119	1.0	0.0	54.5	-54.5	38.2	66.6	145	0.083	1.0	0.0	0.0	1.0	0.021	50.1	-64.6	28.3	70.6	156	0.083	1.0	0.0
149	146	157	0.066	1.0	0.0	52.5	-59.2	34.7	68.7	149	0.107	1.0	0.0	54.1	-55.5	37.5	67.1	146	0.067	1.0	0.0	0.0	1.0	0.049	50.3	-64.2	26.5	69.5	157	0.067	1.0	0.0
151	147	158	0.049	1.0	0.0	51.9	-60.7	33.5	69.4	151	0.096	1.0	0.0	53.7	-56.5	36.8	67.5	147	0.05	1.0	0.0	0.0	1.0	0.077	50.4	-63.7	24.8	68.4	158	0.05	1.0	0.0
152	148	159	0.033	1.0	0.0	51.3	-62.2	32.2	70.0	152	0.085	1.0	0.0	53.2	-57.6	36.0	68.0	148	0.033	1.0	0.0	0.0	1.0	0.104	50.5	-63.1	23.1	67.3	159	0.033	1.0	0.0
154	149	161	0.016	1.0	0.0	50.6	-63.6	30.9	70.7	154	0.074	1.0	0.0	52.8	-58.6	35.3	68.4	149	0.017	1.0	0.0	0.0	1.0	0.13	50.6	-62.6	21.5	66.3	161	0.017	1.0	0.0
155	150	162	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155	G <sub>d</sub> 0.062	1.0	0.0	52.4	-59.6	34.5	68.9	150	G <sub>s</sub> 0.0	1.0	0.0	0.0	1.0	0.151	50.7	-62.0	19.9	65.2	162	G <sub>c</sub> 0.0	1.0	0.0
156	151	163	0.0	1.0	0.016	50.1	-64.7	28.5	70.7	156	0.051	1.0	0.0	52.0	-60.6	33.6	69.4	151	0.0	1.0	0.017	0.0	1.0	0.167	50.8	-61.6	18.7	64.4	163	0.0	1.0	0.017
156	152	164	0.0	1.0	0.033	50.1	-64.5	27.4	70.1	156	0.04	1.0	0.0	51.5	-61.6	32.8	69.8	152	0.0	1.0	0.033	0.0	1.0	0.183	50.9	-61.1	17.5	63.6	164	0.0	1.0	0.033
157	153	164	0.0	1.0	0.05	50.2	-64.2	26.4	69.4	157	0.028	1.0	0.0	51.1	-62.5	31.9	70.3	153	0.0	1.0	0.05	0.0	1.0	0.2	51.0	-60.6	16.3	62.8	164	0.0	1.0	0.05
158	154	165	0.0	1.0	0.066	50.3	-63.9	25.4	68.8	158	0.017	1.0	0.0	50.7	-63.5	31.0	70.7	154	0.0	1.0	0.067	0.0	1.0	0.216	51.0	-60.0	15.1	62.0	165	0.0	1.0	0.067
159	155	166	0.0	1.0	0.083	50.3	-63.6	24.4	68.1	159	0.006	1.0	0.0	50.3	-64.4	30.1	71.2	155	0.0	1.0	0.083	0.0	1.0	0.232	51.1	-59.5	14.0	61.2	166	0.0	1.0	0.083
159	156	167	0.0	1.0	0.1	50.4	-63.3	23.4	67.5	159	0.0	1.0	0.012	50.1	-64.7	28.9	71.0	156	0.0	1.0	0.1	0.0	1.0	0.248	51.2	-58.9	12.9	60.4	167	0.0	1.0	0.1
160	157	168	0.0	1.0	0.116	50.5	-62.9	22.4	66.8	160	0.0	1.0	0.035	50.2	-64.4	27.4	70.0	157	0.0	1.0	0.117	0.0	1.0	0.261	51.3	-58.5	11.8	59.8	168	0.0	1.0	0.117
161	158	169	0.0	1.0	0.133	50.5	-62.5	21.2	66.1	161	0.0	1.0	0.059	50.3	-64.0	25.9	69.1	158	0.0	1.0	0.133	0.0	1.0	0.274	51.4	-58.1	10.8	59.2	169	0.0	1.0	0.133
162	159	170	0.0	1.0	0.15	50.6	-62.1	19.9	65.2	162	0.0	1.0	0.083	50.4	-63.5	24.4	68.2	159	0.0	1.0	0.15	0.0	1.0	0.287	51.5	-57.7	9.7	58.6	170	0.0	1.0	0.15
163	160	171	0.0	1.0	0.166	50.7	-61.6	18.7	64.4	16																						



Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM<sub>S</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* ds361Mi	rgb* ds	rgb* ds	rgb* ds																		
167	165	175	0.0	1.0	0.25	51.2	-58.9	12.7	60.3	167	0.0	1.0	0.2	51.0	-60.5	16.2	62.8	165	0.0	1.0	0.25	0.0	1.0	0.25	0.0	1.0	0.25					
168	166	176	0.0	1.0	0.266	51.3	-58.4	11.3	59.5	168	0.0	1.0	0.218	51.1	-60.0	15.0	61.9	166	0.0	1.0	0.267	0.0	1.0	0.376	52.0	-54.5	3.0	54.6	176	0.0	1.0	0.267
170	167	177	0.0	1.0	0.283	51.4	-57.9	10.0	58.8	170	0.0	1.0	0.236	51.2	-59.3	13.7	61.0	167	0.0	1.0	0.283	0.0	1.0	0.385	52.1	-54.1	2.1	54.3	177	0.0	1.0	0.283
171	168	178	0.0	1.0	0.3	51.5	-57.3	8.7	58.0	171	0.0	1.0	0.253	51.2	-58.8	12.5	60.2	168	0.0	1.0	0.3	0.0	1.0	0.394	52.2	-53.8	1.3	53.9	178	0.0	1.0	0.3
172	169	179	0.0	1.0	0.316	51.6	-56.8	7.4	57.3	172	0.0	1.0	0.267	51.3	-58.4	11.4	59.5	169	0.0	1.0	0.317	0.0	1.0	0.403	52.2	-53.4	0.4	53.5	179	0.0	1.0	0.317
173	170	180	0.0	1.0	0.333	51.7	-56.2	6.1	56.5	173	0.0	1.0	0.281	51.4	-57.9	10.2	58.9	170	0.0	1.0	0.333	0.0	1.0	0.412	52.3	-53.0	-0.3	53.1	180	0.0	1.0	0.333
174	171	181	0.0	1.0	0.35	51.8	-55.5	4.9	55.8	174	0.0	1.0	0.295	51.5	-57.5	9.1	58.3	171	0.0	1.0	0.35	0.0	1.0	0.421	52.4	-52.6	-1.2	52.7	181	0.0	1.0	0.35
176	172	182	0.0	1.0	0.366	51.9	-54.9	3.7	55.0	176	0.0	1.0	0.309	51.6	-57.0	8.0	57.7	172	0.0	1.0	0.367	0.0	1.0	0.43	52.5	-52.2	-2.0	52.3	182	0.0	1.0	0.367
177	173	183	0.0	1.0	0.383	52.0	-54.2	2.3	54.3	177	0.0	1.0	0.323	51.7	-56.5	6.9	57.0	173	0.0	1.0	0.383	0.0	1.0	0.439	52.5	-51.8	-2.8	51.9	183	0.0	1.0	0.383
179	174	184	0.0	1.0	0.4	52.2	-53.6	0.7	53.6	179	0.0	1.0	0.337	51.8	-56.0	5.9	56.4	174	0.0	1.0	0.4	0.0	1.0	0.448	52.6	-51.3	-3.6	51.6	184	0.0	1.0	0.4
180	175	185	0.0	1.0	0.416	52.3	-52.8	-0.8	52.9	180	0.0	1.0	0.351	51.9	-55.5	4.9	55.8	175	0.0	1.0	0.417	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.417
182	176	185	0.0	1.0	0.433	52.4	-52.1	-2.3	52.1	182	0.0	1.0	0.365	52.0	-54.9	3.8	55.1	176	0.0	1.0	0.433	0.0	1.0	0.466	52.7	-50.4	-5.2	50.8	185	0.0	1.0	0.433
184	177	186	0.0	1.0	0.45	52.6	-51.3	-3.8	51.4	184	0.0	1.0	0.378	52.0	-54.4	2.9	54.6	177	0.0	1.0	0.45	0.0	1.0	0.475	52.8	-49.9	-5.9	50.4	186	0.0	1.0	0.45
185	178	187	0.0	1.0	0.466	52.7	-50.4	-5.3	50.7	185	0.0	1.0	0.388	52.1	-54.0	1.9	54.1	178	0.0	1.0	0.467	0.0	1.0	0.484	52.9	-49.5	-6.7	50.0	187	0.0	1.0	0.467
187	179	188	0.0	1.0	0.483	52.8	-49.6	-6.6	50.0	187	0.0	1.0	0.398	52.2	-53.6	0.9	53.7	179	0.0	1.0	0.483	0.0	1.0	0.493	52.9	-49.0	-7.4	49.6	188	0.0	1.0	0.483
189	180	189	0.0	1.0	0.5	52.9	-48.6	-8.0	49.3	189	0.0	1.0	0.407	52.3	-53.2	0.0	53.3	180	0.0	1.0	0.5	0.0	1.0	0.502	53.0	-48.5	-8.1	49.3	189	0.0	1.0	0.5
191	181	190	0.0	1.0	0.516	53.1	-47.9	-9.5	48.9	191	0.0	1.0	0.417	52.4	-52.8	-0.8	52.9	181	0.0	1.0	0.517	0.0	1.0	0.51	53.1	-48.2	-8.9	49.1	190	0.0	1.0	0.517
193	182	191	0.0	1.0	0.533	53.2	-47.2	-10.9	48.4	193	0.0	1.0	0.427	52.4	-52.3	-1.7	52.5	182	0.0	1.0	0.533	0.0	1.0	0.519	53.1	-47.8	-9.6	48.9	191	0.0	1.0	0.533
194	183	192	0.0	1.0	0.55	53.4	-46.4	-12.3	48.0	194	0.0	1.0	0.437	52.5	-51.9	-2.6	52.0	183	0.0	1.0	0.55	0.0	1.0	0.527	53.2	-47.4	-10.3	48.7	192	0.0	1.0	0.55
196	184	193	0.0	1.0	0.566	53.5	-45.6	-13.7	47.6	196	0.0	1.0	0.447	52.6	-51.4	-3.5	51.6	184	0.0	1.0	0.567	0.0	1.0	0.535	53.3	-47.1	-11.0	48.4	193	0.0	1.0	0.567
198	185	194	0.0	1.0	0.583	53.6	-44.7	-15.0	47.1	198	0.0	1.0	0.457	52.7	-50.9	-4.4	51.2	185	0.0	1.0	0.583	0.0	1.0	0.543	53.4	-46.7	-11.7	48.2	194	0.0	1.0	0.583
200	186	195	0.0	1.0	0.6	53.8	-43.8	-16.3	46.7	200	0.0	1.0	0.467	52.7	-50.4	-5.2	50.8	186	0.0	1.0	0.6	0.0	1.0	0.552	53.4	-46.3	-12.4	48.0	195	0.0	1.0	0.6
202	187	195	0.0	1.0	0.616	53.9	-42.8	-17.5	46.3	202	0.0	1.0	0.477	52.8	-49.9	-6.0	50.3	187	0.0	1.0	0.617	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	195	0.0	1.0	0.617
204	188	196	0.0	1.0	0.633	54.1	-42.0	-18.8	46.0	204	0.0	1.0	0.486	52.9	-49.3	-6.8	49.9	188	0.0	1.0	0.633	0.0	1.0	0.568	53.6	-45.4	-13.7	47.6	196	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.2	-41.2	-20.1	45.9	206	0.0	1.0	0.496	53.0	-48.8	-7.6	49.5	189	0.0	1.0	0.65	0.0	1.0	0.576	53.6	-45.0	-14.4	47.4	197	0.0	1.0	0.65
207	190	198	0.0	1.0	0.666	54.3	-40.5	-21.4	45.8	207	0.0	1.0	0.506	53.0	-48.4	-8.4	49.2	190	0.0	1.0	0.667	0.0	1.0	0.585	53.7	-44.6	-15.0	47.2	198	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.5	-39.7	-22.7	45.7	209	0.0	1.0	0.515	53.1	-48.0	-9.2	49.0	191	0.0	1.0	0.683	0.0	1.0	0.593	53.8	-44.1	-15.7	47.0	199	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.6	-38.8	-23.9	45.6	211	0.0	1.0	0.524	53.2	-47.6	-10.0	48.7	192	0.0	1.0	0.7	0.0	1.0	0.601	53.8	-43.7	-16.3	46.7	200	0.0	1.0	0.7
213	193	201	0.0	1.0	0.716	54.7	-37.9	-25.1	45.5	213	0.0	1.0	0.533	53.3	-47.2	-10.8	48.5	193	0.0	1.0	0.717	0.0	1.0	0.609	53.9	-43.2	-16.9	46.5	201	0.0	1.0	0.717
215	194	202	0.0	1.0	0.733	54.9	-37.0	-26.3	45.4	215	0.0	1.0	0.542	53.3	-46.7	-11.6	48.3	194	0.0	1.0	0.733	0.0	1.0	0.618	54.0	-42.7	-17.5	46.3	202	0.0	1.0	0.733
217	195	203	0.0	1.0	0.75	55.0	-36.0	-27.4	45.3	217	0.0	1.0	0.551	53.4	-46.3	-12.3	48.0	195	0.0	1.0	0.75	0.0	1.0	0.626	54.1	-42.3	-18.1	46.1	203	0.0	1.0	0.75
218	196	204	0.0	1.0	0.766	55.1	-35.4	-28.4	45.4	218	0.0	1.0	0.56	53.5	-45.9	-13.1	47.8	196	0.0	1.0	0.767	0.0	1.0	0.634	54.1	-41.9	-18.8	46.1	204	0.0	1.0	0.767
220	197	205	0.0	1.0	0.783	55.2	-34.7	-29.4	45.5	220	0.0	1.0	0.569	53.6	-45.4	-13.8	47.6	197	0.0	1.0	0.783	0.0	1.0	0.642	54.2	-41.6	-19.4	46.0	205	0.0	1.0	0.783
221	198	206	0.0	1.0	0.8	55.3	-34.0	-30.3	45.6	221	0.0	1.0	0.578	53.6	-44.9	-14.5	47.3	198	0.0	1.0	0.8	0.0	1.0	0.65	54.2	-41.2	-20.1	46.0	206	0.0	1.0	0.8
223	199	206	0.0	1.0	0.816	55.4	-33.3	-31.3	45.7	223	0.0	1.0	0.587	53.7	-44.4	-15.2	47.1	199	0.0	1.0	0.817	0.0	1.0	0.658	54.3	-40.8	-20.7	45.9	206	0.0	1.0	0.817
224	200	207	0.0	1.0	0.833	55.6	-32.6	-32.2	45.9	224	0.0	1.0	0.596	53.8	-43.9	-15.9	46.9	200	0.0	1.0	0.833	0.0	1.0	0.666	54.4	-40.4	-21.3	45.9	207	0.0	1.0	0.833
226	201	208	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	1.0	0.605	53.9	-43.4	-16.6	46.6	201	0.0	1.0	0.85	0.0	1.0	0.674	54.4	-40.0	-21.9	45.8	208	0.0	1.0	0.85
227	202	209	0.0	1.0	0.866	55.8	-31.1	-34.0	46.1	227	0.0	1.0	0.614	54.0	-42.9	-17.3	46.4	202	0.0	1.0	0.867	0.0	1.0	0.682	54.5	-39.6	-22.6	45.7	209	0.0	1.0	0.867
229	203	210	0.0	1.0	0.883	55.9	-30.4	-35.0	46.3	229	0.0	1.0	0.623	54.0	-42.4	-17.9	46.2	203	0.0	1.0	0.883	0.0	1.0	0.691	54.6	-39.2	-23.2	45.7	210	0.0	1.0	0.883
230	204	211	0.0	1.0	0.9	56.0	-29.7	-35.9	46.7	230	0.0	1.0	0.632	54.1	-42.0	-18.6	46.1	204	0.0	1.0	0.9	0.0	1.0	0.699	54.6	-38.8	-23.8	45.6	211	0.0	1.0	0.9
231	205	212	0.0	1.0	0.916	56.1	-29.1	-36.9	47.0	231	0.0	1.0	0.641	54.2	-41.6	-19.3	46.0	205	0.0	1.0	0.917	0.0	1.0	0.707								

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM<sub>c</sub>; h<sub>ab,c</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb <sup>*</sup> <sub>dd361M</sub>	LAB <sup>*</sup> <sub>ddx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>ds361Mi</sub>	LAB <sup>*</sup> <sub>dsx361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>de361Mi</sub>	rgb <sup>*</sup> <sub>dex361Mi (x=LabCh)</sub>	rgb <sup>*</sup> <sub>dd361Mi</sub>	LAB <sup>*</sup> <sub>dd361Mi</sub>	rgb <sup>*</sup> <sub>dd</sub>	rgb <sup>*</sup> <sub>ds</sub>	rgb <sup>*</sup> <sub>de</sub>																					
238	210	216	0.0	1.0	1.0	56.8	-25.5	-41.5	48.7	238	C <sub>d</sub>	0.0	1.0	0.685	54.5	-39.5	-22.8	45.7	210	C <sub>s</sub>	0.0	1.0	1.0	0.0	0.0	0.0									
239	211	217	0.0	0.983	1.0	56.4	-24.9	-41.5	48.4	239		0.0	1.0	0.694	54.6	-39.0	-23.4	45.7	211		0.0	0.983	1.0	0.0	1.0	0.757	55.1	-35.7	-27.8	45.4	217	0.0	0.983	1.0	
239	212	218	0.0	0.966	1.0	56.1	-24.3	-41.5	48.1	239		0.0	1.0	0.703	54.7	-38.6	-24.1	45.6	212		0.0	0.967	1.0	0.0	1.0	0.767	55.2	-35.3	-28.4	45.4	218	0.0	0.967	1.0	
240	213	219	0.0	0.95	1.0	55.7	-23.7	-41.5	47.8	240		0.0	1.0	0.712	54.7	-38.1	-24.7	45.6	213		0.0	0.95	1.0	0.0	1.0	0.778	55.2	-34.9	-29.0	45.5	219	0.0	0.95	1.0	
240	214	220	0.0	0.933	1.0	55.4	-23.1	-41.5	47.5	240		0.0	1.0	0.721	54.8	-37.6	-25.3	45.5	214		0.0	0.933	1.0	0.0	1.0	0.788	55.3	-34.5	-29.6	45.6	220	0.0	0.933	1.0	
241	215	221	0.0	0.916	1.0	55.0	-22.5	-41.4	47.2	241		0.0	1.0	0.73	54.9	-37.1	-26.0	45.4	215		0.0	0.917	1.0	0.0	1.0	0.798	55.4	-34.1	-30.2	45.7	221	0.0	0.917	1.0	
242	216	222	0.0	0.9	1.0	54.6	-22.0	-41.4	46.9	242		0.0	1.0	0.739	55.0	-36.6	-26.6	45.4	216		0.0	0.9	1.0	0.0	1.0	0.808	55.4	-33.6	-30.8	45.7	222	0.0	0.9	1.0	
242	217	223	0.0	0.883	1.0	54.3	-21.4	-41.4	46.6	242		0.0	1.0	0.747	55.0	-36.1	-27.2	45.3	217		0.0	0.883	1.0	0.0	1.0	0.819	55.5	-33.2	-31.3	45.8	223	0.0	0.883	1.0	
243	218	224	0.0	0.866	1.0	53.9	-20.7	-41.3	46.3	243		0.0	1.0	0.758	55.1	-35.6	-27.8	45.4	218		0.0	0.867	1.0	0.0	1.0	0.829	55.6	-32.7	-31.9	45.9	224	0.0	0.867	1.0	
244	219	225	0.0	0.85	1.0	53.4	-20.0	-41.3	45.9	244		0.0	1.0	0.769	55.2	-35.2	-28.5	45.4	219		0.0	0.85	1.0	0.0	1.0	0.839	55.6	-32.3	-32.5	45.9	225	0.0	0.85	1.0	
245	220	226	0.0	0.833	1.0	52.9	-19.2	-41.3	45.6	245		0.0	1.0	0.781	55.3	-34.8	-29.2	45.5	220		0.0	0.833	1.0	0.0	1.0	0.85	55.7	-31.8	-33.1	46.0	226	0.0	0.833	1.0	
245	221	227	0.0	0.816	1.0	52.4	-18.5	-41.3	45.3	245		0.0	1.0	0.792	55.3	-34.3	-29.8	45.6	221		0.0	0.817	1.0	0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227	0.0	0.817	1.0	
246	222	227	0.0	0.8	1.0	51.9	-17.7	-41.3	44.9	246		0.0	1.0	0.803	55.4	-33.9	-30.5	45.7	222		0.0	0.8	1.0	0.0	1.0	0.87	55.8	-30.8	-34.2	46.2	227	0.0	0.8	1.0	
247	223	228	0.0	0.783	1.0	51.4	-17.0	-41.2	44.6	247		0.0	1.0	0.815	55.5	-33.4	-31.1	45.8	223		0.0	0.783	1.0	0.0	1.0	0.881	55.9	-30.4	-34.8	46.3	228	0.0	0.783	1.0	
248	224	229	0.0	0.766	1.0	50.9	-16.2	-41.2	44.2	248		0.0	1.0	0.826	55.6	-32.9	-31.7	45.8	224		0.0	0.767	1.0	0.0	1.0	0.893	56.0	-30.0	-35.4	46.6	229	0.0	0.767	1.0	
249	225	230	0.0	0.75	1.0	50.4	-15.5	-41.1	43.9	249		0.0	1.0	0.837	55.6	-32.4	-32.4	45.9	225		0.0	0.75	1.0	0.0	1.0	0.904	56.1	-29.6	-36.1	46.8	230	0.0	0.75	1.0	
250	226	231	0.0	0.733	1.0	49.9	-14.7	-41.1	43.6	250		0.0	1.0	0.849	55.7	-31.9	-33.0	46.0	226		0.0	0.733	1.0	0.0	1.0	0.915	56.2	-29.1	-36.7	47.0	231	0.0	0.733	1.0	
251	227	232	0.0	0.716	1.0	49.4	-13.8	-41.1	43.4	251		0.0	1.0	0.86	55.8	-31.3	-33.6	46.1	227		0.0	0.717	1.0	0.0	1.0	0.926	56.3	-28.7	-37.4	47.2	232	0.0	0.717	1.0	
252	228	233	0.0	0.7	1.0	48.8	-13.0	-41.1	43.1	252		0.0	1.0	0.871	55.9	-30.8	-34.2	46.2	228		0.0	0.7	1.0	0.0	1.0	0.938	56.3	-28.2	-38.0	47.5	233	0.0	0.7	1.0	
253	229	234	0.0	0.683	1.0	48.3	-12.2	-41.1	42.9	253		0.0	1.0	0.883	55.9	-30.3	-34.9	46.4	229		0.0	0.683	1.0	0.0	1.0	0.949	56.4	-27.7	-38.6	47.7	234	0.0	0.683	1.0	
254	230	235	0.0	0.666	1.0	47.8	-11.4	-41.0	42.6	254		0.0	1.0	0.896	56.0	-29.9	-35.6	46.6	230		0.0	0.667	1.0	0.0	1.0	0.96	56.5	-27.2	-39.3	47.9	235	0.0	0.667	1.0	
255	231	236	0.0	0.65	1.0	47.3	-10.6	-41.0	42.3	255		0.0	1.0	0.908	56.1	-29.4	-36.3	46.9	231		0.0	0.65	1.0	0.0	1.0	0.972	56.6	-26.7	-39.9	48.2	236	0.0	0.65	1.0	
256	232	237	0.0	0.633	1.0	46.8	-9.8	-40.9	42.1	256		0.0	1.0	0.92	56.2	-28.9	-37.0	47.1	232		0.0	0.633	1.0	0.0	1.0	0.983	56.7	-26.2	-40.5	48.4	237	0.0	0.633	1.0	
257	233	237	0.0	0.616	1.0	46.2	-8.9	-40.9	41.8	257		0.0	1.0	0.933	56.3	-28.4	-37.7	47.4	233		0.0	0.617	1.0	0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	237	0.0	0.617	1.0	
259	234	238	0.0	0.6	1.0	45.5	-7.8	-40.9	41.7	259		0.0	1.0	0.945	56.4	-27.9	-38.4	47.6	234		0.0	0.6	1.0	0.0	1.0	0.988	1.0	56.6	-25.0	-41.4	48.5	238	0.0	0.6	1.0
260	235	239	0.0	0.583	1.0	44.9	-6.6	-41.0	41.5	260		0.0	1.0	0.957	56.5	-27.4	-39.1	47.9	235		0.0	0.583	1.0	0.0	1.0	0.962	1.0	56.0	-24.1	-41.4	48.1	239	0.0	0.583	1.0
262	236	240	0.0	0.566	1.0	44.2	-5.5	-40.9	41.3	262		0.0	1.0	0.97	56.6	-26.8	-39.8	48.1	236		0.0	0.567	1.0	0.0	1.0	0.937	1.0	55.5	-23.2	-41.4	47.6	240	0.0	0.567	1.0
263	237	241	0.0	0.55	1.0	43.6	-4.4	-40.9	41.1	263		0.0	1.0	0.982	56.7	-26.2	-40.5	48.4	237		0.0	0.55	1.0	0.0	1.0	0.911	1.0	54.9	-22.3	-41.4	47.1	241	0.0	0.55	1.0
265	238	242	0.0	0.533	1.0	43.0	-3.3	-40.8	41.0	265		0.0	1.0	0.994	56.8	-25.7	-41.1	48.6	238		0.0	0.533	1.0	0.0	1.0	0.885	1.0	54.4	-21.4	-41.3	46.7	242	0.0	0.533	1.0
266	239	243	0.0	0.516	1.0	42.3	-2.3	-40.7	40.8	266		0.0	0.985	1.0	56.5	-24.9	-41.4	48.5	239		0.0	0.517	1.0	0.0	1.0	0.864	1.0	53.9	-20.6	-41.3	46.3	243	0.0	0.517	1.0
268	240	244	0.0	0.5	1.0	41.7	-1.2	-40.6	40.6	268		0.0	0.956	1.0	55.9	-23.9	-41.4	48.0	240		0.0	0.5	1.0	0.0	1.0	0.847	1.0	53.3	-19.8	-41.3	45.9	244	0.0	0.5	1.0
269	241	245	0.0	0.483	1.0	41.1	-0.2	-40.6	40.6	269		0.0	0.928	1.0	55.3	-22.9	-41.4	47.4	241		0.0	0.483	1.0	0.0	1.0	0.829	1.0	52.8	-19.0	-41.3	45.6	245	0.0	0.483	1.0
271	242	246	0.0	0.466	1.0	40.5	0.7	-40.6	40.6	271		0.0	0.9	1.0	54.7	-21.9	-41.3	46.9	242		0.0	0.467	1.0	0.0	1.0	0.811	1.0	52.3	-18.1	-41.2	45.2	246	0.0	0.467	1.0
272	243	247	0.0	0.45	1.0	39.9	1.7	-40.6	40.6	272		0.0	0.873	1.0	54.1	-21.0	-41.3	46.4	243		0.0	0.45	1.0	0.0	1.0	0.793	1.0	51.7	-17.3	-41.2	44.8	247	0.0	0.45	1.0
273	244	248	0.0	0.433	1.0	39.3	2.7	-40.6	40.6	273		0.0	0.854	1.0	53.5	-20.1	-41.3	46.1	244		0.0	0.433	1.0	0.0	1.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248	0.0	0.433	1.0
275	245	248	0.0	0.416	1.0	38.8	3.6	-40.5	40.6	275		0.0	0.834	1.0	53.0	-19.2	-41.3	45.7	245		0.0	0.417	1.0	0.0	1.0	0.757	1.0	50.7	-15.8	-41.1	44.1	248	0.0	0.417	1.0
276	246	249	0.0	0.4	1.0	38.2	4.6	-40.4	40.7	276		0.0	0.815	1.0	52.4	-18.3	-41.3	45.3	246		0.0	0.4	1.0	0.0	1.0	0.741	1.0	50.2	-15.0	-41.0	43.8	249	0.0	0.4	1.0
277	247	250	0.0	0.383	1.0	37.6	5.6	-40.3	40.7	277		0.0	0.795	1.0	51.8	-17.4	-41.2	44.9	247		0.0	0.383	1.0	0.0	1.0	0.726	1.0	49.7	-14.3	-41.1	43.6	250	0.0	0.383	1.0
279	248	251	0.0	0.366	1.0	37.0	6.6	-40.2	40.8	279		0.0	0.775	1.0	51.2	-16.6	-41.1	44.5	248		0.0	0.367	1.0	0.0	1.0	0.711	1.0	49.2	-13.5	-41.0	43.4	251	0.0	0.367	1.0</



Data til maksimumsfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCBM<sub>S</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCBM<sub>C</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCBM<sub>C</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
289	255	258	0.0	0.25 1.0	32.8	14.3	-40.2	42.7	289	0.0	0.25 1.0	47.5	-10.9	-40.9	42.5	255	0.0	0.25 1.0	0.0	0.25 1.0	46.1	-8.6	-40.8	41.9	258	0.0	0.25 1.0	0.0	0.25 1.0	45.7	-7.9	-40.9	41.7	258	0.0	0.233 1.0	0.0	0.603 1.0	45.3	-7.2	-40.9	41.6	259	0.0	0.217 1.0	0.0	0.593 1.0	44.9	-6.6	-40.9	41.5	260	0.0	0.2 1.0	0.0	0.583 1.0	44.5	-5.9	-40.9	41.4	261	0.0	0.183 1.0	0.0	0.573 1.0	44.1	-5.2	-40.9	41.3	262	0.0	0.166 1.0	0.0	0.562 1.0	43.7	-4.5	-40.9	41.2	263	0.0	0.15 1.0	0.0	0.552 1.0	43.4	-3.9	-40.8	41.1	264	0.0	0.133 1.0	0.0	0.542 1.0	43.0	-3.2	-40.8	41.0	265	0.0	0.116 1.0	0.0	0.532 1.0	43.0	-3.2	-40.8	41.0	266	0.0	0.1 1.0	0.0	0.522 1.0	42.6	-2.6	-40.7	40.9	267	0.0	0.083 1.0	0.0	0.512 1.0	42.2	-1.9	-40.7	40.8	268	0.0	0.066 1.0	0.0	0.502 1.0	41.8	-1.3	-40.6	40.7	269	0.0	0.049 1.0	0.0	0.491 1.0	41.4	-0.6	-40.6	40.7	270	0.0	0.033 1.0	0.0	0.481 1.0	41.0	0.0	-40.6	40.7	271	0.0	0.016 1.0	0.0	0.469 1.0	40.6	0.6	-40.6	40.7	272	0.0	0.0 1.0	0.0	0.458 1.0	40.3	1.2	-40.6	40.7	273	0.0	0.0 1.0	0.0	0.447 1.0	39.9	1.9	-40.5	40.7	274	0.0	0.016 0.0	1.0	0.435 1.0	39.5	2.6	-40.5	40.7	275	0.0	0.033 0.0	1.0	0.424 1.0	39.1	3.3	-40.5	40.7	276	0.0	0.05 0.0	1.0	0.413 1.0	38.7	3.9	-40.4	40.7	277	0.0	0.066 0.0	1.0	0.401 1.0	38.3	4.6	-40.3	40.7	278	0.0	0.083 0.0	1.0	0.39 1.0	37.9	5.3	-40.3	40.7	279	0.0	0.1 0.0	1.0	0.378 1.0	37.5	5.9	-40.2	40.7	280	0.0	0.116 0.0	1.0	0.367 1.0	37.1	6.6	-40.2	40.8	281	0.0	0.133 0.0	1.0	0.357 1.0	36.7	7.3	-40.2	41.0	282	0.0	0.15 0.0	1.0	0.346 1.0	36.3	8.0	-40.3	41.2	283	0.0	0.166 0.0	1.0	0.335 1.0	35.9	8.7	-40.3	41.3	284	0.0	0.183 0.0	1.0	0.324 1.0	35.5	9.4	-40.3	41.5	285	0.0	0.2 0.0	1.0	0.313 1.0	35.1	10.1	-40.3	41.7	286	0.0	0.216 0.0	1.0	0.303 1.0	34.8	10.8	-40.3	41.9	287	0.0	0.233 0.0	1.0	0.292 1.0	34.4	11.6	-40.3	42.0	288	0.0	0.25 0.0	1.0	0.281 1.0	34.0	12.3	-40.3	42.2	289	0.0	0.266 0.0	1.0	0.27 1.0	33.6	13.0	-40.2	42.4	290	0.0	0.286 0.0	1.0	0.26 1.0	33.2	13.7	-40.2	42.5	291	0.0	0.287 0.0	1.0	0.249 1.0	32.8	14.4	-40.1	42.7	292	0.0	0.283 0.0	1.0	0.236 1.0	32.4	15.2	-40.2	43.1	293	0.0	0.288 0.0	1.0	0.223 1.0	32.0	16.0	-40.3	43.4	294	0.0	0.3 0.0	1.0	0.211 1.0	31.5	16.8	-40.3	43.8	295	0.0	0.316 0.0	1.0	0.198 1.0	31.1	17.6	-40.3	44.1	296	0.0	0.330 0.0	1.0	0.186 1.0	30.7	18.4	-40.4	44.5	297	0.0	0.343 0.0	1.0	0.173 1.0	30.3	19.2	-40.4	44.8	298	0.0	0.356 0.0	1.0	0.161 1.0	29.9	20.1	-40.3	45.1	299	0.0	0.369 0.0	1.0	0.148 1.0	29.4	20.9	-40.3	45.5	300	0.0	0.382 0.0	1.0	0.136 1.0	29.0	21.7	-40.3	45.8	301	0.0	0.395 0.0	1.0	0.122 1.0	28.6	22.6	-40.2	46.2	302	0.0	0.408 0.0	1.0	0.109 1.0	28.2	23.3	-40.3	46.6	303	0.0	0.421 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	304	0.0	0.434 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	305	0.0	0.447 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	306	0.0	0.460 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	307	0.0	0.473 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	308	0.0	0.486 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	309	0.0	0.499 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	310	0.0	0.512 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	311	0.0	0.525 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	312	0.0	0.538 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	313	0.0	0.551 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	314	0.0	0.564 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	315	0.0	0.577 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	316	0.0	0.590 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	317	0.0	0.603 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	318	0.0	0.616 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	319	0.0	0.629 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	320	0.0	0.642 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	321	0.0	0.655 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	322	0.0	0.668 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	323	0.0	0.681 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	324	0.0	0.694 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	325	0.0	0.707 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	326	0.0	0.720 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	327	0.0	0.733 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	328	0.0	0.746 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	329	0.0	0.759 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	330	0.0	0.772 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	331	0.0	0.785 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	332	0.0	0.798 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	333	0.0	0.811 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	334	0.0	0.824 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	335	0.0	0.837 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	336	0.0	0.850 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	337	0.0	0.863 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	338	0.0	0.876 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	339	0.0	0.889 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7	340	0.0	0.902 0.0	1.0	0.106 1.0	28.1	23.5	-40.3	46.7

5-1031431-L0 RN270-72 LAB\*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0, 95.6, 0.0, 0.0 output: Offset standard print; separation cmy0\*, D65, side 15/33

TUB-prøveplansje RN27; farbetoneplan: H\*d=B25Rd  
 48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>dd</sub>  
 output: 3D-linearisering til cmy0\*<sub>dd</sub>

se liggende filer: http://130.149.60.45/~farbmetrik/RN27/RN27L0FA.TXT /.PS  
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)  
 TUB-material: code=rh4ta

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGBM<sub>s</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGBM<sub>d</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGBM<sub>e</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* dex361Mi (x=LabCh)	rgb* dd361Mi																						
340	300	300	0.5	0.0 1.0	35.6	58.6	-20.7	62.1	340	0.0	0.109	1.0	28.2	23.3	-40.3	46.6	300	0.5	0.0	1.0	0.0	0.106	1.0	28.1	23.5	-40.3	46.7	300	0.5	0.0	1.0
341	301	301	0.516	0.0 1.0	35.9	59.5	-19.9	62.8	341	0.0	0.091	1.0	27.7	24.3	-40.3	47.2	301	0.517	0.0	1.0	0.0	0.089	1.0	27.6	24.4	-40.3	47.2	301	0.517	0.0	1.0
342	302	302	0.533	0.0 1.0	36.2	60.5	-19.0	63.4	342	0.0	0.074	1.0	27.2	25.3	-40.4	47.7	302	0.533	0.0	1.0	0.0	0.073	1.0	27.2	25.4	-40.4	47.8	302	0.533	0.0	1.0
343	303	303	0.55	0.0 1.0	36.6	61.4	-18.2	64.0	343	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0	0.0	0.056	1.0	26.7	26.3	-40.4	48.3	303	0.55	0.0	1.0
344	304	303	0.566	0.0 1.0	36.9	62.3	-17.3	64.7	344	0.0	0.039	1.0	26.2	27.3	-40.4	48.9	304	0.567	0.0	1.0	0.0	0.039	1.0	26.2	27.3	-40.4	48.8	303	0.567	0.0	1.0
345	305	304	0.583	0.0 1.0	37.2	63.2	-16.4	65.3	345	0.0	0.021	1.0	25.7	28.3	-40.4	49.4	305	0.583	0.0	1.0	0.0	0.023	1.0	25.7	28.2	-40.4	49.4	304	0.583	0.0	1.0
346	306	305	0.6	0.0 1.0	37.6	64.1	-15.4	66.0	346	0.0	0.004	1.0	25.2	29.4	-40.3	50.0	306	0.6	0.0	1.0	0.0	0.006	1.0	25.3	29.2	-40.3	49.9	305	0.6	0.0	1.0
347	307	306	0.616	0.0 1.0	37.9	65.0	-14.5	66.6	347	0.011	0.0	1.0	25.3	30.2	-40.0	50.2	307	0.617	0.0	1.0	0.009	0.0	1.0	25.3	30.1	-40.1	50.2	306	0.617	0.0	1.0
348	308	307	0.633	0.0 1.0	38.3	65.8	-13.7	67.2	348	0.026	0.0	1.0	25.7	31.0	-39.6	50.3	308	0.633	0.0	1.0	0.023	0.0	1.0	25.6	30.8	-39.7	50.3	307	0.633	0.0	1.0
348	309	308	0.65	0.0 1.0	38.8	66.6	-13.1	67.9	348	0.041	0.0	1.0	26.0	31.8	-39.1	50.5	309	0.65	0.0	1.0	0.036	0.0	1.0	25.9	31.5	-39.3	50.4	308	0.65	0.0	1.0
349	310	309	0.666	0.0 1.0	39.3	67.3	-12.5	68.5	349	0.056	0.0	1.0	26.3	32.5	-38.7	50.6	310	0.667	0.0	1.0	0.05	0.0	1.0	26.2	32.3	-38.8	50.6	309	0.667	0.0	1.0
350	311	310	0.683	0.0 1.0	39.8	68.1	-11.9	69.1	350	0.07	0.0	1.0	26.7	33.3	-38.2	50.8	311	0.683	0.0	1.0	0.064	0.0	1.0	26.5	33.0	-38.4	50.7	310	0.683	0.0	1.0
350	312	311	0.7	0.0 1.0	40.3	68.8	-11.2	69.7	350	0.085	0.0	1.0	27.0	34.1	-37.7	50.9	312	0.7	0.0	1.0	0.078	0.0	1.0	26.9	33.7	-37.9	50.8	311	0.7	0.0	1.0
351	313	312	0.716	0.0 1.0	40.8	69.5	-10.6	70.4	351	0.1	0.0	1.0	27.3	34.8	-37.2	51.0	313	0.717	0.0	1.0	0.092	0.0	1.0	27.2	34.4	-37.5	51.0	312	0.717	0.0	1.0
351	314	313	0.733	0.0 1.0	41.3	70.3	-9.9	71.0	351	0.114	0.0	1.0	27.7	35.5	-36.7	51.2	314	0.733	0.0	1.0	0.106	0.0	1.0	27.5	35.1	-37.0	51.1	313	0.733	0.0	1.0
352	315	314	0.75	0.0 1.0	41.8	71.0	-9.2	71.6	352	0.13	0.0	1.0	27.9	36.3	-36.2	51.3	315	0.75	0.0	1.0	0.12	0.0	1.0	27.8	35.8	-36.5	51.2	314	0.75	0.0	1.0
353	316	315	0.766	0.0 1.0	42.1	71.6	-8.7	72.1	353	0.146	0.0	1.0	28.1	37.1	-35.7	51.6	316	0.767	0.0	1.0	0.135	0.0	1.0	28.0	36.6	-36.0	51.4	315	0.767	0.0	1.0
353	317	316	0.783	0.0 1.0	42.4	72.1	-8.1	72.6	353	0.163	0.0	1.0	28.2	37.9	-35.3	51.8	317	0.783	0.0	1.0	0.151	0.0	1.0	28.1	37.3	-35.6	51.7	316	0.783	0.0	1.0
353	318	317	0.8	0.0 1.0	42.7	72.7	-7.6	73.1	353	0.18	0.0	1.0	28.3	38.7	-34.8	52.1	318	0.8	0.0	1.0	0.167	0.0	1.0	28.2	38.1	-35.1	51.9	317	0.8	0.0	1.0
354	319	318	0.816	0.0 1.0	43.1	73.2	-7.0	73.6	354	0.197	0.0	1.0	28.5	39.5	-34.2	52.4	319	0.817	0.0	1.0	0.183	0.0	1.0	28.4	38.9	-34.7	52.1	318	0.817	0.0	1.0
354	320	319	0.833	0.0 1.0	43.4	73.8	-6.5	74.1	354	0.213	0.0	1.0	28.6	40.3	-33.7	52.6	320	0.833	0.0	1.0	0.199	0.0	1.0	28.5	39.6	-34.2	52.4	319	0.833	0.0	1.0
355	321	320	0.85	0.0 1.0	43.7	74.3	-5.9	74.6	355	0.23	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.85	0.0	1.0	0.215	0.0	1.0	28.6	40.4	-33.7	52.6	320	0.85	0.0	1.0
355	322	321	0.866	0.0 1.0	44.0	74.9	-5.3	75.1	355	0.247	0.0	1.0	28.9	41.9	-32.6	53.1	322	0.867	0.0	1.0	0.231	0.0	1.0	28.7	41.1	-33.2	52.9	321	0.867	0.0	1.0
356	323	321	0.883	0.0 1.0	44.3	75.4	-4.7	75.6	356	0.259	0.0	1.0	29.2	42.7	-32.1	53.5	323	0.883	0.0	1.0	0.247	0.0	1.0	28.9	41.8	-32.6	53.1	321	0.883	0.0	1.0
356	324	322	0.9	0.0 1.0	44.6	76.0	-4.1	76.1	356	0.27	0.0	1.0	29.5	43.7	-31.6	54.0	324	0.9	0.0	1.0	0.258	0.0	1.0	29.2	42.7	-32.1	53.5	322	0.9	0.0	1.0
357	325	323	0.916	0.0 1.0	44.8	76.6	-3.5	76.6	357	0.282	0.0	1.0	29.9	44.6	-31.1	54.4	325	0.917	0.0	1.0	0.269	0.0	1.0	29.5	43.5	-31.7	53.9	323	0.917	0.0	1.0
357	326	324	0.933	0.0 1.0	45.1	77.1	-2.8	77.2	357	0.293	0.0	1.0	30.2	45.5	-30.6	54.8	326	0.933	0.0	1.0	0.28	0.0	1.0	29.8	44.4	-31.2	54.3	324	0.933	0.0	1.0
358	327	325	0.95	0.0 1.0	45.3	77.7	-2.2	77.7	358	0.304	0.0	1.0	30.6	46.4	-30.0	55.3	327	0.95	0.0	1.0	0.29	0.0	1.0	30.1	45.2	-30.7	54.7	325	0.95	0.0	1.0
358	328	326	0.966	0.0 1.0	45.6	78.2	-1.5	78.2	358	0.315	0.0	1.0	30.9	47.2	-29.4	55.7	328	0.967	0.0	1.0	0.301	0.0	1.0	30.5	46.1	-30.2	55.1	326	0.967	0.0	1.0
359	329	327	0.983	0.0 1.0	45.8	78.7	-0.8	78.7	359	0.326	0.0	1.0	31.3	48.1	-28.8	56.1	329	0.983	0.0	1.0	0.311	0.0	1.0	30.8	46.9	-29.6	55.6	327	0.983	0.0	1.0
359	330	328	1.0	0.0 1.0	46.1	79.3	-0.2	79.3	359	0.337	0.0	1.0	31.6	49.0	-28.2	56.6	330	1.0	0.0	1.0	0.322	0.0	1.0	31.1	47.8	-29.1	56.0	328	1.0	0.0	1.0
360	331	329	1.0	0.0 0.983	46.1	79.1	0.3	79.1	360	0.349	0.0	1.0	32.0	49.9	-27.5	57.0	331	1.0	0.0	0.983	0.332	0.0	1.0	31.5	48.6	-28.5	56.4	329	1.0	0.0	0.983
360	332	330	1.0	0.0 0.966	46.0	79.0	0.9	79.0	360	0.36	0.0	1.0	32.3	50.7	-26.9	57.5	332	1.0	0.0	0.967	0.343	0.0	1.0	31.8	49.4	-27.9	56.8	330	1.0	0.0	0.967
361	333	331	1.0	0.0 0.95	46.0	78.9	1.5	78.9	361	0.371	0.0	1.0	32.7	51.6	-26.2	57.9	333	1.0	0.0	0.95	0.354	0.0	1.0	32.1	50.3	-27.2	57.2	331	1.0	0.0	0.95
361	334	332	1.0	0.0 0.933	46.0	78.7	2.1	78.8	361	0.386	0.0	1.0	33.0	52.5	-25.5	58.4	334	1.0	0.0	0.933	0.364	0.0	1.0	32.4	51.1	-26.6	57.6	332	1.0	0.0	0.933
361	335	333	1.0	0.0 0.916	46.0	78.6	2.7	78.6	361	0.404	0.0	1.0	33.4	53.5	-24.8	59.0	335	1.0	0.0	0.917	0.375	0.0	1.0	32.8	51.9	-25.9	58.0	333	1.0	0.0	0.917
362	336	334	1.0	0.0 0.9	46.0	78.4	3.2	78.5	362	0.421	0.0	1.0	33.8	54.4	-24.1	59.6	336	1.0	0.0	0.9	0.391	0.0	1.0	33.1	52.8	-25.3	58.6	334	1.0	0.0	0.9
362	337	335	1.0	0.0 0.883	45.9	78.3	3.8	78.4	362	0.438	0.0	1.0	34.2	55.4	-23.4	60.1	337	1.0	0.0	0.883	0.408	0.0	1.0	33.5	53.7	-24.7	59.1	335	1.0	0.0	0.883
363	338	336	1.0	0.0 0.866	45.9	78.1	4.4	78.3	363	0.456	0.0	1.0	34.6	56.3	-22.6	60.7	338	1.0	0.0	0.867	0.424	0.0	1.0	33.9	54.6	-24.0	59.7	336	1.0	0.0	0.867
363	339	337	1.0	0.0 0.85	45.9	78.0	5.0	78.2	363	0.473	0.0	1.0	35.0	57.2	-21.9	61.3	339	1.0	0.0	0.85	0.441	0.0	1.0	34.3	55.5	-23.3	60.2	337	1.0	0.0	0.85
364	340	338	1.0	0.0 0.833	45.9	77.9	5.6	78.1	364	0.491	0.0	1.0	35.4	58.1	-21.1	61.9	340	1.0	0.0	0.833	0.457	0.0	1.0	34.6	56.4	-22.6	60.8	338	1.0	0.0	0.833
364	341	339	1.0	0.0 0.816	45.9	77.7	6.2	78.0	364	0.508	0.0	1.0	35.8	59.1	-20.2	62.5	341	1													

Data til maksimalfargen M in fargemetrisk system Offset standard print; separation cmy0\*, D65 for input eller output; Seks fargetonevinkler til 60 graders standardfargene RYGCMB<sub>S</sub>; h<sub>ab,ds</sub> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; seks fargetonevinkler til apparatfargene RYGCMB<sub>C</sub>; h<sub>ab,d</sub> = 32.3, 96.1, 155.5, 238.4, 306.2, 359.8; seks fargetonevinkler til elementærfargene RYGCMB<sub>C</sub>; h<sub>ab,e</sub> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

h <sub>ab,d</sub>	h <sub>ab,s</sub>	h <sub>ab,e</sub>	rgb* dd361M	LAB* ddx361Mi (x=LabCh)	rgb* ds361Mi	LAB* dsx361Mi (x=LabCh)	rgb* dd361Mi	LAB* de361Mi	rgb* dex361Mi (x=LabCh)	rgb* dd361Mi	LAB* dd361Mi	rgb <sup>a</sup> <sub>dd</sub>	rgb <sup>a</sup> <sub>ds</sub>	rgb <sup>a</sup> <sub>de</sub>
366	345	342	1.0 0.0 0.75	45.9 77.1 8.6	77.6 366	0.576 0.0 1.0	37.1 62.9	-16.7 65.1	345	1.0 0.0 0.75	0.539 0.0 1.0	36.4 60.8	-18.7 63.7	342
367	346	343	1.0 0.0 0.733	45.9 77.0 9.4	77.5 367	0.593 0.0 1.0	37.5 63.8	-15.8 65.7	346	1.0 0.0 0.733	0.555 0.0 1.0	36.7 61.7	-17.9 64.3	343
367	347	344	1.0 0.0 0.716	45.9 76.8 10.3	77.5 367	0.61 0.0 1.0	37.8 64.7	-14.8 66.4	347	1.0 0.0 0.717	0.571 0.0 1.0	37.0 62.6	-17.0 64.9	344
368	348	345	1.0 0.0 0.7	45.9 76.6 11.1	77.4 368	0.627 0.0 1.0	38.2 65.6	-13.8 67.1	348	1.0 0.0 0.7	0.587 0.0 1.0	37.3 63.5	-16.1 65.5	345
368	349	346	1.0 0.0 0.683	45.9 76.4 11.9	77.3 368	0.654 0.0 1.0	39.0 66.8	-12.9 68.1	349	1.0 0.0 0.683	0.603 0.0 1.0	37.7 64.3	-15.2 66.1	346
369	350	347	1.0 0.0 0.666	45.9 76.2 12.8	77.2 369	0.681 0.0 1.0	39.8 68.0	-11.9 69.1	350	1.0 0.0 0.667	0.619 0.0 1.0	38.0 65.2	-14.3 66.7	347
370	351	348	1.0 0.0 0.65	46.0 75.9 13.6	77.2 370	0.708 0.0 1.0	40.6 69.2	-10.9 70.1	351	1.0 0.0 0.65	0.641 0.0 1.0	38.6 66.2	-13.4 67.6	348
370	352	349	1.0 0.0 0.633	46.0 75.7 14.4	77.1 370	0.735 0.0 1.0	41.4 70.4	-9.8 71.1	352	1.0 0.0 0.633	0.667 0.0 1.0	39.3 67.4	-12.4 68.5	349
371	353	350	1.0 0.0 0.616	46.0 75.5 15.2	77.1 371	0.765 0.0 1.0	42.1 71.6	-8.7 72.1	353	1.0 0.0 0.617	0.692 0.0 1.0	40.1 68.5	-11.5 69.5	350
372	354	351	1.0 0.0 0.6	45.9 75.4 16.1	77.1 372	0.8 0.0 1.0	42.8 72.7	-7.5 73.1	354	1.0 0.0 0.6	0.717 0.0 1.0	40.9 69.6	-10.5 70.4	351
372	355	352	1.0 0.0 0.583	45.9 75.2 16.9	77.1 372	0.835 0.0 1.0	43.5 73.9	-6.4 74.2	355	1.0 0.0 0.583	0.743 0.0 1.0	41.6 70.7	-9.5 71.4	352
373	356	353	1.0 0.0 0.566	45.9 75.0 17.8	77.1 373	0.87 0.0 1.0	44.2 75.0	-5.1 75.2	356	1.0 0.0 0.567	0.774 0.0 1.0	42.3 71.9	-8.4 72.4	353
374	357	354	1.0 0.0 0.55	45.9 74.8 18.6	77.1 374	0.904 0.0 1.0	44.7 76.2	-3.9 76.3	357	1.0 0.0 0.55	0.807 0.0 1.0	42.9 73.0	-7.3 73.3	354
374	358	355	1.0 0.0 0.533	45.9 74.6 19.5	77.1 374	0.938 0.0 1.0	45.2 77.3	-2.6 77.3	358	1.0 0.0 0.533	0.84 0.0 1.0	43.6 74.1	-6.2 74.3	355
375	359	356	1.0 0.0 0.516	45.9 74.4 20.3	77.1 375	0.971 0.0 1.0	45.7 78.4	-1.3 78.4	359	1.0 0.0 0.517	0.873 0.0 1.0	44.2 75.1	-5.0 75.3	356
375	360	357	1.0 0.0 0.5	45.9 74.2 21.1	77.1 375	1.0 0.0 0.994	46.1 79.3	0.0 79.3	360	1.0 0.0 0.5	0.736 0.0 1.0	41.4 70.5	-9.7 71.1	352
376	361	353	1.0 0.0 0.483	45.8 74.1 22.1	77.3 376	1.0 0.0 0.955	46.1 79.0	1.4 79.0	361	1.0 0.0 0.483	0.771 0.0 1.0	42.2 71.8	-8.5 72.3	353
377	362	354	1.0 0.0 0.466	45.8 73.9 23.1	77.4 377	1.0 0.0 0.916	46.0 78.6	2.7 78.7	362	1.0 0.0 0.467	0.81 0.0 1.0	43.0 73.1	-7.2 73.4	354
378	363	355	1.0 0.0 0.45	45.8 73.8 24.0	77.6 378	1.0 0.0 0.876	46.0 78.3	4.1 78.4	363	1.0 0.0 0.45	0.849 0.0 1.0	43.8 74.4	-5.9 74.6	355
378	364	356	1.0 0.0 0.433	45.8 73.6 25.0	77.7 378	1.0 0.0 0.839	46.0 78.0	5.5 78.2	364	1.0 0.0 0.433	0.887 0.0 1.0	44.4 75.6	-4.5 75.8	356
379	365	357	1.0 0.0 0.416	45.8 73.4 25.9	77.9 379	1.0 0.0 0.802	46.0 77.7	6.8 78.0	365	1.0 0.0 0.417	0.925 0.0 1.0	45.0 76.9	-3.1 77.0	357
380	366	358	1.0 0.0 0.4	45.8 73.2 26.9	78.0 380	1.0 0.0 0.765	46.0 77.3	8.1 77.8	366	1.0 0.0 0.4	0.963 0.0 1.0	45.6 78.1	-1.6 78.1	358
380	367	359	1.0 0.0 0.383	45.8 73.0 27.8	78.2 380	1.0 0.0 0.734	46.0 77.0	9.5 77.6	367	1.0 0.0 0.383	1.0 0.0 1.0	46.1 79.3	-0.1 79.3	359
381	368	360	1.0 0.0 0.366	45.8 72.9 28.7	78.4 381	1.0 0.0 0.708	46.0 76.7	10.8 77.5	368	1.0 0.0 0.367	1.0 0.0 0.956	46.1 79.0	1.3 79.0	360
382	369	362	1.0 0.0 0.35	45.8 72.8 29.6	78.6 382	1.0 0.0 0.681	46.0 76.4	12.1 77.4	369	1.0 0.0 0.35	1.0 0.0 0.912	46.0 78.6	2.9 78.7	362
382	370	363	1.0 0.0 0.333	45.7 72.7 30.4	78.8 382	1.0 0.0 0.655	46.0 76.1	13.4 77.2	370	1.0 0.0 0.333	1.0 0.0 0.869	46.0 78.2	4.4 78.3	363
383	371	364	1.0 0.0 0.316	45.7 72.6 31.2	79.1 383	1.0 0.0 0.628	46.0 75.7	14.7 77.1	371	1.0 0.0 0.317	1.0 0.0 0.828	46.0 77.9	5.9 78.1	364
383	372	365	1.0 0.0 0.3	45.7 72.5 32.1	79.3 383	1.0 0.0 0.602	46.0 75.4	16.0 77.1	372	1.0 0.0 0.3	1.0 0.0 0.786	46.0 77.5	7.4 77.9	365
384	373	366	1.0 0.0 0.283	45.6 72.4 32.9	79.6 384	1.0 0.0 0.576	46.0 75.2	17.4 77.1	373	1.0 0.0 0.283	1.0 0.0 0.746	46.0 77.1	8.8 77.7	366
385	374	367	1.0 0.0 0.266	45.6 72.3 33.8	79.8 385	1.0 0.0 0.55	45.9 74.9	18.7 77.2	374	1.0 0.0 0.267	1.0 0.0 0.717	46.0 76.8	10.3 77.5	367
385	375	368	1.0 0.0 0.25	45.6 72.1 34.6	80.0 385	1.0 0.0 0.524	45.9 74.5	20.0 77.2	375	1.0 0.0 0.25	1.0 0.0 0.687	46.0 76.5	11.8 77.4	368
386	376	369	1.0 0.0 0.233	45.6 72.1 35.3	80.3 386	1.0 0.0 0.498	45.9 74.2	21.3 77.2	376	1.0 0.0 0.233	1.0 0.0 0.658	46.0 76.1	13.3 77.2	369
386	377	370	1.0 0.0 0.216	45.6 72.0 36.1	80.5 386	1.0 0.0 0.475	45.9 74.0	22.6 77.4	377	1.0 0.0 0.217	1.0 0.0 0.628	46.0 75.7	14.7 77.1	370
387	378	372	1.0 0.0 0.2	45.6 71.9 36.8	80.8 387	1.0 0.0 0.451	45.9 73.8	24.0 77.6	378	1.0 0.0 0.2	1.0 0.0 0.599	46.0 75.4	16.2 77.1	372
387	379	373	1.0 0.0 0.183	45.5 71.8 37.5	81.0 387	1.0 0.0 0.428	45.9 73.6	25.3 77.8	379	1.0 0.0 0.183	1.0 0.0 0.57	46.0 75.1	17.6 77.1	373
388	380	374	1.0 0.0 0.166	45.5 71.7 38.2	81.3 388	1.0 0.0 0.404	45.9 73.3	26.7 78.0	380	1.0 0.0 0.167	1.0 0.0 0.541	45.9 74.8	19.1 77.2	374
388	381	375	1.0 0.0 0.15	45.5 71.6 39.0	81.5 388	1.0 0.0 0.38	45.8 73.1	28.0 78.3	381	1.0 0.0 0.15	1.0 0.0 0.512	45.9 74.4	20.6 77.2	375
389	382	376	1.0 0.0 0.133	45.5 71.5 39.7	81.8 389	1.0 0.0 0.353	45.8 72.9	29.4 78.6	382	1.0 0.0 0.133	1.0 0.0 0.485	45.9 74.1	22.0 77.3	376
389	383	377	1.0 0.0 0.116	45.5 71.4 40.4	82.1 389	1.0 0.0 0.325	45.8 72.7	30.9 79.0	383	1.0 0.0 0.117	1.0 0.0 0.459	45.9 73.9	23.6 77.6	377
389	384	378	1.0 0.0 0.1	45.5 71.3 41.0	82.3 389	1.0 0.0 0.297	45.7 72.5	32.3 79.4	384	1.0 0.0 0.1	1.0 0.0 0.433	45.9 73.6	25.1 77.8	378
390	385	379	1.0 0.0 0.083	45.5 71.3 41.6	82.6 390	1.0 0.0 0.268	45.7 72.3	33.7 79.8	385	1.0 0.0 0.083	1.0 0.0 0.406	45.9 73.4	26.6 78.0	379
390	386	381	1.0 0.0 0.066	45.5 71.2 42.3	82.8 390	1.0 0.0 0.238	45.6 72.1	35.2 80.3	386	1.0 0.0 0.067	1.0 0.0 0.38	45.8 73.1	28.1 78.3	381
391	387	382	1.0 0.0 0.049	45.5 71.1 42.9	83.1 391	1.0 0.0 0.204	45.6 72.0	36.7 80.8	387	1.0 0.0 0.05	1.0 0.0 0.349	45.8 72.9	29.6 78.7	382
391	388	383	1.0 0.0 0.033	45.4 71.1 43.5	83.4 391	1.0 0.0 0.17	45.6 71.8	38.2 81.3	388	1.0 0.0 0.033	1.0 0.0 0.318	45.8 72.7	31.2 79.1	383
391	389	384	1.0 0.0 0.016	45.4 71.0 44.2	83.6 391	1.0 0.0 0.135	45.6 71.6	39.7 81.8	389	1.0 0.0 0.017	1.0 0.0 0.286	45.7 72.5	32.8 79.6	384
392	390	385	1.0 0.0 0.0	45.4 70.9 44.8	83.9 392	1.0 0.0 0.096	45.5 71.4	41.2 82.4	390	1.0 0.0 0.0	1.0 0.0 0.255	45.7 72.2	34.4 80.0	385

5-1031631-L0 RN270-72 LAB\*la0, YN=0%, XYZnw=3.6, 4.2, 6.1, 85.4, 89.1, 104.8, LAB\*nw=24.4, 0.0, 0.0 95.6, 0.0, 0.0

output: Offset standard print; separation cmy0\*, D65, side 17/33

TUB-prøveplansje RN27; farbetoneplan: H\*<sub>d</sub>=B25R<sub>d</sub>  
 48-trinns fargetonesirkel; rgb-LabCh\*tabeller

input: rgb/cmyk -> rgb<sub>dd</sub>  
 output: 3D-linearisering til cmy0\*<sub>dd</sub>

se liggende filer: http://130.149.60.45/~farbmetrik/RN27/RN27L0FA.TXT / .PS  
 teknisk informasjon: http://www.ps.bam.de eller http://130.149.60.45/~farbmetrik

TUB registrering: 20150701-RN27/RN27L0FA.TXT /.PS  
 anvendelse for måling av offsettrykk output, separasjon cmy0\* (CMY0)  
 TUB-material: code=rh4ta

http://130.149.60.45/~farbmetrik/RN27/RN27LOFA.TXT /.PS; 3D-linearisering  
 F: 3D-linearisering RN27/RN27LJ30FA.DAT i fil (F), side 18/33

nrf	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	cmyp*Fid	hsa_Mid	rgb*Mid	LabC*Mid	delta
0/648	R00Y_100_100ad	1.0	0.0	1.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0	0.0
1/657	R13Y_100_100ad	0.0	0.125	1.0	0.0	48.6	63.3	49.1	80.2	37.7	0.0	0.0
2/666	R25Y_100_100ad	0.0	0.25	1.0	0.0	53.0	53.4	54.8	76.5	45.7	0.0	0.0
3/675	R38Y_100_100ad	0.0	0.375	1.0	0.0	58.8	41.1	61.7	74.1	56.3	0.0	0.0
4/684	R50Y_100_100ad	0.0	0.5	1.0	0.0	64.5	28.9	68.6	74.5	67.1	0.0	0.0
5/693	R63Y_100_100ad	0.0	0.625	1.0	0.0	72.5	14.8	77.6	79.0	79.1	0.0	0.0
6/702	R75Y_100_100ad	0.0	0.75	1.0	0.0	87.6	4.3	84.7	84.8	87.4	0.0	0.0
7/711	R88Y_100_100ad	0.0	0.875	1.0	0.0	83.7	-3.8	90.5	92.0	92.4	0.0	0.0
8/720	Y00G_100_100ad	1.0	0.0	1.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0	0.0
9/639	Y13G_100_100ad	0.875	1.0	0.0	0.883	81.0	84.5	89.7	90.7	98.6	0.0	0.0
10/658	Y25G_100_100ad	0.75	1.0	0.0	0.766	81.2	-17.0	84.3	86.0	101.4	0.0	0.0
11/477	Y38G_100_100ad	0.625	1.0	0.0	0.633	81.0	-23.6	76.2	72.8	114.0	0.0	0.0
12/396	Y50G_100_100ad	0.5	1.0	0.0	0.5	70.6	-29.7	66.5	72.8	114.0	0.0	0.0
13/315	Y63G_100_100ad	0.375	1.0	0.0	0.366	64.5	-36.4	57.6	62.2	122.3	0.0	0.0
14/234	Y75G_100_100ad	0.25	1.0	0.0	0.233	57.9	-48.3	45.8	66.5	136.5	0.0	0.0
15/153	Y88G_100_100ad	0.125	1.0	0.0	0.116	54.4	-54.7	38.0	66.6	145.1	0.0	0.0
16/72	G00C_100_100ad	0.0	0.0	1.0	0.0	50.0	-65.0	29.6	71.4	155.5	0.0	0.0
17/73	G13C_100_100ad	0.0	0.125	1.0	0.0	50.5	-62.9	22.4	66.8	160.4	0.0	0.0
18/74	G25C_100_100ad	0.0	0.25	1.0	0.0	51.1	-59.5	13.9	61.1	166.8	0.0	0.0
19/75	G38C_100_100ad	0.0	0.375	1.0	0.0	52.9	-54.9	3.7	55.0	176.1	0.0	0.0
20/76	G50C_100_100ad	0.0	0.5	1.0	0.0	54.1	-48.0	49.3	49.3	189.3	0.0	0.0
21/77	G63C_100_100ad	0.0	0.625	1.0	0.0	54.1	-42.0	18.8	46.0	204.1	0.0	0.0
22/78	G75C_100_100ad	0.0	0.75	1.0	0.0	53.1	-35.4	-28.4	45.4	218.7	0.0	0.0
23/79	G88C_100_100ad	0.0	0.875	1.0	0.0	53.9	-30.4	-35.0	46.3	229.0	0.0	0.0
24/80	C00B_100_100ad	0.0	0.0	1.0	0.0	56.8	-25.5	-41.5	46.7	238.4	0.0	0.0
25/71	C13B_100_100ad	0.0	0.125	1.0	0.0	54.3	-21.4	-41.4	46.6	242.6	0.0	0.0
26/63	C25B_100_100ad	0.0	0.25	1.0	0.0	50.9	-16.2	-40.2	44.2	248.4	0.0	0.0
27/63	C38B_100_100ad	0.0	0.375	1.0	0.0	46.8	-9.8	-40.9	42.1	256.4	0.0	0.0
28/44	C50B_100_100ad	0.0	0.5	1.0	0.0	41.7	-1.2	-40.2	40.6	268.2	0.0	0.0
29/35	C63B_100_100ad	0.0	0.375	1.0	0.0	37.0	6.6	-40.2	40.8	279.3	0.0	0.0
30/26	C75B_100_100ad	0.0	0.25	1.0	0.0	32.2	15.3	-40.3	43.1	290.8	0.0	0.0
31/17	C88B_100_100ad	0.0	0.125	1.0	0.0	28.4	22.8	-40.3	46.3	299.5	0.0	0.0
32/8	B00M_100_100ad	0.0	0.0	1.0	0.0	25.0	29.5	-40.4	50.0	306.2	0.0	0.0
33/89	B13M_100_100ad	0.125	0.0	1.0	0.116	27.7	35.6	-36.7	51.1	314.1	0.0	0.0
34/170	B25M_100_100ad	0.25	0.0	1.0	0.233	28.7	41.2	-33.1	52.9	321.1	0.0	0.0
35/251	B38M_100_100ad	0.375	0.0	1.0	0.366	32.5	51.2	-26.5	57.7	332.6	0.0	0.0
36/332	B50M_100_100ad	0.5	0.0	1.0	0.5	35.6	58.6	-20.7	62.1	340.5	0.0	0.0
37/413	B63M_100_100ad	0.625	0.0	1.0	0.633	38.3	65.8	-13.7	67.2	348.2	0.0	0.0
38/494	B75M_100_100ad	0.75	0.0	1.0	0.766	42.1	71.6	-8.7	72.1	353.0	0.0	0.0
39/575	B88M_100_100ad	0.875	0.0	1.0	0.883	44.3	75.4	-4.7	75.6	356.3	0.0	0.0
40/656	M00R_100_100ad	1.0	0.0	1.0	0.0	46.1	79.3	-0.2	79.3	359.8	0.0	0.0
41/655	M13R_100_100ad	1.0	0.0	0.875	1.0	45.9	78.3	3.8	78.4	2.8	0.0	0.0
42/654	M25R_100_100ad	1.0	0.0	0.75	1.0	45.9	77.3	8.0	77.7	5.9	0.0	0.0
43/653	M38R_100_100ad	1.0	0.0	0.625	1.0	46.0	75.7	14.4	77.1	10.8	0.0	0.0
44/652	M50R_100_100ad	1.0	0.0	0.5	1.0	45.9	74.2	21.1	77.1	15.9	0.0	0.0
45/651	M63R_100_100ad	1.0	0.0	0.375	1.0	45.8	72.9	28.7	78.4	21.5	0.0	0.0
46/650	M75R_100_100ad	1.0	0.0	0.25	1.0	45.6	72.1	35.3	80.3	26.1	0.0	0.0
47/649	M88R_100_100ad	1.0	0.0	0.125	1.0	45.5	71.4	40.4	82.1	29.5	0.0	0.0
48/648	R00Y_100_100ad	1.0	0.0	1.0	0.0	45.4	70.9	44.8	83.9	32.3	0.0	0.0
49/0	NV_000ad	0.0	0.0	0.0	0.0	24.3	0.0	0.0	0.0	0.0	0.0	0.0
50/91	NV_013ad	0.125	0.0	0.0	0.125	23.2	0.0	0.0	0.0	0.0	0.0	0.0
51/182	NV_025ad	0.25	0.0	0.0	0.25	22.5	0.0	0.0	0.0	0.0	0.0	0.0
52/273	NV_038ad	0.375	0.0	0.0	0.375	21.0	0.0	0.0	0.0	0.0	0.0	0.0
53/564	NV_050ad	0.5	0.0	0.0	0.5	19.5	0.0	0.0	0.0	0.0	0.0	0.0
54/455	NV_063ad	0.625	0.0	0.0	0.625	18.0	0.0	0.0	0.0	0.0	0.0	0.0
55/546	NV_075ad	0.75	0.0	0.0	0.75	17.5	0.0	0.0	0.0	0.0	0.0	0.0
56/637	NV_088ad	0.875	0.0	0.0	0.875	16.7	0.0	0.0	0.0	0.0	0.0	0.0
57/728	NV_100ad	1.0	0.0	1.0	1.0	15.6	0.0	0.0	0.0	0.0	0.0	0.0

input: rgb/cmyk -> rgbd  
 output: 3D-linearisering til cmy0\*dd

TUB-prøveplanse RN27; farbetoneplan: H\*d=B25Rd  
 farger og fargeavstander, ΔE\*<sub>uv</sub>

RN270-7N\_18/33-F

5-1031731-F0

http://130.149.60.45/~farbmetrik/RN27/RN27LOFA.TXT /.PS; 3D-linearisering  
 F: 3D-linearisering RN27/RN27LJ30FA.DAT i fil (F), side 19/33

nifj	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	cmyp*Fid	LabC*Fid	hsa*Fid	rgb*Fid	LabC*Fid
0/648	R00Y_100_1000d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1/668	R25Y_100_1000d	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2/684	R50Y_100_1000d	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3/702	R75Y_100_1000d	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4/720	Y00C_100_1000d	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5/558	Y25C_100_1000d	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6/396	Y50C_100_1000d	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7/234	Y75C_100_1000d	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8/72	C00B_100_1000d	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
9/72	C00B_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10/76	C25B_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11/80	C50B_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12/44	G75B_100_1000d	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13/88	B00M_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14/332	B25R_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15/656	B50R_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16/652	B75R_100_1000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17/648	R00Y_100_1000d	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18/688	R00Y_100_0500d	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19/706	R50Y_100_0500d	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20/724	Y00C_100_0500d	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21/400	C00B_100_0500d	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
22/400	C00B_100_0500d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23/400	C25B_100_0500d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24/400	C50B_100_0500d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25/692	B50R_100_0500d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26/688	R00Y_100_0500d	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27/506	R00Y_075_0500d	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
28/524	R50Y_075_0500d	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
29/542	Y00C_075_0500d	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
30/380	Y50C_075_0500d	0.5	0.75	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
31/218	G00B_075_0500d	0.25	0.75	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
32/222	G50B_075_0500d	0.25	0.75	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
33/186	B00R_075_0500d	0.25	0.75	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
34/510	B50R_075_0500d	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
35/506	R00Y_075_0500d	0.75	0.25	0.25	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
36/324	R00Y_050_0500d	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37/342	R50Y_050_0500d	0.5	0.25	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25
38/360	Y00C_050_0500d	0.5	0.5	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25
39/198	Y50C_050_0500d	0.25	0.5	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25
40/36	G00B_050_0500d	0.0	0.5	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25
41/40	G50B_050_0500d	0.0	0.5	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25
42/4	B00R_050_0500d	0.0	0.5	0.25	0.5	0.25	0.25	0.25	0.25	0.25	0.25	0.25
43/328	B50R_050_0500d	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44/324	R00Y_050_0500d	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45/0	NW_0000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46/91	NW_0130d	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125	0.125
47/182	NW_0250d	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
48/273	NW_0380d	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375	0.375
49/364	NW_0500d	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
50/455	NW_0650d	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625	0.625
51/546	NW_0800d	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
52/636	NW_0950d	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875	0.875
53/728	NW_1000d	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0

delta

input: rgb/cmyk -> rgbd  
 output: 3D-linearisering til cmy0\*dd

TUB-prøveplanse RN27; farbetoneplan: H\*d=B25Rd  
 farger og fargeavstander, ΔE\*  
 RN270-7N\_19/33-F

5-1031831-F0









http://130.149.60.45/~farbmetrik/RN27/RN27LOFA.TXT /.PS; 3D-linearisering  
F: 3D-linearisering RN27/RN27LJ30FA.DAT i fil (F), side 22/33

n	HHC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	hsa_Jdd	rgb*Jdd	LabC*Jdd	delta
162	ROY0_025_025*Fid	0.25	0.0	0.25	0.0	29.6	0.764	389	1.0	0.0	0.0
163	ROY0_025_025*Jdd	0.25	0.125	0.125	0.0	29.7	0.922	390	0.0	0.5	44.8
164	B50R_025_025*Fid	0.25	0.0	0.25	0.0	29.8	0.772	360	1.0	0.0	70.9
165	B50R_025_025*Jdd	0.25	0.125	0.125	0.0	29.8	0.927	361	0.0	0.5	21.1
166	B34R_037_037*Fid	0.25	0.0	0.375	0.0	29.9	0.736	311	1.0	0.0	15.9
167	B34R_037_037*Jdd	0.25	0.187	0.187	0.0	29.9	0.927	312	0.0	0.6	359.8
168	B25K_050_050*Fid	0.25	0.0	0.5	0.0	29.9	0.6	311	0.683	0.0	69.1
169	B25K_050_050*Jdd	0.25	0.25	0.25	0.0	29.9	0.927	312	0.0	1.0	-11.9
170	B19K_062_062*Fid	0.25	0.0	0.625	0.0	30.0	0.484	292	0.5	0.0	350.0
171	B19K_062_062*Jdd	0.25	0.312	0.312	0.0	30.0	0.927	293	0.0	1.0	20.7
172	B15K_075_075*Fid	0.25	0.0	0.75	0.0	30.1	0.374	292	0.383	0.0	58.6
173	B15K_075_075*Jdd	0.25	0.375	0.375	0.0	30.1	0.927	293	0.0	1.0	62.1
174	B11R_100_100*Fid	0.25	0.0	1.0	0.0	30.2	0.138	288	0.316	0.0	30.9
175	B11R_100_100*Jdd	0.25	0.5	0.5	0.0	30.2	0.927	289	0.0	1.0	57.5
176	B09R_087_087*Fid	0.25	0.0	0.875	0.0	30.3	0.138	288	0.266	0.0	43.3
177	B09R_087_087*Jdd	0.25	0.437	0.437	0.0	30.3	0.927	289	0.0	1.0	53.8
178	B06R_100_087*Fid	0.25	0.125	0.875	0.0	30.4	0.112	277	0.183	0.0	31.8
179	B06R_100_087*Jdd	0.25	0.625	0.625	0.0	30.4	0.927	278	0.0	1.0	52.1
180	Y06G_025_025*Fid	0.25	0.0	1.0	0.0	30.4	0.0	89	0.15	0.0	31.2
181	Y06G_025_025*Jdd	0.25	0.25	0.25	0.0	30.4	0.927	90	0.0	1.0	51.6
182	NW_025*Fid	0.25	0.0	0.25	0.0	30.4	0.0	89	0.15	0.0	31.2
183	NW_025*Jdd	0.25	0.125	0.125	0.0	30.4	0.927	90	0.0	1.0	95.6
184	B00R_050_025*Fid	0.25	0.0	0.25	0.0	30.5	0.587	360	1.0	0.0	0.0
185	B00R_050_025*Jdd	0.25	0.375	0.375	0.0	30.5	0.927	361	0.0	1.0	25.0
186	B00R_050_025*Fid	0.25	0.0	0.625	0.0	30.5	0.388	270	0.0	0.0	306.2
187	B00R_050_025*Jdd	0.25	0.312	0.312	0.0	30.5	0.927	271	0.0	1.0	50.0
188	B00R_100_075*Fid	0.25	0.0	1.0	0.0	30.5	0.106	270	0.0	0.0	306.2
189	B00R_100_075*Jdd	0.25	0.5	0.5	0.0	30.5	0.927	271	0.0	1.0	50.0
190	Y50G_037_037*Fid	0.25	0.0	0.375	0.0	30.6	0.706	108	0.683	1.0	79.4
191	Y50G_037_037*Jdd	0.25	0.187	0.187	0.0	30.6	0.927	109	0.0	1.0	21.1
192	G00B_037_012*Fid	0.25	0.0	0.375	0.0	30.6	0.578	149	0.5	0.0	66.5
193	G00B_037_012*Jdd	0.25	0.187	0.187	0.0	30.6	0.927	150	0.0	1.0	29.7
194	G75B_050_025*Fid	0.25	0.0	0.375	0.0	30.6	0.448	149	0.0	0.0	65.0
195	G75B_050_025*Jdd	0.25	0.187	0.187	0.0	30.6	0.927	150	0.0	1.0	29.6
196	G88B_075_050*Fid	0.25	0.0	0.625	0.0	30.7	0.37	240	0.0	0.5	48.7
197	G88B_075_050*Jdd	0.25	0.312	0.312	0.0	30.7	0.927	241	0.0	1.0	26.8
198	Y90G_050_050*Fid	0.25	0.0	1.0	0.0	30.7	0.0	262	0.0	0.15	29.5
199	Y90G_050_050*Jdd	0.25	0.5	0.5	0.0	30.7	0.927	263	0.0	1.0	20.7
200	G00B_050_037*Fid	0.25	0.0	0.375	0.0	30.7	0.781	131	0.316	0.0	62.3
201	G00B_050_037*Jdd	0.25	0.187	0.187	0.0	30.7	0.927	132	0.0	1.0	53.2
202	G25B_050_025*Fid	0.25	0.0	0.25	0.0	30.7	0.406	180	0.0	0.5	52.9
203	G25B_050_025*Jdd	0.25	0.125	0.125	0.0	30.7	0.927	181	0.0	1.0	48.6
204	G65B_062_037*Fid	0.25	0.0	0.5	0.0	30.8	0.271	228	0.0	1.0	56.8
205	G65B_062_037*Jdd	0.25	0.25	0.25	0.0	30.8	0.927	229	0.0	1.0	41.2
206	G88B_100_075*Fid	0.25	0.0	1.0	0.0	30.8	0.103	247	0.0	0.383	40.7
207	G88B_100_075*Jdd	0.25	0.5	0.5	0.0	30.8	0.927	248	0.0	1.0	27.7
208	Y16G_062_050*Fid	0.25	0.0	0.625	0.0	30.8	0.458	127	0.333	1.0	35.2
209	Y16G_062_050*Jdd	0.25	0.312	0.312	0.0	30.8	0.927	128	0.0	1.0	58.8
210	G15B_062_037*Fid	0.25	0.0	0.375	0.0	30.9	0.336	168	0.0	0.0	65.0
211	G15B_062_037*Jdd	0.25	0.187	0.187	0.0	30.9	0.927	169	0.0	1.0	29.6
212	G34B_062_037*Fid	0.25	0.0	0.625	0.0	30.9	0.175	210	0.0	1.0	56.8
213	G34B_062_037*Jdd	0.25	0.312	0.312	0.0	30.9	0.927	211	0.0	1.0	22.7
214	G09B_075_050*Fid	0.25	0.0	0.625	0.0	30.9	0.005	240	0.0	0.5	41.8
215	G09B_075_050*Jdd	0.25	0.312	0.312	0.0	30.9	0.927	241	0.0	1.0	12.4
216	Y86G_075_075*Fid	0.25	0.0	1.0	0.0	30.9	0.242	131	0.316	0.0	62.3
217	Y86G_075_075*Jdd	0.25	0.5	0.5	0.0	30.9	0.927	132	0.0	1.0	53.2
218	G15B_075_062*Fid	0.25	0.0	0.375	0.0	31.0	0.221	140	0.183	0.0	66.4
219	G15B_075_062*Jdd	0.25	0.187	0.187	0.0	31.0	0.927	141	0.0	1.0	42.5
220	G35B_075_050*Fid	0.25	0.0	0.375	0.0	31.0	0.184	180	0.0	0.5	52.1
221	G35B_075_050*Jdd	0.25	0.187	0.187	0.0	31.0	0.927	181	0.0	1.0	48.6
222	G38B_075_050*Fid	0.25	0.0	0.625	0.0	31.0	0.279	190	0.0	1.0	56.8
223	G38B_075_050*Jdd	0.25	0.312	0.312	0.0	31.0	0.927	191	0.0	1.0	28.4
224	G65B_100_075*Fid	0.25	0.0	1.0	0.0	31.0	0.086	219	0.0	0.816	18.5
225	G65B_100_075*Jdd	0.25	0.5	0.5	0.0	31.0	0.927	220	0.0	1.0	45.3
226	Y85G_087_050*Fid	0.25	0.0	0.875	0.0	31.0	0.241	135	0.266	1.0	59.3
227	Y85G_087_050*Jdd	0.25	0.437	0.437	0.0	31.0	0.927	136	0.0	1.0	45.9
228	G00B_087_062*Fid	0.25	0.0	0.625	0.0	31.1	0.112	149	0.0	0.0	66.4
229	G00B_087_062*Jdd	0.25	0.312	0.312	0.0	31.1	0.927	150	0.0	1.0	55.4
230	G19B_087_062*Fid	0.25	0.0	0.875	0.0	31.1	0.067	159	0.0	0.183	63.6
231	G19B_087_062*Jdd	0.25	0.437	0.437	0.0	31.1	0.927	160	0.0	1.0	17.4
232	G40B_087_062*Fid	0.25	0.0	1.0	0.0	31.1	0.002	210	0.0	0.0	54.2
233	G40B_087_062*Jdd	0.25	0.5	0.5	0.0	31.1	0.927	211	0.0	1.0	2.3
234	Y16G_100_100*Fid	0.25	0.0	1.0	0.0	31.1	0.0	89	0.0	0.0	0.0
235	Y16G_100_100*Jdd	0.25	0.5	0.5	0.0	31.1	0.927	90	0.0	1.0	46.3
236	G07B_100_075*Fid	0.25	0.0	0.625	0.0	31.1	0.063	200	0.0	0.016	202.2
237	G07B_100_075*Jdd	0.25	0.312	0.312	0.0	31.1	0.927	201	0.0	1.0	42.8
238	G15B_100_075*Fid	0.25	0.0	0.375	0.0	31.1	0.002	210	0.0	0.0	55.4
239	G15B_100_075*Jdd	0.25	0.187	0.187	0.0	31.1	0.927	211	0.0	1.0	45.7
240	G34B_100_075*Fid	0.25	0.0	0.625	0.0	31.1	0.015	168	0.0	0.85	45.9
241	G34B_100_075*Jdd	0.25	0.312	0.312	0.0	31.1	0.927	169	0.0	1.0	24.4
242	G50B_100_075*Fid	0.25	0.0	1.0	0.0	31.1	0.0	89	0.0	0.0	0.0
243	G50B_100_075*Jdd	0.25	0.5	0.5	0.0	31.1	0.927	90	0.0	1.0	56.8

input: rgb/cmyk -> rgbd  
output: 3D-linearisering til cmy0\*dd

http://130.149.60.45/~farbmetrik/RN27/RN27LOFA.TXT /.PS; 3D-linearisering  
 F: 3D-linearisering RN27/RN27LJ30FA.DAT i fil (F), side 23/33

n	HHC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	1.0	0.0	Han*Fid	rgb*Fid	LabC*Fid	cmyp*sep_Fid	1.0	0.0	delta
243	ROYX_037_037Ad	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.0	32.3 26.6 61.8	0.67	0.922	0.0	389	1.0 0.0 0.0	45.4 70.9 83.9	0.67	0.922	0.0	389
244	ROYX_037_037Ad	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	32.3 27.2 61.8	0.67	0.921	0.0	371	1.0 0.0 0.0	45.7 70.9 83.9	0.67	0.921	0.0	371
245	B6SK_037_037Ad	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.256	32.4 28.6 61.8	0.678	0.921	0.0	348	1.0 0.0 0.0	46.1 70.9 83.9	0.683	0.921	0.0	348
246	B6SK_037_037Ad	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	32.5 29.7 61.8	0.678	0.921	0.0	330	1.0 0.0 0.0	46.1 70.9 83.9	0.683	0.921	0.0	330
247	B3RK_050_050Ad	0.375 0.0 0.5	0.5 0.5 0.25	316	0.383 0.0 0.5	33.2 35.8 60.0	0.651	0.969	0.5	317	1.0 0.0 0.0	47.1 71.6 87.7	0.651	0.969	0.5	317
248	B3RK_062_062Ad	0.375 0.0 0.625	0.625 0.625 0.312	307	0.383 0.0 0.625	33.2 35.8 60.0	0.651	0.969	0.402	307	1.0 0.0 0.0	47.1 71.6 87.7	0.651	0.969	0.402	307
249	B2SK_075_075Ad	0.375 0.0 0.875	0.875 0.875 0.437	295	0.375 0.0 0.875	32.5 43.7 61.8	0.635	0.979	0.0	294	1.0 0.0 0.0	45.6 58.6 72.0	0.635	0.979	0.0	294
250	B2SK_087_087Ad	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	32.2 48.1 61.8	0.632	0.999	0.0	291	1.0 0.0 0.0	45.2 58.6 72.0	0.632	0.999	0.0	291
251	B1RK_100_100Ad	0.375 0.125 0.125	0.375 0.375 0.187	49	0.375 0.118 0.0	36.4 51.2 61.8	0.662	0.999	0.0	48	1.0 0.0 0.0	45.0 58.6 72.0	0.662	0.999	0.0	48
252	R31Y_037_037Ad	0.375 0.125 0.125	0.375 0.375 0.187	49	0.375 0.118 0.0	36.4 51.2 61.8	0.662	0.999	0.0	48	1.0 0.0 0.0	45.0 58.6 72.0	0.662	0.999	0.0	48
253	ROYX_037_037Ad	0.375 0.25 0.25	0.375 0.375 0.187	390	0.375 0.124 0.124	38.6 51.2 61.8	0.666	0.999	0.0	389	1.0 0.0 0.0	45.4 70.9 83.9	0.666	0.999	0.0	389
254	ROYX_037_037Ad	0.375 0.25 0.25	0.375 0.375 0.187	390	0.375 0.124 0.124	38.6 51.2 61.8	0.666	0.999	0.0	389	1.0 0.0 0.0	45.4 70.9 83.9	0.666	0.999	0.0	389
255	B5OR_037_037Ad	0.375 0.125 0.375	0.375 0.25 0.25	331	0.381 0.124 0.5	39.0 51.2 61.8	0.658	0.979	0.0	330	1.0 0.0 0.0	46.1 70.9 83.9	0.658	0.979	0.0	330
256	B5OR_037_037Ad	0.375 0.125 0.375	0.375 0.25 0.25	331	0.381 0.124 0.5	39.0 51.2 61.8	0.658	0.979	0.0	330	1.0 0.0 0.0	46.1 70.9 83.9	0.658	0.979	0.0	330
257	B3AR_050_037Ad	0.375 0.125 0.625	0.625 0.5 0.375	303	0.375 0.125 0.625	38.8 51.2 61.8	0.632	0.985	0.0	302	1.0 0.0 0.0	45.6 58.6 72.0	0.632	0.985	0.0	302
258	B2SK_062_050Ad	0.375 0.125 0.625	0.625 0.5 0.375	293	0.364 0.125 0.75	38.6 51.2 61.8	0.629	0.985	0.0	292	1.0 0.0 0.0	45.2 58.6 72.0	0.629	0.985	0.0	292
259	B1RK_087_075Ad	0.375 0.125 0.875	0.875 0.75 0.5	286	0.362 0.125 0.875	38.2 51.2 61.8	0.639	0.985	0.0	284	1.0 0.0 0.0	45.0 58.6 72.0	0.639	0.985	0.0	284
260	B1RK_100_087Ad	0.375 0.125 1.0	1.0 0.875 0.562	286	0.358 0.125 1.0	37.6 51.2 61.8	0.649	0.981	0.0	284	1.0 0.0 0.0	44.8 58.6 72.0	0.649	0.981	0.0	284
261	R68Y_037_037Ad	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.256 0.0	43.2 41.0 61.8	0.65	0.981	0.0	71	1.0 0.0 0.0	47.8 81.1 87.7	0.65	0.981	0.0	71
262	R68Y_037_037Ad	0.375 0.25 0.125	0.375 0.375 0.187	61	0.375 0.25 0.124	43.4 41.0 61.8	0.648	0.981	0.0	59	1.0 0.0 0.0	47.8 81.1 87.7	0.648	0.981	0.0	59
263	ROYX_037_037Ad	0.375 0.25 0.375	0.375 0.125 0.312	390	0.375 0.249 0.249	44.8 9.9 61.8	0.649	0.981	0.0	389	1.0 0.0 0.0	45.4 70.9 83.9	0.649	0.981	0.0	389
264	ROYX_037_037Ad	0.375 0.25 0.375	0.375 0.125 0.312	390	0.375 0.249 0.249	44.8 9.9 61.8	0.649	0.981	0.0	389	1.0 0.0 0.0	45.4 70.9 83.9	0.649	0.981	0.0	389
265	B2SK_062_050Ad	0.375 0.25 0.5	0.5 0.25 0.375	330	0.375 0.249 0.5	44.9 14.6 61.8	0.656	0.981	0.0	330	1.0 0.0 0.0	46.1 70.9 83.9	0.656	0.981	0.0	330
266	B2SK_062_050Ad	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	44.6 17.7 61.8	0.644	0.981	0.0	288	1.0 0.0 0.0	45.6 58.6 72.0	0.644	0.981	0.0	288
267	B1RK_075_050Ad	0.375 0.25 0.875	0.875 0.5 0.562	284	0.366 0.25 0.875	44.3 20.6 61.8	0.641	0.981	0.0	283	1.0 0.0 0.0	45.2 58.6 72.0	0.641	0.981	0.0	283
268	B1RK_075_050Ad	0.375 0.25 0.875	0.875 0.5 0.562	284	0.366 0.25 0.875	44.3 20.6 61.8	0.641	0.981	0.0	283	1.0 0.0 0.0	45.2 58.6 72.0	0.641	0.981	0.0	283
269	B0RK_100_075Ad	0.375 0.25 1.0	1.0 0.975 0.62	279	0.362 0.25 1.0	44.6 27.6 61.8	0.638	0.981	0.0	278	1.0 0.0 0.0	44.8 58.6 72.0	0.638	0.981	0.0	278
270	Y0AG_037_037Ad	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.375 0.0	48.1 51.2 61.8	0.643	0.997	0.0	89	1.0 0.0 0.0	47.8 81.1 87.7	0.643	0.997	0.0	89
271	Y0AG_037_037Ad	0.375 0.375 0.125	0.375 0.375 0.187	90	0.375 0.375 0.124	48.1 51.2 61.8	0.643	0.997	0.0	89	1.0 0.0 0.0	47.8 81.1 87.7	0.643	0.997	0.0	89
272	Y0AG_037_037Ad	0.375 0.375 0.25	0.375 0.125 0.312	360	0.375 0.375 0.249	50.1 1.2 61.8	0.643	0.997	0.0	360	1.0 0.0 0.0	47.8 81.1 87.7	0.643	0.997	0.0	360
273	Y0AG_037_037Ad	0.375 0.375 0.375	0.375 0.125 0.312	360	0.375 0.375 0.249	50.1 1.2 61.8	0.643	0.997	0.0	360	1.0 0.0 0.0	47.8 81.1 87.7	0.643	0.997	0.0	360
274	B0RK_050_012Ad	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	51.1 3.6 61.8	0.645	0.997	0.0	270	1.0 0.0 0.0	48.1 81.1 87.7	0.645	0.997	0.0	270
275	B0RK_062_012Ad	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	51.2 7.3 61.8	0.645	0.997	0.0	270	1.0 0.0 0.0	48.1 81.1 87.7	0.645	0.997	0.0	270
276	B0RK_087_050Ad	0.375 0.375 0.875	0.875 0.375 0.562	270	0.375 0.375 0.875	51.4 14.7 61.8	0.638	0.997	0.0	270	1.0 0.0 0.0	48.1 81.1 87.7	0.638	0.997	0.0	270
277	B0RK_087_050Ad	0.375 0.375 0.875	0.875 0.375 0.562	270	0.375 0.375 0.875	51.4 14.7 61.8	0.638	0.997	0.0	270	1.0 0.0 0.0	48.1 81.1 87.7	0.638	0.997	0.0	270
278	B0RK_100_062Ad	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	51.5 18.4 61.8	0.622	0.997	0.0	270	1.0 0.0 0.0	48.1 81.1 87.7	0.622	0.997	0.0	270
279	Y23G_050_050Ad	0.375 0.5 0.0	0.5 0.25 0.5	240	0.383 0.5 0.0	52.8 5.5 61.8	0.612	0.997	0.0	240	1.0 0.0 0.0	48.1 81.1 87.7	0.612	0.997	0.0	240
280	Y31G_050_037Ad	0.375 0.5 0.125	0.5 0.375 0.312	109	0.381 0.5 0.124	53.3 7.9 61.8	0.614	0.997	0.0	109	1.0 0.0 0.0	48.1 81.1 87.7	0.614	0.997	0.0	109
281	Y50C_050_025Ad	0.375 0.5 0.25	0.5 0.25 0.375	120	0.375 0.5 0.249	53.7 7.4 61.8	0.614	0.997	0.0	119	1.0 0.0 0.0	48.1 81.1 87.7	0.614	0.997	0.0	119
282	G00B_050_012Ad	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	55.1 3.3 61.8	0.638	0.997	0.0	149	1.0 0.0 0.0	48.1 81.1 87.7	0.638	0.997	0.0	149
283	G00B_050_012Ad	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	55.1 3.3 61.8	0.638	0.997	0.0	149	1.0 0.0 0.0	48.1 81.1 87.7	0.638	0.997	0.0	149
284	G50B_062_025Ad	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.5 0.625	55.4 3.3 61.8	0.638	0.997	0.0	240	1.0 0.0 0.0	48.1 81.1 87.7	0.638	0.997	0.0	240
285	G75B_075_037Ad	0.375 0.5 0.875	0.875 0.375 0.562	251	0.375 0.493 0.75	55.1 7.7 61.8	0.642	0.997	0.0	250	1.0 0.0 0.0	48.1 81.1 87.7	0.642	0.997	0.0	250
286	G88B_087_050Ad	0.375 0.5 0.875	0.875 0.375 0.562	251	0.375 0.493 0.75	55.1 7.7 61.8	0.642	0.997	0.0	250	1.0 0.0 0.0	48.1 81.1 87.7	0.642	0.997	0.0	250
287	G90B_100_050Ad	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.491 0.875	55.0 7.6 61.8	0.637	0.997	0.0	257	1.0 0.0 0.0	48.1 81.1 87.7	0.637	0.997	0.0	257
288	G90B_100_050Ad	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.491 0.875	55.0 7.6 61.8	0.637	0.997	0.0	257	1.0 0.0 0.0	48.1 81.1 87.7	0.637	0.997	0.0	257
289	Y38G_062_062Ad	0.375 0.625 0.0	0.625 0.625 0.312	113	0.385 0.625 0.0	56.0 11.6 61.8	0.606	0.997	0.0	112	1.0 0.0 0.0	48.1 81.1 87.7	0.606	0.997	0.0	112
290	Y68G_062_037Ad	0.375 0.625 0.125	0.625 0.375 0.437	131	0.375 0.625 0.125	56.4 14.8 61.8	0.647	0.997	0.0	129	1.0 0.0 0.0	48.1 81.1 87.7	0.647	0.997	0.0	129
291	G25B_062_025Ad	0.375 0.625 0.375	0.625 0.25 0.5	180	0.368 0.625 0.25	56.4 15.5 61.8	0.663	0.997	0.0	180	1.0 0.0 0.0	48.1 81.1 87.7	0.663	0.997	0.0	180
292	G25B_062_025Ad	0.375 0.625 0.375	0.625 0.25 0.5	180	0.368 0.625 0.25	56.4 15.5 61.8	0.663	0.997	0.0	180	1.0 0.0 0.0	48.1 81.1 87.7	0.663	0.997	0.0	180
293	G50B_062_025Ad	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	58.2 12.1 61.8	0.665	0.997	0.0	208	1.0 0.0 0.0	48.1 81.1 87.7	0.665	0.997	0.0	208
294	G65B_075_037Ad	0.375 0.625 0.875	0.875 0.375 0.562	240	0.375 0.625 0.875	59.0 16.2 61.8	0.649	0.997	0.0	238	1.0 0.0 0.0	48.1 81.1 87.7	0.649	0.997	0.0	238
295	G65B_075_037Ad	0.375 0.625 0.875	0.875 0.375 0.562	240	0.375 0.625 0.875	59.0 16.2 61.8	0.649	0.997	0.0	238	1.0 0.0 0.0	48.1 81.1 87.7	0.649	0.997	0.0	238
296	G80B_100_062Ad	0.375 0.625 1.0	1													

http://130.149.60.45/~farbmetrik/RN27/RN27LOFA.TXT /.PS; 3D-linearisering  
F: 3D-linearisering RN27/RN27LJ30FA.DAT i fil (F), side 24/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp*Sep.Fid	1.0	0.0	0.0	LabC*Fid	rgb*Fid	hsa_Fid	delta
324	R00Y_050_050ad	0.5	0.0	0.5	0.5	0.0	0.0	0.93	0.883	0.0	45.4	0.0	389	32.3
325	R00Y_050_050ad	0.5	0.125	0.5	0.5	0.0	0.0	0.567	0.833	0.0	45.6	0.0	377	44.8
326	R00Y_050_050ad	0.5	0.25	0.5	0.5	0.0	0.0	0.567	0.786	0.0	45.9	0.0	360	80.3
327	B61R_050_050ad	0.5	0.375	0.5	0.5	0.0	0.0	0.577	0.739	0.0	45.9	0.0	342	26.1
328	B40R_062_062ad	0.5	0.5	0.5	0.5	0.0	0.0	0.583	0.691	0.0	46.1	0.0	330	15.9
329	B40R_062_062ad	0.5	0.625	0.5	0.5	0.0	0.0	0.583	0.644	0.0	46.3	0.0	320	77.7
330	B34R_075_075ad	0.5	0.75	0.5	0.5	0.0	0.0	0.594	0.598	0.0	47.0	0.0	330	359.8
331	B29R_087_087ad	0.5	0.875	0.5	0.5	0.0	0.0	0.598	0.551	0.0	47.3	0.0	315	-0.2
332	B23R_100_100ad	0.5	1.0	0.5	0.5	0.0	0.0	0.606	0.506	0.0	48.1	0.0	301	73.6
333	B23R_100_100ad	0.5	1.125	0.5	0.5	0.0	0.0	0.606	0.459	0.0	48.6	0.0	311	354.4
334	R00Y_050_037ad	0.5	0.125	0.5	0.5	0.116	0.0	0.563	0.407	0.0	49.0	0.0	300	68.1
335	R18Y_050_037ad	0.5	0.25	0.5	0.5	0.124	0.0	0.54	0.354	0.0	49.4	0.0	389	350.0
336	B63R_050_037ad	0.5	0.375	0.5	0.5	0.124	0.0	0.546	0.307	0.0	49.4	0.0	348	-11.9
337	B63R_050_037ad	0.5	0.5	0.5	0.5	0.124	0.0	0.555	0.260	0.0	49.7	0.0	330	65.3
338	B38R_062_050ad	0.5	0.625	0.5	0.5	0.125	0.0	0.561	0.213	0.0	49.7	0.0	317	62.1
339	B38R_062_050ad	0.5	0.75	0.5	0.5	0.125	0.0	0.561	0.166	0.0	50.0	0.0	307	340.5
340	B29R_087_050ad	0.5	0.875	0.5	0.5	0.125	0.0	0.561	0.119	0.0	50.4	0.0	294	62.1
341	B20R_100_087ad	0.5	1.0	0.5	0.5	0.125	0.0	0.561	0.072	0.0	50.8	0.0	284	340.5
342	R00Y_050_050ad	0.5	1.125	0.5	0.5	0.125	0.0	0.561	0.025	0.0	51.2	0.0	271	67.1
343	R31Y_050_037ad	0.5	0.125	0.5	0.5	0.243	0.0	0.552	0.677	0.0	51.2	0.0	48	52.2
344	R00Y_050_025ad	0.5	0.25	0.5	0.5	0.249	0.0	0.552	0.630	0.0	51.2	0.0	389	44.8
345	R00Y_050_025ad	0.5	0.375	0.5	0.5	0.249	0.0	0.552	0.583	0.0	51.2	0.0	359	32.3
346	B30R_062_025ad	0.5	0.5	0.5	0.5	0.249	0.0	0.552	0.536	0.0	51.2	0.0	360	15.9
347	B30R_062_025ad	0.5	0.625	0.5	0.5	0.249	0.0	0.552	0.489	0.0	51.2	0.0	318	359.8
348	B24R_075_025ad	0.5	0.75	0.5	0.5	0.249	0.0	0.552	0.442	0.0	51.2	0.0	311	68.1
349	B18R_100_025ad	0.5	0.875	0.5	0.5	0.249	0.0	0.552	0.395	0.0	51.2	0.0	303	340.5
350	B18R_100_025ad	0.5	1.0	0.5	0.5	0.249	0.0	0.552	0.348	0.0	51.2	0.0	288	62.1
351	R68Y_050_037ad	0.5	0.125	0.5	0.5	0.383	0.0	0.536	0.499	0.0	51.2	0.0	288	87.0
352	R68Y_050_037ad	0.5	0.25	0.5	0.5	0.383	0.0	0.536	0.452	0.0	51.2	0.0	271	84.7
353	R00Y_050_025ad	0.5	0.375	0.5	0.5	0.383	0.0	0.536	0.405	0.0	51.2	0.0	264	82.1
354	R00Y_050_025ad	0.5	0.5	0.5	0.5	0.383	0.0	0.536	0.358	0.0	51.2	0.0	251	80.4
355	B50R_062_025ad	0.5	0.625	0.5	0.5	0.383	0.0	0.536	0.311	0.0	51.2	0.0	239	68.6
356	B50R_062_025ad	0.5	0.75	0.5	0.5	0.383	0.0	0.536	0.264	0.0	51.2	0.0	226	74.5
357	B18R_075_037ad	0.5	0.875	0.5	0.5	0.383	0.0	0.536	0.217	0.0	51.2	0.0	214	44.8
358	B18R_075_037ad	0.5	1.0	0.5	0.5	0.383	0.0	0.536	0.170	0.0	51.2	0.0	201	32.3
359	B09R_100_062ad	0.5	1.0	0.5	0.5	0.383	0.0	0.536	0.123	0.0	51.2	0.0	189	67.1
360	Y00G_050_050ad	0.5	0.5	0.5	0.5	0.561	0.0	0.524	0.405	0.0	51.2	0.0	279	96.1
361	Y00G_050_037ad	0.5	0.625	0.5	0.5	0.561	0.0	0.524	0.358	0.0	51.2	0.0	266	96.1
362	Y00G_050_025ad	0.5	0.75	0.5	0.5	0.561	0.0	0.524	0.311	0.0	51.2	0.0	253	96.1
363	Y00G_050_025ad	0.5	0.875	0.5	0.5	0.561	0.0	0.524	0.264	0.0	51.2	0.0	240	96.1
364	NW_050ad	0.5	1.0	0.5	0.5	0.561	0.0	0.524	0.217	0.0	51.2	0.0	227	96.1
365	B00R_062_012ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.170	0.0	51.2	0.0	214	0.0
366	B00R_075_025ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.123	0.0	51.2	0.0	201	0.0
367	B00R_087_037ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.076	0.0	51.2	0.0	188	0.0
368	B00R_100_050ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.029	0.0	51.2	0.0	175	0.0
369	Y18G_062_062ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.405	0.0	51.2	0.0	360	50.0
370	Y23G_062_062ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.358	0.0	51.2	0.0	347	306.2
371	Y31G_062_037ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.311	0.0	51.2	0.0	334	50.0
372	Y31G_062_025ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.264	0.0	51.2	0.0	321	306.2
373	G00B_062_012ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.217	0.0	51.2	0.0	308	50.0
374	G00B_062_012ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.170	0.0	51.2	0.0	295	50.0
375	G50B_062_025ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.123	0.0	51.2	0.0	282	50.0
376	G84B_087_037ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.076	0.0	51.2	0.0	269	50.0
377	G88B_100_050ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.029	0.0	51.2	0.0	256	288.2
378	G88B_100_050ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.405	0.0	51.2	0.0	108	50.0
379	Y38G_075_062ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.358	0.0	51.2	0.0	112	108.0
380	Y43G_075_062ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.311	0.0	51.2	0.0	105	108.0
381	Y48G_075_062ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.264	0.0	51.2	0.0	92	72.8
382	G00B_075_025ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.217	0.0	51.2	0.0	80	155.8
383	G25B_075_025ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.170	0.0	51.2	0.0	68	155.8
384	G00B_075_025ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.123	0.0	51.2	0.0	56	189.3
385	G50B_075_025ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.076	0.0	51.2	0.0	44	238.4
386	G65B_087_037ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.029	0.0	51.2	0.0	32	253.3
387	Y41G_087_050ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.405	0.0	51.2	0.0	214	42.9
388	Y50G_087_050ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.358	0.0	51.2	0.0	201	40.6
389	Y60G_087_062ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.311	0.0	51.2	0.0	188	268.2
390	Y60G_087_062ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.264	0.0	51.2	0.0	175	43.1
391	G00B_087_050ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.217	0.0	51.2	0.0	162	66.5
392	G15B_087_057ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.170	0.0	51.2	0.0	149	155.5
393	G34B_087_057ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.123	0.0	51.2	0.0	136	248.4
394	G50B_087_057ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.076	0.0	51.2	0.0	122	44.2
395	G61B_100_050ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.029	0.0	51.2	0.0	109	72.8
396	Y50G_100_087ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.405	0.0	51.2	0.0	96	114.0
397	Y50G_100_087ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.358	0.0	51.2	0.0	83	69.8
398	Y68G_100_075ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.311	0.0	51.2	0.0	70	118.9
399	Y81G_100_062ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.264	0.0	51.2	0.0	57	127.8
400	G00B_100_050ad	0.5	0.625	0.5	0.5	0.625	0.0	0.524	0.217	0.0	51.2	0.0	44	155.5
401	G11B_100_050ad	0.5	0.75	0.5	0.5	0.625	0.0	0.524	0.170	0.0	51.2	0.0	31	166.8
402	G25B_100_050ad	0.5	0.875	0.5	0.5	0.625	0.0	0.524	0.123	0.0	51.2	0.0	19	189.3
403	G38B_100_050ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.076	0.0	51.2	0.0	7	218.7
404	G50B_100_050ad	0.5	1.0	0.5	0.5	0.625	0.0	0.524	0.029	0.0	51.2	0.0	5	238.4

input: rgb/cmyk -> rgbd  
output: 3D-linearisering til cmy0\*dd

TUB-prøveplanse RN27; farbetoneplan: H\*d=B25Rd  
farger og fargeavstander, ΔE\*  
RN270-7N\_24/33-F

5-1032331-F0  
5-1032331-F0













<http://130.149.60.45/~farbmetrik/RN27/RN27LOFA.TXT /.PS; 3D-linearisering>  
F: 3D-linearisering RN27/RN27LJ30FA.DAT i fil (F), side 30/33

n	HC*Fid	rgb_Fid	icr_Fid	hsa_Fid	rgb*Fid	LabC*Fid	cmyp* <sub>sep</sub> Fid	cmyp* <sub>sep</sub> Fid	delta	LabC*Fid	rgb*Fid	hsa_Fid	cmyp* <sub>sep</sub> Fid	cmyp* <sub>sep</sub> Fid	delta	LabC*Fid	rgb*Fid	hsa_Fid	cmyp* <sub>sep</sub> Fid	cmyp* <sub>sep</sub> Fid	delta
810	NW_1000	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	1.0	360	0.0	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
811	BOOR_100_012ad	0.875	0.875	1.0	0.125	0.937	0.0	0.131	0.0	0.0	270	360	0.14	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
812	BOOR_100_025ad	0.75	0.75	1.0	0.25	0.812	0.0	0.232	0.0	0.0	270	270	0.269	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
813	BOOR_100_037ad	0.625	0.625	1.0	0.375	0.687	0.0	0.33	0.0	0.0	270	270	0.366	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
814	BOOR_100_050ad	0.5	0.5	1.0	0.5	0.562	0.0	0.447	0.0	0.0	270	270	0.493	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
815	BOOR_100_062ad	0.375	0.375	1.0	0.625	0.437	0.0	0.55	0.0	0.0	270	270	0.622	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
816	BOOR_100_075ad	0.25	0.25	1.0	0.75	0.312	0.0	0.661	0.0	0.0	270	270	0.751	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
817	BOOR_100_087ad	0.125	0.125	1.0	0.875	0.187	0.0	0.77	0.0	0.0	270	270	0.882	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
818	BOOR_100_100ad	0.0	0.0	1.0	1.0	0.0	0.0	0.886	0.0	0.0	270	270	0.999	0.0	0.0	25.0	29.5	50.0	306.2	0.0	0.0
819	YOOC_100_012ad	0.0	0.0	1.0	1.0	0.0	0.0	0.999	0.0	0.0	89	1.0	0.0	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
820	YOOC_100_025ad	0.875	0.875	0.0	0.125	0.937	0.0	0.162	0.0	0.0	360	1.0	0.162	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
821	BOOR_087_012ad	0.75	0.75	0.875	0.125	0.812	0.0	0.207	0.0	0.0	270	0.0	0.282	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
822	BOOR_087_025ad	0.625	0.625	0.875	0.25	0.687	0.0	0.309	0.0	0.0	270	0.0	0.387	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
823	BOOR_087_037ad	0.5	0.5	0.875	0.375	0.562	0.0	0.434	0.0	0.0	270	0.0	0.504	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
824	BOOR_087_050ad	0.375	0.375	0.875	0.5	0.437	0.0	0.534	0.0	0.0	270	0.0	0.628	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
825	BOOR_087_062ad	0.25	0.25	0.875	0.625	0.312	0.0	0.652	0.0	0.0	270	0.0	0.714	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
826	BOOR_087_075ad	0.125	0.125	0.875	0.75	0.187	0.0	0.819	0.0	0.0	270	0.0	0.852	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
827	BOOR_087_087ad	0.0	0.0	0.875	0.875	0.0	0.0	0.852	0.0	0.0	270	0.0	0.999	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
828	YOOC_100_025ad	0.875	0.875	0.75	0.125	0.812	0.0	0.023	0.0	0.0	89	1.0	0.023	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
829	YOOC_100_037ad	0.75	0.75	0.75	0.25	0.687	0.0	0.135	0.0	0.0	360	1.0	0.135	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
830	YOOC_100_050ad	0.625	0.625	0.75	0.375	0.562	0.0	0.299	0.0	0.0	360	1.0	0.299	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
831	BOOR_075_012ad	0.625	0.625	0.75	0.125	0.687	0.0	0.402	0.0	0.0	270	0.0	0.402	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
832	BOOR_075_025ad	0.5	0.5	0.75	0.25	0.562	0.0	0.516	0.0	0.0	270	0.0	0.516	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
833	BOOR_075_037ad	0.375	0.375	0.75	0.375	0.437	0.0	0.652	0.0	0.0	270	0.0	0.652	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
834	BOOR_075_050ad	0.25	0.25	0.75	0.5	0.312	0.0	0.781	0.0	0.0	270	0.0	0.781	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
835	BOOR_075_062ad	0.125	0.125	0.75	0.625	0.187	0.0	0.884	0.0	0.0	270	0.0	0.884	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
836	BOOR_075_075ad	0.0	0.0	0.75	0.75	0.0	0.0	0.884	0.0	0.0	270	0.0	0.999	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
837	YOOC_100_037ad	0.0	0.0	1.0	0.0	0.0	0.0	0.999	0.0	0.0	89	1.0	0.0	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
838	YOOC_100_050ad	0.875	0.875	1.0	0.125	0.937	0.0	0.12	0.0	0.0	360	1.0	0.12	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
839	YOOC_075_012ad	0.75	0.75	0.625	0.125	0.687	0.0	0.281	0.0	0.0	270	0.0	0.281	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
840	YOOC_075_025ad	0.625	0.625	0.625	0.25	0.562	0.0	0.417	0.0	0.0	270	0.0	0.417	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
841	BOOR_062_012ad	0.625	0.625	0.625	0.125	0.687	0.0	0.26	0.0	0.0	360	1.0	0.26	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
842	BOOR_062_025ad	0.5	0.5	0.625	0.25	0.562	0.0	0.397	0.0	0.0	360	1.0	0.397	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
843	BOOR_062_037ad	0.375	0.375	0.625	0.375	0.437	0.0	0.505	0.0	0.0	360	1.0	0.505	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
844	BOOR_062_050ad	0.25	0.25	0.625	0.5	0.312	0.0	0.627	0.0	0.0	360	1.0	0.627	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
845	BOOR_062_062ad	0.125	0.125	0.625	0.625	0.187	0.0	0.807	0.0	0.0	360	1.0	0.807	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
846	YOOC_100_050ad	0.0	0.0	1.0	0.0	0.0	0.0	0.982	0.0	0.0	89	1.0	0.982	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
847	YOOC_087_037ad	0.875	0.875	0.5	0.125	0.437	0.0	0.027	0.0	0.0	89	1.0	0.027	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
848	YOOC_075_025ad	0.75	0.75	0.5	0.25	0.312	0.0	0.113	0.0	0.0	89	1.0	0.113	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
849	YOOC_062_012ad	0.625	0.625	0.5	0.125	0.187	0.0	0.269	0.0	0.0	89	1.0	0.269	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
850	NW_050ad	0.5	0.5	0.5	0.5	0.5	0.0	0.356	0.0	0.0	360	1.0	0.356	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
851	BOOR_050_012ad	0.375	0.375	0.5	0.125	0.437	0.0	0.49	0.0	0.0	360	1.0	0.49	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
852	BOOR_050_025ad	0.25	0.25	0.5	0.25	0.312	0.0	0.645	0.0	0.0	360	1.0	0.645	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
853	BOOR_050_037ad	0.125	0.125	0.5	0.375	0.187	0.0	0.799	0.0	0.0	360	1.0	0.799	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
854	BOOR_050_050ad	0.0	0.0	0.5	0.5	0.0	0.0	0.861	0.0	0.0	360	1.0	0.861	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
855	YOOC_100_062ad	0.0	0.0	1.0	0.0	0.0	0.0	0.979	0.0	0.0	89	1.0	0.979	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
856	YOOC_087_050ad	0.875	0.875	0.375	0.375	0.562	0.0	0.024	0.0	0.0	89	1.0	0.024	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
857	YOOC_075_037ad	0.75	0.75	0.375	0.375	0.437	0.0	0.109	0.0	0.0	89	1.0	0.109	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
858	YOOC_062_025ad	0.625	0.625	0.375	0.375	0.312	0.0	0.267	0.0	0.0	89	1.0	0.267	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
859	NW_037ad	0.5	0.5	0.375	0.375	0.562	0.0	0.393	0.0	0.0	360	1.0	0.393	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
860	BOOR_037_012ad	0.375	0.375	0.375	0.125	0.437	0.0	0.473	0.0	0.0	360	1.0	0.473	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
861	BOOR_037_025ad	0.25	0.25	0.375	0.25	0.312	0.0	0.601	0.0	0.0	360	1.0	0.601	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
862	BOOR_037_037ad	0.125	0.125	0.375	0.375	0.187	0.0	0.792	0.0	0.0	360	1.0	0.792	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
863	BOOR_037_050ad	0.0	0.0	0.375	0.375	0.0	0.0	0.98	0.0	0.0	360	1.0	0.98	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
864	YOOC_100_075ad	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	89	1.0	1.0	0.0	0.0	95.6	0.0	1.0	0.0	0.0	0.0
865	YOOC_087_062ad	0.875	0.875	0.25	0.25	0.187	0.0	0.02	0.0	0.0	89	1.0	0.02	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
866	YOOC_087_050ad	0.75	0.75	0.25	0.25	0.187	0.0	0.117	0.0	0.0	89	1.0	0.117	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
867	YOOC_062_037ad	0.625	0.625	0.25	0.25	0.187	0.0	0.234	0.0	0.0	89	1.0	0.234	0.0	0.0	87.8	-10.2	95.4	96.0	96.1	0.0
868	YOOC_050_025ad	0.5	0.5	0.25	0.25	0.187	0														







