

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:


HIC^* -

hue code for the colours
of this page:

$H^*_- = R00Y_-$, $R25Y_-$, ..., $B75R_-$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_-,Ma	47.9	65.3	50.5	82.6
Y_-,Ma	90.3	-10.2	91.7	92.3
G_-,Ma	50.9	-62.8	34.9	71.9
C_-,Ma	58.6	-30.3	-45.0	54.2
B_-,Ma	25.7	31.0	-44.4	54.2
M_-,Ma	48.1	75.2	-8.3	75.7
N_-,Ma	18.0	0.0	0.0	0.0
W_-,Ma	95.4	0.0	0.0	0.0
R_-,CIE	39.9	58.7	27.9	65.0
Y_-,CIE	81.2	-2.8	71.5	71.6
G_-,CIE	52.2	-42.4	13.6	44.5
B_-,CIE	30.5	1.4	-46.4	46.4



1-113030-L0

SE020-7N

TUB-test chart SE02; 16 step hue circle
Test chart according to DIN 33872

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Television Luminous System TLS00a

Data for any device (d) or elementary (e) colour:


HIC_e

hue code for the colours
of this page:

$H_e^* = R00Y_e, R25Y_e, \dots, B75R_e$

TLS00a; adapted (a) CIELAB data

H_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
R00Y_100_100 _e	50.9	78.3	37.3	86.7	25
R25Y_100_100 _e	51.3	74.4	64.8	98.7	41
R50Y_100_100 _e	63.1	42.7	70.8	82.7	58
R75Y_100_100 _e	73.5	18.3	77.7	79.8	76
Y00G_100_100 _e	83.7	-3.4	84.5	84.5	92
Y25G_100_100 _e	91.0	-29.9	88.9	93.8	108
Y50G_100_100 _e	85.9	-63.0	82.8	104.1	127
Y75G_100_100 _e	84.1	-76.0	51.4	91.8	145
G00B_100_100 _e	85.1	-64.6	20.7	67.9	162
G25B_100_100 _e	86.5	-49.9	-8.4	50.6	189
G50B_100_100 _e	79.0	-34.2	-25.7	42.8	216
G75B_100_100 _e	70.0	-19.0	-39.6	43.9	244
B00R_100_100 _e	59.2	1.7	-56.6	56.6	271
B25R_100_100 _e	38.2	52.7	-90.7	104.9	300
B50R_100_100 _e	57.1	94.1	-57.4	110.3	328
B75R_100_100 _e	52.9	83.6	-11.6	84.4	352



% Gamut

$u^*_{rel} = 158$



% Regularity

$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
R _e ,Ma	50.9	78.3	37.3	86.7	25
Y _e ,Ma	83.7	-3.4	84.5	84.5	92
G _e ,Ma	85.1	-64.6	20.7	67.9	162
C _e ,Ma	79.0	-34.2	-25.7	42.8	216
B _e ,Ma	59.2	1.7	-56.6	56.6	271
M _e ,Ma	57.1	94.1	-57.4	110.3	328
N _e ,Ma	0.0	0.0	0.0	0.0	0
W _e ,Ma	95.4	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271






1-113130-L0

SE020-73

TUB-test chart SE02; 16 step hue circle
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:
$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:
$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:
$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

1-113230-L0 SE020-73 LAB*La0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 3/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; $rgb-LabCh^*$ -tables, 3D=1, $de=1$, sRGB* output: 3D-linearization to rgb^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 4/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	1.0	0.0	0.0
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.25	0.0	1.0
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.617	0.0	1.0
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.75	0.0	1.0
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.867	0.0	1.0
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	1.0	0.0	1.0
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	1.0	0.0	0.883
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	1.0	0.0	0.75
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	1.0	0.0	0.633
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	1.0	0.0	0.5
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	1.0	0.0	0.383
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	1.0	0.0	0.25
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	1.0	0.0	0.133
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	1.0	0.0	0.0

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			$LAB^*_{ddx64M} (x=LabCh)$						$rgb^*_{dex361M}$			$LAB^*_{dex361M}$					rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25			
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33			
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	1.0	0.157	0.0	52.2	72.0	65.3	97.2	42			
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	1.0	0.358	0.0	57.7	56.9	67.8	88.6	49			
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	1.0	0.488	0.0	63.1	42.8	70.9	82.8	58			
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	1.0	0.577	0.0	67.6	31.8	73.9	80.5	66			
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75			
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83			
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92			
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100			
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109			
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117			
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127			
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135			
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144			
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152			
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162			
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168			
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175			
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182			
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189			
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195			
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203			
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209			
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216			
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223			
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230			
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237			
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244			
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250			
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258			
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264			
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271			
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278			
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285			
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292			
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300			
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306			
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	0.0	0.605	0.0	42.1	82.1	-83.8	117.4	314			
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321			
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328			
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335			
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342			
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349			
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352			
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359			
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368			
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376			
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385			

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

1-113430-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 5/29

TUB-test chart SE02; 16 step hue circle

input: $rgb/cmyk \rightarrow rgb_{de}$

48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, $de=1$, $sRGB^*$ output: 3D-linearization to rgb^*_{de}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0	0.0	0.0
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017	0.0	0.0
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033	0.0	0.0
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05	0.0	0.0
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.067	0.0	0.0
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083	0.0	0.0
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1	0.0	0.0
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.117	0.0	0.0
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133	0.0	0.0
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15	0.0	0.0
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.167	0.0	0.0
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183	0.0	0.0
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2	0.0	0.0
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.217	0.0	0.0
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233	0.0	0.0
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25	0.0	0.0
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.267	0.0	0.0
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283	0.0	0.0
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3	0.0	0.0
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.317	0.0	0.0
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333	0.0	0.0
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35	0.0	0.0
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.367	0.0	0.0
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383	0.0	0.0
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4	0.0	0.0
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.417	0.0	0.0
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433	0.0	0.0
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45	0.0	0.0
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.467	0.0	0.0
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483	0.0	0.0
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5	0.0	0.0
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.517	0.0	0.0
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533	0.0	0.0
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55	0.0	0.0
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.567	0.0	0.0
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583	0.0	0.0
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6	0.0	0.0
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.617	0.0	0.0
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633	0.0	0.0
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65	0.0	0.0
75	70	70	1.0	0.666	0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.667	0.0	0.0
76	71	71	1.0	0.683	0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683	0.0	0.0
78	72	72	1.0	0.7	0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7	0.0	0.0
79	73	73	1.0	0.716	0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.717	0.0	0.0
81	74	74	1.0	0.733	0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733	0.0	0.0
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75	0.0	0.0

1-113530-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 6/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, de=1, sRGB* output: 3D-linearization to rgb^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to rgb^*_{de}

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361M}	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.75	0.0	
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.767	0.0	
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.783	0.0	
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.8	0.0	
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.817	0.0	
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.833	0.0	
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.85	0.0	
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.867	0.0	
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.883	0.0	
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.9	0.0	
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.917	0.0	
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.933	0.0	
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.95	0.0	
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.967	0.0	
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.983	0.0	
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	1.0	1.0	0.0	
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.983	1.0	0.0
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.967	1.0	0.0
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.95	1.0	0.0
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.933	1.0	0.0
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.917	1.0	0.0
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.9	1.0	0.0
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.883	1.0	0.0
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.867	1.0	0.0
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.85	1.0	0.0
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.833	1.0	0.0
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.817	1.0	0.0
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.8	1.0	0.0
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	1.0	0.783	1.0	0.0
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	1.0	0.767	1.0	0.0
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	1.0	0.75	1.0	0.0
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	1.0	0.733	1.0	0.0
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	1.0	0.717	1.0	0.0
120	108	113	0.7	1.0	0.0	87.9	-49.2	85.2	98.4	120	1.0	0.7	1.0	0.0
120	109	114	0.683	1.0	0.0	87.6	-50.7	84.9	98.9	120	1.0	0.683	1.0	0.0
121	110	115	0.666	1.0	0.0	87.4	-52.1	84.7	99.4	121	1.0	0.667	1.0	0.0
122	111	116	0.65	1.0	0.0	87.2	-53.6	84.4	100.0	122	1.0	0.65	1.0	0.0
123	112	117	0.633	1.0	0.0	87.0	-55.0	84.1	100.5	123	1.0	0.633	1.0	0.0
123	113	119	0.616	1.0	0.0	86.8	-56.4	83.8	101.0	123	1.0	0.617	1.0	0.0
124	114	120	0.6	1.0	0.0	86.7	-57.6	83.7	101.6	124	1.0	0.6	1.0	0.0
125	115	121	0.583	1.0	0.0	86.5	-58.9	83.5	102.2	125	1.0	0.583	1.0	0.0
125	116	122	0.566	1.0	0.0	86.3	-60.1	83.3	102.8	125	1.0	0.567	1.0	0.0
126	117	123	0.55	1.0	0.0	86.2	-61.4	83.1	103.3	126	1.0	0.55	1.0	0.0
127	118	124	0.533	1.0	0.0	86.0	-62.7	82.9	103.9	127	1.0	0.533	1.0	0.0
127	119	126	0.516	1.0	0.0	85.8	-63.9	82.6	104.5	127	1.0	0.517	1.0	0.0
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	1.0	0.5	1.0	0.0

1-113630-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 7/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, de=1, sRGB* output: 3D-linearization to rgb^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 8/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$			$h_{ab,s}$			$h_{ab,e}$			rgb^*_{dd361M}			$LAB^*_{d361Mi}(x=LabCh)$			$rgb^*_{ds361Mi}$			$LAB^*_{ds361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$			$rgb^*_{dd361Mi}$			$rgb^*_{dd361Mi}$			$rgb^*_{ds361Mi}$			$rgb^*_{de361Mi}$		
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120	0.5	1.0	0.0	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127	0.5	1.0	0.0									
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0	87.7	-50.9	84.9	99.1	121	0.483	1.0	0.0	0.498	1.0	0.0	85.7	-65.3	82.4	105.2	128	0.483	1.0	0.0									
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0	87.4	-52.8	84.6	99.7	122	0.467	1.0	0.0	0.456	1.0	0.0	85.4	-67.8	82.1	106.5	129	0.467	1.0	0.0									
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0	87.1	-54.6	84.2	100.4	123	0.45	1.0	0.0	0.414	1.0	0.0	85.1	-70.3	81.7	107.9	130	0.45	1.0	0.0									
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0	86.9	-56.5	83.9	101.1	124	0.433	1.0	0.0	0.372	1.0	0.0	84.7	-72.9	81.3	109.2	131	0.433	1.0	0.0									
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0	86.6	-58.4	83.6	102.1	125	0.417	1.0	0.0	0.309	1.0	0.0	84.4	-75.6	80.9	110.8	133	0.417	1.0	0.0									
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0	86.3	-60.4	83.3	103.0	126	0.4	1.0	0.0	0.244	1.0	0.0	84.1	-78.3	80.5	112.4	134	0.4	1.0	0.0									
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127	0.383	1.0	0.0	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.383	1.0	0.0									
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0	85.8	-64.4	82.6	104.8	128	0.367	1.0	0.0	0.0	1.0	0.0	0.073	83.7	-82.3	78.0	113.5	136	0.367	1.0	0.0								
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0	85.5	-66.5	82.3	105.8	129	0.35	1.0	0.0	0.0	1.0	0.0	0.165	83.7	-81.6	74.2	110.4	137	0.35	1.0	0.0								
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0	85.3	-68.7	82.0	107.0	130	0.333	1.0	0.0	0.0	1.0	0.0	0.227	83.8	-80.8	70.5	107.3	138	0.333	1.0	0.0								
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0	85.0	-70.9	81.6	108.1	131	0.317	1.0	0.0	0.0	1.0	0.0	0.273	83.8	-80.0	67.0	104.5	140	0.317	1.0	0.0								
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0	84.7	-73.1	81.2	109.3	132	0.3	1.0	0.0	0.0	1.0	0.0	0.311	83.9	-79.3	63.7	101.8	141	0.3	1.0	0.0								
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0	84.5	-75.4	80.9	110.7	133	0.283	1.0	0.0	0.0	1.0	0.0	0.349	84.0	-78.4	60.4	99.0	142	0.283	1.0	0.0								
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0	84.2	-77.7	80.6	112.0	134	0.267	1.0	0.0	0.0	1.0	0.0	0.383	84.0	-77.5	57.3	96.4	143	0.267	1.0	0.0								
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135	0.25	1.0	0.0	0.0	1.0	0.0	0.41	84.1	-76.8	54.3	94.1	144	0.25	1.0	0.0								
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0	83.6	-82.6	79.9	115.0	136	0.233	1.0	0.0	0.0	1.0	0.0	0.437	84.2	-75.9	51.5	91.8	145	0.233	1.0	0.0								
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125	83.7	-82.1	76.6	112.3	137	0.217	1.0	0.0	0.0	1.0	0.0	0.464	84.2	-75.0	48.7	89.5	147	0.217	1.0	0.0								
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178	83.7	-81.4	73.4	109.7	138	0.2	1.0	0.0	0.0	1.0	0.0	0.491	84.3	-74.1	45.9	87.2	148	0.2	1.0	0.0								
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231	83.8	-80.7	70.3	107.1	139	0.183	1.0	0.0	0.0	1.0	0.0	0.513	84.4	-73.3	43.4	85.2	149	0.183	1.0	0.0								
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271	83.8	-80.1	67.3	104.7	140	0.167	1.0	0.0	0.0	1.0	0.0	0.533	84.5	-72.5	41.0	83.4	150	0.167	1.0	0.0								
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303	83.9	-79.4	64.4	102.3	141	0.15	1.0	0.0	0.0	1.0	0.0	0.553	84.5	-71.7	38.6	81.6	151	0.15	1.0	0.0								
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142	0.133	1.0	0.0	0.0	1.0	0.0	0.573	84.6	-70.9	36.3	79.8	152	0.133	1.0	0.0								
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368	84.0	-77.9	58.8	97.7	143	0.117	1.0	0.0	0.0	1.0	0.0	0.593	84.7	-70.0	34.1	77.9	154	0.117	1.0	0.0								
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393	84.1	-77.3	56.2	95.6	144	0.1	1.0	0.0	0.0	1.0	0.0	0.614	84.7	-69.0	31.9	76.1	155	0.1	1.0	0.0								
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416	84.1	-76.6	53.7	93.6	145	0.083	1.0	0.0	0.0	1.0	0.0	0.631	84.8	-68.2	29.8	74.5	156	0.083	1.0	0.0								
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439	84.2	-75.9	51.3	91.7	146	0.067	1.0	0.0	0.0	1.0	0.0	0.646	84.9	-67.5	27.9	73.2	157	0.067	1.0	0.0								
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462	84.2	-75.1	48.8	89.7	147	0.05	1.0	0.0	0.0	1.0	0.0	0.661	85.0	-66.9	26.1	71.9	158	0.05	1.0	0.0								
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485	84.3	-74.3	46.5	87.7	148	0.033	1.0	0.0	0.0	1.0	0.0	0.676	85.0	-66.2	24.3	70.6	159	0.033	1.0	0.0								
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506	84.4	-73.5	44.2	85.9	149	0.017	1.0	0.0	0.0	1.0	0.0	0.691	85.1	-65.4	22.5	69.2	161	0.017	1.0	0.0								
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G_d 0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150	G_s 0.0	1.0	0.0	0.0	1.0	0.0	0.706	85.2	-64.6	20.7	67.9	162	G_e 0.0	1.0	0.0								
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541	84.5	-72.3	40.1	82.7	151	0.0	1.0	0.017	0.0	1.0	0.0	0.718	85.2	-63.9	19.4	66.9	163	0.0	1.0	0.017								
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558	84.5	-71.6	38.1	81.2	152	0.0	1.0	0.033	0.0	1.0	0.0	0.73	85.3	-63.2	18.1	65.9	164	0.0	1.0	0.033								
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575	84.6	-70.8	36.1	79.6	153	0.0	1.0	0.05	0.0	1.0	0.0	0.741	85.3	-62.5	16.8	64.8	164	0.0	1.0	0.05								
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592	84.7	-70.0	34.2	78.0	154	0.0	1.0	0.067	0.0	1.0	0.0	0.752	85.4	-61.9	15.6	63.9	165	0.0	1.0	0.067								
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61	84.7	-69.2	32.3	76.5	155	0.0	1.0	0.083	0.0	1.0	0.0	0.761	85.4	-61.5	14.5	63.2	166	0.0	1.0	0.083								
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626	84.8	-68.4	30.5	74.9	156	0.0	1.0	0.1	0.0	1.0	0.0	0.77	85.5	-61.1	13.3	62.6	167	0.0	1.0	0.1								
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157	0.0	1.0	0.117	0.0	1.0																		

1-113730-L0	SE020-73	LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0
-------------	----------	---

Output: sRGB standard device; no separation, D65, page 8/29

TUB-test chart SE02; 16 step hue circle

input: $rgb/cmyk \rightarrow rgb_{de}$

48 step hue circles; *rgb-LabCh** tables, 3D=1, de=1, *sRGB** output: 3D-linearization to *rgb**_{de}

1-113730-F0

TUB registration: 20130201-SE02/SE02LOFP.PDF/.PS

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmeterik/SE02/SE02.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 9/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM_s*: *h_{ab,ds}* = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0;
Six hue angles of the device colours *RYGCBM_d*: *h_{ab,d}* = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours *RYGCBM_e*: *h_{ab,e}* = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6

<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_{dd361M}</i>	<i>LAB*_{dd361Mi}</i> (x=LabCh)	<i>rgb*_{ds361Mi}</i>	<i>LAB*_{dsx361Mi}</i> (x=LabCh)	<i>rgb*_{dd361Mi}</i>	<i>LAB*_{de361Mi}</i>	<i>rgb*_{de361Mi}</i> (x=LabCh)	<i>rgb*_{dd361Mi}</i>	<i>rgb*_{de361Mi}</i>	<i>rgb*_{dd361Mi}</i>	<i>rgb*_{de361Mi}</i>
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0

1-113830-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 9/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; *rgb-LabCh**tables, 3D=1, de=1, *sRGB** output: 3D-linearization to *rgb*_{de}*

input: *rgb/cmyk* -> *rgb_{de}*

output: 3D-linearization to *rgb*_{de}*

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dxd361Mi}(x=LabCh)$	C_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	$210C_s$	$rgb^*_{dd361Mi}$	$LAB^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$216C_e$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}	
196	210	216	0.0	1.0	1.0	86.8	-46.1 -13.5 48.1	196	0.0	0.927	1.0	81.7	-38.6 -22.2 44.7	210	0.0	1.0	1.0
199	211	217	0.0	0.983	1.0	85.6	-44.6 -15.8 47.3	199	0.0	0.922	1.0	81.3	-38.0 -22.8 44.4	211	0.0	0.983	1.0
202	212	218	0.0	0.966	1.0	84.5	-42.9 -17.9 46.5	202	0.0	0.917	1.0	81.0	-37.3 -23.3 44.2	212	0.0	0.967	1.0
205	213	219	0.0	0.95	1.0	83.3	-41.1 -19.8 45.7	205	0.0	0.911	1.0	80.6	-36.7 -23.8 43.9	213	0.0	0.95	1.0
208	214	220	0.0	0.933	1.0	82.1	-39.3 -21.7 44.9	208	0.0	0.906	1.0	80.2	-36.1 -24.3 43.6	214	0.0	0.933	1.0
212	215	221	0.0	0.916	1.0	80.9	-37.4 -23.4 44.1	212	0.0	0.901	1.0	79.8	-35.4 -24.8 43.4	215	0.0	0.917	1.0
215	216	222	0.0	0.9	1.0	79.7	-35.4 -24.9 43.3	215	0.0	0.895	1.0	79.5	-34.8 -25.3 43.1	216	0.0	0.9	1.0
218	217	223	0.0	0.883	1.0	78.5	-33.4 -26.3 42.5	218	0.0	0.889	1.0	79.1	-34.1 -25.7 42.9	217	0.0	0.883	1.0
221	218	224	0.0	0.866	1.0	77.4	-31.5 -28.1 42.2	221	0.0	0.885	1.0	78.7	-33.5 -26.1 42.6	218	0.0	0.867	1.0
225	219	225	0.0	0.85	1.0	76.2	-29.9 -30.2 42.5	225	0.0	0.879	1.0	78.3	-32.8 -26.6 42.4	219	0.0	0.85	1.0
228	220	226	0.0	0.833	1.0	75.0	-28.1 -32.3 42.8	228	0.0	0.874	1.0	77.9	-32.2 -27.0 42.2	220	0.0	0.833	1.0
232	221	227	0.0	0.816	1.0	73.8	-26.1 -34.2 43.1	232	0.0	0.87	1.0	77.6	-31.8 -27.6 42.2	221	0.0	0.817	1.0
236	222	227	0.0	0.8	1.0	72.6	-24.0 -36.0 43.3	236	0.0	0.865	1.0	77.3	-31.3 -28.2 42.3	222	0.0	0.8	1.0
239	223	228	0.0	0.783	1.0	71.4	-21.8 -37.7 43.6	239	0.0	0.861	1.0	77.0	-30.9 -28.8 42.4	223	0.0	0.783	1.0
243	224	229	0.0	0.766	1.0	70.2	-19.5 -39.3 43.9	243	0.0	0.856	1.0	76.7	-30.4 -29.4 42.5	224	0.0	0.767	1.0
247	225	230	0.0	0.75	1.0	69.1	-17.0 -40.7 44.1	247	0.0	0.851	1.0	76.3	-30.0 -30.0 42.5	225	0.0	0.75	1.0
250	226	231	0.0	0.733	1.0	67.9	-15.3 -42.9 45.5	250	0.0	0.847	1.0	76.0	-29.5 -30.6 42.6	226	0.0	0.733	1.0
253	227	232	0.0	0.716	1.0	66.7	-13.5 -44.9 46.9	253	0.0	0.842	1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.717	1.0
256	228	233	0.0	0.7	1.0	65.5	-11.4 -46.9 48.3	256	0.0	0.838	1.0	75.4	-28.5 -31.7 42.8	228	0.0	0.7	1.0
259	229	234	0.0	0.683	1.0	64.4	-9.2 -48.8 49.7	259	0.0	0.833	1.0	75.0	-28.0 -32.2 42.8	229	0.0	0.683	1.0
262	230	235	0.0	0.666	1.0	63.2	-6.8 -50.6 51.1	262	0.0	0.829	1.0	74.7	-27.5 -32.8 42.9	230	0.0	0.667	1.0
265	231	236	0.0	0.65	1.0	62.0	-4.2 -52.3 52.5	265	0.0	0.824	1.0	74.4	-26.9 -33.3 43.0	231	0.0	0.65	1.0
268	232	237	0.0	0.633	1.0	60.9	-1.5 -53.9 53.9	268	0.0	0.82	1.0	74.1	-26.4 -33.8 43.1	232	0.0	0.633	1.0
270	233	237	0.0	0.616	1.0	59.7	0.8 -55.6 55.7	270	0.0	0.815	1.0	73.7	-25.9 -34.3 43.1	233	0.0	0.617	1.0
272	234	238	0.0	0.6	1.0	58.6	2.9 -57.7 57.8	272	0.0	0.81	1.0	73.4	-25.3 -34.9 43.2	234	0.0	0.6	1.0
274	235	239	0.0	0.583	1.0	57.4	5.1 -59.7 59.9	274	0.0	0.806	1.0	73.1	-24.7 -35.4 43.3	235	0.0	0.583	1.0
276	236	240	0.0	0.566	1.0	56.3	7.4 -61.6 62.1	276	0.0	0.801	1.0	72.8	-24.1 -35.8 43.4	236	0.0	0.567	1.0
278	237	241	0.0	0.55	1.0	55.2	10.0 -63.5 64.2	278	0.0	0.797	1.0	72.4	-23.6 -36.3 43.4	237	0.0	0.55	1.0
280	238	242	0.0	0.533	1.0	54.0	12.6 -65.2 66.4	280	0.0	0.792	1.0	72.1	-23.0 -36.8 43.5	238	0.0	0.533	1.0
283	239	243	0.0	0.516	1.0	52.9	15.4 -66.8 68.5	283	0.0	0.788	1.0	71.8	-22.3 -37.2 43.6	239	0.0	0.517	1.0
285	240	244	0.0	0.5	1.0	51.7	18.3 -68.3 70.7	285	0.0	0.783	1.0	71.5	-21.7 -37.7 43.6	240	0.0	0.5	1.0
286	241	245	0.0	0.483	1.0	50.7	20.6 -70.2 73.2	286	0.0	0.779	1.0	71.1	-21.1 -38.1 43.7	241	0.0	0.483	1.0
287	242	246	0.0	0.466	1.0	49.6	22.9 -72.1 75.7	287	0.0	0.774	1.0	70.8	-20.5 -38.6 43.8	242	0.0	0.467	1.0
288	243	247	0.0	0.45	1.0	48.6	25.4 -74.0 78.2	288	0.0	0.769	1.0	70.5	-19.8 -39.0 43.9	243	0.0	0.45	1.0
290	244	248	0.0	0.433	1.0	47.5	28.0 -75.7 80.7	290	0.0	0.765	1.0	70.2	-19.2 -39.4 43.9	244	0.0	0.433	1.0
291	245	248	0.0	0.416	1.0	46.5	30.6 -77.4 83.2	291	0.0	0.76	1.0	69.8	-18.5 -39.8 44.0	245	0.0	0.417	1.0
292	246	249	0.0	0.4	1.0	45.4	33.3 -79.0 85.7	292	0.0	0.756	1.0	69.5	-17.8 -40.2 44.1	246	0.0	0.4	1.0
294	247	250	0.0	0.383	1.0	44.3	36.2 -80.5 88.2	294	0.0	0.751	1.0	69.2	-17.2 -40.6 44.2	247	0.0	0.383	1.0
295	248	251	0.0	0.366	1.0	43.4	38.7 -82.0 90.7	295	0.0	0.746	1.0	68.8	-16.6 -41.2 44.5	248	0.0	0.367	1.0
296	249	252	0.0	0.35	1.0	42.5	41.0 -83.6 93.2	296	0.0	0.74	1.0	68.4	-16.0 -41.9 45.0	249	0.0	0.35	1.0
296	250	253	0.0	0.333	1.0	41.6	43.4 -85.2 95.6	296	0.0	0.735	1.0	68.0	-15.4 -42.6 45.5	250	0.0	0.333	1.0
297	251	254	0.0	0.316	1.0	40.7	45.8 -86.7 98.1	297	0.0	0.729	1.0	67.7	-14.8 -43.3 45.9	251	0.0	0.317	1.0
298	252	255	0.0	0.3	1.0	39.8	48.2 -88.2 100.5	298	0.0	0.724	1.0	67.3	-14.2 -44.0 46.4	252	0.0	0.3	1.0
299	253	256	0.0	0.283	1.0	38.9	50.7 -89.6 103.0	299	0.0	0.718	1.0	66.9	-13.6 -44.7 46.8	253	0.0	0.283	1.0
300	254	257	0.0	0.266	1.0	38.0	53.3 -91.0 105.4	300	0.0	0.713	1.0	66.5	-12.9 -45.4 47.3	254	0.0	0.267	1.0
301	255	258	0.0	0.25	1.0	37.1	55.9 -92.3 107.9	301	0.0	0.707	1.0	66.1	-12.3 -46.0 47.8	255	0.0	0.25	1.0

1-113930-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 10/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, de=1, sRGB* output: 3D-linearization to rgb^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to rgb^*_{de}

TUB registration: 20130201-SE02/SE02LOFP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{ds361M}	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dd361Mi}$
301	255	258	0.0 0.25 1.0	37.1 55.9 -92.3 107.9 301	0.0 0.707 1.0	66.1 -12.3 -46.0 47.8 255	0.0 0.25 1.0	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258	0.0 0.25 1.0	0.0 0.69 1.0	64.9 -10.1 -48.0 49.2 258
301	256	258	0.0 0.233 1.0	36.5 57.6 -93.4 109.7 301	0.0 0.702 1.0	65.7 -11.6 -46.7 48.2 256	0.0 0.233 1.0	0.0 0.685 1.0	64.6 -9.4 -48.6 49.6 258	0.0 0.233 1.0	0.0 0.685 1.0	64.6 -9.4 -48.6 49.6 258
302	257	259	0.0 0.216 1.0	35.9 59.4 -94.5 111.6 302	0.0 0.696 1.0	65.3 -10.9 -47.3 48.7 257	0.0 0.217 1.0	0.0 0.68 1.0	64.2 -8.7 -49.1 50.0 259	0.0 0.217 1.0	0.0 0.68 1.0	64.2 -8.7 -49.1 50.0 259
302	258	260	0.0 0.2 1.0	35.2 61.2 -95.5 113.5 302	0.0 0.691 1.0	64.9 -10.1 -48.0 49.1 258	0.0 0.2 1.0	0.0 0.675 1.0	63.8 -8.0 -49.7 50.4 260	0.0 0.2 1.0	0.0 0.675 1.0	63.8 -8.0 -49.7 50.4 260
303	259	261	0.0 0.183 1.0	34.6 63.0 -96.6 115.3 303	0.0 0.685 1.0	64.5 -9.4 -48.6 49.6 259	0.0 0.183 1.0	0.0 0.67 1.0	63.5 -7.2 -50.2 50.9 261	0.0 0.183 1.0	0.0 0.67 1.0	63.5 -7.2 -50.2 50.9 261
303	260	262	0.0 0.166 1.0	34.0 64.8 -97.6 117.2 303	0.0 0.679 1.0	64.2 -8.6 -49.2 50.1 260	0.0 0.167 1.0	0.0 0.665 1.0	63.1 -6.5 -50.8 51.3 262	0.0 0.167 1.0	0.0 0.665 1.0	63.1 -6.5 -50.8 51.3 262
304	261	263	0.0 0.15 1.0	33.4 66.7 -98.6 119.1 304	0.0 0.674 1.0	63.8 -7.8 -49.8 50.5 261	0.0 0.15 1.0	0.0 0.66 1.0	62.8 -5.7 -51.3 51.7 263	0.0 0.15 1.0	0.0 0.66 1.0	62.8 -5.7 -51.3 51.7 263
304	262	264	0.0 0.133 1.0	32.8 68.6 -99.6 120.9 304	0.0 0.668 1.0	63.4 -7.0 -50.4 51.0 262	0.0 0.133 1.0	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264	0.0 0.133 1.0	0.0 0.655 1.0	62.4 -5.0 -51.8 52.1 264
304	263	265	0.0 0.116 1.0	32.3 70.0 -100.3 122.3 304	0.0 0.663 1.0	63.0 -6.2 -51.0 51.5 263	0.0 0.117 1.0	0.0 0.65 1.0	62.1 -4.2 -52.3 52.5 265	0.0 0.117 1.0	0.0 0.65 1.0	62.1 -4.2 -52.3 52.5 265
305	264	266	0.0 0.1 1.0	32.0 70.8 -100.8 122.2 305	0.0 0.657 1.0	62.6 -5.3 -51.5 51.9 264	0.0 0.1 1.0	0.0 0.645 1.0	61.7 -3.4 -52.8 53.0 266	0.0 0.1 1.0	0.0 0.645 1.0	61.7 -3.4 -52.8 53.0 266
305	265	267	0.0 0.083 1.0	31.7 71.7 -101.2 124.1 305	0.0 0.652 1.0	62.2 -4.5 -52.1 52.4 265	0.0 0.083 1.0	0.0 0.64 1.0	61.4 -2.5 -53.2 53.4 267	0.0 0.083 1.0	0.0 0.64 1.0	61.4 -2.5 -53.2 53.4 267
305	266	268	0.0 0.066 1.0	31.5 72.5 -101.7 124.9 305	0.0 0.646 1.0	61.8 -3.6 -52.6 52.8 266	0.0 0.067 1.0	0.0 0.635 1.0	61.0 -1.7 -53.7 53.8 268	0.0 0.067 1.0	0.0 0.635 1.0	61.0 -1.7 -53.7 53.8 268
305	267	269	0.0 0.049 1.0	31.2 73.4 -102.2 125.8 305	0.0 0.641 1.0	61.4 -2.7 -53.1 53.3 267	0.0 0.05 1.0	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269	0.0 0.05 1.0	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269
305	268	269	0.0 0.033 1.0	30.9 74.3 -102.6 126.7 305	0.0 0.635 1.0	61.0 -1.8 -53.6 53.8 268	0.0 0.033 1.0	0.0 0.624 1.0	60.3 0.0 -54.6 54.7 269	0.0 0.033 1.0	0.0 0.624 1.0	60.3 0.0 -54.6 54.7 269
306	269	270	0.0 0.016 1.0	30.6 75.1 -103.1 127.6 306	0.0 0.63 1.0	60.6 -0.8 -54.1 54.2 269	0.0 0.017 1.0	0.0 0.617 1.0	59.8 0.8 -55.6 55.7 270	0.0 0.017 1.0	0.0 0.617 1.0	59.8 0.8 -55.6 55.7 270
306	270	271	0.0 0.0 1.0	30.3 76.0 -103.5 128.5 306	0.0 0.624 1.0	60.2 0.0 -54.7 54.8 270	0.0 0.0 1.0	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271	0.0 0.0 1.0	0.0 0.609 1.0	59.3 1.7 -56.5 56.6 271
306	271	272	0.016 0.0 1.0	30.4 76.0 -103.3 128.4 306	0.0 0.615 1.0	59.7 1.0 -55.7 55.9 271	0.0 0.017 0.0 1.0	0.0 0.602 1.0	58.7 2.7 -57.5 57.6 272	0.0 0.017 0.0 1.0	0.0 0.602 1.0	58.7 2.7 -57.5 57.6 272
306	272	273	0.033 0.0 1.0	30.5 76.1 -103.3 128.3 306	0.0 0.607 1.0	59.1 2.0 -56.8 56.9 272	0.0 0.033 0.0 1.0	0.0 0.594 1.0	58.2 3.7 -58.4 58.6 273	0.0 0.033 0.0 1.0	0.0 0.594 1.0	58.2 3.7 -58.4 58.6 273
306	273	274	0.05 0.0 1.0	30.6 76.1 -103.1 128.2 306	0.0 0.599 1.0	58.5 3.0 -57.8 58.0 273	0.0 0.05 0.0 1.0	0.0 0.586 1.0	57.7 4.8 -59.4 59.7 274	0.0 0.05 0.0 1.0	0.0 0.586 1.0	57.7 4.8 -59.4 59.7 274
306	274	275	0.066 0.0 1.0	30.7 76.1 -103.0 128.1 306	0.0 0.591 1.0	58.0 4.1 -58.8 59.0 274	0.0 0.067 0.0 1.0	0.0 0.578 1.0	57.1 5.8 -60.3 60.7 275	0.0 0.067 0.0 1.0	0.0 0.578 1.0	57.1 5.8 -60.3 60.7 275
306	275	276	0.083 0.0 1.0	30.8 76.2 -102.8 128.0 306	0.0 0.583 1.0	57.4 5.2 -59.8 60.1 275	0.0 0.083 0.0 1.0	0.0 0.57 1.0	56.6 7.0 -61.2 61.7 276	0.0 0.083 0.0 1.0	0.0 0.57 1.0	56.6 7.0 -61.2 61.7 276
306	276	277	0.1 0.0 1.0	30.9 76.2 -102.7 127.9 306	0.0 0.574 1.0	56.9 6.4 -60.7 61.2 276	0.1 0.0 1.0	0.0 0.563 1.0	56.1 8.1 -62.0 62.7 277	0.1 0.0 1.0	0.0 0.563 1.0	56.1 8.1 -62.0 62.7 277
306	277	278	0.116 0.0 1.0	30.9 76.2 -102.5 127.8 306	0.0 0.566 1.0	56.3 7.6 -61.7 62.2 277	0.117 0.0 1.0	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278	0.117 0.0 1.0	0.0 0.555 1.0	55.5 9.3 -62.9 63.7 278
306	278	279	0.133 0.0 1.0	31.1 76.3 -102.3 127.6 306	0.0 0.558 1.0	55.7 8.8 -62.6 63.3 278	0.133 0.0 1.0	0.0 0.547 1.0	55.0 10.5 -63.7 64.7 279	0.133 0.0 1.0	0.0 0.547 1.0	55.0 10.5 -63.7 64.7 279
306	279	280	0.15 0.0 1.0	31.3 76.3 -101.9 127.4 306	0.0 0.55 1.0	55.2 10.1 -63.5 64.3 279	0.15 0.0 1.0	0.0 0.539 1.0	54.5 11.7 -64.5 65.7 280	0.15 0.0 1.0	0.0 0.539 1.0	54.5 11.7 -64.5 65.7 280
306	280	281	0.166 0.0 1.0	31.5 76.4 -101.6 127.1 306	0.0 0.541 1.0	54.6 11.4 -64.3 65.4 280	0.167 0.0 1.0	0.0 0.531 1.0	53.9 13.0 -65.3 66.7 281	0.167 0.0 1.0	0.0 0.531 1.0	53.9 13.0 -65.3 66.7 281
307	281	282	0.183 0.0 1.0	31.7 76.5 -101.2 126.9 307	0.0 0.533 1.0	54.1 12.7 -65.1 66.5 281	0.183 0.0 1.0	0.0 0.524 1.0	53.4 14.3 -66.1 67.7 282	0.183 0.0 1.0	0.0 0.524 1.0	53.4 14.3 -66.1 67.7 282
307	282	283	0.2 0.0 1.0	31.9 76.6 -100.9 126.7 307	0.0 0.525 1.0	53.5 14.0 -66.0 67.5 282	0.2 0.0 1.0	0.0 0.516 1.0	52.9 15.6 -66.8 68.7 283	0.2 0.0 1.0	0.0 0.516 1.0	52.9 15.6 -66.8 68.7 283
307	283	284	0.216 0.0 1.0	32.1 76.6 -100.5 126.4 307	0.0 0.517 1.0	52.9 15.4 -66.7 68.6 283	0.217 0.0 1.0	0.0 0.508 1.0	52.3 16.9 -67.5 69.7 284	0.217 0.0 1.0	0.0 0.508 1.0	52.3 16.9 -67.5 69.7 284
307	284	285	0.233 0.0 1.0	32.3 76.7 -100.1 126.2 307	0.0 0.508 1.0	52.4 16.9 -67.5 69.7 284	0.233 0.0 1.0	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.233 0.0 1.0	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285
307	285	285	0.25 0.0 1.0	32.6 76.8 -99.8 125.9 307	0.0 0.5 1.0	51.8 18.3 -68.2 70.7 285	0.25 0.0 1.0	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285	0.25 0.0 1.0	0.0 0.488 1.0	51.0 19.9 -69.6 72.5 285
307	286	286	0.266 0.0 1.0	32.9 77.0 -99.2 125.6 307	0.0 0.488 1.0	51.0 20.0 -69.7 72.6 286	0.267 0.0 1.0	0.0 0.476 1.0	50.3 21.6 -71.0 74.3 286	0.267 0.0 1.0	0.0 0.476 1.0	50.3 21.6 -71.0 74.3 286
308	287	287	0.283 0.0 1.0	33.2 77.1 -98.6 125.2 308	0.0 0.475 1.0	50.2 21.8 -71.2 74.5 287	0.283 0.0 1.0	0.0 0.464 1.0	49.5 23.3 -72.4 76.1 287	0.283 0.0 1.0	0.0 0.464 1.0	49.5 23.3 -72.4 76.1 287
308	288	288	0.3 0.0 1.0	33.6 77.3 -98.1 124.9 308	0.0 0.462 1.0	49.4 23.6 -72.6 76.4 288	0.3 0.0 1.0	0.0 0.452 1.0	48.8 25.1 -73.7 77.9 288	0.3 0.0 1.0	0.0 0.452 1.0	48.8 25.1 -73.7 77.9 288
308	289	289	0.316 0.0 1.0	33.9 77.4 -97.5 124.5 308	0.0 0.45 1.0	48.6 25.5 -74.0 78.3 289	0.317 0.0 1.0	0.0 0.44 1.0	48.0 26.9 -75.0 79.8 289	0.317 0.0 1.0	0.0 0.44 1.0	48.0 26.9 -75.0 79.8 289
308	290	290	0.333 0.0 1.0	34.3 77.6 -96.9 124.1 308	0.0 0.437 1.0	47.8 27.4 -75.3 80.2 290	0.333 0.0 1.0	0.0 0.428 1.0	47.2 28.8 -76.2 81.6 290	0.333 0.0 1.0	0.0 0.428 1.0	47.2 28.8 -76.2 81.6 290
308	291	291	0.35 0.0 1.0	34.6 77.7 -96.3 123.8 308	0.0 0.424 1.0	47.0 29.4 -76.6 82.1 291	0.35 0.0 1.0	0.0 0.416 1.0	46.5 30.7 -77.4 83.4 291	0.35 0.0 1.0	0.0 0.416 1.0	46.5 30.7 -77.4 83.4 291
309	292	292	0.366 0.0 1.0	34.9 77.9 -95.7 123.4 309	0.0 0.412 1.0	46.2 31.5 -77.8 84.1 292	0.367 0.0 1.0	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292	0.367 0.0 1.0	0.0 0.404 1.0	45.7 32.7 -78.5 85.2 292
309	293	293	0.383 0.0 1.0	35.3 78.1 -95.1 123.0 309	0.0 0.399 1.0	45.4 33.6 -79.0 86.0 293	0.383 0.0 1.0	0.0 0.392 1.0	44.9 34.7 -79.7 87.0 293	0.383 0.0 1.0	0.0 0.392 1.0	44.9 34.7 -79.7 87.0 293
309	294	294	0.4 0.0 1.0	35.8 78.3 -94.3 122.6 309	0.0 0.386 1.0	44.6 35.7 -80.2 87.9 294	0.4 0.0 1.0	0.0 0.38 1.0	44.2 36.8 -80.7 88.8 294	0.4 0.0 1.0	0.0 0.38 1.0	44.2 36.8 -80.7 88.8 294
310	295	295	0.416 0.0 1.0	36.3 78.6 -93.5 122.2 310	0.0 0.373 1.0	43.7 38.0 -81.4 89.9 295	0.417 0.0 1.0	0.0 0.364 1.0	43.3 39.2 -82.2 91.2 295	0.417 0.0 1.0	0.0 0.364 1.0	43.3 39.2 -82.2 91.2 295
310	296	296	0.433 0.0 1.0	36.7 78.9 -92.7 121.8 310	0.0 0.353 1.0	42.7 40.7 -83.3 92.8 296	0.433 0.0 1.0	0.0 0.345 1.0	42.3 41.7 -84.0 93.9 296	0.433 0.0 1.0	0.0 0.345 1.0	42.3 41.7 -84.0 93.9 296
310	297	297	0.45 0.0 1.0	37.2 79.1 -92.0 121.3 310	0.0 0.333 1.0	41.6 43.5 -85.2 95.7 297	0.45 0.0 1.0	0.0 0.327 1.0	41.3 44.4 -85.8 96.7 297	0.45 0.0 1.0	0.0 0.327 1.0	41.3 44.4 -85.8 96.7 297
311	298	298	0.466 0.0 1.0	37.6 79.3 -91.2 120.9 311	0.0 0.313 1.0	40.5 46.3 -87.0 98.6 298	0.467 0.0 1.0	0.0 0.308 1.0	40.3 47.1 -87.5 99.4 298	0.467 0.0 1.0	0.0 0.308 1.0	40.3 47.1 -87.5 99.4 298
311	299	299	0.483 0.0 1.0	38.1 79.6 -90.4 120.5 311	0.0 0.293 1.0	39.5 49.2 -88.7 101.5 299	0.483 0.0 1.0	0.0 0.289 1.0	39.2 49.9 -89.1 102.2 299	0.483 0.0 1.0	0.0 0.289 1.0	39.2 49.9 -89.1 102.2 299
311	300	300	0.5 0.0 1.0	38.5 79.8 -89.7 120.0 311	0.0 0.274 1.0	38.4 52.2 -90.4 104.5 300	0.5 0.0 1.0	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300	0.5 0.0 1.0	0.0 0.27 1.0	38.2 52.8 -90.6 105.0 300

1-1131030-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 11/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, de=1, sRGB* output: 3D-linearization to rgb^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linear

F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 12/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

Output: sRGB standard device; no separation, D65, page 12/29

TUB-test chart SE02; 16 step hue circle

48 step hue circles; *rgb-LabCh** tables,

input: $rgb/cmyk \rightarrow rgb_{de}$

* output: 3D-linearization to rgb^*_{de}

see similar files: <http://130.149.60.45/~farbmeterik/SE02/SE02.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

TUB registration: 20130201-SE02/SE02LOFP.PDF /.PS
TUB material: code=rh4ta

Data of maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_{\lambda}$; $h_{ab,d}$ = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours $RYGCBM_{\lambda}$; $h_{ab,d}$ = -40.0, 102.9, 126.0, 166.4, 206.2, 278.2; Six hue angles of the elementary colours $RYGCBM_{\lambda}$; $h_{ab,d}$ = 25.5, 92.2, 162.2, 215.0, 274.7, 229.6.

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart SE02; 16 step hue circle

input: $rgb/cmyk \rightarrow rgb_{de}$

48 step hue circles; *rgb-LabCh** tables, 3D=1, de=1, *sRGB** output: 3D-linearization to *rgb**_{de}

1-1131230-F0

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 14/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FP.PDF / .PS
application for measurement of display output, no separation
TUB material: code=rha4ta

n/j	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE*F _{de} hsiM _{de}	rgb*F _{de}	LabCh*F _{de}
0/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4	0.2 375
1/657	R13Y_100_100de	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.0 0.156	50.6 77.6 50.9	92.9 33.2	1.0 0.0 0.157	50.6 77.3 51.2	92.8 33.5	0.4 381
2/666	R25Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9	0.2 35
3/675	R38Y_100_100de	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.358 0.0	57.6 56.9 67.8	88.5 49.9	0.999 0.359 0.0	57.6 57.0 67.6	88.4 49.8	0.1 50
4/684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9	0.1 59
5/693	R63Y_100_100de	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.589 0.0	68.2 30.2 74.2	80.1 67.8	1.0 0.588 0.0	68.1 30.4 73.7	79.8 67.5	0.4 65
6/702	R75Y_100_100de	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.684 0.0	73.5 18.3 77.7	79.8 76.0	1.0 0.682 0.0	73.3 18.4 77.1	79.3 76.5	0.5 72
7/711	R88Y_100_100de	1.0 0.875 0.0	1.0 1.0 0.5	83	1.0 0.767 0.0	78.3 7.7 80.7	81.0 84.5	1.0 0.766 0.0	78.2 7.7 80.4	80.8 84.4	0.2 77
8/720	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3	1.0 0.856 0.0	83.6 -3.4 84.2	84.3 92.3	0.2 82
9/639	Y13G_100_100de	0.875 1.0 0.0	1.0 1.0 0.5	97	1.0 0.966 0.0	90.5 -16.5 89.4	91.0 100.4	1.0 0.966 0.0	90.5 -16.7 89.1	90.7 100.6	0.3 88
10/558	Y25G_100_100de	0.75 1.0 0.0	1.0 1.0 0.5	104	0.906 1.0 0.0	91.0 -29.9 88.9	93.8 108.6	0.906 1.0 0.0	90.9 -30.0 88.7	93.6 108.6	0.2 94
11/477	Y38G_100_100de	0.625 1.0 0.0	1.0 1.0 0.5	112	0.743 1.0 0.0	88.4 -45.5 85.7	97.1 117.9	0.742 0.999 0.0	88.4 -45.6 85.7	97.0 118.0	0.1 104
12/396	Y50G_100_100de	0.5 1.0 0.0	1.0 1.0 0.5	120	0.528 1.0 0.0	85.9 -63.0 82.8	104.1 127.2	0.53 0.999 0.0	85.9 -63.0 82.7	104.0 127.3	0.1 118
13/315	Y63G_100_100de	0.375 1.0 0.0	1.0 1.0 0.5	128	0.0 1.0 0.072	83.6 -82.4 77.9	113.4 136.5	0.005 1.0 0.072	83.6 -82.3 78.4	113.7 136.4	0.4 153
14/234	Y75G_100_100de	0.25 1.0 0.0	1.0 1.0 0.5	136	0.0 1.0 0.436	84.1 -76.0 51.4	91.8 145.9	0.0 1.0 0.439	84.1 -75.8 51.4	91.6 145.8	0.1 175
15/153	Y88G_100_100de	0.125 1.0 0.0	1.0 1.0 0.5	143	0.0 1.0 0.593	84.6 -70.0 34.0	77.9 154.0	0.0 1.0 0.594	84.6 -69.9 34.2	77.8 153.9	0.2 186
16/72	G00C_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0	0.3 193
17/73	G13C_100_100de	0.0 1.0 0.125	1.0 1.0 0.5	157	0.0 1.0 0.778	85.5 -60.7 12.2	61.9 168.6	0.0 1.0 0.779	85.5 -60.3 12.3	61.5 168.4	0.3 197
18/74	G25C_100_100de	0.0 1.0 0.25	1.0 1.0 0.5	164	0.0 1.0 0.838	85.8 -57.1 4.9	57.3 175.0	0.0 1.0 0.841	85.8 -56.6 5.0	56.9 174.8	0.4 201
19/75	G38C_100_100de	0.0 1.0 0.375	1.0 1.0 0.5	172	0.0 1.0 0.899	86.2 -53.2 -2.1	53.3 182.3	0.0 1.0 0.901	86.2 -52.8 -2.0	52.8 182.2	0.4 204
20/76	G50C_100_100de	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.951	86.5 -49.9 -8.4	50.6 189.6	0.0 1.0 0.955	86.5 -49.2 -8.4	49.9 189.6	0.6 207
21/77	G63C_100_100de	0.0 1.0 0.625	1.0 1.0 0.5	188	0.0 0.997 1.0	86.6 -45.9 -13.9	47.9 196.9	0.0 0.997 1.0	86.6 -45.8 -13.8	47.9 196.8	0.1 210
22/78	G75C_100_100de	0.0 1.0 0.75	1.0 1.0 0.5	196	0.0 0.958 1.0	83.9 -42.0 -18.9	46.1 204.2	0.0 0.959 1.0	83.9 -41.8 -17.9	45.4 203.1	1.0 212
23/79	G88C_100_100de	0.0 1.0 0.875	1.0 1.0 0.5	203	0.0 0.924 1.0	81.4 -38.3 -22.6	44.5 210.5	0.0 0.925 1.0	81.5 -38.0 -21.5	43.7 209.5	1.1 213
24/80	C00B_100_100de	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 0.89 1.0	79.0 -34.2 -25.7	42.8 216.9	0.0 0.89 1.0	79.0 -34.1 -25.3	42.5 216.6	0.4 215
25/71	C13B_100_100de	0.0 0.875 1.0	1.0 1.0 0.5	217	0.0 0.858 1.0	76.8 -30.8 -29.1	42.4 223.3	0.0 0.859 1.0	76.8 -30.5 -28.7	41.9 223.2	0.5 217
26/62	C25B_100_100de	0.0 0.75 1.0	1.0 1.0 0.5	224	0.0 0.829 1.0	74.7 -27.7 -32.7	42.8 229.7	0.0 0.831 1.0	74.8 -27.1 -31.8	41.8 229.5	1.0 219
27/53	C38B_100_100de	0.0 0.625 1.0	1.0 1.0 0.5	232	0.0 0.796 1.0	72.4 -23.6 -36.4	43.4 237.0	0.0 0.797 1.0	72.5 -23.0 -35.4	42.3 236.9	1.0 221
28/44	C50B_100_100de	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.763 1.0	70.0 -19.0 -39.6	43.9 244.3	0.0 0.763 1.0	70.0 -18.7 -39.3	43.5 244.5	0.4 223
29/35	C63B_100_100de	0.0 0.375 1.0	1.0 1.0 0.5	248	0.0 0.725 1.0	67.4 -14.5 -43.8	46.2 251.6	0.0 0.726 1.0	67.4 -13.9 -43.3	45.5 252.1	0.7 225
30/26	C75B_100_100de	0.0 0.25 1.0	1.0 1.0 0.5	256	0.0 0.685 1.0	64.5 -9.4 -48.6	49.5 258.9	0.0 0.686 1.0	64.6 -8.7 -47.7	48.5 259.6	1.1 227
31/17	C88B_100_100de	0.0 0.125 1.0	1.0 1.0 0.5	263	0.0 0.649 1.0	62.0 -4.2 -52.3	52.5 265.3	0.0 0.65 1.0	62.0 -3.7 -51.8	49.1 265.9	0.7 230
32/8	B00M_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7	0.0 0.609 1.0	59.2 2.0 -56.3	56.3 272.1	0.4 232
33/89	B13M_100_100de	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.554 1.0	55.5 9.2 -63.0	63.6 278.3	0.0 0.557 1.0	55.6 9.6 -62.0	62.7 278.8	1.0 236
34/170	B25M_100_100de	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.5 1.0	51.8 18.3 -68.3	70.7 285.0	0.0 0.502 1.0	51.9 18.0 -68.0	70.4 284.8	0.3 239
35/251	B38M_100_100de	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.404 1.0	45.7 32.7 -78.6	85.1 292.5	0.0 0.407 1.0	45.8 32.6 -78.0	84.5 292.7	0.6 246
36/332	B50M_100_100de	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.27 1.0	38.2 52.7 -90.7	104.9 300.1	0.0 0.272 1.0	38.2 52.8 -90.5	104.8 300.2	0.2 254
37/413	B63M_100_100de	0.625 0.0 1.0	1.0 1.0 0.5	308	0.263 0.0 1.0	32.8 76.9 -99.3	125.7 307.7	0.264 0.0 0.999	32.8 76.9 -99.4	125.7 307.7	0.0 284
38/494	B75M_100_100de	0.75 0.0 1.0	1.0 1.0 0.5	316	0.638 0.0 1.0	43.2 82.9 -81.9	116.5 315.3	0.637 0.0 1.0	43.1 82.8 -82.0	116.5 315.2	0.1 309
39/575	B88M_100_100de	0.875 0.0 1.0	1.0 1.0 0.5	323	0.837 0.0 1.0	50.7 88.7 -69.4	112.6 321.9	0.837 0.0 1.0	50.6 88.6 -69.4	112.5 321.9	0.1 321
40/656	M00R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5	0.0 330
41/655	M13R_100_100de	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.855	55.4 89.9 -41.4	99.0 335.2	1.0 0.0 0.854	55.3 89.7 -41.4	98.8 335.1	0.2 337
42/654	M25R_100_100de	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.747	54.1 86.7 -28.3	91.2 341.8	1.0 0.0 0.746	54.1 86.6 -28.2	91.1 341.9	0.1 344
43/653	M38R_100_100de	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.65 53.2	84.5 -15.7 85.9	349.4	1.0 0.0 0.647	53.2 84.1 -15.6	85.6 349.4	0.3 350
44/652	M50R_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0	1.0 0.0 0.616	52.9 83.4 -11.5	84.2 352.1	0.1 352
45/651	M63R_100_100de	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.521	52.2 81.8 1.3	81.8 0.9	1.0 0.0 0.522	52.2 81.5 1.1	81.5 0.7	0.3 358
46/650	M75R_100_100de	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.429	51.6 80.5 14.0	81.7 9.8	1.0 0.0 0.431	51.6 80.0 13.7	81.2 9.7	0.6 364
47/649	M88R_100_100de	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.348	51.2 79.3 25.2	83.2 17.6	1.0 0.0 0.35 51.2	78.9 25.0	82.8 17.6	0.3 369
48/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4	0.2 375
49/0	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 360
50/91	NW_013de	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6	0.2 360
51/182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2	0.4 360
52/273	NW_038de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2	0.5 205.6	0.5 360
53/364	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1	0.4 205.6	0.4 360
54/455	NW_063de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.559 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3	0.3 360
55/546	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8	0.2 360
56/637	NW_088de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0	0.1 212.6	0.1 360
57/728	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 325.2	0.0 360

Mean color difference of this page:

delta E* = 0.4

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

1-1131330-F0

SE020-7N, Page 14/29-F

1-1131330-F0

1-1131330-F0

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 15/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

n/j	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE**F _{de} hsiM _{de}	rgb*M _{de}	LabCh*M _{de}
0/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375
1/666	R25Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9 0.2	35
2/684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9 0.1	59
3/702	R75Y_100_100de	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.684 0.0	73.5 18.3 77.7	79.8 76.7	1.0 0.682 0.0	73.3 18.4 77.1	79.3 76.5 0.5	72
4/720	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3	1.0 0.856 0.0	83.6 -3.4 84.2	84.3 92.3 0.2	82
5/558	Y25G_100_100de	0.75 1.0 0.0	1.0 1.0 0.5	104	0.906 1.0 0.0	91.0 -29.9 88.9	93.8 108.6	0.906 1.0 0.0	90.9 -30.0 88.7	93.6 108.6 0.2	94
6/396	Y50G_100_100de	0.5 1.0 0.0	1.0 1.0 0.5	120	0.528 1.0 0.0	85.9 -63.0 82.8	104.1 127.2	0.53 0.999 0.0	85.9 -63.0 82.7	104.0 127.3 0.1	118
7/234	Y75G_100_100de	0.25 1.0 0.0	1.0 1.0 0.5	136	0.0 1.0 0.436	84.1 -76.0 51.4	91.8 145.9	0.0 1.0 0.439	84.1 -75.8 51.4	91.6 145.8 0.1	175
8/72	G00B_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0 0.3	193
9/72	G00B_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0 0.3	193
10/76	G25B_100_100de	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.951	86.5 -49.9 -8.4	50.6 189.6	0.0 1.0 0.955	86.5 -49.2 -8.4	49.9 189.6 0.6	207
11/80	G50B_100_100de	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 0.89 1.0	79.0 -34.2 -25.7	42.8 216.9	0.0 0.89 1.0	79.0 -34.1 -25.3	42.5 216.6 0.4	215
12/44	G75B_100_100de	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.763 1.0	70.0 -19.0 -39.6	43.9 244.3	0.0 0.763 1.0	70.0 -18.7 -39.3	43.5 244.5 0.4	223
13/8	B00M_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7	0.0 0.609 1.0	59.2 2.0 -56.3	56.3 272.1 0.4	232
14/332	B25R_100_100de	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.27 1.0	38.2 52.7 -90.7	104.9 300.1	0.0 0.272 1.0	38.2 52.8 -90.5	104.8 300.2 0.2	254
15/656	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0	330
16/652	B75R_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0	1.0 0.0 0.616	52.9 83.4 -11.5	84.2 352.1 0.1	352
17/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375
18/688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.631	73.1 39.1 18.6	43.3 25.4	1.0 0.622 0.61	71.4 33.9 16.1	37.6 25.4 5.9	375
19/706	R50Y_100_050de	1.0 0.75 0.5	1.0 0.5 0.75	60	1.0 0.743 0.5	79.2 31.3 35.4	41.3 58.8	1.0 0.745 0.545	77.9 16.5 33.4	37.3 63.6 5.3	59
20/724	Y00G_100_050de	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.928 0.5	89.5 -1.7 42.2	42.2 92.3	1.0 0.925 0.594	88.9 -4.7 41.4	41.7 96.5 3.2	82
21/562	Y50G_100_050de	0.75 1.0 0.5	1.0 0.5 0.75	120	0.764 1.0 0.5	90.7 -31.5 41.4	52.0 127.2	0.803 1.0 0.5	90.2 -31.1 41.0	51.5 127.1 0.6	118
22/490	G00B_100_050de	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.853	90.2 -32.3 10.3	33.9 162.2	0.673 1.0 0.853	89.6 -31.6 9.5	33.9 163.2 1.2	193
23/404	G50B_100_050de	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 0.945 1.0	87.2 -17.1 -12.8	21.4 216.9	0.676 0.947 1.0	87.1 -17.5 -12.7	21.7 216.0 0.4	215
24/368	B00R_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.804 1.0	77.3 0.8 -28.3	28.3 271.7	0.66 0.797 1.0	77.1 0.3 -27.9	27.9 270.8 0.6	232
25/692	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 0.995	76.3 47.0 -28.7	55.1 328.6	1.0 0.645 1.0	75.4 45.0 -29.9	54.1 326.3 2.5	330
26/688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.631	73.1 39.1 18.6	43.3 25.4	1.0 0.622 0.61	71.4 33.9 16.1	37.6 25.4 5.9	375
27/506	R00Y_075_050de	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.381	49.3 39.1 18.6	43.3 25.4	0.762 0.363 0.365	49.2 39.0 18.4	43.1 25.2 0.2	375
28/524	R50Y_075_050de	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.493 0.25	55.4 21.3 35.4	41.3 58.8	0.756 0.487 0.298	55.4 20.9 35.4	41.2 59.3 0.3	59
29/542	Y00G_075_050de	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.678 0.25	65.7 -1.7 42.2	42.2 92.3	0.745 0.655 0.341	65.6 -1.9 42.1	42.2 92.3 0.1	82
30/380	Y50G_075_050de	0.5 0.75 0.25	0.75 0.5 0.5	120	0.514 0.75 0.25	66.8 -31.5 41.4	52.0 127.2	0.532 0.728 0.352	66.7 -31.5 41.3	52.0 127.3 0.1	118
31/218	G00B_075_050de	0.25 0.75 0.25	0.75 0.5 0.5	150	0.25 0.75 0.603	66.4 -32.3 10.3	33.9 162.2	0.404 0.73 0.587	66.3 -32.5 10.3	34.1 162.4 0.2	193
32/222	G50B_075_050de	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.695 0.75	63.4 -17.1 -12.8	21.4 216.9	0.408 0.674 0.726	63.2 -17.3 -12.9	21.6 216.8 0.2	215
33/186	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8 -28.3	28.3 271.7	0.394 0.538 0.728	53.4 0.4 -28.1	28.1 270.8 0.4	232
34/510	B50R_075_050de	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.745	52.4 47.0 -28.7	55.1 328.6	0.743 0.385 0.724	52.4 46.7 -28.6	54.8 328.4 0.3	330
35/506	R00Y_075_050de	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.381	49.3 39.1 18.6	43.3 25.4	0.762 0.363 0.365	49.2 39.0 18.4	43.1 25.2 0.2	375
36/324	R00Y_050_050de	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.131	25.4 39.1 18.6	43.3 25.4	0.482 0.102 0.144	25.2 39.8 18.4	43.9 24.8 0.7	375
37/342	R50Y_050_050de	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.243 0.0	31.5 21.3 35.4	41.3 58.8	0.48 0.247 0.061	31.5 21.4 36.4	42.2 59.4 0.9	59
38/360	Y00G_050_050de	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.428 0.0	41.8 -1.7 42.2	42.2 92.3	0.476 0.408 0.088	41.9 -1.9 43.0	43.1 92.5 0.8	82
39/198	Y50G_050_050de	0.25 0.5 0.0	0.5 0.5 0.25	120	0.264 0.5 0.0	42.9 -31.5 41.4	52.0 127.2	0.273 0.472 0.095	43.0 -32.2 42.2	53.1 127.3 1.0	118
40/36	G00B_050_050de	0.0 0.5 0.0	0.5 0.5 0.25	150	0.0 0.5 0.353	42.5 -32.3 10.3	33.9 162.2	0.126 0.473 0.343	42.7 -32.9 10.5	34.5 162.2 0.6	193
41/40	G50B_050_050de	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.445 0.5	39.5 -17.1 -12.8	21.4 216.9	0.126 0.424 0.472	39.6 -17.6 -12.9	21.9 216.1 0.5	215
42/4	B00R_050_050de	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.304 0.5	29.6 0.8 -28.3	28.3 271.7	0.112 0.3 0.473	29.6 0.1 -28.5	28.5 270.3 0.7	232
43/328	B50R_050_050de	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.495	28.5 47.0 -28.7	55.1 328.6	0.475 0.121 0.469	28.5 47.2 -29.1	55.4 328.3 0.4	330
44/324	R00Y_050_050de	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.131	25.4 39.1 18.6	43.3 25.4	0.482 0.102 0.144	25.2 39.8 18.4	43.9 24.8 0.7	375
45/0	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360
46/91	NW_013de	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6 0.2	360
47/182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2 0.4	360
48/273	NW_038de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2	0.5 205.6 0.5	360
49/364	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1	0.4 205.6 0.4	360
50/455	NW_063de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.53 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3 0.3	360
51/546	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360
52/637	NW_088de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0	0.1 212.6 0.1	360
53/728	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 325.2 0.0	360
Mean color difference of this page: $\Delta E^* = 0.8$											

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n\j	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsi_Mde	rgb*Mde	LabCh*Mde
0	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	B00R_012_012de	0.0	0.125	0.125	0.062	270	0.0	0.076	0.125	7.4	0.2
2	B00R_025_025de	0.0	0.0	0.25	0.25	0.125	270	0.0	0.152	0.25	14.8
3	B00R_037_037de	0.0	0.0	0.375	0.375	0.187	270	0.0	0.228	0.375	22.2
4	B00R_050_050de	0.0	0.0	0.5	0.5	0.25	270	0.0	0.304	0.5	29.6
5	B00R_062_062de	0.0	0.0	0.625	0.625	0.312	270	0.0	0.38	0.625	37.0
6	B00R_075_075de	0.0	0.0	0.75	0.75	0.375	270	0.0	0.457	0.75	44.4
7	B00R_087_087de	0.0	0.0	0.875	0.875	0.437	270	0.0	0.533	0.875	51.8
8	B00R_100_100de	0.0	0.0	1.0	1.0	0.5	270	0.0	0.609	1.0	59.2
9	G00B_012_012de	0.0	0.125	0.125	0.062	150	0.0	0.125	0.088	10.6	-8.0
10	G50B_012_012de	0.0	0.125	0.125	0.125	0.062	210	0.0	0.111	0.125	9.8
11	G75B_025_025de	0.0	0.125	0.25	0.25	0.125	240	0.0	0.19	0.25	17.5
12	G84B_037_037de	0.0	0.125	0.375	0.375	0.187	251	0.0	0.266	0.375	24.8
13	G88B_050_050de	0.0	0.125	0.5	0.5	0.25	256	0.0	0.342	0.5	32.2
14	G90B_062_062de	0.0	0.125	0.625	0.625	0.312	259	0.0	0.418	0.625	39.6
15	G92B_075_075de	0.0	0.125	0.75	0.75	0.375	261	0.0	0.494	0.75	47.0
16	G93B_087_087de	0.0	0.125	0.875	0.875	0.437	262	0.0	0.573	0.875	54.6
17	G94B_100_100de	0.0	0.125	1.0	1.0	0.5	263	0.0	0.649	1.0	62.0
18	G00B_025_025de	0.0	0.25	0.0	0.25	0.125	150	0.0	0.25	0.176	21.2
19	G25B_025_025de	0.0	0.25	0.125	0.25	0.125	180	0.0	0.25	0.237	21.6
20	G50B_025_025de	0.0	0.25	0.25	0.25	0.125	210	0.0	0.222	0.25	19.7
21	G65B_037_037de	0.0	0.25	0.375	0.375	0.187	229	0.0	0.303	0.375	27.4
22	G75B_050_050de	0.0	0.25	0.5	0.5	0.25	240	0.0	0.381	0.5	35.0
23	G80B_062_062de	0.0	0.25	0.625	0.625	0.312	247	0.0	0.456	0.625	42.3
24	G84B_075_075de	0.0	0.25	0.75	0.75	0.375	251	0.0	0.532	0.75	49.7
25	G86B_087_087de	0.0	0.25	0.875	0.875	0.437	254	0.0	0.608	0.875	57.1
26	G88B_100_100de	0.0	0.25	1.0	1.0	0.5	256	0.0	0.685	1.0	64.5
27	G00B_037_037de	0.0	0.375	0.0	0.375	0.187	150	0.0	0.375	0.264	31.9
28	G15B_037_037de	0.0	0.375	0.125	0.375	0.187	169	0.0	0.375	0.33	32.2
29	G34B_037_037de	0.0	0.375	0.25	0.375	0.187	191	0.0	0.368	0.375	32.1
30	G50B_037_037de	0.0	0.375	0.375	0.375	0.187	210	0.0	0.333	0.375	29.6
31	G61B_050_050de	0.0	0.375	0.5	0.5	0.25	224	0.0	0.414	0.5	37.3
32	G69B_062_062de	0.0	0.375	0.625	0.625	0.312	233	0.0	0.495	0.625	45.0
33	G75B_075_075de	0.0	0.375	0.75	0.75	0.375	240	0.0	0.572	0.75	52.5
34	G79B_087_087de	0.0	0.375	0.875	0.875	0.437	245	0.0	0.648	0.875	59.9
35	G81B_100_100de	0.0	0.375	1.0	1.0	0.5	248	0.0	0.725	1.0	67.4
36	G00B_050_050de	0.0	0.5	0.0	0.5	0.25	150	0.0	0.5	0.353	42.5
37	G11B_050_050de	0.0	0.5	0.125	0.5	0.25	164	0.0	0.5	0.419	42.9
38	G25B_050_050de	0.0	0.5	0.25	0.5	0.25	180	0.0	0.5	0.475	43.2
39	G38B_050_050de	0.0	0.5	0.375	0.5	0.25	196	0.0	0.479	0.5	41.9
40	G50B_050_050de	0.0	0.5	0.5	0.5	0.25	210	0.0	0.445	0.5	39.5
41	G59B_062_062de	0.0	0.5	0.625	0.625	0.312	221	0.0	0.526	0.625	47.2
42	G65B_075_075de	0.0	0.5	0.75	0.75	0.375	229	0.0	0.606	0.75	54.9
43	G70B_087_087de	0.0	0.5	0.875	0.875	0.437	235	0.0	0.686	0.875	62.5
44	G75B_100_100de	0.0	0.5	1.0	1.0	0.5	240	0.0	0.763	1.0	70.0
45	G00B_062_062de	0.0	0.625	0.0	0.625	0.312	150	0.0	0.625	0.441	53.2
46	G09B_062_062de	0.0	0.625	0.125	0.625	0.312	161	0.0	0.625	0.507	53.5
47	G19B_062_062de	0.0	0.625	0.25	0.625	0.312	173	0.0	0.625	0.566	53.9
48	G30B_062_062de	0.0	0.625	0.375	0.625	0.312	187	0.0	0.625	0.623	54.2
49	G40B_062_062de	0.0	0.625	0.5	0.625	0.312	199	0.0	0.589	0.625	51.7
50	G50B_062_062de	0.0	0.625	0.625	0.625	0.312	210	0.0	0.556	0.625	49.4
51	G57B_075_075de	0.0	0.625	0.75	0.75	0.375	219	0.0	0.637	0.75	57.1
52	G63B_087_087de	0.0	0.625	0.875	0.875	0.437	226	0.0	0.718	0.875	64.9
53	G68B_100_100de	0.0	0.625	1.0	1.0	0.5	232	0.0	0.796	1.0	72.4
54	G00B_075_075de	0.0	0.75	0.0	0.75	0.375	150	0.0	0.75	0.529	63.8
55	G07B_075_075de	0.0	0.75	0.125	0.75	0.375	159	0.0	0.75	0.596	64.2
56	G15B_075_075de	0.0	0.75	0.25	0.75	0.375	169	0.0	0.75	0.66	64.5
57	G25B_075_075de	0.0	0.75	0.375	0.75	0.375	180	0.0	0.75	0.713	64.9
58	G34B_075_075de	0.0	0.75	0.5	0.75	0.375	191	0.0	0.736	0.75	64.2
59	G42B_075_075de	0.0	0.75	0.625	0.75	0.375	201	0.0	0.7	0.75	61.6
60	G50B_075_075de	0.0	0.75	0.75	0.75	0.375	210	0.0	0.667	0.75	59.3
61	G56B_087_087de	0.0	0.75	0.875	0.875	0.437	218	0.0	0.747	0.875	66.9
62	G61B_100_100de	0.0	0.75	1.0	1.0	0.5	224	0.0	0.829	1.0	74.7
63	G00B_087_087de	0.0	0.875	0.0	0.875	0.437	150	0.0	0.875	0.617	74.5
64	G06B_087_087de	0.0	0.875	0.125	0.875	0.437	158	0.0	0.875	0.688	74.8
65	G13B_087_087de	0.0	0.875	0.25	0.875	0.437	166	0.0	0.875	0.748	75.1
66	G20B_087_087de	0.0	0.875	0.375	0.875	0.437	175	0.0	0.875	0.804	75.5
67	G29B_087_087de	0.0	0.875	0.5	0.875	0.437	185	0.0	0.875	0.861	75.9
68	G36B_087_087de	0.0	0.875	0.625	0.875	0.437	194	0.0	0.847	0.875	74.0
69	G43B_087_087de	0.0	0.875	0.75	0.875	0.437	202	0.0	0.812	0.875	71.6
70	G50B_087_087de	0.0	0.875	0.875	0.875	0.437	210	0.0	0.778	0.875	69.1
71	G55B_100_100de	0.0	0.875	1.0	1.0	0.5	217	0.0	0.858	1.0	76.8
72	G00B_100_100de	0.0	1.0	0.0	1.0	0.5	150	0.0	1.0	0.706	85.1
73	G05B_100_100de	0.0	1.0	0.125	1.0	0.5	157	0.0	1.0	0.778	85.5
74	G11B_100_100de	0.0	1.0	0.25	1.0	0.5	164	0.0	1.0	0.838	85.8
75	G18B_100_100de	0.0	1.0	0.375	1.0	0.5	172	0.0	1.0	0.899	86.2
76	G25B_100_100de	0.0	1.0	0.5	1.0	0.5	180	0.0	1.0	0.951	86.5
77	G31B_100_100de	0.0	1.0	0.625	1.0	0.5	188	0.0	0.997	1.0	86.6
78	G38B_100_100de	0.0	1.0	0.75	1.0	0.5	196	0.0	0.958	1.0	83.9
79	G44B_100_100de	0.0	1.0	0.875	1.0	0.5	203	0.0	0.924	1.0	81.4
80	G50B_100_100de	0.0	1.0	1.0	1.0	0.5	210	0.0	0.89	1.0	79.0

Mean color difference of this page: $\Delta E^*_{ab} = 0.6$

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

TUB registration: 20130201-SE02/SE02L0FP.PDF / .PS
application for measurement of display output, no separation
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 17/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE**F _{de} hsi _{de}		
81	R00Y_012_012de	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.032	6.3 9.7 4.6	10.8 25.4	0.146 0.043 0.037	5.3 11.5 4.6	12.4 21.9 2.0	375
82	B50R_012_012de	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.123	7.1 11.7 -7.1	13.7 328.6	0.137 0.052 0.133	6.1 14.1 -8.8	16.6 328.0 3.0	330
83	B25R_025_025de	0.125 0.0 0.25	0.25 0.25 0.125	300	0.0 0.067 0.25	9.5 13.1 -22.6	26.2 300.1	0.093 0.083 0.24	8.6 14.1 -24.3	28.1 300.2 2.1	254
84	B15R_037_037de	0.125 0.0 0.375	0.375 0.375 0.187	289	0.0 0.165 0.375	17.9 10.1 -28.1	29.9 289.7	0.101 0.173 0.354	17.7 9.4 -28.8	30.3 288.2 0.9	243
85	B11R_050_050de	0.125 0.0 0.5	0.5 0.5 0.25	284	0.0 0.25 0.5	25.9 9.1 -34.1	35.3 285.0	0.129 0.25 0.473	25.9 9.1 -34.4	35.6 284.8 0.2	239
86	B09R_062_062de	0.125 0.0 0.625	0.625 0.625 0.312	281	0.0 0.327 0.625	33.3 8.9 -41.3	42.1 282.1	0.101 0.324 0.597	33.2 8.1 -41.4	42.2 281.0 0.8	238
87	B07R_075_075de	0.125 0.0 0.75	0.75 0.75 0.375	279	0.0 0.404 0.75	40.8 8.7 -48.4	49.2 280.2	0.071 0.401 0.728	40.8 8.0 -48.3	49.0 279.4 0.7	237
88	B06R_087_087de	0.125 0.0 0.875	0.875 0.875 0.437	278	0.0 0.478 0.875	48.1 9.1 -55.8	56.5 279.3	0.0 0.478 0.864	48.1 8.7 -55.7	56.4 278.9 0.3	236
89	B05R_100_100de	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.554 1.0	55.5 9.2 -63.0	63.6 278.3	0.0 0.557 1.0	55.6 9.6 -62.0	62.7 278.8 0.1	236
90	Y00G_012_012de	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.107 0.0	10.4 -0.4 10.5	10.5 92.3	0.139 0.115 0.038	10.1 -0.3 11.5	11.5 97.1 1.0	82
91	NW_012de	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.132 0.132 0.132	11.9 -0.2 0.0	0.2 198.6 0.2	360
92	B00R_025_012de	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.201 0.25	19.3 0.2 -7.0	7.0 271.7	0.162 0.197 0.238	19.0 -0.7 7.5	7.5 264.4 1.0	232
93	B00R_037_025de	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.277 0.375	26.7 0.4 -14.1	14.1 271.7	0.199 0.267 0.353	26.6 -0.3 -14.5	14.5 268.5 0.9	232
94	B00R_050_037de	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.353 0.5	34.1 0.6 -21.2	21.2 271.7	0.232 0.34 0.473	34.1 0.0 -21.5	21.5 270.2 0.6	232
95	B00R_062_050de	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.429 0.625	41.5 0.8 -28.3	28.3 271.7	0.261 0.416 0.597	41.5 0.2 -28.1	28.1 270.4 0.6	232
96	B00R_075_062de	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.505 0.75	48.9 1.0 -35.3	35.3 271.7	0.282 0.494 0.727	48.9 0.4 -35.1	35.1 270.7 0.6	232
97	B00R_087_075de	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.582 0.875	56.3 1.2 -42.4	42.4 271.7	0.294 0.573 0.863	56.2 0.9 -42.5	42.5 271.2 0.4	232
98	B00R_100_087de	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.658 1.0	63.7 1.5 -49.5	49.5 271.7	0.304 0.654 1.0	63.5 1.1 -49.3	49.4 271.3 0.4	232
99	Y50G_025_025de	0.125 0.25 0.0	0.25 0.25 0.125	120	0.132 0.25 0.0	21.4 -15.7 20.7	26.0 127.2	0.15 0.238 0.071	21.4 -16.8 21.9	27.6 127.4 1.6	118
100	G00B_025_012de	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.213	22.5 -8.0 2.5	8.4 162.2	0.165 0.239 0.208	22.4 -9.1 2.3	9.4 165.6 1.0	193
101	G50B_025_012de	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.236 0.25	21.8 -4.2 -3.2	5.3 216.9	0.167 0.226 0.237	21.6 -5.1 -3.5	6.2 214.5 0.9	215
102	G75B_037_025de	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.315 0.375	29.4 -4.7 -9.9	10.9 244.3	0.199 0.301 0.352	29.3 -5.8 -10.2	11.7 240.2 1.1	223
103	G84B_050_037de	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.391 0.5	36.8 -4.7 -17.1	17.8 254.3	0.235 0.375 0.474	36.8 -5.1 -17.3	18.1 253.5 0.4	226
104	G88B_062_050de	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.467 0.625	44.2 -4.7 -24.3	24.7 259.9	0.256 0.453 0.598	44.2 -5.4 -24.1	24.7 257.3 0.6	227
105	G90B_075_062de	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.543 0.75	51.6 -4.5 -31.4	31.7 261.6	0.273 0.531 0.729	51.6 -5.1 -31.3	31.7 260.6 0.6	228
106	G92B_087_075de	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.619 0.875	59.0 -4.3 -38.5	38.7 263.5	0.287 0.61 0.864	58.8 -4.5 -38.7	38.9 263.3 0.2	229
107	G93B_100_087de	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.698 1.0	66.5 -4.4 -45.3	45.6 266.4	0.294 0.696 1.0	66.3 -4.9 -45.0	45.2 263.6 0.7	229
108	Y68G_037_037de	0.125 0.375 0.0	0.375 0.375 0.187	131	0.0 0.375 0.102	31.4 -30.0 25.1	39.1 140.0	0.125 0.354 0.133	31.5 -30.4 25.4	39.7 140.1 0.5	165
109	G00B_037_025de	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.301	33.2 -16.1 5.1	16.9 162.2	0.203 0.354 0.289	33.1 -17.2 5.0	17.9 163.7 1.1	193
110	G25B_037_025de	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.362	33.5 -12.4 -2.1	12.6 189.6	0.208 0.353 0.341	33.5 -13.4 -2.3	13.6 189.7 1.0	207
111	G50B_037_025de	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.347 0.375	31.6 -8.5 -6.4	10.7 216.9	0.204 0.329 0.351	31.6 -9.6 -6.7	11.7 214.7 1.1	215
112	G65B_050_037de	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.428 0.5	39.4 -9.4 -13.1	16.2 234.3	0.237 0.41 0.474	39.5 -10.0 -13.2	16.6 232.9 0.5	220
113	G75B_062_050de	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.506 0.625	46.9 -9.5 -19.8	21.9 244.3	0.266 0.489 0.596	47.0 -10.1 -19.6	22.0 242.7 0.6	223
114	G80B_075_062de	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.581 0.75	54.2 -9.4 -27.0	28.6 250.7	0.28 0.566 0.726	54.1 -9.9 -26.9	28.7 249.8 0.4	225
115	G84B_087_075de	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.657 0.875	61.6 -9.5 -34.3	35.6 254.3	0.287 0.648 0.864	61.5 -9.7 -34.4	35.8 254.2 0.2	226
116	G86B_100_087de	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.733 1.0	69.0 -9.4 -41.5	42.6 257.1	0.29 0.733 1.0	68.8 -10.0 -41.0	42.2 256.2 0.7	227
117	Y76G_050_050de	0.125 0.5 0.0	0.5 0.5 0.25	136	0.0 0.5 0.218	42.0 -38.0 25.7	45.9 145.9	0.131 0.474 0.226	42.2 -38.6 26.1	46.6 145.8 0.7	175
118	G00B_050_037de	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.389	43.8 -24.2 7.7	25.4 162.2	0.245 0.475 0.375	44.0 -24.6 7.8	25.8 162.3 0.4	193
119	G15B_050_037de	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.455	44.2 -20.3 0.1	20.3 179.5	0.248 0.474 0.431	44.3 -20.9 0.1	20.9 179.6 0.5	203
120	G34B_050_037de	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.493 0.5	44.0 -16.7 5.9	17.7 199.6	0.251 0.468 0.472	44.1 -17.1 -5.9	18.1 199.2 0.4	210
121	G50B_050_037de	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.458 0.5	41.5 -12.8 -9.6	16.0 216.9	0.243 0.437 0.472	41.6 -13.4 -9.7	16.6 215.9 0.6	215
122	G61B_062_050de	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.539 0.625	49.3 -13.8 -16.3	21.4 229.7	0.264 0.52 0.597	49.3 -14.4 -16.1	21.6 228.3 0.5	219
123	G69B_075_062de	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.62 0.75	57.0 -14.4 -23.0	27.1 237.9	0.28 0.603 0.728	56.8 -14.7 -23.0	27.3 237.4 0.3	221
124	G75B_087_075de	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.697 0.875	64.4 -14.2 -29.7	32.9 244.3	0.299 0.687 0.862	64.3 -14.5 -29.8	33.2 244.0 0.3	223
125	G79B_100_087de	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.773 1.0	71.8 -14.1 -36.7	39.3 248.9	0.311 0.772 1.0	71.7 -14.4 -36.6	39.3 248.4 0.3	224
126	Y81G_062_062de	0.125 0.625 0.0	0.625 0.625 0.312	139	0.0 0.625 0.32	52.7 -45.8 27.1	53.2 149.4	0.13 0.596 0.319	52.6 -46.1 27.1	53.5 149.5 0.3	180
127	G00B_062_050de	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.478	54.5 -32.3 10.3	33.9 162.2	0.269 0.598 0.463	54.4 -32.6 10.0	34.1 162.8 0.4	193
128	G11B_062_050de	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.544	54.8 -28.5 2.4	28.6 175.0	0.272 0.598 0.523	54.7 -28.8 2.2	28.8 175.6 0.3	201
129	G25B_062_050de	0.125 0.625 0.375	0.625 0.5 0.375	180	0.125 0.625 0.6	55.2 -24.9 -4.2	25.3 189.6	0.276 0.597 0.574	55.1 -25.3 -4.3	25.6 189.6 0.3	207
130	G38B_062_050de	0.125 0.625 0.5	0.625 0.5 0.375	196	0.125 0.604 0.625	53.8 -21.0 9.4	23.0 204.2	0.274 0.578 0.597	53.8 -21.4 -9.4	23.4 203.6 0.4	212
131	G50B_062_050de	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.67 0.625	51.4 -17.1 -12.8	21.4 216.9	0.271 0.547 0.595	51.4 -17.7 -12.7	21.8 215.7 0.6	215
132	G59B_075_062de	0.125 0.625 0.75	0.75 0.625 0.437	221	0.125 0.651 0.75	59.2 -18.1 -19.5	26.6 227.0	0.285 0.632 0.727	59.0 -18.3 -19.6	26.9 226.8 0.2	218
133	G65B_087_075de	0.125 0.625 0.875	0.875 0.75 0.5	229	0.125 0.731 0.875	66.9 -18.9 -26.3	32.4 234.3	0.29 0.721 0.865	66.7 -19.1 -26.4	32.6 234.0 0.3	220
134	G70B_1B										

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02LOFP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsi_Mde		
162	R00Y_025_025de	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.065	12.7 19.5 9.3	21.6 25.4	0.248 0.077 0.076	12.1 20.4 10.6	23.0 27.4 1.6	375
163	R00Y_025_025de	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.154	13.2 20.9 -2.9	21.1 352.0	0.241 0.08 0.162	12.6 21.8 -4.0	22.2 349.6 1.5	352
164	B50R_025_025de	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.247	14.2 23.5 -14.3	27.5 328.6	0.241 0.086 0.237	13.7 24.5 -15.3	28.9 327.9 1.4	330
165	B34R_037_037de	0.25 0.0 0.375	0.375 0.375 0.187	311	0.166 0.0 0.375	13.9 29.6 -34.5	45.5 310.5	0.187 0.069 0.353	13.1 30.7 -36.1	47.4 310.2 2.0	296
166	B25R_050_050de	0.25 0.0 0.5	0.5 0.5 0.25	300	0.0 0.135 0.5	19.1 26.3 -45.3	52.4 300.1	0.131 0.148 0.474	18.9 26.6 -46.0	53.1 300.0 0.7	254
167	B19R_062_062de	0.25 0.0 0.625	0.625 0.625 0.312	293	0.0 0.245 0.625	28.0 21.7 -49.8	54.3 293.5	0.129 0.248 0.597	28.0 21.5 -49.8	54.2 293.3 0.2	247
168	B15R_075_075de	0.25 0.0 0.75	0.75 0.75 0.375	289	0.0 0.33 0.75	35.9 20.2 -56.2	59.8 289.7	0.078 0.33 0.728	35.7 19.6 -56.4	59.8 289.2 0.5	243
169	B13R_087_087de	0.25 0.0 0.875	0.875 0.875 0.437	286	0.0 0.416 0.875	43.9 18.9 -62.2	65.0 286.9	0.043 0.417 0.862	44.0 18.4 -62.1	64.8 286.5 0.5	241
170	B11R_100_100de	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.5 1.0	51.8 18.3 -68.3	70.7 285.0	0.0 0.502 1.0	51.9 18.0 -68.0	70.4 284.8 0.3	239
171	R50Y_025_025de	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.121 0.0	15.7 10.6 17.7	20.6 58.8	0.247 0.138 0.042	15.6 10.4 19.2	21.9 61.4 1.5	59
172	R00Y_025_012de	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.157	18.2 9.7 4.6	10.8 25.4	0.247 0.163 0.16	18.0 9.4 4.3	10.4 24.7 0.5	375
173	B50R_025_012de	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.248	19.0 11.7 -7.1	13.7 328.6	0.239 0.168 0.237	18.8 11.6 -7.6	13.8 326.6 0.5	330
174	B25R_037_025de	0.25 0.125 0.375	0.375 0.25 0.25	300	0.124 0.192 0.375	21.4 13.1 -22.6	26.2 300.1	0.206 0.192 0.355	21.0 12.8 -23.5	26.7 298.6 0.9	254
175	B15R_050_037de	0.25 0.125 0.5	0.5 0.375 0.312	289	0.124 0.29 0.5	29.9 10.1 -28.1	29.9 289.7	0.235 0.281 0.475	29.8 9.7 -28.5	30.1 288.7 0.5	243
176	B11R_062_050de	0.25 0.125 0.625	0.625 0.5 0.375	284	0.125 0.375 0.625	37.8 9.1 -34.1	35.3 285.0	0.266 0.363 0.597	37.8 8.7 -34.1	35.2 284.3 0.4	239
177	B09R_075_062de	0.25 0.125 0.75	0.75 0.625 0.437	281	0.125 0.452 0.75	45.3 8.9 -41.3	42.3 282.1	0.278 0.441 0.729	45.2 8.2 -41.2	42.0 281.2 0.6	238
178	B07R_087_075de	0.25 0.125 0.875	0.875 0.75 0.5	279	0.125 0.529 0.875	52.7 8.7 -48.4	49.2 280.2	0.29 0.522 0.865	52.7 8.2 -48.4	49.1 279.6 0.5	237
179	B06R_100_087de	0.25 0.125 1.0	1.0 0.875 0.562	278	0.125 0.603 1.0	60.0 9.1 -55.8	56.5 279.3	0.295 0.6 1.0	59.8 8.5 -55.3	55.9 278.7 0.8	236
180	Y00G_025_025de	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.214 0.0	20.9 -0.8 21.1	21.1 92.3	0.24 0.207 0.065	20.7 -1.5 22.6	22.6 93.8 1.6	82
181	Y00G_025_012de	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.232 0.124	22.3 -0.4 10.5	10.5 92.3	0.24 0.221 0.158	22.2 -1.0 10.4	10.5 95.4 0.6	82
182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2 0.4	360
183	B00R_037_012de	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.326 0.375	31.2 0.2 -7.0	7.0 271.7	0.276 0.308 0.352	31.1 -0.4 -7.3	7.3 266.8 0.6	232
184	B00R_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.402 0.5	38.6 0.4 -14.1	14.1 271.7	0.32 0.382 0.473	38.6 0.0 -14.4	14.4 269.8 0.5	232
185	B00R_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.478 0.625	46.0 0.6 -21.2	21.2 271.7	0.359 0.459 0.597	46.0 0.0 -21.0	21.0 270.0 0.6	232
186	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8 -28.3	28.3 271.7	0.394 0.538 0.728	53.4 0.4 -28.1	28.1 270.8 0.4	232
187	B00R_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.63 0.875	60.8 1.0 -35.3	35.3 271.7	0.424 0.617 0.864	60.7 1.0 -35.5	35.5 271.6 0.2	232
188	B00R_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.707 1.0	68.2 1.2 -42.4	42.4 271.7	0.45 0.701 1.0	68.1 0.9 -42.1	42.1 271.2 0.5	232
189	Y31G_037_037de	0.25 0.375 0.0	0.375 0.375 0.187	109	0.302 0.375 0.0	33.5 -14.8 32.6	35.8 114.4	0.292 0.35 0.089	33.4 -15.5 33.4	36.9 114.9 1.0	100
190	Y50G_037_025de	0.25 0.375 0.125	0.375 0.25 0.25	120	0.257 0.375 0.124	33.4 -15.7 20.7	26.0 127.2	0.264 0.353 0.185	33.4 -16.5 21.0	26.7 128.0 0.8	118
191	G00B_037_012de	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.338	34.4 -8.0 2.5	8.4 162.2	0.279 0.353 0.32	34.4 -8.7 2.4	9.1 164.6 0.7	193
192	G50B_037_012de	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.361 0.375	33.7 -4.2 -3.2	5.3 166.9	0.281 0.34 0.351	33.6 -4.9 -3.4	6.0 215.0 0.6	215
193	G75B_050_025de	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.44 0.5	41.3 -4.7 -9.9	10.9 244.3	0.321 0.419 0.472	41.3 -5.4 -10.1	11.5 241.8 0.7	223
194	G84B_062_037de	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.516 0.625	48.7 -4.7 -17.1	17.1 254.3	0.36 0.497 0.597	48.8 -5.2 -16.9	17.7 257.2 0.5	226
195	G88B_075_050de	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.592 0.75	56.1 -4.7 -24.3	24.7 258.9	0.39 0.575 0.729	56.0 -5.0 -24.2	24.8 258.2 0.3	227
196	G90B_087_062de	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.668 0.875	63.5 -4.5 -31.4	31.7 261.6	0.418 0.657 0.865	63.3 -4.7 -31.6	31.9 261.5 0.2	228
197	G92B_100_075de	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.744 1.0	70.9 -4.3 -38.5	38.7 263.5	0.446 0.741 1.0	70.7 -4.7 -38.0	38.3 262.8 0.6	229
198	Y50G_050_050de	0.25 0.5 0.0	0.5 0.5 0.25	120	0.264 0.5 0.0	42.9 -31.5 41.4	52.0 127.2	0.273 0.472 0.095	43.0 -32.2 42.2	53.1 127.3 1.0	118
199	Y68G_050_037de	0.25 0.5 0.125	0.5 0.375 0.312	131	0.124 0.5 0.227	43.3 -30.0 25.1	39.1 140.0	0.252 0.476 0.246	43.5 -30.0 25.3	39.6 140.1 0.4	165
200	G00B_050_025de	0.25 0.5 0.25	0.5 0.25 0.375	150	0.249 0.5 0.426	45.1 -16.1 5.1	16.9 162.2	0.325 0.475 0.407	45.1 -16.8 5.0	17.5 163.4 0.6	193
201	G25B_050_025de	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.487	45.4 -12.4 -2.1	12.6 189.6	0.329 0.474 0.461	45.5 -13.1 -2.2	13.3 189.8 0.7	207
202	G50B_050_025de	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.472 0.5	43.6 -8.5 -6.4	10.7 116.9	0.324 0.448 0.471	43.6 -9.3 -6.6	11.5 115.3 0.8	215
203	G65B_062_037de	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.553 0.625	51.3 -9.4 -13.1	16.2 234.3	0.364 0.532 0.597	51.4 -9.9 -12.9	16.3 232.5 0.5	220
204	G75B_075_050de	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.631 0.75	58.8 -9.5 -19.8	21.9 244.3	0.4 0.612 0.727	58.7 -9.5 -19.8	22.0 244.2 0.1	223
205	G80B_087_062de	0.25 0.5 0.875	0.875 0.625 0.562	247	0.25 0.706 0.875	66.1 -9.4 -27.0	28.6 250.7	0.425 0.695 0.863	66.0 -9.6 -27.1	28.8 250.5 0.2	225
206	G84B_100_075de	0.25 0.5 1.0	1.0 0.75 0.625	251	0.25 0.782 1.0	73.6 -9.5 -34.3	35.6 254.3	0.446 0.781 1.0	73.4 -10.0 -33.8	35.3 254.3 0.6	226
207	Y61G_062_062de	0.25 0.625 0.0	0.625 0.625 0.312	127	0.082 0.625 0.0	52.3 -50.8 50.0	71.3 135.4	0.159 0.596 0.093	52.2 -51.3 50.6	72.0 135.4 0.7	142
208	Y76G_062_050de	0.25 0.625 0.125	0.625 0.5 0.375	136	0.125 0.625 0.343	54.0 -38.0 25.7	45.9 145.9	0.272 0.599 0.344	53.9 -38.3 25.6	46.1 146.2 0.3	175
209	G00B_062_037de	0.25 0.625 0.25	0.625 0.375 0.437	150	0.25 0.625 0.514	55.7 -24.2 7.7	25.4 162.2	0.37 0.599 0.497	55.7 -24.1 7.4	25.3 162.8 0.3	193
210	G15B_062_037de	0.25 0.625 0.375	0.625 0.375 0.437	169	0.25 0.625 0.58 0.561	-20.3 0.1 20.3	179.5	0.375 0.598 0.554	56.0 -20.4 0.0	20.4 179.9 0.1	203
211	G34B_062_037de	0.25 0.625 0.5	0.625 0.375 0.437	191	0.25 0.618 0.625 0.559	-16.7 -5.9 17.7	199.6	0.379 0.591 0.595	55.8 -16.8 -5.9	17.9 199.3 0.1	210
212	G50B_062_037de	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.583 0.625 0.535	-12.8 -9.6 16.0	216.9	0.371 0.559 0.595	53.4 -13.2 -9.5	16.3 215.8 0.3	215
213	G61B_075_050de	0.25 0.625 0.75	0.75 0.5 0.5	224	0.25 0.664 0.75 61.2	-13.8 -16.3 21.4	229.7	0.399 0.645 0.728	61.0 -13.9 -16.4	21.5 229.6 0.2	219
214	G69B_087_062de	0.25 0.625 0.875	0.875 0.625 0.562	233	0.25 0.745 0.875 68.9	-14.4 -23.0 27.1	237.9	0.425 0.734 0.864	68.7 -14.5 -23.1	27.3 237.7 0.2	221
215	G75B_100_075de	0.25 0.625 1.0	1.0 0.75 0.625	240	0.25 0.822 1.0 76.3	-14.2 -29.7 32.9	244.3	0.457 0.821 1.0	76.2 -14.6 -29.4	32.9 243.6 0.4	223
216	Y68G_075_075de	0.25									

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 19/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE*F _{de} hsi _{de}	rgb*F _{de}	LabCh*F _{de}
243	R00Y_037_037 _{de}	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.098	19.0 29.3 13.9	32.5 25.4	0.363 0.092 0.113	18.7 30.3 14.0	33.4 24.7 1.0	375 0.0 0.0 0.263
244	R18Y_037_037 _{de}	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.182	19.4 30.4 2.2	30.5 4.3	0.358 0.096 0.188	19.1 31.2 1.6	31.2 2.9 1.0	360 0.0 0.0 0.486
245	B65R_037_037 _{de}	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.257	20.1 32.0 -7.6	32.9 346.6	0.358 0.098 0.252	19.8 33.0 -8.2	34.0 346.0 1.1	347 0.0 0.0 0.686
246	B50R_037_037 _{de}	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.371	21.4 35.3 -21.5	41.3 328.6	0.355 0.106 0.351	21.1 35.8 -22.2	42.2 328.2 0.9	330 0.0 0.0 0.991
247	B38R_050_050 _{de}	0.375 0.0 0.5	0.5 0.5 0.25	316	0.319 0.0 0.5	21.6 41.4 -40.9	58.2 315.3	0.317 0.085 0.473	21.1 42.4 -42.1	59.8 315.2 1.6	309 0.638 0.0 1.0
248	B30R_062_062 _{de}	0.375 0.0 0.625	0.625 0.625 0.312	307	0.091 0.0 0.625	19.5 47.7 -63.7	79.6 306.8	0.166 0.055 0.596	18.9 48.7 -64.6	80.9 306.9 1.4	277 0.145 0.0 1.0
249	B25R_075_075 _{de}	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.202 0.75	28.6 39.5 -68.0	78.7 300.1	0.12 0.206 0.727	28.3 39.9 -68.4	79.2 300.2 0.6	254 0.0 0.27 1.0
250	B20R_087_087 _{de}	0.375 0.0 0.875	0.875 0.875 0.437	295	0.0 0.318 0.875	37.8 34.2 -72.0	79.7 295.4	0.061 0.318 0.861	37.6 34.0 -72.3	79.9 295.2 0.3	248 0.0 0.364 1.0
251	B18R_100_100 _{de}	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.404 1.0	45.7 32.7 -78.6	85.1 292.5	0.0 0.407 1.0	45.8 32.6 -78.0	84.5 292.7 0.6	246 0.0 0.404 1.0
252	R31Y_037_037 _{de}	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.108 0.0	20.7 23.6 25.0	34.4 46.6	0.364 0.138 0.042	20.6 23.8 26.4	35.6 47.8 1.3	46 1.0 0.29 1.0
253	R00Y_037_025 _{de}	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.19	24.6 19.5 9.3	21.6 25.4	0.368 0.189 0.189	24.3 19.8 8.9	21.7 24.2 0.5	375 1.0 0.0 0.263
254	R00Y_037_025 _{de}	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.279	25.1 20.9 -2.9	21.1 352.0	0.361 0.193 0.27	24.8 21.3 -3.5	21.6 350.6 0.7	352 1.0 0.0 0.617
255	B50R_037_025 _{de}	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.372	26.2 23.5 -14.3	27.5 328.6	0.357 0.199 0.351	25.9 23.9 -15.0	28.2 327.7 0.8	330 1.0 0.0 0.991
256	B34R_050_037 _{de}	0.375 0.125 0.5	0.5 0.375 0.312	311	0.291 0.124 0.5	25.8 29.6 -34.5	45.5 310.5	0.313 0.185 0.476	25.4 30.0 -35.5	46.5 310.7 1.1	296 0.444 0.0 1.0
257	B25R_062_050 _{de}	0.375 0.125 0.625	0.625 0.5 0.375	300	0.125 0.26 0.625	31.0 26.3 -45.3	52.4 300.1	0.276 0.258 0.599	30.9 26.0 -45.4	52.3 299.8 0.3	254 0.0 0.27 1.0
258	B19R_075_062 _{de}	0.375 0.125 0.75	0.75 0.625 0.437	293	0.125 0.37 0.75	40.0 21.7 -49.8	54.3 293.5	0.289 0.36 0.729	39.9 21.3 -49.8	54.2 293.1 0.3	247 0.0 0.392 1.0
259	B15R_087_075 _{de}	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.455 0.875	47.9 20.2 -56.2	59.8 289.7	0.296 0.448 0.866	47.8 19.7 -56.3	59.6 289.3 0.4	243 0.0 0.44 1.0
260	B13R_100_087 _{de}	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.541 1.0	55.9 18.9 -62.2	65.0 286.9	0.307 0.537 1.0	55.8 18.1 -61.7	64.3 286.3 0.9	241 0.0 0.476 1.0
261	R68Y_037_037 _{de}	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.234 0.0	26.3 9.6 28.1	29.7 71.1	0.358 0.232 0.067	26.1 9.6 29.2	30.7 71.7 1.0	68 1.0 0.626 0.0
262	R50Y_037_025 _{de}	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.246 0.124	27.7 10.6 17.7	20.6 58.8	0.367 0.245 0.161	27.6 10.5 17.8	20.7 59.3 0.1	59 1.0 0.487 0.0
263	R00Y_037_012 _{de}	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.282	30.2 9.7 4.6	10.8 25.6	0.366 0.273 0.268	30.1 9.6 4.5	10.6 25.2 0.2	375 1.0 0.0 0.263
264	B50R_037_012 _{de}	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.373	31.0 11.7 -7.1	13.7 328.6	0.355 0.279 0.351	30.9 11.5 -7.4	13.7 326.9 0.4	330 1.0 0.0 0.991
265	B25R_050_025 _{de}	0.375 0.25 0.5	0.5 0.25 0.375	300	0.249 0.317 0.5	33.4 13.1 -22.6	26.2 300.7	0.327 0.304 0.476	33.2 12.7 -23.1	26.4 298.8 0.6	254 0.0 0.27 1.0
266	B15R_062_037 _{de}	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.415 0.625	41.8 10.1 -28.1	29.9 289.7	0.362 0.398 0.6	41.8 9.6 -28.0	29.6 288.9 0.4	243 0.0 0.44 1.0
267	B11R_075_050 _{de}	0.375 0.25 0.75	0.75 0.5 0.5	284	0.25 0.5 0.75	49.7 9.1 -34.1	35.3 285.0	0.399 0.483 0.728	49.7 8.6 -33.9	35.0 284.3 0.5	239 0.0 0.5 1.0
268	B09R_087_062 _{de}	0.375 0.25 0.875	0.875 0.625 0.562	281	0.25 0.577 0.875	57.2 8.9 -41.3	42.3 281.1	0.423 0.563 0.866	57.1 8.6 -41.4	42.3 281.8 0.2	238 0.0 0.523 1.0
269	B07R_100_075 _{de}	0.375 0.25 1.0	1.0 0.75 0.625	279	0.25 0.654 1.0	64.6 8.7 -48.4	49.2 280.2	0.447 0.646 1.0	64.4 8.2 -47.8	48.5 279.8 0.8	237 0.0 0.539 1.0
270	Y00G_037_037 _{de}	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.321 0.0	31.3 -1.2 31.6	31.7 92.3	0.354 0.305 0.081	31.3 -1.7 32.6	32.6 93.0 1.0	82 1.0 0.856 0.0
271	Y00G_037_025 _{de}	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.339 0.124	32.8 -0.8 21.1	21.1 92.3	0.357 0.319 0.18	32.7 -0.4 21.3	21.3 93.7 0.6	82 1.0 0.856 0.0
272	Y00G_037_012 _{de}	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.357 0.249	34.3 -0.4 10.5	10.5 92.3	0.356 0.334 0.267	34.2 -0.8 10.4	10.4 94.5 0.4	82 1.0 0.856 0.0
273	NW_037 _{de}	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2	0.5 205.6 0.5	360 1.0 1.0 1.0
274	B00R_050_012 _{de}	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.451 0.5	43.1 0.2 -7.0	7.0 271.7	0.396 0.426 0.472	43.2 -0.2 -7.2	7.2 268.3 0.4	232 0.0 0.609 1.0
275	B00R_062_025 _{de}	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.527 0.625	50.5 0.4 -14.1	14.1 271.7	0.445 0.504 0.597	50.6 0.0 -14.0	14.0 270.1 0.4	232 0.0 0.609 1.0
276	B00R_075_037 _{de}	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.603 0.75	57.9 0.6 -21.2	21.2 271.7	0.487 0.582 0.728	57.9 0.4 -21.2	21.2 271.3 0.1	232 0.0 0.609 1.0
277	B00R_087_050 _{de}	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.679 0.875	65.4 0.8 -28.3	28.3 271.7	0.527 0.664 0.864	65.2 0.8 -28.4	28.4 271.6 0.2	232 0.0 0.609 1.0
278	B00R_100_062 _{de}	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.755 1.0	72.8 1.0 -35.3	35.3 271.7	0.564 0.748 1.0	72.6 0.7 -34.9	34.9 271.5 0.5	232 0.0 0.609 1.0
279	Y23G_050_050 _{de}	0.375 0.5 0.0	0.5 0.5 0.25	104	0.453 0.5 0.0	45.5 -14.9 44.4	46.9 108.6	0.432 0.47 0.099	45.5 -15.4 45.1	47.7 108.8 0.8	94 0.906 1.0 0.0
280	Y31G_050_037 _{de}	0.375 0.5 0.125	0.5 0.375 0.312	109	0.427 0.5 0.124	45.4 -14.8 32.6	35.8 114.4	0.416 0.471 0.209	45.4 -15.4 33.1	36.5 114.9 0.7	100 0.806 1.0 0.0
281	Y50G_050_025 _{de}	0.375 0.5 0.25	0.5 0.25 0.375	120	0.382 0.5 0.249	45.3 -15.7 20.7	26.0 127.2	0.384 0.474 0.299	45.4 -16.2 20.8	26.4 127.9 0.5	118 0.528 1.0 0.0
282	G00B_050_012 _{de}	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.463	46.4 -8.0 2.5	8.4 162.2	0.399 0.474 0.438	46.4 -8.5 2.4	8.9 163.9 0.5	193 0.0 1.0 0.706
283	G50B_050_012 _{de}	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.486 0.5	45.6 -4.2 -3.2	5.3 216.9	0.4 0.459 0.471	45.7 -4.7 -3.3	5.8 215.5 0.4	215 0.0 0.89 1.0
284	G75B_062_025 _{de}	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.565 0.625	53.2 -4.7 -9.9	10.9 244.3	0.445 0.541 0.595	53.2 -5.2 -9.8	11.1 242.0 0.4	223 0.0 0.763 1.0
285	G84B_075_037 _{de}	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.641 0.75	60.6 -4.7 -17.1	17.8 254.3	0.489 0.62 0.728	60.5 -4.6 -17.2	17.8 254.7 0.1	226 0.0 0.71 1.0
286	G88B_087_050 _{de}	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.717 0.875	68.0 -4.7 -24.3	24.7 258.9	0.524 0.704 0.865	67.9 -4.7 -24.4	24.9 258.9 0.1	227 0.0 0.685 1.0
287	G90B_100_062 _{de}	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.793 1.0	75.4 -4.5 -31.4	31.7 261.6	0.558 0.79 1.0	75.2 -5.1 -30.9	31.3 260.5 0.7	228 0.0 0.67 1.0
288	Y38G_062_062 _{de}	0.375 0.625 0.0	0.625 0.625 0.312	113	0.449 0.625 0.0	55.0 -29.7 53.4	61.1 119.1	0.439 0.594 0.096	54.9 -29.9 53.9	61.6 119.0 0.5	105 0.719 1.0 0.0
289	Y50G_062_050 _{de}	0.375 0.625 0.125	0.625 0.5 0.375	120	0.389 0.625 0.125	54.9 -31.5 41.4	52.0 127.2	0.402 0.597 0.226	54.8 -31.7 41.6	52.3 127.3 0.2	118 0.528 1.0 0.0
290	Y68G_062_037 _{de}	0.375 0.625 0.25	0.625 0.375 0.437	131	0.25 0.625 0.352	55.2 -30.0 25.1	39.1 140.0	0.377 0.6 0.363	55.2 -30.0 25.0	39.0 140.1 0.1	165 0.0 1.0 0.273
291	G00B_062_025 _{de}	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.551	57.0 -16.1 5.1	16.9 162.2	0.449 0.599 0.529	56.9 -16.2 4.8	16.9 163.4 0.3	193 0.0 1.0 0.706
292	G25B_062_025 _{de}	0.375 0.625 0.5	0.625 0.25 0.5	180	0.375 0.625 0.612	57.4 -12.4 -2.1	12.6 189.6	0.453 0.597 0.584	57.2 -12.8 -2.2	13.0 189.9 0.4	207 0.0 1.0 0.951
293	G50B_062_025 _{de}	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.597 0.625	55.5 -8.5 -6.4	10.7 216.9	0.449 0.571 0.595	55.4 -9.0 -6.4	11.1 215.6 0.4	215 0.0 0.89 1.0
294	G65B_075_037 _{de}	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.678 0.75	63.2 -9.4 -13.1	16.2 234.3	0.492 0.658 0.727	63.1 -9.4 -13.1	16.2 234.1 0.0	220 0.0 0.808 1.0
295	G75B_087_050 _{de}	0.375 0.625 0.875	0.875 0.5 0.625	240	0.375 0.756 0.875	70.8 -9.5 -19.8	21.9 244.3	0.534 0.744 0.862	70.6 -9.4 -19.8	22.0 244.4 0.1	223 0.0 0.763 1.0
296	G80B_100_062 _{de}	0.375 0.625 1.0	1.0 0.625 0.687	247	0.375 0.831 1.0	78.1 -9.4 -27.0	28.6 250.7	0.564 0.829 1.0	77.9 -9.8 -26.7	28.5 249.8 0.5	225 0.0 0.73 1.0

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02LOFP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsi_Mde	rgb*Mde	LabCh*Mde
324	R00Y_050_050de	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.263
325	R26Y_050_050de	0.5	0.0	0.125	0.5	0.5	0.25	376	1.0	0.0	0.429
326	R00Y_050_050de	0.5	0.0	0.25	0.5	0.5	0.25	360	1.0	0.0	0.617
327	B61R_050_050de	0.5	0.0	0.375	0.5	0.5	0.25	344	1.0	0.0	0.747
328	B50R_050_050de	0.5	0.0	0.5	0.5	0.5	0.25	330	1.0	0.0	0.991
329	B40R_062_062de	0.5	0.0	0.625	0.625	0.625	0.312	319	0.444	0.0	1.0
330	B34R_075_075de	0.5	0.0	0.75	0.75	0.75	0.375	311	0.0	0.116	1.0
331	B29R_087_087de	0.5	0.0	0.875	0.875	0.875	0.437	305	0.0	0.27	1.0
332	B25R_100_100de	0.5	0.0	1.0	1.0	1.0	0.5	300	0.0	0.27	1.0
333	R23Y_050_050de	0.5	0.125	0.0	0.5	0.5	0.25	44	1.0	0.102	0.0
334	R00Y_050_037de	0.5	0.125	0.125	0.5	0.375	0.312	390	1.0	0.0	0.263
335	R18Y_050_037de	0.5	0.125	0.25	0.5	0.375	0.312	371	1.0	0.0	0.486
336	B65R_050_037de	0.5	0.125	0.375	0.5	0.375	0.312	349	1.0	0.0	0.686
337	B50R_050_037de	0.5	0.125	0.5	0.5	0.375	0.312	330	0.638	0.0	1.0
338	B38R_062_050de	0.5	0.125	0.625	0.625	0.5	0.375	316	0.145	0.0	1.0
339	B30R_075_062de	0.5	0.125	0.75	0.75	0.625	0.437	307	0.0	0.27	1.0
340	B25R_087_075de	0.5	0.125	0.875	0.875	0.75	0.5	300	0.0	0.364	1.0
341	B20R_100_087de	0.5	0.125	1.0	1.0	0.875	0.562	295	1.0	0.487	0.0
342	R50Y_050_050de	0.5	0.25	0.0	0.5	0.5	0.25	60	1.0	0.29	0.0
343	R31Y_050_037de	0.5	0.25	0.125	0.5	0.375	0.312	49	1.0	0.0	0.263
344	R00Y_050_025de	0.5	0.25	0.25	0.5	0.25	0.375	390	1.0	0.0	0.617
345	R00Y_050_025de	0.5	0.25	0.375	0.5	0.25	0.375	360	1.0	0.0	0.991
346	B50R_050_025de	0.5	0.25	0.5	0.5	0.25	0.375	330	0.444	0.0	1.0
347	B34R_062_037de	0.5	0.25	0.625	0.625	0.375	0.437	311	0.0	0.27	1.0
348	B25R_075_050de	0.5	0.25	0.75	0.75	0.5	0.5	300	0.0	0.27	1.0
349	B19R_087_062de	0.5	0.25	0.875	0.875	0.625	0.562	293	0.0	0.392	1.0
350	B15R_100_075de	0.5	0.25	1.0	1.0	0.75	0.625	289	0.0	0.44	1.0
351	R76Y_050_050de	0.5	0.375	0.0	0.5	0.5	0.25	76	1.0	0.684	0.0
352	R68Y_050_037de	0.5	0.375	0.125	0.5	0.375	0.312	71	0.0	0.626	0.0
353	R50Y_050_025de	0.5	0.375	0.25	0.5	0.25	0.375	60	1.0	0.487	0.0
354	R00Y_050_012de	0.5	0.375	0.375	0.5	0.125	0.437	390	1.0	0.0	0.263
355	B50R_050_012de	0.5	0.375	0.5	0.5	0.125	0.437	330	1.0	0.0	0.991
356	B25R_062_025de	0.5	0.375	0.625	0.625	0.25	0.5	300	0.0	0.27	1.0
357	B15R_075_037de	0.5	0.375	0.75	0.75	0.375	0.562	289	0.0	0.44	1.0
358	B11R_087_050de	0.5	0.375	0.875	0.875	0.5	0.625	284	0.0	0.5	1.0
359	B09R_100_062de	0.5	0.375	1.0	1.0	0.625	0.687	281	0.0	0.523	1.0
360	Y00G_050_050de	0.5	0.5	0.0	0.5	0.5	0.25	90	1.0	0.856	0.0
361	Y00G_050_037de	0.5	0.5	0.125	0.5	0.375	0.312	90	1.0	0.856	0.0
362	Y00G_050_025de	0.5	0.5	0.25	0.5	0.25	0.375	90	1.0	0.856	0.0
363	Y00G_050_012de	0.5	0.5	0.375	0.5	0.125	0.437	90	1.0	0.856	0.0
364	NW_050de	0.5	0.5	0.5	0.5	0.0	0.5	360	1.0	1.0	1.0
365	B00R_062_012de	0.5	0.5	0.625	0.625	0.125	0.625	270	0.0	0.609	1.0
366	B00R_075_025de	0.5	0.5	0.75	0.75	0.25	0.625	270	0.0	0.609	1.0
367	B00R_087_037de	0.5	0.5	0.875	0.875	0.375	0.687	270	0.0	0.609	1.0
368	B00R_100_050de	0.5	0.5	1.0	1.0	0.5	0.75	270	0.0	0.609	1.0
369	Y18G_062_062de	0.5	0.625	0.0	0.625	0.625	0.312	101	0.963	1.0	0.0
370	Y23G_062_050de	0.5	0.625	0.125	0.625	0.5	0.375	104	0.906	1.0	0.0
371	Y31G_062_037de	0.5	0.625	0.25	0.625	0.375	0.437	109	0.806	1.0	0.0
372	Y50G_062_025de	0.5	0.625	0.375	0.625	0.25	0.5	120	0.528	1.0	0.0
373	G00B_062_012de	0.5	0.625	0.5	0.625	0.125	0.562	150	0.0	1.0	0.706
374	G50B_062_012de	0.5	0.625	0.625	0.625	0.125	0.562	210	0.0	0.89	1.0
375	G75B_075_025de	0.5	0.625	0.75	0.75	0.25	0.625	240	0.0	0.763	1.0
376	G84B_087_037de	0.5	0.625	0.875	0.875	0.375	0.687	251	0.0	0.71	1.0
377	G88B_100_050de	0.5	0.625	1.0	1.0	0.5	0.75	256	0.0	0.685	1.0
378	Y31G_075_075de	0.5	0.75	0.0	0.75	0.75	0.375	109	0.806	1.0	0.0
379	Y38G_075_062de	0.5	0.75	0.125	0.75	0.625	0.437	113	0.719	1.0	0.0
380	Y50G_075_050de	0.5	0.75	0.25	0.75	0.5	0.5	120	0.528	1.0	0.0
381	Y68G_075_037de	0.5	0.75	0.375	0.75	0.375	0.562	131	0.0	1.0	0.273
382	G00B_075_025de	0.5	0.75	0.5	0.75	0.25	0.625	150	0.0	1.0	0.706
383	G25B_075_025de	0.5	0.75	0.625	0.75	0.25	0.625	180	0.0	1.0	0.951
384	G50B_075_025de	0.5	0.75	0.75	0.75	0.25	0.625	210	0.0	0.89	1.0
385	G65B_087_037de	0.5	0.75	0.875	0.875	0.375	0.687	229	0.0	0.808	1.0
386	G75B_100_050de	0.5	0.75	1.0	1.0	0.5	0.75	240	0.0	0.763	1.0
387	Y41G_087_087de	0.5	0.875	0.0	0.875	0.875	0.437	115	0.0	0.67	1.0
388	Y50G_087_075de	0.5	0.875	0.125	0.875	0.5	0.5	120	0.528	1.0	0.0
389	Y61G_087_062de	0.5	0.875	0.25	0.875	0.625	0.562	127	0.132	1.0	0.0
390	Y76G_087_050de	0.5	0.875	0.375	0.875	0.5	0.625	136	0.0	1.0	0.436
391	G00B_087_037de	0.5	0.875	0.5	0.875	0.375	0.687	150	0.0	1.0	0.706
392	G15B_087_037de	0.5	0.875	0.625	0.875	0.375	0.687	169	0.0	1.0	0.88
393	G34B_087_037de	0.5	0.875	0.75	0.875	0.375	0.687	191	0.0	0.982	1.0
394	G50B_087_037de	0.5	0.875	0.875	0.875	0.375	0.687	210	0.0	0.89	1.0
395	G61B_100_050de	0.5	0.875	1.0	1.0	0.5	0.75	224	0.528	1.0	0.0
396	Y50G_100_100de	0.5	1.0	0.0	1.0	1.0	0.5	120	0.309	1.0	0.0
397	Y58G_100_087de	0.5	1.0	0.125	1.0	0.875	0.562	125	0.0	1.0	0.84
398	Y68G_100_075de	0.5	1.0	0.25	1.0	0.75	0.625	131	0.0	1.0	0.273
399	Y81G_100_062de	0.5	1.0	0.375	1.0	0.625	0.687	139	0.0	1.0	0.513
400	G00B_100_050de	0.5	1.0	0.5	1.0	0.5	0.75	150	0.0	1.0	0.706
401	G11B_100_050de	0.5	1.0	0.625	1.0	0.5	0.75	164	0.0	1.0	0.838
402	G25B_100_050de	0.5	1.0	0.75	1.0	0.5	0.75	186	0.0	1.0	0.951
403	G38B_100_050de	0.5	1.0	0.875	1.0	0.5	0.75	196	0.0	0.958	1.0
404	G50B_100_050de	0.5	1.0	1.0	1.0	0.5	0.75	210	0.0	0.89	1.0

Mean color difference of this page: $\Delta E^*_{ab} = 0.4$

delta E** = 0.4

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: $rgb \rightarrow cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsi_Mde	rgb*Mde	LabCh*Mde
405	R00Y_062_062de	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.164	31.8 48.9 23.3	54.2 25.4	0.603 0.103 0.172	31.5 49.2 23.1	54.4 25.1 0.4	0.263 375
406	R31Y_062_062de	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.247	32.1 49.9 11.7	51.2 13.2	0.603 0.104 0.25	31.9 50.3 11.3	51.6 12.6 0.6	0.366 375
407	R11Y_062_062de	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.333	32.7 51.3 -0.1	51.3 359.8	0.6 0.107 0.329	32.4 51.6 -0.7	51.6 359.2 0.6	0.357 375
408	B69R_062_062de	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.398	33.2 52.5 -8.8	53.3 350.4	0.599 0.111 0.39	33.0 52.8 -9.4	53.6 349.9 0.6	0.350 375
409	B59R_062_062de	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.495	34.1 55.1 -21.1	59.0 339.0	0.599 0.114 0.479	34.0 55.3 -21.6	59.4 338.5 0.6	0.341 375
410	B50R_062_062de	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.619	35.7 58.8 -35.9	68.9 328.6	0.597 0.124 0.591	35.6 58.6 -36.0	68.8 328.4 0.2	0.330 375
411	B42R_075_075de	0.625 0.0 0.75	0.75 0.75 0.375	321	0.588 0.0 0.75	36.4 65.2 -54.6	85.1 320.0	0.575 0.084 0.725	36.1 65.7 -55.0	85.7 320.0 0.7	0.318 375
412	B36R_087_087de	0.625 0.0 0.875	0.875 0.875 0.375	314	0.497 0.0 0.875	37.1 71.1 -75.1	103.5 313.4	0.501 0.04 0.861	35.5 71.7 -75.3	104.0 313.5 0.5	0.304 375
413	B31R_100_100de	0.625 0.0 1.0	1.0 1.0 0.5	308	0.263 0.0 1.0	32.8 76.9 -99.3	125.7 307.7	0.264 0.0 0.999	32.8 76.9 -99.4	125.7 307.7 0.0	0.284 375
414	R18Y_062_062de	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.0 0.038	31.5 48.2 37.3	61.0 37.7	0.605 0.101 0.064	31.3 48.6 38.2	61.8 38.1 0.1	0.386 375
415	R00Y_062_050de	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.256	37.3 39.1 18.6	43.3 25.4	0.619 0.237 0.251	37.2 39.2 18.3	43.2 25.0 0.3	0.375 375
416	R26Y_062_050de	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.339	37.7 40.2 7.0	40.8 9.8	0.614 0.24 0.33	37.6 40.2 6.6	40.7 9.3 0.4	0.364 375
417	R00Y_062_050de	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.433	38.4 41.8 -5.8	42.2 352.0	0.608 0.245 0.421	38.3 41.6 -6.2	42.1 351.4 0.4	0.352 375
418	B61R_062_050de	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.498	39.0 43.3 -14.1	45.6 341.8	0.607 0.25 0.482	38.9 43.2 -14.5	45.5 341.3 0.4	0.344 375
419	B50R_062_050de	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.62	40.5 47.0 -28.7	55.1 328.6	0.605 0.256 0.593	40.4 46.8 -28.8	55.0 328.3 0.2	0.330 375
420	B40R_075_062de	0.625 0.125 0.75	0.75 0.625 0.437	319	0.58 0.125 0.75	41.0 53.3 -47.7	71.5 318.1	0.58 0.243 0.728	40.8 53.2 -47.8	71.5 318.0 0.1	0.314 375
421	B34R_087_075de	0.625 0.125 0.875	0.875 0.75 0.5	311	0.458 0.125 0.875	39.7 59.3 -69.1	91.1 310.5	0.495 0.216 0.865	39.5 59.8 -69.4	91.6 310.7 0.5	0.296 375
422	B29R_100_087de	0.625 0.125 1.0	1.0 0.875 0.562	305	0.125 0.227 1.0	40.2 61.2 -87.7	107.0 304.9	0.342 0.243 1.0	40.0 60.9 -87.4	106.5 304.8 0.5	0.263 375
423	R38Y_062_062de	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.237 0.0	36.4 34.3 42.5	54.7 51.0	0.602 0.246 0.051	36.4 34.2 43.3	55.2 51.6 0.7	0.32 375
424	R23Y_062_050de	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.176 0.125	37.6 37.2 32.4	49.3 41.0	0.623 0.247 0.156	37.5 36.9 32.5	49.2 41.3 0.3	0.35 375
425	R00Y_062_037de	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.348	42.9 29.3 13.9	32.5 25.4	0.626 0.335 0.332	42.7 29.2 13.6	32.2 25.0 0.4	0.375 375
426	R18Y_062_037de	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.432	43.3 30.4 2.2	30.5 4.3	0.617 0.339 0.415	43.1 30.3 1.8	30.3 3.4 0.5	0.360 375
427	B65R_062_037de	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.507	43.9 32.0 -7.6	32.9 346.6	0.613 0.343 0.488	43.8 32.0 -8.1	33.0 346.7 0.5	0.347 375
428	B50R_062_037de	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.621	45.2 35.3 -21.5	41.3 328.6	0.609 0.351 0.595	45.1 35.1 -21.7	41.2 328.2 0.2	0.330 375
429	B38R_075_050de	0.625 0.25 0.75	0.75 0.5 0.5	316	0.569 0.25 0.75	45.4 41.4 -40.9	58.2 315.3	0.578 0.339 0.73	45.2 41.4 -41.2	58.4 315.3 0.3	0.309 375
430	B30R_087_062de	0.625 0.25 0.875	0.875 0.625 0.562	307	0.341 0.25 0.875	43.4 47.7 -63.7	79.6 306.8	0.477 0.311 0.868	43.2 47.9 -63.9	79.9 306.8 0.3	0.277 375
431	B25R_100_075de	0.625 0.25 1.0	1.0 0.75 0.625	300	0.25 0.452 1.0	52.5 39.5 -68.0	78.7 300.1	0.474 0.443 1.0	52.3 38.8 -67.2	77.6 300.0 1.1	0.254 375
432	R61Y_062_062de	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.36 0.0	42.2 19.8 46.1	50.2 66.6	0.6 0.354 0.06	42.1 19.7 46.9	50.9 67.2 0.8	0.65 375
433	R50Y_062_050de	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.368 0.125	43.4 21.3 35.4	41.3 58.8	0.614 0.364 0.18	43.4 21.0 35.7	41.4 59.5 0.4	0.59 375
434	R31Y_062_037de	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.358 0.25	44.6 23.6 25.0	34.4 46.6	0.63 0.371 0.271	44.6 23.3 24.9	34.1 46.9 0.3	0.46 375
435	R00Y_062_025de	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.44	48.5 19.5 9.3	21.6 25.4	0.624 0.425 0.471	48.3 19.1 8.9	21.1 25.1 0.5	0.375 375
436	R00Y_062_025de	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.529	49.0 20.9 -2.9	21.1 352.0	0.612 0.43 0.507	48.9 20.6 -3.2	20.9 351.0 0.4	0.352 375
437	B50R_062_025de	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.622	50.0 23.5 -14.3	27.5 328.6	0.608 0.438 0.595	49.9 23.1 -14.4	27.2 328.0 0.4	0.330 375
438	B34R_075_037de	0.625 0.375 0.75	0.75 0.375 0.562	311	0.541 0.375 0.75	49.6 29.6 -34.5	45.5 310.5	0.569 0.424 0.732	49.5 29.2 -34.6	45.3 310.2 0.3	0.296 375
439	B25R_087_050de	0.625 0.375 0.875	0.875 0.5 0.625	300	0.375 0.51 0.875	54.8 26.3 -45.3	52.4 300.1	0.545 0.495 0.869	54.9 26.0 -45.2	52.2 299.9 0.3	0.254 375
440	B19R_100_062de	0.625 0.375 1.0	1.0 0.625 0.687	293	0.375 0.62 1.0	63.8 21.7 -49.8	54.3 293.5	0.573 0.604 1.0	63.6 21.1 -49.1	53.4 293.3 0.9	0.247 375
441	R81Y_062_062de	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.449 0.0	47.1 8.6 49.3	50.0 80.0	0.598 0.435 0.072	47.1 8.2 50.1	50.8 80.7 0.9	0.74 375
442	R76Y_062_050de	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.467 0.125	48.6 9.1 38.8	39.9 76.7	0.609 0.45 0.197	48.5 8.6 39.2	40.1 77.5 0.6	0.72 375
443	R68Y_062_037de	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.484 0.25	50.1 9.6 28.1	29.7 71.1	0.616 0.466 0.298	50.1 9.0 28.1	29.5 72.1 0.5	0.68 375
444	R50Y_062_025de	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.496 0.375	51.5 10.6 17.7	20.6 58.8	0.622 0.48 0.388	51.5 10.2 17.5	20.3 59.6 0.4	0.59 375
445	R00Y_062_012de	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.532	54.0 9.7 4.6	10.8 25.4	0.616 0.512 0.506	54.1 9.4 4.4	10.4 25.3 0.3	0.375 375
446	B50R_062_012de	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.623	54.8 11.7 -7.1	13.7 328.6	0.602 0.518 0.595	54.8 11.2 -7.1	13.3 327.7 0.5	0.330 375
447	B25R_075_025de	0.625 0.5 0.75	0.75 0.25 0.625	300	0.5 0.567 0.75	57.2 13.1 -22.6	26.2 300.1	0.578 0.545 0.731	57.1 12.7 -22.6	26.0 299.3 0.4	0.254 375
448	B15R_087_037de	0.625 0.5 0.875	0.875 0.375 0.687	289	0.5 0.665 0.875	65.7 10.1 -28.1	29.9 289.7	0.62 0.644 0.867	65.5 10.0 -28.3	30.0 289.6 0.2	0.243 375
449	B11R_100_050de	0.625 0.5 1.0	1.0 0.5 0.75	284	0.5 0.75 1.0	73.6 9.1 -34.1	35.3 285.0	0.665 0.737 1.0	73.4 8.7 -33.6	34.8 284.5 0.6	0.239 375
450	Y00G_062_062de	0.625 0.625 0.0	0.625 0.625 0.312	90	0.625 0.535 0.0	52.3 -2.1 52.8	52.8 92.3	0.598 0.514 0.085	52.3 -2.5 53.5	53.5 92.7 0.8	0.82 375
451	Y00G_062_050de	0.625 0.625 0.125	0.625 0.5 0.375	90	0.625 0.553 0.125	53.7 -1.7 42.2	42.2 92.3	0.607 0.53 0.218	53.8 -2.1 42.5	42.6 92.8 0.5	0.82 375
452	Y00G_062_037de	0.625 0.625 0.25	0.625 0.375 0.437	90	0.625 0.571 0.25	55.2 -1.2 31.6	31.7 92.3	0.61 0.545 0.318	55.2 -1.7 31.7	31.8 93.1 0.4	0.82 375
453	Y00G_062_025de	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.589 0.375	56.7 -0.8 21.1	21.1 92.3	0.61 0.56 0.413	56.		

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 22/29

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsi_Mde	rgb*Mde	LabCh*Mde
486	R00Y_075_075de	0.75 0.0 0.0	0.75 0.75 0.375	390	0.75 0.0 0.197	38.1 58.7 27.9	65.0 25.4	0.731 0.086 0.201	37.8 59.2 27.8	65.4 25.1 0.6	375
487	R35Y_075_075de	0.75 0.0 0.125	0.75 0.75 0.375	381	0.75 0.0 0.279	38.5 59.4 16.4	61.6 15.4	0.729 0.092 0.281	38.2 59.8 15.9	61.9 14.9 0.6	368
488	R18Y_075_075de	0.75 0.0 0.25	0.75 0.75 0.375	371	0.75 0.0 0.364	38.9 60.8 4.5	61.0 4.3	0.729 0.09 0.362	38.6 61.3 4.0	61.4 3.7 0.8	360
489	R00Y_075_075de	0.75 0.0 0.375	0.75 0.75 0.375	360	0.75 0.0 0.463	39.7 62.7 -8.7	63.3 352.0	0.728 0.097 0.457	39.4 63.0 -9.4	63.7 351.4 0.7	352
490	B65R_075_075de	0.75 0.0 0.5	0.75 0.75 0.375	349	0.75 0.0 0.514	40.2 64.1 -15.2	65.9 346.6	0.73 0.093 0.504	39.9 64.6 -15.8	66.5 346.1 0.7	347
491	B57R_075_075de	0.75 0.0 0.625	0.75 0.75 0.375	339	0.75 0.0 0.618	41.3 66.8 -28.1	72.5 337.1	0.729 0.098 0.6	41.0 67.1 -28.4	72.9 337.0 0.4	339
492	B50R_075_075de	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.743	42.8 70.6 -43.0	82.7 328.6	0.727 0.108 0.719	42.6 70.7 -43.3	82.9 328.5 0.3	330
493	B43R_087_087de	0.75 0.0 0.875	0.875 0.875 0.375	322	0.709 0.0 0.875	43.4 76.9 -62.2	98.9 321.0	0.7 0.055 0.86	43.1 77.2 -62.6	99.4 320.9 0.5	319
494	B38R_100_100de	0.75 0.0 1.0	1.0 1.0 0.5	316	0.638 0.0 1.0	43.2 82.9 -81.9	116.5 315.3	0.637 0.0 1.0	43.1 82.8 -82.0	116.5 315.2 0.1	309
495	R15Y_075_075de	0.75 0.125 0.0	0.75 0.75 0.375	39	0.75 0.0 0.092	37.9 57.9 41.3	71.1 35.5	0.731 0.088 0.101	37.6 58.3 41.6	71.7 35.5 0.6	383
496	R00Y_075_062de	0.75 0.125 0.125	0.75 0.625 0.437	390	0.75 0.125 0.289	43.7 48.9 23.3	54.2 25.4	0.749 0.256 0.282	43.6 48.7 23.1	53.9 25.3 0.2	375
497	R31Y_075_062de	0.75 0.125 0.25	0.75 0.625 0.437	379	0.75 0.125 0.372	44.0 49.9 11.7	51.2 13.2	0.746 0.257 0.363	44.0 49.8 11.4	51.1 12.9 0.2	366
498	R11Y_075_062de	0.75 0.125 0.375	0.75 0.625 0.437	367	0.75 0.125 0.458	44.6 51.3 -0.1	51.3 359.8	0.742 0.26 0.448	44.5 51.2 -0.5	51.2 359.3 0.4	357
499	B69R_075_062de	0.75 0.125 0.5	0.75 0.625 0.437	353	0.75 0.125 0.523	45.1 52.5 -8.8	53.3 350.4	0.74 0.263 0.512	45.0 52.5 -9.2	53.4 349.9 0.4	350
500	B59R_075_062de	0.75 0.125 0.625	0.75 0.625 0.437	341	0.75 0.125 0.62	46.1 55.1 -21.1	59.0 339.0	0.738 0.267 0.603	45.9 55.1 -21.2	59.0 338.9 0.1	341
501	B50R_075_062de	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.744	47.6 58.8 -35.9	68.9 328.6	0.736 0.274 0.722	47.4 58.8 -36.0	69.0 328.5 0.2	330
502	B42R_087_075de	0.75 0.125 0.875	0.875 0.75 0.5	321	0.713 0.125 0.875	48.4 65.2 -54.6	85.1 320.0	0.716 0.261 0.863	48.2 65.2 -54.7	85.1 319.9 0.2	318
503	B36R_100_087de	0.75 0.125 1.0	1.0 0.875 0.562	314	0.622 0.125 1.0	47.6 71.1 -75.1	103.5 313.4	0.645 0.238 1.0	47.4 71.0 -74.9	103.2 313.4 0.3	304
504	R31Y_075_075de	0.75 0.25 0.0	0.75 0.75 0.375	49	0.75 0.217 0.0	41.5 47.3 50.1	68.9 46.6	0.731 0.231 0.035	41.3 47.5 50.5	69.3 46.7 0.5	46
505	R18Y_075_062de	0.75 0.25 0.125	0.75 0.625 0.437	49	0.75 0.125 0.163	43.5 48.2 37.3	61.0 37.7	0.754 0.254 0.178	43.4 48.0 37.6	61.0 38.0 0.3	386
506	R00Y_075_050de	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.381	49.3 39.1 18.6	43.3 25.4	0.762 0.363 0.365	49.2 39.0 18.4	43.1 25.2 0.2	375
507	R26Y_075_050de	0.75 0.25 0.375	0.75 0.5 0.5	376	0.75 0.25 0.464	49.6 40.2 7.0	40.8 9.8	0.755 0.367 0.449	49.6 40.0 6.6	40.6 9.4 0.3	364
508	R00Y_075_050de	0.75 0.25 0.5	0.75 0.5 0.5	360	0.75 0.25 0.558	50.3 41.8 -5.8	42.2 352.0	0.747 0.373 0.543	50.3 41.5 -5.9	41.9 351.7 0.3	352
509	B61R_075_050de	0.75 0.25 0.625	0.75 0.5 0.5	344	0.75 0.25 0.623	50.9 43.3 -14.1	45.6 341.8	0.744 0.377 0.606	50.9 43.0 -14.0	45.2 341.8 0.3	344
510	B50R_075_050de	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.745	52.4 47.0 -28.7	55.1 328.6	0.743 0.385 0.724	52.4 46.7 -28.6	54.8 328.4 0.3	330
511	B40R_087_062de	0.75 0.25 0.875	0.875 0.625 0.562	319	0.705 0.25 0.875	52.9 53.3 -47.7	71.5 318.1	0.719 0.375 0.866	52.9 53.0 -47.7	71.3 318.0 0.2	314
512	B34R_100_075de	0.75 0.25 1.0	1.0 0.75 0.625	311	0.583 0.25 1.0	51.6 59.3 -69.1	91.1 310.5	0.636 0.35 1.0	51.4 58.9 -68.5	90.3 310.6 0.7	296
513	R50Y_075_075de	0.75 0.375 0.0	0.75 0.75 0.375	60	0.75 0.365 0.0	47.3 32.0 53.1	62.0 58.8	0.729 0.364 0.045	47.2 31.9 53.8	62.5 59.3 0.6	59
514	R38Y_075_062de	0.75 0.375 0.125	0.75 0.625 0.437	53	0.75 0.362 0.125	48.4 34.3 42.5	54.7 51.0	0.748 0.369 0.176	48.3 34.0 42.9	54.8 51.6 0.5	52
515	R23Y_075_050de	0.75 0.375 0.25	0.75 0.5 0.5	44	0.75 0.301 0.25	49.5 37.2 32.4	49.3 41.0	0.769 0.371 0.269	49.5 37.0 32.3	49.1 41.1 0.2	35
516	R00Y_075_037de	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.473	54.8 29.3 13.9	32.5 25.4	0.765 0.459 0.451	54.7 29.1 13.6	32.1 25.1 0.3	375
517	R18Y_075_037de	0.75 0.375 0.5	0.75 0.375 0.562	371	0.75 0.375 0.557	55.2 30.4 2.2	30.5 4.3	0.754 0.464 0.537	55.2 30.1 2.0	30.2 3.9 0.3	360
518	B65R_075_037de	0.75 0.375 0.625	0.75 0.375 0.562	349	0.75 0.375 0.632	55.8 32.0 -7.6	32.9 346.6	0.749 0.468 0.611	55.8 31.8 -7.5	32.6 346.6 0.2	347
519	B50R_075_037de	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.746	57.2 35.3 -21.5	41.3 328.6	0.744 0.478 0.725	57.1 34.9 -21.4	41.0 328.4 0.3	330
520	B38R_087_050de	0.75 0.375 0.875	0.875 0.5 0.625	316	0.694 0.375 0.875	57.3 41.4 -40.9	58.2 315.3	0.714 0.467 0.868	57.2 41.2 -41.0	58.1 315.1 0.2	309
521	B30R_100_062de	0.75 0.375 1.0	1.0 0.625 0.687	307	0.466 0.375 1.0	55.3 47.7 -63.7	79.6 306.8	0.618 0.437 1.0	55.0 46.9 -62.6	78.3 306.8 1.3	277
522	R68Y_075_075de	0.75 0.5 0.0	0.75 0.75 0.375	71	0.75 0.469 0.0	52.6 19.2 56.3	59.5 71.1	0.728 0.461 0.056	52.5 18.9 57.0	60.0 71.6 0.7	68
523	R61Y_075_062de	0.75 0.5 0.125	0.75 0.625 0.437	67	0.75 0.485 0.125	54.1 19.8 46.1	50.2 66.6	0.743 0.477 0.195	54.1 19.5 46.6	50.5 67.3 0.6	65
524	R50Y_075_050de	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.493 0.25	55.4 21.3 35.4	41.3 58.8	0.756 0.487 0.298	55.4 20.9 35.4	41.2 59.3 0.3	59
525	R31Y_075_037de	0.75 0.5 0.375	0.75 0.375 0.562	49	0.75 0.483 0.375	56.5 23.6 25.0	34.4 46.6	0.77 0.494 0.389	56.5 23.3 24.8	34.1 46.8 0.3	46
526	R00Y_075_025de	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.565	60.4 19.5 9.3	21.6 25.4	0.76 0.549 0.54	60.2 19.3 9.0	21.3 25.1 0.4	375
527	R00Y_075_025de	0.75 0.5 0.625	0.75 0.25 0.625	360	0.75 0.5 0.654	60.9 20.9 -2.9	21.1 352.0	0.746 0.555 0.631	60.8 20.6 -2.8	20.8 352.1 0.2	352
528	B50R_075_025de	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.747	62.0 23.5 -14.3	27.5 328.6	0.741 0.562 0.726	61.8 23.3 -14.4	27.4 328.2 0.2	330
529	B34R_087_037de	0.75 0.5 0.875	0.875 0.375 0.687	311	0.666 0.5 0.875	61.6 29.6 -34.5	45.5 310.5	0.702 0.549 0.869	61.4 29.3 -34.7	45.4 310.2 0.3	296
530	B25R_100_050de	0.75 0.5 1.0	1.0 0.5 0.75	300	0.5 0.635 1.0	66.8 26.3 -45.3	52.4 300.1	0.68 0.62 1.0	66.5 25.7 -44.3	51.3 300.1 1.2	254
531	R85Y_075_075de	0.75 0.625 0.0	0.75 0.75 0.375	81	0.75 0.557 0.0	57.6 8.0 59.7	60.2 82.2	0.727 0.543 0.063	57.5 7.7 60.3	60.8 82.6 0.4	75
532	R81Y_075_062de	0.75 0.625 0.125	0.75 0.625 0.437	79	0.75 0.574 0.125	59.1 8.6 49.3	50.0 80.0	0.739 0.558 0.212	59.0 8.3 49.6	50.3 80.4 0.4	74
533	R76Y_075_050de	0.75 0.625 0.25	0.75 0.5 0.5	76	0.75 0.592 0.25	60.6 9.1 38.8	39.9 76.7	0.748 0.573 0.319	60.4 8.9 38.8	39.8 77.0 0.2	72
534	R68Y_075_037de	0.75 0.625 0.375	0.75 0.375 0.562	71	0.75 0.609 0.375	62.0 9.6 28.1	29.7 71.1	0.753 0.59 0.418	61.9 9.4 27.8	29.4 71.1 0.3	68
535	R50Y_075_025de	0.75 0.625 0.5	0.75 0.25 0.625	60	0.75 0.621 0.5	63.4 10.6 17.7	20.6 58.8	0.757 0.604 0.51	63.3 10.7 17.3	20.3 58.1 0.4	59
536	R00Y_075_012de	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.657	65.9 9.7 4.6	10.8 25.4	0.749 0.637 0.629	65.8 9.7 4.6	10.8 25.4 0.1	375
537	B50R_075_012de	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.748	66.7 11.7 -7.1	13.7 328.6	0.734 0.644 0.725	66.5 11.6 -7.3	13.7 328.0 0.2	330
538	B25R_087_025de	0.75 0.625 0.875	0.875 0.25 0.75	300	0.625 0.692 0.875	69.1 13.1 -22.6	26.2 300.1	0.71 0.672 0.868	68.9 13.0 -22.9	26.3 299.6 0.3	254
539	B15R_100_037de	0.75 0.625 1.0	1.0 0.375 0.812	289	0.625 0.79 1.0	72.7 10.1 -28.1	29.9 289.7	0.755 0.777 1.0	72.4 9.6 -27.3	28.9 289.4 0.9	243
540	Y00G_075_075de	0.75 0.75 0.0	0.75 0.75 0.375	90	0.75 0.642 0.0	67.6 -2.5 63.3	63.4 92.3	0.728 0.622 0.072	62.6 -2.5 63.9	63.9 92.2 0.5	82
541	Y00G_075_062de	0.75 0.75 0.125	0.75 0.625 0.437	90	0.75 0.66 0.125	64.2 -2.1 52.8	52.8 92.3	0.738 0.638 0.232	64.0 -2.1 52.8	52.8 92.3 0.1	82
542	Y00G_075_050de	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.676 0.25	65.7 -1.7 42.2	42.2 92.3	0.745 0.655 0.341	65.6 -1.7 42.1	42.2 92.3 0.1	82
543	Y00G_075_037de	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.696 0.375	67.1 -1.2 31.6	31.7 92.3	0.746 0.671 0.441	67.0 -1.3 31.4	31.4 92.5 0.2	82
544	Y00G_075_025de	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.714 0.5	68.6 -0.8 21.1	21.1 92.3	0.744 0.688 0.536	68.4 -0.8 20.8	20.8 92.4 0.3	82
545	Y00G_075_012de	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.732 0.625	70.0 -0.4 10.5	10.5 92.3	0.736 0.706 0.629	69.9 -0.5 10.5	10.5 93.0 0.2	82
546	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360
547	B00R_087_012de	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.826 0.875	78.9 0.2 -7.0	7.0 271.7	0.78 0.809 0.862	78.8 0.1 -7.2	7.2 270.8 0.2	232
548	B00R_100_02										

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsi_Mde
567	R00Y_087_087de	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.23	44.5 68.5 32.6	0.864 0.053 0.232	44.3 68.9 32.4	76.1 25.2 0.4
568	R36Y_087_087de	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.315	44.8 69.4 20.6	0.863 0.055 0.317	44.6 69.7 20.2	72.6 16.1 0.5
569	R23Y_087_087de	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.395	45.3 70.7 9.5	0.865 0.049 0.395	45.1 71.2 9.0	71.7 7.2 0.6
570	R08Y_087_087de	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.487	45.9 72.4 -2.9	0.864 0.051 0.484	45.7 72.8 -3.5	72.8 35.7 0.7
571	B70R_087_087de	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.538	46.3 73.1 -9.8	0.863 0.059 0.534	46.1 73.5 -10.3	74.3 35.1 0.6
572	B63R_087_087de	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.632	47.2 75.1 -21.9	0.864 0.057 0.622	47.0 75.9 -22.0	79.0 34.7 0.4
573	B56R_087_087de	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.735	48.3 78.3 -34.5	0.862 0.061 0.722	48.0 78.6 -34.8	86.0 33.6 0.4
574	B50R_087_087de	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.867	50.0 82.3 -50.2	0.861 0.068 0.853	49.8 82.7 -50.5	96.9 32.5 0.4
575	B44R_100_100de	0.875 0.0 1.0	1.0 1.0 0.5	323	0.837 0.0 1.0	50.7 88.7 -69.4	0.837 0.0 1.0	50.6 88.6 -69.4	112.5 32.9 0.1
576	R13Y_087_087de	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.0 0.122	44.3 67.7 46.4	0.864 0.052 0.13	44.1 68.2 46.2	82.4 34.1 0.4
577	R00Y_087_075de	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.322	50.1 58.7 27.9	0.884 0.266 0.313	50.0 58.7 27.7	65.0 25.3 0.2
578	R35Y_087_075de	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.404	50.4 59.4 16.4	0.88 0.269 0.397	50.3 59.5 16.0	61.6 15.1 0.3
579	R18Y_087_075de	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.489	50.9 60.8 4.5	0.878 0.271 0.482	50.8 60.9 4.1	61.1 3.9 0.4
580	R00Y_087_075de	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.588	51.6 62.7 -8.7	0.874 0.275 0.579	51.5 62.7 -8.9	63.4 35.1 0.2
581	B65R_087_075de	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.639	52.1 64.1 -15.2	0.876 0.275 0.628	52.0 64.2 -15.2	66.0 34.6 0.1
582	B57R_087_075de	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.743	53.2 66.8 -28.1	0.874 0.28 0.731	53.0 67.0 -28.3	72.7 33.1 0.2
583	B50R_087_075de	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.868	54.8 70.6 -43.0	0.872 0.287 0.856	54.6 70.8 -43.3	83.0 32.5 0.3
584	B43R_100_087de	0.875 0.125 1.0	1.0 0.875 0.562	322	0.834 0.125 1.0	55.3 76.9 -62.2	0.847 0.271 1.0	55.2 76.9 -62.0	98.8 32.1 0.2
585	R26Y_087_087de	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.173 0.0	46.4 60.9 57.4	0.863 0.187 0.019	46.1 61.5 57.3	84.1 43.0 0.6
586	R15Y_087_075de	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.125 0.217	49.8 57.9 41.3	0.887 0.265 0.213	49.7 57.9 41.5	71.2 35.6 0.2
587	R00Y_087_062de	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.414	55.6 48.9 23.3	0.899 0.388 0.399	55.6 48.8 23.0	54.0 25.2 0.2
588	R31Y_087_062de	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.497	56.0 49.9 11.7	0.893 0.391 0.484	55.9 49.8 11.4	51.1 12.9 0.3
589	R11Y_087_062de	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.583	56.5 51.3 -0.1	0.888 0.394 0.57	56.4 51.2 -0.2	51.2 35.9 0.1
590	B69R_087_062de	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.648	57.0 52.5 -8.8	0.884 0.398 0.636	56.9 52.4 -8.7	53.1 35.0 0.1
591	B59R_087_062de	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.745	58.0 55.1 -21.1	0.882 0.403 0.734	57.9 55.0 -21.1	58.9 33.0 0.1
592	B50R_087_062de	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.869	59.5 58.8 -35.9	0.88 0.409 0.859	58.8 -35.9 68.9	32.8 0.1 0.330
593	B42R_100_075de	0.875 0.25 1.0	1.0 0.75 0.625	321	0.838 0.25 1.0	60.3 65.2 -54.6	0.861 0.401 1.0	60.2 65.0 -54.0	84.6 32.0 0.6
594	R41Y_087_087de	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.358 0.0	52.2 45.0 60.4	0.863 0.361 0.021	52.2 45.0 60.6	75.5 53.4 0.1
595	R31Y_087_075de	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.342 0.125	53.4 47.3 50.1	0.865 0.366 0.169	53.4 47.2 50.5	69.1 46.9 0.4
596	R18Y_087_062de	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.25 0.288	55.4 48.2 37.3	0.906 0.385 0.294	55.4 48.1 37.3	60.9 37.7 0.1
597	R00Y_087_050de	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.506	61.2 39.1 18.6	0.908 0.492 0.486	61.2 39.0 18.4	43.1 25.2 0.2
598	R26Y_087_050de	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.589	61.6 40.2 7.0	0.899 0.496 0.572	61.6 39.9 7.0	40.6 9.9 0.2
599	R00Y_087_050de	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.683	62.2 41.8 -5.8	0.889 0.502 0.67	62.2 41.4 -5.6	41.8 35.2 0.4
600	B61R_087_050de	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.748	62.8 43.3 -14.1	0.885 0.506 0.737	62.9 43.0 -14.0	45.2 34.9 0.3
601	B50R_087_050de	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.877	64.3 47.0 -28.7	0.884 0.515 0.86	64.3 46.8 -28.6	54.9 32.8 0.2
602	B40R_100_062de	0.875 0.375 1.0	1.0 0.625 0.687	319	0.83 0.375 1.0	64.8 53.3 -47.7	0.862 0.501 1.0	64.5 53.3 -47.1	71.2 31.8 0.6
603	R58Y_087_087de	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.483 0.0	58.0 30.5 63.9	0.863 0.481 0.024	58.0 30.3 64.2	71.0 64.6 0.2
604	R50Y_087_075de	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.49 0.125	59.2 32.0 53.1	0.88 0.49 0.19	59.2 31.7 53.6	62.3 59.3 0.6
605	R38Y_087_062de	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.487 0.25	60.3 34.0 52.5	0.898 0.495 0.296	60.3 34.1 42.6	54.6 51.3 0.2
606	R23Y_087_050de	0.875 0.5 0.375	0.875 0.625 0.562	44	0.875 0.426 0.375	61.4 37.2 32.4	0.918 0.498 0.387	61.4 37.0 32.3	49.1 41.0 0.2
607	R00Y_087_037de	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.598	66.8 29.3 13.9	0.908 0.586 0.574	66.6 29.3 13.8	32.4 25.2 0.1
608	R18Y_087_037de	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.682	67.1 30.4 2.2	0.895 0.59 0.663	67.0 30.4 2.2	30.5 4.2 0.1
609	B65R_087_037de	0.875 0.5 0.75	0.875 0.375 0.687	349	0.875 0.5 0.757	67.8 32.0 -7.6	0.888 0.595 0.743	67.6 32.1 -7.7	33.0 34.6 0.1
610	B50R_087_037de	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.871	69.1 35.3 -21.5	0.884 0.604 0.861	69.0 35.4 -21.6	41.5 32.8 0.2
611	B38R_100_050de	0.875 0.5 1.0	1.0 0.5 0.75	316	0.819 0.5 1.0	69.3 41.4 -40.9	0.855 0.595 1.0	69.0 41.1 -40.1	57.4 31.5 0.9
612	R73Y_087_087de	0.875 0.625 0.0	0.875 0.875 0.437	74	0.875 0.578 0.0	63.1 18.6 67.1	0.862 0.571 0.031	63.0 18.6 67.3	69.8 74.5 0.2
613	R68Y_087_075de	0.875 0.625 0.125	0.875 0.75 0.5	71	0.875 0.594 0.125	64.5 19.2 56.3	0.876 0.585 0.209	64.4 19.2 56.6	59.8 71.2 0.3
614	R61Y_087_062de	0.875 0.625 0.25	0.875 0.625 0.562	67	0.875 0.61 0.25	66.1 19.8 46.1	0.89 0.601 0.32	65.9 19.9 46.1	50.2 66.6 0.1
615	R50Y_087_050de	0.875 0.625 0.375	0.875 0.5 0.625	60	0.875 0.618 0.375	67.3 21.3 35.4	0.901 0.611 0.42	67.1 21.4 35.1	41.1 58.5 0.3
616	R31Y_087_037de	0.875 0.625 0.5	0.875 0.375 0.687	49	0.875 0.608 0.5	68.4 23.6 25.0	0.914 0.619 0.512	68.3 23.8 24.6	34.3 45.9 0.4
617	R00Y_087_025de	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.69	72.3 19.5 9.3	0.876 0.678 0.666	72.1 19.5 9.2	21.6 25.2 0.2
618	R00Y_087_025de	0.875 0.625 0.75	0.875 0.25 0.75	360	0.875 0.625 0.779	72.8 20.9 -2.9	0.884 0.683 0.763	72.6 20.9 -3.0	21.1 35.1 0.2
619	B50R_087_025de	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.872	73.9 23.5 -14.3	0.88 0.692 0.861	73.7 23.6 -14.5	27.7 32.8 0.2
620	B34R_100_037de	0.875 0.625 1.0	1.0 0.375 0.812	311	0.791 0.625 1.0	73.5 29.6 -34.5	0.841 0.677 1.0	73.2 29.2 -33.6	44.5 31.0 0.9
621	R86Y_087_087de	0.875 0.75 0.0	0.875 0.875 0.437	82	0.875 0.66 0.0	67.8 8.1 70.0	0.861 0.65 0.04	67.6 8.1 70.3	70.8 83.3 0.3
622	R85Y_087_075de	0.875 0.75 0.125	0.875 0.75 0.5	81	0.875 0.682 0.125	69.5 8.0 59.7	0.874 0.669 0.226	69.4 8.1 59.8	60.4 82.2 0.2
623	R81Y_087_062de	0.875 0.75 0.25	0.875 0.625 0.562	79	0.875 0.699 0.25	71.0 8.6 49.3	0.880 0.685 0.341	70.8 8.6 49.2	50.0 79.9 0.1
624	R76Y_087_050de	0.875 0.75 0.375	0.875 0.5 0.625	76	0.875 0.717 0.375	72.5 9.1 38.8	0.892 0.702 0.443	72.3 9.1 38.6	39.7 76.6 0.2
625	R68Y_087_037de	0.875 0.75 0.5	0.875 0.375 0.687	71	0.875 0.734 0.5	74.0 9.6 28.1	0.894 0.72 0.542	73.8 9.6 27.9	29.5 70.9 0.2
626	R50Y_087_025de	0.875 0.75 0.625	0.875 0.25 0.75	60	0.875 0.746 0.625	75.4 10.6 17.7	0.898 0.735 0.635	75.2 10.7 17.7	20.7 58.8 0.1</

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 24/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FP.PDF /.PS
application for measurement of display output, no separation

TUB material: code=rh4ta

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb**F _{de}	LabCh**F _{de}	DE**F _{de} hsiM _{de}	rgb**M _{de}	LabCh**M _{de}
648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375
649	R38Y_100_100de	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.348	51.2 79.3 25.2	83.2 17.6	1.0 0.0 0.35	51.2 78.9 25.0	82.8 17.6 0.3	369
650	R26Y_100_100de	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.429	51.6 80.5 14.0	81.7 9.8	1.0 0.0 0.431	51.6 80.0 13.7	81.2 9.7 0.6	364
651	R13Y_100_100de	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.521	52.2 81.8 1.3	81.8 0.9	1.0 0.0 0.522	52.2 81.5 1.1	81.5 0.7 0.3	358
652	R00Y_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0	1.0 0.0 0.616	52.9 83.4 -11.5	84.2 352.1 0.1	352
653	B68R_100_100de	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.65	53.2 84.5 -15.7	85.9 349.4	1.0 0.0 0.647	53.2 84.1 -15.6	85.6 349.4 0.3	350
654	B61R_100_100de	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.747	54.1 86.7 -28.3	91.2 341.8	1.0 0.0 0.746	54.1 86.6 -28.2	91.1 341.9 0.1	344
655	B55R_100_100de	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.855	55.4 89.9 -41.4	99.0 335.2	1.0 0.0 0.854	55.3 89.7 -41.4	98.8 335.1 0.2	337
656	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0	330
657	R11Y_100_100de	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.0 0.156	50.6 77.6 50.9	92.9 33.2	1.0 0.0 0.157	50.6 77.3 51.2	92.8 33.5 0.4	381
658	R00Y_100_087de	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.355	56.4 68.5 32.6	75.8 25.4	1.0 0.274 0.346	55.4 67.0 30.9	73.8 24.8 2.4	375
659	R36Y_100_087de	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.44	56.8 69.4 20.6	72.4 16.5	1.0 0.276 0.434	55.8 68.1 18.9	70.7 15.5 2.2	369
660	R23Y_100_087de	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.52	57.2 70.7 9.5	71.4 7.6	1.0 0.25 0.5	55.5 71.3 9.0	71.8 7.2 1.8	363
661	R08Y_100_087de	1.0 0.125 0.5	1.0 0.875 0.562	365	1.0 0.125 0.612	57.8 72.4 -2.9	72.4 357.6	1.0 0.279 0.607	57.0 71.4 -4.2	71.5 356.6 1.7	356
662	B70R_100_087de	1.0 0.125 0.625	1.0 0.875 0.562	355	1.0 0.125 0.663	58.2 73.1 -9.8	73.8 352.3	1.0 0.282 0.66	57.5 72.4 -10.8	73.2 351.4 1.4	352
663	B63R_100_087de	1.0 0.125 0.75	1.0 0.875 0.562	346	1.0 0.125 0.757	59.1 75.5 -21.9	78.6 343.7	1.0 0.285 0.749	58.3 74.7 -22.1	77.9 343.4 1.1	345
664	B56R_100_087de	1.0 0.125 0.875	1.0 0.875 0.562	338	1.0 0.125 0.86	60.2 78.3 -34.5	85.6 336.1	1.0 0.289 0.859	59.6 77.8 -35.6	85.6 335.4 1.3	338
665	B50R_100_087de	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 0.992	61.9 82.3 -50.2	96.5 328.6	1.0 0.296 0.994	61.3 82.1 -51.2	96.7 328.0 1.1	330
666	R23Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9 0.2	35
667	R13Y_100_087de	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.125 0.247	56.2 67.7 46.4	82.1 34.3	1.0 0.272 0.242	55.0 66.0 44.7	79.7 34.1 2.6	382
668	R00Y_100_075de	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.447	62.0 58.7 27.9	65.0 25.4	1.0 0.409 0.432	60.5 55.4 25.5	61.0 24.7 4.3	375
669	R35Y_100_075de	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.529	62.3 59.4 16.4	61.6 15.4	1.0 0.412 0.501	60.9 56.4 16.4	58.8 16.2 3.3	368
670	R18Y_100_075de	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.614	62.8 60.8 4.5	61.0 4.3	1.0 0.415 0.605	61.6 58.5 2.9	58.6 2.8 3.0	360
671	R00Y_100_075de	1.0 0.25 0.625	1.0 0.75 0.625	360	1.0 0.25 0.713	63.5 62.7 -8.7	63.3 352.0	1.0 0.42 0.709	62.6 60.9 -10.1	61.7 350.5 2.4	352
672	B65R_100_075de	1.0 0.25 0.75	1.0 0.75 0.625	349	1.0 0.25 0.764	64.0 64.1 -15.2	65.9 346.6	1.0 0.421 0.749	62.9 62.0 -15.1	63.8 346.2 2.3	347
673	B57R_100_075de	1.0 0.25 0.875	1.0 0.75 0.625	339	1.0 0.25 0.868	65.1 66.8 -28.1	72.5 337.1	1.0 0.427 0.868	64.2 65.4 -29.5	71.8 335.7 2.1	339
674	B50R_100_075de	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 0.993	66.7 70.6 -43.0	82.7 328.6	1.0 0.436 0.997	65.9 69.4 -44.3	82.4 327.4 1.8	330
675	R36Y_100_100de	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.358 0.0	57.6 56.9 67.8	88.5 49.9	0.999 0.359 0.0	57.6 57.0 67.6	88.4 49.8 0.1	50
676	R26Y_100_087de	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.298 0.125	58.3 60.9 57.4	83.7 43.3	1.0 0.344 0.161	57.2 59.0 56.4	81.7 43.7 2.4	40
677	R15Y_100_075de	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.25 0.342	61.8 57.9 41.3	71.1 35.5	1.0 0.408 0.33	60.0 54.0 38.8	66.5 35.6 4.8	383
678	R00Y_100_062de	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.539	67.6 48.9 23.3	54.2 25.4	1.0 0.5 0.5	64.7 46.4 21.9	51.3 25.2 3.9	375
679	R31Y_100_062de	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.622	67.9 49.9 11.7	51.2 13.2	1.0 0.525 0.607	66.5 46.0 9.6	47.0 11.8 4.6	366
680	R11Y_100_062de	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.708	68.4 51.3 -0.1	51.3 359.8	1.0 0.529 0.699	67.2 48.2 -1.8	48.2 357.7 3.7	357
681	B69R_100_062de	1.0 0.375 0.75	1.0 0.625 0.687	353	1.0 0.375 0.773	68.9 52.5 -8.8	53.3 350.4	1.0 0.5 0.75	66.3 53.2 -10.2	54.2 349.1 3.0	350
682	B59R_100_062de	1.0 0.375 0.875	1.0 0.625 0.687	341	1.0 0.375 0.87	69.9 55.1 -21.1	59.0 339.0	1.0 0.538 0.87	69.0 53.0 -22.5	57.6 336.9 2.7	341
683	B50R_100_062de	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 0.994	71.5 58.8 -35.9	68.9 328.6	1.0 0.547 0.999	70.6 57.1 -37.2	68.2 326.8 2.3	330
684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9 0.1	59
685	R41Y_100_087de	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.483 0.125	64.2 45.0 60.4	75.4 53.3	1.0 0.493 0.18	63.5 42.7 60.1	73.7 54.5 2.3	54
686	R31Y_100_075de	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.467 0.25	65.4 47.3 50.1	68.9 46.6	1.0 0.5 0.292	64.0 43.0 48.2	64.6 48.2 4.8	46
687	R18Y_100_062de	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.375 0.413	67.3 48.2 37.3	61.0 37.7	1.0 0.5 0.375	64.2 44.1 38.0	58.3 40.7 5.1	386
688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.631	73.1 39.1 18.6	43.3 25.4	1.0 0.622 0.61	71.4 33.9 16.1	37.6 25.4 5.9	375
689	R26Y_100_050de	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.714	73.5 40.2 7.0	40.8 9.8	1.0 0.623 0.7	72.0 36.5 4.7	36.8 7.4 4.6	364
690	R00Y_100_050de	1.0 0.5 0.75	1.0 0.5 0.75	360	1.0 0.5 0.808	74.1 41.8 -5.8	42.2 352.0	1.0 0.623 0.804	72.6 40.0 -8.0	40.8 348.5 3.2	352
691	B61R_100_050de	1.0 0.5 0.875	1.0 0.5 0.75	344	1.0 0.5 0.873	74.8 43.3 -14.1	45.6 341.8	1.0 0.623 0.873	73.2 42.6 -16.5	45.7 338.7 2.9	344
692	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 0.995	76.3 47.0 -28.7	55.1 328.6	1.0 0.645 1.0	75.4 45.0 -29.9	54.1 326.3 2.5	330
693	R63Y_100_100de	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.589 0.0	68.2 30.2 74.2	80.1 67.8	1.0 0.588 0.0	68.1 30.4 73.7	79.8 67.5 0.4	65
694	R58Y_100_087de	1.0 0.625 0.125	1.0 0.875 0.562	65	1.0 0.608 0.125	69.9 30.5 63.9	70.8 64.4	1.0 0.607 0.197	69.3 28.8 63.6	69.9 65.6 1.8	63
695	R50Y_100_075de	1.0 0.625 0.25	1.0 0.75 0.625	60	1.0 0.615 0.25	71.1 32.0 53.1	62.0 58.8	1.0 0.618 0.318	70.1 28.7 51.8	59.2 60.9 3.7	59
696	R38Y_100_062de	1.0 0.625 0.375	1.0 0.625 0.687	53	1.0 0.612 0.375	72.2 34.3 42.5	54.7 51.0	1.0 0.623 0.419	70.6 29.6 40.2	49.9 53.6 5.5	52
697	R23Y_100_050de	1.0 0.625 0.5	1.0 0.5 0.75	44	1.0 0.551 0.5	73.3 37.2 32.4	49.3 41.0	1.0 0.625 0.5	71.0 31.0 30.2	43.3 44.3 6.9	35
698	R00Y_100_037de	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.723	78.7 29.3 13.9	32.5 25.4	1.0 0.719 0.703	77.2 24.3 11.8	27.1 25.9 5.6	375
699	R18Y_100_037de	1.0 0.625 0.75	1.0 0.375 0.812	371	1.0 0.625 0.807	79.1 30.4 2.2	30.5 4.3	1.0 0.723 0.797	78.0 26.9 0.6	26.9 1.4 3.9	360
700	B65R_100_037de	1.0 0.625 0.875	1.0 0.375 0.812	349	1.0 0.625 0.882	79.7 32.0 -7.6	32.9 346.6	1.0 0.728 0.879	78.8 29.4 -8.9	30.8 343.0 3.0	347
701	B50R_100_037de	1.0 0.625									

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

		HIC*Fde			rgb_Fde			ict_Fde			hsi_Fde			rgb*Fde			LabCh*Fde			rgb*Fde			LabCh*Fde			DE**Fde hsiMde			rgb*Mde			LabCh*Mde		
729	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
730	G50B_100_012de	0.875	1.0	1.0	1.0	0.125	0.937	210	0.875	0.986	1.0	93.3	-4.2	-3.2	5.3	216.9	0.924	0.987	1.0	93.3	-4.3	-3.2	5.4	216.5	0.1	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
731	G50B_100_025de	0.75	1.0	1.0	1.0	0.25	0.875	210	0.75	0.972	1.0	91.3	-8.5	-6.4	10.7	216.9	0.847	0.974	1.0	91.2	-8.7	-6.4	10.8	216.1	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
732	G50B_100_037de	0.625	1.0	1.0	1.0	0.375	0.812	210	0.625	0.958	1.0	89.2	-12.8	-9.6	16.0	216.9	0.765	0.961	1.0	89.2	-13.1	-9.5	16.2	216.1	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
733	G50B_100_050de	0.5	1.0	1.0	1.0	0.5	0.75	210	0.5	0.945	1.0	87.2	-17.1	-12.8	21.4	216.9	0.676	0.947	1.0	87.1	-17.5	-12.7	21.7	216.0	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
734	G50B_100_062de	0.375	1.0	1.0	1.0	0.625	0.687	210	0.375	0.931	1.0	85.2	-21.4	-16.1	26.8	216.9	0.581	0.933	1.0	85.1	-21.8	-15.9	27.0	216.1	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
735	G50B_100_075de	0.25	1.0	1.0	1.0	0.75	0.625	210	0.25	0.917	1.0	83.1	-25.6	-19.3	32.1	216.9	0.471	0.919	1.0	83.1	-26.0	-19.0	32.2	216.2	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
736	G50B_100_087de	0.125	1.0	1.0	1.0	0.875	0.562	210	0.125	0.903	1.0	81.1	-29.9	-22.5	37.5	216.9	0.322	0.905	1.0	81.0	-30.4	-22.2	37.7	216.2	0.5	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
737	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	0.0	0.89	1.0	79.0	-34.1	-25.3	42.5	216.6	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
738	RO0Y_100_012de	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	0.907	89.8	9.7	4.6	10.8	25.4	1.0	0.907	0.899	89.2	7.3	3.7	8.3	27.1	2.6	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
739	NW_087de	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	83.4	0.0	0.0	0.0	0.0	0.858	0.86	0.86	83.3	0.0	0.0	0.1	212.6	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
740	G50B_087_012de	0.75	0.875	0.875	0.875	0.125	0.812	210	0.75	0.861	0.875	81.4	-4.2	-3.2	5.3	216.9	0.786	0.847	0.86	81.3	-4.4	-3.2	5.5	216.4	0.1	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
741	G50B_087_025de	0.625	0.875	0.875	0.875	0.25	0.75	210	0.625	0.847	0.875	79.4	-8.5	-6.4	10.7	216.9	0.707	0.835	0.86	79.2	-8.9	-6.5	11.0	216.3	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
742	G50B_087_037de	0.5	0.875	0.875	0.875	0.375	0.687	210	0.5	0.833	0.875	77.3	-12.8	-9.6	16.0	216.9	0.629	0.822	0.861	77.2	-13.0	-9.7	16.3	216.6	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
743	G50B_087_050de	0.375	0.875	0.875	0.875	0.5	0.625	210	0.375	0.806	0.875	75.3	-17.1	-12.8	21.4	216.9	0.542	0.809	0.862	75.2	-17.3	-12.9	21.6	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
744	G50B_087_062de	0.25	0.875	0.875	0.875	0.625	0.562	210	0.25	0.806	0.875	73.2	-21.4	-16.1	26.8	216.9	0.44 0.795	0.862	73.1	-21.6	-16.2	27.0	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	
745	G50B_087_075de	0.125	0.875	0.875	0.875	0.75	0.5	210	0.125	0.792	0.875	71.2	-25.6	-19.3	32.1	216.9	0.312	0.781	0.863	71.1	-25.9	-19.4	32.3	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
746	G50B_087_087de	0.0	0.875	0.875	0.875	0.875	0.437	210	0.0	0.778	0.875	69.1	-29.9	-22.5	37.5	216.9	0.047	0.767	0.863	69.0	-30.1	-22.6	37.7	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
747	RO0Y_100_025de	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	0.815	84.2	19.5	9.3	21.6	25.4	1.0	0.814	0.8	83.1	15.5	7.7	17.3	26.4	4.5	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
748	RO0Y_087_012de	0.875	0.75	0.75	0.875	0.125	0.812	390	0.875	0.75	0.782	77.9	9.7	4.6	10.8	25.4	0.886	0.769	0.762	77.8	9.7	4.6	10.8	25.3	0.1	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
749	NW_075de	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	71.5	0.0	0.0	0.0	0.0	0.721	0.724	0.724	71.3	-0.1	0.0	0.2	207.8	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
750	G50B_075_012de	0.625	0.75	0.75	0.75	0.125	0.687	210	0.625	0.736	0.75	69.5	-4.2	-3.2	5.3	216.9	0.652	0.712	0.724	69.3	-4.4	-3.2	5.5	216.2	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
751	G50B_075_025de	0.5	0.75	0.75	0.75	0.25	0.625	210	0.5	0.722	0.75	67.4	-8.5	-6.4	10.7	216.9	0.576	0.7 0.725	67.2	-8.8	-6.5	11.0	216.3	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	
752	G50B_075_037de	0.375	0.75	0.75	0.75	0.375	0.562	210	0.375	0.708	0.75	65.4	-12.8	-9.6	16.0	216.9	0.501	0.687	0.725	65.3	-12.8	-9.6	16.0	216.8	0.1	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
753	G50B_075_050de	0.25	0.75	0.75	0.75	0.5	0.5	210	0.25	0.695	0.75	63.3	-17.1	-12.8	21.4	216.9	0.408	0.674	0.726	63.2	-17.3	-12.9	21.6	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
754	G50B_075_062de	0.125	0.75	0.75	0.75	0.625	0.437	210	0.125	0.681	0.75	61.3	-21.4	-16.1	26.8	216.9	0.294	0.661	0.726	61.1	-21.7	-16.2	27.1	216.8	0.3	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
755	G50B_075_075de	0.0	0.75	0.75	0.75	0.75	0.375	210	0.0	0.667	0.75	59.3	-25.6	-19.3	32.1	216.9	0.104	0.647	0.726	59.1	-25.9	-19.4	32.4	216.8	0.3	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
756	RO0Y_100_037de	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.723	78.7	29.3	13.9	32.5	25.4	1.0	0.719	0.703	77.2	24.3	11.8	27.1	25.9	5.6	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
757	RO0Y_087_025de	0.875	0.625	0.625	0.875	0.25	0.75	390	0.875	0.625	0.69	72.3	19.5	9.3	21.6	25.4	0.9 0.678	0.666	72.1	19.5	9.2	21.6	25.2	0.2	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
758	RO0Y_075_012de	0.75	0.625	0.625	0.75	0.125	0.687	390	0.75	0.625	0.657	65.9	9.7	4.6	10.8	25.4	0.749	0.637	0.629	65.8	9.7	4.6	10.8	25.4	0.1	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
759	NW_062de	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	59.6	0.0	0.0	0.0	0.0	0.59 0.593	0.594	59.4	-0.2	-0.1	0.3	206.3	0.3	360	1.0	1.0	1.0	95.4	0.0				

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 26/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rha4ta

		HIC*F _{de}			rgb_F _{de}			ict_F _{de}			hsi_F _{de}			rgb*F _{de}			LabCh*F _{de}			rgb*F _{de}			LabCh*F _{de}			DE*F _{de} hsi _{de}			rgb*F _{de}			LabCh*F _{de}		
810	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0
811	B00R_100_012de	0.875	0.875	1.0	1.0	0.125	0.937	270	0.875	0.951	1.0	90.8	0.2	-7.0	7.0	271.7	0.918	0.947	1.0	90.7	0.0	-6.9	6.9	270.0	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
812	B00R_100_025de	0.75	0.75	1.0	1.0	0.25	0.875	270	0.75	0.902	1.0	86.3	0.4	-14.1	14.1	271.7	0.837	0.897	1.0	86.2	0.1	-13.8	13.8	270.5	0.4	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
813	B00R_100_037de	0.625	0.625	1.0	1.0	0.375	0.812	270	0.625	0.853	1.0	81.8	0.6	-21.2	21.2	271.7	0.752	0.846	1.0	81.7	0.3	-20.8	20.8	270.9	0.5	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
814	B00R_100_050de	0.5	0.5	1.0	1.0	0.5	0.75	270	0.5	0.804	1.0	77.3	0.8	-28.3	28.3	271.7	0.66	0.797	1.0	77.1	0.3	-27.9	27.9	270.8	0.6	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
815	B00R_100_062de	0.375	0.375	1.0	1.0	0.625	0.687	270	0.375	0.755	1.0	72.8	1.0	-35.3	35.3	271.7	0.564	0.748	1.0	72.6	0.7	-34.9	34.9	271.2	0.5	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
816	B00R_100_075de	0.25	0.25	1.0	1.0	0.75	0.625	270	0.25	0.707	1.0	68.2	1.2	-42.4	42.4	271.7	0.45	0.701	1.0	68.1	0.9	-42.1	42.1	271.2	0.5	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
817	B00R_100_087de	0.125	0.125	1.0	1.0	0.875	0.562	270	0.125	0.658	1.0	63.7	1.5	-49.5	49.5	271.7	0.304	0.654	1.0	63.5	1.1	-49.3	49.3	271.3	0.4	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
818	B00R_100_100de	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7	0.0	0.609	1.0	59.2	2.0	-56.3	56.3	272.1	0.4	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
819	Y00G_100_012de	1.0	1.0	0.875	1.0	0.125	0.937	90	1.0	0.982	0.875	93.9	-0.4	10.5	10.5	92.3	1.0	0.98	0.898	93.6	-1.7	10.1	10.3	99.7	1.4	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3
820	NW_087de	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	83.4	0.0	0.0	0.0	0.0	0.858	0.86	0.86	83.3	0.0	0.1	212.6	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
821	B00R_087_012de	0.75	0.75	0.875	0.875	0.125	0.812	270	0.75	0.826	0.875	78.9	0.2	-7.0	7.0	271.7	0.78	0.809	0.862	78.8	0.1	-7.2	7.2	270.8	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
822	B00R_087_025de	0.625	0.625	0.875	0.875	0.25	0.75	270	0.625	0.777	0.875	74.4	0.4	-14.1	14.1	271.7	0.701	0.76	0.864	74.3	0.3	-14.3	14.3	271.2	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
823	B00R_087_037de	0.5	0.5	0.875	0.875	0.375	0.687	270	0.5	0.728	0.875	69.9	0.6	-21.2	21.2	271.7	0.616	0.711	0.864	69.7	0.5	-21.3	21.3	271.3	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
824	B00R_087_050de	0.375	0.375	0.875	0.875	0.5	0.625	270	0.375	0.679	0.875	65.4	0.8	-28.3	28.3	271.7	0.527	0.664	0.864	65.3	0.8	-28.4	28.4	271.6	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
825	B00R_087_062de	0.25	0.25	0.875	0.875	0.625	0.562	270	0.25	0.63 0.875	0.875	60.8	1.0	-35.3	35.3	271.7	0.424	0.617	0.864	60.7	1.0	-35.5	35.5	271.6	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
826	B00R_087_075de	0.125	0.125	0.875	0.875	0.75	0.5	270	0.125	0.582	0.875	56.3	1.2	-42.4	42.4	271.7	0.294	0.573	0.863	56.2	0.9	-42.5	42.5	271.2	0.4	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
827	B00R_087_087de	0.0	0.0	0.875	0.875	0.875	0.437	270	0.0	0.533	0.875	51.8	1.5	-49.5	49.5	271.7	0.033	0.53 0.862	51.8	0.9	-49.4	49.4	271.1	0.5	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7	
828	Y00G_100_025de	1.0	1.0	0.75	1.0	0.25	0.875	90	1.0	0.964	0.75	92.4	-0.8	21.1	21.1	92.3	1.0	0.961	0.797	91.9	-3.1	20.4	20.7	98.7	2.4	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3
829	Y00G_087_012de	0.875	0.875	0.75	0.875	0.125	0.812	90	0.875	0.857	0.75	82.0	-0.4	10.5	10.5	92.3	0.873	0.841	0.761	81.9	-0.5	10.5	10.5	92.8	0.1	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3
830	NW_075de	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	71.5	0.0	0.0	0.0	0.0	0.721	0.724	0.724	71.3	-0.1	0.0	0.2	207.8	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
831	B00R_075_012de	0.625	0.625	0.75	0.75	0.125	0.687	270	0.625	0.701	0.75	67.0	0.2	-7.0	7.0	271.7	0.646	0.675	0.726	66.8	0.0	-7.2	7.2	270.5	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
832	B00R_075_025de	0.5	0.5	0.75	0.75	0.25	0.625	270	0.5	0.652	0.75	62.5	0.4	-14.1	14.1	271.7	0.57	0.628	0.728	62.3	0.4	-14.3	14.3	271.6	0.2	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
833	B00R_075_037de	0.375	0.375	0.75	0.75	0.375	0.562	270	0.375	0.603	0.75	57.9	0.6	-21.2	21.2	271.7	0.487	0.582	0.728	57.9	0.4	-21.2	21.2	271.3	0.1	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
834	B00R_075_050de	0.25	0.25	0.75	0.75	0.5	0.5	270	0.25	0.554	0.75	53.4	0.8	-28.3	28.3	271.7	0.394	0.538	0.728	53.4	0.4	-28.1	28.1	270.8	0.4	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
835	B00R_075_062de	0.125	0.125	0.75	0.75	0.625	0.437	270	0.125	0.505 0.75	0.75	48.9	1.0	-35.3	35.3	271.7	0.282	0.494	0.727	48.9	0.4	-35.1	35.1	270.7	0.6	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
836	B00R_075_075de	0.0	0.0	0.75	0.75	0.75	0.375	270	0.0	0.457 0.75	0.75	44.4	1.2	-42.4	42.4	271.7	0.08	0.451 0.726	44.4	0.3	-42.3	42.3	270.5	0.9	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7	
837	Y00G_100_037de	1.0	1.0	0.625	1.0	0.375	0.812	90	1.0	0.946 0.625	0.91	-1.2	31.6	31.7	92.3	1.0	0.943 0.696	90.4	-4.1	30.9	31.2	97.6	3.0	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3		
838	Y00G_087_025de	0.875	0.875	0.625	0.875	0.25	0.75	90	0.875	0.839 0.625	80.5	-0.8	21.1	21.1	92.3	0.881	0.823 0.663	80.4	-1.0	21.2	21.2	92.8	0.2	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3		
839	Y00G_075_012de	0.75	0.75	0.625	0.75	0.125	0.687	90	0.75	0.732 0.625	70.0	-0.4	10.5	10.5	92.3	0.736	0.706 0.629	69.9	-0.5	10.5	10.5	93.0	0.2	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3		
840	NW_062de	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625 0.625	59.6	0.0	0.0	0.0	0.0	0.59 0.593	0.594	59.4	-0.2	-0.1	0.3	206.3	0.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0		
841	B00R_062_012de	0.5	0.5	0.625	0.625	0.125	0																											

http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 27/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02LOFP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsi_Mde	rgb*Mde	LabCh*Mde
891	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 360	95.4 0.0 0.0
892	B50R_100_012de	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 0.998	90.6 11.7 -7.1	13.7 328.6	1.0 0.914 1.0	90.3 10.6 -7.4	13.0 324.9 1.1	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
893	B50R_100_025de	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 0.997	85.8 23.5 -14.3	27.5 328.6	1.0 0.827 1.0	85.2 21.7 -15.0	26.4 325.3 1.9	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
894	B50R_100_037de	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 0.996	81.0 35.3 -21.5	41.3 328.6	1.0 0.739 1.0	80.3 33.1 -22.4	40.0 325.8 2.4	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
895	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 0.995	76.3 47.0 -28.7	55.1 328.6	1.0 0.645 1.0	75.4 45.0 -29.9	54.1 326.3 2.5	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
896	B50R_100_062de	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 0.994	71.5 58.8 -35.9	68.9 328.6	1.0 0.547 0.999	70.6 57.1 -37.2	68.2 326.8 2.3	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
897	B50R_100_075de	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 0.993	66.7 70.6 -43.0	82.7 328.6	1.0 0.436 0.997	65.9 69.4 -44.3	82.4 327.4 1.8	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
898	B50R_100_087de	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 0.992	61.9 82.3 -50.2	96.5 328.6	1.0 0.296 0.994	61.3 82.1 -51.2	96.7 328.0 1.1	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
899	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
900	GO0B_100_012de	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.963	94.1 -8.0 2.5	8.4 162.2	0.922 1.0 0.963	93.8 -7.7 2.1	8.0 164.2 0.5	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
901	NW_087de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.873	83.4 0.0 0.0	0.0 0.0 0.0	0.858 0.86 8.6	83.3 0.0 0.0	0.1 212.6 0.1	360 1.0 1.0 1.0 95.4 0.0 0.0 0.0 0.0
902	B50R_087_012de	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.873	78.7 11.7 -7.1	13.7 328.6	0.872 0.777 0.861	78.5 11.7 -7.2	13.8 328.2 0.1	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
903	B50R_087_025de	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.872	73.9 23.5 -14.3	27.5 328.6	0.88 0.692 0.861	73.7 23.6 -14.5	27.7 328.3 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
904	B50R_087_037de	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.871	69.1 35.3 -21.5	41.3 328.6	0.884 0.604 0.861	69.0 35.4 -21.6	41.5 328.5 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
905	B50R_087_050de	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.87	64.3 47.0 -28.7	55.1 328.6	0.884 0.515 0.86	64.3 46.8 -28.6	54.9 328.5 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
906	B50R_087_062de	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.869	59.5 58.8 -35.9	68.9 328.6	0.879 0.411 0.859	59.5 58.8 -35.9	68.9 328.5 0.1	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
907	B50R_087_075de	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.868	54.8 70.6 -43.0	82.7 328.6	0.872 0.287 0.856	54.6 70.8 -43.3	83.0 328.5 0.3	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
908	B50R_087_087de	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.867	50.0 82.3 -50.2	96.5 328.6	0.861 0.068 0.853	49.8 82.7 -50.5	96.9 328.5 0.4	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
909	GO0B_100_025de	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.926	92.8 -16.1 5.1	16.9 162.2	0.844 1.0 0.926	92.3 -15.5 4.5	16.2 163.7 0.9	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
910	GO0B_087_012de	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.838	82.2 -8.0 2.5	8.4 162.2	0.784 0.863 0.824	82.1 -8.2 2.5	8.6 162.7 0.2	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
911	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360 1.0 1.0 1.0 95.4 0.0 0.0 0.0 0.0
912	B50R_075_012de	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.748	66.7 11.7 -7.1	13.7 328.6	0.734 0.644 0.725	66.5 11.6 -7.3	13.7 328.0 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
913	B50R_075_025de	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.747	62.0 23.5 -14.3	27.5 328.6	0.741 0.562 0.728	61.8 23.3 -14.4	27.4 328.2 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
914	B50R_075_037de	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.746	57.2 35.3 -21.5	41.3 328.6	0.744 0.478 0.725	57.1 34.9 -21.4	41.0 328.4 0.3	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
915	B50R_075_050de	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.745	52.4 47.0 -28.7	55.1 328.6	0.743 0.385 0.724	52.4 46.7 -28.6	54.8 328.4 0.3	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
916	B50R_075_062de	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.744	47.6 58.8 -35.9	68.9 328.6	0.736 0.274 0.722	47.4 58.8 -36.0	69.0 328.5 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
917	B50R_075_075de	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.743	42.8 70.6 -43.0	82.7 328.6	0.727 0.108 0.719	42.6 70.7 -43.3	82.9 328.5 0.3	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
918	GO0B_100_037de	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.889	91.5 -24.2 7.7	25.4 162.2	0.764 1.0 0.874	90.9 -24.0 8.8	25.6 159.8 1.2	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
919	GO0B_087_025de	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.801	80.9 -16.1 5.1	16.9 162.2	0.706 0.865 0.788	80.7 -16.4 5.0	17.1 162.8 0.3	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
920	GO0B_075_012de	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.713	70.2 -8.0 2.5	8.4 162.2	0.65 0.728 0.689	70.1 -8.3 2.5	8.7 162.8 0.3	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
921	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3 0.3	360 1.0 1.0 1.0 95.4 0.0 0.0 0.0 0.0
922	B50R_062_012de	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.623	54.8 11.7 -7.1	13.7 328.6	0.602 0.518 0.595	54.8 11.2 -7.1	13.3 327.7 0.5	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
923	B50R_062_025de	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.62	50.0 23.5 -14.3	27.5 328.6	0.608 0.438 0.595	49.9 23.1 -14.4	27.2 328.0 0.4	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
924	B50R_062_037de	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.621	45.2 35.3 -21.5	41.3 328.6	0.609 0.351 0.595	45.1 35.1 -21.7	41.2 328.2 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
925	B50R_062_050de	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.62	40.5 47.0 -28.7	55.1 328.6	0.605 0.256 0.593	40.4 46.8 -28.8	55.0 328.3 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
926	B50R_062_062de	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.619	35.7 58.8 -35.9	68.9 328.6	0.597 0.124 0.591	35.6 58.6 -36.0	68.8 328.4 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
927	GO0B_100_050de	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.853	90.2 -32.3 10.3	33.9 162.2	0.673 1.0 0.853	89.6 -31.6 9.5	33.0 163.2 1.2	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
928	GO0B_087_037de	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.764	79.6 -24.2 7.7	25.4 162.2	0.627 0.867 0.752	79.5 -24.3 7.7	25.6 162.2 0.1	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
929	GO0B_075_025de	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.766	68.9 -16.1 5.1	16.9 162.2	0.575 0.729 0.655	68.8 -16.3 5.0	17.1 162.7 0.2	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
930	GO0B_062_012de	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.588	58.3 -8.0 2.5	8.4 162.2	0.523 0.597 0.561	58.2 -8.1 2.4	8.5 163.5 0.2	193 0.0 1.0 0.706 85.1 -64.6 20.7 67.9 162.2
931	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1	0.4 205.6 0.4	360 1.0 1.0 1.0 95.4 0.0 0.0 0.0 0.0
932	B50R_050_012de	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.498	42.9 11.7 -7.1	13.7 328.6	0.478 0.396 0.472	42.9 11.5 -7.3	13.7 327.3 0.2	330 1.0 0.0 0.991 57.1 94.1 -57.4 110.3 328.6
933	B50R_050_025de	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.249 0.497	38.1 23.5 -14.3	27.5 328.6	0.482 0.316 0.472	3		

http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FP.DAT in file (F), page 28/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FP.PDF / .PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsiMde	rgb*Mde	LabCh*Mde
972	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
973	NW_012de	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
974	NW_025de	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
975	NW_037de	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
976	NW_050de	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.471	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
977	NW_062de	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
978	NW_075de	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
979	NW_087de	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
980	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
981	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
982	NW_012de	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
983	NW_025de	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
984	NW_037de	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
985	NW_050de	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.471	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
986	NW_062de	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
987	NW_075de	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
988	NW_087de	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
989	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
990	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
991	NW_012de	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
992	NW_025de	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
993	NW_037de	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
994	NW_050de	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.471	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
995	NW_062de	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
996	NW_075de	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
997	NW_087de	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
998	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
999	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1000	NW_012de	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0 0.0	0.129 0.132 0.132	198.6 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1001	NW_025de	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0 0.0	0.232 0.236 0.237	207.2 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1002	NW_037de	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0 0.0	0.345 0.35 0.35	205.6 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1003	NW_050de	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0 0.0	0.466 0.47 0.471	205.6 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1004	NW_062de	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	206.3 0.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1005	NW_075de	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	207.8 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1006	NW_087de	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.858 0.86 0.86	212.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1007	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1008	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1009	NW_006de	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	6.2 0.0 0.0	0.0 0.0 0.0	0.068 0.07 0.07	215.3 1.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1010	NW_013de	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	12.6 0.0 0.0	0.0 0.0 0.0	0.134 0.138 0.138	198.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1011	NW_020de	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	19.0 0.0 0.0	0.0 0.0 0.0	0.181 0.193 0.193	202.3 1.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1012	NW_026de	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	25.3 0.0 0.0	0.0 0.0 0.0	0.25 0.251 0.251	198.2 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1013	NW_033de	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	31.7 0.0 0.0	0.0 0.0 0.0	0.303 0.311 0.311	203.1 0.8 360	1.0 1.0 1.0	95.4 0.0 0.0
1014	NW_040de	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	38.1 0.0 0.0	0.0 0.0 0.0	0.374 0.374 0.374	217.7 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1015	NW_046de	0.466 0.466 0.466	0.466 0.466 0.466	0.466 360	0.466 0.466 0.466	44.4 0.0 0.0	0.0 0.0 0.0	0.431 0.437 0.437	203.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1016	NW_053de	0.533 0.533 0.533	0.533 0.533 0.533	0.533 360	0.533 0.533 0.533	50.8 0.0 0.0	0.0 0.0 0.0	0.503 0.504 0.504	222.6 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1017	NW_060de	0.6 0.6 0.6	0.6 0.6 0.6	0.6 360	0.6 0.6 0.6	57.2 0.0 0.0	0.0 0.0 0.0	0.564 0.569 0.569	204.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1018	NW_066de	0.666 0.666 0.666	0.666 0.666 0.666	0.666 360	0.666 0.666 0.666	63.5 0.0 0.0	0.0 0.0 0.0	0.634 0.635 0.635	207.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1019	NW_073de	0.734 0.734 0.734	0.734 0.734 0.734	0.734 360	0.734 0.734 0.734	70.0 0.0 0.0	0.0 0.0 0.0	0.703 0.706 0.707	205.7 0.4 360	1.0 1.0 1.0	95.4 0.0 0.0
1020	NW_080de	0.8 0.8 0.8	0.8 0.8 0.8	0.8 360	0.8 0.8 0.8	76.3 0.0 0.0	0.0 0.0 0.0	0.775 0.778 0.778	206.4 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1021	NW_086de	0.866 0.866 0.866	0.866 0.866 0.866	0.866 360	0.866 0.866 0.866	82.6 0.0 0.0	0.0 0.0 0.0	0.847 0.85 0.85	209.2 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1022	NW_093de	0.933 0.933 0.933	0.933 0.933 0.933	0.933 360	0.933 0.933 0.933	89.0 0.0 0.0	0.0 0.0 0.0	0.921 0.924 0.924	207.0 0.2 360	1.0 1.0 1.0	95.4 0.0 0.0
1023	NW_100de	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1024	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0
1025	NW_006de	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	6.2 0.0 0.0	0.0 0.0 0.0	0.068 0.07 0.07	215.3 1.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1026	NW_013de	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	12.6 0.0 0.0	0.0 0.0 0.0	0.134 0.138 0.138	198.8 0.5 360	1.0 1.0 1.0	95.4 0.0 0.0
1027	NW_020de	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	19.0 0.0 0.0	0.0 0.0 0.0	0.181 0.193 0.193	202.3 1.3 360	1.0 1.0 1.0	95.4 0.0 0.0
1028	NW_026de	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	25.3 0.0 0.0	0.0 0.0 0.0	0.25 0.251 0.251	198.2 0.1 360	1.0 1.0 1.0	95.4 0.0 0.0
1029	NW_033de	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	31.7 0.0 0.0	0.0 0.0 0.0	0.303 0.311 0.311	203.1 0.8 360	1.0 1.0 1.0	95.4 0.0 0.0
1030	NW_040de	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	38.1 0.0 0.0	0.0 0.0 0.0	0.374 0.374 0.374	217.7 0.1 360	1.0 1.0 1.0	95.4

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, *sRGB**

Mean color difference of this page: $\Delta E^* = 0.3$

n	HIC*Fde	rgb_Fde	ict_Fde	hs_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde	hsMde	rgb*Mde	LabCh*Mde																					
1053	NW_086de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.847	0.85	0.85	82.5	-0.1	0.0	0.1	209.2	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1054	NW_093de	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.921	0.924	0.924	88.9	-0.2	-0.1	0.2	207.0	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1055	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1056	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1057	NW_006de	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.068	0.07	0.07	4.7	-0.1	0.0	0.1	215.3	1.5	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1058	NW_013de	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.134	0.138	0.138	12.6	-0.5	-0.1	0.5	198.8	0.5	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1059	NW_020de	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.181	0.193	0.193	18.7	-1.1	-0.4	1.2	202.3	1.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1060	NW_026de	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.25	0.251	0.251	25.4	0.0	0.0	0.0	198.2	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1061	NW_033de	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.303	0.311	0.311	31.6	-0.7	-0.3	0.8	203.1	0.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1062	NW_040de	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.374	0.374	0.374	37.4	0.0	0.0	0.0	217.4	0.4	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1063	NW_046de	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.431	0.437	0.437	44.4	-0.5	-0.2	0.5	203.8	0.5	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1064	NW_053de	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.503	0.504	0.504	51.0	0.0	0.0	0.0	222.6	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1065	NW_060de	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.564	0.569	0.569	57.0	-0.3	-0.1	0.4	204.7	0.4	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1066	NW_066de	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.634	0.635	0.635	63.3	-0.1	0.0	0.1	207.4	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1067	NW_073de	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.703	0.706	0.707	69.8	-0.3	-0.1	0.3	205.7	0.4	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1068	NW_080de	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.775	0.778	0.778	76.1	-0.1	0.0	0.2	206.4	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1069	NW_086de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.847	0.85	0.85	82.5	-0.1	0.0	0.1	209.2	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1070	NW_093de	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.921	0.924	0.924	88.9	-0.2	-0.1	0.2	207.0	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1071	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1072	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1073	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0							
1074	RO0Y_100_100de	1.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	1.0	0.0	0.264	50.9	78.1	37.1	86.5	25.4	0.2	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
1075	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	210	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	0.0	0.89	1.0	79.0	-34.1	-25.3	42.5	216.6	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
1076	Y00G_100_100de	1.0	1.0	0.0	1.0	1.0	90	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3	1.0	0.856	0.0	83.6	-3.4	84.2	84.3	92.3	0.2	82	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3
1077	B00R_100_100de	0.0	0.0	1.0	1.0	1.0	270	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7	0.0	0.609	1.0	59.2	2.0	-56.3	56.3	272.1	0.4	232	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7
1078	G00B_100_100de	0.0	1.0	0.0	1.0	1.0	150	0.0	1.0	0.706	85.1	-64.6	20.7	67.9	162.2	0.0	1.0	0.707	85.1	-64.3	20.9	67.6	162.0	0.3	193	0.0	1.0	0.706	85.1	-64.6	20.7	67.9	162.2
1079	B50R_100_100de	1.0	0.0	1.0	1.0	1.0	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6	1.0	0.0	0.991	57.1	94.0	-57.4	110.2	328.5	0.0	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6

