

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

HIC^* —

hue text for the colours

of this page:

H^*_- = R00Y—, R25Y—, ..., B75R—

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R—,Ma	47.9	65.3	50.5	82.6
Y—,Ma	90.3	-10.2	91.7	92.3
G—,Ma	50.9	-62.8	34.9	71.9
C—,Ma	58.6	-30.3	-45.0	54.2
B—,Ma	25.7	31.0	-44.4	54.2
M—,Ma	48.1	75.2	-8.3	75.7
N—,Ma	18.0	0.0	0.0	0.0
W—,Ma	95.4	0.0	0.0	0.0
R—,CIE	39.9	58.7	27.9	65.0
Y—,CIE	81.2	-2.8	71.5	71.6
G—,CIE	52.2	-42.4	13.6	44.5
B—,CIE	30.5	1.4	-46.4	46.4



1-003030-L0

SE040-7N

TUB-test chart SE04; 16 hues, offset standard paper APCO
Test chart according to DIN 33872

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:

 HIC^*_d


hue text for the colours

of this page:

 $H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.5	65.5	38.4	76.0
R25Y_100_100_d	55.9	47.3	48.7	67.9
R50Y_100_100_d	68.1	24.0	63.0	67.4
R75Y_100_100_d	81.2	2.5	78.8	78.9
Y00G_100_100_d	89.4	-9.5	89.0	89.6
Y25G_100_100_d	84.1	-17.3	77.9	79.8
Y50G_100_100_d	73.1	-30.2	60.8	67.9
Y75G_100_100_d	60.3	-48.7	41.3	63.9
G00B_100_100_d	51.6	-69.3	23.0	73.1
G25B_100_100_d	54.6	-50.8	-17.3	53.7
G50B_100_100_d	57.8	-31.9	-45.1	55.3
G75B_100_100_d	42.3	-7.7	-46.3	46.9
B00R_100_100_d	24.9	22.9	-47.8	53.0
B25R_100_100_d	37.0	53.9	-27.1	60.4
B50R_100_100_d	48.2	74.2	-8.7	74.7
B75R_100_100_d	47.8	69.7	11.3	70.6



% Gamut



 $u^*_{rel} = 92$

% Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.5	65.5	38.4	76.0
Y _{d, Ma}	89.4	-9.5	89.0	89.6
G _{d, Ma}	51.6	-69.3	23.0	73.1
C _{d, Ma}	57.8	-31.9	-45.1	55.3
B _{d, Ma}	24.9	22.9	-47.8	53.0
M _{d, Ma}	48.2	74.2	-8.7	74.7
N _{d, Ma}	18.5	0.0	0.0	0
W _{d, Ma}	96.3	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



1-003130-L0

SE040-70



TUB-test chart SE04; 16 hues, offset standard paper APCO

Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_d$ output: transfer to $cmyk_d$







see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>





see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



SE0400A

TUB registration: 20130201-SE04/SE04L0NA.TXT / .PS




application for measurement of offset print output, separationcmykn6 (CMYK)

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/33



see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>



TUB-test chart SE04; 16 hues, offset standard paper APCO
Test chart according to DIN 33872, 3D=0, de=0, cmyk

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-003430-E0

SE040-70

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or elementary (e) colour:

 HIC^*_d


hue text for the colours

of this page:

 $H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adapted (a) CIELAB data

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	47.5	65.5	38.4	76.0
R25Y_100_100_d	55.9	47.3	48.7	67.9
R50Y_100_100_d	68.1	24.0	63.0	67.4
R75Y_100_100_d	81.2	2.5	78.8	78.9
Y00G_100_100_d	89.4	-9.5	89.0	89.6
Y25G_100_100_d	84.1	-17.3	77.9	79.8
Y50G_100_100_d	73.1	-30.2	60.8	67.9
Y75G_100_100_d	60.3	-48.7	41.3	63.9
G00B_100_100_d	51.6	-69.3	23.0	73.1
G25B_100_100_d	54.6	-50.8	-17.3	53.7
G50B_100_100_d	57.8	-31.9	-45.1	55.3
G75B_100_100_d	42.3	-7.7	-46.3	46.9
B00R_100_100_d	24.9	22.9	-47.8	53.0
B25R_100_100_d	37.0	53.9	-27.1	60.4
B50R_100_100_d	48.2	74.2	-8.7	74.7
B75R_100_100_d	47.8	69.7	11.3	70.6



% Gamut



 $u^*_{rel} = 92$

% Regularity

 $g^*_{H,rel} = 57$ $g^*_{C,rel} = 58$

ORS20a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	47.5	65.5	38.4	76.0
Y _{d, Ma}	89.4	-9.5	89.0	89.6
G _{d, Ma}	51.6	-69.3	23.0	73.1
C _{d, Ma}	57.8	-31.9	-45.1	55.3
B _{d, Ma}	24.9	22.9	-47.8	53.0
M _{d, Ma}	48.2	74.2	-8.7	74.7
N _{d, Ma}	18.5	0.0	0.0	0
W _{d, Ma}	96.3	0.0	0.0	0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4



1-003530-L0

SE040-70

TUB-test chart SE04; 16 hues, offset standard paper APCO
Test chart according to DIN 33872, 3D=0, de=0, cmykinput: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-003530-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmyn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$ Yellow

$LCH^*_d = 89.4 \ 89.6 \ 96.0$

$LAB^*_d = 89.4 \ -9.5 \ 89.0$

$rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$ leaf-green

$LCH^*_d = 51.6 \ 73.1 \ 161.6$

$LAB^*_d = 51.6 \ -69.3 \ 23.0$

$rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$ cyan-blue

$LCH^*_d = 57.8 \ 55.3 \ 234.6$

$LAB^*_d = 57.8 \ -31.9 \ -45.1$

$rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$ orange-red

$LCH^*_d = 47.5 \ 76.0 \ 30.4$

$LAB^*_d = 47.5 \ 65.5 \ 38.4$

$rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$ magenta-red

$LCH^*_d = 48.2 \ 74.7 \ 353.2$

$LAB^*_d = 48.2 \ 74.2 \ -8.7$

$rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$ violet-blue

$LCH^*_d = 24.9 \ 53.0 \ 295.6$

$LAB^*_d = 24.9 \ 22.9 \ -47.8$

$rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e yellow

$LCH^*_e = 85.1 \ 83.7 \ 92.3$

$LAB^*_e = 85.1 \ -3.3 \ 83.7$

$rgb^*_{de} = 1.0 \ 0.868 \ 0.0$

G_e green

$LCH^*_e = 51.7 \ 72.6 \ 162.2$

$LAB^*_e = 51.7 \ -69.1 \ 22.1$

$rgb^*_{de} = 0.0 \ 1.0 \ 0.011$

C_e blue-green

$LCH^*_e = 56.3 \ 52.4 \ 216.9$

$LAB^*_e = 56.3 \ -41.9 \ -31.5$

$rgb^*_{de} = 0.0 \ 1.0 \ 0.712$

B_e blue

$LCH^*_e = 36.7 \ 46.6 \ 271.7$

$LAB^*_e = 36.7 \ 1.4 \ -46.6$

$rgb^*_{de} = 0.0 \ 0.358 \ 1.0$

R_e red

$LCH^*_e = 47.6 \ 73.4 \ 25.4$

$LAB^*_e = 47.6 \ 66.3 \ 31.6$

$rgb^*_{de} = 1.0 \ 0.0 \ 0.131$

M_e blue-red

$LCH^*_e = 34.9 \ 58.6 \ 328.6$

$LAB^*_e = 34.9 \ 50.0 \ -30.5$

$rgb^*_{de} = 0.42 \ 0.0 \ 1.0$

Y_s yellow

$LCH^*_s = 82.9 \ 81.0 \ 90.0$

$LAB^*_s = 82.9 \ 0.0 \ 81.0$

$rgb^*_{ds} = 1.0 \ 0.812 \ 0.0$

G_s green

$LCH^*_s = 56.4 \ 65.7 \ 150.0$

$LAB^*_s = 56.4 \ -56.9 \ 32.8$

$rgb^*_{ds} = 0.117 \ 1.0 \ 0.0$

R_s red

$LCH^*_s = 47.5 \ 75.8 \ 30.0$

$LAB^*_s = 47.5 \ 65.6 \ 37.9$

$rgb^*_{ds} = 1.0 \ 0.0 \ 0.01$

M_s blue-red

$LCH^*_s = 35.6 \ 59.1 \ 330.0$

$LAB^*_s = 35.6 \ 51.2 \ -29.5$

$rgb^*_{ds} = 0.443 \ 0.0 \ 1.0$

C_s blue-green

$LCH^*_s = 55.5 \ 52.6 \ 210.0$

$LAB^*_s = 55.5 \ -45.6 \ -26.3$

$rgb^*_{ds} = 0.0 \ 1.0 \ 0.63$

B_s blue

$LCH^*_s = 37.5 \ 46.4 \ 270.0$

$LAB^*_s = 37.5 \ 0.0 \ -46.4$

$rgb^*_{ds} = 0.0 \ 0.38 \ 1.0$

Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

1. For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.

2. For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

3. For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,si} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

4. For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,ei} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

5. For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.

6. The values rgb^*_{de} produce the output of the device-independent elementary hues

1-003630-L0

SE040-70

$LAB^*La0, YN=0\%$, $XYZZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9$, $LAB^*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0$

Output: Offset standard print; separation cmyn6*, D65, page 7/33

TUB-test chart SE04; 16 hues, offset standard paper APCO
48 step hue circles; $rgb-LabCh^*$ tables, 3D=0, de=0, $cmYK$

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-003630-F0

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM₆: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d} h _{ab,s} h _{ab,e}			rgb*dd64M LAB*ddx64M (x=LabCh)								rgb*ddx361M LAB*ddx361M (x=LabCh)								rgb*dex361M LAB*dex361M (x=LabCh)								rgb*dex361M LAB*dex361M							
30.4	30.0	25.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4	1.0	0.0	0.0	47.5	65.6	38.5	76.1	30	1.0	0.0	0.011	47.5	65.7	37.9	75.8	30	1.0	0.0	0.131	47.7	66.3	31.6	73.5	25
37.2	37.5	33.8	1.0	0.125	0.0	51.5	56.6	43.1	71.2	37.2	1.0	0.117	0.0	51.3	57.3	42.9	71.6	36	1.0	0.12	0.0	51.4	57.0	43.0	71.4	37	1.0	0.052	0.0	49.2	61.9	40.6	74.0	33
47.2	45.0	42.1	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47.2	1.0	0.25	0.0	56.6	45.8	49.5	67.4	47	1.0	0.222	0.0	55.5	48.3	48.3	68.3	45	1.0	0.187	0.0	54.1	51.4	46.6	69.4	42
58.6	52.5	50.5	1.0	0.375	0.0	62.3	34.4	56.4	66.1	58.6	1.0	0.367	0.0	62.0	35.2	56.1	66.2	57	1.0	0.302	0.0	59.0	41.2	52.7	66.9	52	1.0	0.28	0.0	58.0	43.2	51.4	67.1	49
69.1	60.0	58.8	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1	1.0	0.5	0.0	68.1	24.0	63.0	67.5	69	1.0	0.391	0.0	63.1	33.1	57.4	66.3	60	1.0	0.378	0.0	62.5	34.2	56.6	66.1	58
80.3	67.5	67.2	1.0	0.625	0.0	74.9	12.1	71.5	72.5	80.3	1.0	0.617	0.0	74.5	13.1	71.1	72.2	79	1.0	0.475	0.0	66.9	26.3	61.8	67.2	67	1.0	0.471	0.0	66.8	26.6	61.7	67.1	66
87.4	75.0	75.6	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87.4	1.0	0.75	0.0	80.6	3.5	78.1	78.1	87	1.0	0.565	0.0	71.7	18.2	67.8	70.1	75	1.0	0.572	0.0	72.1	17.5	68.2	70.4	75
92.5	82.5	83.9	1.0	0.875	0.0	85.4	-3.7	84.0	84.0	92.5	1.0	0.867	0.0	85.1	-3.2	83.6	83.7	92	1.0	0.654	0.0	76.3	10.3	73.2	73.9	82	1.0	0.679	0.0	77.4	8.6	74.5	75.0	83
96.0	90.0	92.3	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	1.0	1.0	0.0	89.4	-9.4	89.1	89.6	96	1.0	0.812	0.0	83.0	0.0	81.1	81.1	90	1.0	0.868	0.0	85.2	-3.3	83.7	83.8	92
99.5	97.5	101.0	0.875	1.0	0.0	86.7	-13.9	82.7	83.8	99.5	0.883	1.0	0.0	86.9	-13.6	83.1	84.3	99	0.967	1.0	0.0	88.7	-10.6	87.4	88.1	97	0.842	1.0	0.0	85.9	-14.9	81.3	82.6	100
102.9	105.0	109.7	0.75	1.0	0.0	83.7	-17.7	77.1	79.2	102.9	0.75	1.0	0.0	83.7	-17.7	77.2	79.2	102	0.7	1.0	0.0	81.4	-20.0	74.9	77.5	105	0.598	1.0	0.0	77.0	-24.8	69.2	73.5	109
107.9	112.5	118.5	0.625	1.0	0.0	77.9	-23.1	71.3	75.0	107.9	0.633	1.0	0.0	78.4	-22.7	71.7	75.3	107	0.566	1.0	0.0	75.7	-26.7	66.4	71.6	112	0.477	1.0	0.0	72.4	-31.4	59.4	67.3	117
116.4	120.0	127.2	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4	0.5	1.0	0.0	73.2	-30.1	60.8	67.9	116	0.445	1.0	0.0	71.3	-33.1	57.5	66.4	120	0.35	1.0	0.0	67.3	-38.8	51.1	64.3	127
124.5	127.5	136.0	0.375	1.0	0.0	68.8	-36.5	53.0	64.4	124.5	0.383	1.0	0.0	69.1	-36.1	53.6	64.6	124	0.353	1.0	0.0	67.4	-38.6	51.3	64.3	127	0.276	1.0	0.0	62.5	-45.4	44.8	63.9	135
138.2	135.0	144.7	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138.2	0.25	1.0	0.0	60.9	-47.4	42.4	63.7	138	0.28	1.0	0.0	62.8	-45.1	45.2	63.9	135	0.176	1.0	0.0	58.4	-52.7	37.3	64.6	144
149.2	142.5	153.4	0.125	1.0	0.0	56.7	-56.1	33.3	65.2	149.2	0.133	1.0	0.0	57.0	-55.5	34.0	65.2	148	0.207	1.0	0.0	59.5	-50.5	39.6	64.2	142	0.088	1.0	0.0	55.2	-60.1	30.8	67.6	152
161.6	150.0	162.2	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	0.0	1.0	0.0	51.7	-69.3	23.1	73.1	161	0.117	1.0	0.0	56.4	-56.8	32.9	65.8	150	0.0	1.0	0.011	51.7	-69.0	22.2	72.6	162
168.3	157.5	169.0	0.0	1.0	0.125	52.3	-66.1	13.6	67.5	168.3	0.0	1.0	0.117	52.3	-66.3	14.3	67.9	167	0.047	1.0	0.0	53.5	-64.5	27.4	70.2	157	0.0	1.0	0.129	52.4	-65.9	13.3	67.3	168
176.2	165.0	175.9	0.0	1.0	0.25	53.0	-61.8	4.0	61.9	176.2	0.0	1.0	0.25	53.0	-61.8	4.0	62.0	176	0.0	1.0	0.063	52.0	-67.8	18.2	70.3	165	0.0	1.0	0.244	53.0	-62.0	4.4	62.2	173
186.9	172.5	182.7	0.0	1.0	0.375	53.8	-56.5	-6.8	56.9	186.9	0.0	1.0	0.367	53.8	-56.9	-6.1	57.3	186	0.0	1.0	0.183	52.7	-64.2	9.0	65.0	172	0.0	1.0	0.321	53.5	-59.0	-2.3	59.1	182
198.8	180.0	189.6	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8	0.0	1.0	0.5	54.7	-50.8	-17.2	53.7	198	0.0	1.0	0.294	53.3	-60.1	0.0	60.2	180	0.0	1.0	0.403	54.0	-55.4	-9.3	56.2	189
209.5	187.5	196.4	0.0	1.0	0.625	55.4	-45.8	-25.9	52.6	209.5	0.0	1.0	0.617	55.4	-46.1	-25.3	52.7	208	0.0	1.0	0.376	53.9	-56.4	-6.8	56.9	187	0.0	1.0	0.47	54.5	-52.3	-14.9	54.5	195
220.1	195.0	203.2	0.0	1.0	0.75	56.6	-40.0	-33.7	52.4	220.1	0.0	1.0	0.75	56.7	-40.0	-33.7	52.4	220	0.0	1.0	0.46	54.4	-52.8	-14.1	54.8	195	0.0	1.0	0.552	55.0	-48.9	-21.0	53.3	203
227.6	202.5	210.1	0.0	1.0	0.875	57.2	-36.1	-39.6	53.6	227.6	0.0	1.0	0.867	57.3	-36.3	-39.2	53.6	227	0.0	1.0	0.537	54.9	-49.4	-19.9	53.4	202	0.0	1.0	0.627	55.5	-45.7	-26.0	52.7	209
234.6	210.0	216.9	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	0.0	1.0	1.0	57.9	-31.9	-45.0	55.3	234	0.0	1.0	0.631	55.5	-45.5	-26.2	52.7	210	0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	216
238.7	217.5	223.8	0.0	0.875	1.0	54.9	-27.5	-45.3	53.0	238.7	0.0	0.883	1.0	55.1	-27.8	-45.3	53.2	238	0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	217	0.0	1.0	0.804	56.9	-38.4	-36.3	52.9	223
244.0	225.0	230.6	0.0	0.75	1.0	51.3	-22.1	-45.6	50.7	244.0	0.0	0.75	1.0	51.3	-22.1	-45.5	50.7	244	0.0	1.0	0.831	57.1	-37.5	-37.5	53.2	225	0.0	1.0	0.929	57.5	-34.4	-41.9	54.4	230
250.7	232.5	237.5	0.0	0.625	1.0	47.2	-16.0	-45.9	48.7	250.7	0.0	0.633	1.0	47.5	-16.3	-45.9	48.8	250	0.0	1.0	0.952	57.7	-33.6	-43.0	54.7	232	0.0	0.927	1.0	56.1	-29.3	-45.2	54.0	237
260.4	240.0	244.3	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4	0.0	0.5	1.0	42.4	-7.7	-46.2	47.0	260	0.0	0.845	1.0	54.1	-26.2	-45.4	52.5	240	0.0	0.745	1.0	51.2	-21.8	-45.6	50.6	244
270.4	247.5	251.2	0.0	0.375	1.0	37.3	0.3	-46.4	46.4	270.4	0.0	0.383	1.0	37.7	-0.1	-46.4	46.5	269	0.0	0.695	1.0	49.6	-19.4	-45.8	49.8	247	0.0	0.625	1.0	47.3	-16.0	-45.9	48.7	250
280.2	255.0	258.0	0.0	0.25	1.0	32.7	8.5	-47.0	47.8	280.2	0.0	0.25	1.0	32.8	8.5	-47.0	47.8	280	0.0	0.57	1.0	45.1	-12.3	-46.2	47.9	255	0.0	0.531	1.0	43.6	-9.7	-46.3	47.4	258
289.3	262.5	264.8	0.0	0.125	1.0	28.1	16.7	-47.6	50.4	289.3	0.0	0.133	1.0	28.4	16.2	-47.5	50.3	288	0.0	0.481	1.0	41.6	-6.4	-46.3	46.9	262	0.0	0.45	1.0	40.3	-4.4	-46.5	46.8	264
295.6	270.0	271.7	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	0.0	0.0	1.0	25.0	23.0	-47.7	53.1	295	0.0	0.38	1.0	37.5	0.0	-46.4	46.5	270	0.0	0.358	1.0	36.7	1.4	-46.5	46.7	271
305.9	277.5	278.8	0.125	0.0	1.0	27.8																												

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}			LAB^*_{ddx64M} (x=LabCh)						$rgb^*_{dex361M}$					$LAB^*_{dex361M}$					rgb^*_{dd}			rgb^*_{ds}	rgb^*_{de}
30.4	30.0	25.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4	30.4	1.0	0.0	0.131	47.7	66.3	31.6	73.5	25							
37.2	37.5	33.8	1.0	0.125	0.0	51.5	56.6	43.1	71.2	37.2	37.2	1.0	0.052	0.0	49.2	61.9	40.6	74.0	33							
47.2	45.0	42.1	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47.2	47.2	1.0	0.187	0.0	54.1	51.4	46.6	69.4	42							
58.6	52.5	50.5	1.0	0.375	0.0	62.3	34.4	56.4	66.1	58.6	58.6	1.0	0.28	0.0	58.0	43.2	51.4	67.1	49							
69.1	60.0	58.8	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1	69.1	1.0	0.378	0.0	62.5	34.2	56.6	66.1	58							
80.3	67.5	67.2	1.0	0.625	0.0	74.9	12.1	71.5	72.5	80.3	80.3	1.0	0.471	0.0	66.8	26.6	61.7	67.1	66							
87.4	75.0	75.6	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87.4	87.4	1.0	0.572	0.0	72.1	17.5	68.2	70.4	75							
92.5	82.5	83.9	1.0	0.875	0.0	85.4	-3.7	84.0	84.0	92.5	92.5	1.0	0.679	0.0	77.4	8.6	74.5	75.0	83							
96.0	90.0	92.3	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	96.0	1.0	0.868	0.0	85.2	-3.3	83.7	83.8	92							
99.5	97.5	101.0	0.875	1.0	0.0	86.7	-13.9	82.7	83.8	99.5	99.5	0.842	1.0	0.0	85.9	-14.9	81.3	82.6	100							
102.9	105.0	109.7	0.75	1.0	0.0	83.7	-17.7	77.1	79.2	102.9	102.9	0.598	1.0	0.0	77.0	-24.8	69.2	73.5	109							
107.9	112.5	118.5	0.625	1.0	0.0	77.9	-23.1	71.3	75.0	107.9	107.9	0.477	1.0	0.0	72.4	-31.4	59.4	67.3	117							
116.4	120.0	127.2	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4	116.4	0.35	1.0	0.0	67.3	-38.8	51.1	64.3	127							
124.5	127.5	136.0	0.375	1.0	0.0	68.8	-36.5	53.0	64.4	124.5	124.5	0.276	1.0	0.0	62.5	-45.4	44.8	63.9	135							
138.2	135.0	144.7	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138.2	138.2	0.176	1.0	0.0	58.4	-52.7	37.3	64.6	144							
149.2	142.5	153.4	0.125	1.0	0.0	56.7	-56.1	33.3	65.2	149.2	149.2	0.088	1.0	0.0	55.2	-60.1	30.8	67.6	152							
161.6	150.0	162.2	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	161.6	0.0	1.0	0.011	51.7	-69.0	22.2	72.6	162							
168.3	157.5	169.0	0.0	1.0	0.125	52.3	-66.1	13.6	67.5	168.3	168.3	0.0	1.0	0.129	52.4	-65.9	13.3	67.3	168							
176.2	165.0	175.9	0.0	1.0	0.25	53.0	-61.8	4.0	61.9	176.2	176.2	0.0	1.0	0.244	53.0	-62.0	4.4	62.2	175							
186.9	172.5	182.7	0.0	1.0	0.375	53.8	-56.5	-6.8	56.9	186.9	186.9	0.0	1.0	0.321	53.5	-59.0	-2.3	59.1	182							
198.8	180.0	189.6	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8	198.8	0.0	1.0	0.403	54.0	-55.4	-9.3	56.2	189							
209.5	187.5	196.4	0.0	1.0	0.625	55.4	-45.8	-25.9	52.6	209.5	209.5	0.0	1.0	0.47	54.5	-52.3	-14.9	54.5	195							
220.1	195.0	203.2	0.0	1.0	0.75	56.6	-40.0	-33.7	52.4	220.1	220.1	0.0	1.0	0.552	55.0	-48.9	-21.0	53.3	203							
227.6	202.5	210.1	0.0	1.0	0.875	57.2	-36.1	-39.6	53.6	227.6	227.6	0.0	1.0	0.627	55.5	-45.7	-26.0	52.7	209							
234.6	210.0	216.9	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	234.6	0.0	1.0	0.713	56.3	-41.8	-31.5	52.5	216							
238.7	217.5	223.8	0.0	0.875	1.0	54.9	-27.5	-45.3	53.0	238.7	238.7	0.0	1.0	0.804	56.9	-38.4	-36.3	52.9	223							
244.0	225.0	230.6	0.0	0.75	1.0	51.3	-22.1	-45.6	50.7	244.0	244.0	0.0	1.0	0.929	57.5	-34.4	-41.9	54.4	230							
250.7	232.5	237.5	0.0	0.625	1.0	47.2	-16.0	-45.9	48.7	250.7	250.7	0.0	0.927	1.0	56.1	-29.3	-45.2	54.0	237							
260.4	240.0	244.3	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4	260.4	0.0	0.745	1.0	51.2	-21.8	-45.6	50.6	244							
270.4	247.5	251.2	0.0	0.375	1.0	37.3	0.3	-46.4	46.4	270.4	270.4	0.0	0.625	1.0	47.3	-16.0	-45.9	48.7	250							
280.2	255.0	258.0	0.0	0.25	1.0	32.7	8.5	-47.0	47.8	280.2	280.2	0.0	0.531	1.0	43.6	-9.7	-46.3	47.4	258							
289.3	262.5	264.8	0.0	0.125	1.0	28.1	16.7	-47.6	50.4	289.3	289.3	0.0	0.45	1.0	40.3	-4.4	-46.5	46.8	264							
295.6	270.0	271.7	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	295.6	0.0	0.358	1.0	36.7	1.4	-46.5	46.7	271							
305.9	277.5	278.8	0.125	0.0	1.0	27.8	31.4	-43.4	53.6	305.9	305.9	0.0	0.274	1.0	33.7	6.9	-47.0	47.6	278							
311.7	285.0	285.9	0.25	0.0	1.0	29.9	36.0	-40.4	54.1	311.7	311.7	0.0	0.172	1.0	29.9	13.6	-47.5	49.5	285							
325.9	292.5	293.0	0.375	0.0	1.0	33.7	47.7	-32.2	57.5	325.9	325.9	0.0	0.061	1.0	26.5	19.9	-47.7	51.8	292							
333.2	300.0	300.1	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2	333.2	0.055	0.0	1.0	26.3	26.8	-46.0	53.3	300							
339.6	307.5	307.2	0.625	0.0	1.0	40.2	59.7	-22.1	63.7	339.6	339.6	0.144	0.0	1.0	28.2	32.2	-42.9	53.7	306							
346.7	315.0	314.3	0.75	0.0	1.0	43.3	66.7	-15.7	68.5	346.7	346.7	0.273	0.0	1.0	30.7	38.3	-39.1	54.8	314							
350.3	322.5	321.4	0.875	0.0	1.0	45.9	70.7	-12.0	71.7	350.3	350.3	0.332	0.0	1.0	32.5	43.9	-35.4	56.4	321							
353.2	330.0	328.6	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2	353.2	0.42	0.0	1.0	35.0	50.0	-30.4	58.6	328							
356.1	337.5	335.7	1.0	0.0	0.875	48.2	73.1	-4.9	73.3	356.1	356.1	0.538	0.0	1.0	38.1	55.8	-25.6	61.4	335							
359.3	345.0	342.8	1.0	0.0	0.75	48.1	72.1	-0.7	72.1	359.3	359.3	0.681	0.0	1.0	41.6	63.0	-19.4	65.9	342							
364.0	352.5	349.9	1.0	0.0	0.625	48.0	70.7	4.9	70.9	364.0	364.0	0.844	0.0	1.0	45.3	69.7	-12.9	70.9	349							
369.2	360.0	357.0	1.0	0.0	0.5	47.8	69.7	11.3	70.6	369.2	369.2	0.949	0.0	1.0	47.3	72.8	-10.1	73.5	352							
375.0	367.5	364.1	1.0	0.0	0.375	47.8	68.2	18.3	70.6	375.0	375.0	1.0	0.0	0.737	48.1	72.0	-0.1	72.0	359							
380.8	375.0	371.2	1.0	0.0	0.25	47.8	67.0	25.4	71.7	380.8	380.8	1.0	0.0	0.512	47.9	69.8	10.8	70.7	368							
385.7	382.5	378.3	1.0	0.0	0.125	47.6	66.2	31.9	73.5	385.7	385.7	1.0	0.0	0.342	47.9	68.0	20.2	70.9	376							
390.4	390.0	385.4	1.0	0.0	0.0	47.5	65.5	38.4	76.0	390.4	390.4	1.0	0.0	0.131	47.7	66.3	31.6	73.5	385							

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcmy6 (CMYK)

TUB material: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{ddx361Mi}(x=LabCh)$					R_d	$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi}(x=LabCh)$					R_s	$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$					$LAB^*_{dex361Mi}(x=LabCh)$					R_e	$rgb^*_{dd361Mi}$			rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
30	30	25	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30	1.0	0.0	0.011	47.5	65.7	37.9	75.8	30	1.0	0.0	0.0	1.0	0.0	0.131	47.7	66.3	31.6	73.5	25	1.0	0.0	0.0								
31	31	26	1.0	0.016	0.0	48.0	64.4	39.2	75.4	31	1.0	0.011	0.0	47.9	64.8	39.0	75.6	31	1.0	0.017	0.0	1.0	0.0	0.102	47.6	66.2	33.1	74.0	26	1.0	0.017	0.0								
32	32	27	1.0	0.033	0.0	48.5	63.2	39.8	74.7	32	1.0	0.029	0.0	48.5	63.6	39.7	74.9	32	1.0	0.033	0.0	1.0	0.0	0.072	47.6	66.1	34.7	74.6	27	1.0	0.033	0.0								
33	33	28	1.0	0.05	0.0	49.1	62.0	40.5	74.1	33	1.0	0.047	0.0	49.0	62.3	40.4	74.2	33	1.0	0.05	0.0	1.0	0.0	0.043	47.6	65.9	36.3	75.2	28	1.0	0.05	0.0								
34	34	29	1.0	0.066	0.0	49.6	60.8	41.1	73.4	34	1.0	0.065	0.0	49.6	61.0	41.1	73.5	34	1.0	0.067	0.0	1.0	0.0	0.013	47.5	65.7	37.8	75.8	29	1.0	0.067	0.0								
34	35	31	1.0	0.083	0.0	50.2	59.6	41.7	72.8	34	1.0	0.084	0.0	50.2	59.7	41.8	72.8	35	1.0	0.083	0.0	1.0	0.012	0.0	47.9	64.8	39.0	75.6	31	1.0	0.083	0.0								
35	36	32	1.0	0.1	0.0	50.7	58.4	42.3	72.1	35	1.0	0.102	0.0	50.8	58.3	42.4	72.1	36	1.0	0.1	0.0	1.0	0.032	0.0	48.6	63.3	39.8	74.8	32	1.0	0.1	0.0								
36	37	33	1.0	0.116	0.0	51.2	57.2	42.8	71.5	36	1.0	0.12	0.0	51.4	57.0	43.0	71.4	37	1.0	0.117	0.0	1.0	0.052	0.0	49.2	61.9	40.6	74.0	33	1.0	0.117	0.0								
37	38	34	1.0	0.133	0.0	51.8	55.9	43.6	70.9	37	1.0	0.134	0.0	51.9	55.9	43.7	71.0	38	1.0	0.133	0.0	1.0	0.073	0.0	49.9	60.5	41.4	73.3	34	1.0	0.133	0.0								
39	39	35	1.0	0.15	0.0	52.5	54.5	44.5	70.4	39	1.0	0.147	0.0	52.4	54.8	44.4	70.6	39	1.0	0.15	0.0	1.0	0.093	0.0	50.5	59.0	42.1	72.5	35	1.0	0.15	0.0								
40	40	36	1.0	0.166	0.0	53.2	53.1	45.5	69.9	40	1.0	0.159	0.0	52.9	53.8	45.1	70.2	40	1.0	0.167	0.0	1.0	0.113	0.0	51.2	57.5	42.8	71.7	36	1.0	0.167	0.0								
41	41	37	1.0	0.183	0.0	53.9	51.7	46.3	69.4	41	1.0	0.172	0.0	53.5	52.7	45.8	69.8	41	1.0	0.183	0.0	1.0	0.131	0.0	51.8	56.2	43.5	71.1	37	1.0	0.183	0.0								
43	42	38	1.0	0.2	0.0	54.5	50.2	47.2	68.9	43	1.0	0.185	0.0	54.0	51.6	46.5	69.4	42	1.0	0.2	0.0	1.0	0.145	0.0	52.4	55.0	44.3	70.6	38	1.0	0.2	0.0								
44	43	39	1.0	0.216	0.0	55.2	48.7	48.0	68.4	44	1.0	0.197	0.0	54.5	50.5	47.1	69.0	43	1.0	0.217	0.0	1.0	0.159	0.0	52.9	53.8	45.1	70.2	39	1.0	0.217	0.0								
45	44	41	1.0	0.233	0.0	55.9	47.3	48.7	67.9	45	1.0	0.21	0.0	55.0	49.4	47.7	68.7	44	1.0	0.233	0.0	1.0	0.173	0.0	53.5	52.6	45.8	69.8	41	1.0	0.233	0.0								
47	45	42	1.0	0.25	0.0	56.6	45.8	49.4	67.4	47	1.0	0.222	0.0	55.5	48.3	48.3	68.3	45	1.0	0.25	0.0	1.0	0.187	0.0	54.1	51.4	46.6	69.4	42	1.0	0.25	0.0								
48	46	43	1.0	0.266	0.0	57.3	44.3	50.5	67.2	48	1.0	0.235	0.0	56.0	47.2	48.8	67.9	46	1.0	0.267	0.0	1.0	0.201	0.0	54.6	50.2	47.3	68.9	43	1.0	0.267	0.0								
50	47	44	1.0	0.283	0.0	58.1	42.8	51.5	67.0	50	1.0	0.247	0.0	56.5	46.1	49.4	67.5	47	1.0	0.283	0.0	1.0	0.215	0.0	55.2	48.9	47.9	68.5	44	1.0	0.283	0.0								
51	48	45	1.0	0.3	0.0	58.9	41.4	52.5	66.9	51	1.0	0.259	0.0	57.0	45.1	50.1	67.4	48	1.0	0.3	0.0	1.0	0.229	0.0	55.8	47.7	48.6	68.1	45	1.0	0.3	0.0								
53	49	46	1.0	0.316	0.0	59.6	39.8	53.5	66.7	53	1.0	0.27	0.0	57.5	44.1	50.7	67.2	49	1.0	0.317	0.0	1.0	0.243	0.0	56.3	46.5	49.2	67.7	46	1.0	0.317	0.0								
54	50	47	1.0	0.333	0.0	60.4	38.3	54.3	66.5	54	1.0	0.281	0.0	58.0	43.1	51.4	67.1	50	1.0	0.333	0.0	1.0	0.256	0.0	56.9	45.3	49.9	67.4	47	1.0	0.333	0.0								
56	51	48	1.0	0.35	0.0	61.2	36.7	55.2	66.3	56	1.0	0.292	0.0	58.5	42.2	52.1	67.0	51	1.0	0.35	0.0	1.0	0.268	0.0	57.5	44.2	50.7	67.2	48	1.0	0.35	0.0								
57	52	49	1.0	0.366	0.0	62.0	35.2	56.0	66.2	57	1.0	0.302	0.0	59.0	41.2	52.7	66.9	52	1.0	0.367	0.0	1.0	0.28	0.0	58.0	43.2	51.4	67.1	49	1.0	0.367	0.0								
59	53	51	1.0	0.383	0.0	62.7	33.7	56.9	66.2	59	1.0	0.313	0.0	59.6	40.2	53.3	66.8	53	1.0	0.383	0.0	1.0	0.293	0.0	58.6	42.1	52.1	67.0	51	1.0	0.383	0.0								
60	54	52	1.0	0.4	0.0	63.5	32.4	57.9	66.3	60	1.0	0.324	0.0	60.1	39.2	53.9	66.7	54	1.0	0.4	0.0	1.0	0.305	0.0	59.2	41.0	52.8	66.9	52	1.0	0.4	0.0								
62	55	53	1.0	0.416	0.0	64.2	31.1	58.8	66.5	62	1.0	0.335	0.0	60.6	38.2	54.5	66.5	55	1.0	0.417	0.0	1.0	0.317	0.0	59.7	39.9	53.5	66.7	53	1.0	0.417	0.0								
63	56	54	1.0	0.433	0.0	65.0	29.7	59.7	66.7	63	1.0	0.346	0.0	61.1	37.1	55.1	66.4	56	1.0	0.433	0.0	1.0	0.329	0.0	60.3	38.7	54.2	66.6	54	1.0	0.433	0.0								
64	57	55	1.0	0.45	0.0	65.8	28.3	60.6	66.9	64	1.0	0.357	0.0	61.6	36.1	55.6	66.3	57	1.0	0.45	0.0	1.0	0.341	0.0	60.8	37.6	54.8	66.5	55	1.0	0.45	0.0								
66	58	56	1.0	0.466	0.0	66.5	26.9	61.4	67.0	66	1.0	0.368	0.0	62.1	35.1	56.1	66.2	58	1.0	0.467	0.0	1.0	0.354	0.0	61.4	36.5	55.4	66.3	56	1.0	0.467	0.0								
67	59	57	1.0	0.483	0.0	67.3	25.4	62.2	67.2	67	1.0	0.379	0.0	62.6	34.1	56.7	66.2	59	1.0	0.483	0.0	1.0	0.366	0.0	62.0	35.3	56.0	66.2	57	1.0	0.483	0.0								
69	60	58	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69	1.0	0.391	0.0	63.1	33.1	57.4	66.3	60	1.0	0.5	0.0	1.0	0.378	0.0	62.5	34.2	56.6	66.1	58	1.0	0.5	0.0								
70	61	60	1.0	0.516	0.0	69.0	22.5	64.2	68.1	70	1.0	0.403	0.0	63.7	32.2	58.1	66.4	61	1.0	0.517	0.0	1.0	0.391	0.0	63.1	33.1	57.4	66.3	60	1.0	0.517	0.0								
72	62	61	1.0	0.533	0.0	69.9	21.1	65.5	68.8	72	1.0	0.415	0.0	64.2	31.2	58.8	66.5	62	1.0	0.533	0.0	1.0	0.405	0.0	63.8	32.1	58.2	66.4	61	1.0	0.533	0.0								
73	63	62	1.0	0.55	0.0	70.8	19.6	66.6	69.5	73	1.0	0.427	0.0	64.8	30.3	59.4	66.7	63	1.0	0.55	0.0	1.0	0.418	0.0	64.4	31.0	58.9	66.6	62	1.0	0.55	0.0								
75	64	63	1.0	0.566	0.0	71.7	18.0	67.8	70.1	75	1.0	0.439	0.0	65.3	29.3	60.0	66.8	64	1.0	0.567	0.0	1.0	0.431	0.0	65.0	29.9	59.6	66.7	63	1.0	0.567	0.0								
76	65	64	1.0	0.583	0.0	72.6	16.4	68.9	70.8	76	1.0	0.451	0.0	65.9	28.3	60.7	66.9	65	1.0	0.583	0.0	1.0	0.444	0.0	65.6	28.8	60.3	66.9	64	1.0	0.583	0.0								
78	66	65	1.0	0.6	0.0	73.6	14.7	70.0	71.5	78	1.0	0.463	0.0	66.4	27.3	61.3	67.1	66	1.0	0.6	0.0	1.0	0.458	0.0	66.2	27.7	61.0	67.0	65	1.0	0.6	0.0								
79	67	66	1.0	0.616	0.0	74.5	13.0	71.0	72.2	79	1.0	0.475	0.0	66.9	26.3	61.8	67.2	67	1.0	0.617	0.0	1.0	0.471	0.0	66.8	26.6	61.7	67.1	66	1.0	0.617	0.0								
80	68	67	1.0	0.633	0.0	75.3	11.6	72.0	72.9	80	1.0	0.486	0.0	67.5	25.2	62.4	67.3	68	1.0	0.633	0.0	1.0	0.484	0.0	67.4	25.4	62.3	67.3	67	1.0	0.633	0.0								
81	69	68	1.0	0.65	0.0	76.0	10.5	72.9	73.6	81	1.0	0.498	0.0	68.0	24.2	63.0	67.4	69	1.0	0.65	0.0	1.0	0.497	0.0	68.0	24.3	62.9	67.4	68	1.0	0.65	0.0								
82	70	70	1.0	0.666	0.0	76.8	9.4	73.8	74.4	82	1.0	0.51	0.0	68.6	23.2	63.8	67.8	70	1.0	0.667	0.0	1.0	0.51	0.0	68.6	23.2	63.8	67.9	70	1.0	0.667	0.0								
83	71																																							

1-003930-L0 SE040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

Output: Offset standard print; separation cmy6*, D65, page 10/33

TUB-test chart SE04; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_d$
48 step hue circles; $rgb-LabCh$ *tables, 3D=0, de=0, $cmyk$ output: transfer to $cmyk_d$

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separation cmy6 (CMYK)
TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{dd361Mi}(x=LabCh)$					$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi}(x=LabCh)$					$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi}(x=LabCh)$					$rgb^*_{dd361Mi}$			rgb^*_{da}	rgb^*_{ds}	rgb^*_{de}			
87	75	75	1.0	0.75	0.0	80.5	3.4	78.0	78.1	87	1.0	0.565	0.0	71.7	18.2	67.8	70.1	75	1.0	0.75	0.0	1.0	0.572	0.0	72.1	17.5	68.2	70.4	75	1.0	0.75	0.0						
88	76	76	1.0	0.766	0.0	81.2	2.5	78.8	78.9	88	1.0	0.577	0.0	72.3	17.1	68.5	70.6	76	1.0	0.767	0.0	1.0	0.585	0.0	72.8	16.3	69.0	70.9	76	1.0	0.767	0.0						
88	77	77	1.0	0.783	0.0	81.8	1.6	79.7	79.7	88	1.0	0.588	0.0	72.9	16.0	69.2	71.1	77	1.0	0.783	0.0	1.0	0.597	0.0	73.5	15.1	69.8	71.4	77	1.0	0.783	0.0						
89	78	78	1.0	0.8	0.0	82.4	0.6	80.5	80.5	89	1.0	0.599	0.0	73.6	14.9	70.0	71.5	78	1.0	0.8	0.0	1.0	0.61	0.0	74.1	13.8	70.6	72.0	78	1.0	0.8	0.0						
90	79	80	1.0	0.816	0.0	83.1	-0.2	81.3	81.3	90	1.0	0.61	0.0	74.2	13.7	70.7	72.0	79	1.0	0.817	0.0	1.0	0.622	0.0	74.8	12.5	71.4	72.5	80	1.0	0.817	0.0						
90	80	81	1.0	0.833	0.0	83.7	-1.2	82.0	82.1	90	1.0	0.621	0.0	74.8	12.6	71.3	72.4	80	1.0	0.833	0.0	1.0	0.64	0.0	75.6	11.2	72.4	73.2	81	1.0	0.833	0.0						
91	81	82	1.0	0.85	0.0	84.4	-2.2	82.8	82.8	91	1.0	0.637	0.0	75.5	11.4	72.2	73.1	81	1.0	0.85	0.0	1.0	0.659	0.0	76.5	9.9	73.4	74.1	82	1.0	0.85	0.0						
92	82	83	1.0	0.866	0.0	85.0	-3.2	83.6	83.6	92	1.0	0.654	0.0	76.3	10.3	73.2	73.9	82	1.0	0.867	0.0	1.0	0.679	0.0	77.4	8.6	74.5	75.0	83	1.0	0.867	0.0						
92	83	84	1.0	0.883	0.0	85.6	-4.1	84.3	84.4	92	1.0	0.672	0.0	77.1	9.1	74.1	74.7	83	1.0	0.883	0.0	1.0	0.698	0.0	78.3	7.2	75.5	75.8	84	1.0	0.883	0.0						
93	84	85	1.0	0.9	0.0	86.2	-4.8	85.0	85.1	93	1.0	0.689	0.0	77.9	7.9	75.0	75.4	84	1.0	0.9	0.0	1.0	0.718	0.0	79.1	5.8	76.5	76.7	85	1.0	0.9	0.0						
93	85	86	1.0	0.916	0.0	86.7	-5.6	85.7	85.9	93	1.0	0.707	0.0	78.6	6.6	75.9	76.2	85	1.0	0.917	0.0	1.0	0.738	0.0	80.0	4.4	77.5	77.6	86	1.0	0.917	0.0						
94	86	87	1.0	0.933	0.0	87.2	-6.3	86.4	86.6	94	1.0	0.725	0.0	79.4	5.4	76.8	77.0	86	1.0	0.933	0.0	1.0	0.76	0.0	80.9	2.9	78.5	78.6	87	1.0	0.933	0.0						
94	87	88	1.0	0.95	0.0	87.8	-7.1	87.1	87.3	94	1.0	0.742	0.0	80.2	4.1	77.7	77.8	87	1.0	0.95	0.0	1.0	0.787	0.0	82.0	1.4	79.9	79.9	88	1.0	0.95	0.0						
95	88	90	1.0	0.966	0.0	88.3	-7.9	87.7	88.1	95	1.0	0.763	0.0	81.1	2.7	78.7	78.8	88	1.0	0.967	0.0	1.0	0.814	0.0	83.0	0.0	81.2	81.2	90	1.0	0.967	0.0						
95	89	91	1.0	0.983	0.0	88.8	-8.7	88.4	88.8	95	1.0	0.788	0.0	82.0	1.4	79.9	79.9	89	1.0	0.983	0.0	1.0	0.841	0.0	84.1	-1.6	82.5	82.5	91	1.0	0.983	0.0						
96	90	92	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96	Y_d	1.0	0.812	0.0	83.0	0.0	81.1	81.1	90	Y_s	1.0	1.0	0.0	1.0	0.868	0.0	85.2	-3.3	83.7	83.8	92	Y_e	1.0	1.0	0.0			
96	91	93	0.983	1.0	0.0	89.0	-10.1	88.2	88.8	96		1.0	0.836	0.0	83.9	-1.3	82.2	82.2	91		0.983	1.0	0.0	1.0	0.907	0.0	86.4	-5.1	85.3	85.5	93		0.983	1.0	0.0			
97	92	94	0.966	1.0	0.0	88.6	-10.7	87.4	88.0	97		1.0	0.861	0.0	84.9	-2.8	83.4	83.4	92		0.967	1.0	0.0	1.0	0.948	0.0	87.8	-7.0	87.0	87.3	94		0.967	1.0	0.0			
97	93	95	0.95	1.0	0.0	88.3	-11.3	86.5	87.3	97		1.0	0.89	0.0	85.9	-4.3	84.6	84.7	93		0.95	1.0	0.0	1.0	0.99	0.0	89.1	-8.9	88.7	89.2	95		0.95	1.0	0.0			
97	94	96	0.933	1.0	0.0	87.9	-11.9	85.7	86.5	97		1.0	0.925	0.0	87.0	-5.9	86.1	86.3	94		0.933	1.0	0.0	0.968	1.0	0.0	88.7	-10.6	87.5	88.1	96		0.933	1.0	0.0			
98	95	98	0.916	1.0	0.0	87.6	-12.5	84.8	85.7	98		1.0	0.961	0.0	88.2	-7.6	87.6	87.9	95		0.917	1.0	0.0	0.926	1.0	0.0	87.8	-12.1	85.3	86.2	98		0.917	1.0	0.0			
98	96	99	0.9	1.0	0.0	87.2	-13.0	84.0	85.0	98		1.0	0.997	0.0	89.3	-9.3	89.0	89.5	96		0.9	1.0	0.0	0.884	1.0	0.0	86.9	-13.5	83.2	84.3	99		0.9	1.0	0.0			
99	97	100	0.883	1.0	0.0	86.9	-13.6	83.1	84.2	99		0.967	1.0	0.0	88.7	-10.6	87.4	88.1	97		0.883	1.0	0.0	0.842	1.0	0.0	85.9	-14.9	81.3	82.6	100		0.883	1.0	0.0			
99	98	101	0.866	1.0	0.0	86.5	-14.2	82.3	83.5	99		0.931	1.0	0.0	87.9	-11.9	85.6	86.4	98		0.867	1.0	0.0	0.799	1.0	0.0	84.9	-16.2	79.4	81.0	101		0.867	1.0	0.0			
100	99	102	0.85	1.0	0.0	86.1	-14.7	81.6	82.9	100		0.895	1.0	0.0	87.2	-13.2	83.7	84.8	99		0.85	1.0	0.0	0.757	1.0	0.0	83.9	-17.5	77.5	79.5	102		0.85	1.0	0.0			
100	100	103	0.833	1.0	0.0	85.7	-15.2	80.8	82.3	100		0.859	1.0	0.0	86.3	-14.4	82.0	83.3	100		0.833	1.0	0.0	0.725	1.0	0.0	82.6	-18.8	76.1	78.4	103		0.833	1.0	0.0			
101	101	105	0.816	1.0	0.0	85.3	-15.8	80.1	81.6	101		0.822	1.0	0.0	85.5	-15.5	80.4	81.9	101		0.817	1.0	0.0	0.696	1.0	0.0	81.3	-20.1	74.7	77.4	105		0.817	1.0	0.0			
101	102	106	0.8	1.0	0.0	84.9	-16.3	79.4	81.0	101		0.786	1.0	0.0	84.6	-16.6	78.8	80.5	102		0.8	1.0	0.0	0.667	1.0	0.0	79.9	-21.3	73.4	76.4	106		0.8	1.0	0.0			
102	103	107	0.783	1.0	0.0	84.5	-16.8	78.6	80.4	102		0.75	1.0	0.0	83.7	-17.7	77.2	79.2	103		0.783	1.0	0.0	0.638	1.0	0.0	78.6	-22.5	72.0	75.5	107		0.783	1.0	0.0			
102	104	108	0.766	1.0	0.0	84.1	-17.3	77.9	79.8	102		0.725	1.0	0.0	82.5	-18.9	76.0	78.4	104		0.767	1.0	0.0	0.616	1.0	0.0	77.6	-23.7	70.6	74.5	108		0.767	1.0	0.0			
102	105	109	0.75	1.0	0.0	83.7	-17.7	77.1	79.2	102		0.7	1.0	0.0	81.4	-20.0	74.9	77.5	105		0.75	1.0	0.0	0.598	1.0	0.0	77.0	-24.8	69.2	73.5	109		0.75	1.0	0.0			
103	106	110	0.733	1.0	0.0	82.9	-18.5	76.4	78.6	103		0.675	1.0	0.0	80.3	-21.0	73.7	76.7	106		0.733	1.0	0.0	0.581	1.0	0.0	76.3	-25.8	67.7	72.5	110		0.733	1.0	0.0			
104	107	112	0.716	1.0	0.0	82.1	-19.3	75.6	78.0	104		0.65	1.0	0.0	79.1	-22.1	72.5	75.9	107		0.717	1.0	0.0	0.564	1.0	0.0	75.6	-26.8	66.3	71.5	112		0.717	1.0	0.0			
104	108	113	0.7	1.0	0.0																																	

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_c$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_c$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}		LAB* _{dd361Mi} (x=LabCh)				rgb* _{ds361Mi}		LAB* _{dsx361Mi} (x=LabCh)				rgb* _{dd361Mi}		rgb* _{de361Mi}		LAB* _{dex361Mi} (x=LabCh)				rgb* _{dd361Mi}		rgb* _{dd}	rgb* _{ds}	rgb* _{de}								
116	120	127	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116	0.445	1.0	0.0	71.3	-33.1	57.5	66.4	120	0.5	1.0	0.0	0.35	1.0	0.0	67.3	-38.8	51.1	64.3	127	0.5	1.0	0.0			
117	121	128	0.483	1.0	0.0	72.6	-31.1	59.8	67.4	117	0.43	1.0	0.0	70.8	-33.9	56.5	65.9	121	0.483	1.0	0.0	0.34	1.0	0.0	66.6	-39.8	50.3	64.2	128	0.483	1.0	0.0			
118	122	129	0.466	1.0	0.0	72.0	-32.0	58.8	66.9	118	0.415	1.0	0.0	70.2	-34.6	55.6	65.5	122	0.467	1.0	0.0	0.329	1.0	0.0	65.9	-40.8	49.4	64.2	129	0.467	1.0	0.0			
119	123	130	0.45	1.0	0.0	71.4	-32.9	57.7	66.5	119	0.399	1.0	0.0	69.7	-35.3	54.6	65.1	123	0.45	1.0	0.0	0.319	1.0	0.0	65.2	-41.7	48.5	64.1	130	0.45	1.0	0.0			
120	124	131	0.433	1.0	0.0	70.8	-33.7	56.7	66.0	120	0.384	1.0	0.0	69.2	-36.1	53.6	64.7	124	0.433	1.0	0.0	0.308	1.0	0.0	64.6	-42.7	47.6	64.0	131	0.433	1.0	0.0			
121	125	133	0.416	1.0	0.0	70.2	-34.6	55.6	65.5	121	0.371	1.0	0.0	68.6	-36.8	52.7	64.4	125	0.417	1.0	0.0	0.297	1.0	0.0	63.9	-43.6	46.7	64.0	133	0.417	1.0	0.0			
122	126	134	0.4	1.0	0.0	69.7	-35.4	54.6	65.1	122	0.362	1.0	0.0	68.0	-37.7	52.0	64.3	126	0.4	1.0	0.0	0.287	1.0	0.0	63.2	-44.5	45.8	63.9	134	0.4	1.0	0.0			
124	127	135	0.383	1.0	0.0	69.1	-36.1	53.5	64.6	124	0.353	1.0	0.0	67.4	-38.6	51.3	64.3	127	0.383	1.0	0.0	0.276	1.0	0.0	62.5	-45.4	44.8	63.9	135	0.383	1.0	0.0			
125	128	136	0.366	1.0	0.0	68.3	-37.3	52.3	64.3	125	0.344	1.0	0.0	66.9	-39.4	50.6	64.2	128	0.367	1.0	0.0	0.265	1.0	0.0	61.8	-46.2	43.8	63.8	136	0.367	1.0	0.0			
127	129	137	0.35	1.0	0.0	67.2	-38.9	51.1	64.2	127	0.335	1.0	0.0	66.3	-40.3	49.9	64.2	129	0.35	1.0	0.0	0.255	1.0	0.0	61.2	-47.1	42.9	63.7	137	0.35	1.0	0.0			
129	130	138	0.333	1.0	0.0	66.1	-40.5	49.7	64.1	129	0.326	1.0	0.0	65.7	-41.1	49.1	64.1	130	0.333	1.0	0.0	0.243	1.0	0.0	60.6	-48.0	41.9	63.8	138	0.333	1.0	0.0			
130	131	140	0.316	1.0	0.0	65.1	-42.0	48.3	64.0	130	0.316	1.0	0.0	65.1	-41.9	48.4	64.1	131	0.317	1.0	0.0	0.229	1.0	0.0	60.2	-49.0	41.0	64.0	140	0.317	1.0	0.0			
132	132	141	0.3	1.0	0.0	64.0	-43.4	46.9	63.9	132	0.307	1.0	0.0	64.5	-42.7	47.6	64.0	132	0.3	1.0	0.0	0.216	1.0	0.0	59.7	-49.9	40.1	64.1	141	0.3	1.0	0.0			
134	133	142	0.283	1.0	0.0	63.0	-44.8	45.4	63.8	134	0.298	1.0	0.0	63.9	-43.5	46.8	64.0	133	0.283	1.0	0.0	0.203	1.0	0.0	59.3	-50.9	39.2	64.3	142	0.283	1.0	0.0			
136	134	143	0.266	1.0	0.0	61.9	-46.2	43.9	63.8	136	0.289	1.0	0.0	63.4	-44.3	46.0	63.9	134	0.267	1.0	0.0	0.19	1.0	0.0	58.9	-51.8	38.3	64.5	143	0.267	1.0	0.0			
138	135	144	0.25	1.0	0.0	60.8	-47.5	42.4	63.7	138	0.28	1.0	0.0	62.8	-45.1	45.2	63.9	135	0.25	1.0	0.0	0.176	1.0	0.0	58.4	-52.7	37.3	64.6	144	0.25	1.0	0.0			
139	136	145	0.233	1.0	0.0	60.3	-48.7	41.3	63.9	139	0.271	1.0	0.0	62.2	-45.8	44.3	63.8	136	0.233	1.0	0.0	0.163	1.0	0.0	58.0	-53.6	36.3	64.8	145	0.233	1.0	0.0			
141	137	147	0.216	1.0	0.0	59.7	-49.9	40.1	64.1	141	0.262	1.0	0.0	61.6	-46.5	43.5	63.8	137	0.217	1.0	0.0	0.15	1.0	0.0	57.6	-54.4	35.3	65.0	147	0.217	1.0	0.0			
142	138	148	0.2	1.0	0.0	59.2	-51.1	39.0	64.3	142	0.252	1.0	0.0	61.0	-47.3	42.6	63.7	138	0.2	1.0	0.0	0.137	1.0	0.0	57.1	-55.3	34.3	65.1	148	0.2	1.0	0.0			
144	139	149	0.183	1.0	0.0	58.6	-52.3	37.8	64.5	144	0.242	1.0	0.0	60.6	-48.1	41.9	63.8	139	0.183	1.0	0.0	0.123	1.0	0.0	56.7	-56.2	33.3	65.4	149	0.183	1.0	0.0			
145	140	150	0.166	1.0	0.0	58.1	-53.4	36.5	64.7	145	0.23	1.0	0.0	60.2	-48.9	41.1	64.0	140	0.167	1.0	0.0	0.112	1.0	0.0	56.2	-57.5	32.5	66.1	150	0.167	1.0	0.0			
147	141	151	0.15	1.0	0.0	57.5	-54.5	35.3	64.9	147	0.219	1.0	0.0	59.8	-49.7	40.3	64.1	141	0.15	1.0	0.0	0.1	1.0	0.0	55.7	-58.8	31.7	66.9	151	0.15	1.0	0.0			
148	142	152	0.133	1.0	0.0	57.0	-55.5	34.0	65.1	148	0.207	1.0	0.0	59.5	-50.5	39.6	64.2	142	0.133	1.0	0.0	0.088	1.0	0.0	55.2	-60.1	30.8	67.6	152	0.133	1.0	0.0			
150	143	154	0.116	1.0	0.0	56.3	-57.0	32.8	65.8	150	0.196	1.0	0.0	59.1	-51.3	38.8	64.4	143	0.117	1.0	0.0	0.076	1.0	0.0	54.8	-61.3	29.9	68.3	154	0.117	1.0	0.0			
151	144	155	0.1	1.0	0.0	55.7	-58.8	31.6	66.8	151	0.185	1.0	0.0	58.7	-52.1	37.9	64.5	144	0.1	1.0	0.0	0.065	1.0	0.0	54.3	-62.6	28.9	69.1	155	0.1	1.0	0.0			
153	145	156	0.083	1.0	0.0	55.0	-60.6	30.4	67.8	153	0.173	1.0	0.0	58.3	-52.9	37.1	64.7	145	0.083	1.0	0.0	0.053	1.0	0.0	53.8	-63.9	27.9	69.8	156	0.083	1.0	0.0			
155	146	157	0.066	1.0	0.0	54.3	-62.4	29.1	68.9	155	0.162	1.0	0.0	58.0	-53.6	36.2	64.8	146	0.067	1.0	0.0	0.041	1.0	0.0	53.3	-65.1	26.9	70.5	157	0.067	1.0	0.0			
156	147	158	0.049	1.0	0.0	53.6	-64.2	27.7	69.9	156	0.151	1.0	0.0	57.6	-54.4	35.4	65.0	147	0.05	1.0	0.0	0.029	1.0	0.0	52.8	-66.3	25.9	71.3	158	0.05	1.0	0.0			
158	148	159	0.033	1.0	0.0	53.0	-65.9	26.2	71.0	158	0.139	1.0	0.0	57.2	-55.1	34.5	65.1	148	0.033	1.0	0.0	0.017	1.0	0.0	52.4	-67.5	24.8	72.0	159	0.033	1.0	0.0			
159	149	161	0.016	1.0	0.0	52.3	-67.7	24.6	72.0	159	0.128	1.0	0.0	56.8	-55.8	33.6	65.2	149	0.017	1.0	0.0	0.006	1.0	0.0	51.9	-68.7	23.6	72.8	161	0.017	1.0	0.0			
161	150	162	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161	G_d 0.117	1.0	0.0	56.4	-56.8	32.9	65.8	150	G_s 0.0	1.0	0.0	0.0	1.0	0.011	51.7	-69.0	22.2	72.6	162	G_c 0.0	1.0	0.0			
162	151	163	0.0	1.0	0.016	51.7	-69.0	21.7	72.3	162	0.107	1.0	0.0	56.0	-58.0	32.2	66.4	151	0.0	1.0	0.017	0.0	1.0	0.028	51.8	-68.7	20.8	71.8	163	0.0	1.0	0.017			
163	152	164	0.0	1.0	0.033	51.8	-68.6	20.4	71.6	163	0.097	1.0	0.0	55.6	-59.1	31.5	67.0	152	0.0	1.0	0.033	0.0	1.0	0.045	51.9	-68.3	19.5	71.1	164	0.0	1.0	0.033			
164	153	164	0.0	1.0	0.05	51.9																													

Data of Maximum color M in colorimetric system Offset standard print; separation cmycn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	$LAB^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{de361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
176	165	175	0.0	1.0	0.25	53.0	0.0	1.0	0.063	52.0	0.0	1.0	0.25	53.0
177	166	176	0.0	1.0	0.266	53.1	0.0	1.0	0.082	52.1	0.0	1.0	0.267	53.1
179	167	177	0.0	1.0	0.283	53.2	0.0	1.0	0.1	52.2	0.0	1.0	0.283	53.2
180	168	178	0.0	1.0	0.3	53.3	0.0	1.0	0.119	52.3	0.0	1.0	0.3	53.3
181	169	179	0.0	1.0	0.316	53.4	0.0	1.0	0.136	52.4	0.0	1.0	0.317	53.4
183	170	180	0.0	1.0	0.333	53.5	0.0	1.0	0.151	52.5	0.0	1.0	0.333	53.5
184	171	181	0.0	1.0	0.35	53.7	0.0	1.0	0.167	52.6	0.0	1.0	0.35	53.7
186	172	182	0.0	1.0	0.366	53.8	0.0	1.0	0.183	52.7	0.0	1.0	0.367	53.8
187	173	183	0.0	1.0	0.383	53.9	0.0	1.0	0.199	52.8	0.0	1.0	0.383	53.9
189	174	184	0.0	1.0	0.4	54.0	0.0	1.0	0.214	52.9	0.0	1.0	0.4	54.0
190	175	185	0.0	1.0	0.416	54.1	0.0	1.0	0.23	52.9	0.0	1.0	0.417	54.1
192	176	185	0.0	1.0	0.433	54.2	0.0	1.0	0.246	53.0	0.0	1.0	0.433	54.2
194	177	186	0.0	1.0	0.45	54.3	0.0	1.0	0.259	53.1	0.0	1.0	0.45	54.3
195	178	187	0.0	1.0	0.466	54.4	0.0	1.0	0.27	53.2	0.0	1.0	0.467	54.4
197	179	188	0.0	1.0	0.483	54.5	0.0	1.0	0.282	53.3	0.0	1.0	0.483	54.5
198	180	189	0.0	1.0	0.5	54.6	0.0	1.0	0.294	53.3	0.0	1.0	0.5	54.6
200	181	190	0.0	1.0	0.516	54.7	0.0	1.0	0.306	53.4	0.0	1.0	0.517	54.7
201	182	191	0.0	1.0	0.533	54.8	0.0	1.0	0.317	53.5	0.0	1.0	0.533	54.8
203	183	192	0.0	1.0	0.55	54.9	0.0	1.0	0.329	53.6	0.0	1.0	0.55	54.9
204	184	193	0.0	1.0	0.566	55.0	0.0	1.0	0.341	53.6	0.0	1.0	0.567	55.0
205	185	194	0.0	1.0	0.583	55.1	0.0	1.0	0.352	53.7	0.0	1.0	0.583	55.1
207	186	195	0.0	1.0	0.6	55.2	0.0	1.0	0.364	53.8	0.0	1.0	0.6	55.2
208	187	195	0.0	1.0	0.616	55.3	0.0	1.0	0.376	53.9	0.0	1.0	0.617	55.3
210	188	196	0.0	1.0	0.633	55.5	0.0	1.0	0.386	53.9	0.0	1.0	0.633	55.5
211	189	197	0.0	1.0	0.65	55.6	0.0	1.0	0.397	54.0	0.0	1.0	0.65	55.6
213	190	198	0.0	1.0	0.666	55.8	0.0	1.0	0.407	54.1	0.0	1.0	0.667	55.8
214	191	199	0.0	1.0	0.683	56.0	0.0	1.0	0.418	54.1	0.0	1.0	0.683	56.0
215	192	200	0.0	1.0	0.7	56.1	0.0	1.0	0.428	54.2	0.0	1.0	0.7	56.1
217	193	201	0.0	1.0	0.716	56.3	0.0	1.0	0.439	54.3	0.0	1.0	0.717	56.3
218	194	202	0.0	1.0	0.733	56.5	0.0	1.0	0.449	54.3	0.0	1.0	0.733	56.5
220	195	203	0.0	1.0	0.75	56.6	0.0	1.0	0.46	54.4	0.0	1.0	0.75	56.6
221	196	204	0.0	1.0	0.766	56.7	0.0	1.0	0.471	54.5	0.0	1.0	0.767	56.7
222	197	205	0.0	1.0	0.783	56.8	0.0	1.0	0.481	54.5	0.0	1.0	0.783	56.8
223	198	206	0.0	1.0	0.8	56.9	0.0	1.0	0.492	54.6	0.0	1.0	0.8	56.9
224	199	206	0.0	1.0	0.816	56.9	0.0	1.0	0.502	54.7	0.0	1.0	0.817	56.9
225	200	207	0.0	1.0	0.833	57.0	0.0	1.0	0.514	54.8	0.0	1.0	0.833	57.0
226	201	208	0.0	1.0	0.85	57.1	0.0	1.0	0.526	54.8	0.0	1.0	0.85	57.1
227	202	209	0.0	1.0	0.866	57.2	0.0	1.0	0.537	54.9	0.0	1.0	0.867	57.2
228	203	210	0.0	1.0	0.883	57.3	0.0	1.0	0.549	55.0	0.0	1.0	0.883	57.3
229	204	211	0.0	1.0	0.9	57.4	0.0	1.0	0.561	55.0	0.0	1.0	0.9	57.4
230	205	212	0.0	1.0	0.916	57.4	0.0	1.0	0.572	55.1	0.0	1.0	0.917	57.4
230	206	213	0.0	1.0	0.933	57.5	0.0	1.0	0.584	55.2	0.0	1.0	0.933	57.5
231	207	214	0.0	1.0	0.95	57.6	0.0	1.0	0.596	55.3	0.0	1.0	0.95	57.6
232	208	215	0.0	1.0	0.966	57.7	0.0	1.0	0.607	55.3	0.0	1.0	0.967	57.7
233	209	216	0.0	1.0	0.983	57.7	0.0	1.0	0.619	55.4	0.0	1.0	0.983	57.7
234	210	216	0.0	1.0	1.0	57.8	0.0	1.0	0.631	55.5	0.0	1.0	1.0	57.8

1-0031230-L0

SE040-70

LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

Output: Offset standard print; separation cmycn6*, D65, page 13/33

TUB-test chart SE04; 16 hues, offset standard paper APCO
48 step hue circles; $rgb-LabCh$ *tables, 3D=0, de=0, $cmyk$

input: $rgb/cmyk \rightarrow rgb_d$
output: transfer to $cmyk_d$

1-0031230-F0

TUB registration: 20130201-SE04/SE04L0NA.TXT /PS
application for measurement of offset print output, separation cmycn6 (CMYK)

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmycn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Colorimetric ranges of the three colours (red, green, blue) of the elementary colorimetric colorim									
--	--	--	--	--	--	--	--	--	--

Data of Maximum color M in colorimetric system Offset standard print; separation cmykn6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}			$LAB^*_{ddx361Mi} (x=LabCh)$					$rgb^*_{ds361Mi}$			$LAB^*_{dsx361Mi} (x=LabCh)$					$rgb^*_{dd361Mi}$			$rgb^*_{de361Mi}$			$LAB^*_{dex361Mi} (x=LabCh)$					$rgb^*_{dd361Mi}$			
280	255	258	0.0	0.25	1.0	32.7	8.5	-47.0	47.8	280	0.0	0.57	1.0	45.1	-12.3	-46.2	47.9	255	0.0	0.25	1.0	0.0	0.531	1.0	43.6	-9.7	-46.3	47.4	258	0.0	0.25	1.0	
281	256	258	0.0	0.233	1.0	32.1	9.5	-47.2	48.1	281	0.0	0.557	1.0	44.6	-11.5	-46.2	47.8	256	0.0	0.233	1.0	0.0	0.519	1.0	43.1	-8.9	-46.3	47.2	258	0.0	0.233	1.0	
282	257	259	0.0	0.216	1.0	31.5	10.6	-47.3	48.5	282	0.0	0.545	1.0	44.1	-10.6	-46.3	47.6	257	0.0	0.217	1.0	0.0	0.507	1.0	42.7	-8.2	-46.2	47.1	259	0.0	0.217	1.0	
283	258	260	0.0	0.2	1.0	30.9	11.7	-47.4	48.8	283	0.0	0.532	1.0	43.6	-9.8	-46.3	47.4	258	0.0	0.2	1.0	0.0	0.496	1.0	42.2	-7.4	-46.2	47.0	260	0.0	0.2	1.0	
285	259	261	0.0	0.183	1.0	30.2	12.8	-47.5	49.2	285	0.0	0.519	1.0	43.1	-8.9	-46.3	47.2	259	0.0	0.183	1.0	0.0	0.484	1.0	41.7	-6.7	-46.3	46.9	261	0.0	0.183	1.0	
286	260	262	0.0	0.166	1.0	29.6	13.9	-47.5	49.5	286	0.0	0.506	1.0	42.6	-8.1	-46.2	47.1	260	0.0	0.167	1.0	0.0	0.473	1.0	41.3	-5.9	-46.4	46.9	262	0.0	0.167	1.0	
287	261	263	0.0	0.15	1.0	29.0	15.0	-47.6	49.9	287	0.0	0.493	1.0	42.1	-7.2	-46.3	46.9	261	0.0	0.15	1.0	0.0	0.461	1.0	40.8	-5.2	-46.4	46.8	263	0.0	0.15	1.0	
288	262	264	0.0	0.133	1.0	28.4	16.1	-47.6	50.3	288	0.0	0.481	1.0	41.6	-6.4	-46.3	46.9	262	0.0	0.133	1.0	0.0	0.45	1.0	40.3	-4.4	-46.5	46.8	264	0.0	0.133	1.0	
289	263	265	0.0	0.116	1.0	27.8	17.1	-47.6	50.6	289	0.0	0.468	1.0	41.1	-5.6	-46.4	46.8	263	0.0	0.117	1.0	0.0	0.439	1.0	39.9	-3.7	-46.5	46.7	265	0.0	0.117	1.0	
290	264	266	0.0	0.1	1.0	27.4	17.9	-47.7	50.9	290	0.0	0.455	1.0	40.6	-4.8	-46.4	46.8	264	0.0	0.1	1.0	0.0	0.427	1.0	39.4	-2.9	-46.5	46.7	266	0.0	0.1	1.0	
291	265	267	0.0	0.083	1.0	27.0	18.8	-47.7	51.3	291	0.0	0.443	1.0	40.1	-4.0	-46.5	46.7	265	0.0	0.083	1.0	0.0	0.416	1.0	39.0	-2.2	-46.5	46.6	267	0.0	0.083	1.0	
292	266	268	0.0	0.066	1.0	26.6	19.6	-47.8	51.6	292	0.0	0.43	1.0	39.6	-3.2	-46.5	46.7	266	0.0	0.067	1.0	0.0	0.404	1.0	38.5	-1.5	-46.5	46.6	268	0.0	0.067	1.0	
293	267	269	0.0	0.049	1.0	26.2	20.4	-47.8	52.0	293	0.0	0.418	1.0	39.0	-2.3	-46.5	46.6	267	0.0	0.05	1.0	0.0	0.393	1.0	38.0	-0.7	-46.4	46.5	269	0.0	0.05	1.0	
293	268	269	0.0	0.033	1.0	25.8	21.2	-47.8	52.3	293	0.0	0.405	1.0	38.5	-1.5	-46.5	46.6	268	0.0	0.033	1.0	0.0	0.381	1.0	37.6	0.0	-46.4	46.5	269	0.0	0.033	1.0	
294	269	270	0.0	0.016	1.0	25.4	22.1	-47.8	52.7	294	0.0	0.393	1.0	38.0	-0.7	-46.4	46.5	269	0.0	0.017	1.0	0.0	0.37	1.0	37.1	0.7	-46.4	46.5	270	0.0	0.017	1.0	
295	270	271	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295	B_d	0.0	0.38	1.0	37.5	0.0	-46.4	46.5	$270B_s$	0.0	0.0	1.0	0.0	0.358	1.0	36.7	1.4	-46.5	46.7	$271B_e$	0.0	0.0	1.0
297	271	272	0.016	0.0	1.0	25.3	24.1	-47.3	53.1	297	0.0	0.368	1.0	37.0	0.8	-46.4	46.6	271	0.017	0.0	1.0	0.0	0.346	1.0	36.3	2.2	-46.6	46.8	272	0.017	0.0	1.0	
298	272	273	0.033	0.0	1.0	25.7	25.3	-46.8	53.2	298	0.0	0.355	1.0	36.6	1.6	-46.6	46.7	272	0.033	0.0	1.0	0.0	0.334	1.0	35.8	3.0	-46.7	46.9	273	0.033	0.0	1.0	
299	273	274	0.05	0.0	1.0	26.1	26.4	-46.2	53.3	299	0.0	0.342	1.0	36.1	2.5	-46.7	46.8	273	0.05	0.0	1.0	0.0	0.322	1.0	35.4	3.8	-46.8	47.0	274	0.05	0.0	1.0	
301	274	275	0.066	0.0	1.0	26.5	27.6	-45.7	53.3	301	0.0	0.33	1.0	35.7	3.3	-46.7	47.0	274	0.067	0.0	1.0	0.0	0.31	1.0	35.0	4.5	-46.9	47.2	275	0.067	0.0	1.0	
302	275	276	0.083	0.0	1.0	26.9	28.7	-45.1	53.4	302	0.0	0.317	1.0	35.2	4.1	-46.8	47.1	275	0.083	0.0	1.0	0.0	0.298	1.0	34.5	5.3	-46.9	47.3	276	0.083	0.0	1.0	
303	276	277	0.1	0.0	1.0	27.2	29.8	-44.4	53.5	303	0.0	0.304	1.0	34.7	4.9	-46.9	47.2	276	0.1	0.0	1.0	0.0	0.286	1.0	34.1	6.1	-46.9	47.4	277	0.1	0.0	1.0	
305	277	278	0.116	0.0	1.0	27.6	30.9	-43.8	53.6	305	0.0	0.291	1.0	34.3	5.8	-46.9	47.4	277	0.117	0.0	1.0	0.0	0.274	1.0	33.7	6.9	-47.0	47.6	278	0.117	0.0	1.0	
306	278	279	0.133	0.0	1.0	28.0	31.7	-43.2	53.7	306	0.0	0.279	1.0	33.8	6.6	-46.9	47.5	278	0.133	0.0	1.0	0.0	0.262	1.0	33.2	7.7	-47.0	47.7	279	0.133	0.0	1.0	
307	279	280	0.15	0.0	1.0	28.2	32.4	-42.8	53.7	307	0.0	0.266	1.0	33.4	7.5	-47.0	47.6	279	0.15	0.0	1.0	0.0	0.25	1.0	32.8	8.5	-47.0	47.8	280	0.15	0.0	1.0	
307	280	281	0.166	0.0	1.0	28.5	33.0	-42.5	53.8	307	0.0	0.253	1.0	32.9	8.3	-47.0	47.8	280	0.167	0.0	1.0	0.0	0.237	1.0	32.3	9.4	-47.1	48.1	281	0.167	0.0	1.0	
308	281	282	0.183	0.0	1.0	28.8	33.6	-42.1	53.9	308	0.0	0.24	1.0	32.4	9.2	-47.0	48.0	281	0.183	0.0	1.0	0.0	0.224	1.0	31.8	10.2	-47.2	48.4	282	0.183	0.0	1.0	
309	282	283	0.2	0.0	1.0	29.1	34.2	-41.6	53.9	309	0.0	0.226	1.0	31.9	10.0	-47.2	48.3	282	0.2	0.0	1.0	0.0	0.211	1.0	31.3	11.0	-47.3	48.6	283	0.2	0.0	1.0	
310	283	284	0.216	0.0	1.0	29.4	34.8	-41.2	54.0	310	0.0	0.213	1.0	31.4	10.9	-47.3	48.6	283	0.217	0.0	1.0	0.0	0.198	1.0	30.8	11.9	-47.4	48.9	284	0.217	0.0	1.0	
310	284	285	0.233	0.0	1.0	29.6	35.4	-40.8	54.1	310	0.0	0.199	1.0	30.9	11.8	-47.4	48.9	284	0.233	0.0	1.0	0.0	0.185	1.0	30.4	12.7	-47.4	49.2	285	0.233	0.0	1.0	
311	285	285	0.25	0.0	1.0	29.9	36.0	-40.4	54.1	311	0.0	0.185	1.0	30.4	12.7	-47.4	49.2	285	0.25	0.0	1.0	0.0	0.172	1.0	29.9	13.6	-47.5	49.5	285	0.25	0.0	1.0	
313	286	286	0.266	0.0	1.0	30.4	37.7	-39.5	54.6	313	0.0	0.172	1.0	29.8	13.6	-47.5	49.5	286	0.267	0.0	1.0	0.0	0.159	1.0	29.4	14.5	-47.5	49.8	286	0.267	0.0	1.0	
315	287	287	0.283	0.0	1.0	30.9	39.3	-38.5	55.0	315	0.0	0.158	1.0	29.3	14.6	-47.5	49.8	287	0.283	0.0	1.0	0.0	0.146	1.0	28.9	15.3	-47.5	50.0	287	0.283	0.0	1.0	
317	288	288	0.3	0.0	1.0	31.5	40.9	-37.5	55.5	317	0.0	0.144	1.0	28.8	15.5	-47.5	50.1	288	0.3	0.0	1.0	0.0	0.133	1.0	28.4	16.2	-47.5	50.3	288	0.3	0.0	1.0	
319	289	289	0.316	0.0	1.0	32.0	42.4	-36.4	55.9	319	0.0	0.13	1.0	28.3	16.4	-47.5	50.4	289	0.317	0.0	1.0	0.0	0.118	1.0	27.9	17.1	-47.5	50.6	289	0.317	0.0	1.0	
321	290	290	0.333	0.0	1.0	32.5	44.0	-35.3	56.4	321	0.0	0.113	1.0	27.8	17.4	-47.6	50.7	290	0.333	0.0	1.0	0.0	0.099	1.0	27.5	18.0	-47.6	51.0	290	0.333	0.0	1.0	
323	291	291	0.35	0.0	1.0	33.0	45.5	-34.1	56.9	323	0.0	0.093	1.0	27.3	18.3	-47.6	51.1	291	0.35	0.0	1.0	0.0	0.08	1.0	27.0	19.0	-47.7	51.4	291	0.35	0.0	1.0	
325	292	292	0.366	0.0	1.0	33.5	47.0	-32.8	57.3	325	0.0	0.073	1.0	26.8	19.3	-47.7	51.6	292	0.367	0.0	1.0	0.0	0.061	1.0	26.5	19.9	-47.7	51.8	292	0.367	0.0	1.0	
326	293	293	0.383	0.0	1.0	34.0	48.1	-31.9	57.7	326	0.0	0.053	1.0	26.3	20.3	-47.7	52.0	293	0.383	0.0	1.0	0.0	0.042	1.0	26.0	20.8	-47.8	52.2	293	0.383	0.0	1.0	
327	294	294	0.4	0.0	1.0	34.4	49.0	-31.3	58.1	327	0.0	0.033	1.0	25.8	21.3	-47.8	52.4	294	0.4	0.0	1.0	0.0	0.023	1.0	25.6	21.8	-47.8	52.6	294	0.4	0.0	1.0	
328	295	295	0.416	0.0	1.0	34.8	49.8	-30.6	58.5	328	0.0	0.013	1.0	25.3	22.3	-47.8	52.8	295	0.417	0.0	1.0	0.0	0.005	1.0	25.1	22.8	-47.8	53.0	295	0.417	0.0	1.0	
329	296	296	0.433	0.0	1.0	35.3	50.6	-30.0	58.9	329	0.004	0.0	1.0	25.1	23.3	-47.6	53.1	296	0.433	0.0	1.0	0.009	0.0	1.0	25.2	23.6	-47.5	53.1	296	0.433	0.0	1.0	
330	297	297	0.45	0.0	1.0	35.7	51.5	-29.																									



1-0031430-L0 SE040-70 LAB*la0, YN=0%, XYZnw=2.5, 2.6, 2.7, 86.0, 90.9, 95.9, LAB*nw=18.5, 0.0, 0.0, 96.4, 0.0, 0.0

TUB-test chart SE04; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_d$
48 step hue circles; $rgb-LabCh$ *tables, 3D=0, de=0, $cmyk$ output: transfer to $cmyk_d$

Output: Offset standard print; separation cmykn6*, D65, page 15/33

Data of Maximum color M in colorimetric system Offset standard print; separation cmy6*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}							$LAB^*_{dd361Mi}(x=LabCh)$							$rgb^*_{ds361Mi}$							$LAB^*_{dsx361Mi}(x=LabCh)$							$rgb^*_{dd361Mi}$							$rgb^*_{de361Mi}$							$LAB^*_{dex361Mi}(x=LabCh)$							$rgb^*_{dd361Mi}$						
333	300	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333	0.053	0.0	1.0	26.2	26.7	-46.1	53.3	300	0.5	0.0	1.0	0.055	0.0	1.0	26.3	26.8	-46.0	53.3	300	0.5	0.0	1.0																										
334	301	301	0.516	0.0	1.0	37.5	54.7	-26.5	60.8	334	0.065	0.0	1.0	26.5	27.5	-45.7	53.4	301	0.517	0.0	1.0	0.067	0.0	1.0	26.5	27.6	-45.6	53.4	301	0.517	0.0	1.0																										
334	302	302	0.533	0.0	1.0	37.9	55.5	-25.9	61.3	334	0.077	0.0	1.0	26.8	28.3	-45.2	53.4	302	0.533	0.0	1.0	0.078	0.0	1.0	26.8	28.4	-45.2	53.4	302	0.533	0.0	1.0																										
335	303	303	0.55	0.0	1.0	38.3	56.3	-25.2	61.7	335	0.09	0.0	1.0	27.1	29.1	-44.8	53.5	303	0.55	0.0	1.0	0.09	0.0	1.0	27.1	29.2	-44.8	53.5	303	0.55	0.0	1.0																										
336	304	303	0.566	0.0	1.0	38.7	57.1	-24.6	62.2	336	0.102	0.0	1.0	27.3	29.9	-44.3	53.6	304	0.567	0.0	1.0	0.101	0.0	1.0	27.3	29.9	-44.3	53.6	303	0.567	0.0	1.0																										
337	305	304	0.583	0.0	1.0	39.1	57.8	-23.9	62.6	337	0.114	0.0	1.0	27.6	30.8	-43.8	53.6	305	0.583	0.0	1.0	0.113	0.0	1.0	27.6	30.7	-43.9	53.6	304	0.583	0.0	1.0																										
338	306	305	0.6	0.0	1.0	39.6	58.6	-23.2	63.0	338	0.127	0.0	1.0	27.9	31.5	-43.3	53.7	306	0.6	0.0	1.0	0.124	0.0	1.0	27.9	31.4	-43.4	53.7	305	0.6	0.0	1.0																										
339	307	306	0.616	0.0	1.0	40.0	59.4	-22.5	63.5	339	0.148	0.0	1.0	28.3	32.4	-42.8	53.8	307	0.617	0.0	1.0	0.144	0.0	1.0	28.2	32.2	-42.9	53.7	306	0.617	0.0	1.0																										
340	308	307	0.633	0.0	1.0	40.4	60.2	-21.7	64.0	340	0.17	0.0	1.0	28.6	33.2	-42.3	53.8	308	0.633	0.0	1.0	0.165	0.0	1.0	28.5	33.0	-42.5	53.8	307	0.633	0.0	1.0																										
341	309	308	0.65	0.0	1.0	40.8	61.2	-20.9	64.7	341	0.191	0.0	1.0	29.0	33.9	-41.8	53.9	309	0.65	0.0	1.0	0.185	0.0	1.0	28.9	33.7	-42.0	53.9	308	0.65	0.0	1.0																										
342	310	309	0.666	0.0	1.0	41.2	62.1	-20.1	65.3	342	0.213	0.0	1.0	29.3	34.7	-41.3	54.0	310	0.667	0.0	1.0	0.205	0.0	1.0	29.2	34.5	-41.5	54.0	309	0.667	0.0	1.0																										
342	311	310	0.683	0.0	1.0	41.6	63.1	-19.3	66.0	342	0.234	0.0	1.0	29.7	35.5	-40.7	54.1	311	0.683	0.0	1.0	0.225	0.0	1.0	29.6	35.2	-41.0	54.1	310	0.683	0.0	1.0																										
343	312	311	0.7	0.0	1.0	42.1	64.0	-18.4	66.6	343	0.252	0.0	1.0	30.0	36.3	-40.2	54.2	312	0.7	0.0	1.0	0.246	0.0	1.0	29.9	35.9	-40.4	54.2	311	0.7	0.0	1.0																										
344	313	312	0.716	0.0	1.0	42.5	64.9	-17.5	67.3	344	0.261	0.0	1.0	30.3	37.2	-39.7	54.5	313	0.717	0.0	1.0	0.257	0.0	1.0	30.2	36.7	-40.0	54.4	312	0.717	0.0	1.0																										
345	314	313	0.733	0.0	1.0	42.9	65.8	-16.6	67.9	345	0.27	0.0	1.0	30.6	38.0	-39.3	54.7	314	0.733	0.0	1.0	0.265	0.0	1.0	30.4	37.5	-39.5	54.6	313	0.733	0.0	1.0																										
346	315	314	0.75	0.0	1.0	43.3	66.7	-15.7	68.5	346	0.279	0.0	1.0	30.8	38.9	-38.8	55.0	315	0.75	0.0	1.0	0.273	0.0	1.0	30.7	38.3	-39.1	54.8	314	0.75	0.0	1.0																										
347	316	315	0.766	0.0	1.0	43.6	67.3	-15.2	69.0	347	0.287	0.0	1.0	31.1	39.7	-38.2	55.2	316	0.767	0.0	1.0	0.282	0.0	1.0	30.9	39.1	-38.6	55.0	315	0.767	0.0	1.0																										
347	317	316	0.783	0.0	1.0	44.0	67.8	-14.7	69.4	347	0.296	0.0	1.0	31.4	40.5	-37.7	55.4	317	0.783	0.0	1.0	0.29	0.0	1.0	31.2	39.9	-38.1	55.3	316	0.783	0.0	1.0																										
348	318	317	0.8	0.0	1.0	44.3	68.3	-14.2	69.8	348	0.305	0.0	1.0	31.7	41.4	-37.2	55.7	318	0.8	0.0	1.0	0.298	0.0	1.0	31.4	40.7	-37.6	55.5	317	0.8	0.0	1.0																										
348	319	318	0.816	0.0	1.0	44.7	68.8	-13.7	70.2	348	0.314	0.0	1.0	31.9	42.2	-36.6	55.9	319	0.817	0.0	1.0	0.307	0.0	1.0	31.7	41.5	-37.1	55.7	318	0.817	0.0	1.0																										
349	320	319	0.833	0.0	1.0	45.0	69.4	-13.2	70.6	349	0.323	0.0	1.0	32.2	43.0	-36.0	56.2	320	0.833	0.0	1.0	0.315	0.0	1.0	32.0	42.3	-36.5	55.9	319	0.833	0.0	1.0																										
349	321	320	0.85	0.0	1.0	45.4	69.9	-12.7	71.0	349	0.331	0.0	1.0	32.5	43.8	-35.4	56.4	321	0.85	0.0	1.0	0.323	0.0	1.0	32.2	43.1	-36.0	56.2	320	0.85	0.0	1.0																										
350	322	321	0.866	0.0	1.0	45.7	70.4	-12.2	71.5	350	0.34	0.0	1.0	32.7	44.6	-34.8	56.6	322	0.867	0.0	1.0	0.332	0.0	1.0	32.5	43.9	-35.4	56.4	321	0.867	0.0	1.0																										
350	323	321	0.883	0.0	1.0	46.0	70.9	-11.8	71.9	350	0.349	0.0	1.0	33.0	45.4	-34.1	56.9	323	0.883	0.0	1.0	0.34	0.0	1.0	32.7	44.6	-34.8	56.6	321	0.883	0.0	1.0																										
350	324	322	0.9	0.0	1.0	46.3	71.4	-11.3	72.3	350	0.358	0.0	1.0	33.3	46.2	-33.5	57.1	324	0.9	0.0	1.0	0.348	0.0	1.0	33.0	45.4	-34.2	56.9	322	0.9	0.0	1.0																										
351	325	323	0.916	0.0	1.0	46.7	71.8	-10.9	72.7	351	0.366	0.0	1.0	33.5	47.0	-32.8	57.4	325	0.917	0.0	1.0	0.357	0.0	1.0	33.2	46.1	-33.6	57.1	323	0.917	0.0	1.0																										
351	326	324	0.933	0.0	1.0	47.0	72.3	-10.5	73.1	351	0.375	0.0	1.0	33.8	47.8	-32.1	57.6	326	0.933	0.0	1.0	0.365	0.0	1.0	33.5	46.8	-32.9	57.3	324	0.933	0.0	1.0																										
352	327	325	0.95	0.0	1.0	47.3	72.8	-10.1	73.5	352	0.393	0.0	1.0	34.3	48.6	-31.5	58.0	327	0.95	0.0	1.0	0.373	0.0	1.0	33.7	47.6	-32.3	57.5	325	0.95	0.0	1.0																										
352	328	326	0.966	0.0	1.0	47.6	73.2	-9.6	73.9	352	0.41	0.0	1.0	34.7	49.5	-30.8	58.4	328	0.967	0.0	1.0	0.388	0.0	1.0	34.1	48.4	-31.7	57.9	326	0.967	0.0	1.0																										
352	329	327	0.983	0.0	1.0	47.9	73.7	-9.2	74.3	352	0.427	0.0	1.0	35.2	50.4	-30.2	58.8	329	0.983	0.0	1.0	0.404	0.0	1.0	34.6	49.2	-31.1	58.2	327	0.983	0.0	1.0																										
353	330	328	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353	0.444	0.0	1.0	35.6	51.2	-29.5	59.1	330	1.0	0.0	1.0	0.42	0.0	1.0	35.0	50.0	-30.4	58.6	328	1.0	0.0	1.0																										
353	331	329	1.0	0.0	0.983	48.2	74.0	-8.2	74.5	353	0.461	0.0	1.0	36.1	52.1	-28.8	59.5	331	1.0	0.0	0.983	0.436	0.0	1.0	35.4	50.8	-29.8	59.0	329	1.0	0.0	0.983																										
354	332	330	1.0	0.0	0.966	48.2	73.9	-7.7	74.3	354	0.478	0.0	1.0	36.5	52.9	-28.0	59.9	332	1.0	0.0	0.967	0.452	0.0	1.0	35.8	51.7	-29.1	59.3	330	1.0	0.0	0.967																										
354	333	331	1.0	0.0	0.95	48.2	73.8	-7.2	74.1	354	0.495	0.0	1.0	37.0	53.7	-27.3	60.3	333	1.0	0.0	0.95	0.469	0.0	1.0	36.3	52.4	-28.4	59.7	331	1.0	0.0	0.95																										
354	334	332	1.0	0.0	0.933	48.2	73.6	-6.7	73.9	354	0.514	0.0	1.0	37.4	54.6	-26.5	60.8	334	1.0	0.0	0.933	0.485	0.0	1.0	36.7	53.2	-27.7	60.1	332	1.0	0.0	0.933																										
355	335	333	1.0	0.0	0.916	48.2	73.5	-6.2	73.8	355	0.534	0.0	1.0	37.9	55.6	-25.8	61.3	335																																								

Data of Maximum color M in colorimetric system Offset standard print; separation cmycn6*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_c: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 30.4, 96.1, 161.6, 234.7, 295.7, 353.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																			
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}																						
359	345	342	1.0	0.0	0.75	48.1	72.1	-0.7	72.1	359	0.719	0.0	1.0	42.6	65.1	-17.3	67.4	345	1.0	0.0	0.75														
359	346	343	1.0	0.0	0.733	48.1	71.9	0.0	71.9	359	0.737	0.0	1.0	43.0	66.1	-16.4	68.1	346	1.0	0.0	0.733														
360	347	344	1.0	0.0	0.716	48.1	71.7	0.7	71.7	360	0.759	0.0	1.0	43.5	67.0	-15.4	68.8	347	1.0	0.0	0.717														
361	348	345	1.0	0.0	0.7	48.1	71.6	1.5	71.6	361	0.793	0.0	1.0	44.2	68.2	-14.4	69.7	348	1.0	0.0	0.7														
361	349	346	1.0	0.0	0.683	48.1	71.4	2.3	71.4	361	0.828	0.0	1.0	45.0	69.2	-13.4	70.5	349	1.0	0.0	0.683														
362	350	347	1.0	0.0	0.666	48.1	71.2	3.0	71.3	362	0.863	0.0	1.0	45.7	70.3	-12.3	71.4	350	1.0	0.0	0.667														
363	351	348	1.0	0.0	0.65	48.0	71.0	3.8	71.1	363	0.903	0.0	1.0	46.4	71.5	-11.2	72.4	351	1.0	0.0	0.65														
363	352	349	1.0	0.0	0.633	48.0	70.8	4.5	71.0	363	0.946	0.0	1.0	47.3	72.7	-10.1	73.4	352	1.0	0.0	0.633														
364	353	350	1.0	0.0	0.616	48.0	70.7	5.3	70.9	364	0.99	0.0	1.0	48.1	73.9	-9.0	74.5	353	1.0	0.0	0.617														
365	354	351	1.0	0.0	0.6	48.0	70.5	6.2	70.8	365	1.0	0.0	0.967	48.2	74.0	-7.7	74.4	354	1.0	0.0	0.6														
365	355	352	1.0	0.0	0.583	48.0	70.4	7.1	70.8	365	1.0	0.0	0.924	48.2	73.6	-6.3	73.9	355	1.0	0.0	0.583														
366	356	353	1.0	0.0	0.566	47.9	70.3	7.9	70.7	366	1.0	0.0	0.881	48.2	73.2	-5.0	73.4	356	1.0	0.0	0.567														
367	357	354	1.0	0.0	0.55	47.9	70.1	8.8	70.7	367	1.0	0.0	0.842	48.2	72.9	-3.7	73.0	357	1.0	0.0	0.55														
367	358	355	1.0	0.0	0.533	47.9	70.0	9.6	70.7	367	1.0	0.0	0.803	48.2	72.6	-2.4	72.6	358	1.0	0.0	0.533														
368	359	356	1.0	0.0	0.516	47.8	69.8	10.5	70.6	368	1.0	0.0	0.765	48.1	72.2	-1.2	72.2	359	1.0	0.0	0.517														
369	360	352	1.0	0.0	0.5	47.8	69.7	11.3	70.6	369	1.0	0.0	0.733	48.1	71.9	0.0	71.9	360	1.0	0.0	0.5														
370	361	353	1.0	0.0	0.483	47.8	69.5	12.3	70.6	370	1.0	0.0	0.706	48.1	71.7	1.3	71.7	361	1.0	0.0	0.483														
370	362	354	1.0	0.0	0.466	47.8	69.3	13.2	70.6	370	1.0	0.0	0.679	48.1	71.4	2.5	71.4	362	1.0	0.0	0.467														
371	363	355	1.0	0.0	0.45	47.8	69.1	14.1	70.6	371	1.0	0.0	0.652	48.1	71.1	3.7	71.2	363	1.0	0.0	0.45														
372	364	356	1.0	0.0	0.433	47.8	69.0	15.0	70.6	372	1.0	0.0	0.625	48.1	70.8	4.9	70.9	364	1.0	0.0	0.433														
373	365	357	1.0	0.0	0.416	47.8	68.8	16.0	70.6	373	1.0	0.0	0.602	48.0	70.6	6.2	70.9	365	1.0	0.0	0.417														
373	366	358	1.0	0.0	0.4	47.8	68.5	16.9	70.6	373	1.0	0.0	0.578	48.0	70.4	7.4	70.8	366	1.0	0.0	0.4														
374	367	359	1.0	0.0	0.383	47.8	68.3	17.8	70.6	374	1.0	0.0	0.554	47.9	70.2	8.6	70.8	367	1.0	0.0	0.383														
375	368	360	1.0	0.0	0.366	47.8	68.1	18.7	70.7	375	1.0	0.0	0.53	47.9	70.0	9.8	70.7	368	1.0	0.0	0.367														
376	369	362	1.0	0.0	0.35	47.8	68.0	19.7	70.8	376	1.0	0.0	0.506	47.8	69.8	11.1	70.6	369	1.0	0.0	0.35														
376	370	363	1.0	0.0	0.333	47.8	67.9	20.7	70.9	376	1.0	0.0	0.484	47.8	69.6	12.3	70.6	370	1.0	0.0	0.333														
377	371	364	1.0	0.0	0.316	47.8	67.7	21.6	71.1	377	1.0	0.0	0.462	47.9	69.3	13.5	70.6	371	1.0	0.0	0.317														
378	372	365	1.0	0.0	0.3	47.8	67.5	22.6	71.2	378	1.0	0.0	0.441	47.9	69.1	14.7	70.6	372	1.0	0.0	0.3														
379	373	366	1.0	0.0	0.283	47.8	67.4	23.5	71.4	379	1.0	0.0	0.419	47.9	68.8	15.9	70.6	373	1.0	0.0	0.283														
380	374	367	1.0	0.0	0.266	47.8	67.2	24.5	71.5	380	1.0	0.0	0.397	47.9	68.5	17.1	70.6	374	1.0	0.0	0.267														
380	375	368	1.0	0.0	0.25	47.8	67.0	25.4	71.7	380	1.0	0.0	0.376	47.9	68.2	18.3	70.6	375	1.0	0.0	0.25														
381	376	369	1.0	0.0	0.233	47.8	66.9	26.3	71.9	381	1.0	0.0	0.354	47.9	68.1	19.5	70.8	376	1.0	0.0	0.233														
382	377	370	1.0	0.0	0.216	47.7	66.8	27.2	72.2	382	1.0	0.0	0.332	47.9	67.9	20.8	71.0	377	1.0	0.0	0.217														
382	378	372	1.0	0.0	0.2	47.7	66.8	28.0	72.4	382	1.0	0.0	0.311	47.9	67.7	22.0	71.2	378	1.0	0.0	0.2														
383	379	373	1.0	0.0	0.183	47.7	66.7	28.9	72.7	383	1.0	0.0	0.289	47.9	67.5	23.2	71.4	379	1.0	0.0	0.183														
384	380	374	1.0	0.0	0.166	47.7	66.6	29.7	72.9	384	1.0	0.0	0.268	47.8	67.2	24.5	71.6	380	1.0	0.0	0.167														
384	381	375	1.0	0.0	0.15	47.6	66.4	30.6	73.2	384	1.0	0.0	0.245	47.8	67.0	25.7	71.8	381	1.0	0.0	0.15														
385	382	376	1.0	0.0	0.133	47.6	66.3	31.5	73.4	385	1.0	0.0	0.22	47.8	66.9	27.0	72.2	382	1.0	0.0	0.133														
386	383	377	1.0	0.0	0.116	47.6	66.2	32.3	73.7	386	1.0	0.0	0.195	47.8	66.8	28.3	72.5	383	1.0	0.0	0.117														
386	384	378	1.0	0.0	0.1	47.6	66.2	33.2	74.0	386	1.0	0.0	0.169	47.7	66.6	29.7	72.9	384	1.0	0.0	0.1														
387	385	379	1.0	0.0	0.083	47.6	66.1	34.1	74.4	387	1.0	0.0	0.144	47.7	66.4	31.0	73.3	385	1.0	0.0	0.083														
387	386	381	1.0	0.0	0.066	47.5	66.0	34.9	74.7	387	1.0	0.0	0.118	47.7	66.3	32.3	73.7	386	1.0	0.0	0.067														
388	387	382	1.0	0.0	0.049	47.5	65.9	35.8	75.0	388	1.0	0.0	0.091	47.6	66.2	33.7	74.3	387	1.0	0.0	0.05														
389	388	383	1.0	0.0	0.033	47.5	65.8	36.7	75.3	389	1.0	0.0	0.064	47.6	66.0	35.1	74.8	388	1.0	0.0	0.033														
389	389	384	1.0	0.0	0.016	47.5	65.7	37.6	75.7	389	1.0	0.0	0.038	47.6	65.9	36.5	75.3	389	1.0	0.0	0.017														
390	390	385	1.0	0.0	0.0	47.5	65.5	38.4	76.0	390	R_d	1.0	0.0	0.011	47.5	65.7	37.9	75.8	390	R_s	1.0	0.0	0.0	1.0	0.0	0.131	47.7	66.3	31.6	73.5	385	R_e	1.0	0.0	0.0

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 18/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md				
0/648	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
1/657	R13Y_100_100d	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0	51.2	57.2	42.8	71.5	36.8
2/666	R25Y_100_100d	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	55.9	47.3	48.7	67.9	45.8
3/675	R38Y_100_100d	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.366	0.0	62.0	35.2	56.0	66.2	57.8
4/684	R50Y_100_100d	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1
5/693	R63Y_100_100d	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.633	0.0	75.3	11.6	72.0	72.9	80.8
6/702	R75Y_100_100d	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	81.2	2.5	78.8	78.9	88.1
7/711	R88Y_100_100d	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.883	0.0	85.6	-4.1	84.3	84.4	92.8
8/720	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0
9/639	Y13G_100_100d	0.875	1.0	0.0	1.0	1.0	0.5	97	0.883	1.0	0.0	86.9	-13.6	83.1	84.2	99.3
10/558	Y25G_100_100d	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	84.1	-17.3	77.9	79.8	102.5
11/477	Y38G_100_100d	0.625	1.0	0.0	1.0	1.0	0.5	112	0.633	1.0	0.0	78.3	-22.8	71.7	75.2	107.6
12/396	Y50G_100_100d	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	73.1	-30.2	60.8	67.9	116.4
13/315	Y63G_100_100d	0.375	1.0	0.0	1.0	1.0	0.5	128	0.366	1.0	0.0	68.3	-37.3	52.3	64.3	125.4
14/234	Y75G_100_100d	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	60.3	-48.7	41.3	63.9	139.7
15/153	Y88G_100_100d	0.125	1.0	0.0	1.0	1.0	0.5	143	0.116	1.0	0.0	56.3	-57.0	32.8	65.8	150.0
16/72	G00C_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6
17/73	G13C_100_100d	0.0	1.0	0.125	1.0	1.0	0.5	157	0.0	1.0	0.116	52.3	-66.3	14.2	67.9	167.8
18/74	G25C_100_100d	0.0	1.0	0.25	1.0	1.0	0.5	164	0.0	1.0	0.233	52.9	-62.5	5.2	62.7	175.2
19/75	G38C_100_100d	0.0	1.0	0.375	1.0	1.0	0.5	172	0.0	1.0	0.366	53.8	-56.9	-6.1	57.3	186.2
20/76	G50C_100_100d	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5	54.6	-50.8	-17.3	53.7	198.8
21/77	G63C_100_100d	0.0	1.0	0.625	1.0	1.0	0.5	188	0.0	1.0	0.633	55.5	-45.4	-26.5	52.6	210.2
22/78	G75C_100_100d	0.0	1.0	0.75	1.0	1.0	0.5	196	0.0	1.0	0.766	56.7	-39.6	-34.5	52.5	221.1
23/79	G88C_100_100d	0.0	1.0	0.875	1.0	1.0	0.5	203	0.0	1.0	0.883	57.3	-35.8	-40.0	53.7	228.1
24/80	C00B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6
25/71	C13B_100_100d	0.0	0.875	1.0	1.0	1.0	0.5	217	0.0	0.883	1.0	55.1	-27.8	-45.3	53.2	238.4
26/62	C25B_100_100d	0.0	0.75	1.0	1.0	1.0	0.5	224	0.0	0.766	1.0	51.8	-22.8	-45.6	51.0	243.3
27/53	C38B_100_100d	0.0	0.625	1.0	1.0	1.0	0.5	232	0.0	0.633	1.0	47.5	-16.4	-45.9	48.8	250.3
28/44	C50B_100_100d	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	42.3	-7.7	-46.3	46.9	260.4
29/35	C63B_100_100d	0.0	0.375	1.0	1.0	1.0	0.5	248	0.0	0.366	1.0	37.0	0.8	-46.4	46.5	271.0
30/26	C75B_100_100d	0.0	0.25	1.0	1.0	1.0	0.5	256	0.0	0.233	1.0	32.1	9.5	-47.2	48.1	281.4
31/17	C88B_100_100d	0.0	0.125	1.0	1.0	1.0	0.5	263	0.0	0.116	1.0	27.8	17.1	-47.6	50.6	289.8
32/8	B00M_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6
33/89	B13M_100_100d	0.125	0.0	1.0	1.0	1.0	0.5	277	0.116	0.0	1.0	27.6	30.9	-43.8	53.6	305.2
34/170	B25M_100_100d	0.25	0.0	1.0	1.0	1.0	0.5	284	0.233	0.0	1.0	29.6	35.4	-40.8	54.1	310.9
35/251	B38M_100_100d	0.375	0.0	1.0	1.0	1.0	0.5	292	0.366	0.0	1.0	33.5	47.0	-32.8	57.3	325.0
36/332	B50M_100_100d	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
37/413	B63M_100_100d	0.625	0.0	1.0	1.0	1.0	0.5	308	0.633	0.0	1.0	40.4	60.2	-21.7	64.0	340.1
38/494	B75M_100_100d	0.75	0.0	1.0	1.0	1.0	0.5	316	0.766	0.0	1.0	43.6	67.3	-15.2	69.0	347.2
39/575	B88M_100_100d	0.875	0.0	1.0	1.0	1.0	0.5	323	0.883	0.0	1.0	46.0	70.9	-11.8	71.9	350.5
40/656	M00R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
41/655	M13R_100_100d	1.0	0.0	0.875	1.0	1.0	0.5	337	1.0	0.0	0.883	48.2	73.2	-5.1	73.4	355.9
42/654	M25R_100_100d	1.0	0.0	0.75	1.0	1.0	0.5	344	1.0	0.0	0.766	48.1	72.2	-1.3	72.2	358.9
43/653	M38R_100_100d	1.0	0.0	0.625	1.0	1.0	0.5	352	1.0	0.0	0.633	48.0	70.8	4.5	71.0	3.7
44/652	M50R_100_100d	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	47.8	69.7	11.3	70.6	9.2
45/651	M63R_100_100d	1.0	0.0	0.375	1.0	1.0	0.5	368	1.0	0.0	0.366	47.8	68.1	18.7	70.7	15.4
46/650	M75R_100_100d	1.0	0.0	0.25	1.0	1.0	0.5	376	1.0	0.0	0.233	47.8	66.9	26.3	71.9	21.4
47/649	M88R_100_100d	1.0	0.0	0.125	1.0	1.0	0.5	383	1.0	0.0	0.116	47.6	66.2	32.3	73.7	26.0
48/648	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
49/0	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	51.5	56.6	43.1	71.2	397.2
50/91	NW_013d	0.125	0.125	0.125	0.125	0.0	0.0	360	0.125	0.125	0.125	18.5	0.0	0.0	0.0	9.7
51/182	NW_025d	0.25	0.25	0.25	0.25	0.0	0.0	360	0.25	0.25	0.25	30.8	-0.2	-1.2	1.3	257.7
52/273	NW_038d	0.375	0.375	0.375	0.375	0.0	0.0	360	0.375	0.375	0.375	45.2	-0.4	-2.1	2.2	259.4
53/364	NW_050d	0.5	0.5	0.5	0.5	0.0	0.0	360	0.5	0.5	0.5	57.6	-0.3	-2.0	2.0	261.2
54/455	NW_063d	0.625	0.625	0.625	0.625	0.0	0.0	360	0.625	0.625	0.625	65.9	-0.2	-2.0	2.0	261.9
55/546	NW_075d	0.75	0.75	0.75	0.75	0.0	0.0	360	0.75	0.75	0.75	75.0	-0.2	-1.6	1.6	261.9
56/637	NW_088d	0.875	0.875	0.875	0.875	0.0	0.0	360	0.875	0.875	0.875	82.6	-0.1	-1.1	1.1	263.4
57/728	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	360	1.0	1.0	1.0	90.9	0.0	-0.4	0.4	259.7

Mean color difference of this page:

delta E* = 2.4

TUB-test chart SE04; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_d$
colors and differences, ΔE^* , 3D=0, de=0, $cmyk$ output: transfer to $cmyk_d$ TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcmyk6 (CMYK)
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 19/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n/f	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md	
0/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
1/666	R25Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	55.9	47.3
2/684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	68.1	24.0
3/702	R75Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	81.2	2.5
4/720	Y00G_100_100a	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	89.4	-9.5
5/558	Y25G_100_100a	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	84.1	-17.3
6/396	Y50G_100_100a	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	73.1	-30.2
7/234	Y75G_100_100a	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	60.3	-48.7
8/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3
9/72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3
10/76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5	54.6	-50.8
11/80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.8	-31.9
12/44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	42.3	-7.7
13/8	B00M_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	24.9	22.9
14/332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	37.0	53.9
15/656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	74.2
16/652	B75R_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	47.8	69.7
17/648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5
18/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	47.5	65.5
19/706	R50Y_100_050a	1.0	0.75	0.5	1.0	0.5	0.75	60	1.0	0.75	0.5	68.1	24.0
20/724	Y00G_100_050a	1.0	1.0	0.5	1.0	0.5	0.75	90	1.0	1.0	0.5	89.4	-9.5
21/562	Y50G_100_050a	0.75	1.0	0.5	1.0	0.5	0.75	120	0.75	1.0	0.5	73.1	-30.2
22/400	G00B_100_050a	0.5	1.0	0.5	1.0	0.5	0.75	150	0.5	1.0	0.5	51.6	-69.3
23/404	G50B_100_050a	0.5	1.0	1.0	1.0	0.5	0.75	210	0.5	1.0	1.0	57.8	-31.9
24/368	B00R_100_050a	0.5	0.5	1.0	1.0	0.5	0.75	270	0.5	0.5	1.0	24.9	22.9
25/692	B50R_100_050a	1.0	0.5	1.0	1.0	0.5	0.75	330	1.0	0.0	1.0	48.2	74.2
26/688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	47.5	65.5
27/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	47.5	65.5
28/524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.5	0.5	60	0.75	0.5	0.25	68.1	24.0
29/542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.5	0.5	90	0.75	0.75	0.25	89.4	-9.5
30/380	Y50G_075_050a	0.5	0.75	0.25	0.75	0.5	0.5	120	0.5	0.75	0.25	73.1	-30.2
31/218	G00B_075_050a	0.25	0.75	0.25	0.75	0.5	0.5	150	0.25	0.75	0.25	51.6	-69.3
32/222	G50B_075_050a	0.25	0.75	0.75	0.75	0.5	0.5	210	0.25	0.75	0.75	57.8	-31.9
33/186	B00R_075_050a	0.25	0.25	0.75	0.75	0.5	0.5	270	0.25	0.25	0.75	24.9	22.9
34/510	B50R_075_050a	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.75	48.2	74.2
35/506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.25	47.5	65.5
36/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	47.5	65.5
37/342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	68.1	24.0
38/360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	0.5	0.5	0.0	89.4	-9.5
39/198	Y50G_050_050a	0.25	0.5	0.0	0.5	0.5	0.25	120	0.25	0.5	0.0	73.1	-30.2
40/36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	150	0.0	0.5	0.0	51.6	-69.3
41/40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	210	0.0	0.5	0.5	57.8	-31.9
42/4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	270	0.0	0.0	0.5	24.9	22.9
43/328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	0.5	0.0	0.5	48.2	74.2
44/324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	47.5	65.5
45/0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	96.3	0.0
46/91	NW_013a	0.125	0.125	0.125	0.125	0.0	0.125	360	0.125	0.125	0.125	96.3	0.0
47/182	NW_025a	0.25	0.25	0.25	0.25	0.0	0.25	360	0.25	0.25	0.25	96.3	0.0
48/273	NW_038a	0.375	0.375	0.375	0.375	0.0	0.375	360	0.375	0.375	0.375	96.3	0.0
49/364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	96.3	0.0
50/455	NW_063a	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	96.3	0.0
51/546	NW_075a	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	96.3	0.0
52/637	NW_088a	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	96.3	0.0
53/728	NW_100a	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0

Mean color difference of this page:

delta E* = 4.3

TUB-test chart SE04; 16 hues, offset standard paper APCO
colors and differences, ΔE^* , 3D=0, de=0, *cmYk*
input: *rgb/cmyk* -> *rgb*_d
output: transfer to *cmYk*_dTUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcnmy6 (CMYK)
TUB material: code=rha4ta

http://130.149.60.45/~farbmeterik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 20/33

see similar files: <http://130.149.60.45/~farbmeterik/SE04/SE04L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeterik>

n=j	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_Md	rgb*Md	LabCh*Md
0	NW_000a	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	B00R_012_012a	0.0	0.0	0.125	0.125	0.125	0.062	0.062	0.0	0.0	0.0	0.0
2	B00R_025_025a	0.0	0.0	0.25	0.25	0.25	0.125	0.125	0.0	0.0	0.0	0.0
3	B00R_037_037a	0.0	0.0	0.375	0.375	0.375	0.187	0.187	0.0	0.0	0.0	0.0
4	B00R_050_050a	0.0	0.0	0.5	0.5	0.5	0.25	0.25	0.0	0.0	0.0	0.0
5	B00R_062_062a	0.0	0.0	0.625	0.625	0.625	0.312	0.312	0.0	0.0	0.0	0.0
6	B00R_075_075a	0.0	0.0	0.75	0.75	0.75	0.375	0.375	0.0	0.0	0.0	0.0
7	B00R_087_087a	0.0	0.0	0.875	0.875	0.875	0.437	0.437	0.0	0.0	0.0	0.0
8	B00R_100_100a	0.0	0.0	1.0	1.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0
9	G00B_012_012a	0.0	0.125	0.0	0.125	0.125	0.062	0.062	0.0	0.125	0.0	0.0
10	G50B_012_012a	0.0	0.125	0.125	0.125	0.125	0.062	0.062	0.0	0.125	0.125	0.0
11	G75B_025_025a	0.0	0.125	0.25	0.25	0.25	0.125	0.125	0.0	0.125	0.25	0.0
12	G84B_037_037a	0.0	0.125	0.375	0.375	0.375	0.187	0.187	0.0	0.125	0.375	0.0
13	G88B_050_050a	0.0	0.125	0.5	0.5	0.5	0.25	0.25	0.0	0.125	0.5	0.0
14	G90B_062_062a	0.0	0.125	0.625	0.625	0.625	0.312	0.312	0.0	0.125	0.625	0.0
15	G92B_075_075a	0.0	0.125	0.75	0.75	0.75	0.375	0.375	0.0	0.125	0.75	0.0
16	G93B_087_087a	0.0	0.125	0.875	0.875	0.875	0.437	0.437	0.0	0.125	0.875	0.0
17	G94B_100_100a	0.0	0.125	1.0	1.0	1.0	0.5	0.5	0.0	0.125	1.0	0.0
18	G00B_025_025a	0.0	0.25	0.0	0.25	0.25	0.125	0.125	0.0	0.25	0.0	0.0
19	G25B_025_025a	0.0	0.25	0.125	0.25	0.25	0.125	0.125	0.0	0.25	0.125	0.0
20	G50B_025_025a	0.0	0.25	0.25	0.25	0.25	0.125	0.125	0.0	0.25	0.25	0.0
21	G65B_037_037a	0.0	0.25	0.375	0.375	0.375	0.187	0.187	0.0	0.25	0.375	0.0
22	G75B_050_050a	0.0	0.25	0.5	0.5	0.5	0.25	0.25	0.0	0.25	0.5	0.0
23	G80B_062_062a	0.0	0.25	0.625	0.625	0.625	0.312	0.312	0.0	0.25	0.625	0.0
24	G84B_075_075a	0.0	0.25	0.75	0.75	0.75	0.375	0.375	0.0	0.25	0.75	0.0
25	G86B_087_087a	0.0	0.25	0.875	0.875	0.875	0.437	0.437	0.0	0.25	0.875	0.0
26	G88B_100_100a	0.0	0.25	1.0	1.0	1.0	0.5	0.5	0.0	0.25	1.0	0.0
27	G00B_037_037a	0.0	0.375	0.0	0.375	0.375	0.187	0.187	0.0	0.375	0.0	0.0
28	G15B_037_037a	0.0	0.375	0.125	0.375	0.375	0.187	0.187	0.0	0.375	0.125	0.0
29	G34B_037_037a	0.0	0.375	0.25	0.375	0.375	0.187	0.187	0.0	0.375	0.25	0.0
30	G50B_037_037a	0.0	0.375	0.375	0.375	0.375	0.187	0.187	0.0	0.375	0.375	0.0
31	G61B_050_050a	0.0	0.375	0.5	0.5	0.5	0.25	0.25	0.0	0.375	0.5	0.0
32	G69B_062_062a	0.0	0.375	0.625	0.625	0.625	0.312	0.312	0.0	0.375	0.625	0.0
33	G75B_075_075a	0.0	0.375	0.75	0.75	0.75	0.375	0.375	0.0	0.375	0.75	0.0
34	G79B_087_087a	0.0	0.375	0.875	0.875	0.875	0.437	0.437	0.0	0.375	0.875	0.0
35	G81B_100_100a	0.0	0.375	1.0	1.0	1.0	0.5	0.5	0.0	0.375	1.0	0.0
36	G00B_050_050a	0.0	0.5	0.0	0.5	0.5	0.25	0.25	0.0	0.5	0.0	0.0
37	G11B_050_050a	0.0	0.5	0.125	0.5	0.5	0.25	0.25	0.0	0.5	0.125	0.0
38	G25B_050_050a	0.0	0.5	0.25	0.5	0.5	0.25	0.25	0.0	0.5	0.25	0.0
39	G38B_050_050a	0.0	0.5	0.375	0.5	0.5	0.25	0.25	0.0	0.5	0.375	0.0
40	G50B_050_050a	0.0	0.5	0.5	0.5	0.5	0.25	0.25	0.0	0.5	0.5	0.0
41	G59B_062_062a	0.0	0.5	0.625	0.625	0.625	0.312	0.312	0.0	0.5	0.625	0.0
42	G65B_075_075a	0.0	0.5	0.75	0.75	0.75	0.375	0.375	0.0	0.5	0.75	0.0
43	G70B_087_087a	0.0	0.5	0.875	0.875	0.875	0.437	0.437	0.0	0.5	0.875	0.0
44	G75B_100_100a	0.0	0.5	1.0	1.0	1.0	0.5	0.5	0.0	0.5	1.0	0.0
45	G00B_062_062a	0.0	0.625	0.0	0.625	0.625	0.312	0.312	0.0	0.625	0.0	0.0
46	G09B_062_062a	0.0	0.625	0.125	0.625	0.625	0.312	0.312	0.0	0.625	0.125	0.0
47	G19B_062_062a	0.0	0.625	0.25	0.625	0.625	0.312	0.312	0.0	0.625	0.25	0.0
48	G30B_062_062a	0.0	0.625	0.375	0.625	0.625	0.312	0.312	0.0	0.625	0.375	0.0
49	G40B_062_062a	0.0	0.625	0.5	0.625	0.625	0.312	0.312	0.0	0.625	0.5	0.0
50	G50B_062_062a	0.0	0.625	0.625	0.625	0.625	0.312	0.312	0.0	0.625	0.625	0.0
51	G57B_075_075a	0.0	0.625	0.75	0.75	0.75	0.375	0.375	0.0	0.625	0.75	0.0
52	G63B_087_087a	0.0	0.625	0.875	0.875	0.875	0.437	0.437	0.0	0.625	0.875	0.0
53	G68B_100_100a	0.0	0.625	1.0	1.0	1.0	0.5	0.5	0.0	0.625	1.0	0.0
54	G00B_075_075a	0.0	0.75	0.0	0.75	0.75	0.375	0.375	0.0	0.75	0.0	0.0
55	G07B_075_075a	0.0	0.75	0.125	0.75	0.75	0.375	0.375	0.0	0.75	0.125	0.0
56	G15B_075_075a	0.0	0.75	0.25	0.75	0.75	0.375	0.375	0.0	0.75	0.25	0.0
57	G25B_075_075a	0.0	0.75	0.375	0.75	0.75	0.375	0.375	0.0	0.75	0.375	0.0
58	G34B_075_075a	0.0	0.75	0.5	0.75	0.75	0.375	0.375	0.0	0.75	0.5	0.0
59	G42B_075_075a	0.0	0.75	0.625	0.75	0.75	0.375	0.375	0.0	0.75	0.625	0.0
60	G50B_075_075a	0.0	0.75	0.75	0.75	0.75	0.375	0.375	0.0	0.75	0.75	0.0
61	G56B_087_087a	0.0	0.75	0.875	0.875	0.875	0.437	0.437	0.0	0.75	0.875	0.0
62	G61B_100_100a	0.0	0.75	1.0	1.0	1.0	0.5	0.5	0.0	0.75	1.0	0.0
63	G00B_087_087a	0.0	0.875	0.0	0.875	0.875	0.437	0.437	0.0	0.875	0.0	0.0
64	G06B_087_087a	0.0	0.875	0.125	0.875	0.875	0.437	0.437	0.0	0.875	0.125	0.0
65	G13B_087_087a	0.0	0.875	0.25	0.875	0.875	0.437	0.437	0.0	0.875	0.25	0.0
66	G20B_087_087a	0.0	0.875	0.375	0.875	0.875	0.437	0.437	0.0	0.875	0.375	0.0
67	G29B_087_087a	0.0	0.875	0.5	0.875	0.875	0.437	0.437	0.0	0.875	0.5	0.0
68	G36B_087_087a	0.0	0.875	0.625	0.875	0.875	0.437	0.437	0.0	0.875	0.625	0.0
69	G43B_087_087a	0.0	0.875	0.75	0.875	0.875	0.437	0.437	0.0	0.875	0.75	0.0
70	G50B_087_087a	0.0	0.875	0.875	0.875	0.875	0.437	0.437	0.0	0.875	0.875	0.0
71	G55B_100_100a	0.0	0.875	1.0	1.0	1.0	0.5	0.5	0.0	0.875	1.0	0.0
72	G00B_100_100a	0.0	1.0	0.0	1.0	1.0	0.5	0.5	0.0	1.0	0.0	0.0
73	G05B_100_100a	0.0	1.0	0.125	1.0	1.0	0.5	0.5	0.0	1.0	0.125	0.0
74	G11B_100_100a	0.0	1.0	0.25	1.0	1.0	0.5	0.5	0.0	1.0	0.25	0.0
75	G18B_100_100a	0.0	1.0	0.375	1.0	1.0	0.5	0.5	0.0	1.0	0.375	0.0
76	G25B_100_100a	0.0	1.0	0.5	1.0	1.0	0.5	0.5	0.0	1.0	0.5	0.0
77	G31B_100_100a	0.0	1.0	0.625	1.0	1.0	0.5	0.5	0.0	1.0	0.625	0.0
78	G38B_100_100a	0.0	1.0	0.75	1.0	1.0	0.5	0.5	0.0	1.0	0.75	0.0
79	G44B_100_100a	0.0	1.0	0.875	1.0	1.0	0.5	0.5	0.0	1.0	0.875	0.0
80	G50B_100_100a	0.0	1.0	1.0	1.0	1.0	0.5	0.5	0.0	1.0	1.0	0.0

Mean color difference of this page: $\Delta E^* = 4.4$

TUB-test chart SE04; 16 hues, offset standard paper APCO
colors and differences, ΔE^* , 3D=0, de=0, *cmYk*
input: *rgb/cmyk* -> *rgb*
output: transfer to *cmYk*

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcmyk6 (CMYK)
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 21/33

SE0400A

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcnymn6 (CMYK)

TUB material: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi.d	rgb**Md	LabCh**Md		
81	R00Y_012_012a	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.0	22.1 8.1 4.8	9.5 30.4	0.125 0.0 0.0	24.2 6.7 5.6	8.7 39.9 2.7	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
82	B50R_012_012a	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.125	22.2 9.2 -1.0	9.3 353.2	0.125 0.0 0.125	24.3 9.5 -2.7	9.9 343.7 2.7	330	1.0 0.0 0.0	48.2 74.2 -8.7	74.7 353.2
83	B25R_025_025a	0.125 0.0 0.25	0.25 0.25 0.125	300	0.125 0.0 0.25	23.1 13.4 -6.7	15.1 333.2	0.125 0.0 0.25	27.3 16.8 -10.1	19.6 328.9 6.3	300	0.5 0.0 0.0	37.0 53.9 -27.1	60.4 333.2
84	B15R_037_037a	0.125 0.0 0.375	0.375 0.375 0.187	289	0.118 0.0 0.375	23.5 15.9 -13.6	20.9 319.3	0.125 0.0 0.375	26.9 21.9 -17.4	28.0 321.6 7.8	288	0.316 0.0 0.0	32.0 42.4 -36.4	55.9 319.3
85	B11R_050_050a	0.125 0.0 0.5	0.5 0.5 0.25	284	0.116 0.0 0.5	24.1 17.7 -20.4	27.0 310.9	0.125 0.0 0.5	26.4 25.3 -23.7	34.7 316.9 8.6	282	0.233 0.0 0.0	29.6 35.4 -40.8	54.1 310.9
86	B09R_062_062a	0.125 0.0 0.625	0.625 0.625 0.312	281	0.114 0.0 0.625	24.9 21.0 -26.3	33.6 308.6	0.125 0.0 0.625	26.5 27.3 -30.1	40.7 312.2 7.5	279	0.183 0.0 0.0	28.8 33.6 -42.1	53.9 308.6
87	B07R_075_075a	0.125 0.0 0.75	0.75 0.75 0.375	279	0.112 0.0 0.75	25.8 24.3 -32.1	40.3 307.0	0.125 0.0 0.75	26.9 29.1 -35.3	45.8 309.4 5.8	278	0.15 0.0 0.0	28.2 32.4 -42.8	53.7 307.0
88	B06R_087_087a	0.125 0.0 0.875	0.875 0.875 0.437	278	0.116 0.0 0.875	26.8 27.8 -37.8	46.9 306.2	0.125 0.0 0.875	27.6 31.4 -40.0	50.9 308.0 4.3	277	0.133 0.0 0.0	28.0 31.7 -43.2	53.7 306.2
89	B05R_100_100a	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	27.6 30.9 -43.8	53.6 305.2	0.125 0.0 1.0	27.8 31.4 -43.4	53.6 305.9 0.6	276	0.116 0.0 0.0	27.6 30.9 -43.8	53.6 305.2
90	Y00G_012_012a	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.125 0.0	27.3 -1.1 11.1	11.2 96.0	0.125 0.125 0.0	30.3 -3.0 8.7	9.2 108.8 4.1	89	1.0 1.0 0.0	89.4 -9.5 89.0	89.6 96.0
91	NW_012a	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0	0.125 0.125 0.125	30.8 -0.2 -1.2	1.3 257.7 2.9	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0
92	B00R_025_012a	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.124 0.25	29.0 2.8 -5.9	6.6 295.6	0.125 0.125 0.25	32.9 4.5 -10.7	11.6 292.8 6.4	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
93	B00R_037_025a	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.124 0.375	29.8 5.7 -11.9	13.2 295.6	0.125 0.125 0.375	33.5 8.8 -17.1	19.3 297.4 7.0	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
94	B00R_050_037a	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	30.6 8.6 -17.9	19.9 295.6	0.125 0.125 0.5	32.6 13.0 -23.2	26.7 299.3 7.2	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
95	B00R_062_050a	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	31.4 11.4 -23.9	26.5 295.6	0.125 0.125 0.625	32.5 16.1 -28.9	33.1 299.2 6.9	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
96	B00R_075_062a	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	32.2 14.3 -29.9	33.1 295.6	0.125 0.125 0.75	32.1 18.9 -34.3	39.2 298.9 6.3	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
97	B00R_087_075a	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	33.1 17.2 -35.8	39.8 295.6	0.125 0.125 0.875	32.6 22.2 -39.1	45.0 299.5 5.9	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
98	B00R_100_087a	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	33.9 20.1 -41.8	46.4 295.6	0.125 0.125 1.0	32.2 23.3 -42.8	48.8 298.5 3.8	270	0.0 0.0 0.0	24.9 22.9 -47.8	53.0 295.6
99	Y50G_025_025a	0.125 0.25 0.0	0.25 0.25 0.125	120	0.125 0.25 0.0	32.2 -7.5 15.2	16.9 116.4	0.125 0.25 0.0	38.4 -10.6 16.0	19.2 123.5 7.0	119	0.5 1.0 0.0	73.1 -60.2 60.8	67.9 116.4
100	G00B_025_012a	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.124	32.4 -8.6 2.8	9.1 161.6	0.125 0.25 0.125	37.8 -9.7 3.0	10.1 162.7 5.5	149	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6
101	G50B_025_012a	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.25	33.1 -3.9 -5.6	6.9 234.6	0.125 0.25 0.25	38.8 -5.7 -9.2	10.8 237.9 6.9	210	0.0 1.0 0.0	57.8 -31.9 -45.1	55.3 234.6
102	G75B_037_025a	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.25 0.375	34.2 -1.9 -11.5	11.7 260.4	0.125 0.25 0.375	40.1 -1.9 -15.6	15.7 263.0 7.1	240	0.0 0.5 1.0	42.3 -7.7 -46.3	46.9 260.4
103	G84B_050_037a	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.243 0.5	34.5 1.5 -17.5	17.6 275.0	0.125 0.25 0.5	39.3 1.8 -21.9	21.9 274.8 6.4	251	0.0 0.316 1.0	35.1 4.1 -46.9	47.1 275.0
104	G88B_062_050a	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.241 0.625	35.0 4.7 -23.6	24.0 281.4	0.125 0.25 0.625	38.8 5.5 -27.5	28.1 281.3 5.5	257	0.0 0.233 1.0	32.1 9.5 -47.2	48.1 281.4
105	G90B_075_062a	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.239 0.75	35.6 8.0 -29.7	30.7 285.1	0.125 0.25 0.75	37.4 9.6 -33.3	34.6 286.1 4.3	260	0.0 0.183 1.0	30.2 12.8 -47.5	49.2 285.1
106	G92B_087_075a	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.237 0.875	36.1 11.3 -35.7	37.4 287.5	0.125 0.25 0.875	37.5 12.7 -37.9	40.0 288.5 3.0	262	0.0 0.15 1.0	29.0 15.0 -47.6	49.9 287.5
107	G93B_100_087a	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.241 1.0	36.9 14.1 -41.6	40.0 288.7	0.125 0.25 1.0	36.8 14.9 -41.8	44.4 289.5 0.7	262	0.0 0.133 1.0	28.4 16.1 -47.6	50.3 288.7
108	Y68G_037_037a	0.125 0.375 0.0	0.375 0.375 0.187	131	0.118 0.375 0.0	36.0 -15.7 18.1	24.0 130.9	0.125 0.375 0.0	42.5 -19.0 20.7	28.1 132.6 7.7	131	0.316 1.0 0.0	65.1 -42.0 48.3	64.0 130.9
109	G00B_037_025a	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.124	36.5 -17.3 5.7	18.2 161.6	0.125 0.375 0.125	43.0 -17.2 7.4	18.7 156.4 6.7	149	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6
110	G25B_037_025a	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.25	37.3 -12.7 -4.3	13.4 198.8	0.125 0.375 0.25	44.0 -13.3 -5.3	14.3 202.0 6.8	180	0.0 1.0 0.5	54.6 -50.8 -17.3	53.7 198.8
111	G50B_037_025a	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	38.1 -7.9 -11.2	13.8 234.6	0.125 0.375 0.375	45.2 -9.7 -14.5	17.5 236.2 8.0	210	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6
112	G65B_050_037a	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.381 0.5	39.7 -7.0 -17.2	18.6 247.6	0.125 0.375 0.5	45.0 -7.4 -21.0	22.2 250.5 6.5	228	0.0 0.683 1.0	49.1 -18.8 -45.9	49.6 247.6
113	G75B_062_050a	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.375 0.625	40.1 -3.8 -23.1	23.4 260.4	0.125 0.375 0.625	44.8 -4.3 -26.7	27.1 260.6 5.9	240	0.0 0.5 1.0	42.3 -7.7 -46.3	46.9 260.4
114	G80B_075_062a	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.364 0.75	40.2 -0.1 -29.0	29.0 269.7	0.125 0.375 0.75	43.0 0.4 -32.4	32.4 270.7 4.4	247	0.0 0.383 1.0	37.6 -0.2 -46.5	46.5 269.7
115	G84B_087_075a	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.362 0.875	40.7 3.0 -35.1	33.5 275.0	0.125 0.375 0.875	43.1 3.2 -37.4	37.5 274.9 3.2	251	0.0 0.316 1.0	35.1 4.1 -46.9	47.1 275.0
116	G86B_100_087a	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.358 1.0	41.2 6.4 -41.1	41.6 278.9	0.125 0.375 1.0	40.9 7.3 -41.3	41.9 280.1 0.9	255	0.0 0.266 1.0	33.3 7.4 -47.0	47.6 278.9
117	Y76G_050_050a	0.125 0.5 0.0	0.5 0.5 0.25	136	0.116 0.5 0.0	39.4 -24.3 20.6	31.9 139.7	0.125 0.5 0.0	45.8 -27.0 24.1	36.2 138.2 7.7	137	0.233 1.0 0.0	60.3 -48.7 41.3	63.9 139.7
118	G00B_050_037a	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.124	40.6 -26.0 8.6	27.4 161.6	0.125 0.5 0.125	46.3 -24.7 11.1	27.1 155.7 6.3	149	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6
119	G15B_050_037a	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.243	41.3 -22.2 -0.7	22.2 181.9	0.125 0.5 0.25	47.4 -21.0 -1.1	21.0 183.0 6.2	168	0.0 1.0 0.316	53.4 -59.2 -2.0	59.3 181.9
120	G34B_050_037a	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.5 0.381	42.3 -16.2 -11.1	19.7 214.4	0.125 0.5 0.375	48.9 -16.6 -12.5	21.0 216.5 6.7	191	0.0 1.0 0.683	56.0 -43.3 -29.7	52.5 214.4
121	G50B_050_037a	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	43.0 -11.9 -16.9	20.7 234.6	0.125 0.5 0.5	49.3 -13.9 -20.0	24.2 235.7 7.1	210	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6
122	G61B_062_050a	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.508 0.625	44.9 -11.4 -22.8	25.5 243.3	0.125 0.5 0.625	49.9 -11.9 -25.8	28.5 245.2 5.9	222	0.0 0.766 1.0	51.8 -22.8 -45.6	51.0 243.3
123	G69B_075_062a	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.51 0.75	46.0 -9.6 -28.7	30.3 251.4	0.125 0.5 0.75	49.2 -9.0 -31.4	32.6 253.9 4.1	232	0.0 0.616 1.0	46.9 -15.4 -46.0	48.5 251.4
124	G75B_087_075a	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.5 0.875	46.1 -5.8 -34.7	35.2 260.4	0.125 0.5 0.875	48.8 -5.8 -36.5	36.9 260.8 3.2	240	0.0 0.5 1.0	42.3 -7.7 -46.3	46.9 260.4
125	G79B_100_087a	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.489 1.0	46.1 -2.0 -40.7	40.8 267.0	0.125 0.5 1.0	46.1 -1.2 -40.6	40.6 268.2 0.8	245	0.0 0.416 1.0	38.9 -2.3 -46.5	46.6 267.0
126	Y81G_062_062a	0.125 0.625 0.0	0.625 0.625 0.312	139	0.114 0.625 0.0	43.6 -32.6 23.6	40.3 144.1	0.125 0.625 0.0	49.1 -35.0 26.8	44.1 142.5 6.7	149	0.183 1.0 0.0	58.6 -52.3 37.8	64.5 144.1
127	G00B_062_050a	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.125	44.8 -34.6 11.5	36.5 161.6	0.125 0.625 0.125	49.8 -32.5 14.5	35.6 155.8 6.2	149	0.0 1.0 0.0	51.6 -69.3 23.0	73.1 161.6
128	G11B_062_050a	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.241	45.4 -31.2 2.6	31.3 175.2	0.125 0.625 0.25	51.0 -28.8 2.9	28.9 174.1 6.0	162	0.0 1.0 0.233	52.9 -62.5 5.2	62.7 175.2
129	G25B_062_050a	0.125 0.625 0.375	0.625 0.5 0.375	180	0.125 0.625 0.375	46.3 -25.4 -8.6	26.8 198.8	0.125 0.625 0.375	52.1 -24.6 -8.6					

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 22/33

SE0400A

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
162	R00Y_025_025a	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.0	25.7 16.3 9.6	19.0 30.4	0.25 0.0 0.0	29.3 16.0 12.5	20.3 37.9 4.5	389	47.5 65.5 38.4 76.0 30.4
163	R00Y_025_025a	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.125	25.8 17.4 2.8	17.6 9.2	0.25 0.0 0.125	29.6 18.6 1.9	18.7 6.0 4.1	360	47.8 69.7 11.3 70.6 9.2
164	B50R_025_025a	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.25	25.9 18.5 -2.1	18.6 353.2	0.25 0.0 0.25	30.0 21.2 -5.5	21.9 345.2 5.9	330	48.2 74.2 -8.7 74.7 353.2
165	B34R_037_037a	0.25 0.0 0.375	0.375 0.375 0.187	311	0.256 0.0 0.375	27.2 23.6 -7.2	24.7 342.9	0.25 0.0 0.375	31.0 27.7 -11.0	29.8 338.2 6.7	311	41.6 63.1 -19.3 66.0 342.9
166	B25R_050_050a	0.25 0.0 0.5	0.5 0.5 0.25	300	0.25 0.0 0.5	27.8 26.9 -13.5	30.2 333.2	0.25 0.0 0.5	30.1 31.5 -17.8	36.2 330.5 6.6	300	0.5 0.0 1.0 37.0 53.9 -27.1 60.4 333.2
167	B19R_062_062a	0.25 0.0 0.625	0.625 0.625 0.312	293	0.239 0.0 0.625	28.2 30.1 -19.9	36.1 326.4	0.25 0.0 0.625	30.2 33.7 -24.1	41.4 324.4 5.9	292	0.383 0.0 1.0 34.0 48.1 -31.9 57.7 326.4
168	B15R_075_075a	0.25 0.0 0.75	0.75 0.75 0.375	289	0.237 0.0 0.75	28.6 31.8 -27.3	41.9 319.3	0.25 0.0 0.75	30.2 35.4 -30.0	46.4 319.7 4.7	288	0.316 0.0 1.0 32.0 42.4 -36.4 55.9 319.3
169	B13R_087_087a	0.25 0.0 0.875	0.875 0.875 0.437	286	0.233 0.0 0.875	28.9 32.9 -34.5	47.8 313.6	0.25 0.0 0.875	30.2 36.7 -35.9	51.4 315.6 4.2	284	0.266 0.0 1.0 30.4 37.7 -39.5 54.6 313.6
170	B11R_100_100a	0.25 0.0 1.0	1.0 1.0 0.5	284	0.233 0.0 1.0	29.6 35.4 -40.8	54.1 310.9	0.25 0.0 1.0	29.9 36.0 -40.4	54.1 311.7 0.7	282	0.233 0.0 1.0 29.6 35.4 -40.8 54.1 310.9
171	R50Y_025_025a	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.125 0.0	30.9 6.0 15.7	16.8 69.1	0.25 0.125 0.0	37.3 2.7 18.2	18.4 81.3 7.6	59	1.0 0.5 0.0 68.1 24.0 63.0 67.4 69.1
172	R00Y_025_012a	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.124	31.8 8.1 4.8	9.5 30.4	0.25 0.125 0.125	36.7 7.1 6.8	9.8 43.9 5.3	389	1.0 0.0 0.0 47.5 65.5 38.4 76.0 30.4
173	B50R_025_012a	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.25	31.9 9.2 -1.0	9.3 353.2	0.25 0.125 0.25	37.4 10.0 -4.4	10.9 335.9 6.4	330	1.0 0.0 1.0 48.2 74.2 -8.7 74.7 353.2
174	B25R_037_025a	0.25 0.125 0.375	0.375 0.25 0.25	300	0.25 0.124 0.375	32.9 13.4 -6.7	15.1 333.2	0.25 0.125 0.375	38.5 14.3 -10.6	17.8 323.3 6.9	300	0.5 0.0 1.0 37.0 53.9 -27.1 60.4 333.2
175	B15R_050_037a	0.25 0.125 0.5	0.5 0.375 0.312	289	0.243 0.124 0.5	33.3 15.9 -13.6	20.9 319.3	0.25 0.125 0.5	36.9 18.1 -17.3	25.1 316.1 5.6	288	0.316 0.0 1.0 32.0 42.4 -36.4 55.9 319.3
176	B11R_062_050a	0.25 0.125 0.625	0.625 0.5 0.375	284	0.241 0.125 0.625	33.8 17.7 -20.4	27.0 310.9	0.25 0.125 0.625	36.9 20.9 -23.3	31.3 311.8 5.2	282	0.233 0.0 1.0 29.6 35.4 -40.8 54.1 310.9
177	B09R_075_062a	0.25 0.125 0.75	0.75 0.625 0.437	281	0.239 0.125 0.75	34.7 21.0 -26.3	33.6 308.6	0.25 0.125 0.75	36.0 23.8 -29.1	37.6 309.3 4.2	279	0.183 0.0 1.0 28.8 33.6 -42.1 53.9 308.6
178	B07R_087_075a	0.25 0.125 0.875	0.875 0.75 0.5	279	0.237 0.125 0.875	35.5 24.3 -32.1	40.3 307.0	0.25 0.125 0.875	35.5 26.6 -35.2	44.2 307.0 3.9	278	0.15 0.0 1.0 28.2 32.4 -42.8 53.7 307.0
179	B06R_100_087a	0.25 0.125 1.0	1.0 0.875 0.562	278	0.241 0.125 1.0	36.5 27.8 -37.8	46.9 306.2	0.25 0.125 1.0	34.9 27.3 -39.6	48.1 304.6 2.4	277	0.133 0.0 1.0 28.0 31.7 -43.2 53.7 306.2
180	Y00G_025_025a	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.25 0.0	36.2 -2.3 22.2	22.4 96.0	0.25 0.25 0.0	42.5 -5.4 22.3	23.0 103.7 7.0	89	1.0 1.0 0.0 89.4 -9.5 89.0 89.6 96.0
181	Y00G_025_012a	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.25 0.124	37.1 -1.1 11.1	11.2 96.0	0.25 0.25 0.125	43.9 -3.4 10.7	11.2 107.9 7.1	89	1.0 1.0 0.0 89.4 -9.5 89.0 89.6 96.0
182	NW_025a	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0	0.25 0.25 0.25	45.2 -0.4 -2.1	2.2 259.4 7.5	360	1.0 1.0 0.0 96.3 0.0 0.0 0.0 0.0
183	B00R_037_012a	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.249 0.375	38.8 2.8 -5.9	6.6 295.6	0.25 0.25 0.375	45.0 3.5 -9.6	10.3 290.2 7.2	270	1.0 0.0 1.0 24.9 22.9 -47.8 53.0 295.6
184	B00R_050_025a	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	39.6 5.7 -11.9	13.2 295.6	0.25 0.25 0.5	44.0 6.6 -16.3	17.6 292.2 6.2	270	1.0 0.0 1.0 24.9 22.9 -47.8 53.0 295.6
185	B00R_062_037a	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	40.4 8.6 -17.9	19.9 295.6	0.25 0.25 0.625	43.6 10.2 -21.5	23.8 295.3 5.1	270	1.0 0.0 1.0 24.9 22.9 -47.8 53.0 295.6
186	B00R_075_050a	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	41.2 11.4 -23.9	26.5 295.6	0.25 0.25 0.75	42.6 13.7 -27.5	30.7 296.4 4.4	270	1.0 0.0 1.0 24.9 22.9 -47.8 53.0 295.6
187	B00R_087_062a	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	42.0 14.3 -29.9	33.1 295.6	0.25 0.25 0.875	41.6 16.9 -33.7	37.7 296.6 4.6	270	1.0 0.0 1.0 24.9 22.9 -47.8 53.0 295.6
188	B00R_100_075a	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	42.8 17.2 -35.8	39.8 295.6	0.25 0.25 1.0	40.3 17.7 -38.3	42.2 294.8 3.4	270	1.0 0.0 1.0 24.9 22.9 -47.8 53.0 295.6
189	Y31G_037_037a	0.25 0.375 0.0	0.375 0.375 0.187	109	0.256 0.375 0.0	41.8 -7.7 27.7	28.8 105.6	0.25 0.375 0.0	48.6 -11.7 29.5	31.7 111.6 8.0	108	0.683 1.0 0.0 80.6 -20.7 74.1 76.9 105.6
190	Y50G_037_025a	0.25 0.375 0.125	0.375 0.25 0.25	120	0.25 0.375 0.124	41.9 -7.5 15.2	16.9 116.4	0.25 0.375 0.125	49.3 -10.3 15.6	18.7 123.4 7.9	119	0.5 1.0 0.0 73.1 -30.2 60.8 67.9 116.4
191	G00B_037_012a	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.249	42.1 -8.6 2.8	9.1 161.6	0.25 0.375 0.25	49.7 -8.0 2.5	8.4 162.1 7.6	149	0.0 1.0 0.0 51.6 -69.3 23.0 73.1 161.6
192	G50B_037_012a	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	42.9 -3.9 -5.6	6.9 234.6	0.25 0.375 0.375	51.3 -4.8 -8.1	9.5 292.2 8.8	210	0.0 1.0 1.0 57.8 -31.9 -45.1 55.3 234.6
193	G75B_050_025a	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.375 0.5	43.9 -1.9 -11.5	11.7 260.4	0.25 0.375 0.5	50.5 -1.8 -14.6	14.7 262.7 7.2	240	0.0 0.5 1.0 42.3 -7.7 -46.3 46.9 260.4
194	G84B_062_037a	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.368 0.625	44.2 1.5 -17.5	17.6 275.0	0.25 0.375 0.625	50.0 1.0 -20.5	20.5 273.0 6.5	251	0.0 0.316 1.0 35.1 4.1 -46.9 47.1 275.0
195	G88B_075_050a	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.366 0.75	44.8 4.7 -23.6	24.0 281.4	0.25 0.375 0.75	48.3 4.9 -26.5	27.0 280.5 4.6	257	0.0 0.233 1.0 32.1 9.5 -47.2 48.1 281.4
196	G90B_087_062a	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.364 0.875	45.3 8.0 -29.7	30.7 285.1	0.25 0.375 0.875	47.3 7.6 -32.4	33.3 283.2 3.4	260	0.0 0.183 1.0 30.2 12.8 -47.5 49.2 285.1
197	G92B_100_075a	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.362 1.0	45.8 11.3 -35.7	37.4 287.5	0.25 0.375 1.0	44.6 10.8 -37.4	39.0 286.1 2.2	262	0.0 0.15 1.0 29.0 15.0 -47.6 49.9 287.5
198	Y50G_050_050a	0.25 0.5 0.0	0.5 0.5 0.25	120	0.25 0.5 0.0	45.8 -11.5 30.4	33.9 116.4	0.25 0.5 0.0	51.9 -19.0 34.0	39.0 119.2 8.1	119	0.5 1.0 0.0 73.1 -30.2 60.8 67.9 116.4
199	Y68G_050_037a	0.25 0.5 0.125	0.5 0.375 0.312	131	0.243 0.5 0.124	45.7 -15.7 18.1	24.0 130.9	0.25 0.5 0.125	52.0 -17.9 19.5	26.5 132.5 6.8	131	0.316 1.0 0.0 65.1 -42.0 48.3 64.0 130.9
200	G00B_050_025a	0.25 0.5 0.25	0.5 0.25 0.375	150	0.249 0.5 0.249	46.2 -17.3 5.7	18.2 161.6	0.25 0.5 0.25	52.9 -15.1 6.6	16.5 156.4 7.0	149	0.0 1.0 0.0 51.6 -69.3 23.0 73.1 161.6
201	G25B_050_025a	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.375	47.0 -12.7 -4.3	13.4 198.8	0.25 0.5 0.375	54.4 -11.9 -4.6	12.7 201.1 7.4	180	0.0 1.0 0.5 54.6 -50.8 -17.3 53.7 198.8
202	G50B_050_025a	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	47.8 -7.9 -11.2	13.8 234.6	0.25 0.5 0.5	55.7 -8.8 -13.5	16.1 236.8 8.2	210	0.0 1.0 1.0 57.8 -31.9 -45.1 55.3 234.6
203	G65B_062_037a	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.506 0.625	49.4 -7.0 -17.2	18.6 247.6	0.25 0.5 0.625	56.0 -6.7 -19.3	20.4 250.6 6.9	228	0.0 0.683 1.0 49.1 -18.8 -45.9 49.6 247.6
204	G75B_075_050a	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.5 0.75	49.9 -3.8 -23.1	23.4 260.4	0.25				

<http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 23/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsiMd	rgb*Md	LabCh*Md
243	R00Y_037_037a	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.0	29.4 24.5 14.4 28.5 30.4	0.375 0.0 0.0	32.3 26.8 18.3 32.5 34.3 5.4 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
244	R18Y_037_037a	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	29.5 25.4 8.1 26.6 17.7	0.375 0.0 0.125	32.5 28.6 8.6 29.8 16.7 4.4 371	1.0 0.0 0.316	47.8 67.7 21.6 71.1 17.7
245	B65R_037_037a	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.256	29.6 26.7 0.8 26.8 1.8	0.375 0.0 0.25	33.1 31.2 -0.8 31.2 35.8 5.9 348	1.0 0.0 0.683	48.1 71.4 2.3 71.4 1.8
246	B50R_037_037a	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	29.6 27.8 -3.2 28.0 353.2	0.375 0.0 0.375	33.1 33.1 -7.1 33.9 34.7 7.4 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
247	B38R_050_050a	0.375 0.0 0.5	0.5 0.5 0.25 316	0.383 0.0 0.5	31.1 33.6 -7.6 34.5 347.2	0.375 0.0 0.5	33.1 39.7 -11.9 41.5 34.3 7.7 317	0.766 0.0 1.0	43.6 67.3 -15.2 69.0 347.2	
248	B30R_062_062a	0.375 0.0 0.625	0.625 0.625 0.312 307	0.385 0.0 0.625	31.9 37.1 -14.0 39.7 339.2	0.375 0.0 0.625	33.8 44.0 -17.2 47.3 33.8 7.8 307	0.616 0.0 1.0	40.0 59.4 -22.5 63.5 339.2	
249	B25R_075_075a	0.375 0.0 0.75	0.75 0.75 0.375 300	0.375 0.0 0.75	32.4 40.4 -20.3 45.3 333.2	0.375 0.0 0.75	33.7 45.5 -23.0 51.0 33.2 5.8 300	0.5 0.0 1.0	37.0 53.9 -27.1 60.4 333.2	
250	B20R_087_087a	0.375 0.0 0.875	0.875 0.875 0.437 295	0.364 0.0 0.875	32.8 43.6 -26.8 51.2 328.4	0.375 0.0 0.875	33.8 47.5 -28.5 55.4 32.9 4.3 294	0.416 0.0 1.0	34.8 49.8 -30.6 58.5 328.4	
251	B18R_100_100a	0.375 0.0 1.0	1.0 1.0 0.5 292	0.366 0.0 1.0	33.5 47.0 -32.8 57.3 325.0	0.375 0.0 1.0	33.7 47.7 -32.2 57.5 32.9 1.0 291	0.366 0.0 1.0	33.5 47.0 -32.8 57.3 325.0	
252	R31Y_037_037a	0.375 0.125 0.0	0.375 0.375 0.187 49	0.375 0.118 0.0	33.9 14.9 20.0 25.0 53.2	0.375 0.125 0.0	39.7 12.8 23.8 27.1 61.6 7.2 48	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53.2	
253	R00Y_037_025a	0.375 0.125 0.125	0.375 0.25 0.25 390	0.375 0.124 0.124	35.5 16.3 9.6 19.0 30.4	0.375 0.125 0.125	39.8 15.7 12.9 20.4 39.4 5.5 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	
254	R00Y_037_025a	0.375 0.125 0.25	0.375 0.25 0.25 360	0.375 0.124 0.25	35.5 17.4 2.8 17.6 9.2	0.375 0.125 0.25	40.4 17.9 1.9 18.0 6.0 4.9 360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2	
255	B50R_037_025a	0.375 0.125 0.375	0.375 0.25 0.25 330	0.375 0.124 0.375	35.6 18.5 -2.1 18.6 353.2	0.375 0.125 0.375	40.8 20.2 -6.3 21.1 34.2 6.7 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	
256	B34R_050_037a	0.375 0.125 0.5	0.5 0.375 0.312 311	0.381 0.124 0.5	36.9 23.6 -7.2 24.7 342.9	0.375 0.125 0.5	40.0 26.8 -11.7 29.3 33.6 6.3 311	0.683 0.0 1.0	41.6 63.1 -19.3 66.0 342.9	
257	B25R_062_050a	0.375 0.125 0.625	0.625 0.375 0.437 300	0.375 0.125 0.625	37.5 26.9 -13.5 30.2 333.2	0.375 0.125 0.625	40.0 30.6 -17.1 35.1 33.0 5.7 300	0.5 0.0 1.0	37.0 53.9 -27.1 60.4 333.2	
258	B19R_075_062a	0.375 0.125 0.75	0.75 0.625 0.437 293	0.364 0.125 0.75	37.9 30.1 -19.9 36.1 326.4	0.375 0.125 0.75	39.0 33.8 -22.8 40.8 32.6 4.8 292	0.383 0.0 1.0	34.0 48.1 -31.9 57.7 326.4	
259	B15R_087_075a	0.375 0.125 0.875	0.875 0.75 0.5 289	0.362 0.125 0.875	38.3 31.8 -27.3 41.9 319.3	0.375 0.125 0.875	39.1 37.2 -27.8 46.4 32.2 5.4 288	0.316 0.1 1.0	32.0 42.4 -36.4 55.9 319.3	
260	B13R_100_087a	0.375 0.125 1.0	1.0 0.875 0.562 286	0.358 0.125 1.0	38.7 32.9 -34.5 47.8 313.6	0.375 0.125 1.0	38.3 37.9 -31.9 49.5 31.8 5.5 284	0.266 0.0 1.0	34.0 37.7 -39.5 54.6 313.6	
261	R68Y_037_037a	0.375 0.25 0.0	0.375 0.375 0.187 71	0.375 0.256 0.0	40.6 3.1 28.0 28.1 83.6	0.375 0.25 0.0	49.0 0.5 31.4 31.4 88.9 9.3 71	1.0 0.683 0.0	77.5 8.3 74.7 75.1 83.6	
262	R50Y_037_025a	0.375 0.25 0.125	0.375 0.25 0.25 60	0.375 0.25 0.124	40.6 6.0 15.7 16.8 69.1	0.375 0.25 0.125	48.9 3.5 17.7 18.0 78.7 8.8 59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1	
263	R00Y_037_012a	0.375 0.25 0.25	0.375 0.125 0.312 390	0.375 0.249 0.249	41.6 8.1 4.8 9.5 30.4	0.375 0.25 0.25	49.4 6.5 5.7 8.7 41.3 8.0 389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4	
264	B50R_037_012a	0.375 0.25 0.375	0.375 0.125 0.312 330	0.375 0.249 0.375	41.7 9.2 -1.0 9.3 353.2	0.375 0.25 0.375	50.3 9.1 -4.4 10.1 334.0 9.3 330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2	
265	B25R_050_025a	0.375 0.25 0.5	0.5 0.25 0.375 300	0.375 0.249 0.5	42.6 13.4 -6.7 15.1 333.2	0.375 0.25 0.5	48.8 14.4 -10.8 18.0 323.1 7.4 300	0.5 0.0 1.0	37.0 53.9 -27.1 60.4 333.2	
266	B15R_062_037a	0.375 0.25 0.625	0.625 0.375 0.437 289	0.368 0.25 0.625	43.0 15.9 -13.6 20.9 319.3	0.375 0.25 0.625	47.4 18.8 -16.8 25.2 318.2 6.1 288	0.316 0.0 1.0	32.0 42.4 -36.4 55.9 319.3	
267	B11R_075_050a	0.375 0.25 0.75	0.75 0.5 0.5 284	0.366 0.25 0.75	43.5 17.7 -20.4 27.0 310.9	0.375 0.25 0.75	46.2 22.8 -22.1 31.8 315.8 6.0 282	0.233 0.0 1.0	29.6 35.4 -40.8 54.1 310.9	
268	B09R_087_062a	0.375 0.25 0.875	0.875 0.625 0.562 281	0.364 0.25 0.875	44.4 21.0 -26.3 33.6 308.6	0.375 0.25 0.875	46.0 26.4 -26.8 37.6 314.6 5.6 279	0.183 0.0 1.0	28.8 33.6 -42.1 53.9 308.6	
269	B07R_100_075a	0.375 0.25 1.0	1.0 0.75 0.625 279	0.362 0.25 1.0	45.3 24.3 -32.1 40.3 307.0	0.375 0.25 1.0	45.0 27.6 -30.5 41.2 312.1 3.7 278	0.15 0.0 1.0	28.2 32.4 -42.8 53.7 307.0	
270	Y00G_037_037a	0.375 0.375 0.0	0.375 0.375 0.187 90	0.375 0.375 0.0	45.1 -3.5 33.4 33.6 96.0	0.375 0.375 0.0	54.3 -7.1 35.8 36.5 101.2 10.1 89	1.0 1.0 0.0	89.4 -9.5 89.0 89.6 96.0	
271	Y00G_037_025a	0.375 0.375 0.125	0.375 0.25 0.25 90	0.375 0.375 0.124	45.9 -2.3 22.2 22.4 96.0	0.375 0.375 0.125	55.5 -5.3 21.8 22.4 103.8 10.0 89	1.0 1.0 0.0	89.4 -9.5 89.0 89.6 96.0	
272	Y00G_037_012a	0.375 0.375 0.25	0.375 0.125 0.312 90	0.375 0.375 0.249	46.8 -1.1 11.1 11.2 96.0	0.375 0.375 0.25	56.4 -2.9 8.8 9.3 108.5 10.0 89	1.0 1.0 0.0	89.4 -9.5 89.0 89.6 96.0	
273	NW_037a	0.375 0.375 0.375	0.375 0.0 0.375 360	0.375 0.375 0.375	47.7 0.0 0.0 0.0 0.0	0.375 0.375 0.375	57.6 -0.3 -2.0 2.0 261.2 10.1 360	1.0 1.0 1.0	96.3 0.0 0.0 0.0 0.0	
274	B00R_050_012a	0.375 0.375 0.5	0.5 0.125 0.437 270	0.375 0.375 0.5	48.5 2.8 -5.9 6.6 295.6	0.375 0.375 0.5	56.0 4.3 -8.8 9.9 296.2 8.2 270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6	
275	B00R_062_025a	0.375 0.375 0.625	0.625 0.25 0.5 270	0.375 0.375 0.625	49.3 5.7 -11.9 13.2 295.6	0.375 0.375 0.625	54.9 8.3 -14.7 16.9 299.3 6.7 270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6	
276	B00R_075_037a	0.375 0.375 0.75	0.75 0.375 0.562 270	0.375 0.375 0.75	50.1 8.6 -17.9 19.9 295.6	0.375 0.375 0.75	52.9 12.5 -20.5 24.1 301.4 5.5 270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6	
277	B00R_087_050a	0.375 0.375 0.875	0.875 0.5 0.625 270	0.375 0.375 0.875	50.9 11.4 -23.9 26.5 295.6	0.375 0.375 0.875	52.8 16.1 -24.9 29.6 302.9 5.1 270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6	
278	B00R_100_062a	0.375 0.375 1.0	1.0 0.625 0.687 270	0.375 0.375 1.0	51.7 14.3 -29.9 33.1 295.6	0.375 0.375 1.0	50.7 19.0 -29.1 34.8 303.2 4.9 270	0.0 0.0 1.0	24.9 22.9 -47.8 53.0 295.6	
279	Y23G_050_050a	0.375 0.5 0.0	0.5 0.5 0.25 104	0.383 0.5 0.0	51.3 -8.6 38.9 39.9 102.5	0.375 0.5 0.0	58.9 -12.2 42.9 44.6 105.9 9.3 102	0.766 1.0 0.0	84.1 -17.3 77.9 79.8 102.5	
280	Y31G_050_037a	0.375 0.5 0.125	0.5 0.375 0.312 109	0.381 0.5 0.124	51.5 -7.7 27.7 28.8 105.6	0.375 0.5 0.125	59.5 -10.8 28.2 30.2 111.0 8.5 108	0.683 1.0 0.0	80.6 -20.7 74.1 76.9 105.6	
281	Y50G_050_025a	0.375 0.5 0.25	0.5 0.25 0.375 120	0.375 0.5 0.249	51.6 -7.5 15.2 16.9 116.4	0.375 0.5 0.25	60.4 -8.9 13.9 16.5 122.4 8.9 119	0.5 1.0 0.0	73.1 -30.2 60.8 67.9 116.4	
282	G00B_050_012a	0.375 0.5 0.375	0.5 0.125 0.437 150	0.375 0.5 0.375	51.8 -8.6 2.8 9.1 161.6	0.375 0.5 0.375	61.3 -6.5 2.5 7.0 158.8 9.7 149	0.0 1.0 0.0	51.6 -69.3 23.0 73.1 161.6	
283	G50B_050_012a	0.375 0.5 0.5	0.5 0.125 0.437 210	0.375 0.5 0.5	52.6 -3.9 -5.6 6.9 234.6	0.375 0.5 0.5	62.6 -3.9 -6.7 7.8 239.9 10.0 210	0.0 1.0 1.0	57.8 -61.9 -45.1 55.3 234.6	
284	G75B_062_025a	0.375 0.5 0.625	0.625 0.25 0.5 240	0.375 0.5 0.625	53.6 -1.9 -11.5 11.7 260.4	0.375 0.5 0.625	61.4 -0.4 -13.1 13.1 267.8 8.0 240	0.0 0.5 1.0	42.3 -7.7 -46.3 46.9 260.4	
285	G84B_075_037a	0.375 0.5 0.75	0.75 0.375 0.562 251	0.375 0.493 0.75	53.9 1.5 -17.5 17.6 275.0	0.375 0.5 0.75	59.5 3.6 -18.9 19.2 280.6 6.0 251	0.0 0.316 1.0	35.1 4.1 -46.9 47.1 275.0	
286	G88B_087_050a	0.375 0.5 0.875	0.875 0.5 0.625 256	0.375 0.491 0.875	54.5 4.7 -23.6 24.0 281.4	0.375 0.5 0.875	59.0 7.2 -23.8 24.9 286.9 5.1 257	0.0 0.233 1.0	32.1 9.5 -47.2 48.1 281.4	
287	G90B_100_062a	0.375 0.5 1.0	1.0 0.625 0.687 259	0.375 0.489 1.0	55.0 8.0 -29.7 30.7 28					

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 24/33

SE0400A

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

		HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb**Md	LabCh**Md																								
324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.0	35.3	37.1	22.2	43.3	30.9	5.7	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4											
325	R26Y_050_050a	0.5	0.0	0.125	0.5	0.5	0.25	376	0.5	0.0	0.116	33.1	33.4	13.1	35.9	21.4				0.5	0.0	0.233	47.8	66.9	26.3	71.9	21.4										
326	R00Y_050_050a	0.5	0.0	0.25	0.5	0.5	0.25	360	0.5	0.0	0.25	33.1	34.8	5.6	35.3	9.2				0.5	0.0	0.5	47.8	69.7	11.3	70.6	9.2										
327	B61R_050_050a	0.5	0.0	0.375	0.5	0.5	0.25	344	0.5	0.0	0.383	33.3	36.1	-0.6	36.1	358.9				0.5	0.0	0.766	48.1	72.2	-1.3	72.2	358.9										
328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	0.5	0.0	0.5	33.3	37.1	-4.3	37.3	353.2				0.5	0.0	1.0	48.2	74.2	-8.7	74.7	353.2										
329	B40R_062_062a	0.5	0.0	0.625	0.625	0.625	0.312	319	0.51	0.0	0.625	34.9	43.0	-8.6	43.9	348.6				0.5	0.0	1.0	44.7	68.8	-13.7	70.2	348.6										
330	B34R_075_075a	0.5	0.0	0.75	0.75	0.75	0.375	311	0.512	0.0	0.75	35.9	47.3	-14.4	49.5	342.9				0.5	0.0	1.0	41.6	63.1	-19.3	66.0	342.9										
331	B29R_087_087a	0.5	0.0	0.875	0.875	0.875	0.437	305	0.51	0.0	0.875	36.6	50.6	-20.9	54.8	337.5				0.5	0.0	1.0	39.1	57.8	-23.9	62.6	337.5										
332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2				0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2										
333	R23Y_050_050a	0.5	0.125	0.0	0.5	0.5	0.25	44	0.5	0.116	0.0	37.2	23.6	24.3	33.9	45.8				0.5	0.125	0.0	42.3	23.6	28.4	36.9	50.2	6.5	42	1.0	0.233	0.0	55.9	47.3	48.7	67.9	45.8
334	R00Y_050_037a	0.5	0.125	0.125	0.5	0.375	0.312	390	0.5	0.124	0.124	39.1	24.5	14.4	28.5	30.4				0.5	0.125	0.125	42.6	25.3	18.2	31.2	35.8	5.2	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
335	R18Y_050_037a	0.5	0.125	0.25	0.5	0.375	0.312	371	0.5	0.124	0.243	39.2	25.4	8.1	26.6	17.7				0.5	0.125	0.25	43.1	27.0	7.9	28.2	16.2	4.2	371	1.0	0.0	0.316	47.8	67.7	21.6	71.1	17.7
336	B65R_050_037a	0.5	0.125	0.375	0.5	0.375	0.312	348	0.5	0.124	0.381	39.3	26.7	0.8	26.8	1.8				0.5	0.125	0.375	43.3	29.2	-1.4	29.3	35.7	5.2	348	1.0	0.0	0.683	48.1	71.4	2.3	71.4	1.8
337	B50R_050_037a	0.5	0.125	0.5	0.5	0.375	0.312	330	0.5	0.124	0.5	39.4	28.8	-3.2	38.0	353.2				0.5	0.125	0.5	43.9	31.2	-7.9	32.2	34.5	7.3	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
338	B38R_062_050a	0.5	0.125	0.625	0.625	0.5	0.375	316	0.508	0.125	0.625	40.8	43.6	-7.6	34.5	347.2				0.5	0.125	0.625	44.0	36.0	-12.4	38.1	34.0	6.2	317	0.766	0.0	1.0	43.6	67.3	-15.2	69.0	347.2
339	B30R_075_062a	0.5	0.125	0.75	0.75	0.625	0.437	307	0.51	0.125	0.75	41.7	37.1	-14.0	39.7	339.2				0.5	0.125	0.75	44.0	39.9	-17.0	43.4	33.6	4.7	307	0.616	0.0	1.0	40.0	59.4	-22.5	63.5	339.2
340	B25R_087_075a	0.5	0.125	0.875	0.875	0.75	0.5	300	0.5	0.125	0.875	42.1	40.4	-20.3	45.3	333.2				0.5	0.125	0.875	42.7	42.9	-23.0	48.7	33.7	3.7	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
341	B20R_100_087a	0.5	0.125	1.0	1.0	0.875	0.562	295	0.489	0.125	1.0	42.5	43.6	-26.8	51.2	328.4				0.5	0.125	1.0	41.9	43.3	-27.6	51.4	32.7	5.0	294	0.416	0.0	1.0	34.8	49.8	-30.6	58.5	328.4
342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.25	0.0	43.3	12.0	31.5	33.7	69.1				0.5	0.25	0.0	50.3	8.4	35.9	36.9	76.7	8.9	59	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1
343	R31Y_050_037a	0.5	0.25	0.125	0.5	0.375	0.312	49	0.5	0.243	0.124	43.7	14.9	20.0	25.0	53.2				0.5	0.25	0.125	49.9	11.3	23.3	25.9	64.1	7.9	48	1.0	0.316	0.0	59.6	39.8	53.5	66.7	53.2
344	R00Y_050_025a	0.5	0.25	0.25	0.5	0.25	0.375	390	0.5	0.249	0.249	45.2	16.3	9.6	19.0	30.4				0.5	0.25	0.25	50.3	13.6	11.6	17.9	40.5	6.1	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
345	R00Y_050_025a	0.5	0.25	0.375	0.5	0.25	0.375	360	0.5	0.249	0.375	45.3	17.4	2.8	17.6	9.2				0.5	0.25	0.375	51.5	15.6	1.5	15.7	5.8	6.6	360	1.0	0.0	0.5	47.8	69.7	11.3	70.6	9.2
346	B50R_050_025a	0.5	0.25	0.5	0.5	0.25	0.375	330	0.5	0.249	0.5	45.4	18.5	-2.1	18.6	353.2				0.5	0.25	0.5	51.7	17.8	-6.2	18.9	34.0	7.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
347	B34R_062_037a	0.5	0.25	0.625	0.625	0.375	0.437	311	0.506	0.25	0.625	46.6	23.6	-7.2	24.7	342.9				0.5	0.25	0.625	51.5	23.1	-11.2	25.7	33.4	6.3	311	0.683	0.0	1.0	41.6	63.1	-19.3	66.0	342.9
348	B25R_075_050a	0.5	0.25	0.75	0.75	0.5	0.5	300	0.5	0.25	0.75	47.2	26.9	-13.5	30.2	333.2				0.5	0.25	0.75	50.0	27.8	-16.6	32.4	32.9	4.2	300	0.5	0.0	1.0	37.0	53.9	-27.1	60.4	333.2
349	B19R_087_062a	0.5	0.25	0.875	0.875	0.625	0.562	293	0.489	0.25	0.875	47.6	30.1	-19.9	36.1	326.4				0.5	0.25	0.875	49.2	30.3	-22.4	37.7	32.3	2.9	292	0.383	0.0	1.0	34.0	48.1	-31.9	57.7	326.4
350	B15R_100_075a	0.5	0.25	1.0	1.0	0.75	0.625	289	0.487	0.25	1.0	48.1	31.8	-27.3	41.9	319.3				0.5	0.25	1.0	48.1	31.6	-26.5	41.3	31.9	0.8	288	0.316	0.0	1.0	32.0	42.4	-36.4	55.9	319.3
351	R76Y_050_050a	0.5	0.375	0.0	0.5	0.5	0.25	76	0.5	0.383	0.0	49.8	1.2	39.4	39.4	88.1				0.5	0.375	0.0	56.5	-1.5	42.4	42.4	92.0	7.8	77	1.0	0.766	0.0	81.2	5.5	78.8	78.9	88.1
352	R68Y_050_037a	0.5	0.375	0.125	0.5	0.375	0.312	71	0.5	0.381	0.124	50.4	3.1	28.0	28.1	83.6				0.5	0.375	0.125	57.2	0.3	28.3	28.3	89.2	7.3	71	1.0	0.683	0.0	77.5	8.3	74.7	75.1	83.6
353	R50Y_050_025a	0.5	0.375	0.25	0.5	0.25	0.375	60	0.5	0.375	0.249	50.3	6.0	15.7	16.8	69.1				0.5	0.375	0.25	57.7	3.1	15.3	15.6	78.4	7.9	59	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1
354	R00Y_050_012a	0.5	0.375	0.375	0.5	0.125	0.437	390	0.5	0.375	0.375	51.3	8.1	4.8	9.5	30.4				0.5	0.375	0.375	58.2	5.6	4.6	7.3	39.5	7.3	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
355	B50R_050_012a	0.5	0.375	0.5	0.5	0.125	0.437	330	0.5	0.375	0.5	51.4	9.2	-1.0	9.3	353.2				0.5	0.375	0.5	59.2	7.8	-4.2	8.9	33.1	8.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
356	B25R_062_025a	0.5	0.375	0.625	0.625	0.25	0.5	300	0.5	0.375	0.625	52.3	13.4	-6.7	15.1	3333																					

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcnymn6 (CMYK)
TUB material: code=rh4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE*Fd	hsi_d	rgb*Md	LabCh*Md		
405	R00Y_062_062a	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.0	36.6 40.9 24.0	47.5 30.4	0.625 0.0 0.0	38.7 44.2 26.7	51.7 31.1 4.7	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
406	R31Y_062_062a	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.114	36.7 41.6 18.0	45.4 23.4	0.625 0.0 0.125	38.7 45.5 18.9	49.3 22.5 4.4	380	1.0 0.0 0.183	47.7 66.7 28.9	72.7 23.4
407	R11Y_062_062a	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.239	36.8 42.7 11.1	44.1 14.6	0.625 0.0 0.25	38.8 47.3 10.5	48.5 12.4 5.1	367	1.0 0.0 0.383	47.8 68.3 17.8	70.6 14.6
408	B69R_062_062a	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.385	36.9 44.1 3.3	44.3 4.3	0.625 0.0 0.375	39.1 49.3 2.0	49.3 2.3 5.7	352	1.0 0.0 0.616	48.0 70.7 5.3	70.9 4.3
409	B59R_062_062a	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.51	37.0 45.4 -1.8	45.4 357.6	0.625 0.0 0.5	39.1 50.9 -4.4	51.1 355.0 6.3	339	1.0 0.0 0.816	48.1 72.7 -2.9	72.7 357.6
410	B50R_062_062a	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	37.1 46.3 -5.4	46.7 353.2	0.625 0.0 0.625	39.4 52.4 -9.2	53.2 350.0 7.4	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
411	B42R_075_075a	0.625 0.0 0.75	0.75 0.75 0.375	321	0.637 0.0 0.75	38.6 52.4 -9.5	53.3 349.6	0.625 0.0 0.75	40.3 56.5 -13.1	58.0 346.9 5.7	322	0.85 0.0 1.0	45.4 69.9 -12.7	71.0 349.6
412	B36R_087_087a	0.625 0.0 0.875	0.875 0.875 0.375	314	0.641 0.0 0.875	39.8 57.6 -14.5	59.4 345.8	0.625 0.0 0.875	41.0 60.6 -17.4	63.0 343.9 4.2	315	0.733 0.0 1.0	42.9 65.8 -16.6	67.9 345.8
413	B31R_100_100a	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	40.4 60.2 -21.7	64.0 340.1	0.625 0.0 1.0	40.2 59.7 -22.1	63.7 339.6 0.6	308	0.633 0.0 1.0	40.4 60.2 -21.7	64.0 340.1
414	R18Y_062_062a	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.114 0.0	40.6 32.3 28.9	43.4 41.9	0.625 0.125 0.0	45.0 31.6 32.9	45.6 46.1 5.9	39	1.0 0.183 0.0	53.9 51.7 46.3	69.4 41.9
415	R00Y_062_050a	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.125	42.7 32.7 19.2	38.0 30.4	0.625 0.125 0.125	45.3 32.7 23.5	40.3 35.6 5.0	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
416	R26Y_062_050a	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.241	42.9 33.4 13.1	35.9 21.4	0.625 0.125 0.25	45.7 34.0 14.1	36.8 22.5 3.0	377	1.0 0.0 0.233	47.8 66.9 26.3	71.9 21.4
417	R00Y_062_050a	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.375	42.9 34.8 5.6	35.3 9.2	0.625 0.125 0.375	46.4 35.4 4.5	35.7 7.3 3.7	360	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2
418	B61R_062_050a	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.508	43.0 36.1 -0.6	36.1 358.9	0.625 0.125 0.5	46.6 37.4 -3.0	37.5 355.3 4.4	342	1.0 0.0 0.766	48.1 72.2 -1.3	72.2 358.9
419	B50R_062_050a	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	43.1 37.1 -4.3	37.3 353.2	0.625 0.125 0.625	46.9 38.8 -8.7	39.8 347.3 5.9	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
420	B40R_075_062a	0.625 0.125 0.75	0.75 0.625 0.437	319	0.635 0.125 0.75	44.6 43.0 -8.6	43.9 348.6	0.625 0.125 0.75	47.0 43.5 -12.8	45.4 343.5 4.9	320	0.816 0.0 1.0	44.7 68.8 -13.7	70.2 348.6
421	B34R_087_075a	0.625 0.125 0.875	0.875 0.75 0.5	311	0.637 0.125 0.875	45.6 47.3 -14.4	49.5 342.9	0.625 0.125 0.875	46.9 48.6 -17.4	51.6 340.2 3.5	311	0.683 0.0 1.0	41.6 61.3 -19.3	66.0 342.9
422	B29R_100_087a	0.625 0.125 1.0	1.0 0.875 0.562	305	0.635 0.125 1.0	46.3 50.6 -20.9	54.8 337.5	0.625 0.125 1.0	45.9 49.5 -21.9	54.2 336.0 1.5	305	0.583 0.0 1.0	39.1 57.8 -23.9	62.6 337.5
423	R38Y_062_062a	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.239 0.0	46.1 21.1 35.5	41.3 59.3	0.625 0.25 0.0	51.8 18.7 40.4	44.5 65.1 7.8	52	1.0 0.383 0.0	62.7 33.7 56.9	66.2 59.3
424	R23Y_062_050a	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.241 0.125	46.9 23.6 24.3	33.9 45.8	0.625 0.25 0.125	52.0 20.1 28.8	35.1 55.0 7.6	42	1.0 0.233 0.0	55.9 47.3 48.7	67.9 45.8
425	R00Y_062_037a	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.25	48.8 24.5 14.4	28.5 30.4	0.625 0.25 0.25	52.9 21.1 17.9	27.7 40.2 6.3	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
426	R18Y_062_037a	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.368	48.9 25.4 8.1	26.6 17.7	0.625 0.25 0.375	53.5 22.6 8.5	24.1 20.6 5.3	371	1.0 0.0 0.316	47.8 67.7 21.6	71.1 17.7
427	B65R_062_037a	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.506	49.0 26.7 0.8	26.8 18.8	0.625 0.25 0.5	54.1 24.8 -0.9	24.8 357.8 5.6	348	1.0 0.0 0.683	48.1 71.4 2.3	71.4 1.8
428	B50R_062_037a	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	49.1 27.8 -3.2	28.0 353.2	0.625 0.25 0.625	54.6 26.5 -7.4	27.5 344.2 7.0	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
429	B38R_075_050a	0.625 0.25 0.75	0.75 0.5 0.5	316	0.633 0.25 0.75	50.5 33.6 -7.6	34.5 347.2	0.625 0.25 0.75	54.1 31.9 -11.9	34.0 339.5 5.8	317	0.766 0.0 1.0	43.6 67.3 -15.2	69.0 347.2
430	B30R_087_062a	0.625 0.25 0.875	0.875 0.625 0.562	307	0.635 0.25 0.875	51.4 37.1 -14.0	39.7 339.2	0.625 0.25 0.875	53.7 36.1 -16.8	39.8 335.0 3.6	307	0.616 0.0 1.0	40.0 59.4 -22.5	63.5 339.2
431	B25R_100_075a	0.625 0.25 1.0	1.0 0.75 0.625	300	0.625 0.25 1.0	51.9 40.4 -20.3	45.3 333.2	0.625 0.25 1.0	52.0 37.3 -21.4	43.1 330.0 3.2	300	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2
432	R61Y_062_062a	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.385 0.0	53.5 8.1 44.4	45.1 79.5	0.625 0.375 0.0	58.8 5.6 47.7	48.0 83.2 6.7	67	1.0 0.616 0.0	74.5 13.0 71.0	72.2 79.5
433	R50Y_062_050a	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.375 0.125	53.0 12.0 31.5	33.7 69.1	0.625 0.375 0.125	59.3 7.9 34.8	35.7 77.0 8.2	59	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1
434	R31Y_062_037a	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.368 0.25	53.4 14.9 20.0	25.0 53.2	0.625 0.375 0.25	59.8 10.0 22.4	24.6 65.7 8.3	48	1.0 0.316 0.0	59.6 39.8 53.5	66.7 53.2
435	R00Y_062_025a	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	54.9 16.3 9.6	19.0 30.4	0.625 0.375 0.375	60.9 11.4 11.8	16.4 46.0 8.0	389	1.0 0.0 0.0	47.5 65.5 38.4	76.0 30.4
436	R00Y_062_025a	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.5	55.0 17.4 2.8	17.6 9.2	0.625 0.375 0.5	61.9 13.2 2.2	13.4 9.6 8.0	360	1.0 0.0 0.5	47.8 69.7 11.3	70.6 9.2
437	B50R_062_025a	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	55.1 18.5 -2.1	18.6 353.2	0.625 0.375 0.625	62.4 15.4 -5.6	16.4 39.7 8.7	330	1.0 0.0 1.0	48.2 74.2 -8.7	74.7 353.2
438	B34R_075_037a	0.625 0.375 0.75	0.75 0.375 0.562	311	0.631 0.375 0.75	56.4 23.6 -7.2	24.7 342.9	0.625 0.375 0.75	61.1 20.5 -10.7	23.2 332.3 6.6	311	0.683 0.0 1.0	41.6 61.3 -19.3	66.0 342.9
439	B25R_087_050a	0.625 0.375 0.875	0.875 0.5 0.625	300	0.625 0.375 0.875	57.0 26.9 -13.5	30.2 333.2	0.625 0.375 0.875	60.4 24.3 -15.9	29.1 326.7 4.9	300	0.5 0.0 1.0	37.0 53.9 -27.1	60.4 333.2
440	B19R_100_062a	0.625 0.375 1.0	1.0 0.625 0.687	293	0.614 0.375 1.0	57.4 30.1 -19.9	36.1 326.4	0.625 0.375 1.0	57.4 26.9 -21.2	34.3 321.6 3.4	292	0.383 0.0 1.0	34.0 48.1 -31.9	57.7 326.4
441	R81Y_062_062a	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.51 0.0	58.9 -0.1 50.8	50.8 90.1	0.625 0.5 0.0	65.2 -2.8 54.4	54.5 93.0 7.8	80	1.0 0.816 0.0	83.1 -0.2 81.3	81.3 90.1
442	R76Y_062_050a	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.508 0.125	59.6 1.2 39.4	39.4 88.1	0.625 0.5 0.125	65.8 -1.2 40.2	40.2 91.8 6.7	77	1.0 0.766 0.0	81.2 2.5 78.8	78.9 88.1
443	R68Y_062_037a	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.506 0.25	60.1 3.1 28.0	28.1 83.6	0.625 0.5 0.25	66.4 0.4 26.6	26.6 89.0 7.0	71	1.0 0.683 0.0	77.5 8.3 74.7	75.1 83.6
444	R50Y_062_025a	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.5 0.375	60.1 6.0 15.7	16.8 69.1	0.625 0.5 0.375	67.2 2.6 14.7	14.9 79.8 7.9	59	1.0 0.5 0.0	68.1 24.0 63.0	67.4 69.1
445	R00Y_062_012a	0.625 0.5 0.625	0.625 0.125 0.562	390	0.625 0.5 0.5	61.0 8.1 4.8	9.5 30.4	0.625 0.5 0.5	68.4 4.8 4.7	6.8 44.2 8.0	389	1.0 0.0 0.0	47.	

<http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 26/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsi_d	rgb*Md	LabCh*Md
486	R00Y_075_075a	0.75	0.0	0.0	0.75	0.75	0.0	0.0	41.5	52.5	31.0	61.0
487	R35Y_075_075a	0.75	0.0	0.125	0.75	0.75	0.0	0.125	41.9	53.1	24.2	58.4
488	R18Y_075_075a	0.75	0.0	0.25	0.75	0.75	0.0	0.25	42.0	54.5	16.4	56.9
489	R00Y_075_075a	0.75	0.0	0.375	0.75	0.75	0.0	0.375	42.1	56.3	7.4	45.3
490	B65R_075_075a	0.75	0.0	0.5	0.75	0.75	0.0	0.5	41.9	58.1	0.1	4.9
491	B57R_075_075a	0.75	0.0	0.625	0.75	0.75	0.0	0.625	42.1	59.5	-5.2	59.8
492	B50R_075_075a	0.75	0.0	0.75	0.75	0.75	0.0	0.75	42.2	60.7	-9.4	61.4
493	B43R_087_087a	0.75	0.0	0.875	0.875	0.875	0.0	0.875	43.3	65.5	-12.5	66.7
494	B38R_100_100a	0.75	0.0	1.0	1.0	1.0	0.5	1.0	43.3	66.7	-15.7	68.5
495	R15Y_075_075a	0.75	0.125	0.0	0.75	0.75	0.125	0.0	46.1	41.9	35.9	55.2
496	R00Y_075_062a	0.75	0.125	0.125	0.75	0.75	0.125	0.125	47.0	41.6	27.3	49.8
497	R31Y_075_062a	0.75	0.125	0.25	0.75	0.75	0.125	0.25	47.3	42.7	18.9	46.7
498	R11Y_075_062a	0.75	0.125	0.375	0.75	0.75	0.125	0.375	47.8	43.8	10.0	45.0
499	B69R_075_062a	0.75	0.125	0.5	0.75	0.75	0.125	0.5	48.0	45.7	1.4	45.7
500	B59R_075_062a	0.75	0.125	0.625	0.75	0.75	0.125	0.625	48.3	47.0	-4.5	47.2
501	B50R_075_062a	0.75	0.125	0.75	0.75	0.75	0.125	0.75	48.5	48.3	-9.3	49.2
502	B42R_087_075a	0.75	0.125	0.875	0.875	0.75	0.125	0.875	49.1	54.0	-12.6	55.4
503	B36R_100_087a	0.75	0.125	1.0	1.0	0.875	0.562	314	48.5	56.4	-15.9	58.7
504	R31Y_075_075a	0.75	0.25	0.0	0.75	0.75	0.237	0.0	53.1	29.5	42.8	52.0
505	R18Y_075_062a	0.75	0.25	0.125	0.75	0.75	0.239	0.125	53.4	30.6	32.0	44.3
506	R00Y_075_050a	0.75	0.25	0.25	0.75	0.75	0.25	0.25	54.5	30.7	22.3	37.9
507	R26Y_075_050a	0.75	0.25	0.375	0.75	0.75	0.25	0.375	55.2	31.6	13.3	34.3
508	R00Y_075_050a	0.75	0.25	0.5	0.75	0.75	0.25	0.5	55.5	33.6	4.2	33.8
509	B61R_075_050a	0.75	0.25	0.625	0.75	0.75	0.25	0.625	56.2	34.9	-2.9	35.0
510	B50R_075_050a	0.75	0.25	0.75	0.75	0.75	0.25	0.75	56.6	36.1	-8.5	37.1
511	B40R_087_062a	0.75	0.25	0.875	0.875	0.625	0.562	319	56.6	36.1	-12.2	43.7
512	B34R_100_075a	0.75	0.25	1.0	1.0	0.75	0.625	311	56.6	36.1	-15.7	47.2
513	R50Y_075_075a	0.75	0.375	0.0	0.75	0.75	0.375	0.0	60.6	15.9	50.6	53.0
514	R38Y_075_062a	0.75	0.375	0.125	0.75	0.75	0.364	0.125	60.0	18.4	37.4	41.7
515	R23Y_075_050a	0.75	0.375	0.25	0.75	0.75	0.366	0.25	61.1	19.3	26.1	32.5
516	R00Y_075_037a	0.75	0.375	0.375	0.75	0.75	0.375	0.375	62.2	20.1	16.0	25.7
517	R18Y_075_037a	0.75	0.375	0.5	0.75	0.75	0.375	0.493	62.8	21.5	7.4	22.8
518	B65R_075_037a	0.75	0.375	0.625	0.75	0.75	0.375	0.631	63.3	23.1	-0.9	23.2
519	B50R_075_037a	0.75	0.375	0.75	0.75	0.75	0.375	0.75	64.1	24.5	-6.9	25.5
520	B38R_087_050a	0.75	0.375	0.875	0.875	0.5	0.625	316	63.5	20.1	-11.0	32.1
521	B30R_100_062a	0.75	0.375	1.0	1.0	0.625	0.687	307	64.1	24.5	-14.7	37.3
522	R68Y_075_075a	0.75	0.5	0.0	0.75	0.75	0.512	0.0	67.4	5.0	57.9	58.2
523	R61Y_075_062a	0.75	0.5	0.125	0.75	0.75	0.51	0.125	67.9	6.1	44.4	44.8
524	R50Y_075_050a	0.75	0.5	0.25	0.75	0.75	0.5	0.25	68.4	8.1	31.3	32.3
525	R31Y_075_037a	0.75	0.5	0.375	0.75	0.75	0.493	0.375	69.0	9.9	19.8	22.2
526	R00Y_075_025a	0.75	0.5	0.5	0.75	0.75	0.5	0.5	70.1	11.2	10.3	15.3
527	R00Y_075_025a	0.75	0.5	0.625	0.75	0.75	0.5	0.625	70.6	13.0	1.9	13.2
528	B50R_075_025a	0.75	0.5	0.75	0.75	0.75	0.5	0.75	71.6	14.5	-5.0	15.4
529	B34R_087_037a	0.75	0.5	0.875	0.875	0.375	0.687	311	71.4	19.2	-9.3	21.3
530	B25R_100_050a	0.75	0.5	1.0	1.0	0.5	0.75	300	67.4	24.8	-14.1	28.5
531	R85Y_075_075a	0.75	0.625	0.0	0.75	0.75	0.637	0.0	73.1	-3.9	63.8	63.9
532	R81Y_075_062a	0.75	0.625	0.125	0.75	0.75	0.635	0.125	73.9	-2.7	49.2	49.3
533	R76Y_075_050a	0.75	0.625	0.25	0.75	0.75	0.633	0.25	74.7	-1.1	35.6	35.6
534	R68Y_075_037a	0.75	0.625	0.375	0.75	0.75	0.631	0.375	75.7	0.3	23.5	23.5
535	R50Y_075_025a	0.75	0.625	0.5	0.75	0.75	0.625	0.5	76.1	2.7	13.0	13.3
536	R00Y_075_012a	0.75	0.625	0.625	0.75	0.75	0.625	0.625	76.8	4.6	4.2	4.6
537	B50R_075_012a	0.75	0.625	0.75	0.75	0.75	0.625	0.75	77.8	6.3	-3.1	7.1
538	B25R_087_025a	0.75	0.625	0.875	0.875	0.25	0.75	300	76.4	11.4	-8.2	14.0
539	B15R_100_037a	0.75	0.625	1.0	1.0	0.375	0.812	289	73.9	14.5	-12.8	19.4
540	Y00G_075_075a	0.75	0.75	0.0	0.75	0.75	0.75	0.0	77.0	-9.7	67.7	68.4
541	Y00G_075_062a	0.75	0.75	0.125	0.75	0.75	0.75	0.125	77.8	-8.7	52.7	53.5
542	Y00G_075_050a	0.75	0.75	0.25	0.75	0.75	0.75	0.25	78.8	-7.3	39.0	39.3
543	Y00G_075_037a	0.75	0.75	0.375	0.75	0.75	0.75	0.375	79.9	-5.7	26.6	27.2
544	Y00G_075_025a	0.75	0.75	0.5	0.75	0.75	0.75	0.5	80.8	-3.8	15.8	16.3
545	Y00G_075_012a	0.75	0.75	0.625	0.75	0.75	0.75	0.625	81.7	-2.0	6.6	6.9
546	NW_075a	0.75	0.75	0.75	0.75	0.75	0.75	0.75	82.6	-0.1	-1.1	1.1
547	B00R_087_012a	0.75	0.75	0.875	0.875	0.125	0.812	270	82.7	3.1	-6.3	7.0
548	B00R_100_025a	0.75	0.75	1.0	1.0	0.25	0.875	270	79.1	7.7	-11.4	13.7
549	Y13G_087_087a	0.75	0.875	0.0	0.875	0.875	0.437	98	81.6	-13.7	73.8	75.1
550	Y15G_087_075a	0.75	0.875	0.125	0.875	0.75	0.5	99	82.4	-12.7	58.5	59.9
551	Y18G_087_062a	0.75	0.875	0.25	0.875	0.625	0.562	101	83.2	-11.5	45.6	47.1
552	Y23G_087_050a	0.75	0.875	0.375	0.875	0.5	0.625	104	84.0	-10.1	32.1	33.7
553	Y31G_087_037a	0.75	0.875	0.5	0.875	0.375	0.687	109	85.0	-8.3	21.1	22.7
554	Y50G_087_025a	0.75	0.875	0.625	0.875	0.25	0.75	120	85.7	-6.7	11.3	13.1
555	G00B_087_012a	0.75	0.875	0.75	0.875	0.125	0.812	150	86.6	-4.8	2.8	5.6
556	G50B_087_012a	0.75	0.875	0.875	0.875	0.125	0.812	210	87.3	-2.9	-4.4	5.3
557	G75B_100_025a	0.75	0.875	1.0	1.0	0.25	0.875	240	85.0	0.0	-9.6	9.6
558	Y23G_100_100a	0.75	1.0	0.0	1.0	0.0	0.5	104	83.7	-17.7	77.1	79.2
559	Y26G_100_087a	0.75	1.0	0.125	1.0	0.875	0.562	106	84.4	-16.9	62.4	64.5
560	Y31G_100_075a	0.75	1.0	0.25	1.0	0.75	0.625	109	85.0	-16.0	49.2	51.7
561	Y38G_100_062a	0.75	1.0	0.375	1.0	0.625	0.687	113	85.9	-14.5	37.0	39.7
562	Y50G_100_050a	0.75	1.0	0.5	1.0	0.5	0.75	120	86.5	-13.2	24.9	28.2
563	Y68G_100_037a	0.75	1.0	0.625	1.0	0.375	0.812	131	87.1	-11.3	14.8	18.7
564	G00B_100_025a	0.75	1.0	0.75	1.0	0.25	0.875	150	88.3	-9.2	6.2	11.2
565	G25B_100_025a	0.75	1.0	0.875	1.0	0.25	0.875	180	89.1	-7.5	-1.4	7.6
566	G50B_100_025a	0.75	1.0	1.0	1.0	0.25	0.875	210	89.7	-5.6	-8.1	9.8

Mean color difference of this page: $\Delta E^* = 5.3$

1-0032530-F0

SE040-7N, Page 26/33-F

TUB-test chart SE04; 16 hues, offset standard paper APCO input: $rgb/cmyk \rightarrow rgb_d$
 colors and differences, ΔE^* , 3D=0, de=0, $cmyk_d$
 output: transfer to $cmyk_d$

1-0032530-F0

TUB registration: 20130201-SE04/SE04L0NA.TXT /PS
 application for measurement of offset print output, separationcmyk6 (CMYK)
 TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcnymn6 (CMYK)
TUB material: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi_d	rgb**Md	LabCh**Md
567	R00Y_087_087a	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.0	43.9 57.3 33.6	0.875 0.0 0.0	45.0 60.9 34.2	69.9 29.3 3.7	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
568	R36Y_087_087a	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.116	44.0 58.0 27.5	0.875 0.0 0.125	45.2 61.6 27.5	67.5 24.0 3.7	382	1.0 0.0 0.133	47.6 66.3 31.5 73.4 25.4
569	R23Y_087_087a	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.233	44.1 58.8 21.4	0.875 0.0 0.25	45.4 62.5 20.9	65.9 18.4 3.9	375	1.0 0.0 0.266	47.8 67.2 24.5 71.5 20.6
570	R08Y_087_087a	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.364	44.2 60.2 14.0	0.875 0.0 0.375	45.4 63.8 13.1	65.2 11.6 3.9	365	1.0 0.0 0.416	47.8 68.8 16.0 70.6 13.1
571	B70R_087_087a	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.51	44.3 61.6 6.2	0.875 0.0 0.5	45.4 65.6 5.6	65.8 4.8 4.2	354	1.0 0.0 0.583	48.0 70.4 7.1 70.8 5.7
572	B63R_087_087a	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.641	44.4 62.9 0.0	0.875 0.0 0.625	45.5 66.8 -0.5	66.8 359.4 4.1	344	1.0 0.0 0.733	48.1 71.9 0.0 71.9 359.9
573	B56R_087_087a	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.758	44.4 63.9 -4.0	0.875 0.0 0.75	45.8 68.1 -5.3	68.3 355.5 4.5	337	1.0 0.0 0.866	48.2 73.1 -4.6 73.2 356.3
574	B50R_087_087a	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.5 64.9 -7.6	0.875 0.0 0.875	45.7 69.3 -9.3	69.9 352.2 4.8	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
575	B44R_100_100a	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	46.0 70.9 -11.8	0.875 0.0 1.0	45.9 70.7 -12.0	71.7 350.3 0.3	323	0.883 0.0 1.0	46.0 70.9 -11.8 71.9 350.5
576	R13Y_087_087a	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.116 0.0	47.7 48.9 38.1	0.875 0.125 0.0	49.5 50.6 39.6	64.3 38.0 2.9	37	1.0 0.133 0.0	51.8 55.9 43.6 70.9 37.9
577	R00Y_087_075a	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.125	50.0 49.1 28.8	0.875 0.125 0.125	50.2 50.6 31.4	59.6 31.8 2.9	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
578	R35Y_087_075a	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.237	50.1 49.8 22.9	0.875 0.125 0.25	50.6 51.2 23.7	56.5 24.8 1.6	382	1.0 0.0 0.15	47.6 66.4 30.6 73.2 24.7
579	R18Y_087_075a	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.362	50.2 50.8 16.2	0.875 0.125 0.375	50.9 52.4 15.4	54.6 16.4 1.9	371	1.0 0.0 0.316	47.8 67.7 21.6 71.1 17.7
580	R00Y_087_075a	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.5	50.2 52.2 8.5	0.875 0.125 0.5	51.0 54.0 7.1	54.5 7.5 2.4	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2
581	B65R_087_075a	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.637	50.4 53.5 1.7	0.875 0.125 0.625	51.5 55.2 0.1	55.2 0.1 2.5	348	1.0 0.0 0.683	48.1 71.4 2.3 71.4 1.8
582	B57R_087_075a	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.762	50.5 54.5 -3.0	0.875 0.125 0.75	51.7 56.5 -5.4	56.8 354.5 3.1	337	1.0 0.0 0.85	48.1 72.9 -4.0 73.0 356.7
583	B50R_087_075a	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.5 55.6 -6.5	0.875 0.125 0.875	51.8 57.6 -9.6	58.4 350.4 3.8	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
584	B43R_100_087a	0.875 0.125 1.0	1.0 0.875 0.562	322	0.883 0.125 1.0	52.0 61.6 -10.7	0.875 0.125 1.0	51.3 60.0 -12.8	61.4 347.9 2.7	322	0.866 0.0 1.0	45.7 70.4 -12.2 71.5 350.1
585	R26Y_087_087a	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.233 0.0	52.5 38.8 44.2	0.875 0.25 0.0	55.2 38.6 46.0	60.1 50.0 3.3	44	1.0 0.266 0.0	57.3 44.3 50.5 67.2 48.2
586	R15Y_087_075a	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.237 0.125	53.7 40.9 33.4	0.875 0.25 0.125	55.8 39.0 36.0	53.1 42.7 3.8	37	1.0 0.15 0.0	52.5 54.5 44.5 70.4 39.7
587	R00Y_087_062a	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.1 40.9 24.0	0.875 0.25 0.25	56.7 39.0 27.2	47.6 34.9 3.7	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
588	R31Y_087_062a	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.364	56.2 41.6 18.0	0.875 0.25 0.375	57.3 39.8 18.7	44.0 25.2 2.2	380	1.0 0.0 0.183	47.7 66.7 28.9 72.7 23.4
589	R11Y_087_062a	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.489	56.3 42.7 11.1	0.875 0.25 0.5	57.6 41.2 10.0	42.4 13.6 2.2	367	1.0 0.0 0.383	47.8 68.3 17.8 70.6 14.6
590	B69R_087_062a	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.635	56.4 44.1 3.3	0.875 0.25 0.625	58.1 42.8 1.9	42.8 2.5 2.6	352	1.0 0.0 0.616	48.0 70.7 5.3 70.9 4.3
591	B59R_087_062a	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.76	56.5 45.4 -1.8	0.875 0.25 0.75	58.4 44.2 -4.1	44.4 354.6 3.2	339	1.0 0.0 0.816	48.1 72.7 -2.9 72.7 357.6
592	B50R_087_062a	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 46.3 -5.4	0.875 0.25 0.875	59.9 45.0 -9.0	45.9 348.4 4.4	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
593	B42R_100_075a	0.875 0.25 1.0	1.0 0.75 0.625	321	0.887 0.25 1.0	58.1 52.4 -9.5	0.875 0.25 1.0	58.1 48.2 -11.9	49.7 346.0 4.8	322	0.85 0.0 1.0	45.4 69.9 -12.7 71.0 349.6
594	R41Y_087_087a	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.364 0.0	58.5 27.2 51.4	0.875 0.375 0.0	61.7 26.3 53.2	59.4 63.7 3.7	54	1.0 0.416 0.0	64.2 31.1 58.8 66.5 62.1
595	R31Y_087_075a	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.362 0.125	59.1 29.9 40.1	0.875 0.375 0.125	62.3 26.8 41.9	49.8 57.3 4.7	48	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53.2
596	R18Y_087_062a	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.364 0.25	60.1 32.3 28.9	0.875 0.375 0.25	63.1 27.3 31.8	41.9 49.3 6.4	39	1.0 0.183 0.0	53.9 51.7 46.3 69.4 41.9
597	R00Y_087_050a	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.2 32.7 19.2	0.875 0.375 0.375	64.0 27.8 21.9	35.5 38.2 5.9	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
598	R26Y_087_050a	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.491	62.3 33.4 13.1	0.875 0.375 0.5	64.6 29.1 13.2	32.0 24.4 4.9	377	1.0 0.0 0.233	47.8 66.9 26.3 71.9 21.4
599	R00Y_087_050a	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.625	62.3 34.8 5.6	0.875 0.375 0.625	65.3 30.4 4.6	30.8 8.6 5.4	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2
600	B61R_087_050a	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.758	62.5 36.1 -0.6	0.875 0.375 0.75	66.0 31.8 -2.3	31.9 355.8 5.7	342	1.0 0.0 0.766	48.1 72.2 -1.3 72.2 358.9
601	B50R_087_050a	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.5 37.1 -4.3	0.875 0.375 0.875	66.2 33.2 -7.7	34.1 346.8 6.3	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
602	B40R_100_062a	0.875 0.375 1.0	1.0 0.625 0.687	319	0.885 0.375 1.0	64.0 43.0 -8.6	0.875 0.375 1.0	64.0 37.8 -11.5	39.5 343.0 5.9	320	0.816 0.0 1.0	44.7 68.8 -13.7 70.2 348.6
603	R58Y_087_087a	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.51 0.0	65.9 14.3 60.3	0.875 0.5 0.0	69.3 12.9 61.9	63.3 78.1 4.0	65	1.0 0.583 0.0	72.6 16.4 68.9 70.8 76.5
604	R50Y_087_075a	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.5 0.125	65.4 18.0 47.2	0.875 0.5 0.125	69.4 14.5 48.4	50.6 73.2 5.4	59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1
605	R38Y_087_062a	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.489 0.25	65.6 21.1 35.5	0.875 0.5 0.25	69.7 16.2 37.0	40.4 66.3 6.5	52	1.0 0.383 0.0	62.7 33.7 56.9 66.2 59.3
606	R23Y_087_050a	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.491 0.375	66.4 23.6 24.3	0.875 0.5 0.375	70.6 17.1 26.1	31.2 56.7 7.9	42	1.0 0.233 0.0	55.9 47.3 48.7 67.9 45.8
607	R00Y_087_037a	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.3 24.5 14.4	0.875 0.5 0.5	71.8 17.8 16.2	24.1 42.4 7.8	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
608	R18Y_087_037a	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.618	68.4 25.4 8.1	0.875 0.5 0.625	72.4 19.3 8.1	20.9 22.8 7.2	371	1.0 0.0 0.316	47.8 67.7 21.6 71.1 17.7
609	B65R_087_037a	0.875 0.5 0.75	0.875 0.375 0.687	349	0.875 0.5 0.756	68.5 26.7 0.8	0.875 0.5 0.75	73.3 20.6 0.3	20.6 0.8 7.7	348	1.0 0.0 0.683	48.1 71.4 2.3 71.4 1.8
610	B50R_087_037a	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	68.6 27.8 -3.2	0.875 0.5 0.875	73.7 22.2 -6.0	23.0 344.8 8.0	330	1.0 0.0 1.0	48.2 74.2 -8.7 74.7 353.2
611	B38R_100_050a	0.875 0.5 1.0	1.0 0.5 0.75	316	0.883 0.5 1.0	70.0 33.6 -7.6	0.875 0.5 1.0	70.3 28.2 -10.3	30.0 339.8 6.0	317	0.766 0.0 1.0	43.6 67.3 -15.2 69.0 347.2
612	R73Y_087_087a	0.875 0.625 0.0	0.875 0.875 0.437	74	0.875 0.641 0.0	72.1 4.1 67.5	0.875 0.625 0.0	74.8 4.2 67.8	68.0 86.4 2.7	75	1.0 0.733 0.0	79.8 4.7 77.2 77.3 86.5
613	R68Y_087_075a	0.875 0.625 0.125	0.875 0.75 0.5	71	0.875 0.637 0.125	72.5 6.2 56.0	0.875 0.625 0.125	75.5 5.0 54.2	54.5 84.7 3.6	71	1.0 0.683 0.0	77.5 8.3 74.7 75.1 83.6
614	R61Y_087_062a	0.875 0.625 0.25	0.875 0.625 0.562	67	0.875 0.635 0.25	72.9 8.1 44.4	0.875 0.625 0.25	76.2 6.1 42.2	42.7 81.7 4.3	67	1.0 0.616 0.0	74.5 13.0 71.0 72.2 79.5
615	R50Y_087_050a	0.875 0.625 0.375	0.875 0.5 0.625	60	0.875 0.625 0.375	72.5 12.0 31.5	0.875 0.625 0.375	76.5 8.0 30.0	31.0 74.9 5.8	59	1.0 0.5 0.0	68.1 24.0 63.0 67.4 69.1
616	R31Y_087_037a	0.875 0.625 0.5	0.875 0.375 0.687	49	0.875 0.618 0.5	72.8 14.9 20.0	0.875 0.625 0.5	76.8 10.2 19.3	21.8 62.0 6.2	48	1.0 0.316 0.0	59.6 39.8 53.5 66.7 53.2
617	R00Y_087_025a	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	74.4 16.3 9.6	0.875 0.625 0.625	77.9 11.3 10.4	15.4 42.5 6.2	389	1.0 0.0 0.0	47.5 65.5 38.4 76.0 30.4
618	R00Y_087_025a	0.875 0.625 0.75	0.875 0.25 0.75	360	0.875 0.625 0.75	74.5 17.4 2.8	0.875 0.625 0.75	78.7 12.8 2.5	13.1 11.0 6.2	360	1.0 0.0 0.5	47.8 69.7 11.3 70.6 9.2

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 28/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /.PS
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb**Md	LabCh**Md				
648	R00Y_100_100a	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4
649	R38Y_100_100a	1.0	0.0	0.125	1.0	1.0	0.5	383	1.0	0.0	0.116	47.6	66.2	32.3	73.7	26.0
650	R26Y_100_100a	1.0	0.0	0.25	1.0	1.0	0.5	376	1.0	0.0	0.233	47.8	66.9	26.3	71.9	21.4
651	R13Y_100_100a	1.0	0.0	0.375	1.0	1.0	0.5	368	1.0	0.0	0.366	47.8	68.1	18.7	70.7	15.4
652	R00Y_100_100a	1.0	0.0	0.5	1.0	1.0	0.5	360	1.0	0.0	0.5	47.8	69.7	11.3	70.6	9.2
653	B68R_100_100a	1.0	0.0	0.625	1.0	1.0	0.5	352	1.0	0.0	0.633	48.0	70.7	4.9	70.9	4.0
654	B61R_100_100a	1.0	0.0	0.75	1.0	1.0	0.5	344	1.0	0.0	0.766	48.1	72.1	-0.7	72.1	359.0
655	B55R_100_100a	1.0	0.0	0.875	1.0	1.0	0.5	337	1.0	0.0	0.875	48.2	73.1	-4.9	73.3	356.1
656	B50R_100_100a	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2
657	R11Y_100_100a	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0	51.2	57.2	42.8	71.5	36.8
658	R00Y_100_087a	1.0	0.125	0.125	1.0	0.875	0.562	390	1.0	0.125	0.125	52.3	56.2	35.5	66.5	32.4
659	R36Y_100_087a	1.0	0.125	0.25	1.0	0.875	0.562	382	1.0	0.125	0.25	52.5	56.5	27.8	63.2	26.1
660	R23Y_100_087a	1.0	0.125	0.375	1.0	0.875	0.562	374	1.0	0.125	0.375	52.7	57.8	20.9	61.4	19.9
661	R08Y_100_087a	1.0	0.125	0.5	1.0	0.875	0.562	365	1.0	0.125	0.5	52.8	59.2	13.1	60.6	12.5
662	B70R_100_087a	1.0	0.125	0.625	1.0	0.875	0.562	355	1.0	0.125	0.625	53.4	59.9	5.3	60.2	5.1
663	B63R_100_087a	1.0	0.125	0.75	1.0	0.875	0.562	346	1.0	0.125	0.75	53.5	61.3	-0.7	61.3	359.2
664	B56R_100_087a	1.0	0.125	0.875	1.0	0.875	0.562	338	1.0	0.125	0.875	53.7	62.3	-5.2	62.5	355.1
665	B50R_100_087a	1.0	0.125	1.0	1.0	0.875	0.562	330	1.0	0.125	1.0	53.9	63.2	-9.6	64.0	351.3
666	R23Y_100_100a	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	55.9	47.3	48.7	67.9	45.8
667	R13Y_100_087a	1.0	0.25	0.125	1.0	0.875	0.562	38	1.0	0.241	0.125	57.4	48.9	38.1	62.1	37.9
668	R00Y_100_075a	1.0	0.25	0.25	1.0	0.75	0.625	390	1.0	0.25	0.25	59.7	49.1	28.8	57.0	30.4
669	R35Y_100_075a	1.0	0.25	0.375	1.0	0.75	0.625	381	1.0	0.25	0.362	59.8	49.8	22.9	54.9	24.7
670	R18Y_100_075a	1.0	0.25	0.5	1.0	0.75	0.625	371	1.0	0.25	0.487	59.9	50.8	16.2	53.3	17.7
671	R00Y_100_075a	1.0	0.25	0.625	1.0	0.75	0.625	360	1.0	0.25	0.625	59.9	52.2	8.5	52.9	9.2
672	B65R_100_075a	1.0	0.25	0.75	1.0	0.75	0.625	349	1.0	0.25	0.762	60.1	53.5	1.7	53.6	1.8
673	B57R_100_075a	1.0	0.25	0.875	1.0	0.75	0.625	339	1.0	0.25	0.887	60.2	54.7	-3.0	54.8	356.7
674	B50R_100_075a	1.0	0.25	1.0	1.0	0.75	0.625	330	1.0	0.25	1.0	60.2	55.6	-6.5	56.0	353.2
675	R36Y_100_100a	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.366	0.0	62.0	35.2	56.0	66.2	57.8
676	R26Y_100_087a	1.0	0.375	0.125	1.0	0.875	0.562	46	1.0	0.358	0.125	62.2	38.8	44.2	58.8	48.7
677	R15Y_100_075a	1.0	0.375	0.25	1.0	0.75	0.625	39	1.0	0.362	0.25	63.5	40.9	33.4	52.8	39.2
678	R00Y_100_062a	1.0	0.375	0.375	1.0	0.625	0.687	390	1.0	0.375	0.375	63.8	40.9	24.0	47.5	30.4
679	R31Y_100_062a	1.0	0.375	0.5	1.0	0.625	0.687	379	1.0	0.375	0.489	65.9	41.6	18.0	45.4	23.4
680	R11Y_100_062a	1.0	0.375	0.625	1.0	0.625	0.687	367	1.0	0.375	0.614	66.0	42.7	11.1	44.1	14.6
681	B69R_100_062a	1.0	0.375	0.75	1.0	0.625	0.687	353	1.0	0.375	0.76	66.1	44.1	3.3	44.3	4.3
682	B59R_100_062a	1.0	0.375	0.875	1.0	0.625	0.687	341	1.0	0.375	0.885	66.2	45.4	-1.8	45.4	357.6
683	B50R_100_062a	1.0	0.375	1.0	1.0	0.625	0.687	330	1.0	0.375	1.0	66.2	46.3	-5.4	46.7	353.2
684	R50Y_100_100a	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	68.1	24.0	63.0	67.4	69.1
685	R41Y_100_087a	1.0	0.5	0.125	1.0	0.875	0.562	55	1.0	0.489	0.125	68.3	27.2	51.4	58.2	62.1
686	R31Y_100_075a	1.0	0.5	0.25	1.0	0.75	0.625	49	1.0	0.487	0.25	68.8	29.9	40.1	50.0	53.2
687	R18Y_100_062a	1.0	0.5	0.375	1.0	0.625	0.687	41	1.0	0.489	0.375	69.8	32.3	28.9	43.4	41.9
688	R00Y_100_050a	1.0	0.5	0.5	1.0	0.5	0.75	390	1.0	0.5	0.5	71.9	32.7	19.2	38.0	30.4
689	R26Y_100_050a	1.0	0.5	0.625	1.0	0.5	0.75	376	1.0	0.5	0.616	72.0	33.4	13.1	35.9	21.4
690	R00Y_100_050a	1.0	0.5	0.75	1.0	0.5	0.75	360	1.0	0.5	0.75	72.1	34.8	5.6	35.3	9.2
691	B61R_100_050a	1.0	0.5	0.875	1.0	0.5	0.75	344	1.0	0.5	0.883	72.2	36.1	-0.6	36.1	358.9
692	B50R_100_050a	1.0	0.5	1.0	1.0	0.5	0.75	330	1.0	0.5	1.0	72.3	37.1	-4.3	37.3	353.2
693	R63Y_100_100a	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.633	0.0	75.3	11.6	72.0	72.9	80.8
694	R58Y_100_087a	1.0	0.625	0.125	1.0	0.875	0.562	65	1.0	0.635	0.125	75.6	14.3	60.3	62.0	76.5
695	R50Y_100_075a	1.0	0.625	0.25	1.0	0.75	0.625	60	1.0	0.625	0.25	76.2	13.4	46.8	48.7	73.9
696	R38Y_100_062a	1.0	0.625	0.375	1.0	0.625	0.687	53	1.0	0.614	0.375	75.3	21.1	35.5	41.3	59.3
697	R23Y_100_050a	1.0	0.625	0.5	1.0	0.5	0.75	44	1.0	0.616	0.5	76.1	23.6	24.3	33.9	45.8
698	R00Y_100_037a	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.625	78.0	24.5	14.4	28.5	30.4
699	R18Y_100_037a	1.0	0.625	0.75	1.0	0.375	0.812	371	1.0	0.625	0.743	78.1	25.4	8.1	26.6	17.7
700	B65R_100_037a	1.0	0.625	0.875	1.0	0.375	0.812	349	1.0	0.625	0.881	78.2	26.7	0.8	26.8	1.8
701	B50R_100_037a	1.0	0.625	1.0	1.0	0.375	0.812	330	1.0	0.625	1.0	78.3	27.8	-3.2	28.0	353.2
702	R76Y_100_100a	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	81.2	2.5	78.8	78.9	88.1
703	R73Y_100_087a	1.0	0.75	0.125	1.0	0.875	0.562	74	1.0	0.766	0.125	81.8	4.1	67.5	67.7	86.5
704	R68Y_100_075a	1.0	0.75	0.25	1.0	0.75	0.625	71	1.0	0.762	0.25	82.2	6.2	56.0	56.3	83.6
705	R61Y_100_062a	1.0	0.75	0.375	1.0	0.625	0.687	67	1.0	0.76	0.375	82.7	8.1	44.4	45.1	79.5
706	R50Y_100_050a	1.0	0.75	0.5	1.0	0.5	0.75	60	1.0	0.75	0.5	82.2	12.0	31.5	33.7	69.1
707	R31Y_100_037a	1.0	0.75	0.625	1.0	0.375	0.812	49	1.0	0.743	0.625	82.6	14.9	20.0	25.0	53.2
708	R00Y_100_025a	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	0.75	84.1	16.3	9.6	19.0	30.4
709	R00Y_100_025a	1.0	0.75	0.875	1.0	0.25	0.875	360	1.0	0.75	0.875	84.2	17.4	2.8	17.6	9.2
710	B50R_100_025a	1.0														

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 29/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb*Fd	LabCh*Fd	DE**Fd	hsiMd	rgb*Md	LabCh*Md
729	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.4 0.0 0.0	227.6 0.0 360	1.0 1.0 1.0	96.3 0.0 0.0
730	G50B_100_012d	0.875 1.0 1.0	1.0 0.125 0.937	210	0.875 1.0 1.0	91.5 -3.9 -5.6	6.9 234.6	0.875 1.0 1.0	93.1 -3.0 -4.1	5.1 233.7 2.4	210 0.0 1.0	57.8 -31.9 -45.1
731	G50B_100_025d	0.75 1.0 1.0	1.0 0.25 0.875	210	0.75 1.0 1.0	86.7 -7.9 -11.2	13.8 234.6	0.75 1.0 1.0	89.4 -6.0 -8.6	10.5 234.7 4.2	210 0.0 1.0	57.8 -31.9 -45.1
732	G50B_100_037d	0.625 1.0 1.0	1.0 0.375 0.812	210	0.625 1.0 1.0	81.9 -11.9 -16.9	20.7 234.6	0.625 1.0 1.0	84.9 -9.4 -13.6	16.5 235.3 5.1	210 0.0 1.0	57.8 -31.9 -45.1
733	G50B_100_050d	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	77.1 -15.9 -22.5	27.6 234.6	0.5 1.0 1.0	79.6 -13.6 -19.7	24.0 235.3 4.3	210 0.0 1.0	57.8 -31.9 -45.1
734	G50B_100_062d	0.375 1.0 1.0	1.0 0.625 0.687	210	0.375 1.0 1.0	72.3 -19.9 -28.2	34.5 234.6	0.375 1.0 1.0	74.4 -17.7 -25.7	31.2 235.4 3.9	210 0.0 1.0	57.8 -31.9 -45.1
735	G50B_100_075d	0.25 1.0 1.0	1.0 0.75 0.625	210	0.25 1.0 1.0	67.5 -23.9 -33.8	41.4 234.6	0.25 1.0 1.0	68.6 -22.7 -32.5	39.7 235.0 2.1	210 0.0 1.0	57.8 -31.9 -45.1
736	G50B_100_087d	0.125 1.0 1.0	1.0 0.875 0.562	210	0.125 1.0 1.0	62.6 -27.9 -39.4	48.4 234.6	0.125 1.0 1.0	63.2 -26.8 -38.6	47.0 235.1 1.5	210 0.0 1.0	57.8 -31.9 -45.1
737	G50B_100_100d	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	57.8 -31.9 -45.1	55.3 234.6	0.0 1.0 1.0	57.0 -31.9 -45.6	55.7 235.0 1.0	210 0.0 1.0	57.8 -31.9 -45.1
738	RO0Y_100_012d	1.0 0.875 0.875	1.0 0.125 0.937	390	1.0 0.875 0.875	90.2 8.1 4.8	9.5 30.4	1.0 0.875 0.875	91.1 4.0 5.7	7.0 55.0 4.3	389 1.0 0.0 0.0	47.5 65.5 38.4
739	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0	0.875 0.875 0.875	91.0 -0.1 -0.5	0.5 258.7 4.4	360 1.0 1.0 1.0	96.3 0.0 0.0
740	G50B_087_012d	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.875	81.8 -3.9 -5.6	6.9 234.6	0.75 0.875 0.875	87.6 -3.1 -4.6	5.6 235.8 5.9	210 0.0 1.0	57.8 -31.9 -45.1
741	G50B_087_025d	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.875	77.0 -7.9 -11.2	13.8 234.6	0.625 0.875 0.875	83.4 -6.3 -9.3	11.2 235.9 6.9	210 0.0 1.0	57.8 -31.9 -45.1
742	G50B_087_037d	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.875	72.2 -11.9 -16.9	20.7 234.6	0.5 0.875 0.875	78.0 -10.5 -15.4	18.6 235.7 6.2	210 0.0 1.0	57.8 -31.9 -45.1
743	G50B_087_050d	0.375 0.875 0.875	0.875 0.5 0.625	210	0.375 0.875 0.875	67.3 -15.9 -22.5	27.6 234.6	0.375 0.875 0.875	72.9 -14.5 -21.1	25.7 235.4 5.9	210 0.0 1.0	57.8 -31.9 -45.1
744	G50B_087_062d	0.25 0.875 0.875	0.875 0.625 0.562	210	0.25 0.875 0.875	62.5 -19.9 -28.2	34.5 234.6	0.25 0.875 0.875	66.8 -19.6 -28.2	34.5 235.1 4.2	210 0.0 1.0	57.8 -31.9 -45.1
745	G50B_087_075d	0.125 0.875 0.875	0.875 0.75 0.5	210	0.125 0.875 0.875	57.7 -23.9 -33.8	41.4 234.6	0.125 0.875 0.875	61.2 -24.2 -34.8	42.4 235.1 3.6	210 0.0 1.0	57.8 -31.9 -45.1
746	G50B_087_087d	0.0 0.875 0.875	0.875 0.875 0.437	210	0.0 0.875 0.875	52.9 -27.9 -39.4	48.4 234.6	0.0 0.875 0.875	55.2 -29.9 -41.9	51.5 234.5 3.8	210 0.0 1.0	57.8 -31.9 -45.1
747	RO0Y_100_025d	1.0 0.75 0.75	1.0 0.25 0.875	390	1.0 0.75 0.75	84.1 16.3 9.6	19.0 30.4	1.0 0.75 0.75	84.1 10.5 11.3	15.4 47.2 6.1	389 1.0 0.0 0.0	47.5 65.5 38.4
748	RO0Y_087_012d	0.875 0.75 0.75	0.875 0.125 0.812	390	0.875 0.75 0.75	80.5 8.1 4.8	9.5 30.4	0.875 0.75 0.75	85.5 4.0 5.7	7.0 54.5 6.5	389 1.0 0.0 0.0	47.5 65.5 38.4
749	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0	0.75 0.75 0.75	83.2 -0.1 -1.1	1.1 262.6 6.4	360 1.0 1.0 1.0	96.3 0.0 0.0
750	G50B_075_012d	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.75	72.1 -3.9 -5.6	6.9 234.6	0.625 0.75 0.75	79.4 -3.3 -5.4	6.4 238.1 7.4	210 0.0 1.0	57.8 -31.9 -45.1
751	G50B_075_025d	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.75	67.2 -7.9 -11.2	13.8 234.6	0.5 0.75 0.75	74.9 -6.8 -10.4	12.4 236.8 7.8	210 0.0 1.0	57.8 -31.9 -45.1
752	G50B_075_037d	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	62.4 -11.9 -16.9	20.7 234.6	0.375 0.75 0.75	69.4 -11.2 -16.6	20.0 236.1 7.0	210 0.0 1.0	57.8 -31.9 -45.1
753	G50B_075_050d	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	57.6 -15.9 -22.5	27.6 234.6	0.25 0.75 0.75	63.8 -15.8 -23.1	28.0 235.5 6.2	210 0.0 1.0	57.8 -31.9 -45.1
754	G50B_075_062d	0.125 0.75 0.75	0.75 0.625 0.437	210	0.125 0.75 0.75	52.8 -19.9 -28.2	34.5 234.6	0.125 0.75 0.75	57.4 -21.1 -30.3	36.9 235.1 5.2	210 0.0 1.0	57.8 -31.9 -45.1
755	G50B_075_075d	0.0 0.75 0.75	0.75 0.75 0.375	210	0.0 0.75 0.75	48.0 -23.9 -33.8	41.4 234.6	0.0 0.75 0.75	51.7 -26.4 -37.1	45.6 234.5 5.5	210 0.0 1.0	57.8 -31.9 -45.1
756	RO0Y_100_037d	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	78.0 24.5 14.4	28.5 30.4	1.0 0.625 0.625	78.0 16.7 17.1	23.9 45.7 8.3	389 1.0 0.0 0.0	47.5 65.5 38.4
757	RO0Y_087_025d	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	74.4 16.3 9.6	19.0 30.4	0.875 0.625 0.625	78.0 11.2 11.6	16.1 46.0 6.6	389 1.0 0.0 0.0	47.5 65.5 38.4
758	RO0Y_075_012d	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.625	70.8 8.1 4.8	9.5 30.4	0.75 0.625 0.625	77.4 4.5 5.4	7.0 50.1 7.6	389 1.0 0.0 0.0	47.5 65.5 38.4
759	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0	0.625 0.625 0.625	76.0 -0.2 -1.4	1.5 261.9 8.9	360 1.0 1.0 1.0	96.3 0.0 0.0
760	G50B_062_012d	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.625	62.3 -3.9 -5.6	6.9 234.6	0.5 0.625 0.625	71.6 -3.8 -6.3	7.4 239.1 9.3	210 0.0 1.0	57.8 -31.9 -45.1
761	G50B_062_025d	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	57.5 -7.9 -11.2	13.8 234.6	0.375 0.625 0.625	66.5 -7.7 -11.9	14.2 237.1 9.0	210 0.0 1.0	57.8 -31.9 -45.1
762	G50B_062_037d	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	52.7 -11.9 -16.9	20.7 234.6	0.25 0.625 0.625	61.1 -12.4 -18.3	22.1 235.9 8.4	210 0.0 1.0	57.8 -31.9 -45.1
763	G50B_062_050d	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	47.9 -15.9 -22.5	27.6 234.6	0.125 0.625 0.625	54.7 -17.8 -25.6	31.2 235.2 7.7	210 0.0 1.0	57.8 -31.9 -45.1
764	G50B_062_062d	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.625	43.1 -19.9 -28.2	34.5 234.6	0.0 0.625 0.625	48.3 -23.2 -32.8	40.2 234.7 7.7	210 0.0 1.0	57.8 -31.9 -45.1
765	RO0Y_100_050d	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.9 32.7 19.2	38.0 30.4	1.0 0.5 0.5	69.9 27.0 22.0	34.8 39.2 6.7	389 1.0 0.0 0.0	47.5 65.5 38.4
766	RO0Y_087_037d	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.3 24.5 14.4	28.5 30.4	0.875 0.5 0.5	71.5 18.2 17.5	25.2 43.9 7.8	389 1.0 0.0 0.0	47.5 65.5 38.4
767	RO0Y_075_025d	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	64.7 16.3 9.6	19.0 30.4	0.75 0.5 0.5	69.8 11.7 11.5	16.4 44.2 7.1	389 1.0 0.0 0.0	47.5 65.5 38.4
768	RO0Y_062_012d	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	61.0 8.1 4.8	9.5 30.4	0.625 0.5 0.5	69.0 5.2 5.1	7.3 44.1 8.5	389 1.0 0.0 0.0	47.5 65.5 38.4
769	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0	0.5 0.5 0.5	67.7 -0.2 -1.8	1.8 261.3 10.4	360 1.0 1.0 1.0	96.3 0.0 0.0
770	G50B_050_012d	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	52.6 -3.9 -5.6	6.9 234.6	0.375 0.5 0.5	63.3 -4.1 -7.0	8.1 239.4 10.7	210 0.0 1.0	57.8 -31.9 -45.1
771	G50B_050_025d	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	47.8 -7.9 -11.2	13.8 234.6	0.25 0.5 0.5	57.5 -8.9 -13.6	16.3 236.7 10.0	210 0.0 1.0	57.8 -31.9 -45.1
772	G50B_050_037d	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	43.0 -11.9 -16.9	20.7 234.6	0.125 0.5 0.5	51.2 -14.0 -20.5	24.8 235.7 9.2	210 0.0 1.0	57.8 -31.9 -45.1
773	G50B_050_050d	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.5	38.2 -15.9 -22.5	27.6 234.6	0.0 0.5 0.5	45.0 -19.6 -27.8	34.0 234.8 9.3	210 0.0 1.0	57.8 -31.9 -45.1
774	RO0Y_100_062d	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.8 40.9 24.0	47.5 30.					

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 30/33

SE0400A

TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcnmy6 (CMYK)

TUB material: code=rha4ta

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi_d	rgb**Md	LabCh**Md		
810	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	216.0 0.1 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0
811	B00R_100_012d	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.875 1.0	87.4 2.8 -5.9	6.6 295.6	0.875 0.875 1.0	88.8 2.6 -5.8	6.3 294.7 1.4	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
812	B00R_100_025d	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.75 1.0	78.5 5.7 -11.9	13.2 295.6	0.75 0.75 1.0	79.2 6.9 -11.8	13.7 300.4 1.4	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
813	B00R_100_037d	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.625 1.0	69.6 8.6 -17.9	19.9 295.6	0.625 0.625 1.0	70.2 9.8 -17.6	20.2 299.1 1.4	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
814	B00R_100_050d	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.5 1.0	60.6 11.4 -23.9	26.5 295.6	0.5 0.5 1.0	58.7 15.0 -24.7	28.9 301.3 4.1	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
815	B00R_100_062d	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	51.7 14.3 -29.9	33.1 295.6	0.375 0.375 1.0	48.9 18.6 -30.6	35.8 301.2 5.1	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
816	B00R_100_075d	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	42.8 17.2 -35.8	39.8 295.6	0.25 0.25 1.0	39.8 21.0 -36.7	42.3 299.7 4.8	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
817	B00R_100_087d	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	33.9 20.1 -41.8	46.4 295.6	0.125 0.125 1.0	31.0 24.9 -42.3	49.1 300.5 5.6	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
818	B00R_100_100d	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6	0.0 0.0 1.0	24.2 24.1 -47.5	53.2 296.8 1.3	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
819	Y00G_100_012d	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 1.0 0.875	95.5 -1.1 11.1	11.2 96.0	1.0 1.0 0.875	95.6 -1.7 7.9	8.1 102.7 3.2	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
820	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0	0.875 0.875 0.875	91.1 0.0 -0.4	0.4 260.2 4.4	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0
821	B00R_087_012d	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.75 0.875	77.7 2.8 -5.9	6.6 295.6	0.75 0.75 0.875	83.1 2.5 -6.4	6.9 292.0 5.4	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
822	B00R_087_025d	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.625 0.875	68.8 5.7 -11.9	13.2 295.6	0.625 0.625 0.875	72.9 7.4 -12.4	14.4 300.9 4.5	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
823	B00R_087_037d	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.5 0.875	59.8 8.6 -17.9	19.9 295.6	0.5 0.5 0.875	62.4 10.1 -19.2	19.9 297.4 3.3	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
824	B00R_087_050d	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	50.9 11.4 -23.9	26.5 295.6	0.375 0.375 0.875	51.5 15.2 -25.7	29.9 300.5 4.2	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
825	B00R_087_062d	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	42.0 14.3 -29.9	33.1 295.6	0.25 0.25 0.875	40.8 19.2 -32.7	37.9 300.5 5.7	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
826	B00R_087_075d	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	33.1 17.2 -35.8	39.8 295.6	0.125 0.125 0.875	31.1 23.3 -38.6	45.1 301.0 6.9	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
827	B00R_087_087d	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.0 0.875	24.1 20.1 -41.8	46.4 295.6	0.0 0.0 0.875	23.9 23.3 -44.1	49.9 297.8 3.9	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
828	Y00G_100_025d	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 1.0 0.75	94.6 -2.3 22.2	22.4 96.0	1.0 1.0 0.75	94.6 -3.2 16.6	16.9 101.1 5.6	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
829	Y00G_087_012d	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.875 0.75	85.7 -1.1 11.1	11.2 96.0	0.875 0.875 0.75	90.2 -1.9 8.1	8.3 103.7 5.4	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
830	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0	0.75 0.75 0.75	83.3 -0.1 -1.1	1.1 261.9 6.5	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0
831	B00R_075_012d	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.625 0.75	67.9 2.8 -5.9	6.6 295.6	0.625 0.625 0.75	74.5 3.0 -7.2	7.9 292.7 6.6	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
832	B00R_075_025d	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.5 0.75	59.0 5.7 -11.9	13.2 295.6	0.5 0.5 0.75	63.9 7.4 -13.5	15.5 298.8 5.4	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
833	B00R_075_037d	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	50.1 8.6 -17.9	19.9 295.6	0.375 0.375 0.75	52.6 11.8 -20.5	23.6 299.8 4.7	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
834	B00R_075_050d	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	41.2 11.4 -23.9	26.5 295.6	0.25 0.25 0.75	42.0 16.3 -26.7	31.3 301.3 5.6	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
835	B00R_075_062d	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	32.2 14.3 -29.9	33.1 295.6	0.125 0.125 0.75	31.5 20.3 -33.5	39.2 301.2 7.0	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
836	B00R_075_075d	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.0 0.75	23.3 17.2 -35.8	39.8 295.6	0.0 0.0 0.75	23.3 22.0 -39.3	45.0 299.2 5.8	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
837	Y00G_100_037d	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 1.0 0.625	93.7 -3.5 33.4	33.6 96.0	1.0 1.0 0.625	93.6 -4.5 26.0	26.4 100.0 7.4	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
838	Y00G_087_025d	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.875 0.625	84.9 -2.3 22.2	22.4 96.0	0.875 0.875 0.625	89.2 -3.5 17.3	17.7 101.5 6.6	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
839	Y00G_075_012d	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.75 0.625	76.0 -1.1 11.1	11.2 96.0	0.75 0.75 0.625	82.5 -2.1 7.8	8.1 105.3 7.3	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
840	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0	0.625 0.625 0.625	76.1 -0.2 -1.5	1.5 261.4 9.0	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0
841	B00R_062_012d	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.5 0.625	58.2 2.8 -5.9	6.6 295.6	0.5 0.5 0.625	66.0 3.4 -8.2	8.9 292.4 8.0	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
842	B00R_062_025d	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	49.3 5.7 -11.9	13.2 295.6	0.375 0.375 0.625	55.2 7.5 -14.6	16.4 297.1 6.7	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
843	B00R_062_037d	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	40.4 8.6 -17.9	19.9 295.6	0.25 0.25 0.625	43.7 12.1 -21.3	24.5 299.7 5.9	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
844	B00R_062_050d	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	31.4 11.4 -23.9	26.5 295.6	0.125 0.125 0.625	32.1 17.0 -28.5	33.2 300.8 7.2	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
845	B00R_062_062d	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.0 0.625	22.5 14.3 -29.9	33.1 295.6	0.0 0.0 0.625	22.7 20.0 -34.8	40.2 299.9 7.5	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
846	Y00G_100_050d	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 1.0 0.5	92.8 -4.7 44.5	44.8 96.0	1.0 1.0 0.5	92.4 -5.8 36.9	37.3 99.0 7.7	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
847	Y00G_087_037d	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.875 0.5	84.0 -3.5 33.4	33.6 96.0	0.875 0.875 0.5	88.2 -5.0 27.6	28.0 100.3 7.2	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
848	Y00G_075_025d	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.75 0.5	75.1 -2.3 22.2	22.4 96.0	0.75 0.75 0.5	81.4 -3.8 17.5	17.9 102.2 7.9	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
849	Y00G_062_012d	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.625 0.5	66.3 -1.1 11.1	11.2 96.0	0.625 0.625 0.5	75.1 -2.3 7.8	8.2 106.4 9.4	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
850	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0	0.5 0.5 0.5	67.9 -0.2 -1.8	1.9 261.9 10.6	360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0
851	B00R_050_012d	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	48.5 2.8 -5.9	6.6 295.6	0.375 0.375 0.5	57.0 4.2 -8.8	9.8 295.7 9.0	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
852	B00R_050_025d	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	39.6 5.7 -11.9	13.2 295.6	0.25 0.25 0.5	45.0 8.3 -15.9	18.0 297.5 7.2	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
853	B00R_050_037d	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	30.6 8.6 -17.9	19.9 295.6	0.125 0.125 0.5	33.1 13.9 -23.1	27.0 301.1 7.8	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
854	B00R_050_050d	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.0 0.5	21.7 11.4 -23.9	26.5 295.6	0.0 0.0 0.5	22.6 18.0 -29.7	34.8 301.2 8.8	270	0.0 0.0 1.0	24.9 22.9 -47.8	53.0 295.6
855	Y00G_100_062d	1.0 1.0 0.375	1.0 0.625 0.687	90	1.0 1.0 0.375	92.0 -5.9 55.6	56.0 96.0	1.0 1.0 0.375	91.3 -6.8 49.1	49.6 97.9 6.6	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
856	Y00G_087_050d	0.875 0.875 0.375	0.875 0.5 0.625	90	0.875 0.875 0.375	83.1 -4.7 44.5	44.8 96.0	0.875 0.875 0.375	87.0 -6.2 39.3	39.8 99.0 6.6	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
857	Y00G_075_037d	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.75 0.375	74.3 -3.5 33.4	33.6 96.0	0.75 0.75 0.375	80.4 -5.4 28.9	29.4 100.6 7.8	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
858	Y00G_062_025d	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.625 0.375	65.4 -2.3 22.2	22.4 96.0	0.625 0.625 0.375	73.9 -4.1 18.6	19.1 102.6 9.4	89	1.0 1.0 0.0	89.4 -9.5	89.0 89.6 96.0
859	Y00G_050_012d	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.5 0.375	56.5 -1.1 11.1	11.2 96.0	0.5 0.5 0.375	67.0 -2.6 8.8	9.2 106.8 10.8	89	1.0 1.0 0.0		

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 31/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04.L0NA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsiMd	rgb**Md	LabCh**Md
891	NW_100d	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.3 0.0 0.0	1.0 1.0 1.0	96.4 0.0 0.0	207.2 0.0	360	1.0 1.0 1.0	96.3 0.0 0.0
892	B50R_100_012d	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 1.0	90.3 9.2 -1.0	1.0 0.875 1.0	91.9 5.7 -1.8	6.0 342.2 3.9	330	1.0 0.875 1.0	48.2 74.2 -8.7
893	B50R_100_025d	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 1.0	84.3 18.5 -2.1	1.0 0.75 1.0	86.0 13.3 -3.6	13.8 344.4 5.7	330	1.0 0.0 1.0	48.2 74.2 -8.7
894	B50R_100_037d	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 1.0	78.3 27.8 -3.2	1.0 0.625 1.0	80.5 20.7 -5.3	21.4 345.6 7.6	330	1.0 0.0 1.0	48.2 74.2 -8.7
895	B50R_100_050d	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	72.3 37.1 -4.3	1.0 0.5 1.0	72.8 31.7 -7.1	32.5 347.3 6.0	330	1.0 0.0 1.0	48.2 74.2 -8.7
896	B50R_100_062d	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	66.2 46.3 -5.4	1.0 0.375 1.0	66.0 41.9 -8.1	42.7 349.0 5.1	330	1.0 0.0 1.0	48.2 74.2 -8.7
897	B50R_100_075d	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	60.2 55.6 -6.5	1.0 0.25 1.0	59.4 52.7 -8.4	53.4 350.8 3.5	330	1.0 0.0 1.0	48.2 74.2 -8.7
898	B50R_100_087d	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	54.2 64.9 -7.6	1.0 0.125 1.0	52.4 65.2 -8.3	65.7 352.6 1.9	330	1.0 0.0 1.0	48.2 74.2 -8.7
899	B50R_100_100d	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	48.2 74.2 -8.7	1.0 0.0 1.0	47.2 75.2 -7.1	75.5 354.5 2.1	330	1.0 0.0 1.0	48.2 74.2 -8.7
900	GO0B_100_012d	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.875	90.7 -8.6 2.8	0.875 1.0 0.875	92.2 -4.9 3.7	6.2 142.9 4.0	149	0.875 1.0 0.875	51.6 -69.3
901	NW_087d	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	86.6 0.0 0.0	0.875 0.875 0.875	91.0 0.0 -0.4	0.4 260.7 4.4	360	1.0 1.0 1.0	96.3 0.0 0.0
902	B50R_087_012d	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.875	80.6 9.2 -1.0	0.875 0.75 0.875	86.5 5.8 -2.3	6.3 337.9 6.9	330	1.0 0.75 1.0	48.2 74.2 -8.7
903	B50R_087_025d	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.875	74.6 18.5 -2.1	0.875 0.625 0.875	79.8 14.3 -4.4	15.0 342.9 7.0	330	1.0 0.625 1.0	48.2 74.2 -8.7
904	B50R_087_037d	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	68.6 27.8 -3.2	0.875 0.5 0.875	73.9 22.3 -5.8	23.1 345.2 8.0	330	1.0 0.5 1.0	48.2 74.2 -8.7
905	B50R_087_050d	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.5 37.1 -4.3	0.875 0.375 0.875	66.1 33.4 -7.4	34.3 347.4 5.9	330	1.0 0.375 1.0	48.2 74.2 -8.7
906	B50R_087_062d	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 46.3 -5.4	0.875 0.25 0.875	58.1 46.0 -8.5	46.8 349.5 3.4	330	1.0 0.25 1.0	48.2 74.2 -8.7
907	B50R_087_075d	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.5 55.6 -6.5	0.875 0.125 0.875	51.0 58.4 -8.5	59.1 351.6 3.4	330	1.0 0.125 1.0	48.2 74.2 -8.7
908	B50R_087_087d	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.5 64.9 -7.6	0.875 0.0 0.875	44.8 70.2 -7.8	70.6 353.5 5.3	330	1.0 0.0 1.0	48.2 74.2 -8.7
909	GO0B_100_025d	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.75	85.1 -17.3 5.7	0.75 1.0 0.75	87.3 -9.9 7.4	12.3 143.1 7.9	149	0.75 1.0 0.75	51.6 -69.3
910	GO0B_087_012d	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.75	81.0 -8.6 2.8	0.75 0.875 0.75	86.7 -5.3 3.6	6.4 145.3 6.6	149	0.75 0.875 0.75	51.6 -69.3
911	NW_075d	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	76.9 0.0 0.0	0.75 0.75 0.75	83.5 -0.1 -1.0	1.0 261.1 6.7	360	1.0 1.0 1.0	96.3 0.0 0.0
912	B50R_075_012d	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.75	70.9 9.2 -1.0	0.75 0.625 0.75	78.4 6.3 -3.0	7.0 334.1 8.3	330	1.0 0.625 1.0	48.2 74.2 -8.7
913	B50R_075_025d	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	64.8 18.5 -2.1	0.75 0.5 0.75	71.7 14.7 -4.8	15.5 341.6 8.3	330	1.0 0.5 1.0	48.2 74.2 -8.7
914	B50R_075_037d	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	58.8 27.8 -3.2	0.75 0.375 0.75	64.2 24.9 -6.7	25.8 344.8 7.0	330	1.0 0.375 1.0	48.2 74.2 -8.7
915	B50R_075_050d	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	52.8 37.1 -4.3	0.75 0.25 0.75	56.2 37.0 -7.9	37.8 347.8 4.9	330	1.0 0.25 1.0	48.2 74.2 -8.7
916	B50R_075_062d	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	46.8 46.3 -5.4	0.75 0.125 0.75	48.6 49.4 -8.4	50.1 350.3 4.5	330	1.0 0.125 1.0	48.2 74.2 -8.7
917	B50R_075_075d	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	40.8 55.6 -6.5	0.75 0.0 0.75	42.1 61.9 -8.3	62.5 352.3 6.6	330	1.0 0.0 1.0	48.2 74.2 -8.7
918	GO0B_100_037d	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.625	79.6 -26.0 8.6	0.625 1.0 0.625	81.9 -15.7 10.8	19.1 145.4 10.7	149	0.625 1.0 0.625	51.6 -69.3
919	GO0B_087_025d	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.625	75.4 -17.3 5.7	0.625 0.875 0.625	81.6 -10.7 7.4	13.0 145.1 9.1	149	0.625 0.875 0.625	51.6 -69.3
920	GO0B_075_012d	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.625	71.3 -8.6 2.8	0.625 0.75 0.625	78.9 -5.6 3.2	6.4 149.8 8.2	149	0.625 0.75 0.625	51.6 -69.3
921	NW_062d	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	67.1 0.0 0.0	0.625 0.625 0.625	76.6 -0.2 -1.4	1.5 261.2 9.5	360	1.0 1.0 1.0	96.3 0.0 0.0
922	B50R_062_012d	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	61.1 9.2 -1.0	0.625 0.5 0.625	70.3 7.0 -3.6	7.9 332.9 9.7	330	1.0 0.5 1.0	48.2 74.2 -8.7
923	B50R_062_025d	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	55.1 18.5 -2.1	0.625 0.375 0.625	63.6 15.7 -5.4	16.6 341.0 9.5	330	1.0 0.375 1.0	48.2 74.2 -8.7
924	B50R_062_037d	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	49.1 27.8 -3.2	0.625 0.25 0.625	55.4 27.4 -7.0	28.3 345.5 7.3	330	1.0 0.25 1.0	48.2 74.2 -8.7
925	B50R_062_050d	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	43.1 37.1 -4.3	0.625 0.125 0.625	46.9 40.7 -8.0	41.5 348.8 6.4	330	1.0 0.125 1.0	48.2 74.2 -8.7
926	B50R_062_062d	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	37.1 46.3 -5.4	0.625 0.0 0.625	39.6 54.2 -8.0	54.8 351.5 8.6	330	1.0 0.0 1.0	48.2 74.2 -8.7
927	GO0B_100_050d	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.5	74.0 -34.6 11.5	0.5 1.0 0.5	75.7 -22.9 13.7	26.7 149.0 12.0	149	0.5 1.0 0.5	51.6 -69.3
928	GO0B_087_037d	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.5	69.8 -26.0 8.6	0.5 0.875 0.5	75.1 -17.9 10.1	20.5 150.5 9.7	149	0.5 0.875 0.5	51.6 -69.3
929	GO0B_075_025d	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.5	65.7 -17.3 5.7	0.5 0.75 0.5	73.3 -11.5 7.0	13.5 148.6 9.6	149	0.5 0.75 0.5	51.6 -69.3
930	GO0B_062_012d	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.5	61.5 -8.6 2.8	0.5 0.625 0.5	71.3 -6.1 2.7	6.7 156.2 10.0	149	0.5 0.625 0.5	51.6 -69.3
931	NW_050d	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	57.4 0.0 0.0	0.5 0.5 0.5	68.5 -0.2 -1.8	1.8 261.0 11.2	360	1.0 1.0 1.0	96.3 0.0 0.0
932	B50R_050_012d	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.5	51.4 9.2 -1.0	0.5 0.375 0.5	61.7 8.3 -4.1	9.3 333.6 10.7	330	1.0 0.375 1.0	48.2 74.2 -8.7
933	B50R_050_025d	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.249 0.5	45.4 18.5 -2.1	0.5 0.25 0.5	53.8 18.7 -6.0	19.6 342.2 9.2	330	1.0 0.25 1.0	48.2 74.2 -8.7
934	B50R_050_037d	0.5 0.125 0.5	0.5 0.375 0.312	330	0.5 0.124 0.5	39.4 27.8 -3.2	0.5 0.125 0.5	44.5 32.3 -7.3	33.1 347.1 7.9	330	1.0 0.125 1.0	48.2 74.2 -8.7
935	B50R_050_050d	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.5	33.3 37.1 -4.3	0.5 0.0 0.5	36.8 45.8 -7.6	46.4 350.5 9.9	330	1.0 0.0 1.0	48.2 74.2 -8.7
936	GO0B_100_062d	0.375 1.0 0.375	1.0 0.625 0.687	150	0.375 1.0 0.375	68.4 -43.3 14.4	0.375 1.0 0.375	69.1 -31.2 17.0	35.5 151.3 12.4	149	0.375 1.0 0.375	51.6 -69.3
937	GO0B_087_050d	0.375 0.875 0.375	0.875 0.5 0.625	150	0.375 0.875 0.375	64.2 -34.6 11.5	0.375 0.875 0.375	68.9 -25.6 14.1	29.3 151.2 10.4	149	0.375 0.875 0.375	51.6 -69.3
938	GO0B_075_037d	0.375 0.75 0.375	0.75 0.375 0.562	150	0.375							

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 32/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fd	rgb_Fd	ict_Fd	hsi_Fd	rgb*Fd	LabCh*Fd	rgb**Fd	LabCh**Fd	DE**Fd	hsi_Md	rgb**Md	LabCh**Md
972	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	20.5 0.0 0.3	0.3 76.3 1.9 360	1.0 1.0 1.0	96.3 0.0 0.0
973	NW_012d	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	33.4 -0.2 -1.2	1.2 259.3 5.3 360	1.0 1.0 1.0	96.3 0.0 0.0
974	NW_025d	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	49.1 -0.3 -1.9	2.0 259.1 11.3 360	1.0 1.0 1.0	96.3 0.0 0.0
975	NW_037d	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	59.5 -0.3 -2.0	2.0 260.3 12.0 360	1.0 1.0 1.0	96.3 0.0 0.0
976	NW_050d	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	68.4 -0.2 -1.8	1.8 261.7 11.1 360	1.0 1.0 1.0	96.3 0.0 0.0
977	NW_062d	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.7 -0.2 -1.5	1.5 262.5 9.7 360	1.0 1.0 1.0	96.3 0.0 0.0
978	NW_075d	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	84.2 -0.1 -1.1	1.1 261.9 7.4 360	1.0 1.0 1.0	96.3 0.0 0.0
979	NW_087d	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.5 0.0 -0.4	0.4 260.0 4.9 360	1.0 1.0 1.0	96.3 0.0 0.0
980	NW_100d	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	0.0 251.4 0.2 360	1.0 1.0 1.0	96.3 0.0 0.0
981	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	20.1 0.0 0.1	0.1 78.3 1.6 360	1.0 1.0 1.0	96.3 0.0 0.0
982	NW_012d	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	33.3 -0.2 -1.3	1.3 258.6 5.2 360	1.0 1.0 1.0	96.3 0.0 0.0
983	NW_025d	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	48.4 -0.3 -2.0	2.0 259.6 10.6 360	1.0 1.0 1.0	96.3 0.0 0.0
984	NW_037d	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	59.7 -0.3 -2.0	2.0 260.4 12.2 360	1.0 1.0 1.0	96.3 0.0 0.0
985	NW_050d	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	68.5 -0.2 -1.8	1.8 261.5 11.1 360	1.0 1.0 1.0	96.3 0.0 0.0
986	NW_062d	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.6 -0.2 -1.5	1.5 262.7 9.6 360	1.0 1.0 1.0	96.3 0.0 0.0
987	NW_075d	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.9 -0.1 -1.1	1.1 262.2 7.1 360	1.0 1.0 1.0	96.3 0.0 0.0
988	NW_087d	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.5 0.0 -0.4	0.4 262.2 4.8 360	1.0 1.0 1.0	96.3 0.0 0.0
989	NW_100d	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.5 0.0 0.0	0.0 217.9 0.1 360	1.0 1.0 1.0	96.3 0.0 0.0
990	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	19.4 0.0 0.0	0.0 59.7 0.9 360	1.0 1.0 1.0	96.3 0.0 0.0
991	NW_012d	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	32.8 -0.2 -1.4	1.4 258.4 4.7 360	1.0 1.0 1.0	96.3 0.0 0.0
992	NW_025d	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	48.5 -0.4 -2.1	2.1 259.2 10.7 360	1.0 1.0 1.0	96.3 0.0 0.0
993	NW_037d	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	59.4 -0.3 -2.1	2.2 261.3 11.8 360	1.0 1.0 1.0	96.3 0.0 0.0
994	NW_050d	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	67.9 -0.2 -2.0	2.0 262.2 10.7 360	1.0 1.0 1.0	96.3 0.0 0.0
995	NW_062d	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	76.1 -0.2 -1.7	1.7 262.8 9.1 360	1.0 1.0 1.0	96.3 0.0 0.0
996	NW_075d	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.5 -0.1 -1.3	1.3 263.1 6.7 360	1.0 1.0 1.0	96.3 0.0 0.0
997	NW_087d	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.1 0.0 -0.7	0.7 264.8 4.5 360	1.0 1.0 1.0	96.3 0.0 0.0
998	NW_100d	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.2 0.0 -0.2	0.2 267.4 0.2 360	1.0 1.0 1.0	96.3 0.0 0.0
999	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	19.0 0.0 0.0	0.0 48.1 0.5 360	1.0 1.0 1.0	96.3 0.0 0.0
1000	NW_012d	0.125 0.125 0.125	0.125 0.125 0.125	0.125 360	0.125 0.125 0.125	28.2 0.0 0.0	0.0 0.0 0.0	0.125 0.125 0.125	32.3 -0.3 -1.5	1.5 258.4 4.3 360	1.0 1.0 1.0	96.3 0.0 0.0
1001	NW_025d	0.25 0.25 0.25	0.25 0.25 0.25	0.25 360	0.25 0.25 0.25	37.9 0.0 0.0	0.0 0.0 0.0	0.25 0.25 0.25	47.5 -0.3 -2.1	2.2 259.7 9.8 360	1.0 1.0 1.0	96.3 0.0 0.0
1002	NW_037d	0.375 0.375 0.375	0.375 0.375 0.375	0.375 360	0.375 0.375 0.375	47.7 0.0 0.0	0.0 0.0 0.0	0.375 0.375 0.375	58.9 -0.3 -2.2	2.2 261.3 11.4 360	1.0 1.0 1.0	96.3 0.0 0.0
1003	NW_050d	0.5 0.5 0.5	0.5 0.5 0.5	0.5 360	0.5 0.5 0.5	57.4 0.0 0.0	0.0 0.0 0.0	0.5 0.5 0.5	67.7 -0.2 -2.0	2.0 262.2 10.4 360	1.0 1.0 1.0	96.3 0.0 0.0
1004	NW_062d	0.625 0.625 0.625	0.625 0.625 0.625	0.625 360	0.625 0.625 0.625	67.1 0.0 0.0	0.0 0.0 0.0	0.625 0.625 0.625	75.9 -0.2 -1.7	1.7 263.2 8.9 360	1.0 1.0 1.0	96.3 0.0 0.0
1005	NW_075d	0.75 0.75 0.75	0.75 0.75 0.75	0.75 360	0.75 0.75 0.75	76.9 0.0 0.0	0.0 0.0 0.0	0.75 0.75 0.75	83.3 -0.1 -1.2	1.2 262.6 6.5 360	1.0 1.0 1.0	96.3 0.0 0.0
1006	NW_087d	0.875 0.875 0.875	0.875 0.875 0.875	0.875 360	0.875 0.875 0.875	86.6 0.0 0.0	0.0 0.0 0.0	0.875 0.875 0.875	91.1 0.0 -0.6	0.6 266.7 4.5 360	1.0 1.0 1.0	96.3 0.0 0.0
1007	NW_100d	1.0 1.0 1.0	1.0 1.0 1.0	1.0 360	1.0 1.0 1.0	96.3 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	96.2 0.0 -0.2	0.2 272.1 0.2 360	1.0 1.0 1.0	96.3 0.0 0.0
1008	NW_000d	0.0 0.0 0.0	0.0 0.0 0.0	0.0 360	0.0 0.0 0.0	18.5 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	20.6 0.1 0.3	0.3 68.8 2.1 360	1.0 1.0 1.0	96.3 0.0 0.0
1009	NW_006d	0.066 0.066 0.066	0.066 0.066 0.066	0.066 360	0.066 0.066 0.066	23.6 0.0 0.0	0.0 0.0 0.0	0.066 0.066 0.066	25.4 0.0 -0.3	0.3 261.2 1.7 360	1.0 1.0 1.0	96.3 0.0 0.0
1010	NW_013d	0.133 0.133 0.133	0.133 0.133 0.133	0.133 360	0.133 0.133 0.133	28.8 0.0 0.0	0.0 0.0 0.0	0.133 0.133 0.133	34.7 -0.2 -1.3	1.3 259.3 6.0 360	1.0 1.0 1.0	96.3 0.0 0.0
1011	NW_020d	0.2 0.2 0.2	0.2 0.2 0.2	0.2 360	0.2 0.2 0.2	34.1 0.0 0.0	0.0 0.0 0.0	0.2 0.2 0.2	43.7 -0.3 -1.9	1.9 259.6 9.8 360	1.0 1.0 1.0	96.3 0.0 0.0
1012	NW_026d	0.266 0.266 0.266	0.266 0.266 0.266	0.266 360	0.266 0.266 0.266	39.2 0.0 0.0	0.0 0.0 0.0	0.266 0.266 0.266	50.3 -0.3 -2.0	2.0 260.0 11.3 360	1.0 1.0 1.0	96.3 0.0 0.0
1013	NW_033d	0.333 0.333 0.333	0.333 0.333 0.333	0.333 360	0.333 0.333 0.333	44.4 0.0 0.0	0.0 0.0 0.0	0.333 0.333 0.333	56.8 -0.3 -2.0	2.0 260.5 12.5 360	1.0 1.0 1.0	96.3 0.0 0.0
1014	NW_040d	0.4 0.4 0.4	0.4 0.4 0.4	0.4 360	0.4 0.4 0.4	49.6 0.0 0.0	0.0 0.0 0.0	0.4 0.4 0.4	61.6 -0.3 -2.0	2.0 260.8 12.1 360	1.0 1.0 1.0	96.3 0.0 0.0
1015	NW_046d	0.466 0.466 0.466	0.466 0.466 0.466	0.466 360	0.466 0.466 0.466	54.8 0.0 0.0	0.0 0.0 0.0	0.466 0.466 0.466	66.1 -0.2 -1.9	1.9 261.6 11.4 360	1.0 1.0 1.0	96.3 0.0 0.0
1016	NW_053d	0.533 0.533 0.533	0.533 0.533 0.533	0.533 360	0.533 0.533 0.533	60.0 0.0 0.0	0.0 0.0 0.0	0.533 0.533 0.533	70.8 -0.2 -1.7	1.7 261.7 11.0 360	1.0 1.0 1.0	96.3 0.0 0.0
1017	NW_060d	0.6 0.6 0.6	0.6 0.6 0.6	0.6 360	0.6 0.6 0.6	65.2 0.0 0.0</						

http://130.149.60.45/~farbmetrik/SE04/SE04L0NA.TXT /.PS; transfer output

N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 33/33

see similar files: <http://130.149.60.45/~farbmetrik/SE04/SE04.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>TUB registration: 20130201-SE04/SE04L0NA.TXT /.PS
application for measurement of offset print output, separationcnmy6 (CMYK)
TUB material: code=rha4ta

n	HIC*Fd	rgb_Fd			ict_Fd			hsi_Fd			rgb**Fd			LabCh**Fd			rgb**Fd			LabCh**Fd			DE**Fd			hsiM,d	rgb**Md			LabCh**Md					
1053	NW_086d	0.866	0.866	0.866	0.866	0.0	0.0	0.866	360	0.866	0.866	0.866	85.9	0.0	0.0	0.0	0.0	0.866	0.866	0.866	91.0	0.0	-0.5	0.5	264.4	5.1	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1054	NW_093d	0.933	0.933	0.933	0.933	0.0	0.0	0.933	360	0.933	0.933	0.933	91.1	0.0	0.0	0.0	0.0	0.933	0.933	0.933	93.5	0.0	-0.3	0.3	271.8	2.4	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1055	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.3	0.0	-0.1	0.1	284.8	0.1	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1056	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	0.0	0.0	0.0	6.0	0.7	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1057	NW_006d	0.066	0.066	0.066	0.066	0.0	0.0	0.066	360	0.066	0.066	0.066	23.6	0.0	0.0	0.0	0.0	0.066	0.066	0.066	24.0	0.0	-0.5	0.5	260.1	0.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1058	NW_013d	0.133	0.133	0.133	0.133	0.0	0.0	0.133	360	0.133	0.133	0.133	28.8	0.0	0.0	0.0	0.0	0.133	0.133	0.133	33.3	-0.3	-1.5	1.5	258.6	4.7	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1059	NW_020d	0.2	0.2	0.2	0.2	0.0	0.0	0.2	360	0.2	0.2	0.2	34.1	0.0	0.0	0.0	0.0	0.2	0.2	0.2	42.5	-0.3	-2.0	2.0	259.3	8.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1060	NW_026d	0.266	0.266	0.266	0.266	0.0	0.0	0.266	360	0.266	0.266	0.266	39.2	0.0	0.0	0.0	0.0	0.266	0.266	0.266	48.9	-0.3	-2.2	2.2	260.4	9.9	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1061	NW_033d	0.333	0.333	0.333	0.333	0.0	0.0	0.333	360	0.333	0.333	0.333	44.4	0.0	0.0	0.0	0.0	0.333	0.333	0.333	55.2	-0.3	-2.2	2.3	260.3	11.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1062	NW_040d	0.4	0.4	0.4	0.4	0.0	0.0	0.4	360	0.4	0.4	0.4	49.6	0.0	0.0	0.0	0.0	0.4	0.4	0.4	60.4	-0.3	-2.1	2.2	261.8	11.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1063	NW_046d	0.466	0.466	0.466	0.466	0.0	0.0	0.466	360	0.466	0.466	0.466	54.8	0.0	0.0	0.0	0.0	0.466	0.466	0.466	65.1	-0.2	-2.0	2.0	261.9	10.5	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1064	NW_053d	0.533	0.533	0.533	0.533	0.0	0.0	0.533	360	0.533	0.533	0.533	60.0	0.0	0.0	0.0	0.0	0.533	0.533	0.533	70.0	-0.2	-1.9	1.9	262.3	10.2	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1065	NW_060d	0.6	0.6	0.6	0.6	0.0	0.0	0.6	360	0.6	0.6	0.6	65.2	0.0	0.0	0.0	0.0	0.6	0.6	0.6	74.7	-0.2	-1.6	1.6	262.4	9.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1066	NW_066d	0.666	0.666	0.666	0.666	0.0	0.0	0.666	360	0.666	0.666	0.666	70.3	0.0	0.0	0.0	0.0	0.666	0.666	0.666	78.8	-0.1	-1.4	1.4	262.5	8.6	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1067	NW_073d	0.734	0.734	0.734	0.734	0.0	0.0	0.734	360	0.734	0.734	0.734	75.6	0.0	0.0	0.0	0.0	0.734	0.734	0.734	82.8	-0.1	-1.2	1.2	262.2	7.2	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1068	NW_080d	0.8	0.8	0.8	0.8	0.0	0.0	0.8	360	0.8	0.8	0.8	80.8	0.0	0.0	0.0	0.0	0.8	0.8	0.8	86.6	0.0	-0.9	0.9	264.2	5.8	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1069	NW_086d	0.866	0.866	0.866	0.866	0.0	0.0	0.866	360	0.866	0.866	0.866	85.9	0.0	0.0	0.0	0.0	0.866	0.866	0.866	90.9	0.0	-0.6	0.6	268.4	5.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1070	NW_093d	0.933	0.933	0.933	0.933	0.0	0.0	0.933	360	0.933	0.933	0.933	91.1	0.0	0.0	0.0	0.0	0.933	0.933	0.933	93.4	0.0	-0.3	0.3	272.6	2.3	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1071	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.3	0.0	0.0	0.0	289.1	0.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1072	NW_000d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.7	0.1	0.3	0.3	65.1	2.1	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1073	NW_100d	1.0	1.0	1.0	1.0	0.0	0.0	1.0	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0	1.0	1.0	1.0	96.6	0.0	0.0	0.0	196.8	0.2	360	1.0	1.0	1.0	96.3	0.0	0.0	0.0	0.0
1074	R00Y_100_100d	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4	1.0	0.0	0.0	45.6	67.7	39.1	78.2	30.0	2.8	389	1.0	0.0	0.0	47.5	65.5	38.4	76.0	30.4	
1075	G50B_100_100d	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	0.0	1.0	1.0	56.4	-31.6	-46.1	55.9	235.5	1.7	210	0.0	1.0	1.0	57.8	-31.9	-45.1	55.3	234.6	
1076	Y00G_100_100d	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	1.0	1.0	0.0	87.9	-7.9	89.2	89.6	95.0	2.1	89	1.0	1.0	0.0	89.4	-9.5	89.0	89.6	96.0	
1077	B00R_100_100d	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	0.0	0.0	1.0	23.1	24.3	-46.5	52.5	297.6	2.6	270	0.0	0.0	1.0	24.9	22.9	-47.8	53.0	295.6	
1078	G00B_100_100d	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	0.0	1.0	0.0	48.7	-69.8	21.6	73.1	162.7	3.2	149	0.0	1.0	0.0	51.6	-69.3	23.0	73.1	161.6	
1079	B50R_100_100d	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2	1.0	0.0	1.0	45.8	75.8	-5.0	76.0	356.2	4.7	330	1.0	0.0	1.0	48.2	74.2	-8.7	74.7	353.2	

Mean color difference of this page:

delta E* = 4.9

1-0033230-F0

SE040-7N, Page 33/33-F

TUB-test chart SE04; 16 hues, offset standard paper APCO
colors and differences, ΔE^* , 3D=0, de=0, *cmYk*input: *rgb/cmyk* -> *rgb_d*
output: transfer to *cmYk_d*

1-0033230-F0