


http://130.149.60.45/~farbmetrik/SE10/SE10L0FA.TXT /.PS; start output
F: 3D-linearization SE10/SE10LE30FA.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE10/SE10L0FA.TXT /.PS
application for measurement of display output

TUB material: code=rha4ta



1-103030-L0

SE100-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb + cmy0** (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart SE10; 1080 standard colours
Test chart according to DIN 33872

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change


http://130.149.60.45/~farbmetrik/SE10/SE10L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE10/SE10LE30FA.DAT in file (F), page 2/2

F: 3D-linearization SE10/SE10LE30FA.DAT in file (F), page 2/2

– see similar files: <http://130.149.60.45/~farbmietrik/SE10/SE10.HTM>
 technical information: <http://www.ps.bam.de> or <http://130.149.60.45>

TUB registration: 20130201-SE10/SE10L0FA.TXT/.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



1-103130-L0

SE100-72

Test chart G with $40 \times 27 = 1080$ colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb** (**A_n**), 3D = 1

TUB-test chart SE10; 1080 standard colours

Test chart according to DIN 33872, 3D=1, de=0, sRGB*

input: *rgb/cmyk* $\rightarrow$ *rgb_{dd}*

output: 3D-linearization to rgb^*_{dd}

1-103130-F0

C

M

Y

C

100

V


1

http://130.149.60.45/~farbmetrik/SE10/SE10L0FA.TXT /.PS; start output
F: 3D-linearization SE10/SE10LE30FA.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE10/SE10L0FA.TXT /.PS
application for measurement of display output

TUB material: code=rha4ta



1-113030-L0

SE100-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb + cmy0** (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart SE10; 1080 standard colours
Test chart according to DIN 33872


input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

http://130.149.60.45/~farbmetrik/SE10/SE10L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE10/SE10LE30FA.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/SE10/SE10.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE10/SE10L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta



1-113130-L0

SE100-73

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n, 3D=1)$

TUB-test chart SE10; 1080 standard colours
Test chart according to DIN 33872, 3D=1, $de=1$, $sRGB^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

1-113130-F0

C

M

Y

O

L

V

C