


http://130.149.60.45/~farbmetrik/SE16/SE16L0FP.PDF /.PS; start output
F: 3D-linearization SE16/SE16LE30FP.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/SE16/SE16L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE16/SE16L0FP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta



1-103031-L0

SE160-7N

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb + cmy0** (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1


TUB-test chart SE16; 1080 colours, offset standard paper
Test chart according to DIN 33872

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

http://130.149.60.45/~farbmetrik/SE16/SE16L0FP.PDF /.PS; 3D-linearization
F: 3D-linearization SE16/SE16LE30FP.DAT in file (F), page 2/2

see similar files: <http://130.149.60.45/~farbmetrik/SE16/SE16.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE16/SE16L0FP.PDF /.PS TUB material: code=rha4ta
application for measurement of offset print output, separation $cmY0^*$ (CMY0)



1-103131-L0

SE160-72

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n)$, 3D = 1

TUB-test chart SE16; 1080 colours, offset standard paper
Test chart according to DIN 33872, 3D=1, $de=0$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{dd}$
output: 3D-linearization to $cmY0^*_{dd}$

1-103131-F0

C

M

Y

O

L

V


C

http://130.149.60.45/~farbmetrik/SE16/SE16L0FP.PDF /.PS; start output
F: 3D-linearization SE16/SE16LE30FP.DAT in file (F), page 1/2

see similar files: <http://130.149.60.45/~farbmetrik/SE16/SE16L0FP.PDF> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE16/SE16L0FP.PDF /.PS
application for measurement of offset print output

TUB material: code=rha4ta



1-113031-L0

SE160-7N


Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): **rgb + cmy0** (A-j + k26_n27), 000n (k), w (l), nnn0 (m), www (n), 3D = 1

TUB-test chart SE16; 1080 colours, offset standard paper
Test chart according to DIN 33872

input: *rgb/cmyk* -> *rgb/cmyk*
output: no change

see similar files: <http://130.149.60.45/~farbmetrik/SE16/SE16L0FP.PDF> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE16/SE16L0FP.PDF /.PS
application for measurement of offset print output, separation $cmY0^*$ (CMY0)
TUB material: code=rha4ta



1-113131-L0

SE160-73

Test chart G with 40x27=1080 colours; digital equidistant 9 or 16 step colour scales; Colour data in column (A-n): $rgb(A_n)$, 3D = 1

TUB-test chart SE16; 1080 colours, offset standard paper
Test chart according to DIN 33872, 3D=1, $de=1$, $cmY0^*$

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to $cmY0^*_{de}$

1-113131-F0

C

M

Y

O

L

V

C