

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	54.73	36.33	0.05	0.6007	0.3987	0.0005	13.6	37 589	16 483
Y_m 495_770	68.29	83.1	5.43	0.4354	0.5298	0.0346	58.5	33 565	11 459
G_o 495_565	13.56	46.77	5.38	0.2063	0.7116	0.0819	105.5	25 529	-1 529c
C_m 380_565	29.46	52.25	96.41	0.1654	0.2933	0.5412	193.6	16 483	37 589
B_m 380_495	15.9	5.48	91.02	0.1414	0.0487	0.8097	238.5	11 459	33 565
M_o 575_475	70.63	41.81	91.07	0.347	0.2054	0.4474	285.5	-1 529c	25 529
N_o 380_770	0.08	0.08	0.09	0.3127	0.329	0.3582	0.0	18 490	-1 490c
W_o 380_770	84.19	88.59	96.46	0.3127	0.329	0.3582	0.0	23 516	-1 516c

1-000030-L0

SE750-1N_1

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	36.33	20.2	15.8	25.64	1.5064	-0.0005	38.0	37 589	16 483
Y_m 495_770	83.1	-10.68	34.02	35.66	0.8218	-0.0261	107.4	33 565	13 467
G_o 495_565	46.77	-30.89	18.21	35.86	0.2899	-0.046	149.4	25 529	-1 529c
C_m 380_565	52.25	-20.2	-15.8	25.64	0.5638	-0.7379	218.0	16 483	37 589
B_m 380_495	5.48	10.68	-34.02	35.66	2.899	-6.6373	287.4	11 459	32 562
M_o 575_475	41.81	30.89	-18.21	35.86	1.6891	-0.8712	329.4	-1 513c	22 513
N_o 380_770	0.08	0.0	0.0	0.01	0.9493	-0.435	83.2	38 590	16 483
W_o 380_770	88.59	0.0	0.0	0.01	0.9504	-0.4355	3.5	38 591	16 484

1-000030-L0

SE750-3N_1

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	66.77	59.19	114.35	128.76	0.2511	-0.0093	62.6	38 591	15 476
Y_m 495_770	93.06	-22.24	114.34	116.48	0.2052	-0.0337	101.0	32 563	14 470
G_o 495_565	74.05	-126.79	81.78	150.88	0.145	-0.0407	147.1	25 525	-1 525c
C_m 380_565	77.44	-64.31	-30.95	71.37	0.1809	-0.1027	205.6	16 481	-1 481c
B_m 380_495	28.1	85.48	-112.37	141.18	0.3121	-0.2134	307.2	12 460	28 543
M_o 575_475	70.75	78.99	-38.87	88.04	0.2608	-0.1085	333.7	-1 519c	23 519
N_o 380_770	0.8	0.0	-0.12	0.12	0.2153	-0.0861	270.0	14 472	34 571
W_o 380_770	95.41	0.0	0.0	0.0	0.2153	-0.0861	0.0	-1 571c	-1 472c

1-000030-L0

SE750-5N_1


Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	66.77	59.2	127.26	140.36	0.2511	-0.0093	65.0	37 589	15 475
Y_m 495_770	93.06	-22.24	114.38	116.52	0.2052	-0.0337	101.0	32 563	14 470
G_o 495_565	74.05	-126.83	81.82	150.93	0.145	-0.0407	147.1	25 525	-1 525c
C_m 380_565	77.44	-64.32	-30.95	71.38	0.181	-0.1027	205.6	16 481	-1 481c
B_m 380_495	28.1	85.54	-112.41	141.25	0.3122	-0.2135	307.2	12 460	28 543
M_o 575_475	70.75	79.0	-38.88	88.05	0.2609	-0.1085	333.7	-1 519c	23 519
N_o 380_770	0.8	-0.01	0.0	0.01	0.2154	-0.0861	158.2	23 515	-1 515c
W_o 380_770	95.41	0.0	0.0	0.0	0.2154	-0.0861	180.0	18 492	-1 492c

1-000030-L0


SE750-7N_1

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-000030-L0

SE751-1N_1




1-000030-L0

SE751-3N_1




1-000030-L0

SE751-5N_1




1-000030-L0

SE751-7N_1




1-000030-L0

SE751-2N_1




1-000030-L0

SE751-4N_1



1-000030-L0

SE751-6N_1



1-000030-L0

SE751-8N_1

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	60.3	39.22	0.05	0.6055	0.3938	0.0005	7.7	38 590	17 486
Y_m 495_770	73.66	84.13	4.9	0.4527	0.517	0.0301	55.9	33 567	12 461
G_o 495_565	13.36	44.9	4.85	0.2116	0.7113	0.0769	110.7	25 528	-1 528c
C_m 380_565	25.11	49.36	73.03	0.1702	0.3346	0.495	187.7	17 486	38 590
B_m 380_495	11.75	4.45	68.17	0.1392	0.0528	0.8078	235.9	12 461	33 567
M_o 575_475	72.05	43.68	68.22	0.3916	0.2374	0.3708	290.8	-1 528c	25 528
N_o 380_770	0.08	0.08	0.07	0.3457	0.3585	0.2957	359.8	-1 513c	22 513
W_o 380_770	85.42	88.59	73.08	0.3457	0.3585	0.2957	359.9	-1 513c	-1 461c

1-000130-L0

SE750-1N_2

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	39.22	22.48	12.92	25.93	1.5375	-0.0005	29.8	38 590	17 488
Y_m 495_770	84.13	-7.45	25.79	26.85	0.8756	-0.0233	106.1	33 567	13 465
G_o 495_565	44.9	-29.93	12.87	32.59	0.2975	-0.0432	156.7	25 527	-1 527c
C_m 380_565	49.36	-22.48	-12.92	25.93	0.5087	-0.5917	209.8	17 485	36 581
B_m 380_495	4.45	7.45	-25.79	26.85	2.636	-6.1167	286.1	12 461	33 567
M_o 575_475	43.68	29.93	-12.87	32.59	1.6496	-0.6247	336.7	-1 544c	28 544
N_o 380_770	0.08	0.0	0.0	0.01	0.9631	-0.3296	83.3	4 423	32 564
W_o 380_770	88.59	0.0	0.0	0.01	0.9642	-0.3299	1.6	1 409	32 564

1-000130-L0

SE750-3N_2

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	68.91	61.58	118.0	133.1	0.2528	-0.0092	62.4	38 590	15 476
Y_m 495_770	93.51	-14.92	110.68	111.69	0.2095	-0.0324	97.6	33 567	14 470
G_o 495_565	72.83	-124.11	75.32	145.18	0.1462	-0.0399	148.7	25 528	-1 528c
C_m 380_565	75.68	-75.83	-33.96	83.09	0.1748	-0.0954	204.1	16 483	-1 483c
B_m 380_495	25.16	70.54	-116.72	136.38	0.3024	-0.2077	301.1	12 463	30 551
M_o 575_475	72.02	74.35	-35.97	82.6	0.2588	-0.0971	334.1	-1 522c	24 522
N_o 380_770	0.8	0.0	0.24	0.24	0.2164	-0.0785	89.9	34 571	14 472
W_o 380_770	95.41	0.0	0.0	0.0	0.2164	-0.0785	0.0	-1 472c	-1 571c

1-000130-L0

SE750-5N_2


Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	68.91	61.88	117.76	133.03	0.2528	-0.0092	62.2	38 590	15 476
Y_m 495_770	93.51	-14.99	100.94	102.04	0.2096	-0.0324	98.4	33 566	14 470
G_o 495_565	72.83	-124.74	68.69	142.41	0.1462	-0.0399	151.1	25 525	-1 525c
C_m 380_565	75.68	-76.21	-30.96	82.26	0.1749	-0.0954	202.1	16 483	-1 483c
B_m 380_495	25.16	70.95	-106.44	127.92	0.3025	-0.2077	303.6	12 462	29 549
M_o 575_475	72.02	74.72	-32.8	81.6	0.2588	-0.0971	336.2	-1 520c	24 520
N_o 380_770	0.8	-0.01	0.0	0.01	0.2164	-0.0785	160.0	23 516	-1 516c
W_o 380_770	95.41	0.0	0.0	0.0	0.2164	-0.0785	152.7	24 523	-1 523c

1-000130-L0


SE750-7N_2

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-000130-L0

SE751-1N_2




1-000130-L0

SE751-3N_2




1-000130-L0

SE751-5N_2




1-000130-L0

SE751-7N_2




1-000130-L0

SE751-2N_2




1-000130-L0

SE751-4N_2



1-000130-L0

SE751-6N_2



1-000130-L0

SE751-8N_2

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

Optimal colours (o) RYGBM of maximum (m) C_{AB} for P40, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	67.45	43.22	0.05	0.6091	0.3903	0.0005	3.4	38 591	17 487
Y_m 495_770	80.27	85.04	4.3	0.4732	0.5013	0.0254	53.2	34 570	12 461
G_o 495_565	12.82	41.81	4.25	0.2177	0.71	0.0722	115.9	25 528	-1 528c
C_m 380_565	21.96	45.36	57.25	0.1762	0.3641	0.4595	183.4	17 487	38 591
B_m 380_495	9.13	3.54	52.99	0.1391	0.054	0.8068	233.2	12 461	34 570
M_o 575_475	76.59	46.77	53.05	0.4341	0.2651	0.3007	295.9	-1 528c	25 528
N_o 380_770	0.08	0.08	0.05	0.3799	0.3764	0.2435	0.0	19 498	-1 498c
W_o 380_770	89.41	88.59	57.3	0.3799	0.3764	0.2435	359.9	-1 528c	-1 498c

1-000230-L0

SE750-1N_3

Optimal colours (o) RYGBM of maximum (m) C_{AB} for P40, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	43.22	23.82	11.16	26.31	1.5605	-0.0005	25.1	38 591	19 495
Y_m 495_770	85.04	-5.55	20.28	21.02	0.9439	-0.0202	105.3	34 570	-1 570c
G_o 495_565	41.81	-29.38	9.11	30.76	0.3066	-0.0406	162.7	24 521	-1 521c
C_m 380_565	45.36	-23.82	-11.16	26.31	0.484	-0.5047	205.1	17 486	35 579
B_m 380_495	3.54	5.55	-20.28	21.02	2.5759	-5.9765	285.3	12 461	34 572
M_o 575_475	46.77	29.38	-9.11	30.76	1.6375	-0.4537	342.7	-1 565c	33 565
N_o 380_770	0.08	0.0	0.0	0.01	1.0081	-0.2584	91.7	14 473	34 574
W_o 380_770	88.59	0.0	0.0	0.01	1.0093	-0.2587	1.9	14 473	34 574

1-000230-L0

SE750-3N_3

Optimal colours (o) RYGBM of maximum (m) C_{AB} for P40, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	71.71	59.09	122.75	136.24	0.2541	-0.0091	64.2	37 588	15 476
Y_m 495_770	93.9	-10.45	108.37	108.87	0.2149	-0.0309	95.5	34 570	14 470
G_o 495_565	70.75	-122.5	68.81	140.51	0.1477	-0.039	150.6	26 530	-1 530c
C_m 380_565	73.13	-83.44	-38.34	91.82	0.172	-0.0905	204.6	16 483	-1 483c
B_m 380_495	22.14	60.15	-121.37	135.46	0.3001	-0.2061	296.3	12 464	31 557
M_o 575_475	74.04	67.93	-31.96	75.07	0.2582	-0.0873	334.8	-1 526c	25 526
N_o 380_770	0.8	0.0	0.48	0.48	0.2197	-0.0724	89.9	34 573	14 471
W_o 380_770	95.41	0.0	0.0	0.0	0.2197	-0.0724	0.0	-1 471c	-1 573c

1-000230-L0

SE750-5N_3


Optimal colours (o) RYGBM of maximum (m) C_{AB} for P40, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	71.71	60.3	111.02	126.34	0.2541	-0.0091	61.4	38 591	15 476
Y_m 495_770	93.9	-10.66	91.13	91.75	0.2149	-0.0309	96.6	33 569	14 470
G_o 495_565	70.75	-125.02	57.87	137.76	0.1477	-0.039	155.1	25 525	-1 525c
C_m 380_565	73.13	-85.14	-32.23	91.04	0.172	-0.0905	200.7	16 484	-1 484c
B_m 380_495	22.14	61.44	-102.08	119.14	0.3002	-0.2061	301.0	12 462	30 554
M_o 575_475	74.04	69.31	-26.87	74.34	0.2582	-0.0873	338.8	-1 521c	24 521
N_o 380_770	0.8	-0.01	0.0	0.01	0.2197	-0.0724	161.7	23 518	-1 518c
W_o 380_770	95.41	0.0	0.0	0.0	0.2197	-0.0724	165.7	22 514	-1 514c

1-000230-L0


SE750-7N_3

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-000230-L0

SE751-1N_3




1-000230-L0

SE751-3N_3




1-000230-L0

SE751-5N_3




1-000230-L0

SE751-7N_3




1-000230-L0

SE751-2N_3




1-000230-L0

SE751-4N_3



1-000230-L0

SE751-6N_3



1-000230-L0

SE751-8N_3

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

Optimal colours (o) RYGBM of maximum (m) C_{AB} for A00, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R _m 565_770	80.69	49.77	0.06	0.6182	0.3813	0.0004	351.3	38 593	18 492
Y _m 495_770	92.58	86.38	3.28	0.5079	0.4739	0.018	47.7	35 575	12 464
G _o 495_565	11.88	36.6	3.22	0.2297	0.7078	0.0623	125.9	25 525	-1 525c
C _m 380_565	16.61	38.81	31.46	0.1912	0.4466	0.362	171.2	18 492	38 593
B _m 380_495	4.73	2.2	28.23	0.1345	0.0627	0.8026	227.7	12 464	35 575
M _o 575_475	85.43	51.98	28.29	0.5155	0.3136	0.1707	305.9	-1 525c	25 525
N _o 380_770	0.09	0.08	0.03	0.4475	0.4074	0.1449	0.0	21 506	-1 506c
W _o 380_770	97.31	88.58	31.52	0.4475	0.4074	0.1449	0.0	-1 525c	-1 506c

1-000330-L0

SE750-1N_4

Optimal colours (o) RYGBM of maximum (m) C_{AB} for A00, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R _m 565_770	49.77	26.01	7.05	26.95	1.6212	-0.0004	15.1	-1 593c	38 593
Y _m 495_770	86.38	-2.3	10.98	11.22	1.0717	-0.0152	101.8	16 484	35 576
G _o 495_565	36.6	-28.32	3.92	28.59	0.3246	-0.0352	172.1	21 508	30 550
C _m 380_565	38.81	-26.01	-7.05	26.95	0.4281	-0.3242	195.1	18 490	34 572
B _m 380_495	2.2	2.3	-10.98	11.22	2.144	-5.1145	281.8	12 464	36 580
M _o 575_475	51.98	28.32	-3.92	28.59	1.6434	-0.2177	352.1	-1 584c	36 584
N _o 380_770	0.08	0.0	0.0	0.01	1.0972	-0.1421	124.1	15 477	35 578
W _o 380_770	88.58	0.0	0.0	0.01	1.0984	-0.1423	1.6	15 477	35 578

1-000330-L0

SE750-3N_4

Optimal colours (o) RYGBM of maximum (m) C_{AB} for A00, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	75.93	54.89	129.96	141.08	0.2573	-0.0089	67.1	37 587	15 475
Y _m 495_770	94.47	-3.89	100.05	100.12	0.2242	-0.0281	92.2	35 575	14 470
G _o 495_565	66.98	-119.39	53.22	130.71	0.1505	-0.0372	155.9	26 534	-1 534c
C _m 380_565	68.62	-98.27	-46.06	108.53	0.1651	-0.078	205.1	16 484	-1 484c
B _m 380_495	16.59	34.95	-128.97	133.63	0.2823	-0.1957	285.1	13 467	33 569
M _o 575_475	77.27	57.77	-24.48	62.74	0.2585	-0.0683	337.0	-1 533c	26 533
N _o 380_770	0.8	0.0	0.88	0.88	0.226	-0.0593	89.9	35 576	14 471
W _o 380_770	95.41	0.0	0.0	0.0	0.226	-0.0593	0.0	-1 471c	-1 576c

1-000330-L0

SE750-5N_4


Optimal colours (o) RYGBM of maximum (m) C_{AB} for A00, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R _m 565_770	75.93	57.61	92.62	109.08	0.2573	-0.0089	58.1	38 592	15 477
Y _m 495_770	94.47	-4.08	68.93	69.05	0.2242	-0.0281	93.3	35 575	14 470
G _o 495_565	66.98	-125.33	36.67	130.59	0.1505	-0.0372	163.6	25 525	-1 525c
C _m 380_565	68.62	-103.16	-31.73	107.93	0.1651	-0.078	197.0	17 488	-1 488c
B _m 380_495	16.59	36.76	-88.88	96.19	0.2824	-0.1957	292.4	12 464	33 566
M _o 575_475	77.27	60.63	-16.86	62.93	0.2585	-0.0683	344.4	-1 524c	24 524
N _o 380_770	0.8	-0.01	0.0	0.01	0.226	-0.0593	165.2	24 523	-1 523c
W _o 380_770	95.41	0.0	0.0	0.0	0.226	-0.0593	83.1	35 576	14 471

1-000330-L0


SE750-7N_4

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, Y_n=88,6




1-000330-L0

SE751-1N_4




1-000330-L0

SE751-3N_4




1-000330-L0

SE751-5N_4




1-000330-L0

SE751-7N_4




1-000330-L0

SE751-2N_4




1-000330-L0

SE751-4N_4



1-000330-L0

SE751-6N_4



1-000330-L0

SE751-8N_4

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

http://130.149.60.45/~farbmetrik/SE75/SE75L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 5/16

Optimal colours (o) RYGBM of maximum (m) C_{AB} for E00, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	60.79	39.54	0.05	0.6055	0.3939	0.0005	12.5	38 590	16 483
Y_m 495_770	73.83	83.75	4.99	0.4541	0.5151	0.0307	56.3	33 568	11 459
G_o 495_565	13.04	44.2	4.94	0.2097	0.7108	0.0794	108.1	25 528	-1 528c
C_m 380_565	27.79	49.04	88.53	0.168	0.2965	0.5353	192.5	16 483	38 590
B_m 380_495	14.75	4.83	83.59	0.1429	0.0468	0.8101	236.4	11 459	33 568
M_o 575_475	75.54	44.38	83.65	0.371	0.218	0.4108	288.1	-1 528c	25 528
N_o 380_770	0.08	0.08	0.08	0.3333	0.3333	0.3333	0.0	23 516	-1 516c
W_o 380_770	88.59	88.59	88.59	0.3333	0.3333	0.3333	0.0	-1 528c	-1 516c

1-000430-L0

SE750-1N_5

Optimal colours (o) RYGBM of maximum (m) C_{AB} for E00, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	39.54	21.24	15.79	26.47	1.5372	-0.0005	36.6	38 590	16 483
Y_m 495_770	83.75	-9.91	31.5	33.02	0.8815	-0.0238	107.4	33 568	11 459
G_o 495_565	44.2	-31.16	15.7	34.89	0.295	-0.0447	153.2	25 528	-1 528c
C_m 380_565	49.04	-21.24	-15.79	26.47	0.5667	-0.7221	216.6	16 483	38 590
B_m 380_495	4.83	9.91	-31.5	33.02	3.0513	-6.9153	287.4	11 459	33 568
M_o 575_475	44.38	31.16	-15.7	34.89	1.7021	-0.7539	333.2	-1 528c	25 528
N_o 380_770	0.08	0.0	0.0	0.01	0.9988	-0.3995	89.7	23 516	-1 516c
W_o 380_770	88.59	0.0	0.0	0.01	1.0	-0.4	3.3	29 549	-1 549c

1-000430-L0

SE750-3N_5

Optimal colours (o) RYGBM of maximum (m) C_{AB} for E00, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	69.15	56.54	118.4	131.21	0.2528	-0.0092	64.4	38 591	15 475
Y_m 495_770	93.34	-19.39	114.83	116.45	0.21	-0.0327	99.5	33 566	14 470
G_o 495_565	72.37	-127.28	78.93	149.77	0.1458	-0.0403	148.1	25 526	-1 526c
C_m 380_565	75.48	-67.97	-34.32	76.14	0.1813	-0.1019	206.7	16 481	-1 481c
B_m 380_495	26.28	81.98	-115.49	141.63	0.3175	-0.2164	305.3	12 461	29 547
M_o 575_475	72.49	73.97	-35.88	82.22	0.2615	-0.1034	334.1	-1 521c	24 521
N_o 380_770	0.8	0.0	0.0	0.0	0.219	-0.0837	272.7	14 471	34 573
W_o 380_770	95.41	0.0	0.0	0.0	0.219	-0.0837	0.0	-1 573c	-1 471c

1-000430-L0

SE750-5N_5


Optimal colours (o) RYGBM of maximum (m) C_{AB} for E00, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	69.15	57.52	126.95	139.37	0.2528	-0.0092	65.6	38 590	15 475
Y_m 495_770	93.34	-19.72	111.66	113.38	0.21	-0.0327	100.0	33 566	14 470
G_o 495_565	72.37	-129.5	76.76	150.54	0.1458	-0.0403	149.3	25 525	-1 525c
C_m 380_565	75.48	-69.14	-33.36	76.77	0.1813	-0.1019	205.7	16 481	-1 481c
B_m 380_495	26.28	83.45	-112.3	139.91	0.3176	-0.2164	306.6	12 460	29 546
M_o 575_475	72.49	75.25	-34.88	82.94	0.2615	-0.1034	335.1	-1 520c	24 520
N_o 380_770	0.8	-0.01	0.0	0.01	0.2191	-0.0837	159.0	23 516	-1 516c
W_o 380_770	95.41	0.0	0.0	0.0	0.2191	-0.0837	86.5	34 573	14 471

1-000430-L0


SE750-7N_5

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-000430-L0

SE751-1N_5




1-000430-L0

SE751-3N_5




1-000430-L0

SE751-5N_5




1-000430-L0

SE751-7N_5




1-000430-L0

SE751-2N_5




1-000430-L0

SE751-4N_5



1-000430-L0

SE751-6N_5



1-000430-L0

SE751-8N_5

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

TUB registration: 20130201-SE75/SE75L0NA.TXT /.PS
application for measurement of display output

TUB material: code=rha4ta

http://130.149.60.45/~farbmeterik/SE75/SE75L0NA.TXT /.PS; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 7/16

Optimal colours (o) RYGBM of maximum (m) C_{AB} for P00, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	65.87	42.17	0.05	0.6093	0.3901	0.0005	8.4	38 591	17 485
Y_m 495_770	78.64	84.48	4.54	0.469	0.5038	0.0271	54.2	34 570	12 460
G_o 495_565	12.77	42.31	4.49	0.2143	0.7102	0.0754	112.2	25 528	-1 528c
C_m 380_565	24.54	46.41	71.75	0.172	0.3252	0.5027	188.4	17 485	38 591
B_m 380_495	11.77	4.1	67.26	0.1416	0.0493	0.809	234.2	12 460	34 570
M_o 575_475	77.64	46.27	67.31	0.406	0.2419	0.352	292.3	-1 528c	25 528
N_o 380_770	0.09	0.08	0.07	0.3604	0.3531	0.2863	0.0	37 589	13 468
W_o 380_770	90.42	88.59	71.81	0.3604	0.3531	0.2863	0.0	-1 468c	-1 589c

1-000630-L0

SE750-1N_7

Optimal colours (o) RYGBM of maximum (m) C_{AB} for P00, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	42.17	22.82	13.65	26.59	1.5618	-0.0005	30.8	38 591	17 487
Y_m 495_770	84.48	-7.59	25.57	26.67	0.9308	-0.0215	106.5	34 570	5 427
G_o 495_565	42.31	-30.41	11.92	32.66	0.3018	-0.0424	158.5	25 526	-1 526c
C_m 380_565	46.41	-22.82	-13.65	26.59	0.5288	-0.6183	210.8	17 485	37 585
B_m 380_495	4.1	7.59	-25.57	26.67	2.8709	-6.5586	286.5	12 460	34 571
M_o 575_475	46.27	30.41	-11.92	32.66	1.6779	-0.5818	338.5	-1 553c	30 553
N_o 380_770	0.08	0.0	0.0	0.01	1.0195	-0.3238	93.2	15 476	35 577
W_o 380_770	88.59	0.0	0.0	0.01	1.0206	-0.3242	5.0	15 476	35 576

1-000630-L0

SE750-3N_7

Optimal colours (o) RYGBM of maximum (m) C_{AB} for P00, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	70.99	57.12	121.54	134.3	0.2541	-0.0091	64.8	38 590	15 475
Y_m 495_770	93.66	-14.29	112.46	113.37	0.2139	-0.0316	97.2	33 569	14 470
G_o 495_565	71.09	-125.24	73.86	145.4	0.1469	-0.0396	149.4	25 528	-1 528c
C_m 380_565	73.82	-76.16	-37.17	84.75	0.1771	-0.0968	206.0	16 482	-1 482c
B_m 380_495	24.03	70.9	-118.91	138.45	0.3111	-0.2126	300.8	12 463	30 553
M_o 575_475	73.73	69.69	-33.29	77.23	0.2603	-0.0948	334.4	-1 523c	24 523
N_o 380_770	0.8	0.0	0.26	0.26	0.2205	-0.078	89.9	34 573	14 471
W_o 380_770	95.41	0.0	0.0	0.0	0.2205	-0.078	0.0	-1 471c	-1 573c

1-000630-L0

SE750-5N_7


Optimal colours (o) RYGBM of maximum (m) C_{AB} for P00, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	70.99	58.5	119.97	133.47	0.2542	-0.0091	64.0	38 591	15 475
Y_m 495_770	93.66	-14.64	101.96	103.01	0.2139	-0.0316	98.1	33 568	14 470
G_o 495_565	71.09	-128.3	66.97	144.72	0.1469	-0.0396	152.4	25 525	-1 525c
C_m 380_565	73.82	-78.01	-33.69	84.98	0.1771	-0.0968	203.3	16 483	-1 483c
B_m 380_495	24.03	72.68	-107.81	130.02	0.3112	-0.2126	303.9	12 461	30 551
M_o 575_475	73.73	71.37	-30.17	77.49	0.2603	-0.0948	337.0	-1 521c	24 521
N_o 380_770	0.8	-0.01	0.0	0.01	0.2206	-0.078	160.5	23 517	-1 517c
W_o 380_770	95.41	0.0	0.0	0.0	0.2206	-0.078	152.7	24 524	-1 524c

1-000630-L0


SE750-7N_7

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-000630-L0

SE751-1N_7




1-000630-L0

SE751-3N_7




1-000630-L0

SE751-5N_7




1-000630-L0

SE751-7N_7




1-000630-L0

SE751-2N_7




1-000630-L0

SE751-4N_7



1-000630-L0

SE751-6N_7



1-000630-L0

SE751-8N_7

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

TUB registration: 20130201-SE75/SE75L0NA.TXT /.PS
application for measurement of display output

TUB material: code=rha4ta

Optimal colours (o) RYGBM of maximum (m) C_{AB} for Q00, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	55.71	36.91	0.05	0.6011	0.3983	0.0005	15.8	37 589	16 482
Y_m 495_770	69.02	83.02	5.43	0.4382	0.5271	0.0345	58.5	33 565	11 458
G_o 495_565	13.31	46.1	5.38	0.2054	0.7114	0.0831	104.6	25 529	-1 529c
C_m 380_565	31.04	51.67	105.33	0.1651	0.2747	0.5601	195.8	16 482	37 589
B_m 380_495	17.73	5.56	99.94	0.1438	0.0451	0.8109	238.5	11 458	33 565
M_o 575_475	73.44	42.48	99.99	0.3401	0.1967	0.463	284.7	-1 529c	25 529
N_o 380_770	0.08	0.08	0.1	0.309	0.3155	0.3753	359.9	-1 549c	29 549
W_o 380_770	86.75	88.59	105.38	0.309	0.3155	0.3753	0.0	-1 549c	-1 458c

1-000730-L0

SE750-1N_8

Optimal colours (o) RYGBM of maximum (m) C_{AB} for Q00, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	36.91	19.55	17.54	26.27	1.509	-0.0005	41.9	37 589	16 481
Y_m 495_770	83.02	-12.27	37.32	39.29	0.8314	-0.0262	108.2	33 566	12 464
G_o 495_565	46.1	-31.83	19.78	37.48	0.2887	-0.0467	148.1	25 529	-1 529c
C_m 380_565	51.67	-19.55	-17.54	26.27	0.6008	-0.8153	221.9	16 482	39 595
B_m 380_495	5.56	12.27	-37.32	39.29	3.1842	-7.1782	288.2	11 458	32 563
M_o 575_475	42.48	31.83	-19.78	37.48	1.7286	-0.9413	328.1	-1 508c	21 508
N_o 380_770	0.08	0.0	0.0	0.01	0.9782	-0.4752	87.2	35 576	15 476
W_o 380_770	88.59	0.0	0.0	0.01	0.9793	-0.4758	4.7	35 576	15 476

1-000730-L0

SE750-3N_8

Optimal colours (o) RYGBM of maximum (m) C_{AB} for Q00, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	67.22	55.59	115.11	127.83	0.2512	-0.0093	64.2	38 592	15 475
Y_m 495_770	93.02	-24.95	116.4	119.05	0.206	-0.0337	102.1	32 563	14 470
G_o 495_565	73.61	-129.12	83.16	153.59	0.1448	-0.0409	147.2	25 525	-1 525c
C_m 380_565	77.08	-60.27	-31.56	68.04	0.1848	-0.1061	207.6	16 480	-1 480c
B_m 380_495	28.32	91.87	-112.3	145.09	0.3221	-0.2191	309.2	11 459	28 541
M_o 575_475	71.21	78.37	-38.39	87.27	0.2629	-0.1113	333.9	-1 518c	23 518
N_o 380_770	0.8	0.0	-0.26	0.26	0.2175	-0.0887	270.0	14 472	34 572
W_o 380_770	95.41	0.0	0.0	0.0	0.2175	-0.0887	0.0	-1 572c	-1 472c

1-000730-L0

SE750-5N_8


Optimal colours (o) RYGBM of maximum (m) C_{AB} for Q00, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	67.22	56.16	132.25	143.68	0.2513	-0.0093	66.9	37 589	15 475
Y_m 495_770	93.02	-25.21	119.93	122.55	0.206	-0.0337	101.8	32 563	14 470
G_o 495_565	73.61	-130.45	85.69	156.08	0.1448	-0.0409	146.6	25 525	-1 525c
C_m 380_565	77.08	-60.89	-32.5	69.02	0.1848	-0.1061	208.0	16 480	-1 480c
B_m 380_495	28.32	92.85	-115.7	148.35	0.3221	-0.2191	308.7	11 459	28 542
M_o 575_475	71.21	79.16	-39.54	88.49	0.2629	-0.1114	333.4	-1 519c	23 519
N_o 380_770	0.8	-0.01	0.0	0.01	0.2175	-0.0887	157.8	23 515	-1 515c
W_o 380_770	95.41	0.0	0.0	0.0	0.2175	-0.0887	134.1	27 536	10 451

1-000730-L0


SE750-7N_8

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-000730-L0

SE751-1N_8




1-000730-L0

SE751-3N_8




1-000730-L0

SE751-5N_8




1-000730-L0

SE751-7N_8




1-000730-L0

SE751-2N_8




1-000730-L0

SE751-4N_8



1-000730-L0

SE751-6N_8



1-000730-L0

SE751-8N_8

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	52.23	33.79	0.0	0.6071	0.3928	0.0	11.9	37 588	15 477
Y_m 495_770	68.1	78.9	3.72	0.4518	0.5234	0.0247	54.3	32 562	11 459
G_o 495_565	15.86	45.1	3.72	0.2452	0.6971	0.0575	100.5	25 528	-1 528c
C_m 380_565	31.76	54.79	95.08	0.1748	0.3016	0.5234	191.9	15 477	37 588
B_m 380_495	15.89	9.68	91.36	0.1359	0.0828	0.7812	234.3	11 459	32 562
M_o 575_475	68.12	43.48	91.36	0.3356	0.2142	0.4501	280.6	-1 528c	25 528
N_o 380_770	0.08	0.08	0.09	0.3137	0.3309	0.3552	359.9	-1 510c	22 510
W_o 380_770	83.99	88.59	95.08	0.3137	0.3309	0.3552	0.0	17 487	-1 487c

1-001030-L0

SE750-1N_1

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	33.79	20.18	14.51	24.86	1.5454	0.0	35.7	37 588	15 477
Y_m 495_770	78.9	-6.71	32.38	33.07	0.863	-0.0188	101.7	32 562	12 464
G_o 495_565	45.1	-26.89	17.87	32.29	0.3517	-0.033	146.3	25 529	-1 529c
C_m 380_565	54.79	-20.18	-14.51	24.86	0.5796	-0.6941	215.7	15 477	37 587
B_m 380_495	9.68	6.7	-32.38	33.07	1.6407	-3.7725	281.7	11 459	31 559
M_o 575_475	43.48	26.89	-17.87	32.29	1.5667	-0.8404	326.3	-1 514c	22 514
N_o 380_770	0.08	0.0	0.0	0.01	0.947	-0.4288	82.8	38 593	15 478
W_o 380_770	88.59	0.0	0.0	0.01	0.9481	-0.4293	1.7	38 594	15 478

1-001030-L0

SE750-3N_1

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	64.8	61.59	111.73	127.59	0.2532	0.0	61.1	39 595	13 469
Y_m 495_770	91.19	-14.24	119.52	120.37	0.2085	-0.0302	96.7	32 560	12 464
G_o 495_565	72.96	-107.88	88.1	139.28	0.1546	-0.0364	140.7	25 525	-1 525c
C_m 380_565	78.92	-61.87	-28.42	68.09	0.1826	-0.1006	204.6	15 475	-1 475c
B_m 380_495	37.29	46.03	-97.66	107.97	0.2583	-0.1768	295.2	11 459	29 546
M_o 575_475	71.88	69.02	-38.01	78.8	0.2544	-0.1072	331.1	-1 516c	23 516
N_o 380_770	0.8	0.0	-0.1	0.1	0.2152	-0.0857	270.0	13 466	33 566
W_o 380_770	95.41	0.0	0.0	0.0	0.2152	-0.0857	0.0	-1 566c	-1 466c

1-001030-L0

SE750-5N_1


Optimal colours (o) RYGBM of maximum (m) C_{AB} for D65, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	64.8	61.55	138.64	151.69	0.2533	0.0	66.0	37 588	13 469
Y_m 495_770	91.19	-14.23	119.01	119.85	0.2086	-0.0302	96.8	32 560	12 464
G_o 495_565	72.96	-107.82	87.73	139.0	0.1546	-0.0364	140.8	25 525	-1 525c
C_m 380_565	78.92	-61.83	-28.28	68.0	0.1826	-0.1006	204.5	15 475	-1 475c
B_m 380_495	37.29	46.02	-97.22	107.56	0.2583	-0.1769	295.3	11 459	29 546
M_o 575_475	71.88	68.97	-37.83	78.67	0.2544	-0.1072	331.2	-1 516c	23 516
N_o 380_770	0.8	-0.01	0.0	0.01	0.2152	-0.0857	158.2	22 510	-1 510c
W_o 380_770	95.41	0.0	0.0	0.0	0.2152	-0.0857	180.0	17 486	-1 486c

1-001030-L0


SE750-7N_1

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-001030-L0

SE751-1N_1




1-001030-L0

SE751-3N_1




1-001030-L0

SE751-5N_1




1-001030-L0

SE751-7N_1




1-001030-L0

SE751-2N_1




1-001030-L0

SE751-4N_1



1-001030-L0

SE751-6N_1



1-001030-L0

SE751-8N_1

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

Code	$X_{88,6}$	$Y_{88,6}$	$Z_{88,6}$	x	y	z	h_{xy}	i_d, λ_d	i_c, λ_c
R_m 565_770	58.12	36.98	0.0	0.611	0.3889	0.0	6.3	37 589	15 479
Y_m 495_770	73.91	80.7	3.39	0.4677	0.5107	0.0214	51.5	32 564	12 460
G_o 495_565	15.79	43.72	3.39	0.251	0.695	0.0539	106.0	25 529	-1 529c
C_m 380_565	27.56	51.6	72.12	0.1822	0.341	0.4767	186.3	15 479	37 589
B_m 380_495	11.77	7.88	68.73	0.1332	0.0891	0.7775	231.5	12 460	32 564
M_o 575_475	69.89	44.86	68.73	0.3809	0.2445	0.3745	286.1	-1 529c	25 529
N_o 380_770	0.08	0.08	0.07	0.3477	0.3595	0.2927	0.0	19 498	-1 498c
W_o 380_770	85.68	88.58	72.12	0.3477	0.3595	0.2927	0.0	-1 529c	-1 498c

1-001130-L0

SE750-1N_2

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

Code	$Y_{88,6}$	$A_{88,6}$	$B_{88,6}$	C_{AB}	a	b	h_{AB}	i_d, λ_d	i_c, λ_c
R_m 565_770	36.98	22.34	12.04	25.38	1.5713	0.0	28.3	37 589	16 482
Y_m 495_770	80.7	-4.15	24.92	25.27	0.9157	-0.0168	99.4	32 564	12 464
G_o 495_565	43.72	-26.49	12.88	29.46	0.3611	-0.031	154.0	25 528	-1 528c
C_m 380_565	51.6	-22.34	-12.04	25.38	0.5342	-0.559	208.3	15 478	35 578
B_m 380_495	7.88	4.15	-24.92	25.27	1.4945	-3.4884	279.4	12 460	32 563
M_o 575_475	44.86	26.49	-12.88	29.46	1.5578	-0.6127	334.0	-1 543c	28 543
N_o 380_770	0.08	0.0	0.0	0.01	0.9661	-0.3252	83.9	6 433	32 560
W_o 380_770	88.58	0.0	0.0	0.01	0.9672	-0.3256	1.6	6 430	32 560

1-001130-L0

SE750-3N_2

Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

Code	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	67.27	62.99	115.99	131.99	0.2546	0.0	61.4	38 593	14 470
Y_m 495_770	92.0	-8.41	116.83	117.13	0.2127	-0.0291	94.1	32 563	13 465
G_o 495_565	72.04	-106.19	82.42	134.43	0.156	-0.0357	142.1	25 528	-1 528c
C_m 380_565	77.04	-71.98	-31.66	78.63	0.1777	-0.0936	203.7	15 476	-1 476c
B_m 380_495	33.75	33.43	-103.24	108.52	0.2504	-0.1723	287.9	12 461	30 553
M_o 575_475	72.81	65.89	-35.9	75.04	0.2539	-0.0965	331.4	-1 520c	24 520
N_o 380_770	0.8	0.0	0.25	0.25	0.2166	-0.0782	89.9	33 567	13 465
W_o 380_770	95.41	0.0	0.0	0.0	0.2166	-0.0782	0.0	-1 465c	-1 567c

1-001130-L0

SE750-5N_2


Optimal colours (o) RYGBM of maximum (m) C_{AB} for D50, $Y_w=88,6$

CodeD65	$L^*_{88,6}$	$a^*_{88,6}$	$b^*_{88,6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
R_m 565_770	67.27	63.37	130.3	144.89	0.2547	0.0	64.0	37 589	13 469
Y_m 495_770	92.0	-8.46	106.08	106.42	0.2127	-0.0291	94.5	32 563	12 464
G_o 495_565	72.04	-106.84	74.85	130.45	0.156	-0.0357	144.9	25 525	-1 525c
C_m 380_565	77.04	-72.41	-28.74	77.91	0.1777	-0.0936	201.6	15 477	-1 477c
B_m 380_495	33.75	33.65	-93.73	99.59	0.2504	-0.1723	289.7	12 461	30 552
M_o 575_475	72.81	66.29	-32.59	73.87	0.2539	-0.0965	333.8	-1 517c	23 517
N_o 380_770	0.8	-0.01	0.0	0.01	0.2166	-0.0782	160.1	22 511	-1 511c
W_o 380_770	95.41	0.0	0.0	0.0	0.2166	-0.0782	0.0	-1 517c	-1 511c

1-001130-L0


SE750-7N_2

TUB-test chart SE75; RYCB: 4 maximum colours
XYZ, YABCh, LabCh* data; 2° and 10°, $Y_n=88,6$




1-001130-L0

SE751-1N_2




1-001130-L0

SE751-3N_2




1-001130-L0

SE751-5N_2




1-001130-L0

SE751-7N_2




1-001130-L0

SE751-2N_2




1-001130-L0

SE751-4N_2



1-001130-L0

SE751-6N_2



1-001130-L0

SE751-8N_2

input: w/rgb/cmyk -> w/rgb/cmyk-
output: no change

