

Entree et sortie: Systeme Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou elementaire (e):


HIC*-

code de teinte pour les couleurs
de cette page:

H*- = R00Y-, R25Y-, ..., B75R-

ORS20a; adaptees donnees CIELAB (a)

H*-	L*=L*a	a*	b*	C*ab,a	h*ab,a
R00Y_100_100_	48.4	66.1	40.2	77.3	31
R25Y_100_100_	56.8	48.0	50.5	69.6	46
R50Y_100_100_	68.6	25.0	63.9	68.6	68
R75Y_100_100_	80.6	4.8	77.2	77.3	86
Y00G_100_100_	90.2	-9.6	88.2	88.7	96
Y25G_100_100_	83.2	-18.4	79.9	81.9	102
Y50G_100_100_	73.3	-31.7	62.7	70.2	116
Y75G_100_100_	62.0	-49.7	43.2	65.8	139
G00B_100_100_	55.8	-65.2	33.8	73.4	152
G25B_100_100_	59.3	-50.3	-9.0	51.0	190
G50B_100_100_	63.0	-30.5	-42.0	51.9	234
G75B_100_100_	45.7	-5.7	-44.6	44.9	262
B00R_100_100_	27.5	25.9	-47.3	53.9	298
B25R_100_100_	38.3	52.6	-28.5	59.8	331
B50R_100_100_	49.5	73.5	-9.0	74.0	353
B75R_100_100_	48.9	69.3	12.9	70.4	10



% Gamme

u*rel = 92



% Régularité

g*H,rel = 57

g*C,rel = 58

ORS18a; adaptees donnees CIELAB (a)

Name	L*=L*a	a*	b*	C*ab,a	h*ab,a
R-,Ma	47.9	65.3	50.5	82.6	37
Y-,Ma	90.3	-10.2	91.7	92.3	96
G-,Ma	50.9	-62.8	34.9	71.9	150
C-,Ma	58.6	-30.3	-45.0	54.2	236
B-,Ma	25.7	31.0	-44.4	54.2	305
M-,Ma	48.1	75.2	-8.3	75.7	353
N-,Ma	18.0	0.0	0.0	0.0	0
W-,Ma	95.4	0.0	0.0	0.0	0
R-,CIE	39.9	58.7	27.9	65.0	25
Y-,CIE	81.2	-2.8	71.5	71.6	92
G-,CIE	52.2	-42.4	13.6	44.5	162
B-,CIE	30.5	1.4	-46.4	46.4	271



3-103031-L0

SF070-7N

graphique TUB-SF07; 16 teintes, papier standard de offset
graphique conforme à DIN 33872

entree: rgb/cmyk -> rgb/cmyk
sortie: aucun changement

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /PS
application pour la mesure des sorties sur offset

TUB matériel: code=rha4ta

Entree et sortie: Système Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou èlémentaire (e):


HIC^*_d

code de teinte pour les couleurs
de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adaptées données CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4
R25Y_100_100_d	54.2	52.8	53.7	75.3
R50Y_100_100_d	66.4	28.5	66.7	72.5
R75Y_100_100_d	79.7	5.8	81.0	81.2
Y00G_100_100_d	88.0	-6.8	89.7	90.0
Y25G_100_100_d	81.0	-13.5	78.3	79.5
Y50G_100_100_d	70.6	-26.9	62.2	67.8
Y75G_100_100_d	57.9	-47.3	43.7	64.5
G00B_100_100_d	49.6	-65.0	27.6	70.6
G25B_100_100_d	53.0	-48.2	-10.8	49.4
G50B_100_100_d	57.0	-29.7	-39.8	49.7
G75B_100_100_d	43.1	-6.3	-39.3	39.8
B00R_100_100_d	25.8	26.0	-38.7	46.7
B25R_100_100_d	36.7	56.5	-19.8	59.9
B50R_100_100_d	47.2	78.3	-0.6	78.3
B75R_100_100_d	46.7	74.0	19.0	76.4



% Gamme

$u^*_{rel} = 92$



% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adaptées données CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	46.4	70.3	44.9	83.4
Y _d ,Ma	88.0	-6.8	89.7	90.0
G _d ,Ma	49.6	-65.0	27.6	70.6
C _d ,Ma	57.0	-29.7	-39.8	49.7
B _d ,Ma	25.8	26.0	-38.7	46.7
M _d ,Ma	47.2	78.3	-0.6	78.3
N _d ,Ma	23.6	0.0	0.0	0.0
W _d ,Ma	96.4	0.0	0.0	0.0
R _d ,CIE	39.9	58.7	27.9	65.0
Y _d ,CIE	81.2	-2.8	71.5	71.6
G _d ,CIE	52.2	-42.4	13.6	44.5
B _d ,CIE	30.5	1.4	-46.4	46.4



3-103131-L0

SF070-72

graphique TUB-SF07; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=1, de=0, cmy0*

entrée: $rgb/cmyk \rightarrow rgb_{dd}$

sortie: linearisation 3D selon $cmy0^*_{dd}$

Entree et sortie: Système Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou élémentaire (e):


HIC^*_d

code de teinte pour les couleurs
de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adaptées données CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4
R25Y_100_100_d	54.2	52.8	53.7	75.3
R50Y_100_100_d	66.4	28.5	66.7	72.5
R75Y_100_100_d	79.7	5.8	81.0	81.2
Y00G_100_100_d	88.0	-6.8	89.7	90.0
Y25G_100_100_d	81.0	-13.5	78.3	79.5
Y50G_100_100_d	70.6	-26.9	62.2	67.8
Y75G_100_100_d	57.9	-47.3	43.7	64.5
G00B_100_100_d	49.6	-65.0	27.6	70.6
G25B_100_100_d	53.0	-48.2	-10.8	49.4
G50B_100_100_d	57.0	-29.7	-39.8	49.7
G75B_100_100_d	43.1	-6.3	-39.3	39.8
B00R_100_100_d	25.8	26.0	-38.7	46.7
B25R_100_100_d	36.7	56.5	-19.8	59.9
B50R_100_100_d	47.2	78.3	-0.6	78.3
B75R_100_100_d	46.7	74.0	19.0	76.4



% Gamme

$u^*_{rel} = 92$



% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adaptées données CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	46.4	70.3	44.9	83.4
Y _d ,Ma	88.0	-6.8	89.7	90.0
G _d ,Ma	49.6	-65.0	27.6	70.6
C _d ,Ma	57.0	-29.7	-39.8	49.7
B _d ,Ma	25.8	26.0	-38.7	46.7
M _d ,Ma	47.2	78.3	-0.6	78.3
N _d ,Ma	23.6	0.0	0.0	0.0
W _d ,Ma	96.4	0.0	0.0	0.0
R _d ,CIE	39.9	58.7	27.9	65.0
Y _d ,CIE	81.2	-2.8	71.5	71.6
G _d ,CIE	52.2	-42.4	13.6	44.5
B _d ,CIE	30.5	1.4	-46.4	46.4



3-103231-L0

SF070-72

graphique TUB-SF07; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=1, de=0, cmy0*

entrée: $rgb/cmyk \rightarrow rgb_{dd}$

sortie: linearisation 3D selon $cmy0^*_{dd}$

Entree et sortie: Systeme Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou elémentaire (e):


HIC^*_d

code de teinte pour les couleurs
de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adaptées données CIELAB (a)

H^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4	32
R25Y_100_100_d	54.2	52.8	53.7	75.3	45
R50Y_100_100_d	66.4	28.5	66.7	72.5	66
R75Y_100_100_d	79.7	5.8	81.0	81.2	85
Y00G_100_100_d	88.0	-6.8	89.7	90.0	94
Y25G_100_100_d	81.0	-13.5	78.3	79.5	99
Y50G_100_100_d	70.6	-26.9	62.2	67.8	113
Y75G_100_100_d	57.9	-47.3	43.7	64.5	137
G00B_100_100_d	49.6	-65.0	27.6	70.6	157
G25B_100_100_d	53.0	-48.2	-10.8	49.4	192
G50B_100_100_d	57.0	-29.7	-39.8	49.7	233
G75B_100_100_d	43.1	-6.3	-39.3	39.8	260
B00R_100_100_d	25.8	26.0	-38.7	46.7	303
B25R_100_100_d	36.7	56.5	-19.8	59.9	340
B50R_100_100_d	47.2	78.3	-0.6	78.3	359
B75R_100_100_d	46.7	74.0	19.0	76.4	14



% Gamme

$u^*_{rel} = 92$



% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adaptées données CIELAB (a)

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _d ,Ma	46.4	70.3	44.9	83.4	32
Y _d ,Ma	88.0	-6.8	89.7	90.0	94
G _d ,Ma	49.6	-65.0	27.6	70.6	157
C _d ,Ma	57.0	-29.7	-39.8	49.7	233
B _d ,Ma	25.8	26.0	-38.7	46.7	303
M _d ,Ma	47.2	78.3	-0.6	78.3	359
N _d ,Ma	23.6	0.0	0.0	0.0	0
W _d ,Ma	96.4	0.0	0.0	0.0	0
R _d ,CIE	39.9	58.7	27.9	65.0	25
Y _d ,CIE	81.2	-2.8	71.5	71.6	92
G _d ,CIE	52.2	-42.4	13.6	44.5	162
B _d ,CIE	30.5	1.4	-46.4	46.4	271



3-103331-L0

SF070-72

graphique TUB-SF07; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=1, de=0, $cmY0^*$

entrée: $rgb/cmyk \rightarrow rgb_{dd}$

sortie: linearisation 3D selon $cmY0^*_{dd}$

Entree et sortie: Système Offset Reflective ORS18a

Donnee de couleurs peripherique (d)
ou élémentaire (e):


HIC^*_d

code de teinte pour les couleurs
de cette page:

$H^*_d = R00Y_d, R25Y_d, \dots, B75R_d$

ORS20a; adaptées données CIELAB (a)

H^*_d	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_d	46.4	70.3	44.9	83.4
R25Y_100_100_d	54.2	52.8	53.7	75.3
R50Y_100_100_d	66.4	28.5	66.7	72.5
R75Y_100_100_d	79.7	5.8	81.0	81.2
Y00G_100_100_d	88.0	-6.8	89.7	90.0
Y25G_100_100_d	81.0	-13.5	78.3	79.5
Y50G_100_100_d	70.6	-26.9	62.2	67.8
Y75G_100_100_d	57.9	-47.3	43.7	64.5
G00B_100_100_d	49.6	-65.0	27.6	70.6
G25B_100_100_d	53.0	-48.2	-10.8	49.4
G50B_100_100_d	57.0	-29.7	-39.8	49.7
G75B_100_100_d	43.1	-6.3	-39.3	39.8
B00R_100_100_d	25.8	26.0	-38.7	46.7
B25R_100_100_d	36.7	56.5	-19.8	59.9
B50R_100_100_d	47.2	78.3	-0.6	78.3
B75R_100_100_d	46.7	74.0	19.0	76.4



% Gamme

$u^*_{rel} = 92$



% Régularité

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS20a; adaptées données CIELAB (a)

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _{d, Ma}	46.4	70.3	44.9	83.4
Y _{d, Ma}	88.0	-6.8	89.7	90.0
G _{d, Ma}	49.6	-65.0	27.6	70.6
C _{d, Ma}	57.0	-29.7	-39.8	49.7
B _{d, Ma}	25.8	26.0	-38.7	46.7
M _{d, Ma}	47.2	78.3	-0.6	78.3
N _{d, Ma}	23.6	0.0	0.0	0.0
W _{d, Ma}	96.4	0.0	0.0	0.0
R _{d, CIE}	39.9	58.7	27.9	65.0
Y _{d, CIE}	81.2	-2.8	71.5	71.6
G _{d, CIE}	52.2	-42.4	13.6	44.5
B _{d, CIE}	30.5	1.4	-46.4	46.4




3-103431-L0

SF070-72

graphique TUB-SF07; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=1, de=0, cmy0*


entrée: rgb/cmyk -> rgb_{dd}

sortie: linearisation 3D selon cmy0*_{dd}




entrée: *rgb/cmyk* -> *rgb_{dd}*
sortie: linearisation 3D selon *cmy0**_{dd}

graphique TUB-SF07; 16 teintes, papier standard de offset
graphique conforme à DIN 33872, 3D=1, de=0, *cmy0**



3-103531-E0

SF070-72



http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 6/33



voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$J=Y_d$

$LCH^*_d = 88.0 \ 90.0 \ 94.3$

$LAB^*_d = 88.0 \ -6.8 \ 89.7$

$rgb^*_d = 1.0 \ 1.0 \ 0.0$

$L=G_d$

$LCH^*_d = 49.6 \ 70.6 \ 157.0$

$LAB^*_d = 49.6 \ -65.0 \ 27.6$

$rgb^*_d = 0.0 \ 1.0 \ 0.0$

$C=C_d$

$LCH^*_d = 57.0 \ 49.7 \ 233.2$

$LAB^*_d = 57.0 \ -29.7 \ -39.8$

$rgb^*_d = 0.0 \ 1.0 \ 1.0$

$O=R_d$

$LCH^*_d = 46.4 \ 83.4 \ 32.5$

$LAB^*_d = 46.4 \ 70.3 \ 44.9$

$rgb^*_d = 1.0 \ 0.0 \ 0.0$

$M=M_d$

$LCH^*_d = 47.2 \ 78.3 \ 359.5$

$LAB^*_d = 47.2 \ 78.3 \ -0.6$

$rgb^*_d = 1.0 \ 0.0 \ 1.0$

$V=B_d$

$LCH^*_d = 25.8 \ 46.7 \ 303.9$

$LAB^*_d = 25.8 \ 26.0 \ -38.7$

$rgb^*_d = 0.0 \ 0.0 \ 1.0$

Y_e

$LCH^*_e = 85.8 \ 87.5 \ 92.3$

$LAB^*_e = 85.8 \ -3.5 \ 87.4$

$rgb^*_{de} = 1.0 \ 0.93 \ 0.0$

G_e

$LCH^*_e = 50.3 \ 65.8 \ 162.2$

$LAB^*_e = 50.3 \ -62.6 \ 20.1$

$rgb^*_{de} = 0.0 \ 1.0 \ 0.112$

C_e

$LCH^*_e = 55.4 \ 47.3 \ 216.9$

$LAB^*_e = 55.4 \ -37.8 \ -28.4$

$rgb^*_{de} = 0.0 \ 1.0 \ 0.767$

B_e

$LCH^*_e = 38.7 \ 38.9 \ 271.7$

$LAB^*_e = 38.7 \ 1.1 \ -38.9$

$rgb^*_{de} = 0.0 \ 0.38 \ 1.0$

R_e

$LCH^*_e = 46.6 \ 79.2 \ 25.4$

$LAB^*_e = 46.6 \ 71.5 \ 34.1$

$rgb^*_{de} = 1.0 \ 0.0 \ 0.219$

M_e

$LCH^*_e = 31.5 \ 53.5 \ 328.6$

$LAB^*_e = 31.5 \ 45.7 \ -27.9$

$rgb^*_{de} = 0.319 \ 0.0 \ 1.0$

Y_s

$LCH^*_s = 83.5 \ 84.9 \ 90.0$

$LAB^*_s = 83.5 \ 0.0 \ 84.9$

$rgb^*_{ds} = 1.0 \ 0.86 \ 0.0$

G_s

$LCH^*_s = 52.7 \ 66.4 \ 150.0$

$LAB^*_s = 52.7 \ -57.5 \ 33.2$

$rgb^*_{ds} = 0.083 \ 1.0 \ 0.0$

R_s

$LCH^*_s = 46.5 \ 81.7 \ 30.0$

$LAB^*_s = 46.5 \ 70.7 \ 40.8$

$rgb^*_{ds} = 1.0 \ 0.0 \ 0.084$

M_s

$LCH^*_s = 32.0 \ 54.2 \ 330.0$

$LAB^*_s = 32.0 \ 46.9 \ -27.1$

$rgb^*_{ds} = 0.334 \ 0.0 \ 1.0$

B_s

$LCH^*_s = 39.4 \ 39.0 \ 270.0$

$LAB^*_s = 39.4 \ 0.0 \ -39.0$

$rgb^*_{ds} = 0.0 \ 0.399 \ 1.0$

$(a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)$

$rgb^*_d, LCH^*_d, LAB^*_d$

$h_{ab,i} rgb^*_i$

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$

$h_{ab,s}$

$s: h_{ab,i} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0 (i=0,6)$

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$

$h_{ab,e}$

$e: h_{ab,i} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5 (i=0,6)$

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$

$h_{ab,i}, h_{ab,d}$

rgb^*_{de}

3-103631-L0

SF070-72

$LAB^*_{la0}, YN=0\%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB^*_{nw}=23.6, 0.0, 0.0, 96.5, 0.0, 0.0$

sortie: Offset standard print; separation cmy0*, D65, page 7/33

graphique TUB-SF07; 16 teintes, papier standard de offset

entrée: $rgb/cmyk \rightarrow rgb_{dd}$

cercle de teinte, 48 étapes; $rgb-LabCh^*$ tables, 3D=1, de=0, cmy0*

linearisation 3D selon $cmy0^*_{dd}$

3-103631-F0

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.HTM>
 informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik/>

Data of Maximum color M in colorimetric system Offset standard print; separation cmY0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBCM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$; Six hue angles of the device colours $RYGBCM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGBCM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

<i>h</i> _{ab}	<i>h</i> _{ab}	<i>h</i> _{ab}	<i>rgb</i> * _{dd64M}	<i>LAB</i> * _{ddx64M (x=LabCh)}	<i>rgb</i> * _{ddx361M}	<i>LAB</i> * _{ddx361M (x=LabCh)}	<i>rgb</i> * _{dsx361M}	<i>LAB</i> * _{dsx361M (x=LabCh)}	<i>rgb</i> * _{dex361M}	<i>LAB</i> * _{dex361M}																	
32.5	30.0	25.4	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5	1.0	0.0	0.084	46.5	70.8	40.9	81.7	30	1.0	0.0	0.219	46.6	71.6	34.1	79.3	25	
38.1	37.5	33.8	1.0	0.125	0.0	49.9	62.1	48.7	79.0	38.1	1.0	0.099	0.0	49.2	63.8	48.1	79.9	37	1.0	0.016	0.0	46.9	69.3	45.5	82.9	33	
46.5	45.0	42.1	1.0	0.25	0.0	54.8	51.4	54.3	74.8	46.5	1.0	0.226	0.0	53.9	53.5	53.5	75.6	45	1.0	0.185	0.0	52.3	57.1	51.7	77.0	42	
56.7	52.5	50.5	1.0	0.375	0.0	60.5	39.6	60.5	72.3	56.7	1.0	0.316	0.0	57.9	45.3	57.9	73.5	52	1.0	0.292	0.0	56.7	47.6	56.7	74.0	49	
66.8	60.0	58.8	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8	1.0	0.415	0.0	62.4	36.2	62.7	72.4	60	1.0	0.401	0.0	61.7	37.4	62.0	72.4	58	
77.9	67.5	67.2	1.0	0.625	0.0	73.5	15.9	74.3	76.0	77.9	1.0	0.617	0.0	73.1	16.8	73.9	75.8	77	1.0	0.498	0.0	66.3	28.7	66.6	72.6	66	
85.1	75.0	75.6	1.0	0.75	0.0	79.1	6.8	80.2	80.5	85.1	1.0	0.75	0.0	79.1	6.8	80.3	80.6	85	1.0	0.599	0.0	72.0	18.7	73.0	75.3	75	
90.6	82.5	83.9	1.0	0.875	0.0	84.1	-0.9	85.5	85.5	90.6	1.0	0.867	0.0	83.8	-0.3	85.2	85.2	90	1.0	0.695	0.0	77.8	9.1	78.9	79.5	83	
94.3	90.0	92.3	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3	1.0	1.0	0.0	88.1	-6.8	89.8	90.0	94	1.0	0.93	0.0	85.9	-3.4	87.5	87.5	92	
97.1	97.5	101.0	0.875	1.0	0.0	84.5	-10.3	82.8	83.5	97.1	0.883	1.0	0.0	84.8	-10.0	83.3	84.0	96	0.745	1.0	0.0	80.4	-14.2	77.5	78.8	100	
100.2	105.0	109.7	0.75	1.0	0.0	80.5	-14.0	77.6	78.9	100.2	0.75	1.0	0.0	80.6	-13.9	77.7	78.9	100	0.561	1.0	0.0	73.3	-24.1	67.3	71.6	109	
106.0	112.5	118.5	0.625	1.0	0.0	75.9	-20.8	72.5	75.5	106.0	0.633	1.0	0.0	76.3	-20.3	72.9	75.7	105	0.43	1.0	0.0	67.8	-30.8	58.2	65.8	117	
113.3	120.0	127.2	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3	0.5	1.0	0.0	70.7	-26.8	62.3	67.8	113	0.325	1.0	0.0	62.7	-38.9	51.2	64.3	127	
121.5	127.5	136.0	0.375	1.0	0.0	65.4	-33.6	54.7	64.2	121.5	0.383	1.0	0.0	65.8	-33.1	55.2	64.5	121	0.254	1.0	0.0	58.7	-45.9	45.3	64.5	135	
135.8	135.0	144.7	0.25	1.0	0.0	58.4	-46.3	44.9	64.5	135.8	0.25	1.0	0.0	58.5	-46.2	44.9	64.5	135	0.146	1.0	0.0	54.9	-52.5	37.2	64.4	144	
146.5	142.5	153.4	0.125	1.0	0.0	54.2	-53.6	35.4	64.3	146.5	0.133	1.0	0.0	54.5	-53.2	36.2	64.4	145	0.049	1.0	0.0	51.5	-60.6	31.1	68.2	152	
157.0	150.0	162.2	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0	0.0	1.0	0.0	49.7	-65.0	27.6	70.7	157	0.0	1.0	0.112	50.4	-62.6	20.1	65.8	162	
162.8	157.5	169.0	0.0	1.0	0.125	50.4	-62.3	19.2	65.2	162.8	0.0	1.0	0.117	50.4	-62.5	19.8	65.7	162	0.0	1.0	0.218	51.0	-59.5	12.0	60.8	168	
170.5	165.0	175.9	0.0	1.0	0.25	51.1	-58.4	9.7	59.2	170.5	0.0	1.0	0.25	51.1	-58.4	9.7	59.3	170	0.0	1.0	0.315	51.6	-56.1	4.0	56.4	175	
180.7	172.5	182.7	0.0	1.0	0.375	52.0	-53.7	-0.7	53.7	180.7	0.0	1.0	0.367	52.0	-54.0	0.0	54.1	180	0.0	1.0	0.391	52.2	-53.0	-2.0	53.2	182	
192.6	180.0	189.6	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6	0.0	1.0	0.5	53.1	-48.2	-10.7	49.5	192	0.0	1.0	0.468	52.8	-49.7	-8.3	50.5	189	
204.6	187.5	196.4	0.0	1.0	0.625	54.2	-43.2	-19.8	47.5	204.6	0.0	1.0	0.617	54.1	-43.5	-19.2	47.7	203	0.0	1.0	0.535	53.4	-46.9	-13.4	48.9	195	
215.7	195.0	203.2	0.0	1.0	0.75	55.3	-38.3	-27.5	47.2	215.7	0.0	1.0	0.75	55.4	-38.2	-27.5	47.2	215	0.0	1.0	0.611	54.1	-43.8	-18.8	47.8	203	
224.8	202.5	210.1	0.0	1.0	0.875	56.1	-34.1	-33.9	48.1	224.8	0.0	1.0	0.867	56.1	-34.3	-33.4	48.1	224	0.0	1.0	0.682	54.7	-41.1	-23.4	47.4	209	
233.2	210.0	216.9	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2	0.0	1.0	1.0	57.0	-29.6	-39.8	49.8	233	0.0	1.0	0.767	55.5	-37.7	-28.4	47.4	216	
237.7	217.5	223.8	0.0	0.875	1.0	54.2	-25.1	-39.8	47.1	237.7	0.0	0.883	1.0	54.5	-25.3	-39.8	47.3	237	0.0	1.0	0.855	56.0	-34.8	-32.8	48.0	223	
243.5	225.0	230.6	0.0	0.75	1.0	50.9	-19.7	-39.7	44.3	243.5	0.0	0.75	1.0	50.9	-19.7	-39.7	44.4	243	0.0	1.0	0.961	56.8	-31.1	-38.0	49.3	230	
249.9	232.5	237.5	0.0	0.625	1.0	47.6	-14.3	-39.4	42.0	249.9	0.0	0.633	1.0	47.9	-14.6	-39.4	42.2	249	0.0	0.895	1.0	54.7	-25.8	-39.8	47.6	237	
260.8	240.0	244.3	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8	0.0	0.5	1.0	43.1	-6.2	-39.2	39.8	260	0.0	0.734	1.0	50.5	-19.0	-39.7	44.1	244	
272.2	247.5	251.2	0.0	0.375	1.0	38.5	1.5	-38.8	38.9	272.2	0.0	0.383	1.0	38.8	1.0	-38.9	39.0	271	0.0	0.616	1.0	47.3	-13.7	-39.4	41.9	250	
284.2	255.0	258.0	0.0	0.25	1.0	34.1	9.8	-38.8	40.0	284.2	0.0	0.25	1.0	34.1	9.9	-38.7	40.1	284	0.0	0.532	1.0	44.3	-8.3	-39.4	40.4	255	
295.4	262.5	264.8	0.0	0.125	1.0	29.5	18.5	-38.8	43.0	295.4	0.0	0.133	1.0	29.8	17.9	-38.8	42.9	294	0.0	0.461	1.0	41.7	-3.7	-39.3	39.5	268	
303.9	270.0	271.7	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9	0.0	0.0	1.0	25.9	26.1	-38.7	46.7	303	0.0	0.48	1.0	39.4	0.0	-39.0	39.1	270	
312.9	277.5	278.8	0.125	0.0	1.0	28.4	32.6	-35.0	47.9	312.9	0.117	0.0	1.0	28.3	32.2	-35.3	47.8	312	0.0	0.311	1.0	36.3	5.8	-39.0	39.5	278	
322.0	285.0	285.9	0.25	0.0	1.0	29.2	39.8	-31.1	50.6	322.0	0.25	0.0	1.0	29.3	39.9	-31.1	50.6	322	0.0	0.231	1.0	33.4	11.1	-38.9	40.5	285	
333.8	292.5	293.0	0.375	0.0	1.0	33.3	50.2	-24.6	55.9	333.8	0.367	0.0	1.0	33.1	49.6	-25.1	55.6	333	0.0	0.157	1.0	30.7	16.2	-38.9	42.3	292	
340.6	300.0	300.1	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6	0.5	0.0	1.0	36.8	56.6	-19.8	60.0	340	0.0	0.055	1.0	27.5	22.7	-38.9	45.1	300	
348.4	307.5	307.2	0.625	0.0	1.0	39.1	64.4	-13.1	65.7	348.4	0.617	0.0	1.0	39.0	64.0	-13.5	65.4	347	0.0	0.04	0.0	1.0	26.7	28.2	-37.6	47.1	306
353.1	315.0	314.3	0.75	0.0	1.0	42.7	70.0	-8.4	70.5	353.1	0.75	0.0	1.0	42.8	70.0	-8.3	70.5	353	0.145	0.0	1.0	28.6	33.8	-34.5	48.4	314	
356.0	322.5	321.4	0.875	0.0	1.0	45.4	73.8	-5.1	74.0	356.0	0.867	0.0	1.0	45.3	73.6	-5.3	73.8	355	0.236	0.0	1.0	29.2	39.1	-31.6	50.3	321	
359.5	330.0	328.6	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5	1.0	0.0	1.0	47.2	78.4	-0.5	78.4	359	0.319	0.0	1.0	31.5	45.7	-27.8	53.6	328	
362.6	337.5	335.7	1.0	0.0	0.875	47.0	77.4	3.5	77.4	362.6	1.0	0.0	0.883	47.1	77.5	3.3	77.5	362	0.4	0.0	1.0	34.0	51.6	-23.7	56.8	335	
365.8	340.0	342.8	1.0	0.0	0.75	46.9	76.3	7.8	76.7	365.8	1.0	0.0	0.75	47.0	76.4	7.9	76.8	365	0.535	0.0	1.0	37.5	58.8	-18.1	61.6	342	
370.0	345.0	349.9	1.0	0.0	0.625	46.9	75.1	13.2	76.2	370.0	1.0	0.0	0.633	46.9	75.2	12.9	76.3	369	0.651	0.0	1.0	39.9	65.6	-12.1	66.8	349	
374.4	360.0	357.0	1.0	0.0	0.5	46.7	74.0	19.0	76.4	374.4	1.0	0.0	0.5	46.8	74.0	19.0	76.4	374	0.721	0.0	1.0	41.9	68.8	-9.5	69.4	352	
379.4	367.5	364.1	1.0	0.0	0.375	46.9	72.4	25.6	76.8	379.4	1.0	0.0	0.383	46.9	72.6	25.2	76.8	379	1.0	0.0	0.987	47.2	78.3	-0.1	78.3	359	
384.4	375.0	371.2	1.0	0.0	0.25	46.6	71.6	32.5	78.7	384.4	1.0	0.0	0.25	46.6	71.7	32.6	78.7	384	1.0	0.0	0.663	47.0	75.5	11.7	76.4	366	
388.7	382.5	378.3	1.0	0.0	0.125	46.5	70.9	38.9	80.9	388.7	1.0	0.0	0.133	46.6	71.0	38.5	80.8	388	1.0	0.0	0.447	46.8	73.4	21.8	76.6	378	
392.5	390.0	385.4	1.0	0.0	0.0	46.4	70.3	44.9	83.4	392.5	1.0	0.0	0.0	46.4	70.3	44.9	83.4	392	1.0	0.0	0.219	46.6	71.6	34.1	79.3	381	

sortie: Offset standard print; separation cmy0*, D65, page 8/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: *rgb/cmyk* → *rgb_{dd}*
cercle de teinte, 48 étapes; *rgb-LabCh** tables, 3D=1, de=0, *src0**: linearisation 3D selon

entrée: $rgb/cmyk \rightarrow rgb_{dd}$
 sortie: linearisation 3D selon $cmy0^*_{dd}$

3-103731-FO

3-103731-FO

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* dd64M	LAB* ddx64M (x=LabCh)	rgb* dex361M	LAB* dex361M	rgb* dd rgb* ds rgb* de
32.5	30.0	25.4	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5	1.0 0.0 0.219 46.6 71.6 34.1 79.3 25		
38.1	37.5	33.8	1.0 0.125 0.0	49.9 62.1 48.7 79.0 38.1	1.0 0.016 0.0 46.9 69.3 45.5 82.9 33		
46.5	45.0	42.1	1.0 0.25 0.0	54.8 51.4 54.3 74.8 46.5	1.0 0.185 0.0 52.3 57.1 51.7 77.0 42		
56.7	52.5	50.5	1.0 0.375 0.0	60.5 39.6 60.5 72.3 56.7	1.0 0.292 0.0 56.7 47.6 56.7 74.0 49		
66.8	60.0	58.8	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8	1.0 0.401 0.0 61.7 37.4 62.0 72.4 58		
77.9	67.5	67.2	1.0 0.625 0.0	73.5 15.9 74.3 76.0 77.9	1.0 0.498 0.0 66.3 28.7 66.6 72.6 66		
85.1	75.0	75.6	1.0 0.75 0.0	79.1 6.8 80.2 80.5 85.1	1.0 0.599 0.0 72.0 18.7 73.0 75.3 75		
90.6	82.5	83.9	1.0 0.875 0.0	84.1 -0.9 85.5 85.5 90.6	1.0 0.72 0.0 77.8 9.1 78.9 79.5 83		
94.3	90.0	92.3	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3	1.0 0.93 0.0 85.9 -3.4 87.5 87.5 92		
97.1	97.5	101.0	0.875 1.0 0.0	84.5 -10.3 82.8 83.5 97.1	0.745 1.0 0.0 80.4 -14.2 77.5 78.8 100		
100.2	105.0	109.7	0.75 1.0 0.0	80.5 -14.0 77.6 78.9 100.2	0.561 1.0 0.0 73.3 -24.1 67.3 71.6 109		
106.0	112.5	118.5	0.625 1.0 0.0	75.9 -20.8 72.5 75.5 106.0	0.43 1.0 0.0 67.8 -30.8 58.2 65.8 117		
113.3	120.0	127.2	0.5 1.0 0.0	70.6 -26.9 62.2 67.8 113.3	0.325 1.0 0.0 62.7 -38.9 51.2 64.3 127		
121.5	127.5	136.0	0.375 1.0 0.0	65.4 -33.6 54.7 64.2 121.5	0.254 1.0 0.0 58.7 -45.9 45.3 64.5 135		
135.8	135.0	144.7	0.25 1.0 0.0	58.4 -46.3 44.9 64.5 135.8	0.146 1.0 0.0 54.9 -52.5 37.2 64.4 144		
146.5	142.5	153.4	0.125 1.0 0.0	54.2 -53.6 35.4 64.3 146.5	0.049 1.0 0.0 51.5 -60.6 31.1 68.2 152		
157.0	150.0	162.2	0.0 1.0 0.0	49.6 -65.0 27.6 70.6 157.0	0.0 1.0 0.112 50.4 -62.6 20.1 65.8 162		
162.8	157.5	169.0	0.0 1.0 0.125 50.4	-62.3 19.2 65.2 162.8	0.0 1.0 0.218 51.0 -59.5 12.0 60.8 168		
170.5	165.0	175.9	0.0 1.0 0.25 51.1	-58.4 9.7 59.2 170.5	0.0 1.0 0.315 51.6 -56.1 4.0 56.4 175		
180.7	172.5	182.7	0.0 1.0 0.375 52.0	-53.7 -0.7 53.7 180.7	0.0 1.0 0.391 52.2 -53.0 -2.0 53.2 182		
192.6	180.0	189.6	0.0 1.0 0.5 53.0	-48.2 -10.8 49.4 192.6	0.0 1.0 0.468 52.8 -49.7 -8.3 50.5 189		
204.6	187.5	196.4	0.0 1.0 0.625 54.2	-43.2 -19.8 47.5 204.6	0.0 1.0 0.535 53.4 -46.9 -13.4 48.9 195		
215.7	195.0	203.2	0.0 1.0 0.75 55.3	-38.3 -27.5 47.2 215.7	0.0 1.0 0.611 54.1 -43.8 -18.8 47.8 203		
224.8	202.5	210.1	0.0 1.0 0.875 56.1	-34.1 -33.9 48.1 224.8	0.0 1.0 0.682 54.7 -41.1 -23.4 47.4 209		
233.2	210.0	216.9	0.0 1.0 1.0 57.0	-29.7 -39.8 49.7 233.2	0.0 1.0 0.767 55.5 -37.7 -28.4 47.4 216		
237.7	217.5	223.8	0.0 0.875 1.0 54.2	-25.1 -39.8 47.1 237.7	0.0 1.0 0.855 56.0 -34.8 -32.8 48.0 223		
243.5	225.0	230.6	0.0 0.75 1.0 50.9	-19.7 -39.7 44.3 243.5	0.0 1.0 0.961 56.8 -31.1 -38.0 49.3 230		
249.9	232.5	237.5	0.0 0.625 1.0 47.6	-14.3 -39.4 42.0 249.9	0.0 0.895 1.0 54.7 -25.8 -39.8 47.6 237		
260.8	240.0	244.3	0.0 0.5 1.0 43.1	-6.3 -39.3 39.8 260.8	0.0 0.734 1.0 50.5 -19.0 -39.7 44.1 244		
272.2	247.5	251.2	0.0 0.375 1.0 38.5	1.5 -38.8 38.9 272.2	0.0 0.616 1.0 47.3 -13.7 -39.4 41.9 250		
284.2	255.0	258.0	0.0 0.25 1.0 34.1	9.8 -38.8 40.0 284.2	0.0 0.532 1.0 44.3 -8.3 -39.4 40.4 258		
295.4	262.5	264.8	0.0 0.125 1.0 29.5	18.5 -38.8 43.0 295.4	0.0 0.461 1.0 41.7 -3.7 -39.3 39.5 264		
303.9	270.0	271.7	0.0 0.0 1.0 25.8	26.0 -38.7 46.7 303.9	0.0 0.381 1.0 38.7 1.2 -38.8 39.0 271		
312.9	277.5	278.8	0.125 0.0 1.0 28.4	32.6 -35.0 47.9 312.9	0.0 0.311 1.0 36.3 5.8 -39.0 39.5 278		
322.0	285.0	285.9	0.25 0.0 1.0 29.2	39.8 -31.1 50.6 322.0	0.0 0.231 1.0 33.4 11.1 -38.9 40.5 285		
333.8	292.5	293.0	0.375 0.0 1.0 33.3	50.2 -24.6 55.9 333.8	0.0 0.157 1.0 30.7 16.2 -38.9 42.3 292		
340.6	300.0	300.1	0.5 0.0 1.0 36.7	56.5 -19.8 59.9 340.6	0.0 0.055 1.0 27.5 22.7 -38.9 45.1 300		
348.4	307.5	307.2	0.625 0.0 1.0 39.1	64.4 -13.1 65.7 348.4	0.04 0.0 1.0 26.7 28.2 -37.6 47.1 306		
353.1	315.0	314.3	0.75 0.0 1.0 42.7	70.0 -8.4 70.5 353.1	0.145 0.0 1.0 28.6 33.8 -34.5 48.4 314		
356.0	322.5	321.4	0.875 0.0 1.0 45.4	73.8 -5.1 74.0 356.0	0.236 0.0 1.0 29.2 39.1 -31.6 50.3 321		
359.5	330.0	328.6	1.0 0.0 1.0 47.2	78.3 -0.6 78.3 359.5	0.319 0.0 1.0 31.5 45.7 -27.8 53.6 328		
362.6	337.5	335.7	1.0 0.0 0.875 47.0	77.4 3.5 77.4 362.6	0.4 0.0 1.0 34.0 51.6 -23.7 56.8 335		
365.8	345.0	342.8	1.0 0.0 0.75 46.9	76.3 7.8 76.7 365.8	0.535 0.0 1.0 37.5 58.8 -18.1 61.6 342		
370.0	352.5	349.9	1.0 0.0 0.625 46.9	75.1 13.2 76.2 370.0	0.651 0.0 1.0 39.9 65.6 -12.1 66.8 349		
374.4	360.0	357.0	1.0 0.0 0.5 46.7	74.0 19.0 76.4 374.4	0.721 0.0 1.0 41.9 68.8 -9.5 69.4 352		
379.4	367.5	364.1	1.0 0.0 0.375 46.9	72.4 25.6 76.8 379.4	1.0 0.0 0.987 47.2 78.3 -0.1 78.3 359		
384.4	375.0	371.2	1.0 0.0 0.25 46.6	71.6 32.5 78.7 384.4	1.0 0.0 0.663 47.0 75.5 11.7 76.4 368		
388.7	382.5	378.3	1.0 0.0 0.125 46.5	70.9 38.9 80.9 388.7	1.0 0.0 0.447 46.8 73.4 21.8 76.6 376		
392.5	390.0	385.4	1.0 0.0 0.0 46.4	70.3 44.9 83.4 392.5	1.0 0.0 0.219 46.6 71.6 34.1 79.3 385		

3-103831-L0

SF070-72

LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

sortie: Offset standard print; separation cmy0*, D65, page 9/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_{dd}$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=1, de=0, cmy0*: linearisation 3D selon cmy0*
cmy0*

3-103831-F0

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT> /PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /PS
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)
TUB matériel: code=rh4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi} (x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
32	30	25	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32		1.0 0.0 0.084 46.5 70.8 40.9 81.7 30		1.0 0.0 0.0	1.0 0.0 0.219 46.6 71.6 34.1 79.3 25		1.0 0.0 0.0					
33	31	26	1.0 0.016 0.0	46.8 69.2 45.5 82.8 33		1.0 0.0 0.052 46.5 70.6 42.4 82.4 31		1.0 0.017 0.0	1.0 0.0 0.187 46.6 71.4 35.7 79.8 26		1.0 0.017 0.0					
34	32	27	1.0 0.033 0.0	47.3 68.1 46.0 82.2 34		1.0 0.0 0.019 46.4 70.4 44.0 83.1 32		1.0 0.033 0.0	1.0 0.0 0.155 46.6 71.2 37.4 80.4 27		1.0 0.033 0.0					
34	33	28	1.0 0.05 0.0	47.8 67.0 46.6 81.6 34		1.0 0.009 0.0 46.7 69.7 45.3 83.1 33		1.0 0.05 0.0	1.0 0.0 0.123 46.6 70.9 39.0 81.0 28		1.0 0.05 0.0					
35	34	29	1.0 0.066 0.0	48.3 65.9 47.1 81.0 35		1.0 0.032 0.0 47.3 68.2 46.0 82.3 34		1.0 0.067 0.0	1.0 0.0 0.086 46.5 70.8 40.8 81.7 29		1.0 0.067 0.0					
36	35	31	1.0 0.083 0.0	48.7 64.8 47.6 80.4 36		1.0 0.054 0.0 48.0 66.8 46.8 81.5 35		1.0 0.083 0.0	1.0 0.0 0.05 46.5 70.6 42.5 82.4 31		1.0 0.083 0.0					
37	36	32	1.0 0.1 0.0	49.2 63.7 48.1 79.8 37		1.0 0.077 0.0 48.6 65.3 47.4 80.7 36		1.0 0.1 0.0	1.0 0.0 0.014 46.4 70.4 44.3 83.2 32		1.0 0.1 0.0					
37	37	33	1.0 0.116 0.0	49.7 62.6 48.5 79.2 37		1.0 0.099 0.0 49.2 63.8 48.1 79.9 37		1.0 0.117 0.0	1.0 0.016 0.0 46.9 69.3 45.5 82.9 33		1.0 0.117 0.0					
38	38	34	1.0 0.133 0.0	50.2 61.4 49.2 78.7 38		1.0 0.122 0.0 49.9 62.3 48.7 79.1 38		1.0 0.133 0.0	1.0 0.041 0.0 47.6 67.7 46.3 82.0 34		1.0 0.133 0.0					
39	39	35	1.0 0.15 0.0	50.9 60.0 50.0 78.1 39		1.0 0.138 0.0 50.5 61.1 49.5 78.6 39		1.0 0.15 0.0	1.0 0.066 0.0 48.3 66.0 47.1 81.1 35		1.0 0.15 0.0					
40	40	36	1.0 0.166 0.0	51.6 58.5 50.8 77.6 40		1.0 0.152 0.0 51.0 59.8 50.2 78.1 40		1.0 0.167 0.0	1.0 0.091 0.0 49.0 64.4 47.8 80.2 36		1.0 0.167 0.0					
42	41	37	1.0 0.183 0.0	52.2 57.1 51.6 77.0 42		1.0 0.167 0.0 51.6 58.6 50.9 77.6 41		1.0 0.183 0.0	1.0 0.116 0.0 49.7 62.7 48.5 79.3 37		1.0 0.183 0.0					
43	42	38	1.0 0.2 0.0	52.9 55.7 52.3 76.4 43		1.0 0.182 0.0 52.2 57.3 51.6 77.1 42		1.0 0.2 0.0	1.0 0.135 0.0 50.4 61.3 49.3 78.7 38		1.0 0.2 0.0					
44	43	39	1.0 0.216 0.0	53.5 54.3 53.0 75.9 44		1.0 0.197 0.0 52.8 56.0 52.2 76.6 43		1.0 0.217 0.0	1.0 0.152 0.0 51.0 59.9 50.2 78.1 39		1.0 0.217 0.0					
45	44	41	1.0 0.233 0.0	54.2 52.8 53.7 75.3 45		1.0 0.212 0.0 53.4 54.7 52.9 76.1 44		1.0 0.233 0.0	1.0 0.168 0.0 51.7 58.5 51.0 77.6 41		1.0 0.233 0.0					
46	45	42	1.0 0.25 0.0	54.8 51.4 54.3 74.8 46		1.0 0.226 0.0 53.9 53.5 53.5 75.6 45		1.0 0.25 0.0	1.0 0.185 0.0 52.3 57.1 51.7 77.0 42		1.0 0.25 0.0					
47	46	43	1.0 0.266 0.0	55.6 49.8 55.3 74.4 47		1.0 0.241 0.0 54.5 52.2 54.0 75.1 46		1.0 0.267 0.0	1.0 0.201 0.0 53.0 55.6 52.4 76.4 43		1.0 0.267 0.0					
49	47	44	1.0 0.283 0.0	56.3 48.3 56.2 74.1 49		1.0 0.255 0.0 55.1 51.0 54.6 74.7 47		1.0 0.283 0.0	1.0 0.218 0.0 53.6 54.2 53.1 75.9 44		1.0 0.283 0.0					
50	48	45	1.0 0.3 0.0	57.1 46.7 57.1 73.8 50		1.0 0.267 0.0 55.6 49.8 55.3 74.5 48		1.0 0.3 0.0	1.0 0.234 0.0 54.2 52.8 53.8 75.3 45		1.0 0.3 0.0					
52	49	46	1.0 0.316 0.0	57.8 45.2 57.9 73.5 52		1.0 0.279 0.0 56.2 48.7 56.0 74.2 49		1.0 0.317 0.0	1.0 0.251 0.0 54.9 51.4 54.4 74.8 46		1.0 0.317 0.0					
53	50	47	1.0 0.333 0.0	58.6 43.6 58.7 73.1 53		1.0 0.292 0.0 56.7 47.6 56.7 74.0 50		1.0 0.333 0.0	1.0 0.264 0.0 55.5 50.1 55.2 74.5 47		1.0 0.333 0.0					
54	51	48	1.0 0.35 0.0	59.3 42.0 59.4 72.8 54		1.0 0.304 0.0 57.3 46.4 57.3 73.8 51		1.0 0.35 0.0	1.0 0.278 0.0 56.1 48.8 55.9 74.3 48		1.0 0.35 0.0					
56	52	49	1.0 0.366 0.0	60.1 40.4 60.2 72.5 56		1.0 0.316 0.0 57.9 45.3 57.9 73.5 52		1.0 0.367 0.0	1.0 0.292 0.0 56.7 47.6 56.7 74.0 49		1.0 0.367 0.0					
57	53	51	1.0 0.383 0.0	60.9 38.9 61.0 72.3 57		1.0 0.328 0.0 58.4 44.1 58.5 73.3 53		1.0 0.383 0.0	1.0 0.305 0.0 57.4 46.3 57.4 73.7 51		1.0 0.383 0.0					
58	54	52	1.0 0.4 0.0	61.6 37.4 61.9 72.4 58		1.0 0.341 0.0 59.0 42.9 59.1 73.0 54		1.0 0.4 0.0	1.0 0.319 0.0 58.0 45.0 58.1 73.5 52		1.0 0.4 0.0					
60	55	53	1.0 0.416 0.0	62.4 36.0 62.8 72.4 60		1.0 0.353 0.0 59.5 41.8 59.6 72.8 55		1.0 0.417 0.0	1.0 0.332 0.0 58.6 43.7 58.7 73.2 53		1.0 0.417 0.0					
61	56	54	1.0 0.433 0.0	63.2 34.5 63.6 72.4 61		1.0 0.365 0.0 60.1 40.6 60.1 72.6 56		1.0 0.433 0.0	1.0 0.346 0.0 59.2 42.4 59.3 72.9 54		1.0 0.433 0.0					
62	57	55	1.0 0.45 0.0	64.0 33.0 64.4 72.4 62		1.0 0.378 0.0 60.6 39.4 60.7 72.4 57		1.0 0.45 0.0	1.0 0.36 0.0 59.8 41.1 59.9 72.7 55		1.0 0.45 0.0					
64	58	56	1.0 0.466 0.0	64.8 31.5 65.2 72.5 64		1.0 0.39 0.0 61.2 38.4 61.4 72.4 58		1.0 0.467 0.0	1.0 0.373 0.0 60.4 39.8 60.5 72.4 56		1.0 0.467 0.0					
65	59	57	1.0 0.483 0.0	65.6 30.0 66.0 72.5 65		1.0 0.402 0.0 61.8 37.3 62.1 72.4 59		1.0 0.483 0.0	1.0 0.387 0.0 61.1 38.6 61.2 72.4 57		1.0 0.483 0.0					
66	60	58	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66		1.0 0.415 0.0 62.4 36.2 62.7 72.4 60		1.0 0.5 0.0	1.0 0.401 0.0 61.7 37.4 62.0 72.4 58		1.0 0.5 0.0					
68	61	60	1.0 0.516 0.0	67.3 26.9 67.8 73.0 68		1.0 0.427 0.0 63.0 35.1 63.4 72.4 61		1.0 0.517 0.0	1.0 0.415 0.0 62.4 36.2 62.7 72.4 60		1.0 0.517 0.0					
69	62	61	1.0 0.533 0.0	68.3 25.3 68.9 73.4 69		1.0 0.44 0.0 63.6 34.0 64.0 72.5 62		1.0 0.533 0.0	1.0 0.429 0.0 63.0 35.0 63.4 72.5 61		1.0 0.533 0.0					
71	63	62	1.0 0.55 0.0	69.2 23.7 70.0 73.9 71		1.0 0.452 0.0 64.1 32.9 64.6 72.5 63		1.0 0.55 0.0	1.0 0.443 0.0 63.7 33.8 64.1 72.5 62		1.0 0.55 0.0					
72	64	63	1.0 0.566 0.0	70.2 22.0 71.0 74.4 72		1.0 0.464 0.0 64.7 31.8 65.2 72.5 64		1.0 0.567 0.0	1.0 0.456 0.0 64.4 32.5 64.8 72.5 63		1.0 0.567 0.0					
74	65	64	1.0 0.583 0.0	71.1 20.3 72.0 74.8 74		1.0 0.477 0.0 65.3 30.7 65.7 72.5 65		1.0 0.583 0.0	1.0 0.47 0.0 65.0 31.3 65.4 72.5 64		1.0 0.583 0.0					
75	66	65	1.0 0.6 0.0	72.1 18.5 73.0 75.3 75		1.0 0.489 0.0 65.9 29.5 66.3 72.6 66		1.0 0.6 0.0	1.0 0.484 0.0 65.7 30.0 66.1 72.5 65		1.0 0.6 0.0					
77	67	66	1.0 0.616 0.0	73.0 16.8 73.9 75.8 77		1.0 0.502 0.0 66.5 28.4 66.8 72.6 67		1.0 0.617 0.0	1.0 0.498 0.0 66.3 28.7 66.6 72.6 66		1.0 0.617 0.0					
78	68	67	1.0 0.633 0.0	73.9 15.3 74.7 76.3 78		1.0 0.513 0.0 67.1 27.3 67.6 72.9 68		1.0 0.633 0.0	1.0 0.511 0.0 67.0 27.5 67.5 72.9 67		1.0 0.633 0.0					
79	69	68	1.0 0.65 0.0	74.6 14.1 75.6 76.9 79		1.0 0.524 0.0 67.8 26.2 68.4 73.2 69		1.0 0.65 0.0	1.0 0.523 0.0 67.7 26.3 68.3 73.2 68		1.0 0.65 0.0					
80	70	70	1.0 0.666 0.0	75.3 13.0 76.4 77.5 80		1.0 0.535 0.0 68.4 25.2 69.1 73.6 70		1.0 0.667 0.0	1.0 0.536 0.0 68.5 25.1 69.1 73.6 70		1.0 0.667 0.0					
81	71	71	1.0 0.683 0.0	76.1 11.8 77.2 78.1 81		1.0 0.547 0.0 69.1 24.1 69.8 73.9 71		1.0 0.683 0.0	1.0 0.548 0.0 69.2 23.9 70.0 73.9 71		1.0 0.683 0.0					
82	72	72	1.0 0.7 0.0	76.8 10.6 78.0 78.7 82		1.0 0.558 0.0 69.7 22.9 70.6 74.2 72		1.0 0.7 0.0	1.0 0.561 0.0 69.9 22.6 70.7 74.3 72		1.0 0.7 0.0					
83	73	73	1.0 0.716 0.0	77.6 9.3 78.8 79.3 83		1.0 0.569 0.0 70.4 21.8 71.2 74.5 73		1.0 0.717 0.0	1.0 0.574 0.0 70.6 21.3 71.5 74.6 73		1.0 0.717 0.0					
84	74	74	1.0 0.733 0.0	78.3 8.0 79.5 79.9 84		1.0 0.581 0.0 71.0 20.6 71.9 74.8 74		1.0 0.733 0.0	1.0 0.586 0.0 71.3 20.0 72.2 75.0 74		1.0 0.733 0.0					
85	75	75	1.0 0.75 0.0	79.1 6.8 80.2 80.5 85		1.0 0.592 0.0 71.7 19.4 72.6 75.1 75		1.0 0.75 0.0	1.0 0.599 0.0 72.0 18.7 73.0 75.3 75		1.0 0.75 0.0					

3-103931-L0 SF070-72 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

sortie: Offset standard print; separation cmy0*, D65, page 10/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_{dd}$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=1, de=0, cmy0*: linearisation 3D selon cmy0*_{dd}

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> /PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours <i>RYGCBM</i> _d : <i>h</i> _{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5; Six hue angles of the elementary colours <i>RYGCBM</i> _e : <i>h</i> _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																						
<i>h</i> _{ab,d}	<i>h</i> _{ab,s}	<i>h</i> _{ab,e}	<i>rgb</i> [*] _{dd361M}			<i>LAB</i> [*] _{dsx361Mi} (<i>x</i> =LabCh)			<i>rgb</i> [*] _{ds361Mi}			<i>LAB</i> [*] _{d361Mi} (<i>x</i> =LabCh)			<i>rgb</i> [*] _{dd361Mi}			<i>rgb</i> [*] _{de361Mi}			<i>LAB</i> [*] _{d361Mi} (<i>x</i> =LabCh)			<i>rgb</i> [*] _{de361Mi}			<i>rgb</i> [*] _{dd361Mi}			<i>rgb</i> [*] _{ds361Mi}			<i>rgb</i> [*] _{de361Mi}					
85	75	75	1.0	0.75	0.0	79.1	6.8	80.2	80.5	85	1.0	0.592	0.0	71.7	19.4	72.6	75.1	75	1.0	0.75	0.0	1.0	0.599	0.0	72.0	18.7	73.0	75.3	75	1.0	0.75	0.0						
85	76	76	1.0	0.766	0.0	79.7	5.8	81.0	81.2	85	1.0	0.603	0.0	72.3	18.3	73.2	75.4	76	1.0	0.767	0.0	1.0	0.611	0.0	72.8	17.4	73.6	75.7	76	1.0	0.767	0.0						
86	77	77	1.0	0.783	0.0	80.4	4.8	81.7	81.8	86	1.0	0.615	0.0	72.9	17.0	73.8	75.8	77	1.0	0.783	0.0	1.0	0.624	0.0	73.5	16.0	74.3	76.0	77	1.0	0.783	0.0						
87	78	78	1.0	0.8	0.0	81.1	3.8	82.4	82.5	87	1.0	0.626	0.0	73.6	15.8	74.4	76.1	78	1.0	0.8	0.0	1.0	0.643	0.0	74.3	14.7	75.3	76.7	78	1.0	0.8	0.0						
88	79	80	1.0	0.816	0.0	81.8	2.7	83.1	83.2	88	1.0	0.644	0.0	74.4	14.6	75.3	76.7	79	1.0	0.817	0.0	1.0	0.662	0.0	75.2	13.4	76.2	77.4	80	1.0	0.817	0.0						
88	80	81	1.0	0.833	0.0	82.4	1.7	83.8	83.8	88	1.0	0.661	0.0	75.1	13.4	76.2	77.3	80	1.0	0.833	0.0	1.0	0.681	0.0	76.0	12.0	77.1	78.1	81	1.0	0.833	0.0						
89	81	82	1.0	0.85	0.0	83.1	0.6	84.5	84.5	89	1.0	0.678	0.0	75.9	12.2	77.0	78.0	81	1.0	0.85	0.0	1.0	0.7	0.0	76.9	10.6	78.1	78.8	82	1.0	0.85	0.0						
90	82	83	1.0	0.866	0.0	83.8	-0.4	85.2	85.2	90	1.0	0.695	0.0	76.7	10.9	77.8	78.6	82	1.0	0.867	0.0	1.0	0.72	0.0	77.8	9.1	78.9	79.5	83	1.0	0.867	0.0						
90	83	84	1.0	0.883	0.0	84.4	-1.3	85.8	85.8	90	1.0	0.713	0.0	77.5	9.7	78.6	79.2	83	1.0	0.883	0.0	1.0	0.739	0.0	78.6	7.7	79.8	80.2	84	1.0	0.883	0.0						
91	84	85	1.0	0.9	0.0	84.9	-2.1	86.4	86.4	91	1.0	0.73	0.0	78.2	8.3	79.4	79.8	84	1.0	0.9	0.0	1.0	0.761	0.0	79.5	6.2	80.8	81.0	85	1.0	0.9	0.0						
91	85	86	1.0	0.916	0.0	85.4	-2.8	86.9	87.0	91	1.0	0.747	0.0	79.0	7.0	80.2	80.5	85	1.0	0.917	0.0	1.0	0.786	0.0	80.6	4.7	81.9	82.0	86	1.0	0.917	0.0						
92	86	87	1.0	0.933	0.0	85.9	-3.6	87.5	87.6	92	1.0	0.769	0.0	79.9	5.7	81.1	81.3	86	1.0	0.933	0.0	1.0	0.811	0.0	81.6	3.1	82.9	83.0	87	1.0	0.933	0.0						
92	87	88	1.0	0.95	0.0	86.5	-4.4	88.1	88.2	92	1.0	0.792	0.0	80.8	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.837	0.0	82.6	1.5	84.0	84.0	88	1.0	0.95	0.0						
93	88	90	1.0	0.966	0.0	87.0	-5.2	88.6	88.8	93	1.0	0.815	0.0	81.7	2.9	83.1	83.1	88	1.0	0.967	0.0	1.0	0.862	0.0	83.6	0.0	85.0	85.0	90	1.0	0.967	0.0						
93	89	91	1.0	0.983	0.0	87.5	-6.0	89.2	89.4	93	1.0	0.837	0.0	82.6	1.5	84.0	84.0	89	1.0	0.983	0.0	1.0	0.893	0.0	84.7	-1.7	86.2	86.2	91	1.0	0.983	0.0						
94	90	92	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94	<i>Y</i> _d	1.0	0.86	0.0	83.5	0.0	84.9	84.9	90	<i>Y</i> _s	1.0	1.0	0.0	1.0	0.93	0.0	85.9	-3.4	87.5	87.5	92	<i>Y</i> _e	1.0	1.0	0.0			
94	91	93	0.983	1.0	0.0	87.5	-7.3	88.8	89.1	94	1.0	0.886	0.0	84.5	-1.4	85.9	85.9	91	0.983	1.0	0.0	1.0	0.969	0.0	87.1	-5.3	88.8	88.9	93	0.983	1.0	0.0						
95	92	94	0.966	1.0	0.0	87.1	-7.8	87.9	88.2	95	1.0	0.92	0.0	85.6	-2.9	87.1	87.1	92	0.967	1.0	0.0	1.0	0.988	1.0	0.0	87.7	-7.1	89.1	89.4	94	0.967	1.0	0.0					
95	93	95	0.95	1.0	0.0	86.6	-8.3	87.0	87.4	95	1.0	0.953	0.0	86.6	-4.5	88.2	88.4	93	0.95	1.0	0.0	1.0	0.935	1.0	0.0	86.2	-8.7	86.2	86.6	95	0.95	1.0	0.0					
95	94	96	0.933	1.0	0.0	86.1	-8.8	86.1	86.5	95	1.0	0.987	0.0	87.7	-6.1	89.3	89.6	94	0.933	1.0	0.0	1.0	0.881	1.0	0.0	84.7	-10.1	83.2	83.8	96	0.933	1.0	0.0					
96	95	98	0.916	1.0	0.0	85.7	-9.2	85.1	85.6	96	0.972	1.0	0.0	87.3	-7.6	88.2	88.6	95	0.917	1.0	0.0	1.0	0.834	1.0	0.0	83.2	-11.5	81.2	82.0	98	0.917	1.0	0.0					
96	96	99	0.9	1.0	0.0	85.2	-9.6	84.2	84.8	96	0.926	1.0	0.0	86.0	-8.9	85.7	86.2	96	0.9	1.0	0.0	1.0	0.787	1.0	0.0	81.7	-12.9	79.2	80.3	99	0.9	1.0	0.0					
96	97	100	0.883	1.0	0.0	84.7	-10.1	83.3	83.9	96	0.88	1.0	0.0	84.7	-10.1	83.2	83.8	97	0.883	1.0	0.0	1.0	0.745	1.0	0.0	80.4	-14.2	77.5	78.8	100	0.883	1.0	0.0					
97	98	101	0.866	1.0	0.0	84.2	-10.5	82.5	83.2	97	0.839	1.0	0.0	83.4	-11.3	81.4	82.2	98	0.867	1.0	0.0	1.0	0.72	1.0	0.0	79.4	-15.6	76.5	78.1	101	0.867	1.0	0.0					
97	99	102	0.85	1.0	0.0	83.7	-11.1	81.8	82.6	97	0.799	1.0	0.0	82.1	-12.5	79.7	80.7	99	0.85	1.0	0.0	1.0	0.695	1.0	0.0	78.5	-17.0	75.5	77.4	102	0.85	1.0	0.0					
98	100	103	0.833	1.0	0.0	83.2	-11.6	81.1	81.9	98	0.76	1.0	0.0	80.9	-13.7	78.1	79.3	100	0.833	1.0	0.0	1.0	0.669	1.0	0.0	77.6	-18.4	74.5	76.7	103	0.833	1.0	0.0					
98	101	105	0.816	1.0	0.0	82.6	-12.1	80.4	81.3	98	0.734	1.0	0.0	79.9	-14.9	77.0	78.5	101	0.817	1.0	0.0	1.0	0.644	1.0	0.0	76.7	-19.7	73.4	76.0	105	0.817	1.0	0.0					
98	102	106	0.8	1.0	0.0	82.1	-12.6	79.7	80.7	98	0.712	1.0	0.0	79.2	-16.1	76.2	77.9	102	0.8	1.0	0.0	1.0	0.62	1.0	0.0	75.8	-21.0	72.2	75.2	106	0.8	1.0	0.0					
99	103	107	0.783	1.0	0.0	81.6	-13.0	79.0	80.1	99	0.69	1.0	0.0	78.4	-17.3	75.3	77.3	103	0.783	1.0	0.0	1.0	0.6	1.0	0.0	74.9	-22.1	70.6	74.0	107	0.783	1.0	0.0					
99	104	108	0.766	1.0	0.0	81.0	-13.5	78.3	79.5	99	0.669	1.0	0.0	77.6	-18.5	74.4	76.7	104	0.767	1.0	0.0	1.0	0.581	1.0	0.0	74.1	-23.1	69.0	72.8	108	0.767	1.0	0.0					
100	105	109	0.75	1.0	0.0	80.5	-14.0	77.6	78.9	100	0.647	1.0	0.0	76.8	-19.6	73.5	76.1	105	0.75	1.0	0.0	1.0	0.561	1.0	0.0	73.3	-24.1	67.3	71.6	109	0.75	1.0	0.0					
101	106	110	0.733	1.0	0.0	79.9	-14.9	77.0	78.4	101	0.625	1.0	0.0	76.0	-20.7	72.6	75.5	106	0.733	1.0	0.0	1.0	0.541	1.0	0.0	72.4	-25.1	65.7	70.4	110	0.733	1.0	0.0					
101	107	112	0.716	1.0	0.0	79.3	-15.9	76.3	78.0	101	0.608	1.0	0.0	75.3	-21.7	71.2	74.5	107	0.717	1.0	0.0	1.0	0.521	1.0	0.0	71.6	-25.9	64.1	69.1	112	0.717	1.0	0.0					
102	108	113	0.7	1.0	0.0	78.7	-16.8	75.7	77.5	102	0.591	1.0	0.0	74.5	-22.6	69.8	73.4	108	0.7	1.0	0.0	1.0	0.501	1.0	0.0	70.7	-26.8	62.4	67.9	113	0.7	1.0	0.0					
103	109	114	0.683	1.0	0.0	78.1	-17.7	75.0	77.1	103	0.574	1.0	0.0	73.8	-23.5	68.5	72.4	109	0.683	1.0	0.0	1.0	0.483	1.0	0.0	70.0	-27.8	61.3	67.4	114	0.683	1.0	0.0					
104	110	115	0.666	1.0	0.0	77.5	-18.6	74.3	76.6	104	0.557	1.0	0.0	73.1	-24.3	67.1	71.4	110	0.667	1.0	0.0	1.0	0.466	1.0	0.0	69.2	-28.8	60.3	66.9	115	0.667	1.0	0.0					
104	111	116	0.65	1.0	0.0	76.8	-19.5	73.6	76.1	104	0.54	1.0	0.0	72.4	-25.1	65.6	70.3	111	0.65	1.0	0.0	1.0	0.448	1.0	0.0	68.5	-29.8	59.2	66.3	116	0.65	1.0	0.0					
105	112	117	0.633	1.0	0.0	76.2	-20.4	72.9	75.7	105	0.523	1.0	0.0	71.7	-25.8	64.2	69.3	112	0.633	1.0	0.0	1.0	0.43	1.0	0.0	67.8	-30.8	58.2	65.8	117	0.633	1.0	0.0					
106	113	119	0.616	1.0	0.0	75.6	-21.3	71.9	75.0	106	0.506	1.0	0.0	70.9	-26.6	62.8	68.2	113	0.617	1.0	0.0	1.0	0.413	1.0	0.0	67.0	-31.7	57.1	65.3	119	0.617	1.0	0.0					
107	114	120	0.6	1.0	0.0	74.9	-22.2	70.5	73.9	107	0.49	1.																										

3-1031031-L0 SF070-72 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

sortie: Offset standard print; separation cmy0*, D65, page 11/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_{dd}$
cercle de teinte, 48 étapes; $rgb-LabCh^*$ tables, 3D=1, de=0, cmy0*: linearisation 3D selon cmy0*_{dd}

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT> /PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Lengths of the d- and f-orbitals (in Å) for the elements of the periodic table (see Table 1 for details)										Lengths of the d-orbitals (in Å) for the elements of the periodic table (see Table 1 for details)										Lengths of the f-orbitals (in Å) for the elements of the periodic table (see Table 1 for details)										Lengths of the d-orbitals (in Å) for the elements of the periodic table (see Table 1 for details)										Lengths of the f-orbitals (in Å) for the elements of the periodic table (see Table 1 for details)																																																																																																																																																																																																																																																																																																																							
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361Mi}	LAB* _{dd361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{ds361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{de361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB* ddx361Mi (x=LabCh)	$rgb^*_{ds361Mi}$	LAB* dsx361Mi (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	LAB* dex361Mi (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
170	165	175	0.0	1.0	0.25	51.1	-58.4	9.7	59.2	170	0.0	1.0	0.25
171	166	176	0.0	1.0	0.266	51.2	-57.9	8.2	58.5	171	0.0	1.0	0.267
173	167	177	0.0	1.0	0.283	51.3	-57.4	6.7	57.8	173	0.0	1.0	0.283
174	168	178	0.0	1.0	0.3	51.4	-56.8	5.3	57.0	174	0.0	1.0	0.3
176	169	179	0.0	1.0	0.316	51.6	-56.1	3.9	56.3	176	0.0	1.0	0.317
177	170	180	0.0	1.0	0.333	51.7	-55.5	2.5	55.5	177	0.0	1.0	0.333
178	171	181	0.0	1.0	0.35	51.8	-54.8	1.2	54.8	178	0.0	1.0	0.35
180	172	182	0.0	1.0	0.366	51.9	-54.0	0.0	54.0	180	0.0	1.0	0.367
181	173	183	0.0	1.0	0.383	52.0	-53.4	-1.4	53.4	181	0.0	1.0	0.383
183	174	184	0.0	1.0	0.4	52.2	-52.7	-2.9	52.8	183	0.0	1.0	0.4
184	175	185	0.0	1.0	0.416	52.3	-52.1	-4.3	52.3	184	0.0	1.0	0.417
186	176	185	0.0	1.0	0.433	52.5	-51.4	-5.6	51.7	186	0.0	1.0	0.433
187	177	186	0.0	1.0	0.45	52.6	-50.6	-7.0	51.1	187	0.0	1.0	0.45
189	178	187	0.0	1.0	0.466	52.7	-49.9	-8.3	50.5	189	0.0	1.0	0.467
191	179	188	0.0	1.0	0.483	52.9	-49.0	-9.5	50.0	191	0.0	1.0	0.483
192	180	189	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192	0.0	1.0	0.5
194	181	190	0.0	1.0	0.516	53.2	-47.6	-12.0	49.2	194	0.0	1.0	0.517
195	182	191	0.0	1.0	0.533	53.3	-47.1	-13.3	48.9	195	0.0	1.0	0.533
197	183	192	0.0	1.0	0.55	53.5	-46.4	-14.5	48.7	197	0.0	1.0	0.55
199	184	193	0.0	1.0	0.566	53.6	-45.8	-15.7	48.4	199	0.0	1.0	0.567
200	185	194	0.0	1.0	0.583	53.8	-45.1	-16.9	48.2	200	0.0	1.0	0.583
202	186	195	0.0	1.0	0.6	53.9	-44.4	-18.1	47.9	202	0.0	1.0	0.6
203	187	195	0.0	1.0	0.616	54.1	-43.6	-19.2	47.7	203	0.0	1.0	0.617
205	188	196	0.0	1.0	0.633	54.2	-42.9	-20.3	47.5	205	0.0	1.0	0.633
206	189	197	0.0	1.0	0.65	54.4	-42.3	-21.4	47.5	206	0.0	1.0	0.65
208	190	198	0.0	1.0	0.666	54.5	-41.7	-22.5	47.4	208	0.0	1.0	0.667
209	191	199	0.0	1.0	0.683	54.7	-41.1	-23.5	47.4	209	0.0	1.0	0.683
211	192	200	0.0	1.0	0.7	54.8	-40.4	-24.5	47.3	211	0.0	1.0	0.7
212	193	201	0.0	1.0	0.716	55.0	-39.8	-25.5	47.3	212	0.0	1.0	0.717
214	194	202	0.0	1.0	0.733	55.2	-39.0	-26.5	47.2	214	0.0	1.0	0.733
215	195	203	0.0	1.0	0.75	55.3	-38.3	-27.5	47.2	215	0.0	1.0	0.75
216	196	204	0.0	1.0	0.766	55.4	-37.8	-28.4	47.3	216	0.0	1.0	0.767
218	197	205	0.0	1.0	0.783	55.5	-37.3	-29.3	47.4	218	0.0	1.0	0.783
219	198	206	0.0	1.0	0.8	55.6	-36.7	-30.1	47.5	219	0.0	1.0	0.8
220	199	206	0.0	1.0	0.816	55.7	-36.2	-31.0	47.7	220	0.0	1.0	0.817
221	200	207	0.0	1.0	0.833	55.8	-35.6	-31.8	47.8	221	0.0	1.0	0.833
223	201	208	0.0	1.0	0.85	56.0	-35.0	-32.7	47.9	223	0.0	1.0	0.85
224	202	209	0.0	1.0	0.866	56.1	-34.4	-33.5	48.0	224	0.0	1.0	0.867
225	203	210	0.0	1.0	0.883	56.2	-33.8	-34.3	48.2	225	0.0	1.0	0.883
226	204	211	0.0	1.0	0.9	56.3	-33.3	-35.1	48.4	226	0.0	1.0	0.9
227	205	212	0.0	1.0	0.916	56.4	-32.7	-35.9	48.6	227	0.0	1.0	0.917
228	206	213	0.0	1.0	0.933	56.5	-32.2	-36.7	48.8	228	0.0	1.0	0.933
229	207	214	0.0	1.0	0.95	56.6	-31.6	-37.5	49.1	229	0.0	1.0	0.95
231	208	215	0.0	1.0	0.966	56.7	-31.0	-38.3	49.3	231	0.0	1.0	0.967
232	209	216	0.0	1.0	0.983	56.9	-30.3	-39.1	49.5	232	0.0	1.0	0.983
233	210	216	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233	0.0	1.0	1.0

3-1031231-L0 SF070-72 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

sortie: Offset standard print; separation cmy0*, D65, page 13/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_{dd}$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=1, de=0, cmy0*
cmy0*: linearisation 3D selon cmy0*

3-1031231-F0

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)
TUB matériel: code=rha4ta

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM_s: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours RYGBM_d: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$																																				
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{de}																										
233	210	216	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233	C_d	0.0	1.0	0.686	54.8	-41.0	-23.6	47.4	210	C_s	0.0	1.0	1.0	0.0	1.0	0.767	55.5	-37.7	-28.4	47.4	216	C_e	0.0	1.0	1.0	
233	211	217	0.0	0.983	1.0	56.6	-29.1	-39.9	49.4	233		0.0	1.0	0.697	54.9	-40.5	-24.3	47.4	211		0.0	0.983	1.0	0.0	1.0	0.78	55.5	-37.3	-29.0	47.4	217		0.0	0.983	1.0	
234	212	218	0.0	0.966	1.0	56.2	-28.4	-39.9	49.0	234		0.0	1.0	0.708	55.0	-40.1	-25.0	47.3	212		0.0	0.967	1.0	0.0	1.0	0.792	55.6	-36.9	-29.7	47.5	218		0.0	0.967	1.0	
235	213	219	0.0	0.95	1.0	55.9	-27.8	-39.9	48.7	235		0.0	1.0	0.72	55.1	-39.6	-25.7	47.3	213		0.0	0.95	1.0	0.0	1.0	0.805	55.7	-36.5	-30.3	47.6	219		0.0	0.95	1.0	
235	214	220	0.0	0.933	1.0	55.5	-27.2	-39.9	48.3	235		0.0	1.0	0.731	55.2	-39.1	-26.3	47.3	214		0.0	0.933	1.0	0.0	1.0	0.817	55.8	-36.1	-31.0	47.7	220		0.0	0.933	1.0	
236	215	221	0.0	0.916	1.0	55.1	-26.6	-39.9	48.0	236		0.0	1.0	0.742	55.3	-38.6	-27.0	47.2	215		0.0	0.917	1.0	0.0	1.0	0.83	55.9	-35.7	-31.6	47.8	221		0.0	0.917	1.0	
236	216	222	0.0	0.9	1.0	54.8	-26.0	-39.9	47.6	236		0.0	1.0	0.754	55.4	-38.1	-27.7	47.3	216		0.0	0.9	1.0	0.0	1.0	0.842	56.0	-35.2	-32.2	47.9	222		0.0	0.9	1.0	
237	217	223	0.0	0.883	1.0	54.4	-25.4	-39.8	47.3	237		0.0	1.0	0.768	55.5	-37.7	-28.4	47.4	217		0.0	0.883	1.0	0.0	1.0	0.855	56.0	-34.8	-32.8	48.0	223		0.0	0.883	1.0	
238	218	224	0.0	0.866	1.0	54.0	-24.7	-39.8	46.9	238		0.0	1.0	0.781	55.6	-37.3	-29.1	47.5	218		0.0	0.867	1.0	0.0	1.0	0.867	56.1	-34.3	-33.5	48.1	224		0.0	0.867	1.0	
238	219	225	0.0	0.85	1.0	53.6	-24.0	-39.9	46.5	238		0.0	1.0	0.795	55.6	-36.9	-29.8	47.5	219		0.0	0.85	1.0	0.0	1.0	0.88	56.2	-33.9	-34.1	48.2	225		0.0	0.85	1.0	
239	220	226	0.0	0.833	1.0	53.1	-23.3	-39.9	46.2	239		0.0	1.0	0.809	55.7	-36.4	-30.5	47.6	220		0.0	0.833	1.0	0.0	1.0	0.894	56.3	-33.4	-34.8	48.4	226		0.0	0.833	1.0	
240	221	227	0.0	0.816	1.0	52.7	-22.5	-39.9	45.8	240		0.0	1.0	0.822	55.8	-35.9	-31.2	47.7	221		0.0	0.817	1.0	0.0	1.0	0.907	56.4	-33.0	-35.4	48.5	227		0.0	0.817	1.0	
241	222	227	0.0	0.8	1.0	52.2	-21.8	-39.8	45.4	241		0.0	1.0	0.836	55.9	-35.5	-31.9	47.8	222		0.0	0.8	1.0	0.0	1.0	0.921	56.5	-32.5	-36.1	48.7	227		0.0	0.8	1.0	
242	223	228	0.0	0.783	1.0	51.8	-21.1	-39.8	45.1	242		0.0	1.0	0.85	56.0	-35.0	-32.6	47.9	223		0.0	0.783	1.0	0.0	1.0	0.934	56.6	-32.1	-36.7	48.9	228		0.0	0.783	1.0	
242	224	229	0.0	0.766	1.0	51.3	-20.4	-39.8	44.7	242		0.0	1.0	0.863	56.1	-34.5	-33.3	48.0	224		0.0	0.767	1.0	0.0	1.0	0.948	56.7	-31.6	-37.4	49.1	229		0.0	0.767	1.0	
243	225	230	0.0	0.75	1.0	50.9	-19.7	-39.7	44.3	243		0.0	1.0	0.877	56.2	-33.9	-33.9	48.2	225		0.0	0.75	1.0	0.0	1.0	0.961	56.8	-31.1	-38.0	49.3	230		0.0	0.75	1.0	
244	226	231	0.0	0.733	1.0	50.4	-19.0	-39.7	44.0	244		0.0	1.0	0.892	56.3	-33.5	-34.7	48.3	226		0.0	0.733	1.0	0.0	1.0	0.975	56.8	-30.6	-38.6	49.4	231		0.0	0.733	1.0	
245	227	232	0.0	0.716	1.0	50.0	-18.3	-39.7	43.7	245		0.0	1.0	0.907	56.4	-33.0	-35.4	48.5	227		0.0	0.717	1.0	0.0	1.0	0.988	56.9	-30.1	-39.3	49.6	232		0.0	0.717	1.0	
246	228	233	0.0	0.7	1.0	49.6	-17.5	-39.7	43.4	246		0.0	1.0	0.922	56.5	-32.5	-36.1	48.7	228		0.0	0.7	1.0	0.0	1.0	0.997	1.0	57.0	-29.5	-39.8	49.7	233		0.0	0.7	1.0
246	229	234	0.0	0.683	1.0	49.1	-16.8	-39.6	43.1	246		0.0	1.0	0.936	56.6	-32.0	-36.8	48.9	229		0.0	0.683	1.0	0.0	1.0	0.971	1.0	56.4	-28.6	-39.8	49.2	234		0.0	0.683	1.0
247	230	235	0.0	0.666	1.0	48.7	-16.1	-39.6	42.8	247		0.0	1.0	0.951	56.7	-31.5	-37.5	49.1	230		0.0	0.667	1.0	0.0	1.0	0.946	1.0	55.8	-27.6	-39.8	48.6	235		0.0	0.667	1.0
248	231	236	0.0	0.65	1.0	48.2	-15.4	-39.5	42.4	248		0.0	1.0	0.966	56.8	-30.9	-38.2	49.3	231		0.0	0.65	1.0	0.0	1.0	0.92	1.0	55.3	-26.7	-39.8	48.1	236		0.0	0.65	1.0
249	232	237	0.0	0.633	1.0	47.8	-14.7	-39.5	42.1	249		0.0	1.0	0.981	56.9	-30.4	-38.9	49.5	232		0.0	0.633	1.0	0.0	1.0	0.895	1.0	54.7	-25.8	-39.8	47.6	237		0.0	0.633	1.0
250	233	237	0.0	0.616	1.0	47.3	-13.8	-39.5	41.8	250		0.0	1.0	0.996	57.0	-29.8	-39.6	49.7	233		0.0	0.617	1.0	0.0	1.0	0.871	1.0	54.2	-24.8	-39.8	47.0	237		0.0	0.617	1.0
252	234	238	0.0	0.6	1.0	46.7	-12.7	-39.5	41.5	252		0.0	0.98	1.0	56.6	-28.9	-39.8	49.4	234		0.0	0.6	1.0	0.0	1.0	0.851	1.0	53.6	-24.0	-39.8	46.6	238		0.0	0.6	1.0
253	235	239	0.0	0.583	1.0	46.1	-11.6	-39.6	41.2	253		0.0	0.952	1.0	56.0	-27.9	-39.8	48.8	235		0.0	0.583	1.0	0.0	1.0	0.831	1.0	53.1	-23.1	-39.8	46.2	239		0.0	0.583	1.0
255	236	240	0.0	0.566	1.0	45.5	-10.5	-39.6	40.9	255		0.0	0.924	1.0	55.4	-26.8	-39.8	48.2	236		0.0	0.567	1.0	0.0	1.0	0.812	1.0	52.6	-22.3	-39.8	45.7	240		0.0	0.567	1.0
256	237	241	0.0	0.55	1.0	44.9	-9.5	-39.5	40.7	256		0.0	0.897	1.0	54.7	-25.8	-39.8	47.6	237		0.0	0.55	1.0	0.0	1.0	0.792	1.0	52.0	-21.4	-39.8	45.3	241		0.0	0.55	1.0
257	238	242	0.0	0.533	1.0	44.3	-8.4	-39.5	40.4	257		0.0	0.87	1.0	54.1	-24.8	-39.8	47.0	238		0.0	0.533	1.0	0.0	1.0	0.772	1.0	51.5	-20.6	-39.7	44.9	242		0.0	0.533	1.0
259	239	243	0.0	0.516	1.0	43.7	-7.3	-39.4	40.1	259		0.0	0.848	1.0	53.6	-23.9	-39.8	46.6	239		0.0	0.517	1.0	0.0	1.0	0.753	1.0	51.0	-19.8	-39.7	44.4	243		0.0	0.517	1.0
260	240	244	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260		0.0	0.827	1.0	53.0	-22.9	-39.8	46.1	240		0.0	0.5	1.0	0.0	1.0	0.734	1.0	50.5	-19.0	-39.7	44.1	244		0.0	0.5	1.0
262	241	245	0.0	0.483	1.0	42.5	-5.2	-39.3	39.7	262		0.0	0.805	1.0	52.4	-22.0	-39.8	45.6	241		0.0	0.483	1.0	0.0	1.0	0.717	1.0	50.1	-18.2	-39.6	43.8	245		0.0	0.483	1.0
263	242	246	0.0	0.466	1.0	41.9	-4.2	-39.3	39.5	263		0.0																								

Colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

rs *RYGCBM_d*: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours *RYGCBM_e*: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Table 1. The three colour indices $h_{ab,s}$ and $h_{ab,e}$ of the elementary stars of the B_d and B_s populations, and the three colour indices $h_{ab,s}$ and $h_{ab,e}$ of the elementary stars of the B_d and B_s populations, and the three colour indices $h_{ab,s}$ and $h_{ab,e}$ of the elementary stars of the B_d and B_s populations.									
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^* dd361Mi	LAB^* ddx361Mi (x=LabCh)	rgb^* ds361Mi	LAB^* dsx361Mi (x=LabCh)	rgb^* dd361Mi	LAB^* dex361Mi (x=LabCh)	rgb^* dd361Mi
284	255	258	0.0 0.25 1.0	34.1 9.8 -38.8 40.0	284	0.0 0.567 1.0	45.6 -10.5 -39.5 41.0	255	0.0 0.25 1.0
285	256	258	0.0 0.233 1.0	33.5 10.9 -38.9 40.4	285	0.0 0.556 1.0	45.1 -9.8 -39.5 40.8	256	0.0 0.233 1.0
287	257	259	0.0 0.216 1.0	32.9 12.1 -39.0 40.8	287	0.0 0.544 1.0	44.7 -9.0 -39.5 40.6	257	0.0 0.217 1.0
288	258	260	0.0 0.2 1.0	32.2 13.2 -39.0 41.2	288	0.0 0.533 1.0	44.3 -8.3 -39.4 40.4	258	0.0 0.2 1.0
290	259	261	0.0 0.183 1.0	31.6 14.4 -39.0 41.6	290	0.0 0.521 1.0	43.9 -7.6 -39.4 40.2	259	0.0 0.183 1.0
291	260	262	0.0 0.166 1.0	31.0 15.5 -39.0 42.0	291	0.0 0.51 1.0	43.5 -6.8 -39.3 40.0	260	0.0 0.167 1.0
293	261	263	0.0 0.15 1.0	30.4 16.7 -39.0 42.4	293	0.0 0.498 1.0	43.1 -6.1 -39.2 39.8	261	0.0 0.15 1.0
294	262	264	0.0 0.133 1.0	29.8 17.9 -38.9 42.8	294	0.0 0.487 1.0	42.7 -5.4 -39.3 39.7	262	0.0 0.133 1.0
296	263	265	0.0 0.116 1.0	29.2 19.0 -38.9 43.3	296	0.0 0.477 1.0	42.3 -4.7 -39.3 39.6	263	0.0 0.117 1.0
297	264	266	0.0 0.1 1.0	28.7 20.0 -38.9 43.8	297	0.0 0.466 1.0	41.9 -4.0 -39.3 39.6	264	0.0 0.1 1.0
298	265	267	0.0 0.083 1.0	28.3 20.9 -39.0 44.2	298	0.0 0.455 1.0	41.5 -3.3 -39.3 39.5	265	0.0 0.083 1.0
299	266	268	0.0 0.066 1.0	27.8 21.9 -39.0 44.7	299	0.0 0.444 1.0	41.1 -2.6 -39.2 39.4	266	0.0 0.067 1.0
300	267	269	0.0 0.049 1.0	27.3 23.0 -38.9 45.2	300	0.0 0.433 1.0	40.7 -2.0 -39.2 39.3	267	0.0 0.05 1.0
301	268	269	0.0 0.033 1.0	26.8 24.0 -38.9 45.7	301	0.0 0.422 1.0	40.3 -1.3 -39.1 39.3	268	0.0 0.033 1.0
302	269	270	0.0 0.016 1.0	26.3 25.0 -38.8 46.2	302	0.0 0.411 1.0	39.8 -0.6 -39.1 39.2	269	0.0 0.017 1.0
303	270	271	0.0 0.0 1.0	25.8 26.0 -38.7 46.7	303	0.0 0.4 1.0	39.4 0.0 -39.0 39.1	270	0.0 0.0 1.0
305	271	272	0.016 0.0 1.0	26.2 26.9 -38.3 46.8	305	0.0 0.389 1.0	39.0 0.7 -38.9 39.0	271	0.017 0.0 1.0
306	272	273	0.033 0.0 1.0	26.5 27.8 -37.9 47.0	306	0.0 0.378 1.0	38.6 1.4 -38.8 38.9	272	0.033 0.0 1.0
307	273	274	0.05 0.0 1.0	26.9 28.7 -37.4 47.2	307	0.0 0.367 1.0	38.3 2.0 -38.8 39.0	273	0.05 0.0 1.0
308	274	275	0.066 0.0 1.0	27.2 29.6 -36.9 47.3	308	0.0 0.357 1.0	37.9 2.7 -38.9 39.1	274	0.067 0.0 1.0
309	275	276	0.083 0.0 1.0	27.5 30.5 -36.4 47.5	309	0.0 0.347 1.0	37.5 3.4 -38.9 39.2	275	0.083 0.0 1.0
311	276	277	0.1 0.0 1.0	27.9 31.3 -35.9 47.6	311	0.0 0.336 1.0	37.2 4.1 -39.0 39.3	276	0.1 0.0 1.0
312	277	278	0.116 0.0 1.0	28.2 32.2 -35.3 47.8	312	0.0 0.326 1.0	36.8 4.8 -39.0 39.4	277	0.117 0.0 1.0
313	278	279	0.133 0.0 1.0	28.5 33.1 -34.8 48.1	313	0.0 0.315 1.0	36.4 5.5 -39.0 39.5	278	0.133 0.0 1.0
314	279	280	0.15 0.0 1.0	28.6 34.1 -34.4 48.4	314	0.0 0.305 1.0	36.1 6.2 -39.0 39.6	279	0.15 0.0 1.0
315	280	281	0.166 0.0 1.0	28.7 35.0 -33.9 48.8	315	0.0 0.294 1.0	35.7 6.9 -38.9 39.7	280	0.167 0.0 1.0
317	281	282	0.183 0.0 1.0	28.8 36.0 -33.4 49.1	317	0.0 0.284 1.0	35.3 7.6 -38.9 39.7	281	0.183 0.0 1.0
318	282	283	0.2 0.0 1.0	28.9 37.0 -32.9 49.5	318	0.0 0.274 1.0	35.0 8.3 -38.9 39.8	282	0.2 0.0 1.0
319	283	284	0.216 0.0 1.0	29.0 37.9 -32.3 49.8	319	0.0 0.263 1.0	34.6 9.0 -38.8 39.9	283	0.217 0.0 1.0
320	284	285	0.233 0.0 1.0	29.1 38.9 -31.7 50.2	320	0.0 0.253 1.0	34.2 9.7 -38.7 40.0	284	0.233 0.0 1.0
322	285	285	0.25 0.0 1.0	29.2 39.8 -31.1 50.6	322	0.0 0.242 1.0	33.8 10.4 -38.8 40.3	285	0.25 0.0 1.0
323	286	286	0.266 0.0 1.0	29.8 41.3 -30.4 51.3	323	0.0 0.231 1.0	33.4 11.2 -38.9 40.5	286	0.267 0.0 1.0
325	287	287	0.283 0.0 1.0	30.3 42.7 -29.7 52.0	325	0.0 0.22 1.0	33.0 11.9 -38.9 40.8	287	0.283 0.0 1.0
326	288	288	0.3 0.0 1.0	30.9 44.1 -28.9 52.7	326	0.0 0.208 1.0	32.6 12.7 -39.0 41.1	288	0.3 0.0 1.0
328	289	289	0.316 0.0 1.0	31.4 45.5 -28.0 53.4	328	0.0 0.197 1.0	32.2 13.5 -39.0 41.3	289	0.317 0.0 1.0
329	290	290	0.333 0.0 1.0	31.9 46.8 -27.1 54.1	329	0.0 0.186 1.0	31.8 14.2 -39.0 41.6	290	0.333 0.0 1.0
331	291	291	0.35 0.0 1.0	32.5 48.2 -26.1 54.9	331	0.0 0.175 1.0	31.4 15.0 -39.0 41.9	291	0.35 0.0 1.0
333	292	292	0.366 0.0 1.0	33.0 49.6 -25.1 55.6	333	0.0 0.164 1.0	31.0 15.8 -39.0 42.1	292	0.367 0.0 1.0
334	293	293	0.383 0.0 1.0	33.5 50.6 -24.3 56.2	334	0.0 0.153 1.0	30.5 16.6 -38.9 42.4	293	0.383 0.0 1.0
335	294	294	0.4 0.0 1.0	34.0 51.5 -23.7 56.7	335	0.0 0.142 1.0	30.1 17.4 -38.9 42.7	294	0.4 0.0 1.0
336	295	295	0.416 0.0 1.0	34.4 52.4 -23.1 57.3	336	0.0 0.13 1.0	29.7 18.1 -38.8 42.9	295	0.417 0.0 1.0
337	296	296	0.433 0.0 1.0	34.9 53.2 -22.5 57.8	337	0.0 0.117 1.0	29.3 19.0 -38.8 43.3	296	0.433 0.0 1.0
337	297	297	0.45 0.0 1.0	35.4 54.0 -21.9 58.3	337	0.0 0.103 1.0	28.9 19.9 -38.9 43.7	297	0.45 0.0 1.0
338	298	298	0.466 0.0 1.0	35.8 54.9 -21.5 58.9	338	0.0 0.088 1.0	28.4 20.7 -38.9 44.2	298	0.467 0.0 1.0
339	299	299	0.483 0.0 1.0	36.3 55.7 -20.5 59.4	339	0.0 0.073 1.0	28.0 21.6 -38.9 44.6	299	0.483 0.0 1.0
340	300	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9	340	0.0 0.058 1.0	27.6 22.5 -38.9 45.0	300	0.5 0.0 1.0

sortie: Offset standard print; separation cmy0*, D65, page 15/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: *rgb/cmyk* -> *rgb_{dd}*
cercle de teinte, 48 étapes; *rgb-LabCh** tables, 3D=1, de=0, *cmyk**: linearisation 3D selon

cm_{y0}*: linearisation 3D selon cm_{y0}*_{dc}

3-1031431-F0

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT / PS TUB matériel: code=rha4ta
- application pour la mesure des sorties sur offset, séparationcmY0* (CMY0)

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.HTM>
 informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB matériel: code=rha4ta
* (CM 1170)

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

Six hue angles of the device colours RYGBM _d : $h_{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5$; Six hue angles of the elementary colours RYGBM _e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$													
$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	LAB^*_{d361Mi} (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$			
340	300	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9	340	0.0 0.058 1.0	27.6 22.5 -38.9 45.0	300	0.5 0.0 1.0	0.0 0.055 1.0	27.5 22.7 -38.9 45.1	300	0.5 0.0 1.0
341	301	301	0.516 0.0 1.0	37.1 57.6 -19.0 60.7	341	0.0 0.043 1.0	27.1 23.4 -38.9 45.5	301	0.517 0.0 1.0	0.0 0.041 1.0	27.1 23.5 -38.9 45.5	301	0.517 0.0 1.0
342	302	302	0.533 0.0 1.0	37.4 58.7 -18.2 61.5	342	0.0 0.028 1.0	26.7 24.3 -38.8 45.9	302	0.533 0.0 1.0	0.0 0.027 1.0	26.7 24.4 -38.8 45.9	302	0.533 0.0 1.0
343	303	303	0.55 0.0 1.0	37.7 59.8 -17.3 62.2	343	0.0 0.014 1.0	26.3 25.2 -38.8 46.3	303	0.55 0.0 1.0	0.0 0.013 1.0	26.3 25.3 -38.8 46.3	303	0.55 0.0 1.0
344	304	303	0.566 0.0 1.0	38.0 60.8 -16.5 63.0	344	0.001 0.0 1.0	25.9 26.1 -38.7 46.8	304	0.567 0.0 1.0	0.001 0.0 1.0	25.9 26.1 -38.7 46.7	303	0.567 0.0 1.0
345	305	304	0.583 0.0 1.0	38.3 61.9 -15.5 63.8	345	0.015 0.0 1.0	26.2 26.9 -38.3 46.9	305	0.583 0.0 1.0	0.014 0.0 1.0	26.2 26.8 -38.3 46.9	304	0.583 0.0 1.0
346	306	305	0.6 0.0 1.0	38.7 62.9 -14.6 64.6	346	0.029 0.0 1.0	26.5 27.6 -37.9 47.0	306	0.6 0.0 1.0	0.027 0.0 1.0	26.4 27.5 -38.0 47.0	305	0.6 0.0 1.0
347	307	306	0.616 0.0 1.0	39.0 63.9 -13.6 65.3	347	0.043 0.0 1.0	26.8 28.4 -37.6 47.1	307	0.617 0.0 1.0	0.04 0.0 1.0	26.7 28.2 -37.6 47.1	306	0.617 0.0 1.0
348	308	307	0.633 0.0 1.0	39.4 64.8 -12.8 66.1	348	0.057 0.0 1.0	27.0 29.1 -37.2 47.3	308	0.633 0.0 1.0	0.053 0.0 1.0	27.0 28.9 -37.3 47.2	307	0.633 0.0 1.0
349	309	308	0.65 0.0 1.0	39.8 65.6 -12.2 66.7	349	0.071 0.0 1.0	27.3 29.8 -36.7 47.4	309	0.65 0.0 1.0	0.066 0.0 1.0	27.2 29.6 -36.9 47.4	308	0.65 0.0 1.0
350	310	309	0.666 0.0 1.0	40.3 66.3 -11.6 67.3	350	0.084 0.0 1.0	27.6 30.6 -36.3 47.5	310	0.667 0.0 1.0	0.08 0.0 1.0	27.5 30.3 -36.5 47.5	309	0.667 0.0 1.0
350	311	310	0.683 0.0 1.0	40.8 67.1 -11.0 68.0	350	0.098 0.0 1.0	27.9 31.3 -35.9 47.7	311	0.683 0.0 1.0	0.093 0.0 1.0	27.8 31.0 -36.1 47.6	310	0.683 0.0 1.0
351	312	311	0.7 0.0 1.0	41.3 67.8 -10.4 68.6	351	0.112 0.0 1.0	28.2 32.0 -35.4 47.8	312	0.7 0.0 1.0	0.106 0.0 1.0	28.1 31.7 -35.6 47.7	311	0.7 0.0 1.0
351	313	312	0.716 0.0 1.0	41.8 68.5 -9.7 69.2	351	0.126 0.0 1.0	28.5 32.7 -35.0 47.9	313	0.717 0.0 1.0	0.119 0.0 1.0	28.3 32.3 -35.2 47.9	312	0.717 0.0 1.0
352	314	313	0.733 0.0 1.0	42.2 69.3 -9.1 69.9	352	0.14 0.0 1.0	28.6 33.5 -34.6 48.2	314	0.733 0.0 1.0	0.132 0.0 1.0	28.5 33.1 -34.8 48.1	313	0.733 0.0 1.0
353	315	314	0.75 0.0 1.0	42.7 70.0 -8.4 70.5	353	0.154 0.0 1.0	28.7 34.3 -34.2 48.5	315	0.75 0.0 1.0	0.145 0.0 1.0	28.6 33.8 -34.5 48.4	314	0.75 0.0 1.0
353	316	315	0.766 0.0 1.0	43.1 70.5 -8.0 71.0	353	0.167 0.0 1.0	28.7 35.1 -33.8 48.8	316	0.767 0.0 1.0	0.158 0.0 1.0	28.7 34.6 -34.1 48.6	315	0.767 0.0 1.0
353	317	316	0.783 0.0 1.0	43.4 71.0 -7.5 71.4	353	0.181 0.0 1.0	28.8 35.9 -33.4 49.1	317	0.783 0.0 1.0	0.171 0.0 1.0	28.8 35.4 -33.7 48.9	316	0.783 0.0 1.0
354	318	317	0.8 0.0 1.0	43.8 71.5 -7.1 71.9	354	0.195 0.0 1.0	28.9 36.7 -33.0 49.4	318	0.8 0.0 1.0	0.184 0.0 1.0	28.9 36.1 -33.3 49.2	317	0.8 0.0 1.0
354	319	318	0.816 0.0 1.0	44.1 72.1 -6.7 72.4	354	0.209 0.0 1.0	29.0 37.5 -32.5 49.7	319	0.817 0.0 1.0	0.197 0.0 1.0	28.9 36.9 -32.9 49.5	318	0.817 0.0 1.0
355	320	319	0.833 0.0 1.0	44.5 72.6 -6.2 72.8	355	0.222 0.0 1.0	29.1 38.3 -32.1 50.0	320	0.833 0.0 1.0	0.21 0.0 1.0	29.0 37.6 -32.5 49.8	319	0.833 0.0 1.0
355	321	320	0.85 0.0 1.0	44.9 73.1 -5.8 73.3	355	0.236 0.0 1.0	29.2 39.1 -31.6 50.3	321	0.85 0.0 1.0	0.223 0.0 1.0	29.1 38.4 -32.0 50.0	320	0.85 0.0 1.0
355	322	321	0.866 0.0 1.0	45.2 73.6 -5.3 73.8	355	0.25 0.0 1.0	29.3 39.9 -31.1 50.6	322	0.867 0.0 1.0	0.236 0.0 1.0	29.2 39.1 -31.6 50.3	321	0.867 0.0 1.0
356	323	321	0.883 0.0 1.0	45.5 74.1 -4.8 74.3	356	0.26 0.0 1.0	29.6 40.8 -30.6 51.1	323	0.883 0.0 1.0	0.25 0.0 1.0	29.3 39.9 -31.1 50.6	321	0.883 0.0 1.0
356	324	322	0.9 0.0 1.0	45.7 74.8 -4.2 74.9	356	0.271 0.0 1.0	30.0 41.7 -30.2 51.5	324	0.9 0.0 1.0	0.26 0.0 1.0	29.6 40.7 -30.7 51.0	322	0.9 0.0 1.0
357	325	323	0.916 0.0 1.0	46.0 75.4 -3.6 75.4	357	0.281 0.0 1.0	30.3 42.6 -29.7 52.0	325	0.917 0.0 1.0	0.27 0.0 1.0	29.9 41.6 -30.2 51.5	323	0.917 0.0 1.0
357	326	324	0.933 0.0 1.0	46.2 76.0 -3.1 76.0	357	0.292 0.0 1.0	30.6 43.5 -29.2 52.4	326	0.933 0.0 1.0	0.28 0.0 1.0	30.2 42.4 -29.8 51.9	324	0.933 0.0 1.0
358	327	325	0.95 0.0 1.0	46.5 76.5 -2.5 76.6	358	0.303 0.0 1.0	31.0 44.3 -28.7 52.9	327	0.95 0.0 1.0	0.29 0.0 1.0	30.6 43.2 -29.3 52.3	325	0.95 0.0 1.0
358	328	326	0.966 0.0 1.0	46.7 77.1 -1.8 77.2	358	0.313 0.0 1.0	31.3 45.2 -28.2 53.3	328	0.967 0.0 1.0	0.299 0.0 1.0	30.9 44.1 -28.8 52.7	326	0.967 0.0 1.0
359	329	327	0.983 0.0 1.0	46.9 77.7 -1.2 77.7	359	0.324 0.0 1.0	31.7 46.1 -27.6 53.8	329	0.983 0.0 1.0	0.309 0.0 1.0	31.2 44.9 -28.3 53.2	327	0.983 0.0 1.0
359	330	328	1.0 0.0 1.0	47.2 78.3 -0.6 78.3	359	M_d 0.334 0.0 1.0	32.0 47.0 -27.0 54.2	M_s 330	1.0 0.0 1.0	0.319 0.0 1.0	31.5 45.7 -27.8 53.6	M_e 328	1.0 0.0 1.0
359	331	329	1.0 0.0 0.983	47.1 78.2 0.0 78.2	359	0.345 0.0 1.0	32.3 47.8 -26.4 54.7	331	1.0 0.0 0.983	0.329 0.0 1.0	31.9 46.6 -27.3 54.0	329	1.0 0.0 0.983
360	332	330	1.0 0.0 0.966	47.1 78.1 0.4 78.1	360	0.355 0.0 1.0	32.7 48.7 -25.8 55.1	332	1.0 0.0 0.967	0.339 0.0 1.0	32.2 47.4 -26.7 54.5	330	1.0 0.0 0.967
360	333	331	1.0 0.0 0.95	47.1 77.9 1.0 78.0	360	0.366 0.0 1.0	33.0 49.5 -25.1 55.6	333	1.0 0.0 0.95	0.349 0.0 1.0	32.5 48.2 -26.1 54.9	331	1.0 0.0 0.95
361	334	332	1.0 0.0 0.933	47.1 77.8 1.5 77.8	361	0.377 0.0 1.0	33.4 50.4 -24.5 56.0	334	1.0 0.0 0.933	0.359 0.0 1.0	32.8 49.0 -25.5 55.3	332	1.0 0.0 0.933
361	335	333	1.0 0.0 0.916	47.1 77.7 2.1 77.7	361	0.396 0.0 1.0	33.9 51.3 -23.8 56.6	335	1.0 0.0 0.917	0.369 0.0 1.0	33.1 49.8 -24.9 55.7	333	1.0 0.0 0.917
361	336	334	1.0 0.0 0.9	47.1 77.6 2.7 77.6	361	0.414 0.0 1.0	34.4 52.3 -23.2 57.2	336	1.0 0.0 0.9	0.383 0.0 1.0	33.5 50.7 -24.3 56.2	334	1.0 0.0 0.9
362	337	335	1.0 0.0 0.883	47.1 77.4 3.2 77.5	362	0.433 0.0 1.0	34.9 53.2 -22.5 57.8	337	1.0 0.0 0.883	0.4 0.0 1.0	34.0 51.6 -23.7 56.8	335	1.0 0.0 0.883
362	338	336	1.0 0.0 0.866	47.0 77.3 3.8 77.4	362	0.451 0.0 1.0	35.4 54.2 -21.8 58.4	338	1.0 0.0 0.867	0.418 0.0 1.0	34.5 52.5 -23.0 57.3	336	1.0 0.0 0.867
363	339	337	1.0 0.0 0.85	47.0 77.2 4.4 77.3	363	0.47 0.0 1.0	35.9 55.1 -21.0 59.0	339	1.0 0.0 0.85	0.435 0.0 1.0	35.0 53.3 -22.4 57.9	337	1.0 0.0 0.85
363	340	338	1.0 0.0 0.833	47.0 77.0 4.9 77.2	363	0.488 0.0 1.0	36.5 56.0 -20.3 59.6	340	1.0 0.0 0.833	0.453 0.0 1.0	35.5 54.2 -21.7 58.5	338	1.0 0.0 0.833
364	341	339	1.0 0.0 0.816	47.0 76.9 5.5 77.1	364	0.506 0.0 1.0	36.9 56.9 -19.5 60.2	341	1.0 0.0 0.817	0.47 0.0 1.0	36.0 55.1 -21.0 59.0	339	1.0 0.0 0.817
364	342	339	1.0 0.0 0.8	47.0 76.8 6.1 77.0	364	0.522 0.0 1.0	37.2 58.0 -18.7 61.0	342	1.0 0.0 0.8	0.488 0.0 1.0	36.5 56.0 -20.3 59.6	339	1.0 0.0 0.8
365	343	340	1.0 0.0 0.783	47.0 76.6 6.7 76.9	365	0.538 0.0 1.0	37.5 59.0 -17.9 61.7	343	1.0 0.0 0.783	0.505 0.0 1.0	36.9 56.9 -19.6 60.2	340	1.0 0.0 0.783
365	344	341	1.0 0.0 0.766	46.9 76.5 7.2 76.8	365	0.553 0.0 1.0	37.8 60.0 -17.1 62.5	344	1.0 0.0 0.767	0.52 0.0 1.0	37.2 57.9 -18.8 60.9	341	1.0 0.0 0.767
365	345	342	1.0 0.0 0.75	46.9 76.3 7.8 76.7	365	0.569 0.0 1.0	38.1 61.0 -16.3 63.2	345	1.0 0.0 0.75	0.535 0.0 1.0	37.5 58.8 -18.1 61.6	342	1.0 0.0 0.75

3-1031531-L0 SF070-72 LAB*la0, YN=0%, XYZnw=3.5, 4.0, 6.0, 86.2, 91.2, 96.3, LAB*nmw=23.6, 0.0, 0.0, 96.5, 0.0, 0.0

sortie: Offset standard print; separation cmy0*, D65, page 16/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: $rgb/cmyk \rightarrow rgb_{dd}$
cercle de teinte, 48 étapes; $rgb-LabCh$ *tables, 3D=1, de=0, cmy0*
cmy0*: linearisation 3D selon cmy0*

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.HTM>
 informations techniques: <http://www.ps.ban.de> ou <http://130.149.60.45/~farbmetrik>

Data of Maximum color M in colorimetric system Offset standard print; separation cmy0*, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBCM _s ; h _{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours RYGBCM _d ; h _{ab,d} = 32.6, 94.4, 157.0, 233.3, 303.9, 359.5; Six hue angles of the elementary colours RYGBCM _e ; h _{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																																
h _{ab,d}	h _{ab,s}	h _{ab,e}	rgb* _{dd361M}	LAB* _{ddx361Mi} (x=LabCh)	rgb* _{ds361Mi}	LAB* _{dsx361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{de361Mi}	LAB* _{dex361Mi} (x=LabCh)	rgb* _{dd361Mi}	rgb* _{ad}	rgb* _{ds}	rgb* _{de}																			
365	345	342	1.0	0.0	0.75	46.9	76.3	7.8	76.7	365	0.569	0.0	1.0	38.1	61.0	-16.3	63.2	345	1.0	0.0	0.75	0.535	0.0	1.0	37.5	58.8	-18.1	61.6	342	1.0	0.0	0.75
366	346	343	1.0	0.0	0.733	46.9	76.2	8.5	76.7	366	0.585	0.0	1.0	38.4	62.0	-15.4	63.9	346	1.0	0.0	0.733	0.55	0.0	1.0	37.7	59.8	-17.3	62.3	343	1.0	0.0	0.733
366	347	344	1.0	0.0	0.716	46.9	76.0	9.3	76.6	366	0.601	0.0	1.0	38.7	63.0	-14.4	64.7	347	1.0	0.0	0.717	0.565	0.0	1.0	38.0	60.8	-16.5	63.0	344	1.0	0.0	0.717
367	348	345	1.0	0.0	0.7	46.9	75.9	10.0	76.5	367	0.617	0.0	1.0	39.0	64.0	-13.5	65.4	348	1.0	0.0	0.7	0.58	0.0	1.0	38.3	61.7	-15.7	63.7	345	1.0	0.0	0.7
368	349	346	1.0	0.0	0.683	46.9	75.7	10.7	76.5	368	0.639	0.0	1.0	39.6	65.1	-12.6	66.3	349	1.0	0.0	0.683	0.595	0.0	1.0	38.6	62.6	-14.8	64.4	346	1.0	0.0	0.683
368	350	347	1.0	0.0	0.666	46.9	75.5	11.4	76.4	368	0.666	0.0	1.0	40.3	66.3	-11.6	67.3	350	1.0	0.0	0.667	0.61	0.0	1.0	38.9	63.6	-13.9	65.1	347	1.0	0.0	0.667
369	351	348	1.0	0.0	0.65	46.9	75.3	12.1	76.3	369	0.692	0.0	1.0	41.1	67.5	-10.6	68.4	351	1.0	0.0	0.65	0.625	0.0	1.0	39.2	64.5	-13.0	65.8	348	1.0	0.0	0.65
369	352	349	1.0	0.0	0.633	46.9	75.2	12.9	76.3	369	0.719	0.0	1.0	41.9	68.7	-9.6	69.4	352	1.0	0.0	0.633	0.651	0.0	1.0	39.9	65.6	-12.1	66.8	349	1.0	0.0	0.633
370	353	350	1.0	0.0	0.616	46.9	75.0	13.6	76.2	370	0.746	0.0	1.0	42.7	69.9	-8.5	70.4	353	1.0	0.0	0.617	0.677	0.0	1.0	40.7	66.8	-11.2	67.7	350	1.0	0.0	0.617
370	354	351	1.0	0.0	0.6	46.9	74.9	14.4	76.3	370	0.787	0.0	1.0	43.6	71.2	-7.4	71.6	354	1.0	0.0	0.6	0.702	0.0	1.0	41.4	67.9	-10.2	68.7	351	1.0	0.0	0.6
371	355	352	1.0	0.0	0.583	46.8	74.7	15.1	76.3	371	0.83	0.0	1.0	44.5	72.5	-6.2	72.8	355	1.0	0.0	0.583	0.728	0.0	1.0	42.1	69.1	-9.2	69.7	352	1.0	0.0	0.583
372	356	353	1.0	0.0	0.566	46.8	74.6	15.9	76.3	372	0.874	0.0	1.0	45.4	73.8	-5.1	74.0	356	1.0	0.0	0.567	0.755	0.0	1.0	42.9	70.2	-8.2	70.7	353	1.0	0.0	0.567
372	357	354	1.0	0.0	0.55	46.8	74.5	16.7	76.3	372	0.91	0.0	1.0	45.9	75.2	-3.8	75.3	357	1.0	0.0	0.55	0.796	0.0	1.0	43.7	71.5	-7.2	71.8	354	1.0	0.0	0.55
373	358	355	1.0	0.0	0.533	46.8	74.3	17.4	76.3	373	0.945	0.0	1.0	46.4	76.4	-2.6	76.5	358	1.0	0.0	0.533	0.837	0.0	1.0	44.6	72.7	-6.1	73.0	355	1.0	0.0	0.533
373	359	356	1.0	0.0	0.516	46.8	74.1	18.2	76.3	373	0.981	0.0	1.0	46.9	77.7	-1.3	77.7	359	1.0	0.0	0.517	0.877	0.0	1.0	45.5	74.0	-4.9	74.1	356	1.0	0.0	0.517
374	360	352	1.0	0.0	0.5	46.7	74.0	19.0	76.4	374	1.0	0.0	0.981	47.2	78.2	0.0	78.2	360	1.0	0.0	0.5	0.721	0.0	1.0	41.9	68.8	-9.5	69.4	352	1.0	0.0	0.5
375	361	353	1.0	0.0	0.483	46.8	73.8	19.9	76.4	375	1.0	0.0	0.94	47.2	77.9	1.4	77.9	361	1.0	0.0	0.483	0.752	0.0	1.0	42.8	70.1	-8.3	70.6	353	1.0	0.0	0.483
375	362	354	1.0	0.0	0.466	46.8	73.6	20.7	76.5	375	1.0	0.0	0.9	47.1	77.6	2.7	77.7	362	1.0	0.0	0.467	0.8	0.0	1.0	43.8	71.6	-7.1	71.9	354	1.0	0.0	0.467
376	363	355	1.0	0.0	0.45	46.8	73.4	21.6	76.5	376	1.0	0.0	0.86	47.1	77.3	4.1	77.4	363	1.0	0.0	0.45	0.848	0.0	1.0	44.9	73.1	-5.8	73.3	355	1.0	0.0	0.45
377	364	356	1.0	0.0	0.433	46.8	73.2	22.5	76.6	377	1.0	0.0	0.822	47.0	77.0	5.4	77.2	364	1.0	0.0	0.433	0.892	0.0	1.0	45.7	74.5	-4.4	74.7	356	1.0	0.0	0.433
377	365	357	1.0	0.0	0.416	46.8	73.0	23.4	76.7	377	1.0	0.0	0.784	47.0	76.7	6.7	77.0	365	1.0	0.0	0.417	0.932	0.0	1.0	46.3	76.0	-3.0	76.0	357	1.0	0.0	0.417
378	366	358	1.0	0.0	0.4	46.8	72.8	24.3	76.7	378	1.0	0.0	0.746	47.0	76.3	8.0	76.8	366	1.0	0.0	0.4	0.972	0.0	1.0	46.8	77.4	-1.6	77.4	358	1.0	0.0	0.4
379	367	359	1.0	0.0	0.383	46.9	72.5	25.1	76.8	379	1.0	0.0	0.716	47.0	76.1	9.3	76.6	367	1.0	0.0	0.383	1.0	0.0	0.987	47.2	78.3	-0.1	78.3	359	1.0	0.0	0.383
379	368	360	1.0	0.0	0.366	46.8	72.4	26.0	76.9	379	1.0	0.0	0.686	47.0	75.8	10.6	76.5	368	1.0	0.0	0.367	1.0	0.0	0.941	47.2	77.9	1.3	77.9	360	1.0	0.0	0.367
380	369	362	1.0	0.0	0.35	46.8	72.3	27.0	77.2	380	1.0	0.0	0.656	46.9	75.5	12.0	76.4	369	1.0	0.0	0.35	1.0	0.0	0.896	47.1	77.6	2.8	77.6	362	1.0	0.0	0.35
381	370	363	1.0	0.0	0.333	46.8	72.2	27.9	77.4	381	1.0	0.0	0.625	46.9	75.1	13.2	76.3	370	1.0	0.0	0.333	1.0	0.0	0.853	47.1	77.2	4.3	77.4	363	1.0	0.0	0.333
381	371	364	1.0	0.0	0.316	46.7	72.1	28.8	77.7	381	1.0	0.0	0.597	46.9	74.9	14.6	76.3	371	1.0	0.0	0.317	1.0	0.0	0.81	47.0	76.9	5.8	77.1	364	1.0	0.0	0.317
382	372	365	1.0	0.0	0.3	46.7	72.0	29.7	77.9	382	1.0	0.0	0.569	46.9	74.7	15.9	76.3	372	1.0	0.0	0.3	1.0	0.0	0.767	47.0	76.5	7.3	76.9	365	1.0	0.0	0.3
383	373	366	1.0	0.0	0.283	46.7	71.9	30.7	78.2	383	1.0	0.0	0.54	46.8	74.4	17.2	76.4	373	1.0	0.0	0.283	1.0	0.0	0.73	47.0	76.2	8.7	76.7	366	1.0	0.0	0.283
383	374	367	1.0	0.0	0.266	46.6	71.8	31.6	78.4	383	1.0	0.0	0.512	46.8	74.1	18.5	76.4	374	1.0	0.0	0.267	1.0	0.0	0.696	47.0	75.9	10.2	76.6	367	1.0	0.0	0.267
384	375	368	1.0	0.0	0.25	46.6	71.6	32.5	78.7	384	1.0	0.0	0.485	46.8	73.9	19.8	76.5	375	1.0	0.0	0.25	1.0	0.0	0.663	47.0	75.5	11.7	76.4	368	1.0	0.0	0.25
384	376	369	1.0	0.0	0.233	46.6	71.6	33.3	79.0	384	1.0	0.0	0.461	46.8	73.6	21.1	76.6	376	1.0	0.0	0.233	1.0	0.0	0.629	46.9	75.2	13.1	76.3	369	1.0	0.0	0.233
385	377	370	1.0	0.0	0.216	46.6	71.5	34.2	79.3	385	1.0	0.0	0.436	46.9	73.3	22.4	76.6	377	1.0	0.0	0.217	1.0	0.0	0.597	46.9	74.9	14.6	76.3	370	1.0	0.0	0.217
386	378	372	1.0	0.0	0.2	46.6	71.4	35.0	79.6	386	1.0	0.0	0.411	46.9	73.0	23.7	76.7	378	1.0	0.0	0.2	1.0	0.0	0.565	46.9	74.6	16.0	76.3	372	1.0	0.0	0.2
386	379	373	1.0	0.0	0.183	46.6	71.3	35.9	79.9	386	1.0	0.0	0.387	46.9	72.6	25.0	76.8	379	1.0	0.0	0.183	1.0	0.0	0.534	46.8	74.3	17.5	76.4	373	1.0	0.0	0.183
387	380	374	1.0	0.0	0.166	46.5	71.2	36.7	80.2	387	1.0	0.0	0.362	46.9	72.4	26.4	77.1	380	1.0	0.0	0.167	1.0	0.0	0.502	46.8	74.0	18.9	76.4	374	1.0	0.0	0.167
387	381	375	1.0	0.0	0.15	46.5	71.1	37.6	80.4	387	1.0	0.0	0.336	46.8	72.3	27.8	77.5	381	1.0	0.0	0.15	1.0	0.0	0.474	46.8	73.7	20.4	76.5	375	1.0	0.0	0.15
388	382	376	1.0	0.0	0.133	46.5	71.0	38.5	80.7	388	1.0	0.0	0.311	46.8	72.2	29.2	77.8	382	1.0	0.0	0.133	1.0	0.0	0.447	46.8	73.4	21.8	76.6	376	1.0	0.0	0.133
389	383	377	1.0	0.0	0.116	46.5	70.9	39.3	81.0	389	1.0	0.0	0.286	46.7	72.0	30.6	78.2	383	1.0	0.0	0.117	1.0	0.0	0.419	46.9	73.1	23.3	76.7	377	1.0	0.0	0.117
389	384	378	1.0	0.0	0.1	46.5	70.8	40.1	81.4	389	1.0	0.0	0.261	46.7	71.8	32.0	78.6	384	1.0	0.0	0.1	1.0	0.0	0.392	46.9	72.7	24.7	76.8	378	1.0	0.0	0.1
390	385	379	1.0	0.0	0.083	46.5	70.7	40.9	81.7	390	1.0	0.0	0.233	46.6	71.6	33.4	79.0	385	1.0	0.0	0.083	1.0	0.0	0.364	46.9	72.4	26.2	77.0	379	1.0	0.0	0.083
390	386	381	1.0	0.0	0.066	46.4	70.7	41.7	82.0	390	1.0	0.0	0.204																			

sortie: Offset standard print; separation cmy0*, D65, page 17/33

graphique TUB-SF07; 16 teintes, papier standard de offset entrée: *rgb/cmyk* -> *rgb_{dd}*
cercle de teinte, 48 étapes; *rgb-LabCh** tables, 3D=1, de=0, *src0*: * linearisation 3D selon

entrée: $rgb/cmyk \rightarrow rgb_{dd}$
 sortie: linearisation 3D selon $cmy0^*_{dd}$

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)

n/f	HIC*Fdd	rgb_Fdd			ict_Fdd			hsi_Fdd	rgb*Fdd					LabCh*Fdd					cmyn*sep,Fdd					hsiM,dd	rgb*Mdd					LabCh*Mdd				
0/648	R00Y_100_100ad	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5	0.0	1.0	1.0	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5					
1/657	R13Y_100_100ad	1.0	0.125	0.0	1.0	1.0	0.5	37	1.0	0.116	0.0	49.7	62.6	48.5	79.2	37.7	0.0	0.882	1.0	0.0	36	1.0	0.116	0.0	49.7	62.6	48.5	79.2	37.7					
2/666	R25Y_100_100ad	1.0	0.25	0.0	1.0	1.0	0.5	44	1.0	0.233	0.0	54.2	52.8	53.7	75.3	45.4	0.0	0.765	1.0	0.0	42	1.0	0.233	0.0	54.2	52.8	53.7	75.3	45.4					
3/675	R38Y_100_100ad	1.0	0.375	0.0	1.0	1.0	0.5	52	1.0	0.366	0.0	60.1	40.4	60.2	72.5	56.1	0.0	0.631	1.0	0.0	51	1.0	0.366	0.0	60.1	40.4	60.2	72.5	56.1					
4/684	R50Y_100_100ad	1.0	0.5	0.0	1.0	1.0	0.5	60	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8	0.0	0.498	0.999	0.0	59	1.0	0.5	0.0	66.4	28.5	66.7	72.5	66.8					
5/693	R63Y_100_100ad	1.0	0.625	0.0	1.0	1.0	0.5	68	1.0	0.633	0.0	73.9	15.3	74.7	76.3	78.4	0.0	0.368	1.0	0.0	68	1.0	0.633	0.0	73.9	15.3	74.7	76.3	78.4					
6/702	R75Y_100_100ad	1.0	0.75	0.0	1.0	1.0	0.5	76	1.0	0.766	0.0	79.7	5.8	81.0	81.2	85.8	0.0	0.234	1.0	0.0	77	1.0	0.766	0.0	79.7	5.8	81.0	81.2	85.8					
7/711	R88Y_100_100ad	1.0	0.875	0.0	1.0	1.0	0.5	83	1.0	0.883	0.0	84.4	-1.3	85.8	85.8	90.9	0.0	0.117	1.0	0.0	83	1.0	0.883	0.0	84.4	-1.3	85.8	85.8	90.9					
8/720	Y00G_100_100ad	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3	0.0	0.0	1.0	0.0	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3					
9/639	Y13G_100_100ad	0.875	1.0	0.0	1.0	1.0	0.5	97	0.883	1.0	0.0	84.7	-10.1	83.3	83.9	96.9	0.116	0.0	1.0	0.0	96	0.883	1.0	0.0	84.7	-10.1	83.3	83.9	96.9					
10/558	Y25G_100_100ad	0.75	1.0	0.0	1.0	1.0	0.5	104	0.766	1.0	0.0	81.0	-13.5	78.3	79.5	99.8	0.235	0.0	1.0	0.0	102	0.766	1.0	0.0	81.0	-13.5	78.3	79.5	99.8					
11/477	Y38G_100_100ad	0.625	1.0	0.0	1.0	1.0	0.5	112	0.633	1.0	0.0	76.2	-20.4	72.9	75.7	105.6	0.368	0.0	1.0	0.0	111	0.633	1.0	0.0	76.2	-20.4	72.9	75.7	105.6					
12/396	Y50G_100_100ad	0.5	1.0	0.0	1.0	1.0	0.5	120	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3	0.498	0.0	1.0	0.0	119	0.5	1.0	0.0	70.6	-26.9	62.2	67.8	113.3					
13/315	Y63G_100_100ad	0.375	1.0	0.0	1.0	1.0	0.5	128	0.366	1.0	0.0	64.9	-34.5	54.1	64.2	122.5	0.632	0.0	1.0	0.0	128	0.366	1.0	0.0	64.9	-34.5	54.1	64.2	122.5					
14/234	Y75G_100_100ad	0.25	1.0	0.0	1.0	1.0	0.5	136	0.233	1.0	0.0	57.9	-47.3	43.7	64.5	137.2	0.766	0.0	1.0	0.0	137	0.233	1.0	0.0	57.9	-47.3	43.7	64.5	137.2					
15/153	Y88G_100_100ad	0.125	1.0	0.0	1.0	1.0	0.5	143	0.116	1.0	0.0	53.9	-54.4	35.0	64.7	147.2	0.882	0.0	1.0	0.0	143	0.116	1.0	0.0	53.9	-54.4	35.0	64.7	147.2					
16/72	G00C_100_100ad	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0	0.999	0.0	1.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0					
17/73	G13C_100_100ad	0.0	1.0	0.125	1.0	1.0	0.5	157	0.0	1.0	0.116	50.4	-62.5	19.8	65.6	162.4	1.0	0.001	0.883	0.0	156	0.0	1.0	0.116	50.4	-62.5	19.8	65.6	162.4					
18/74	G25C_100_100ad	0.0	1.0	0.25	1.0	1.0	0.5	164	0.0	1.0	0.233	51.0	-59.0	10.9	60.0	169.5	1.0	0.0	0.765	0.0	162	0.0	1.0	0.233	51.0	-59.0	10.9	60.0	169.5					
19/75	G38C_100_100ad	0.0	1.0	0.375	1.0	1.0	0.5	172	0.0	1.0	0.366	51.9	-54.0	0.0	54.0	180.0	1.0	0.0	0.631	0.0	171	0.0	1.0	0.366	51.9	-54.0	0.0	54.0	180.0					
20/76	G50C_100_100ad	0.0	1.0	0.5	1.0	1.0	0.5	180	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6	1.0	0.0	0.498	0.0	180	0.0	1.0	0.5	53.0	-48.2	-10.8	49.4	192.6					
21/77	G63C_100_100ad	0.0	1.0	0.625	1.0	1.0	0.5	188	0.0	1.0	0.633	54.2	-42.9	-20.3	47.5	205.3	1.0	0.0	0.367	0.0	188	0.0	1.0	0.633	54.2	-42.9	-20.3	47.5	205.3					
22/78	G75C_100_100ad	0.0	1.0	0.75	1.0	1.0	0.5	196	0.0	1.0	0.766	55.4	-37.8	-28.4	47.3	216.9	1.0	0.0	0.234	0.0	197	0.0	1.0	0.766	55.4	-37.8	-28.4	47.3	216.9					
23/79	G88C_100_100ad	0.0	1.0	0.875	1.0	1.0	0.5	203	0.0	1.0	0.883	56.2	-33.8	-34.3	48.2	225.4	1.0	0.0	0.117	0.0	203	0.0	1.0	0.883	56.2	-33.8	-34.3	48.2	225.4					
24/80	C00B_100_100ad	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2	1.0	0.0	0.0	0.0	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2					
25/71	C13B_100_100ad	0.0	0.875	1.0	1.0	1.0	0.5	217	0.0	0.883	1.0	54.4	-25.4	-39.8	47.3	237.4	1.0	0.117	0.0	0.0	216	0.0	0.883	1.0	54.4	-25.4	-39.8	47.3	237.4					
26/62	C25B_100_100ad	0.0	0.75	1.0	1.0	1.0	0.5	224	0.0	0.766	1.0	51.3	-20.4	-39.8	44.7	242.7	1.0	0.234	0.0	0.0	222	0.0	0.766	1.0	51.3	-20.4	-39.8	44.7	242.7					
27/53	C38B_100_100ad	0.0	0.625	1.0	1.0	1.0	0.5	232	0.0	0.633	1.0	47.8	-14.7	-39.5	42.1	249.5	1.0	0.368	0.0	0.0	231	0.0	0.633	1.0	47.8	-14.7	-39.5	42.1	249.5					
28/44	C50B_100_100ad	0.0	0.5	1.0	1.0	1.0	0.5	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8	1.0	0.498	0.0	0.0	240	0.0	0.5	1.0	43.1	-6.3	-39.3	39.8	260.8					
29/35	C63B_100_100ad	0.0	0.375	1.0	1.0	1.0	0.5	248	0.0	0.366	1.0	38.2	2.0	-38.9	38.9	273.0	1.0	0.631	0.0	0.0	248	0.0	0.366	1.0	38.2	2.0	-38.9	38.9	273.0					
30/26	C75B_100_100ad	0.0	0.25	1.0	1.0	1.0	0.5	256	0.0	0.233	1.0	33.5	10.9	-38.9	40.4	285.7	1.0	0.765	0.0	0.0	257	0.0	0.233	1.0	33.5	10.9	-38.9	40.4	285.7					
31/17	C88B_100_100ad	0.0	0.125	1.0	1.0	1.0	0.5	263	0.0	0.116	1.0	29.2	19.0	-38.9	43.3	296.0	1.0	0.882	0.0	0.0	263	0.0	0.116	1.0	29.2	19.0	-38.9	43.3	296.0					
32/8	B00M_100_100ad	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9	1.0	1.0	0.0	0.0	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9					
33/89	B13M_100_100ad	0.125	0.0	1.0	1.0	1.0	0.5	277	0.116	0.0	1.0	28.2	32.2	-35.3	47.8	312.3	0.883	1.0	0.0	0.0	276	0.116	0.0	1.0	28.2	32.2	-35.3	47.8	312.3					
34/170	B25M_100_100ad	0.25	0.0	1.0	1.0	1.0	0.5	284	0.233	0.0	1.0	29.1	38.9	-31.7	50.2	320.7	0.766	1.0	0.0	0.0	282	0.233	0.0	1.0	29.1	38.9	-31.7	50.2	320.7					
35/251	B38M_100_100ad	0.375	0.0	1.0	1.0	1.0	0.5	292	0.366	0.0	1.0	33.0	49.6	-25.1	55.6	333.0	0.632	1.0	0.0	0.0	291	0.366	0.0	1.0	33.0	49.6	-25.1	55.6	333.0					
36/332	B50M_100_100ad	0.5	0.0	1.0	1.0	1.0	0.5	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6	0.5	1.0	0.0	0.0	300	0.5	0.0	1.0	36.7	56.5	-19.8	59.9	340.6					
37/413	B63M_100_100ad	0.625	0.0	1.0	1.0	1.0	0.5	308	0.633	0.0	1.0	39.4	64.8	-12.8	66.1	348.8	0.368	1.0	0.0	0.0	308	0.633	0.0	1.0	39.4	64.8	-12.8	66.1	348.8					
38/494	B75M_100_100ad	0.75	0.0	1.0	1.0	1.0	0.5	316	0.766	0.0	1.0	43.1	70.5	-8.0	71.0	353.5	0.232	1.0	0.0	0.0	317	0.766	0.0	1.0	43.1	70.5	-8.0	71.0	353.5					

delta

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 19/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.LTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)

n/f	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep,Fdd	hsiMdd	rgb*Mdd	LabCh*Mdd	
0/648	R00Y_100_100add	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5	0.0 1.0 1.0	0.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
1/666	R25Y_100_100add	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4	0.0 0.765 1.0	0.0 0.0 0.0	54.2 52.8 53.7	75.3 45.4
2/684	R50Y_100_100add	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8	0.0 0.498 0.999	0.0 0.0 0.0	66.4 28.5 66.7	72.5 66.8
3/702	R75Y_100_100add	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.766 0.0	79.7 5.8 81.0	81.2 85.8	0.0 0.234 1.0	0.0 0.0 0.0	79.7 5.8 81.0	81.2 85.8
4/720	Y00G_100_100add	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 1.0 0.0	88.0 -6.8 89.7	90.0 94.3	0.0 0.0 1.0	0.0 0.0 0.0	88.0 -6.8 89.7	90.0 94.3
5/558	Y25G_100_100add	0.75 1.0 0.0	1.0 1.0 0.5	104	0.766 1.0 0.0	81.0 -13.5 78.3	79.5 99.8	0.235 0.0 1.0	0.0 0.0 0.0	81.0 -13.5 78.3	79.5 99.8
6/396	Y50G_100_100add	0.5 1.0 0.0	1.0 1.0 0.5	120	0.5 1.0 0.0	70.6 -26.9 62.2	67.8 113.3	0.498 0.0 1.0	0.0 0.0 0.0	70.6 -26.9 62.2	67.8 113.3
7/234	Y75G_100_100add	0.25 1.0 0.0	1.0 1.0 0.5	136	0.233 1.0 0.0	57.9 -47.3 43.7	64.5 137.2	0.766 0.0 1.0	0.0 0.0 0.0	57.9 -47.3 43.7	64.5 137.2
8/72	G00B_100_100add	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0	0.999 0.0 1.0	0.0 0.0 0.0	49.6 -65.0 27.6	70.6 157.0
9/72	G00B_100_100add	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.0	49.6 -65.0 27.6	70.6 157.0	0.999 0.0 1.0	0.0 0.0 0.0	49.6 -65.0 27.6	70.6 157.0
10/76	G25B_100_100add	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.5	53.0 -48.2 -10.8	49.4 192.6	1.0 0.0 0.498	0.0 0.0 0.0	53.0 -48.2 -10.8	49.4 192.6
11/80	G50B_100_100add	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2	1.0 0.0 0.0	0.0 0.0 0.0	57.0 -29.7 -39.8	49.7 233.2
12/44	G75B_100_100add	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.5 1.0	43.1 -6.3 -39.3	39.8 260.8	1.0 0.498 0.0	0.0 0.0 0.0	43.1 -6.3 -39.3	39.8 260.8
13/8	B00M_100_100add	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9	1.0 1.0 0.0	0.0 0.0 0.0	25.8 26.0 -38.7	46.7 303.9
14/332	B25R_100_100add	0.5 0.0 1.0	1.0 1.0 0.5	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6	0.5 1.0 0.0	0.0 0.0 0.0	36.7 56.5 -19.8	59.9 340.6
15/656	B50R_100_100add	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5	0.0 1.0 0.0	0.0 0.0 0.0	47.2 78.3 -0.6	78.3 359.5
16/652	B75R_100_100add	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4	0.0 1.0 0.5	0.0 0.0 0.0	46.7 74.0 19.0	76.4 14.4
17/648	R00Y_100_100add	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5	0.0 1.0 1.0	0.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
18/688	R00Y_100_050add	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.4 35.1 22.4	41.7 32.5	0.0 0.508 0.405	0.0 0.0 0.0	71.4 35.1 22.4	41.7 32.5
19/706	R50Y_100_050add	1.0 0.75 0.5	1.0 0.5 0.75	60	1.0 0.75 0.5	81.4 14.2 33.3	36.2 66.8	0.0 0.287 0.504	0.0 0.0 0.0	81.4 14.2 33.3	36.2 66.8
20/724	Y00G_100_050add	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 1.0 0.5	92.2 -3.4 44.8	45.0 94.3	0.0 0.018 0.557	0.0 0.0 0.0	92.2 -3.4 44.8	45.0 94.3
21/562	Y50G_100_050add	0.75 1.0 0.5	1.0 0.5 0.75	120	0.75 1.0 0.5	83.5 -13.4 31.1	33.9 113.3	0.27 0.0 0.543	0.0 0.0 0.0	83.5 -13.4 31.1	33.9 113.3
22/400	G00B_100_050add	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.5	73.0 -32.5 13.8	35.3 157.0	0.617 0.0 0.502	0.0 0.0 0.0	73.0 -32.5 13.8	35.3 157.0
23/404	G50B_100_050add	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	76.7 -14.8 -19.9	24.8 233.2	0.562 0.0 0.905	0.0 0.0 0.0	76.7 -14.8 -19.9	24.8 233.2
24/368	B00R_100_050add	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.5 1.0	61.1 13.0 -19.3	23.3 303.9	0.496 0.459 0.0	0.0 0.0 0.0	61.1 13.0 -19.3	23.3 303.9
25/692	B50R_100_050add	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	71.8 39.1 -0.3	39.1 359.5	0.0 0.529 0.021	0.0 0.0 0.0	71.8 39.1 -0.3	39.1 359.5
26/688	R00Y_100_050add	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.4 35.1 22.4	41.7 32.5	0.0 0.508 0.405	0.0 0.0 0.0	71.4 35.1 22.4	41.7 32.5
27/506	R00Y_075_050add	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	53.2 35.1 22.4	41.7 32.5	0.274 0.705 0.631	0.0 0.0 0.0	53.2 35.1 22.4	41.7 32.5
28/524	R50Y_075_050add	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.5 0.25	63.2 14.2 33.3	36.2 66.8	0.284 0.468 0.706	0.0 0.0 0.0	63.2 14.2 33.3	36.2 66.8
29/542	Y00G_075_050add	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.75 0.25	74.0 -3.4 44.8	45.0 94.3	0.273 0.207 0.749	0.0 0.0 0.0	74.0 -3.4 44.8	45.0 94.3
30/380	Y50G_075_050add	0.5 0.75 0.25	0.75 0.5 0.5	120	0.5 0.75 0.25	65.3 -13.4 31.1	33.9 113.3	0.497 0.22 0.73	0.0 0.0 0.0	65.3 -13.4 31.1	33.9 113.3
31/218	G00B_075_050add	0.25 0.75 0.25	0.75 0.5 0.5	150	0.25 0.75 0.25	54.8 -32.5 13.8	35.3 157.0	0.788 0.194 0.698	0.0 0.0 0.0	54.8 -32.5 13.8	35.3 157.0
32/222	G50B_075_050add	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	58.5 -14.8 -19.9	24.8 233.2	0.742 0.238 0.19	0.0 0.0 0.0	58.5 -14.8 -19.9	24.8 233.2
33/186	B00R_075_050add	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	42.9 13.0 -19.3	23.3 303.9	0.721 0.663 0.223	0.0 0.0 0.0	42.9 13.0 -19.3	23.3 303.9
34/510	B50R_075_050add	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	53.6 39.1 -0.3	39.1 359.5	0.294 0.723 0.263	0.0 0.0 0.0	53.6 39.1 -0.3	39.1 359.5
35/506	R00Y_075_050add	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	53.2 35.1 22.4	41.7 32.5	0.274 0.705 0.631	0.0 0.0 0.0	53.2 35.1 22.4	41.7 32.5
36/324	R00Y_050_050add	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.0	35.0 35.1 22.4	41.7 32.5	0.575 0.938 0.993	0.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
37/342	R50Y_050_050add	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.25 0.0	45.0 14.2 33.3	36.2 66.8	0.557 0.685 0.99	0.0 0.0 0.0	66.4 28.5 66.7	72.5 66.8
38/360	Y00G_050_050add	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.5 0.0	55.8 -3.4 44.8	45.0 94.3	0.529 0.43 0.985	0.0 0.0 0.0	88.0 -6.8 89.7	90.0 94.3
39/198	Y50G_050_050add	0.25 0.5 0.0	0.5 0.5 0.25	120	0.25 0.5 0.0	47.1 -13.4 31.1	33.9 113.3	0.709 0.473 0.971	0.0 0.0 0.0	70.6 -26.9 62.2	67.8 113.3
40/36	G00B_050_050add	0.0 0.5 0.0	0.5 0.5 0.25	150	0.0 0.5 0.0	36.6 -32.5 13.8	35.3 157.0	0.985 0.554 0.987	0.0 0.0 0.0	49.6 -65.0 27.6	70.6 157.0
41/40	G50B_050_050add	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.5	40.3 -14.8 -19.9	24.8 233.2	0.971 0.552 0.392	0.0 0.0 0.0	57.0 -29.7 -39.8	49.7 233.2
42/4	B00R_050_050add	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.0 0.5	24.7 13.0 -19.3	23.3 303.9	0.984 1.0 0.512	0.0 0.0 0.0	25.8 26.0 -38.7	46.7 303.9
43/328	B50R_050_050add	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.5	35.4 39.1 -0.3	39.1 359.5	0.589 0.939 0.545	0.0 0.0 0.0	47.2 78.3 -0.6	78.3 359.5
44/324	R00Y_050_050add	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.0	35.0 35.1 22.4	41.7 32.5	0.575 0.938 0.993	0.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
45/0	NW_000add	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	23.6 0.0 0.0	0.0 0.0	1.0 1.0 1.0	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
46/91	NW_013add	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	32.7 0.0 0.0	0.0 0.0	0.884 0.803 0.783	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
47/182	NW_025add	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	41.8 0.0 0.0	0.0 0.0	0.744 0.626 0.604	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
48/273	NW_038add	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9 0.0 0.0	0.0 0.0	0.654 0.497 0.482	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
49/364	NW_050add	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.541 0.397 0.38	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
50/455	NW_063add	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	69.1 0.0 0.0	0.0 0.0	0.425 0.278 0.28	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
51/546	NW_075add	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	78.2 0.0 0.0	0.0 0.0	0.304 0.187 0.191	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
52/637	NW_088add	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	87.3 0.0 0.0	0.0 0.0	0.163 0.102 0.101	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0
53/728	NW_100add	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	96.4 0.0 0.0	0.0 0.0 0.0

delta

graphique TUB-SF07; 16 teintes, papier standard de offset
couleurs et différences, ΔE^* , 3D=1, de=0, $cmy0^*$

entrée: $rgb/cmyk \rightarrow rgb_{dd}$
sortie: linearisation 3D selon $cmy0^*_{dd}$

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 20/33

SF0710A

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS
application pour la mesure des sorties sur offset, separationcmY0* (CMY0)

TUB matériel: code=rha4ta

n=j	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsiMdd	rgb*Mdd	LabCh*Mdd	
0	NW_000dd	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0
1	B00R_012_012dd	0.0	0.0	0.125	0.125	0.125	0.993	1.0	0.869	0.0	0.0
2	B00R_025_025dd	0.0	0.0	0.25	0.25	0.25	0.991	1.0	0.749	0.0	0.0
3	B00R_037_037dd	0.0	0.0	0.375	0.375	0.375	0.986	1.0	0.623	0.0	0.0
4	B00R_050_050dd	0.0	0.0	0.5	0.5	0.5	0.984	1.0	0.512	0.0	0.0
5	B00R_062_062dd	0.0	0.0	0.625	0.625	0.625	0.985	1.0	0.394	0.0	0.0
6	B00R_075_075dd	0.0	0.0	0.75	0.75	0.75	0.988	1.0	0.27	0.0	0.0
7	B00R_087_087dd	0.0	0.0	0.875	0.875	0.875	0.994	0.999	0.138	0.0	0.0
8	B00R_100_100dd	0.0	0.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0
9	G00B_012_012dd	0.0	0.125	0.125	0.125	0.062	0.998	0.889	1.0	0.0	0.0
10	G50B_012_012dd	0.0	0.125	0.125	0.125	0.062	0.984	0.872	0.795	0.0	0.0
11	G75B_025_025dd	0.0	0.125	0.25	0.25	0.125	0.982	0.861	0.687	0.0	0.0
12	G84B_037_037dd	0.0	0.125	0.375	0.375	0.187	0.983	0.868	0.585	0.0	0.0
13	G88B_050_050dd	0.0	0.125	0.5	0.5	0.25	0.981	0.871	0.481	0.0	0.0
14	G90B_062_062dd	0.0	0.125	0.625	0.625	0.312	0.983	0.873	0.37	0.0	0.0
15	G92B_075_075dd	0.0	0.125	0.75	0.75	0.375	0.987	0.877	0.254	0.0	0.0
16	G93B_087_087dd	0.0	0.125	0.875	0.875	0.437	0.991	0.877	0.131	0.0	0.0
17	G94B_100_100dd	0.0	0.125	1.0	1.0	0.5	263	0.0	0.882	0.0	0.0
18	G00B_025_025dd	0.0	0.25	0.25	0.25	0.125	0.991	0.778	0.989	0.0	0.0
19	G25B_025_025dd	0.0	0.25	0.125	0.25	0.125	0.988	0.777	0.792	0.0	0.0
20	G50B_025_025dd	0.0	0.25	0.25	0.25	0.125	0.976	0.772	0.639	0.0	0.0
21	G65B_037_037dd	0.0	0.25	0.375	0.375	0.187	0.975	0.748	0.531	0.0	0.0
22	G75B_050_050dd	0.0	0.25	0.5	0.5	0.25	0.977	0.745	0.436	0.0	0.0
23	G80B_062_062dd	0.0	0.25	0.625	0.625	0.312	0.981	0.753	0.343	0.0	0.0
24	G84B_075_075dd	0.0	0.25	0.75	0.75	0.375	0.987	0.753	0.233	0.0	0.0
25	G86B_087_087dd	0.0	0.25	0.875	0.875	0.437	0.985	0.755	0.118	0.0	0.0
26	G88B_100_100dd	0.0	0.25	1.0	1.0	0.5	256	0.0	0.765	0.0	0.0
27	G00B_037_037dd	0.0	0.375	0.375	0.375	0.187	0.987	0.667	0.984	0.0	0.0
28	G15B_037_037dd	0.0	0.375	0.125	0.375	0.187	0.989	0.667	0.818	0.0	0.0
29	G34B_037_037dd	0.0	0.375	0.25	0.375	0.187	0.981	0.66	0.627	0.0	0.0
30	G50B_037_037dd	0.0	0.375	0.375	0.375	0.187	0.971	0.664	0.506	0.0	0.0
31	G61B_050_050dd	0.0	0.375	0.5	0.5	0.25	0.973	0.636	0.407	0.0	0.0
32	G69B_062_062dd	0.0	0.375	0.625	0.625	0.312	0.979	0.61	0.31	0.0	0.0
33	G75B_075_075dd	0.0	0.375	0.75	0.75	0.375	0.984	0.614	0.211	0.0	0.0
34	G79B_087_087dd	0.0	0.375	0.875	0.875	0.437	0.991	0.623	0.106	0.0	0.0
35	G81B_100_100dd	0.0	0.375	1.0	1.0	0.5	248	0.0	0.631	0.0	0.0
36	G00B_050_050dd	0.0	0.5	0.0	0.5	0.25	150	0.0	0.554	0.987	0.0
37	G11B_050_050dd	0.0	0.5	0.125	0.5	0.25	164	0.0	0.55	0.836	0.0
38	G25B_050_050dd	0.0	0.5	0.25	0.5	0.25	180	0.0	0.547	0.663	0.0
39	G38B_050_050dd	0.0	0.5	0.375	0.5	0.25	196	0.0	0.546	0.502	0.0
40	G50B_050_050dd	0.0	0.5	0.5	0.5	0.25	210	0.0	0.552	0.392	0.0
41	G59B_062_062dd	0.0	0.5	0.625	0.625	0.312	221	0.0	0.518	0.296	0.0
42	G65B_075_075dd	0.0	0.5	0.75	0.75	0.375	229	0.0	0.498	0.202	0.0
43	G70B_087_087dd	0.0	0.5	0.875	0.875	0.437	235	0.0	0.488	0.102	0.0
44	G75B_100_100dd	0.0	0.5	1.0	1.0	0.5	240	0.0	0.498	0.0	0.0
45	G00B_062_062dd	0.0	0.625	0.0	0.625	0.312	150	0.0	0.444	0.991	0.0
46	G09B_062_062dd	0.0	0.625	0.125	0.625	0.312	161	0.0	0.439	0.848	0.0
47	G19B_062_062dd	0.0	0.625	0.25	0.625	0.312	173	0.0	0.438	0.703	0.0
48	G30B_062_062dd	0.0	0.625	0.375	0.625	0.312	187	0.0	0.434	0.53	0.0
49	G40B_062_062dd	0.0	0.625	0.5	0.625	0.312	199	0.0	0.435	0.396	0.0
50	G50B_062_062dd	0.0	0.625	0.625	0.625	0.312	210	0.0	0.442	0.288	0.0
51	G57B_075_075dd	0.0	0.625	0.75	0.75	0.375	219	0.0	0.407	0.19	0.0
52	G63B_087_087dd	0.0	0.625	0.875	0.875	0.437	226	0.0	0.383	0.094	0.0
53	G68B_100_100dd	0.0	0.625	1.0	1.0	0.5	232	0.0	0.368	0.0	0.0
54	G00B_075_075dd	0.0	0.75	0.0	0.75	0.375	150	0.0	0.315	0.99	0.0
55	G07B_075_075dd	0.0	0.75	0.125	0.75	0.375	159	0.0	0.31	0.859	0.0
56	G15B_075_075dd	0.0	0.75	0.25	0.75	0.375	169	0.0	0.31	0.721	0.0
57	G25B_075_075dd	0.0	0.75	0.375	0.75	0.375	180	0.0	0.31	0.574	0.0
58	G34B_075_075dd	0.0	0.75	0.5	0.75	0.375	191	0.0	0.302	0.425	0.0
59	G42B_075_075dd	0.0	0.75	0.625	0.75	0.375	201	0.0	0.305	0.296	0.0
60	G50B_075_075dd	0.0	0.75	0.75	0.75	0.375	210	0.0	0.314	0.185	0.0
61	G56B_087_087dd	0.0	0.75	0.875	0.875	0.437	218	0.0	0.267	0.092	0.0
62	G61B_100_100dd	0.0	0.75	1.0	1.0	0.5	224	0.0	0.234	0.0	0.0
63	G00B_087_087dd	0.0	0.875	0.0	0.875	0.437	150	0.0	0.168	0.995	0.0
64	G06B_087_087dd	0.0	0.875	0.125	0.875	0.437	158	0.0	0.166	0.868	0.0
65	G13B_087_087dd	0.0	0.875	0.25	0.875	0.437	166	0.0	0.164	0.743	0.0
66	G20B_087_087dd	0.0	0.875	0.375	0.875	0.437	175	0.0	0.162	0.603	0.0
67	G29B_087_087dd	0.0	0.875	0.5	0.875	0.437	185	0.0	0.159	0.463	0.0
68	G36B_087_087dd	0.0	0.875	0.625	0.875	0.437	194	0.0	0.159	0.326	0.0
69	G43B_087_087dd	0.0	0.875	0.75	0.875	0.437	202	0.0	0.161	0.205	0.0
70	G50B_087_087dd	0.0	0.875	0.875	0.875	0.437	210	0.0	0.168	0.091	0.0
71	G55B_100_100dd	0.0	0.875	1.0	1.0	0.5	217	0.0	0.117	0.0	0.0
72	G00B_100_100dd	0.0	1.0	0.0	1.0	0.5	150	0.0	0.0	1.0	0.0
73	G05B_100_100dd	0.0	1.0	0.125	1.0	0.5	157	0.0	0.001	0.883	0.0
74	G11B_100_100dd	0.0	1.0	0.25	1.0	0.5	164	0.0	0.0	0.765	0.0
75	G18B_100_100dd	0.0	1.0	0.375	1.0	0.5	172	0.0	0.0	0.631	0.0
76	G25B_100_100dd	0.0	1.0	0.5	1.0	0.5	180	0.0	0.0	0.498	0.0
77	G31B_100_100dd	0.0	1.0	0.625	1.0	0.5	188	0.0	0.0	0.367	0.0
78	G38B_100_100dd	0.0	1.0	0.75	1.0	0.5	196	0.0	0.0	0.234	0.0
79	G44B_100_100dd	0.0	1.0	0.875	1.0	0.5	203	0.0	0.0	0.117	0.0
80	G50B_100_100dd	0.0	1.0	1.0	1.0	0.5	210	0.0	0.0	0.0	0.0
delta											

3-1031931-F0

SF070-7N, 20/33-F

graphique TUB-SF07; 16 teintes, papier standard de offset
couleurs et différences, ΔE^* , 3D=1, de=0, $cmY0^*$

entrée: $rgb/cmyk \rightarrow rgb_{dd}$
sortie: linearisation 3D selon $cmY0^*_{dd}$

3-1031931-F0

3

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 21/33

SF0710A

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rh4ta
application pour la mesure des sorties sur offset, séparationcmY0* (CMY0)

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsiMdd	rgb*Mdd	LabCh*Mdd		
81	R00Y_012_012ad	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.0	26.4 8.7 5.6	10.4 32.5	0.899 0.978	1.0 0.0	46.4 70.3 44.9	83.4 32.5	
82	B50R_012_012ad	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.125	26.5 9.7 0.0	9.7 359.5	0.905 0.976	0.899 0.0	47.2 78.3 -0.6	78.3 359.5	
83	B25R_025_025ad	0.125 0.0 0.25	0.25 0.25 0.125	300	0.125 0.0 0.25	26.9 14.1 -4.9	14.9 340.6	0.89 0.988	0.783 0.0	36.7 56.5 -19.8	59.9 340.6	
84	B15R_037_037ad	0.125 0.0 0.375	0.375 0.375 0.187	289	0.118 0.0 0.375	26.5 17.0 -10.5	20.0 328.3	0.893 1.0	0.661 0.0	31.4 45.5 -28.0	53.4 328.3	
85	B11R_050_050ad	0.125 0.0 0.5	0.5 0.5 0.25	284	0.116 0.0 0.5	26.3 19.4 -15.8	25.1 320.7	0.897 1.0	0.541 0.0	29.1 38.9 -31.7	50.2 320.7	
86	B09R_062_062ad	0.125 0.0 0.625	0.625 0.625 0.312	281	0.114 0.0 0.625	26.8 22.5 -20.8	30.7 317.1	0.891 1.0	0.415 0.0	28.8 36.0 -33.4	49.1 317.1	
87	B07R_075_075ad	0.125 0.0 0.75	0.75 0.75 0.375	279	0.112 0.0 0.75	27.3 25.5 -25.8	36.3 314.7	0.888 0.997	0.285 0.0	28.6 34.1 -34.4	48.4 314.7	
88	B06R_087_087ad	0.125 0.0 0.875	0.875 0.875 0.437	278	0.116 0.0 0.875	27.9 28.9 -30.5	42.0 313.5	0.882 0.994	0.149 0.0	27.7 133.3 0.0	34.1 -34.8 48.1	313.5
89	B05R_100_100ad	0.125 0.0 1.0	1.0 1.0 0.5	277	0.116 0.0 1.0	28.2 32.2 -35.3	47.8 312.3	0.883 1.0	0.0 0.0	28.2 32.2 -35.3	47.8 312.3	
90	Y00G_012_012ad	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.125 0.0	31.6 -0.8 11.2	11.2 94.3	0.871 0.819	1.0 0.0	88.0 -6.8 89.7	90.0 94.3	
91	NW_012ad	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	32.7 0.0 0.0	0.0 0.0	0.884 0.803	0.783 0.0	96.4 0.0 0.0	0.0 0.0	
92	B00R_025_012ad	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.124 0.25	32.9 3.2 -4.8	5.8 303.9	0.875 0.811	0.692 0.0	25.8 26.0 -38.7	46.7 303.9	
93	B00R_037_025ad	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.124 0.375	33.2 6.5 -9.6	11.6 303.9	0.865 0.814	0.59 0.0	25.8 26.0 -38.7	46.7 303.9	
94	B00R_050_037ad	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	33.5 9.7 -14.5	17.5 303.9	0.854 0.816	0.48 0.0	25.8 26.0 -38.7	46.7 303.9	
95	B00R_062_050ad	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	33.8 13.0 -19.3	23.3 303.9	0.851 0.818	0.376 0.0	25.8 26.0 -38.7	46.7 303.9	
96	B00R_075_062ad	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	34.1 16.2 -24.2	29.2 303.9	0.846 0.825	0.259 0.0	25.8 26.0 -38.7	46.7 303.9	
97	B00R_087_075ad	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	34.4 19.5 -29.0	35.0 303.9	0.842 0.825	0.135 0.0	25.8 26.0 -38.7	46.7 303.9	
98	B00R_100_087ad	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	34.6 22.8 -33.9	40.8 303.9	0.843 0.834	0.006 0.0	25.8 26.0 -38.7	46.7 303.9	
99	Y50G_025_025ad	0.125 0.25 0.0	0.25 0.25 0.125	120	0.125 0.25 0.0	35.3 -6.7 15.5	16.9 113.3	0.845 0.723	1.0 0.0	70.6 -26.9 62.2	67.8 113.3	
100	G00B_025_012ad	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.124	35.9 -8.1 3.4	8.8 157.0	0.884 0.705	0.796 0.0	49.6 -65.0 27.6	70.6 157.0	
101	G50B_025_012ad	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.25	36.8 -3.7 -4.9	6.2 233.2	0.87 0.704	0.64 0.0	57.0 -29.7 -39.8	49.7 233.2	
102	G75B_037_025ad	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.25 0.375	37.5 -1.5 -9.8	9.9 260.8	0.863 0.699	0.54 0.0	43.1 -6.3 -39.3	39.8 260.8	
103	G84B_050_037ad	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.243 0.5	37.5 2.0 -14.6	14.7 277.8	0.859 0.71	0.445 0.0	36.4 5.3 -39.0	39.4 277.8	
104	G88B_062_050ad	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.241 0.625	37.6 5.4 -19.4	20.2 285.7	0.856 0.713	0.346 0.0	35.5 10.9 -38.9	40.4 285.7	
105	G90B_075_062ad	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.239 0.75	37.7 9.0 -24.4	26.0 290.2	0.854 0.724	0.238 0.0	31.6 14.4 -39.0	41.6 290.2	
106	G92B_087_075ad	0.125 0.25 0.875	0.875 0.5 0.625	261	0.125 0.237 0.875	37.8 12.5 -29.2	31.8 293.2	0.851 0.729	0.124 0.0	30.4 16.7 -39.0	42.4 293.2	
107	G93B_100_087ad	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.241 1.0	38.1 15.6 -34.0	37.5 294.7	0.852 0.739	0.001 0.0	29.8 17.9 -38.9	42.8 294.7	
108	Y68G_037_037ad	0.125 0.375 0.0	0.375 0.375 0.187	131	0.118 0.375 0.0	38.0 -14.9 18.9	24.1 128.2	0.852 0.623	1.0 0.0	62.1 -39.8 50.5	64.3 128.2	
109	G00B_037_025ad	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.124	39.2 -16.2 6.9	17.6 157.0	0.884 0.597	0.808 0.0	49.6 -65.0 27.6	70.6 157.0	
110	G25B_037_025ad	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.25	40.0 -12.0 -2.7	12.3 192.6	0.88 0.597	0.646 0.0	53.0 -48.2 -10.8	49.4 192.6	
111	G50B_037_025ad	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	41.0 -7.4 -9.9	12.4 233.2	0.858 0.607	0.505 0.0	57.0 -29.7 -39.8	49.7 233.2	
112	G65B_050_037ad	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.381 0.5	42.3 -6.3 -14.8	16.1 246.9	0.858 0.579	0.411 0.0	49.1 -16.8 -39.6	43.1 246.9	
113	G75B_062_050ad	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.375 0.625	42.4 -3.1 -19.6	19.9 260.8	0.857 0.582	0.32 0.0	43.1 -6.3 -39.3	39.8 260.8	
114	G80B_075_062ad	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.364 0.75	42.2 0.6 -24.3	24.3 271.5	0.856 0.595	0.228 0.0	38.8 1.0 -38.9	39.9 271.5	
115	G84B_087_075ad	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.362 0.875	42.3 4.0 -29.3	29.5 277.8	0.856 0.6	0.117 0.0	36.4 5.3 -39.0	39.4 277.8	
116	G86B_100_087ad	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.358 1.0	42.4 7.6 -34.0	34.9 282.6	0.855 0.607	0.004 0.0	34.7 8.7 -38.9	39.9 282.6	
117	Y76G_050_050ad	0.125 0.5 0.0	0.5 0.5 0.25	136	0.116 0.5 0.0	40.7 -23.6 21.8	32.2 137.2	0.864 0.523	1.0 0.0	57.9 -47.3 43.7	64.5 137.2	
118	G00B_050_037ad	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.124	42.4 -24.4 10.3	26.5 157.0	0.886 0.484	0.821 0.0	49.6 -65.0 27.6	70.6 157.0	
119	G15B_050_037ad	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.243	43.2 -21.0 1.4	21.1 176.0	0.886 0.485	0.687 0.0	51.6 -56.1 3.9	56.3 176.0	
120	G34B_050_037ad	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.5 0.381	44.3 -15.4 -8.8	17.7 209.7	0.87 0.489	0.512 0.0	54.7 -41.1 -23.5	47.4 209.7	
121	G50B_050_037ad	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	45.2 -11.1 -14.9	18.6 233.2	0.858 0.502	0.396 0.0	57.0 -29.7 -39.8	49.7 233.2	
122	G61B_062_050ad	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.508 0.625	46.6 -10.2 -19.9	22.3 242.7	0.859 0.48	0.301 0.0	51.3 -20.4 -39.8	44.7 242.7	
123	G69B_075_062ad	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.51 0.75	47.5 -8.6 -24.6	26.1 250.6	0.86 0.463	0.207 0.0	47.3 -13.8 -39.5	41.8 250.6	
124	G75B_087_075ad	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.5 0.875	47.3 -0.7 -29.4	29.8 260.8	0.859 0.473	0.108 0.0	43.1 -6.3 -39.3	39.8 260.8	
125	G79B_100_087ad	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.489 1.0	47.1 -0.9 -34.3	34.3 268.4	0.862 0.486	0.003 0.0	40.0 -1.0 -39.2	39.2 268.4	
126	Y81G_062_062ad	0.125 0.625 0.0	0.625 0.625 0.312	139	0.114 0.625 0.0	43.9 -31.5 25.0	40.2 141.5	0.868 0.419	1.0 0.0	56.2 -50.4 40.0	64.4 141.5	
127	G00B_062_050ad	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.125	45.7 -32.5 13.8	35.3 157.0	0.893 0.384	0.829 0.0	49.6 -65.0 27.6	70.6 157.0	
128	G11B_062_050ad	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.241	46.4 -29.5 5.4	30.0 169.5	0.891 0.384	0.711 0.0	51.0 -59.0 10.9	60.0 169.5	
129	G25B_062_050ad	0.125 0.625 0.375	0.625 0.5 0.375	180	0.125 0.625 0.375	47.4 -24.1 -5.4	24.7 192.6	0.882 0.389	0.556 0.0	53.0 -48.2 -10.8	49.4 192.6	
130	G38B_062_050ad	0.125 0.625 0.5	0.625 0.5 0.375	196	0.125 0.625 0.508	48.6 -18.9 -14.2	23.6 216.9	0.871 0.392	0.401 0.0	55.4 -37.8 -28.4	47.3 216.9	
131	G50B_062_050ad	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	49.4 -14.8 -19.9	24.8 233.2	0.859 0.403	0.289 0.0	57.0 -29.7 -39.8	49.7 233.2	
132	G59B_075_062ad	0.125 0.625 0.75	0.75 0.625 0.437	221	0.125 0.635 0.75	50.9 -14.1 -24.9	28.6 240.4	0.861 0.378	0.193 0.0	52.7 -22.5 -39.9	45.8 2	

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 22/33

SF0710A

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmv0* (CMY0)

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmvyn*sep.Fdd	hsiMdd	rgb*Mdd	LabCh*Mdd
162	R00Y_025_025ad	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.0	29.3 17.5 11.2	20.8 32.5	0.772 0.945	1.0 0.0	46.4 70.3 44.9 83.4 32.5
163	R00Y_025_025ad	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.125	29.4 18.5 4.7	19.1 14.4	0.782 0.946	0.888 0.0	46.7 70.0 19.0 76.4 14.4
164	B50R_025_025ad	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.25	29.5 19.5 -0.1	19.5 359.5	0.788 0.948	0.786 0.0	47.2 78.3 -0.6 78.3 359.5
165	B34R_037_037ad	0.25 0.0 0.375	0.375 0.375 0.187	311	0.256 0.0 0.375	30.0 25.1 -4.1	25.5 350.6	0.749 0.955	0.665 0.0	40.8 67.1 -11.0 68.0 350.6
166	B25R_050_050ad	0.25 0.0 0.5	0.5 0.5 0.25	300	0.25 0.0 0.5	30.2 28.2 -9.9	29.9 340.6	0.742 0.963	0.529 0.0	36.7 56.5 -19.8 59.9 340.6
167	B19R_062_062ad	0.25 0.0 0.625	0.625 0.625 0.312	293	0.239 0.0 0.625	29.8 31.6 -15.2	35.1 334.3	0.736 0.981	0.41 0.0	33.5 50.6 -24.3 56.2 334.3
168	B15R_075_075ad	0.25 0.0 0.75	0.75 0.75 0.375	289	0.237 0.0 0.75	29.4 34.1 -21.0	40.1 328.3	0.741 0.987	0.277 0.0	31.4 45.5 -28.0 53.4 328.3
169	B13R_087_087ad	0.25 0.0 0.875	0.875 0.875 0.437	286	0.233 0.0 0.875	29.0 36.1 -26.6	44.9 323.5	0.753 0.995	0.149 0.0	29.8 41.3 -30.4 51.3 323.5
170	B11R_100_100ad	0.25 0.0 1.0	1.0 1.0 0.5	284	0.233 0.0 1.0	29.1 38.9 -31.7	50.2 320.7	0.766 1.0	0.0 0.0	29.1 38.9 -31.7 50.2 320.7
171	R50Y_025_025ad	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.125 0.0	34.3 7.1 16.6	18.1 66.8	0.755 0.795	1.0 0.0	66.4 28.5 66.7 72.5 66.8
172	R00Y_025_012ad	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.124	35.5 8.7 5.6	10.4 32.5	0.751 0.782	0.776 0.0	46.4 70.3 44.9 83.4 32.5
173	B50R_025_012ad	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.25	35.6 9.7 0.0	9.7 359.5	0.76 0.783	0.678 0.0	47.2 78.3 -0.6 78.3 359.5
174	B25R_037_025ad	0.25 0.125 0.375	0.375 0.25 0.25	300	0.25 0.124 0.375	36.0 14.1 -4.9	14.9 340.6	0.739 0.794	0.57 0.0	36.7 56.5 -19.8 59.9 340.6
175	B15R_050_037ad	0.25 0.125 0.5	0.5 0.375 0.312	289	0.243 0.124 0.5	35.6 17.0 -10.5	20.0 328.3	0.741 0.808	0.469 0.0	31.4 45.5 -28.0 53.4 328.3
176	B11R_062_050ad	0.25 0.125 0.625	0.625 0.5 0.375	284	0.241 0.125 0.625	35.5 19.4 -15.8	25.1 320.7	0.743 0.816	0.364 0.0	29.1 38.9 -31.7 50.2 320.7
177	B09R_075_062ad	0.25 0.125 0.75	0.75 0.625 0.437	281	0.239 0.125 0.75	35.9 22.5 -20.8	30.7 317.1	0.74 0.819	0.245 0.0	28.8 36.0 -33.4 49.1 317.1
178	B07R_087_075ad	0.25 0.125 0.875	0.875 0.75 0.5	279	0.237 0.125 0.875	36.4 25.5 -25.8	36.3 314.7	0.734 0.819	0.117 0.0	28.6 34.1 -34.4 48.4 314.7
179	B06R_100_087ad	0.25 0.125 1.0	1.0 0.875 0.562	278	0.241 0.125 1.0	37.0 28.9 -30.5	42.0 313.5	0.725 0.82	0.0 0.0	28.5 33.1 -34.8 48.1 313.5
180	Y00G_025_025ad	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.25 0.0	39.7 -1.7 22.4	22.5 94.3	0.736 0.658	0.979 0.0	88.0 -6.8 89.7 90.0 94.3
181	Y00G_025_012ad	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.25 0.124	40.7 -0.8 11.2	11.2 94.3	0.736 0.642	0.784 0.0	88.0 -6.8 89.7 90.0 94.3
182	NW_025ad	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	41.8 0.0 0.0	0.0 0.0	0.744 0.626	0.604 0.0	96.4 0.0 0.0 0.0 0.0
183	B00R_037_012ad	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.249 0.375	42.1 3.2 -4.8	5.8 303.9	0.736 0.638	0.516 0.0	25.8 26.0 -38.7 46.7 303.9
184	B00R_050_025ad	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	42.3 6.5 -9.6	11.6 303.9	0.729 0.643	0.423 0.0	25.8 26.0 -38.7 46.7 303.9
185	B00R_062_037ad	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	42.6 9.7 -14.5	17.5 303.9	0.725 0.653	0.327 0.0	25.8 26.0 -38.7 46.7 303.9
186	B00R_075_050ad	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	42.9 13.0 -19.3	23.3 303.9	0.721 0.663	0.223 0.0	25.8 26.0 -38.7 46.7 303.9
187	B00R_087_062ad	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	43.2 16.2 -24.2	29.2 303.9	0.716 0.667	0.11 0.0	25.8 26.0 -38.7 46.7 303.9
188	B00R_100_075ad	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	43.5 19.5 -29.0	35.0 303.9	0.711 0.678	0.0 0.0	25.8 26.0 -38.7 46.7 303.9
189	Y1G1_037_037ad	0.25 0.375 0.0	0.375 0.375 0.187	109	0.256 0.375 0.0	44.0 -6.6 28.1	28.9 103.3	0.709 0.56	0.976 0.0	78.1 -17.7 75.0 77.1 103.3
190	Y50G_037_025ad	0.25 0.375 0.125	0.375 0.25 0.25	120	0.25 0.375 0.124	44.4 -6.7 15.5	16.9 113.3	0.722 0.55	0.796 0.0	70.6 -26.9 62.2 67.8 113.3
191	G00B_037_012ad	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.249	45.0 -8.1 3.4	8.8 157.0	0.753 0.526	0.632 0.0	49.6 -65.0 27.6 70.6 157.0
192	G50B_037_012ad	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	46.0 -3.7 -4.9	6.2 233.2	0.737 0.533	0.488 0.0	57.0 -29.7 -39.8 49.7 233.2
193	G75B_050_025ad	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.375 0.5	46.7 -1.5 -9.8	9.9 260.8	0.734 0.531	0.401 0.0	43.1 -6.3 -39.3 39.8 260.8
194	G84B_062_037ad	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.368 0.625	46.6 2.0 -14.6	14.7 277.8	0.731 0.548	0.313 0.0	36.4 5.3 -39.0 39.4 277.8
195	G88B_075_050ad	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.366 0.75	46.7 5.4 -19.4	20.2 285.7	0.726 0.558	0.217 0.0	33.5 10.9 -38.9 40.4 285.7
196	G90B_087_062ad	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.364 0.875	46.8 9.0 -24.4	26.0 290.2	0.724 0.562	0.109 0.0	31.6 14.4 -39.0 41.6 290.2
197	G92B_100_075ad	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.362 1.0	46.9 12.5 -29.2	31.8 293.2	0.721 0.576	0.0 0.0	30.4 16.7 -39.0 42.4 293.2
198	Y50G_050_050ad	0.25 0.5 0.0	0.5 0.5 0.25	120	0.25 0.5 0.0	47.1 -13.4 31.1	33.9 113.3	0.709 0.473	0.971 0.0	70.6 -26.9 62.2 67.8 113.3
199	Y68G_050_037ad	0.25 0.5 0.125	0.5 0.375 0.312	131	0.243 0.5 0.124	47.1 -14.9 18.9	24.1 128.2	0.732 0.461	0.817 0.0	62.1 -39.8 50.5 64.3 128.2
200	G00B_050_025ad	0.25 0.5 0.25	0.5 0.25 0.375	150	0.249 0.5 0.249	48.3 -16.2 6.9	17.6 157.0	0.761 0.432	0.658 0.0	49.6 -65.0 27.6 70.6 157.0
201	C25B_050_025ad	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.375	49.1 -12.0 -2.7	12.3 192.6	0.748 0.437	0.513 0.0	53.0 -48.2 -10.8 49.4 192.6
202	G50B_050_025ad	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	50.1 -7.4 -9.9	12.4 233.2	0.736 0.449	0.386 0.0	57.0 -29.7 -39.8 49.7 233.2
203	G65B_062_037ad	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.506 0.625	51.4 -6.3 -14.8	16.1 246.9	0.735 0.434	0.296 0.0	49.1 -16.8 -39.6 43.1 246.9
204	G75B_075_050ad	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.5 0.75	51.5 -3.1 -19.6	19.9 260.8	0.732 0.442	0.205 0.0	43.1 -6.3 -39.3 39.8 260.8
205	G80B_087_062ad	0.25 0.5 0.875	0.875 0.625 0.562	247	0.25 0.489 0.875	51.3 0.6 -24.3	24.3 271.5	0.73 0.456	0.111 0.0	38.8 1.0 -38.9 38.9 271.5
206	G84B_100_075ad	0.25 0.5 1.0	1.0 0.75 0.625	251	0.25 0.487 1.0	51.4 4.0 -29.3	29.5 277.8	0.727 0.463	0.005 0.0	36.4 5.3 -39.0 39.4 277.8
207	Y61G_062_062ad	0.25 0.625 0.0	0.625 0.625 0.312	127	0.239 0.625 0.0	49.9 -20.7 34.5	40.2 121.0	0.712 0.39	0.976 0.0	65.7 -33.2 55.2 64.4 121.0
208	Y76G_062_050ad	0.25 0.625 0.125	0.625 0.5 0.375	136	0.241 0.625 0.125	49.8 -23.6 21.8	32.2 137.2	0.747 0.368	0.831 0.0	57.9 -47.3 43.7 64.5 137.2
209	G00B_062_037ad	0.25 0.625 0.25	0.625 0.375 0.437	150	0.25 0.625 0.25	51.6 -24.4 10.3	26.5 157.0	0.774 0.322	0.679 0.0	49.6 -65.0 27.6 70.6 157.0
210	G15B_062_037ad	0.25 0.625 0.375	0.625 0.375 0.437	169	0.25 0.625 0.368	52.3 -21.0 1.4	21.1 176.0	0.767 0.329	0.558 0.0	51.6 -56.1 3.9 56.3 176.0
211	G34B_062_037ad	0.25 0.625 0.5	0.625 0.375 0.437	191	0.25 0.625 0.506	53.5 -15.4 -8.8	17.7 209.7	0.748 0.342	0.401 0.0	54.7 -41.1 -23.5 47.4 209.7
212	G50B_062_037ad	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	54.3 -11.1 -14.9	18.6 233.2	0.737 0.359	0.286 0.0	57.0 -29.7 -39.8 49.7 233.2
213	G61B_075_050ad	0.25 0.625 0.75	0.75 0.5 0.5	224	0.25 0.633 0.75	55.7 -10.2 -19.9	22.3 242.7	0.739 0.334	0.194 0.0	51.3 -20.4 -39.8 44.7 242.7
214	G69B_087_062ad	0.25 0.625 0.875	0.875 0.625 0.562	233	0.25 0.635 0.875	56.6 -8.6 -24.6	26.1 250.6	0.739 0.324	0.103 0.0	47.3 -13.8 -39.5 41.8 250.6
215	G75B_100_075ad	0.25 0.625 1.0	1.0 0.75 0.625	240	0.25 0.625 1.0	56.4 -4.7 -29.4	29.8 260.8	0.734 0.346	0.007 0.0	43.1 -6.3 -39.3 39.8 260.8
216	Y68G_075_075ad	0.25 0.75 0.0	0.75 0.75 0.375	131	0.237 0.75 0.0	52.5 -29.8 37.9	48.2 128.2	0.727 0.267	0.991 0.0	62.1 -39.8 50.5 64.3 128.2
217	Y81G_075_062ad	0.25 0.75 0.125	0.75 0.625 0.437	139	0.239 0.75 0.125	53.0 -31.5 25.0	40.2 141.5	0.76 0.241	0.84 0.0	56.2 -50.4 40.0 64.4 141.5
218	G00B_075_050ad	0.25 0.75 0.25	0.75 0.5 0.5	150	0.25 0.75 0.25	54.8 -32.5 13.8	35.3 157.0	0.788 0.194	0.698 0.0	49.6 -65.0 27.6 70.6 157.0
219	G11B_075_050ad	0.25 0.75 0.375	0.75 0.5 0.5	164	0.25 0.75 0.366	55.5 -29.5 5.4	30.0 169.5	0.781 0.198	0.588 0.0	51.0 -59.0 10.9 60.0 169.5
220	C25B_075_050ad	0.25 0.75 0.5	0.75 0.5 0.5	180	0.25 0.75 0.5	56.5 -24.1 -5.4	24.7 192.6	0.765 0.213	0.443 0.0	53.0 -48.2 -10.8 49.4 192.6
221	G38B_075_050ad	0.25 0.75 0.625	0.75 0.5 0.5	196	0.25 0.75 0.633	57.7 -18.9 -14.2	23.6 216.9	0.752 0.221	0.302 0.0	55.4 -37.8 -28.4 47.3 216.9
222	G50B_075_050ad	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	58.5 -14.8 -19.9	24.8 233.2	0.742 0.238	0.19 0.0	57.0 -29.7 -39.8 49.7 233.2
223	G59B_087_062ad	0.25 0.75 0.875	0.875 0.625 0.562	221	0.25 0.76 0.875	60.0 -14.1 -24.9	28.6 240.4	0.743 0.215	0.1 0.0	52.7 -22.5 -39.9 45.8 240.4
224	G65B_100_075ad	0.25 0.75 1.0	1.0 0.75 0.625	229	0.25 0.762 1.0	60.9 -12.6 -29.7	32.3 246.9	0.745 0.205	0.011 0.0	49.1 -16.8 -3

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS
application pour la mesure des sorties sur offset, separationcmY0* (CMY0)

TUB matériel: code=rha4ta

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 23/33

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsiMdd	rgb*Mdd	LabCh*Mdd
243	R00Y_037_037ad	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.0	32.1 26.3 16.8	0.676 0.935 1.0 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
244	R18Y_037_037ad	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.118	32.3 27.0 10.8	0.679 0.934 0.868 0.0	371	1.0 0.0 0.316	46.7 72.1 28.8 77.7 21.7
245	B65R_037_037ad	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.256	32.3 28.4 4.0	0.684 0.936 0.741 0.0	348	1.0 0.0 0.683	46.9 75.7 10.7 76.5 8.0
246	B50R_037_037ad	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.375	32.4 29.3 -0.2	0.686 0.935 0.654 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
247	B38R_050_050ad	0.375 0.0 0.5	0.5 0.5 0.25	316	0.383 0.0 0.5	33.3 35.2 -4.0	0.653 0.947 0.532 0.0	317	0.766 0.0 1.0	43.1 70.5 -8.0 71.0 353.5
248	B30R_062_062ad	0.375 0.0 0.625	0.625 0.625 0.312	307	0.385 0.0 0.625	33.2 39.9 -8.5	0.641 0.97 0.422 0.0	307	0.616 0.0 1.0	39.9 63.9 -13.6 65.3 347.9
249	B25R_075_075ad	0.375 0.0 0.75	0.75 0.75 0.375	300	0.375 0.0 0.75	33.4 42.4 -14.9	0.637 0.971 0.274 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
250	B20R_087_087ad	0.375 0.0 0.875	0.875 0.875 0.437	295	0.364 0.0 0.875	33.1 45.8 -20.2	0.635 0.986 0.141 0.0	294	0.416 0.0 1.0	34.4 52.4 -23.1 57.3 336.1
251	B18R_100_100ad	0.375 0.0 1.0	1.0 1.0 0.5	292	0.366 0.0 1.0	33.0 49.6 -25.1	0.632 1.0 0.0 0.0	291	0.366 0.0 1.0	33.0 49.6 -25.1 55.6 333.0
252	R31Y_037_037ad	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.118 0.0	36.4 16.9 21.7	0.669 0.814 0.993 0.0	48	1.0 0.316 0.0	57.8 45.2 57.9 73.5 52.0
253	R00Y_037_025ad	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.124	38.4 17.5 11.2	0.658 0.784 0.765 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
254	R00Y_037_025ad	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.25	38.5 18.5 4.7	0.664 0.785 0.659 0.0	360	1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
255	B50R_037_025ad	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.375	38.6 19.5 -0.1	0.668 0.784 0.577 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
256	B34R_050_037ad	0.375 0.125 0.5	0.5 0.375 0.312	311	0.381 0.124 0.5	39.1 25.1 -4.1	0.806 0.478 0.0	311	0.683 0.0 1.0	40.8 67.1 -11.0 68.0 350.6
257	B25R_062_050ad	0.375 0.125 0.625	0.625 0.5 0.375	300	0.375 0.125 0.625	39.3 28.2 -9.9	0.633 0.814 0.356 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
258	B19R_075_062ad	0.375 0.125 0.75	0.75 0.625 0.437	293	0.364 0.125 0.75	38.9 31.6 -15.2	0.631 0.832 0.246 0.0	292	0.383 0.0 1.0	33.5 50.6 -24.3 56.2 334.3
259	B15R_087_075ad	0.375 0.125 0.875	0.875 0.75 0.5	289	0.362 0.125 0.875	38.5 34.1 -21.0	0.639 0.843 0.121 0.0	288	0.316 0.0 1.0	31.4 45.5 -28.0 53.4 328.3
260	B13R_100_087ad	0.375 0.125 1.0	1.0 0.875 0.562	286	0.358 0.125 1.0	38.1 36.1 -26.6	0.636 0.848 0.0 0.0	284	0.266 0.0 1.0	29.8 41.3 -30.4 51.3 323.5
261	R68Y_037_037ad	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.256 0.0	43.4 4.4 28.9	0.653 0.64 0.972 0.0	71	1.0 0.683 0.0	76.1 11.8 77.2 78.1 81.2
262	R50Y_037_025ad	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.25 0.124	43.4 7.1 16.6	0.652 0.653 0.783 0.0	59	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
263	R00Y_037_012ad	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.249	44.6 8.7 5.6	0.652 0.645 0.605 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
264	B50R_037_012ad	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.375	44.7 9.7 0.0	0.658 0.645 0.52 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
265	B25R_050_025ad	0.375 0.25 0.5	0.5 0.25 0.375	300	0.375 0.249 0.5	45.1 14.1 -4.9	0.662 0.662 0.423 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
266	B15R_062_037ad	0.375 0.25 0.625	0.625 0.375 0.437	289	0.368 0.25 0.625	44.7 17.0 -10.5	0.643 0.681 0.325 0.0	288	0.316 0.0 1.0	31.4 45.5 -28.0 53.4 328.3
267	B11R_075_050ad	0.375 0.25 0.75	0.75 0.5 0.5	284	0.366 0.25 0.75	44.6 19.4 -15.8	0.649 0.694 0.223 0.0	282	0.233 0.0 1.0	29.1 38.9 -31.7 50.2 320.7
268	B09R_087_062ad	0.375 0.25 0.875	0.875 0.625 0.562	281	0.364 0.25 0.875	45.1 22.5 -20.8	0.641 0.699 0.109 0.0	279	0.183 0.0 1.0	28.8 36.0 -33.4 49.1 317.1
269	B07R_100_075ad	0.375 0.25 1.0	1.0 0.75 0.625	279	0.362 0.25 1.0	45.5 25.5 -25.6	0.634 0.706 0.0 0.0	278	0.15 0.0 1.0	28.6 34.1 -34.4 48.4 314.7
270	Y00G_037_037ad	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.375 0.0	47.7 -2.5 33.6	0.646 0.532 0.968 0.0	89	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3
271	Y00G_037_025ad	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.375 0.124	48.8 -1.7 22.4	0.641 0.523 0.801 0.0	89	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3
272	Y00G_037_012ad	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.375 0.249	49.8 -0.8 11.2	0.645 0.513 0.643 0.0	89	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3
273	NW_037ad	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9 0.0 0.0	0.654 0.497 0.482 0.0	360	1.0 1.0 1.0	96.4 0.0 0.0 0.0 0.0
274	B00R_050_012ad	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	51.2 3.2 -4.8	0.646 0.51 0.399 0.0	270	0.0 0.0 1.0	25.8 26.0 -38.7 46.7 303.9
275	B00R_062_025ad	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	51.4 6.5 -9.6	0.639 0.523 0.308 0.0	270	0.0 0.0 1.0	25.8 26.0 -38.7 46.7 303.9
276	B00R_075_037ad	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	51.7 9.7 -14.5	0.634 0.535 0.212 0.0	270	0.0 0.0 1.0	25.8 26.0 -38.7 46.7 303.9
277	B00R_087_050ad	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	52.0 13.0 -19.3	0.629 0.546 0.109 0.0	270	0.0 0.0 1.0	25.8 26.0 -38.7 46.7 303.9
278	B00R_100_062ad	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	52.3 16.2 -24.2	0.621 0.559 0.0 0.0	270	0.0 0.0 1.0	25.8 26.0 -38.7 46.7 303.9
279	Y23G_050_050ad	0.375 0.5 0.0	0.5 0.5 0.25	104	0.383 0.5 0.0	52.3 -6.7 39.1	0.998 0.617 0.446 0.968 0.0	102	0.766 1.0 0.0	81.0 -13.5 78.3 79.5 99.8
280	Y31G_050_037ad	0.375 0.5 0.125	0.5 0.375 0.312	109	0.381 0.5 0.124	53.1 -6.6 28.1	0.614 0.44 0.82 0.0	108	0.683 1.0 0.0	78.1 -17.7 75.0 77.1 103.3
281	Y50G_050_025ad	0.375 0.5 0.25	0.5 0.25 0.375	120	0.375 0.5 0.249	53.5 -6.7 15.5	0.613 0.432 0.665 0.0	119	0.5 1.0 0.0	70.6 -26.9 62.2 67.8 113.3
282	G00B_050_012ad	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.375	54.1 -8.1 3.4	0.662 0.409 0.516 0.0	149	0.0 1.0 0.0	49.6 -65.0 27.6 70.6 157.0
283	G50B_050_012ad	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	55.1 -3.7 -4.9	0.62 0.418 0.381 0.0	210	0.0 1.0 1.0	57.0 -29.7 -39.8 49.7 233.2
284	G75B_062_025ad	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.5 0.625	55.8 -1.5 -9.8	0.647 0.42 0.296 0.0	240	0.0 0.5 1.0	43.1 -6.3 -39.3 39.8 260.8
285	G84B_075_037ad	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.493 0.75	55.7 2.0 -14.6	0.643 0.44 0.208 0.0	251	0.0 0.316 1.0	36.4 5.3 -39.0 39.4 277.8
286	G88B_087_050ad	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.491 0.875	55.8 5.4 -19.4	0.638 0.452 0.11 0.0	257	0.0 0.233 1.0	33.5 10.9 -38.9 40.4 285.7
287	G90B_100_062ad	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.489 1.0	55.9 9.0 -24.4	0.632 0.463 0.002 0.0	260	0.0 0.183 1.0	31.6 14.4 -39.0 41.6 290.2
288	Y38G_062_062ad	0.375 0.625 0.0	0.625 0.625 0.312	113	0.385 0.625 0.0	56.1 -13.3 44.9	0.606 0.353 0.991 0.0	112	0.616 1.0 0.0	75.6 -21.3 71.9 75.0 106.5
289	Y50G_062_050ad	0.375 0.625 0.125	0.625 0.5 0.375	120	0.375 0.625 0.125	56.2 -13.4 31.1	0.615 0.353 0.828 0.0	119	0.5 1.0 0.0	70.6 -26.9 62.2 67.8 113.3
290	Y68G_062_037ad	0.375 0.625 0.25	0.625 0.375 0.437	131	0.368 0.625 0.25	56.2 -14.9 18.9	0.646 0.335 0.695 0.0	131	0.316 1.0 0.0	62.1 -39.8 50.5 64.3 128.2
291	G00B_062_025ad	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.375	57.4 -16.2 6.9	0.672 0.292 0.546 0.0	149	0.0 1.0 0.0	49.6 -65.0 27.6 70.6 157.0
292	G25B_062_025ad	0.375 0.625 0.5	0.625 0.25 0.5	180	0.375 0.625 0.5	58.2 -12.0 -2.7	0.664 0.306 0.412 0.0	180	0.0 1.0 0.5	53.0 -48.2 -10.8 49.4 192.6
293	G50B_062_025ad	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	59.2 -7.4 -9.9	0.628 0.328 0.285 0.0	210	0.0 1.0 1.0	57.0 -29.7 -39.8 49.7 233.2
294	G65B_075_037ad	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.631 0.75	60.5 -6.3 -14.8	0.65 0.317 0.196 0.0	228	0.0 0.683 1.0	49.1 -16.8 -39.6 43.1 246.9
295	G75B_087_050ad	0.375 0.625 0.875	0.875 0.5 0.625	240	0.375 0.625 0.875	60.7 -3.1 -19.6	0.646 0.337 0.103 0.0	240	0.0 0.5 1.0	43.1 -6.3 -39.3 39.8 260.8
296	G80B_100_062ad	0.375 0.625 1.0	1.0 0.625 0.687	247	0.375 0.614 1.0	60.4 0.6 -24.3	0.64 0.36 0.008 0.0	247	0.0 0.383 1.0	38.8 1.0 -38.9 38.9 271.5
297	Y50G_075_075ad	0.375 0.75 0.0	0.75 0.75 0.375	120	0.375 0.75 0.0	58.9 -20.1 46.7	0.613 0.611 0.244 0.985 0.0	119	0.5 1.0 0.0	70.6 -26.9 62.2 67.8 113.3
298	Y61G_075_062ad	0.375 0.75 0.125	0.75 0.625 0.437	127	0.364 0.75 0.125	59.0 -20.7 34.5	0.626 0.234 0.846 0.0	127	0.383 1.0 0.0	65.7 -33.2 55.2 64.4 121.0
299	Y76G_075_050ad	0.375 0.75 0.25	0.75 0.5 0.375	136	0.366 0.75 0.25	58.9 -23.6 21.8	0.668 0.21 0.719 0.0	149	0.233 1.0 0.0	57.9 -47.3 43.7 64.5 137.1
300	G00B_075_037ad	0.375 0.75 0.375	0.75 0.375 0.562	150	0.375 0.75 0.375	60.7 -24.4 10.3	0.664 0.17 0.573 0.0	149	0.0 1.0 0.0	49.6 -65.0 27.6 70.6 157.0
301	G15B_075_037ad	0.375 0.75 0.5	0.75 0.375 0.562	169	0.375 0.75 0.493	61.4 -21.0 1.4	0.678 0.181 0.457 0.0	168	0.0 1.0 0.316	51.6 -56.5 3.9 56.3 176.0
302	G34B_075_037ad	0.375 0.75 0.625	0.75 0.375 0.562	191	0.375 0.75 0.631	62.6 -15.4 8.8	0.675 0.2 0.307 0.0	191	0.0 1.0 0.683	54.7 -41.1 -23.5 47.4 209.7
303	G50B_075_037ad	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	63.4 -11.1 -14.9	0.653 0.225 0.191 0.0	210	0.0 1.0 1.0	57.0 -29.7 -39.8 49.7 233.2
304	G61B_087_050ad	0.375 0.75 0.875	0							

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsiMdd	rgb*Mdd	LabCh*Mdd							
324	R00Y_050_050ad	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.0	35.0 35.1 22.4	41.7 32.5	0.575	0.938	0.993 0.0	389	1.0 0.0 0.0	46.4	70.3	44.9	83.4	32.5
325	R26Y_050_050ad	0.5 0.0 0.125	0.5 0.5 0.25	376	0.5 0.0 0.116	35.1 35.8 16.6	39.5 24.9	0.576	0.941	0.869 0.0	377	1.0 0.0 0.233	46.6	71.6	33.3	79.0	24.9
326	R00Y_050_050ad	0.5 0.0 0.25	0.5 0.5 0.25	360	0.5 0.0 0.25	35.1 37.0 9.5	38.2 14.4	0.58	0.94	0.736 0.0	360	1.0 0.0 0.5	46.7	74.0	19.0	76.4	14.4
327	B61R_050_050ad	0.5 0.0 0.375	0.5 0.5 0.25	344	0.5 0.0 0.383	35.3 38.2 3.6	38.4 5.4	0.583	0.939	0.629 0.0	342	1.0 0.0 0.766	46.9	76.5	7.2	76.8	5.4
328	B50R_050_050ad	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.5	35.4 39.1 -0.3	39.1 359.5	0.589	0.939	0.545 0.0	330	1.0 0.0 1.0	47.2	78.3	-0.6	78.3	359.5
329	B40R_062_062ad	0.5 0.0 0.625	0.625 0.625 0.312	319	0.51 0.0 0.625	36.4 45.0 -4.1	45.2 354.6	0.541	0.954	0.427 0.0	320	0.816 0.0 1.0	44.1	72.1	-6.7	72.4	354.6
330	B34R_075_075ad	0.5 0.0 0.75	0.75 0.75 0.375	311	0.512 0.0 0.75	36.5 50.3 -8.2	51.0 350.6	0.518	0.981	0.313 0.0	311	0.683 0.0 1.0	40.8	67.1	-11.0	68.0	350.6
331	B29R_087_087ad	0.5 0.0 0.875	0.875 0.875 0.375	305	0.51 0.0 0.875	36.5 54.1 -13.6	55.8 345.8	0.508	0.995	0.17 0.0	305	0.583 0.0 1.0	38.3	61.9	-15.5	63.8	345.8
332	B25R_100_100ad	0.5 0.0 1.0	1.0 1.0 0.5	300	0.5 0.0 1.0	36.7 56.5 -19.8	59.9 340.6	0.5	1.0	0.0 0.0	300	0.5 0.0 1.0	36.7	56.5	-19.8	59.9	340.6
333	R23Y_050_050ad	0.5 0.125 0.0	0.5 0.5 0.25	44	0.5 0.116 0.0	38.9 26.4 26.8	37.6 45.4	0.57	0.829	0.993 0.0	42	1.0 0.233 0.0	54.2	52.8	53.7	75.3	45.4
334	R00Y_050_037ad	0.5 0.125 0.125	0.5 0.375 0.312	390	0.5 0.124 0.124	41.2 26.3 16.8	31.2 32.5	0.549	0.797	0.778 0.0	389	1.0 0.0 0.0	46.4	70.3	44.9	83.4	32.5
335	R18Y_050_037ad	0.5 0.125 0.25	0.5 0.375 0.312	371	0.5 0.124 0.243	41.4 27.0 10.8	29.1 21.7	0.554	0.796	0.68 0.0	371	1.0 0.0 0.316	46.7	72.1	28.8	77.7	21.7
336	B65R_050_037ad	0.5 0.125 0.375	0.5 0.375 0.312	349	0.5 0.124 0.381	41.4 28.4 4.0	28.6 8.0	0.561	0.799	0.568 0.0	348	1.0 0.0 0.683	46.9	75.7	10.7	76.5	8.0
337	B50R_050_037ad	0.5 0.125 0.5	0.5 0.375 0.312	330	0.5 0.124 0.5	41.5 29.3 -0.2	29.3 359.5	0.565	0.802	0.493 0.0	330	1.0 0.0 1.0	47.2	78.3	-0.6	78.3	359.5
338	B38R_062_050ad	0.5 0.125 0.625	0.625 0.5 0.375	316	0.508 0.125 0.625	42.4 35.2 -4.0	35.5 353.5	0.516	0.819	0.388 0.0	317	0.766 0.0 1.0	43.1	70.5	-8.0	71.0	353.5
339	B30R_075_062ad	0.5 0.125 0.75	0.75 0.625 0.437	307	0.51 0.125 0.75	42.3 39.9 -8.5	40.8 347.9	0.501	0.842	0.283 0.0	307	0.616 0.0 1.0	39.0	63.9	-13.6	65.3	347.9
340	B25R_087_075ad	0.5 0.125 0.875	0.875 0.75 0.5	300	0.5 0.125 0.875	42.6 42.4 -14.9	44.9 340.6	0.497	0.846	0.137 0.0	300	0.5 0.0 1.0	36.7	56.5	-19.8	59.9	340.6
341	B20R_100_087ad	0.5 0.125 1.0	1.0 0.875 0.562	295	0.489 0.125 1.0	42.2 45.8 -20.2	50.1 336.1	0.49	0.866	0.0 0.0	294	0.416 0.0 1.0	34.4	52.4	-23.1	57.3	336.1
342	R50Y_050_050ad	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.25 0.0	45.0 14.2 33.3	36.2 66.8	0.557	0.685	0.99 0.0	59	1.0 0.5 0.0	66.4	28.5	66.7	72.5	66.8
343	R31Y_050_037ad	0.5 0.25 0.125	0.5 0.375 0.312	49	0.5 0.243 0.124	45.5 16.9 21.7	27.5 52.0	0.546	0.691	0.802 0.0	48	1.0 0.316 0.0	57.8	45.2	57.9	73.5	52.0
344	R00Y_050_025ad	0.5 0.25 0.25	0.5 0.25 0.375	390	0.5 0.249 0.249	47.5 17.5 11.2	20.8 32.5	0.537	0.667	0.623 0.0	389	1.0 0.0 0.0	46.4	70.3	44.9	83.4	32.5
345	R00Y_050_025ad	0.5 0.25 0.375	0.5 0.25 0.375	360	0.5 0.249 0.375	47.6 18.5 4.7	19.1 14.4	0.545	0.669	0.525 0.0	360	1.0 0.0 0.5	46.7	74.0	19.0	76.4	14.4
346	B50R_050_025ad	0.5 0.25 0.5	0.5 0.25 0.375	330	0.5 0.249 0.5	47.7 19.5 -0.1	19.5 359.5	0.55	0.671	0.444 0.0	330	1.0 0.0 1.0	47.2	78.3	-0.6	78.3	359.5
347	B34R_062_037ad	0.5 0.25 0.625	0.625 0.375 0.437	311	0.506 0.25 0.625	48.2 25.1 -4.1	25.5 350.6	0.511	0.697	0.335 0.0	311	0.683 0.0 1.0	40.8	67.1	-11.0	68.0	350.6
348	B25R_075_050ad	0.5 0.25 0.75	0.75 0.5 0.5	300	0.5 0.25 0.75	48.4 28.2 -9.9	29.9 340.6	0.499	0.711	0.234 0.0	300	0.5 0.0 1.0	36.7	56.5	-19.8	59.9	340.6
349	B19R_087_062ad	0.5 0.25 0.875	0.875 0.625 0.562	293	0.489 0.25 0.875	48.0 31.6 -15.2	35.1 334.3	0.493	0.734	0.12 0.0	292	0.383 0.0 1.0	33.5	50.6	-24.3	56.2	334.3
350	B15R_100_075ad	0.5 0.25 1.0	1.0 0.75 0.625	289	0.487 0.25 1.0	47.7 34.1 -21.0	40.1 328.3	0.494	0.75	0.0 0.0	288	0.316 0.0 1.0	31.4	45.5	-28.0	53.4	328.3
351	R76Y_050_050ad	0.5 0.375 0.0	0.5 0.5 0.25	76	0.5 0.383 0.0	51.6 2.9 40.5	40.6 85.8	0.541	0.521	0.99 0.0	77	1.0 0.766 0.0	79.7	5.8	81.0	81.2	85.8
352	R68Y_050_037ad	0.5 0.375 0.125	0.5 0.375 0.312	71	0.5 0.381 0.124	52.4 4.4 28.9	29.3 81.2	0.535	0.524	0.824 0.0	71	1.0 0.683 0.0	76.1	11.8	77.2	78.1	81.2
353	R50Y_050_025ad	0.5 0.375 0.25	0.5 0.25 0.375	60	0.5 0.375 0.249	52.5 7.1 16.6	18.1 66.8	0.537	0.538	0.661 0.0	59	1.0 0.5 0.0	66.4	28.5	66.7	72.5	66.8
354	R00Y_050_012ad	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.375	53.7 8.7 5.6	10.4 32.5	0.531	0.53	0.496 0.0	389	1.0 0.0 0.0	46.4	70.3	44.9	83.4	32.5
355	B50R_050_012ad	0.5 0.375 0.5	0.5 0.125 0.437	330	0.5 0.375 0.5	53.8 9.7 0.0	9.7 359.5	0.542	0.529	0.411 0.0	330	1.0 0.0 1.0	47.2	78.3	-0.6	78.3	359.5
356	B25R_062_025ad	0.5 0.375 0.625	0.625 0.25 0.5	300	0.5 0.375 0.625	54.2 14.1 -4.9	14.9 340.6	0.518	0.552	0.316 0.0	300	0.5 0.0 1.0	36.7	56.5	-19.8	59.9	340.6
357	B15R_075_037ad	0.5 0.375 0.75	0.75 0.375 0.562	289	0.493 0.375 0.75	53.8 17.0 -10.5	20.0 328.3	0.519	0.575	0.215 0.0	288	0.316 0.0 1.0	31.4	45.5	-28.0	53.4	328.3
358	B11R_087_050ad	0.5 0.375 0.875	0.875 0.5 0.625	284	0.491 0.375 0.875	53.7 19.4 -15.8	25.1 320.7	0.524	0.589	0.11 0.0	282	0.233 0.0 1.0	29.1	38.9	-31.7	50.2	320.7
359	B09R_100_062ad	0.5 0.375 1.0	1.0 0.625 0.687	281	0.489 0.375 1.0	54.2 22.5 -20.8	30.7 317.1	0.51	0.602	0.0 0.0	279	0.183 0.0 1.0	28.8	36.0	-33.4	49.1	317.1
360	Y00G_050_050ad	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.5 0.0	55.8 -3.4 44.8	45.0 94.3	0.529	0.43	0.985 0.0	89	1.0 1.0 0.0	88.0	-6.8	89.7	90.0	94.3
361	Y00G_050_037ad	0.5 0.5 0.125	0.5 0.375 0.312	90	0.5 0.5 0.124	56.8 -2.5 33.6	33.7 94.3	0.52	0.427	0.833 0.0	89	1.0 1.0 0.0	88.0	-6.8	89.7	90.0	94.3
362	Y00G_050_025ad	0.5 0.5 0.25	0.5 0.25 0.375	90	0.5 0.5 0.249	57.9 -1.7 22.4	22.5 94.3	0.52	0.42	0.689 0.0	89	1.0 1.0 0.0	88.0	-6.8	89.7	90.0	94.3
363	Y00G_050_012ad	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.5 0.375	58.9 -0.8 11.2	11.2 94.3	0.526	0.411	0.539 0.0	89	1.0 1.0 0.0	88.0	-6.8	89.7	90.0	94.3
364	NW_050ad	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.541	0.397	0.38 0.0	360	1.0 1.0 1.0	96.4	0.0	0.0	0.0	0.0
365	B00R_062_012ad	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.5 0.625	60.3 3.2 -4.8	5.8 303.9	0.529	0.413	0.296 0.0	270	0.0 0.0 1.0	25.8	26.0	-38.7	46.7	303.9
366	B00R_075_025ad	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.5 0.75	60.6 6.5 -9.6	11.6 303.9	0.518	0.429	0.205 0.0	270	0.0 0.0 1.0	25.8	26.0	-38.7	46.7	303.9
367	B00R_087_037ad	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.5 0.875	60.8 9.7 -14.5	17.5 303.9	0.508	0.446	0.107 0.0	270	0.0 0.0 1.0	25.8	26.0	-38.7	46.7	303.9
368	B00R_																

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 25/33

SF0710A

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rh4ta
application pour la mesure des sorties sur offset, séparationcmy0* (CMY0)

	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep,Fdd		hsiM_ddd	rgb*Mdd	LabCh*Mdd
405	R00Y_062_062ad	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.0	37.8 43.9 28.0	52.1 32.5	0.455 0.946 1.0 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
406	R31Y_062_062ad	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.114	37.9 44.6 22.4	49.9 26.7	0.455 0.951 0.89 0.0	380	1.0 0.0 0.183	46.6 71.3 35.9 79.9 26.7
407	R11Y_062_062ad	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.239	38.1 45.3 15.7	48.0 19.1	0.456 0.947 0.756 0.0	367	1.0 0.0 0.383	46.9 72.5 25.1 76.8 19.1
408	B69R_062_062ad	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.385	38.1 46.9 8.5	47.6 10.3	0.461 0.95 0.634 0.0	352	1.0 0.0 0.616	46.9 75.0 13.6 76.2 10.3
409	B59R_062_062ad	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.51	38.2 48.0 3.4	48.2 4.1	0.462 0.951 0.53 0.0	339	1.0 0.0 0.816	47.0 76.9 5.5 77.1 4.1
410	B50R_062_062ad	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.625	38.3 48.9 -0.4	48.9 359.5	0.466 0.95 0.445 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
411	B42R_075_075ad	0.625 0.0 0.75	0.75 0.75 0.375	321	0.637 0.0 0.75	39.5 54.8 -4.3	55.0 355.4	0.418 0.958 0.296 0.0	322	0.85 0.0 1.0	44.9 73.1 -5.8 73.3 355.4
412	B36R_087_087ad	0.625 0.0 0.875	0.875 0.875 0.437	314	0.641 0.0 0.875	39.9 60.6 -7.9	61.1 352.5	0.383 0.976 0.155 0.0	315	0.733 0.0 1.0	42.2 69.3 -9.1 69.9 352.5
413	B31R_100_100ad	0.625 0.0 1.0	1.0 1.0 0.5	308	0.633 0.0 1.0	39.4 64.8 -12.8	66.1 348.8	0.368 1.0 0.0 0.0	308	0.633 0.0 1.0	39.4 64.8 -12.8 66.1 348.8
414	R18Y_062_062ad	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.114 0.0	41.5 35.7 32.2	48.1 42.0	0.452 0.836 1.0 0.0	39	1.0 0.183 0.0	52.2 57.1 51.6 77.0 42.0
415	R00Y_062_050ad	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.125	44.1 35.1 22.4	41.7 32.5	0.427 0.803 0.784 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
416	R26Y_062_050ad	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.241	44.2 35.8 16.6	39.5 24.9	0.431 0.805 0.692 0.0	377	1.0 0.0 0.233	46.6 71.6 33.3 79.0 24.9
417	R00Y_062_050ad	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.375	44.3 37.0 9.5	38.2 14.4	0.436 0.807 0.576 0.0	360	1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
418	B61R_062_050ad	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.508	44.4 38.2 3.6	38.4 5.4	0.439 0.811 0.473 0.0	342	1.0 0.0 0.766	46.9 76.5 7.2 76.8 5.4
419	B50R_062_050ad	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.625	44.5 39.1 -0.3	39.1 359.5	0.442 0.812 0.395 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
420	B40R_075_062ad	0.625 0.125 0.75	0.75 0.625 0.437	319	0.635 0.125 0.75	45.5 45.0 -4.1	45.2 354.6	0.397 0.827 0.266 0.0	320	0.816 0.0 1.0	44.1 72.1 -6.7 72.4 354.6
421	B34R_087_075ad	0.625 0.125 0.875	0.875 0.75 0.5	311	0.637 0.125 0.875	45.6 50.3 -8.2	51.0 350.6	0.369 0.845 0.146 0.0	311	0.683 0.0 1.0	40.8 67.1 -11.0 68.0 350.6
422	B29R_100_087ad	0.625 0.125 1.0	1.0 0.875 0.562	305	0.635 0.125 1.0	45.6 54.1 -13.6	55.8 345.8	0.355 0.861 0.0 0.0	305	0.583 0.0 1.0	38.3 61.9 -15.5 63.8 345.8
423	R38Y_062_062ad	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.239 0.0	46.9 24.3 38.1	45.2 57.4	0.443 0.711 0.999 0.0	52	1.0 0.383 0.0	60.9 38.9 61.0 72.3 57.4
424	R23Y_062_050ad	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.241 0.125	48.0 26.4 26.8	37.6 45.4	0.427 0.708 0.806 0.0	42	1.0 0.233 0.0	54.2 52.8 53.7 75.3 45.4
425	R00Y_062_037ad	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.25	50.3 26.3 16.8	31.2 32.5	0.409 0.676 0.626 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
426	R18Y_062_037ad	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.368	50.5 27.0 10.8	29.1 21.7	0.416 0.678 0.535 0.0	371	1.0 0.0 0.316	46.7 72.1 28.8 77.7 21.7
427	B65R_062_037ad	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.506	50.5 28.4 4.0	28.6 8.0	0.422 0.683 0.427 0.0	348	1.0 0.0 0.683	46.9 75.7 10.7 76.5 8.0
428	B50R_062_037ad	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.625	50.6 29.3 -0.2	29.3 359.5	0.427 0.686 0.354 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
429	B38R_075_050ad	0.625 0.25 0.75	0.75 0.5 0.5	316	0.633 0.25 0.75	51.5 35.2 -4.0	35.5 353.5	0.38 0.709 0.241 0.0	317	0.766 0.0 1.0	43.1 70.5 -8.0 71.0 353.5
430	B30R_087_062ad	0.625 0.25 0.875	0.875 0.625 0.562	307	0.635 0.25 0.875	51.4 39.9 -8.5	40.8 347.9	0.364 0.737 0.126 0.0	307	0.616 0.0 1.0	39.0 63.9 -13.6 65.3 347.9
431	B25R_100_075ad	0.625 0.25 1.0	1.0 0.75 0.625	300	0.625 0.25 1.0	51.7 42.4 -14.9	44.9 340.6	0.353 0.744 0.0 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
432	R61Y_062_062ad	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.385 0.0	54.5 10.5 46.2	47.3 77.1	0.428 0.536 0.989 0.0	67	1.0 0.616 0.0	73.0 16.8 73.9 75.8 77.1
433	R50Y_062_050ad	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.375 0.125	54.1 14.2 33.3	36.2 66.8	0.421 0.562 0.822 0.0	59	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
434	R31Y_062_037ad	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.368 0.25	54.6 16.9 21.7	27.5 52.0	0.413 0.568 0.662 0.0	48	1.0 0.316 0.0	57.8 45.2 57.9 73.5 52.0
435	R00Y_062_025ad	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	56.6 17.5 11.2	20.8 32.5	0.401 0.545 0.496 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
436	R00Y_062_025ad	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.5	56.7 18.5 4.7	19.1 14.4	0.412 0.544 0.402 0.0	360	1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
437	B50R_062_025ad	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.625	56.8 19.5 -0.1	19.5 359.5	0.418 0.549 0.325 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
438	B34R_075_037ad	0.625 0.375 0.75	0.75 0.375 0.562	311	0.631 0.375 0.75	57.4 25.1 -4.1	25.5 350.6	0.378 0.575 0.224 0.0	311	0.683 0.0 1.0	40.8 67.1 -11.0 68.0 350.6
439	B25R_087_050ad	0.625 0.375 0.875	0.875 0.5 0.625	300	0.625 0.375 0.875	57.5 28.2 -9.9	29.9 340.6	0.363 0.593 0.1 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
440	B19R_100_062ad	0.625 0.375 1.0	1.0 0.625 0.687	293	0.614 0.375 1.0	57.1 31.6 -15.2	35.1 334.3	0.351 0.623 0.0 0.0	292	0.383 0.0 1.0	33.5 50.6 -24.3 56.2 334.3
441	R81Y_062_062ad	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.51 0.0	59.9 1.7 51.9	52.0 88.0	0.416 0.616 0.98 0.0	80	1.0 0.816 0.0	81.8 2.7 83.1 83.2 88.0
442	R76Y_062_050ad	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.508 0.125	60.8 2.9 40.5	40.6 85.8	0.408 0.417 0.835 0.0	77	1.0 0.766 0.0	79.7 5.8 81.0 81.2 85.8
443	R68Y_062_037ad	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.506 0.25	61.5 4.4 28.9	29.3 81.2	0.405 0.417 0.695 0.0	71	1.0 0.683 0.0	76.1 11.8 77.2 78.1 81.2
444	R50Y_062_025ad	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.5 0.375	61.6 7.1 16.6	18.1 66.8	0.408 0.43 0.543 0.0	59	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
445	R00Y_062_012ad	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	62.8 8.7 5.6	10.4 32.5	0.407 0.421 0.382 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
446	B50R_062_012ad	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.625	62.9 9.7 0.0	9.7 359.5	0.418 0.426 0.299 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
447	B25R_075_025ad	0.625 0.5 0.75	0.75 0.25 0.625	300	0.625 0.5 0.75	63.3 14.1 -4.9	14.9 340.6	0.391 0.447 0.202 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
448	B15R_087_037ad	0.625 0.5 0.875	0.875 0.375 0.687	289	0.618 0.5 0.875	62.9 17.0 -10.5	20.0 328.3	0.389 0.466 0.1 0.0	288	0.316 0.0 1.0	31.4 45.5 -28.0 53.4 328.3
449	B11R_100_050ad	0.625 0.5 1.0	1.0 0.5 0.75	284	0.616 0.5 1.0	62.8 19.4 -15.8	25.1 320.9	0.379 0.477 0.0 0.0	282	0.233 0.0 1.0	29.1 38.9 -31.7 50.2 320.9
450	Y00G_062_062ad	0.625 0.625 0.0	0.625 0.625 0.312	90	0.625 0.625 0.0	63.8 -4.3 56.0	56.2 94.3	0.412 0.32 0.977 0.0	89	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3
451	Y00G_062_050ad	0.625 0.625 0.125	0.625 0.5 0.375	90	0.625 0.625 0.125	64.9 -3.4 44.8	45.0 94.3	0.403 0.316 0.84 0.0	89	1.0 1.0 0.0	88.0 -6.8 89.7 90.0 94.3
452	Y00G_062_037ad	0.625 0.625 0.25	0.625 0.375 0.437	90	0.625 0.625 0.25	65.9 -2.5 33.6	33.7 94.3	0.399 0.309 0.709 0.0	89	1.0 1.0 0.0	88.0 -6.8 89.7 9

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> / .PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS
application pour la mesure des sorties sur offset, separationcmY0* (CMY0)

TUB matériel: code=rha4ta

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsi_Mdd	rgb*Mdd	LabCh*Mdd
486	R00Y_075_075ad	0.75 0.0 0.0	0.75 0.75 0.375	390	0.75 0.0 0.0	40.7 52.7 33.6	62.5 32.5 0.326 0.955 0.989 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
487	R35Y_075_075ad	0.75 0.0 0.125	0.75 0.75 0.375	381	0.75 0.0 0.112	40.8 53.3 28.2	60.3 27.8 0.326 0.959 0.87 0.0	382	1.0 0.0 0.15	46.5 71.1 37.6 80.4 27.8
488	R18Y_075_075ad	0.75 0.0 0.25	0.75 0.75 0.375	371	0.75 0.0 0.237	40.9 54.1 21.6	58.3 21.7 0.327 0.956 0.745 0.0	371	1.0 0.0 0.316	46.7 72.1 28.8 77.7 21.7
489	R00Y_075_075ad	0.75 0.0 0.375	0.75 0.75 0.375	360	0.75 0.0 0.375	40.9 55.5 14.2	57.3 14.4 0.33 0.96 0.621 0.0	360	1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
490	B65R_075_075ad	0.75 0.0 0.5	0.75 0.75 0.375	349	0.75 0.0 0.512	41.1 56.8 8.0	57.3 8.0 0.33 0.959 0.502 0.0	348	1.0 0.0 0.683	46.9 75.7 10.7 76.5 8.0
491	B57R_075_075ad	0.75 0.0 0.625	0.75 0.75 0.375	339	0.75 0.0 0.637	41.2 57.9 3.3	58.0 3.2 0.332 0.959 0.402 0.0	337	1.0 0.0 0.85	47.0 77.2 4.4 77.3 3.2
492	B50R_075_075ad	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.75	41.3 58.7 -0.4	58.7 359.5 0.339 0.958 0.312 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
493	B43R_087_087ad	0.75 0.0 0.875	0.875 0.875 0.437	322	0.758 0.0 0.875	42.5 64.4 -4.6	64.6 355.8 0.285 0.975 0.151 0.0	322	0.866 0.0 1.0	45.2 73.6 -5.3 73.8 355.8
494	B38R_100_100ad	0.75 0.0 1.0	1.0 1.0 0.5	316	0.766 0.0 1.0	43.1 70.5 -8.0	71.0 353.5 0.232 1.0 0.0 0.0	317	0.766 0.0 1.0	43.1 70.5 -8.0 71.0 353.5
495	R15Y_075_075ad	0.75 0.125 0.0	0.75 0.75 0.375	39	0.75 0.112 0.0	44.1 45.0 37.5	58.6 39.8 0.321 0.847 0.988 0.0	37	1.0 0.15 0.0	50.9 60.0 50.0 78.1 39.8
496	R00Y_075_062ad	0.75 0.125 0.125	0.75 0.625 0.437	390	0.75 0.125 0.125	46.9 43.9 28.0	52.1 32.5 0.293 0.819 0.776 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
497	R31Y_075_062ad	0.75 0.125 0.25	0.75 0.625 0.437	379	0.75 0.125 0.239	47.0 44.6 22.4	49.9 26.7 0.296 0.821 0.687 0.0	380	1.0 0.0 0.183	46.6 71.3 35.9 79.9 26.7
498	R11Y_075_062ad	0.75 0.125 0.375	0.75 0.625 0.437	367	0.75 0.125 0.364	47.2 45.3 15.7	48.0 19.1 0.3 0.821 0.582 0.0	367	1.0 0.0 0.383	46.9 72.5 25.1 76.8 19.1
499	B69R_075_062ad	0.75 0.125 0.5	0.75 0.625 0.437	353	0.75 0.125 0.51	47.2 46.9 8.5	47.6 8.5 0.303 0.827 0.465 0.0	352	1.0 0.0 0.616	46.9 73.5 15.5 76.2 10.3
500	B59R_075_062ad	0.75 0.125 0.625	0.75 0.625 0.437	341	0.75 0.125 0.635	47.3 48.0 3.4	48.2 4.1 0.306 0.833 0.369 0.0	339	1.0 0.0 0.816	47.0 76.9 5.5 77.1 4.1
501	B50R_075_062ad	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.75	47.4 48.9 -0.4	48.9 359.5 0.312 0.833 0.287 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
502	B42R_087_075ad	0.75 0.125 0.875	0.875 0.75 0.5	321	0.762 0.125 0.875	48.6 54.8 -4.3	55.0 355.4 0.253 0.852 0.146 0.0	322	0.85 0.0 1.0	44.9 73.1 -5.8 73.3 355.4
503	B36R_100_087ad	0.75 0.125 1.0	1.0 0.875 0.562	314	0.766 0.125 1.0	49.0 60.6 -7.9	61.1 352.5 0.2 0.875 0.011 0.0	315	0.733 0.0 1.0	42.2 69.3 -9.1 69.9 352.5
504	R31Y_075_075ad	0.75 0.25 0.0	0.75 0.75 0.375	49	0.75 0.237 0.0	49.3 33.9 43.4	55.1 52.0 0.316 0.724 0.991 0.0	48	1.0 0.316 0.0	57.8 45.2 57.9 73.5 52.0
505	R18Y_075_062ad	0.75 0.25 0.125	0.75 0.625 0.437	41	0.75 0.239 0.125	50.6 35.7 32.2	48.1 42.0 0.294 0.729 0.802 0.0	39	1.0 0.183 0.0	52.2 57.1 51.6 77.0 42.0
506	R00Y_075_050ad	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	53.2 35.1 22.4	41.7 32.5 0.274 0.705 0.631 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
507	R26Y_075_050ad	0.75 0.25 0.375	0.75 0.5 0.5	376	0.75 0.25 0.366	53.3 35.8 16.6	39.5 24.9 0.279 0.707 0.547 0.0	377	1.0 0.0 0.233	46.6 71.6 33.3 79.0 24.9
508	R00Y_075_050ad	0.75 0.25 0.5	0.75 0.5 0.5	360	0.75 0.25 0.5	53.4 37.0 9.5	38.2 14.4 0.285 0.713 0.441 0.0	360	1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
509	B61R_075_050ad	0.75 0.25 0.625	0.75 0.5 0.5	344	0.75 0.25 0.633	53.5 38.2 3.6	38.4 5.4 0.288 0.719 0.341 0.0	342	1.0 0.0 0.766	46.9 76.5 7.2 76.8 5.4
510	B50R_075_050ad	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.75	53.6 39.1 -0.3	39.1 35.9 0.294 0.723 0.263 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
511	B40R_087_062ad	0.75 0.25 0.875	0.875 0.625 0.562	319	0.76 0.25 0.875	54.6 45.0 -4.1	45.2 354.6 0.237 0.748 0.136 0.0	320	0.816 0.0 1.0	44.1 72.1 -6.7 72.4 354.6
512	B34R_100_075ad	0.75 0.25 1.0	1.0 0.75 0.625	311	0.762 0.25 1.0	54.7 50.3 -8.2	51.0 350.6 0.198 0.772 0.007 0.0	311	0.683 0.0 1.0	40.8 67.1 -11.0 68.0 350.6
513	R50Y_075_075ad	0.75 0.375 0.0	0.75 0.75 0.375	60	0.75 0.375 0.0	55.7 21.3 50.0	54.4 66.8 0.31 0.585 0.983 0.0	59	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
514	R38Y_075_062ad	0.75 0.375 0.125	0.75 0.625 0.437	53	0.75 0.364 0.125	56.0 24.3 38.1	45.2 57.4 0.296 0.597 0.824 0.0	52	1.0 0.383 0.0	60.9 38.9 61.0 72.3 57.4
515	R23Y_075_050ad	0.75 0.375 0.25	0.75 0.5 0.5	44	0.75 0.366 0.25	57.1 26.4 26.8	37.6 45.4 0.279 0.604 0.669 0.0	42	1.0 0.233 0.0	54.2 52.8 53.7 75.3 45.4
516	R00Y_075_037ad	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	59.4 26.3 16.8	31.2 32.5 0.265 0.586 0.509 0.0	389	1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
517	R18Y_075_037ad	0.75 0.375 0.5	0.75 0.375 0.562	371	0.75 0.375 0.493	59.6 27.0 10.8	29.1 21.7 0.273 0.587 0.427 0.0	371	1.0 0.0 0.316	46.7 72.1 28.8 77.7 21.7
518	B65R_075_037ad	0.75 0.375 0.625	0.75 0.375 0.562	349	0.75 0.375 0.631	59.6 28.4 4.0	28.6 8.0 0.28 0.592 0.32 0.0	348	1.0 0.0 0.683	46.9 75.7 10.7 76.5 8.0
519	B50R_075_037ad	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.75	59.7 29.3 -0.2	29.3 359.5 0.284 0.594 0.24 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
520	B38R_087_050ad	0.75 0.375 0.875	0.875 0.5 0.625	316	0.758 0.375 0.875	60.6 35.2 -4.0	35.5 335.3 0.227 0.625 0.128 0.0	317	0.766 0.0 1.0	43.1 70.5 -8.0 71.0 353.5
521	B30R_100_062ad	0.75 0.375 1.0	1.0 0.625 0.687	307	0.76 0.375 1.0	60.5 39.9 -8.5	40.8 347.9 0.199 0.657 0.006 0.0	307	0.616 0.0 1.0	39.0 63.9 -13.6 65.3 347.9
522	R68Y_075_075ad	0.75 0.5 0.0	0.75 0.75 0.375	71	0.75 0.512 0.0	63.0 8.8 57.9	58.6 81.2 0.299 0.436 0.987 0.0	71	1.0 0.683 0.0	76.1 11.8 77.2 78.1 81.2
523	R61Y_075_062ad	0.75 0.5 0.125	0.75 0.625 0.437	67	0.75 0.51 0.125	63.6 10.5 46.2	47.3 77.1 0.29 0.444 0.847 0.0	67	1.0 0.616 0.0	73.0 16.8 73.9 75.8 77.7
524	R50Y_075_050ad	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.5 0.25	63.2 14.2 33.3	36.2 66.8 0.284 0.468 0.706 0.0	59	1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
525	R31Y_075_037ad	0.75 0.5 0.375	0.75 0.375 0.562	49	0.75 0.493 0.375	63.7 16.9 21.7	27.5 49.8 0.277 0.448 0.559 0.0	48	1.0 0.316 0.0	45.2 57.4 35.9 72.3 57.4
526	R00Y_075_025ad	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	65.7 17.5 11.2	20.8 32.5 0.27 0.466 0.405 0.0	389	1.0 0.0 0.0	70.3 44.9 83.4 32.5
527	R00Y_075_025ad	0.75 0.5 0.625	0.75 0.25 0.625	360	0.75 0.5 0.625	65.8 18.5 4.7	19.1 14.4 0.28 0.467 0.307 0.0	360	1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
528	B50R_075_025ad	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.75	65.9 19.5 -0.1	19.5 359.5 0.285 0.47 0.224 0.0	330	1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
529	B34R_087_037ad	0.75 0.5 0.875	0.875 0.375 0.687	311	0.756 0.5 0.875	66.5 25.1 -4.1	25.5 350.6 0.239 0.503 0.124 0.0	311	0.683 0.0 1.0	40.8 67.1 -11.0 68.0 350.6
530	B25R_100_050ad	0.75 0.5 1.0	1.0 0.5 0.75	300	0.75 0.5 1.0	66.6 28.2 -9.9	29.9 340.6 0.224 0.521 0.0 0.0	300	0.5 0.0 1.0	36.7 56.5 -19.8 59.9 340.6
531	R85Y_075_075ad	0.75 0.625 0.0	0.75 0.75 0.375	81	0.75 0.637 0.0	68.2 0.4 63.4	63.4 89.5 0.291 0.308 0.988 0.0	81	1.0 0.85 0.0	83.1 0.6 84.5 84.5 89.5
532	R81Y_075_062ad	0.75 0.625 0.125	0.75 0.625 0.437	79	0.75 0.635 0.125	69.0 1.7 51.9	52.0 88.0 0.282 0.317 0.86 0.0	80	1.0 0.816 0.0	81.8 2.7 83.1 83.2 88.0
533	R76Y_075_050ad	0.75 0.625 0.25	0.75 0.5 0.5	76	0.75 0.633 0.25	69.9 2.9 40.5	40.6 85.8 0.277 0.321 0.735 0.0	77	1.0 0.766 0.0	79.7 5.8 81.0 81.2 85.8
534	R68Y_075_037ad	0.75 0.625 0.375	0.75 0.375 0.562	71	0.75 0.631 0.375	70.6 4.4 28.9	29.3 81.2 0.276 0.325 0.603 0.0	71	1.0 0.683 0.0	76.1 11.8 77.2 78.1 81.2
535	R50Y_075_025ad	0.75 0.625 0.5	0.75 0.25 0.625	60	0.75 0.625 0.5	70.7 7.1 16.6	18.1 66.8 0.279 0.351 0.456 0.0	59		

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 27/33

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsi_Mdd	rgb*Mdd	LabCh*Mdd	
567	R00Y_087_087ad	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.0	43.5 61.5 39.3	73.0 32.5	0.174 0.983	0.991 0.0	389 1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
568	R36Y_087_087ad	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.116	43.7 62.1 33.6	70.6 28.4	0.176 0.987	0.869 0.0	382 1.0 0.0 0.133	46.5 71.0 38.5 80.7 28.4
569	R23Y_087_087ad	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.233	43.7 62.8 27.6	68.6 23.7	0.179 0.988	0.763 0.0	375 1.0 0.0 0.266	46.6 71.8 31.6 78.4 23.7
570	R08Y_087_087ad	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.364	43.9 63.9 20.5	67.1 17.7	0.179 0.986	0.632 0.0	365 1.0 0.0 0.416	46.8 73.0 23.4 76.7 17.7
571	B70R_087_087ad	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.51	43.9 65.4 13.2	66.7 11.4	0.181 0.987	0.504 0.0	354 1.0 0.0 0.583	46.8 74.7 15.1 76.3 11.4
572	B63R_087_087ad	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.641	44.0 66.6 7.5	67.1 6.4	0.182 0.988	0.391 0.0	344 1.0 0.0 0.733	46.9 76.2 8.5 76.7 6.4
573	B56R_087_087ad	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.758	44.1 67.6 3.3	67.7 2.8	0.183 0.988	0.29 0.0	337 1.0 0.0 0.866	47.0 77.3 3.8 77.4 2.8
574	B50R_087_087ad	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.875	44.2 68.5 -0.5	68.5 359.5	0.188 0.987	0.185 0.0	330 1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
575	B44R_100_100ad	0.875 0.0 1.0	1.0 1.0 0.5	323	0.883 0.0 1.0	45.5 74.1 -4.8	74.3 356.2	0.115 1.0	0.0 0.0	323 0.883 0.0 1.0	45.5 74.1 -4.8 74.3 356.2
576	R13Y_087_087ad	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.116 0.0	46.9 53.7 43.0	68.8 38.7	0.171 0.869	0.993 0.0	37 1.0 0.133 0.0	50.2 61.4 49.2 78.7 38.7
577	R00Y_087_075ad	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.125	49.8 52.7 33.6	62.5 32.5	0.139 0.846	0.796 0.0	389 1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
578	R35Y_087_075ad	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.237	49.9 53.3 28.2	60.3 27.8	0.14 0.848	0.706 0.0	382 1.0 0.0 0.15	46.5 71.1 37.6 80.4 27.8
579	R18Y_087_075ad	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.362	50.1 54.1 21.6	58.3 21.7	0.142 0.849	0.6 0.0	371 1.0 0.0 0.316	46.7 72.1 28.8 77.7 21.7
580	R00Y_087_075ad	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.5	50.0 55.5 14.2	57.3 14.4	0.148 0.853	0.486 0.0	360 1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
581	B65R_087_075ad	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.637	50.2 56.8 8.0	57.3 8.0	0.149 0.858	0.381 0.0	348 1.0 0.0 0.683	46.9 75.7 10.7 76.5 8.0
582	B57R_087_075ad	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.762	50.3 57.9 3.3	58.0 3.2	0.151 0.86	0.278 0.0	337 1.0 0.0 0.85	47.0 77.2 4.4 77.3 3.2
583	B50R_087_075ad	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.875	50.4 58.7 -0.4	58.7 359.5	0.154 0.86	0.185 0.0	330 1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
584	B43R_100_087ad	0.875 0.125 1.0	1.0 0.875 0.562	322	0.883 0.125 1.0	51.6 64.4 -4.6	64.6 355.8	0.079 0.872	0.009 0.0	322 0.866 0.0 1.0	45.2 73.6 -5.3 73.8 355.8
585	R26Y_087_087ad	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.233 0.0	51.6 43.6 48.4	65.1 47.9	0.168 0.755	1.0 0.0	44 1.0 0.266 0.0	55.6 49.8 55.3 74.4 47.9
586	R15Y_087_075ad	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.237 0.125	53.2 45.0 37.5	58.6 39.8	0.14 0.763	0.819 0.0	37 1.0 0.15 0.0	50.9 60.0 50.0 78.1 39.8
587	R00Y_087_062ad	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.0 43.9 28.0	52.1 32.5	0.109 0.735	0.649 0.0	389 1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
588	R31Y_087_062ad	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.364	56.2 44.6 22.4	49.9 26.7	0.114 0.739	0.563 0.0	380 1.0 0.0 0.183	46.6 71.3 35.9 79.9 26.7
589	R11Y_087_062ad	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.489	56.3 45.3 15.7	48.0 19.1	0.12 0.741	0.462 0.0	367 1.0 0.0 0.383	46.9 72.5 25.1 76.8 19.1
590	B69R_087_062ad	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.635	56.4 46.9 8.5	47.6 10.3	0.125 0.751	0.357 0.0	352 1.0 0.0 0.616	46.9 75.0 13.6 76.2 10.3
591	B59R_087_062ad	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.76	56.4 48.0 3.4	48.2 4.1	0.126 0.754	0.255 0.0	339 1.0 0.0 0.816	47.0 76.9 5.5 77.1 4.1
592	B50R_087_062ad	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.875	56.5 48.9 -0.4	48.9 359.5	0.129 0.755	0.165 0.0	330 1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
593	B42R_100_075ad	0.875 0.25 1.0	1.0 0.75 0.625	321	0.887 0.25 1.0	57.8 54.8 -4.3	55.0 355.4	0.049 0.767	0.001 0.0	322 0.85 0.0 1.0	44.9 73.1 -5.8 73.3 355.4
594	R41Y_087_087ad	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.364 0.0	57.6 31.5 54.9	63.3 60.1	0.165 0.622	1.0 0.0	54 1.0 0.416 0.0	62.4 36.0 62.8 72.4 60.1
595	R31Y_087_075ad	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.362 0.125	58.4 33.9 43.4	55.1 52.0	0.142 0.635	0.846 0.0	48 1.0 0.316 0.0	57.8 45.2 57.9 73.5 52.0
596	R18Y_087_062ad	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.364 0.25	59.7 35.7 32.2	48.1 42.0	0.117 0.642	0.69 0.0	39 1.0 0.183 0.0	52.2 57.1 51.6 77.0 42.0
597	R00Y_087_050ad	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.3 35.1 22.4	41.7 32.5	0.094 0.619	0.524 0.0	389 1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
598	R26Y_087_050ad	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.491	62.4 35.8 16.6	39.5 24.9	0.101 0.623	0.442 0.0	377 1.0 0.0 0.233	46.6 71.6 33.3 79.0 24.9
599	R00Y_087_050ad	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.625	62.5 37.0 9.5	38.2 14.4	0.109 0.629	0.337 0.0	360 1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
600	B61R_087_050ad	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.758	62.6 38.2 3.6	38.4 5.4	0.114 0.635	0.236 0.0	342 1.0 0.0 0.766	46.9 76.5 7.2 76.8 5.4
601	B50R_087_050ad	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.875	62.7 39.1 -0.3	39.1 359.5	0.116 0.639	0.15 0.0	330 1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
602	B40R_100_062ad	0.875 0.375 1.0	1.0 0.625 0.687	319	0.885 0.375 1.0	63.8 45.0 -4.1	45.2 354.6	0.035 0.654	0.004 0.0	320 0.816 0.0 1.0	44.1 72.1 -6.7 72.4 354.6
603	R58Y_087_087ad	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.51 0.0	65.2 17.8 63.0	65.5 74.2	0.158 0.473	1.0 0.0	65 1.0 0.583 0.0	71.1 20.3 72.0 74.8 74.2
604	R50Y_087_075ad	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.5 0.125	64.8 21.3 50.0	54.4 66.8	0.144 0.494	0.865 0.0	59 1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
605	R38Y_087_062ad	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.489 0.25	65.1 24.3 38.1	45.2 57.4	0.127 0.502	0.725 0.0	52 1.0 0.383 0.0	60.9 38.9 61.0 72.3 57.4
606	R23Y_087_050ad	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.491 0.375	66.2 26.4 26.8	37.6 45.4	0.109 0.513	0.572 0.0	42 1.0 0.233 0.0	54.2 52.8 53.7 75.3 45.4
607	R00Y_087_037ad	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.5 26.3 16.8	31.2 32.5	0.093 0.497	0.416 0.0	389 1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
608	R18Y_087_037ad	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.618	68.7 27.0 10.8	29.1 21.7	0.102 0.502	0.331 0.0	371 1.0 0.0 0.316	46.7 72.1 28.8 77.7 21.7
609	B65R_087_037ad	0.875 0.5 0.75	0.875 0.375 0.687	349	0.875 0.5 0.756	68.8 28.4 4.0	28.6 8.0	0.111 0.509	0.221 0.0	348 1.0 0.0 0.683	46.9 75.7 10.7 76.5 8.0
610	B50R_087_037ad	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.875	68.8 29.3 -0.2	29.3 359.5	0.116 0.513	0.137 0.0	330 1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
611	B38R_100_050ad	0.875 0.5 1.0	1.0 0.5 0.75	316	0.883 0.5 1.0	69.8 35.2 -4.0	35.5 353.5	0.035 0.534	0.008 0.0	317 0.766 0.0 1.0	43.1 70.5 -8.0 71.0 353.5
612	R73Y_087_087ad	0.875 0.625 0.0	0.875 0.875 0.437	74	0.875 0.641 0.0	71.5 7.0 69.6	69.9 84.1	0.152 0.337	1.0 0.0	75 1.0 0.733 0.0	78.3 8.0 79.5 79.9 84.1
613	R68Y_087_075ad	0.875 0.625 0.125	0.875 0.75 0.5	71	0.875 0.637 0.125	72.1 8.8 57.9	58.6 81.2	0.139 0.352	0.88 0.0	71 1.0 0.683 0.0	76.1 11.8 77.2 78.1 81.2
614	R61Y_087_062ad	0.875 0.625 0.25	0.875 0.625 0.562	67	0.875 0.635 0.25	72.7 10.5 46.2	47.3 77.1	0.13 0.365	0.758 0.0	67 1.0 0.616 0.0	73.0 16.8 73.9 75.8 77.1
615	R50Y_087_050ad	0.875 0.625 0.375	0.875 0.5 0.625	60	0.875 0.625 0.375	72.3 14.2 33.3	36.2 66.8	0.121 0.39	0.619 0.0	59 1.0 0.5 0.0	66.4 28.5 66.7 72.5 66.8
616	R31Y_087_037ad	0.875 0.625 0.5	0.875 0.375 0.687	49	0.875 0.618 0.5	72.8 16.9 21.7	27.5 52.0	0.113 0.404	0.467 0.0	48 1.0 0.316 0.0	57.8 45.2 57.9 73.5 52.0
617	R00Y_087_025ad	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	74.8 17.5 11.2	20.8 32.5	0.104 0.394	0.308 0.0	389 1.0 0.0 0.0	46.4 70.3 44.9 83.4 32.5
618	R00Y_087_025ad	0.875 0.625 0.75	0.875 0.25 0.75	360	0.875 0.625 0.75	74.9 18.5 4.7	19.1 14.4	0.117 0.398	0.208 0.0	360 1.0 0.0 0.5	46.7 74.0 19.0 76.4 14.4
619	B50R_087_025ad	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.875	75.0 19.5 -0.1	19.5 359.5	0.124 0.403	0.122 0.0	330 1.0 0.0 1.0	47.2 78.3 -0.6 78.3 359.5
620	B34R_100_037ad	0.875 0.625 1.0	1.0 0.375 0.812	311	0.881 0.625 1.0	75.6 25.1 -4.1	25.5 350.6	0.057 0.428	0.008 0.0	311 0.683 0.0 1.0	40.8 67.1 -11.0 68.0 350.6
621	R86Y_087_087ad	0.875 0.75 0.0	0.875 0.875 0.437	82	0.875 0.758 0.0	76.2 -0.3 74.5	74.5 90.2	0.15 0.205	1.0 0.0	82 1.0 0.866 0.0	83.8 -0.4 85.2 90.2 90.2
622	R85Y_087_075ad	0.875 0.75 0.125	0.875 0.75 0.5	81	0.875 0.762 0.125	77.3 0.4 63.4	63.4 89.5	0.137 0.215	0.888 0.0	81 1.0 0.85 0.0	83.1 0.6 84.5 84.5 89.5
623	R81Y_087_062ad	0.875 0.75 0.25	0.875 0.625 0.562	79	0.875 0.76 0.25	78.1 1.7 51.9	52.0 88.0	0.127 0.22	0.774 0.0	80 1.0 0.816 0.0	81.8 2.7 83.1 83.2 88.0
624	R76Y_087_050ad	0.875 0.75 0.375	0.875 0.5 0.625	76	0.875 0.758 0.375	79.0 2.9 40.5	40.6 85.8	0.123 0.226	0		

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, separationcmY0* (CMY0)

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep,Fdd	hsiM,dd	rgb*Mdd	LabCh*Mdd	
648	R00Y_100_100ad	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5	0.0 1.0 1.0	0.0 0.0 0.0	46.4 70.3 44.9	83.4 32.5
649	R38Y_100_100ad	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.116	46.5 70.9 39.3	81.0 29.0	0.0 1.0 0.882	0.0 0.0 0.0	46.5 70.9 39.3	81.0 29.0
650	R26Y_100_100ad	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.233	46.6 71.6 33.3	79.0 24.9	0.0 1.0 0.765	0.0 0.0 0.0	46.6 71.6 33.3	79.0 24.9
651	R13Y_100_100ad	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.366	46.8 72.4 26.0	76.9 19.8	0.0 1.0 0.631	0.0 0.0 0.0	46.8 72.4 26.0	76.9 19.8
652	R00Y_100_100ad	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.5	46.7 74.0 19.0	76.4 14.4	0.0 1.0 0.5	0.0 0.0 0.0	46.7 74.0 19.0	76.4 14.4
653	B68R_100_100ad	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.633	46.9 75.2 12.9	76.3 9.7	0.0 1.0 0.368	0.0 0.0 0.0	46.9 75.2 12.9	76.3 9.7
654	B61R_100_100ad	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.766	46.9 76.5 7.2	76.8 5.4	0.0 0.999	0.235 0.0	46.9 76.5 7.2	76.8 5.4
655	B55R_100_100ad	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.883	47.1 77.4 3.2	77.5 2.4	0.0 0.999	0.116 0.0	47.1 77.4 3.2	77.5 2.4
656	B50R_100_100ad	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 1.0	47.2 78.3 -0.6	78.3 359.5	0.0 1.0 0.0	0.0 0.0 0.0	47.2 78.3 -0.6	78.3 359.5
657	R11Y_100_100ad	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.116 0.0	49.7 62.6 48.5	79.2 37.7	0.0 0.882	1.0 0.0 0.0	49.7 62.6 48.5	79.2 37.7
658	R00Y_100_087ad	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.125	52.6 61.5 39.3	73.0 32.5	0.0 0.846	0.798 0.0	52.6 61.5 39.3	73.0 32.5
659	R36Y_100_087ad	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.241	52.8 62.1 33.6	70.6 28.4	0.0 0.875	0.75 0.0	52.8 62.1 33.6	70.6 28.4
660	R23Y_100_087ad	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.358	52.9 62.8 27.6	68.6 23.7	0.0 0.875	0.625 0.0	52.9 62.8 27.6	68.6 23.7
661	R08Y_100_087ad	1.0 0.125 0.5	1.0 0.875 0.562	365	1.0 0.125 0.489	53.0 63.9 20.5	67.1 17.7	0.0 0.875	0.5 0.0	53.0 63.9 20.5	67.1 17.7
662	B70R_100_087ad	1.0 0.125 0.625	1.0 0.875 0.562	355	1.0 0.125 0.635	53.0 65.4 13.2	66.7 11.4	0.0 0.875	0.375 0.0	53.0 65.4 13.2	66.7 11.4
663	B63R_100_087ad	1.0 0.125 0.75	1.0 0.875 0.562	346	1.0 0.125 0.766	53.1 66.6 7.5	67.1 6.4	0.0 0.875	0.25 0.0	53.1 66.6 7.5	67.1 6.4
664	B56R_100_087ad	1.0 0.125 0.875	1.0 0.875 0.562	338	1.0 0.125 0.883	53.2 67.6 3.3	67.7 2.8	0.0 0.874	0.131 0.0	53.2 67.6 3.3	67.7 2.8
665	B50R_100_087ad	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 1.0	53.3 68.5 -0.5	68.5 359.5	0.0 0.874	0.023 0.0	53.3 68.5 -0.5	68.5 359.5
666	R23Y_100_100ad	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.233 0.0	54.2 52.8 53.7	75.3 45.4	0.0 0.765	1.0 0.0 0.0	54.2 52.8 53.7	75.3 45.4
667	R13Y_100_087ad	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.241 0.125	56.0 53.7 43.0	68.8 38.7	0.0 0.766	0.82 0.0 0.0	56.0 53.7 43.0	68.8 38.7
668	R00Y_100_075ad	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	58.9 52.7 33.6	62.5 32.5	0.0 0.749	0.644 0.0 0.0	58.9 52.7 33.6	62.5 32.5
669	R35Y_100_075ad	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.362	59.0 53.3 28.2	60.3 27.8	0.0 0.75	0.625 0.0 0.0	59.0 53.3 28.2	60.3 27.8
670	R18Y_100_075ad	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.487	59.2 54.1 21.6	58.3 21.7	0.0 0.751	0.498 0.0 0.0	59.2 54.1 21.6	58.3 21.7
671	R00Y_100_075ad	1.0 0.25 0.625	1.0 0.75 0.625	360	1.0 0.25 0.625	59.2 55.5 14.2	57.3 14.4	0.0 0.753	0.376 0.0 0.0	59.2 55.5 14.2	57.3 14.4
672	B65R_100_075ad	1.0 0.25 0.75	1.0 0.75 0.625	349	1.0 0.25 0.762	59.3 56.8 8.0	57.3 8.0	0.0 0.753	0.25 0.0 0.0	59.3 56.8 8.0	57.3 8.0
673	B57R_100_075ad	1.0 0.25 0.875	1.0 0.75 0.625	339	1.0 0.25 0.887	59.4 57.9 3.3	58.0 3.2	0.0 0.761	0.125 0.0	59.4 57.9 3.3	58.0 3.2
674	B50R_100_075ad	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 1.0	59.5 58.7 -0.4	58.7 359.5	0.0 0.765	0.017 0.0 0.0	59.5 58.7 -0.4	58.7 359.5
675	R36Y_100_100ad	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.366 0.0	60.1 40.4 60.2	72.5 56.1	0.0 0.631	1.0 0.0 0.0	60.1 40.4 60.2	72.5 56.1
676	R26Y_100_087ad	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.358 0.125	60.7 43.6 48.4	65.1 47.9	0.0 0.641	0.841 0.0 0.0	60.7 43.6 48.4	65.1 47.9
677	R15Y_100_075ad	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.362 0.25	62.3 45.0 37.5	58.6 39.8	0.0 0.643	0.678 0.0 0.0	62.3 45.0 37.5	58.6 39.8
678	R00Y_100_062ad	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.1 43.9 28.0	52.1 32.5	0.0 0.623	0.505 0.0 0.0	65.1 43.9 28.0	52.1 32.5
679	R31Y_100_062ad	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.489	65.3 44.6 22.4	49.9 26.7	0.0 0.625	0.5 0.0 0.0	65.3 44.6 22.4	49.9 26.7
680	R11Y_100_062ad	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.614	65.4 45.3 15.7	48.0 19.1	0.0 0.626	0.376 0.0 0.0	65.4 45.3 15.7	48.0 19.1
681	B69R_100_062ad	1.0 0.375 0.75	1.0 0.625 0.687	353	1.0 0.375 0.76	65.5 46.9 8.5	47.6 10.3	0.0 0.638	0.25 0.0 0.0	65.5 46.9 8.5	47.6 10.3
682	B59R_100_062ad	1.0 0.375 0.875	1.0 0.625 0.687	341	1.0 0.375 0.885	65.5 48.0 3.4	48.2 4.1	0.0 0.646	0.125 0.0 0.0	65.5 48.0 3.4	48.2 4.1
683	B50R_100_062ad	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 1.0	65.6 48.9 -0.4	48.9 359.5	0.0 0.647	0.016 0.0 0.0	65.6 48.9 -0.4	48.9 359.5
684	R50Y_100_100ad	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.5 0.0	66.4 28.5 66.7	72.5 66.8	0.0 0.498	0.999 0.0 0.0	66.4 28.5 66.7	72.5 66.8
685	R41Y_100_087ad	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.489 0.125	66.7 31.5 54.9	63.3 60.1	0.0 0.503	0.874 0.0 0.0	66.7 31.5 54.9	63.3 60.1
686	R31Y_100_075ad	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.487 0.25	67.5 33.9 43.4	55.1 52.0	0.0 0.513	0.749 0.0 0.0	67.5 33.9 43.4	55.1 52.0
687	R18Y_100_062ad	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.489 0.375	68.8 35.7 32.2	48.1 42.0	0.0 0.528	0.623 0.0 0.0	68.8 35.7 32.2	48.1 42.0
688	R00Y_100_050ad	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.4 35.1 22.4	41.7 32.5	0.0 0.508	0.405 0.0 0.0	71.4 35.1 22.4	41.7 32.5
689	R26Y_100_050ad	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.616	71.5 35.8 16.6	39.5 24.9	0.0 0.514	0.376 0.0 0.0	71.5 35.8 16.6	39.5 24.9
690	R00Y_100_050ad	1.0 0.5 0.75	1.0 0.5 0.75	360	1.0 0.5 0.75	71.6 37.0 9.5	38.2 14.4	0.0 0.518	0.25 0.0 0.0	71.6 37.0 9.5	38.2 14.4
691	B61R_100_050ad	1.0 0.5 0.875	1.0 0.5 0.75	344	1.0 0.5 0.883	71.7 38.2 3.6	38.4 5.4	0.0 0.526	0.125 0.0 0.0	71.7 38.2 3.6	38.4 5.4
692	B50R_100_050ad	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 1.0	71.8 39.1 -0.3	39.1 359.5	0.0 0.529	0.021 0.0 0.0	71.8 39.1 -0.3	39.1 359.5
693	R63Y_100_100ad	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.633 0.0	73.9 15.3 74.7	76.3 78.4	0.0 0.368	1.0 0.0 0.0	73.9 15.3 74.7	76.3 78.4
694	R58Y_100_087ad	1.0 0.625 0.125	1.0 0.875 0.562	65	1.0 0.635 0.125	74.3 17.8 63.0	65.5 74.2	0.0 0.385	0.874 0.0 0.0	74.3 17.8 63.0	65.5 74.2
695	R50Y_100_075ad	1.0 0.625 0.25	1.0 0.75 0.625	60	1.0 0.625 0.25	73.9 21.3 50.0	54.4 66.8	0.0 0.402	0.749 0.0 0.0	73.9 21.3 50.0	54.4 66.8
696	R38Y_100_062ad	1.0 0.625 0.375	1.0 0.625 0.687	53	1.0 0.614 0.375	74.2 24.3 38.1	45.2 57.4	0.0 0.412	0.623 0.0 0.0	74.2 24.3 38.1	45.2 57.4
697	R23Y_100_050ad	1.0 0.625 0.5	1.0 0.5 0.75	44	1.0 0.616 0.5	75.3 26.4 26.8	37.6 45.4	0.0 0.43	0.498 0.0 0.0	75.3 26.4 26.8	37.6 45.4
698	R00Y_100_037ad	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	77.7 26.3 16.8	31.2 32.5	0.0 0.417	0.376 0.0 0.0	77.7 26.3 16.8	31.2 32.5
699	R18Y_100_037ad	1.0 0.625 0.75	1.0 0.375 0.812	371	1.0 0.625 0.743	77.8 27.0 10.8	29.1 21.7	0.0 0.416	0.25 0.0 0.0	77.8 27.0 10.8	29.1 21.7
700	B65R_100_037ad	1.0 0.625 0.875	1.0 0.375 0.812	349	1.0 0.625 0.881	77.9 28.4 4.0	28.6 8.0	0.0 0.42	0.125 0.0 0.0	77.9 28.4 4.0	28.6 8.0
701	B50R_100_037ad	1.0 0.625 1.									

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmvyn*sep.Fdd	hsi_Mdd	rgb*Mdd	LabCh*Mdd
729	NW_100dd	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	96.4 0.0 0.0
730	G50B_100_012dd	0.875 1.0 1.0	1.0 0.125 0.937	210	0.875 1.0 1.0	91.5 -3.7 -4.9	6.2 233.2 0.169	0.001 0.002 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
731	G50B_100_025dd	0.75 1.0 1.0	1.0 0.25 0.875	210	0.75 1.0 1.0	86.6 -7.4 -9.9	12.4 233.2 0.314	0.0 0.004 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
732	G50B_100_037dd	0.625 1.0 1.0	1.0 0.375 0.812	210	0.625 1.0 1.0	81.6 -11.1 -14.9	18.6 233.2 0.439	0.0 0.006 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
733	G50B_100_050dd	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 1.0 1.0	76.7 -14.8 -19.9	24.8 233.2 0.562	0.0 0.005 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
734	G50B_100_062dd	0.375 1.0 1.0	1.0 0.625 0.687	210	0.375 1.0 1.0	71.8 -18.5 -24.9	31.1 233.2 0.667	0.0 0.007 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
735	G50B_100_075dd	0.25 1.0 1.0	1.0 0.75 0.625	210	0.25 1.0 1.0	66.8 -22.3 -29.9	37.3 233.2 0.755	0.0 0.012 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
736	G50B_100_087dd	0.125 1.0 1.0	1.0 0.875 0.562	210	0.125 1.0 1.0	61.9 -26.0 -34.9	43.5 233.2 0.875	0.0 0.006 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
737	G50B_100_100dd	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 1.0 1.0	57.0 -29.7 -39.8	49.7 233.2 1.0	0.0 0.0 0.0	210 0.0 1.0 1.0	57.0 -29.7 -39.8
738	RO0Y_100_012dd	1.0 0.875 0.875	1.0 0.125 0.937	390	1.0 0.875 0.875	90.2 8.7 5.6	10.4 32.5 0.0	0.162 0.125 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
739	NW_087dd	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	87.3 0.0 0.0	0.0 0.0 0.0	0.163 0.102 0.101	360 1.0 1.0 1.0	96.4 0.0 0.0
740	G50B_087_012dd	0.75 0.875 0.875	0.875 0.125 0.812	210	0.75 0.875 0.875	82.4 -3.7 -4.9	6.2 233.2 0.306	0.104 0.098 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
741	G50B_087_025dd	0.625 0.875 0.875	0.875 0.25 0.75	210	0.625 0.875 0.875	77.5 -7.4 -9.9	12.4 233.2 0.43	0.112 0.1 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
742	G50B_087_037dd	0.5 0.875 0.875	0.875 0.375 0.687	210	0.5 0.875 0.875	72.5 -11.1 -14.9	18.6 233.2 0.55	0.119 0.1 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
743	G50B_087_050dd	0.375 0.875 0.875	0.875 0.5 0.625	210	0.375 0.875 0.875	67.6 -14.8 -19.9	24.8 233.2 0.658	0.125 0.097 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
744	G50B_087_062dd	0.25 0.875 0.875	0.875 0.625 0.562	210	0.25 0.875 0.875	62.7 -18.5 -24.9	31.1 233.2 0.744	0.134 0.099 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
745	G50B_087_075dd	0.125 0.875 0.875	0.875 0.75 0.5	210	0.125 0.875 0.875	57.7 -22.3 -29.9	37.3 233.2 0.871	0.15 0.099 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
746	G50B_087_087dd	0.0 0.875 0.875	0.875 0.875 0.437	210	0.0 0.875 0.875	52.8 -26.0 -34.9	43.5 233.2 0.988	0.168 0.091 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
747	RO0Y_100_025dd	1.0 0.75 0.75	1.0 0.25 0.875	390	1.0 0.75 0.75	83.9 17.5 11.2	20.8 32.5 0.0	0.296 0.25 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
748	RO0Y_087_012dd	0.875 0.75 0.75	0.875 0.125 0.812	390	0.875 0.75 0.75	81.1 8.7 5.6	10.4 32.5 0.0	0.129 0.25 0.203	389 1.0 0.0 0.0	46.4 70.3 44.9
749	NW_075dd	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	78.2 0.0 0.0	0.0 0.0 0.0	0.304 0.187 0.191	360 1.0 1.0 1.0	96.4 0.0 0.0
750	G50B_075_012dd	0.625 0.75 0.75	0.75 0.125 0.687	210	0.625 0.75 0.75	73.3 -3.7 -4.9	6.2 233.2 0.427	0.196 0.19 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
751	G50B_075_025dd	0.5 0.75 0.75	0.75 0.25 0.625	210	0.5 0.75 0.75	68.3 -7.4 -9.9	12.4 233.2 0.544	0.211 0.193 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
752	G50B_075_037dd	0.375 0.75 0.75	0.75 0.375 0.562	210	0.375 0.75 0.75	63.4 -11.1 -14.9	18.6 233.2 0.653	0.225 0.191 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
753	G50B_075_050dd	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.75 0.75	58.5 -14.8 -19.9	24.8 233.2 0.742	0.238 0.19 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
754	G50B_075_062dd	0.125 0.75 0.75	0.75 0.625 0.437	210	0.125 0.75 0.75	53.6 -18.5 -24.9	31.1 233.2 0.865	0.277 0.191 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
755	G50B_075_075dd	0.0 0.75 0.75	0.75 0.75 0.375	210	0.0 0.75 0.75	48.6 -22.3 -29.9	37.3 233.2 0.98	0.314 0.185 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
756	RO0Y_100_037dd	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.625	77.7 26.3 16.8	31.2 32.5 0.0	0.417 0.376 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
757	RO0Y_087_025dd	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.625	74.8 17.5 11.2	20.8 32.5 0.0	0.394 0.308 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
758	RO0Y_075_012dd	0.75 0.625 0.625	0.75 0.125 0.687	390	0.75 0.625 0.625	72.0 8.7 5.6	10.4 32.5 0.0	0.281 0.345 0.295	389 1.0 0.0 0.0	46.4 70.3 44.9
759	NW_062dd	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	69.1 0.0 0.0	0.0 0.0 0.0	0.425 0.278 0.28	360 1.0 1.0 1.0	96.4 0.0 0.0
760	G50B_062_012dd	0.5 0.625 0.625	0.625 0.125 0.562	210	0.5 0.625 0.625	64.2 -3.7 -4.9	6.2 233.2 0.541	0.304 0.285 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
761	G50B_062_025dd	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.625 0.625	59.2 -7.4 -9.9	12.4 233.2 0.65	0.328 0.285 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
762	G50B_062_037dd	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.625 0.625	54.3 -11.1 -14.9	18.6 233.2 0.737	0.359 0.286 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
763	G50B_062_050dd	0.125 0.625 0.625	0.625 0.5 0.375	210	0.125 0.625 0.625	49.4 -14.8 -19.9	24.8 233.2 0.859	0.403 0.289 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
764	G50B_062_062dd	0.0 0.625 0.625	0.625 0.625 0.312	210	0.0 0.625 0.625	44.4 -18.5 -24.9	31.1 233.2 0.974	0.442 0.288 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
765	RO0Y_100_050dd	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.5	71.4 35.1 22.4	41.7 32.5 0.0	0.508 0.405 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
766	RO0Y_087_037dd	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.5	68.5 26.3 16.8	31.2 32.5 0.0	0.093 0.497 0.416	389 1.0 0.0 0.0	46.4 70.3 44.9
767	RO0Y_075_025dd	0.75 0.5 0.5	0.75 0.25 0.625	390	0.75 0.5 0.5	65.7 17.5 11.2	20.8 32.5 0.0	0.27 0.466 0.405	389 1.0 0.0 0.0	46.4 70.3 44.9
768	RO0Y_062_012dd	0.625 0.5 0.5	0.625 0.125 0.562	390	0.625 0.5 0.5	62.8 8.7 5.6	10.4 32.5 0.0	0.407 0.421 0.382	389 1.0 0.0 0.0	46.4 70.3 44.9
769	NW_050dd	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0 0.0	0.541 0.397 0.38	360 1.0 1.0 1.0	96.4 0.0 0.0
770	G50B_050_012dd	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.5 0.5	55.1 -3.7 -4.9	6.2 233.2 0.65	0.418 0.381 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
771	G50B_050_025dd	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.5 0.5	50.1 -7.4 -9.9	12.4 233.2 0.736	0.449 0.386 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
772	G50B_050_037dd	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.5 0.5	45.2 -11.1 -14.9	18.6 233.2 0.858	0.502 0.396 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
773	G50B_050_050dd	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.5 0.5	40.3 -14.8 -19.9	24.8 233.2 0.971	0.552 0.392 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
774	RO0Y_100_062dd	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.375	65.1 43.9 28.0	52.1 32.5 0.0	0.623 0.505 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
775	RO0Y_087_050dd	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.375	62.3 35.1 22.4	41.7 32.5 0.0	0.094 0.619 0.524	389 1.0 0.0 0.0	46.4 70.3 44.9
776	RO0Y_075_037dd	0.75 0.375 0.375	0.75 0.375 0.562	390	0.75 0.375 0.375	59.4 26.3 16.8	31.2 32.5 0.0	0.265 0.586 0.509	389 1.0 0.0 0.0	46.4 70.3 44.9
777	RO0Y_062_025dd	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.375	56.6 17.5 11.2	20.8 32.5 0.0	0.401 0.545 0.496	389 1.0 0.0 0.0	46.4 70.3 44.9
778	RO0Y_050_012dd	0.5 0.375 0.375	0.5 0.125 0.437	390	0.5 0.375 0.375	53.7 8.7 5.6	10.4 32.5 0.0	0.531 0.53 0.496	389 1.0 0.0 0.0	46.4 70.3 44.9
779	NW_037dd	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9 0.0 0.0	0.0 0.0 0.0	0.654 0.497 0.482	360 1.0 1.0 1.0	96.4 0.0 0.0
780	G50B_037_012dd	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.375 0.375	46.0 -3.7 -4.9	6.2 233.2 0.737	0.533 0.488 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
781	G50B_037_025dd	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.375 0.375	41.0 -7.4 -9.9	12.4 233.2 0.858	0.607 0.505 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
782	G50B_037_037dd	0.0 0.375 0.375	0.375 0.375 0.187	210	0.0 0.375 0.375	36.1 -11.1 -14.9	18.6 233.2 0.971	0.664 0.506 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
783	RO0Y_100_075dd	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.25	58.9 52.7 33.6	62.5 32.5 0.0	0.749 0.644 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
784	RO0Y_087_062dd	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.25	56.0 43.9 28.0	52.1 32.5 0.0	0.735 0.649 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
785	RO0Y_075_050dd	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.25	53.2 35.1 22.4	41.7 32.5 0.0	0.705 0.631 0.000	389 1.0 0.0 0.0	46.4 70.3 44.9
786	RO0Y_062_037dd	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.25	50.3 26.3 16.8	31.2 32.5 0.0	0.409 0.676 0.626	389 1.0 0.0 0.0	46.4 70.3 44.9
787	RO0Y_050_025dd	0.5 0.25 0.25	0.5 0.25 0.375	390	0.5 0.249 0.249	47.5 17.5 11.2	20.8 32.5 0.0	0.537 0.667 0.623	389 1.0 0.0 0.0	46.4 70.3 44.9
788	RO0Y_037_012dd	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.249	44.6 8.7 5.6	10.4 32.5 0.0	0.652 0.645 0.605	389 1.0 0.0 0.0	46.4 70.3 44.9
789	NW_025dd	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	41.8 0.0 0.0	0.0 0.0 0.0	0.744 0.626 0.604	360 1.0 1.0 1.0	96.4 0.0 0.0
790	G50B_025_012dd	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.25 0.25	36.8 -3.7 -4.9	6.2 233.2 0.87	0.704 0.64 0.000	210 0.0 1.0 1.0	57.0 -29.7 -39.8
791	G50B_025_025dd	0.0 0.25 0.25	0.25 0.25 0.125	210	0.0 0.25 0.25					

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.LTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS
application pour la mesure des sorties sur offset, separationcmY0* (CMY0)
TUB matériel: code=rha4ta

n	HIC*Fdd	rgb_Fdd	ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd	cmyn*sep.Fdd	hsiM_ddd	rgb*Mdd	LabCh*Mdd
810	NW_100dd	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	96.4 0.0 0.0	0.0 0.0 0.0	360	1.0 1.0 1.0	96.4 0.0 0.0
811	B00R_100_012dd	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.875 1.0	87.6 3.2 -4.8	5.8 303.9	0.139 0.13	0.009 0.0	-38.7 46.7 303.9
812	B00R_100_025dd	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.75 1.0	78.8 6.5 -9.6	11.6 303.9	0.269 0.234	0.005 0.0	25.8 26.0 -38.7 46.7 303.9
813	B00R_100_037dd	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.625 1.0	69.9 9.7 -14.5	17.5 303.9	0.383 0.35	0.0 0.0	25.8 26.0 -38.7 46.7 303.9
814	B00R_100_050dd	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.5 1.0	61.1 13.0 -19.3	23.3 303.9	0.496 0.459	0.0 0.0	25.8 26.0 -38.7 46.7 303.9
815	B00R_100_062dd	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.375 1.0	52.3 16.2 -24.2	29.2 303.9	0.621 0.559	0.0 0.0	25.8 26.0 -38.7 46.7 303.9
816	B00R_100_075dd	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.25 1.0	43.5 19.5 -29.0	35.0 303.9	0.711 0.678	0.0 0.0	25.8 26.0 -38.7 46.7 303.9
817	B00R_100_087dd	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.125 1.0	34.6 22.8 -33.9	40.8 303.9	0.843 0.834	0.006 0.0	25.8 26.0 -38.7 46.7 303.9
818	B00R_100_100dd	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.0 1.0	25.8 26.0 -38.7	46.7 303.9	1.0 1.0	0.0 0.0	25.8 26.0 -38.7 46.7 303.9
819	Y00G_100_012dd	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 1.0 0.875	95.4 -0.8 11.2	11.2 94.3	0.0 0.011	0.165 0.0	88.0 -6.8 89.7 90.0 94.3
820	NW_087dd	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	87.3 0.0 0.0	0.0 0.0	0.163 0.102	0.101 0.0	96.4 0.0 0.0 0.0
821	B00R_087_012dd	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.75 0.875	78.5 3.2 -4.8	5.8 303.9	0.286 0.211	0.101 0.0	25.8 26.0 -38.7 46.7 303.9
822	B00R_087_025dd	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.625 0.875	69.7 6.5 -9.6	11.6 303.9	0.397 0.328	0.101 0.0	25.8 26.0 -38.7 46.7 303.9
823	B00R_087_037dd	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.5 0.875	60.8 9.7 -14.5	17.5 303.9	0.508 0.446	0.107 0.0	25.8 26.0 -38.7 46.7 303.9
824	B00R_087_050dd	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.375 0.875	52.0 13.0 -19.3	23.3 303.9	0.629 0.546	0.109 0.0	25.8 26.0 -38.7 46.7 303.9
825	B00R_087_062dd	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.25 0.875	43.2 16.2 -24.2	29.2 303.9	0.716 0.667	0.11 0.0	25.8 26.0 -38.7 46.7 303.9
826	B00R_087_075dd	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.125 0.875	34.4 19.5 -29.0	35.0 303.9	0.842 0.825	0.135 0.0	25.8 26.0 -38.7 46.7 303.9
827	B00R_087_087dd	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.0 0.875	25.5 22.8 -33.9	40.8 303.9	0.994 0.999	0.138 0.0	25.8 26.0 -38.7 46.7 303.9
828	Y00G_100_025dd	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 1.0 0.75	94.3 -1.7 22.4	22.5 94.3	0.0 0.016	0.314 0.0	88.0 -6.8 89.7 90.0 94.3
829	Y00G_087_012dd	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.875 0.75	86.3 -0.8 11.2	11.2 94.3	0.144 0.112	0.273 0.0	88.0 -6.8 89.7 90.0 94.3
830	NW_075dd	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	78.2 0.0 0.0	0.0 0.0	0.304 0.187	0.191 0.0	96.4 0.0 0.0 0.0
831	B00R_075_012dd	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.625 0.75	69.4 3.2 -4.8	5.8 303.9	0.411 0.304	0.193 0.0	25.8 26.0 -38.7 46.7 303.9
832	B00R_075_025dd	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.5 0.75	60.6 6.5 -9.6	11.6 303.9	0.518 0.429	0.205 0.0	25.8 26.0 -38.7 46.7 303.9
833	B00R_075_037dd	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.375 0.75	51.7 9.7 -14.5	17.5 303.9	0.634 0.535	0.212 0.0	25.8 26.0 -38.7 46.7 303.9
834	B00R_075_050dd	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.25 0.75	42.9 13.0 -19.3	23.3 303.9	0.721 0.663	0.223 0.0	25.8 26.0 -38.7 46.7 303.9
835	B00R_075_062dd	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.125 0.75	34.1 16.2 -24.2	29.2 303.9	0.846 0.825	0.259 0.0	25.8 26.0 -38.7 46.7 303.9
836	B00R_075_075dd	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.0 0.75	25.3 19.5 -29.0	35.0 303.9	0.988 1.0	0.27 0.0	25.8 26.0 -38.7 46.7 303.9
837	Y00G_100_037dd	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 1.0 0.625	93.3 -2.5 33.6	33.7 94.3	0.0 0.019	0.441 0.0	88.0 -6.8 89.7 90.0 94.3
838	Y00G_087_025dd	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.875 0.625	85.2 -1.7 22.4	22.5 94.3	0.133 0.118	0.42 0.0	88.0 -6.8 89.7 90.0 94.3
839	Y00G_075_012dd	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.75 0.625	77.2 -0.8 11.2	11.2 94.3	0.285 0.197	0.359 0.0	88.0 -6.8 89.7 90.0 94.3
840	NW_062dd	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	69.1 0.0 0.0	0.0 0.0	0.425 0.278	0.28 0.0	96.4 0.0 0.0 0.0
841	B00R_062_012dd	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.5 0.625	60.3 3.2 -4.8	5.8 303.9	0.529 0.413	0.296 0.0	25.8 26.0 -38.7 46.7 303.9
842	B00R_062_025dd	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.375 0.625	51.4 6.5 -9.6	11.6 303.9	0.639 0.523	0.308 0.0	25.8 26.0 -38.7 46.7 303.9
843	B00R_062_037dd	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.25 0.625	42.6 9.7 -14.5	17.5 303.9	0.725 0.653	0.327 0.0	25.8 26.0 -38.7 46.7 303.9
844	B00R_062_050dd	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.125 0.625	33.8 13.0 -19.3	23.3 303.9	0.851 0.818	0.376 0.0	25.8 26.0 -38.7 46.7 303.9
845	B00R_062_062dd	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.0 0.625	25.0 16.2 -24.2	29.2 303.9	0.985 1.0	0.394 0.0	25.8 26.0 -38.7 46.7 303.9
846	Y00G_100_050dd	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 1.0 0.5	92.2 -3.4 44.8	45.0 94.3	0.0 0.018	0.557 0.0	88.0 -6.8 89.7 90.0 94.3
847	Y00G_087_037dd	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.875 0.5	84.2 -2.5 33.6	33.7 94.3	0.125 0.119	0.548 0.0	88.0 -6.8 89.7 90.0 94.3
848	Y00G_075_025dd	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.75 0.5	76.1 -1.7 22.4	22.5 94.3	0.274 0.205	0.498 0.0	88.0 -6.8 89.7 90.0 94.3
849	Y00G_062_012dd	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.625 0.5	68.1 -0.8 11.2	11.2 94.3	0.407 0.292	0.434 0.0	88.0 -6.8 89.7 90.0 94.3
850	NW_050dd	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	60.0 0.0 0.0	0.0 0.0	0.541 0.397	0.38 0.0	96.4 0.0 0.0 0.0
851	B00R_050_012dd	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.375 0.5	51.2 3.2 -4.8	5.8 303.9	0.646 0.51	0.399 0.0	25.8 26.0 -38.7 46.7 303.9
852	B00R_050_025dd	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.249 0.5	42.3 6.5 -9.6	11.6 303.9	0.729 0.643	0.423 0.0	25.8 26.0 -38.7 46.7 303.9
853	B00R_050_037dd	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.124 0.5	33.5 9.7 -14.5	17.5 303.9	0.854 0.816	0.48 0.0	25.8 26.0 -38.7 46.7 303.9
854	B00R_050_050dd	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.0 0.5	24.7 13.0 -19.3	23.3 303.9	0.984 1.0	0.512 0.0	25.8 26.0 -38.7 46.7 303.9
855	Y00G_100_062dd	1.0 1.0 0.375	1.0 0.625 0.687	90	1.0 1.0 0.375	91.2 -4.3 56.0	56.2 94.3	0.0 0.015	0.669 0.0	88.0 -6.8 89.7 90.0 94.3
856	Y00G_087_050dd	0.875 0.875 0.375	0.875 0.5 0.625	90	0.875 0.875 0.375	83.1 -3.4 44.8	45.0 94.3	0.123 0.118	0.669 0.0	88.0 -6.8 89.7 90.0 94.3
857	Y00G_075_037dd	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.75 0.375	75.1 -2.5 33.6	33.7 94.3	0.273 0.204	0.628 0.0	88.0 -6.8 89.7 90.0 94.3
858	Y00G_062_025dd	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.625 0.375	67.0 -1.7 22.4	22.5 94.3	0.399 0.301	0.575 0.0	88.0 -6.8 89.7 90.0 94.3
859	Y00G_050_012dd	0.5 0.5 0.375	0.5 0.125 0.437	90	0.5 0.5 0.375	58.9 -0.8 11.2	11.2 94.3	0.526 0.411	0.539 0.0	88.0 -6.8 89.7 90.0 94.3
860	NW_037dd	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	50.9 0.0 0.0	0.0 0.0	0.654 0.497	0.482 0.0	96.4 0.0 0.0 0.0
861	B00R_037_012dd	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.249 0.375	42.1 3.2 -4.8	5.8 303.9	0.736 0.638	0.516 0.0	25.8 26.0 -38.7 46.7 303.9
862	B00R_037_025dd	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.124 0.375	33.2 6.5 -9.6	11.6 303.9	0.865 0.814	0.59 0.0	25.8 26.0 -38.7 46.7 303.9
863	B00R_037_037dd	0.0 0.0 0.375	0.375 0.375 0.187	270	0.0 0.0 0.375	24.4 9.7 -14.5	17.5 303.9	0.986 1.0	0.623 0.0	25.8 26.0 -38.7 46.7 303.9
864	Y00G_100_075dd	1.0 1.0 0.25	1.0 0.75 0.625	90	1.0 1.0 0.25	90.1 -5				

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 31/33

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.L0FA.TXT> /.PS
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmv0* (CMY0)

n	HIC*Fdd	rgb_Fdd			ict_Fdd			hsi_Fdd			rgb*Fdd			LabCh*Fdd			cmvyn*sep.Fdd			hsiM_dd			rgb*Mdd			LabCh*Mdd			
891	NW_100dd	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
892	B50R_100_012dd	1.0	0.875	1.0	1.0	0.125	0.937	330	1.0	0.875	1.0	90.3	9.7	0.0	9.7	359.5	0.0	0.167	0.009	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
893	B50R_100_025dd	1.0	0.75	1.0	1.0	0.25	0.875	330	1.0	0.75	1.0	84.1	19.5	-0.1	19.5	359.5	0.0	0.31	0.012	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
894	B50R_100_037dd	1.0	0.625	1.0	1.0	0.375	0.812	330	1.0	0.625	1.0	78.0	29.3	-0.2	29.3	359.5	0.0	0.429	0.016	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
895	B50R_100_050dd	1.0	0.5	1.0	1.0	0.5	0.75	330	1.0	0.5	1.0	71.8	39.1	-0.3	39.1	359.5	0.0	0.529	0.021	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
896	B50R_100_062dd	1.0	0.375	1.0	1.0	0.625	0.687	330	1.0	0.375	1.0	65.6	48.9	-0.4	48.9	359.5	0.0	0.647	0.016	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
897	B50R_100_075dd	1.0	0.25	1.0	1.0	0.75	0.625	330	1.0	0.25	1.0	59.5	58.7	-0.4	58.7	359.5	0.0	0.765	0.017	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
898	B50R_100_087dd	1.0	0.125	1.0	1.0	0.875	0.562	330	1.0	0.125	1.0	53.3	68.5	-0.5	68.5	359.5	0.0	0.874	0.023	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
899	B50R_100_100dd	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5	0.0	1.0	0.0	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
900	G00B_100_012dd	0.875	1.0	0.875	1.0	0.125	0.937	150	0.875	1.0	0.875	90.6	-8.1	3.4	8.8	157.0	0.2	0.0	0.153	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
901	NW_087dd	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	87.3	0.0	0.0	0.0	0.0	0.163	0.102	0.101	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
902	B50R_087_012dd	0.875	0.75	0.875	0.875	0.125	0.812	330	0.875	0.75	0.875	81.2	9.7	0.0	9.7	359.5	0.138	0.256	0.111	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
903	B50R_087_025dd	0.875	0.625	0.875	0.875	0.25	0.75	330	0.875	0.625	0.875	75.0	19.5	-0.1	19.5	359.5	0.124	0.403	0.122	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
904	B50R_087_037dd	0.875	0.5	0.875	0.875	0.375	0.687	330	0.875	0.5	0.875	68.8	29.3	-0.2	29.3	359.5	0.116	0.513	0.137	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
905	B50R_087_050dd	0.875	0.375	0.875	0.875	0.5	0.625	330	0.875	0.375	0.875	62.7	39.1	-0.3	39.1	359.5	0.116	0.639	0.15	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
906	B50R_087_062dd	0.875	0.25	0.875	0.875	0.625	0.562	330	0.875	0.25	0.875	56.5	48.9	-0.4	48.9	359.5	0.129	0.755	0.165	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
907	B50R_087_075dd	0.875	0.125	0.875	0.875	0.75	0.5	330	0.875	0.125	0.875	50.4	58.7	-0.4	58.7	359.5	0.154	0.86	0.185	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
908	B50R_087_087dd	0.875	0.0	0.875	0.875	0.875	0.437	330	0.875	0.0	0.875	44.2	68.5	-0.5	68.5	359.5	0.188	0.987	0.185	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
909	G00B_100_025dd	0.75	1.0	0.75	1.0	0.25	0.875	150	0.75	1.0	0.75	84.7	-16.2	6.9	17.6	157.0	0.351	0.0	0.275	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
910	G00B_087_012dd	0.75	0.875	0.75	0.875	0.125	0.812	150	0.75	0.875	0.75	81.5	-8.1	3.4	8.8	157.0	0.329	0.069	0.24	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
911	NW_075dd	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	78.2	0.0	0.0	0.0	0.0	0.304	0.187	0.191	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
912	B50R_075_012dd	0.75	0.625	0.75	0.75	0.125	0.687	330	0.75	0.625	0.75	72.1	9.7	0.0	9.7	359.5	0.29	0.349	0.205	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
913	B50R_075_025dd	0.75	0.5	0.75	0.75	0.25	0.625	330	0.75	0.5	0.75	65.9	19.5	-0.1	19.5	359.5	0.285	0.47	0.224	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
914	B50R_075_037dd	0.75	0.375	0.75	0.75	0.375	0.562	330	0.75	0.375	0.75	59.7	29.3	-0.2	29.3	359.5	0.284	0.594	0.24	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
915	B50R_075_050dd	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.75	53.6	39.1	-0.3	39.1	359.5	0.294	0.723	0.263	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
916	B50R_075_062dd	0.75	0.125	0.75	0.75	0.625	0.437	330	0.75	0.125	0.75	47.4	48.9	-0.4	48.9	359.5	0.312	0.833	0.287	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
917	B50R_075_075dd	0.75	0.0	0.75	0.75	0.75	0.375	330	0.75	0.0	0.75	41.3	58.7	-0.4	58.7	359.5	0.339	0.958	0.312	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
918	G00B_100_037dd	0.625	1.0	0.625	1.0	0.375	0.812	150	0.625	1.0	0.625	78.9	-24.4	10.3	26.5	157.0	0.478	0.0	0.387	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
919	G00B_087_025dd	0.625	0.875	0.625	0.875	0.25	0.75	150	0.625	0.875	0.625	75.6	-16.2	6.9	17.6	157.0	0.464	0.047	0.368	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
920	G00B_075_012dd	0.625	0.75	0.625	0.75	0.125	0.687	150	0.625	0.75	0.625	72.4	-8.1	3.4	8.8	157.0	0.446	0.172	0.331	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
921	NW_062dd	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	69.1	0.0	0.0	0.0	0.0	0.425	0.278	0.28	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0
922	B50R_062_012dd	0.625	0.5	0.625	0.625	0.125	0.562	330	0.625	0.5	0.625	62.9	9.7	0.0	9.7	359.5	0.418	0.426	0.299	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
923	B50R_062_025dd	0.625	0.375	0.625	0.625	0.25	0.5	330	0.625	0.375	0.625	56.8	19.5	-0.1	19.5	359.5	0.418	0.549	0.325	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
924	B50R_062_037dd	0.625	0.25	0.625	0.625	0.375	0.437	330	0.625	0.25	0.625	50.6	29.3	-0.2	29.3	359.5	0.427	0.686	0.354	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
925	B50R_062_050dd	0.625	0.125	0.625	0.625	0.5	0.375	330	0.625	0.125	0.625	44.5	39.1	-0.3	39.1	359.5	0.442	0.812	0.395	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
926	B50R_062_062dd	0.625	0.0	0.625	0.625	0.625	0.312	330	0.625	0.0	0.625	38.3	48.9	-0.4	48.9	359.5	0.466	0.95	0.445	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
927	G00B_100_050dd	0.5	1.0	0.5	1.0	0.5	0.75	150	0.5	1.0	0.5	73.0	-32.5	13.8	35.3	157.0	0.617	0.0	0.502	0.0	149	0.0	1.0	0					

http://130.149.60.45/~farbmetrik/SF07/SF07L0FA.TXT /.PS; linearisation 3D
F: linearisation 3D SF07/SF07LF30FA.DAT dans fichier (F), page 32/33

n	HIC*Fdd	rgb_Fdd			ict_Fdd	hsi_Fdd	rgb*Fdd	LabCh*Fdd			cmyn*sep.Fdd			hsiM_ddd	rgb*Mdd	LabCh*Mdd		
972	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.0	0.0	0.0
973	NW_012dd	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125	32.7	0.0	0.0	0.884	0.803	0.783	0.0	0.0
974	NW_025dd	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25	41.8	0.0	0.0	0.744	0.626	0.604	0.0	0.0
975	NW_037dd	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375	50.9	0.0	0.0	0.654	0.497	0.482	0.0	0.0
976	NW_050dd	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5	60.0	0.0	0.0	0.541	0.397	0.38	0.0	0.0
977	NW_062dd	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625	69.1	0.0	0.0	0.425	0.278	0.28	0.0	0.0
978	NW_075dd	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75	78.2	0.0	0.0	0.304	0.187	0.191	0.0	0.0
979	NW_087dd	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875	87.3	0.0	0.0	0.163	0.102	0.101	0.0	0.0
980	NW_100dd	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
981	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.0	0.0	0.0
982	NW_012dd	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125	32.7	0.0	0.0	0.884	0.803	0.783	0.0	0.0
983	NW_025dd	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25	41.8	0.0	0.0	0.744	0.626	0.604	0.0	0.0
984	NW_037dd	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375	50.9	0.0	0.0	0.654	0.497	0.482	0.0	0.0
985	NW_050dd	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5	60.0	0.0	0.0	0.541	0.397	0.38	0.0	0.0
986	NW_062dd	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625	69.1	0.0	0.0	0.425	0.278	0.28	0.0	0.0
987	NW_075dd	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75	78.2	0.0	0.0	0.304	0.187	0.191	0.0	0.0
988	NW_087dd	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875	87.3	0.0	0.0	0.163	0.102	0.101	0.0	0.0
989	NW_100dd	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
990	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.0	0.0	0.0
991	NW_012dd	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125	32.7	0.0	0.0	0.884	0.803	0.783	0.0	0.0
992	NW_025dd	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25	41.8	0.0	0.0	0.744	0.626	0.604	0.0	0.0
993	NW_037dd	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375	50.9	0.0	0.0	0.654	0.497	0.482	0.0	0.0
994	NW_050dd	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5	60.0	0.0	0.0	0.541	0.397	0.38	0.0	0.0
995	NW_062dd	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625	69.1	0.0	0.0	0.425	0.278	0.28	0.0	0.0
996	NW_075dd	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75	78.2	0.0	0.0	0.304	0.187	0.191	0.0	0.0
997	NW_087dd	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875	87.3	0.0	0.0	0.163	0.102	0.101	0.0	0.0
998	NW_100dd	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
999	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.0	0.0	0.0
1000	NW_012dd	0.125	0.125	0.125	0.125	0.125	360	0.125	0.125	0.125	32.7	0.0	0.0	0.884	0.803	0.783	0.0	0.0
1001	NW_025dd	0.25	0.25	0.25	0.25	0.25	360	0.25	0.25	0.25	41.8	0.0	0.0	0.744	0.626	0.604	0.0	0.0
1002	NW_037dd	0.375	0.375	0.375	0.375	0.375	360	0.375	0.375	0.375	50.9	0.0	0.0	0.654	0.497	0.482	0.0	0.0
1003	NW_050dd	0.5	0.5	0.5	0.5	0.5	360	0.5	0.5	0.5	60.0	0.0	0.0	0.541	0.397	0.38	0.0	0.0
1004	NW_062dd	0.625	0.625	0.625	0.625	0.625	360	0.625	0.625	0.625	69.1	0.0	0.0	0.425	0.278	0.28	0.0	0.0
1005	NW_075dd	0.75	0.75	0.75	0.75	0.75	360	0.75	0.75	0.75	78.2	0.0	0.0	0.304	0.187	0.191	0.0	0.0
1006	NW_087dd	0.875	0.875	0.875	0.875	0.875	360	0.875	0.875	0.875	87.3	0.0	0.0	0.163	0.102	0.101	0.0	0.0
1007	NW_100dd	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1008	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.0	0.0	0.0
1009	NW_006dd	0.066	0.066	0.066	0.066	0.066	360	0.066	0.066	0.066	28.4	0.0	0.0	0.937	0.882	0.864	0.0	0.0
1010	NW_013dd	0.133	0.133	0.133	0.133	0.133	360	0.133	0.133	0.133	33.3	0.0	0.0	0.877	0.793	0.773	0.0	0.0
1011	NW_020dd	0.2	0.2	0.2	0.2	0.2	360	0.2	0.2	0.2	38.1	0.0	0.0	0.801	0.695	0.671	0.0	0.0
1012	NW_026dd	0.266	0.266	0.266	0.266	0.266	360	0.266	0.266	0.266	42.9	0.0	0.0	0.733	0.608	0.585	0.0	0.0
1013	NW_033dd	0.333	0.333	0.333	0.333	0.333	360	0.333	0.333	0.333	47.8	0.0	0.0	0.684	0.538	0.518	0.0	0.0
1014	NW_040dd	0.4	0.4	0.4	0.4	0.4	360	0.4	0.4	0.4	52.7	0.0	0.0	0.637	0.475	0.46	0.0	0.0
1015	NW_046dd	0.466	0.466	0.466	0.466	0.466	360	0.466	0.466	0.466	57.5	0.0	0.0	0.575	0.422	0.406	0.0	0.0
1016	NW_053dd	0.533	0.533	0.533	0.533	0.533	360	0.533	0.533	0.533	62.4	0.0	0.0	0.508	0.373	0.354	0.0	0.0
1017	NW_060dd	0.6	0.6	0.6	0.6	0.6	360	0.6	0.6	0.6	67.3	0.0	0.0	0.448	0.303	0.3	0.0	0.0
1018	NW_066dd	0.666	0.666	0.666	0.666	0.666	360	0.666	0.666	0.666	72.1	0.0	0.0	0.386	0.242	0.249	0.0	0.0
1019	NW_073dd	0.734	0.734	0.734	0.734	0.734	360	0.734	0.734	0.734	77.0	0.0	0.0	0.32	0.197	0.202	0.0	0.0
1020	NW_080dd	0.8	0.8	0.8	0.8	0.8	360	0.8	0.8	0.8	81.9	0.0	0.0	0.253	0.154	0.157	0.0	0.0
1021	NW_086dd	0.866	0.866	0.866	0.866	0.866	360	0.866	0.866	0.866	86.7	0.0	0.0	0.173	0.109	0.107	0.0	0.0
1022	NW_093dd	0.933	0.933	0.933	0.933	0.933	360	0.933	0.933	0.933	91.5	0.0	0.0	0.09	0.054	0.054	0.0	0.0
1023	NW_100dd	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1024	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.0	0.0	0.0
1025	NW_006dd	0.066	0.066	0.066	0.066	0.066	360	0.066	0.066	0.066	28.4	0.0	0.0	0.937	0.882	0.864	0.0	0.0
1026	NW_013dd	0.133	0.133	0.133	0.133	0.133	360	0.133	0.133	0.133	33.3	0.0	0.0	0.877	0.793	0.773	0.0	0.0
1027	NW_020dd	0.2	0.2	0.2	0.2	0.2	360	0.2	0.2	0.2	38.1	0.0	0.0	0.801	0.695	0.671	0.0	0.0
1028	NW_026dd	0.266	0.266	0.266	0.266	0.266	360	0.266	0.266	0.266	42.9	0.0	0.0	0.733	0.608	0.585	0.0	0.0
1029	NW_033dd	0.333	0.333	0.333	0.333	0.333	360	0.333	0.333	0.333	47.8	0.0	0.0	0.684	0.538	0.518	0.0	0.0
1030	NW_040dd	0.4	0.4	0.4	0.4	0.4	360	0.4	0.4	0.4	52.7	0.0	0.0	0.637	0.475	0.46	0.0	0.0
1031	NW_046dd	0.466	0.466	0.466	0.466	0.466	360	0.466	0.466	0.466	57.5	0.0	0.0	0.575	0.422	0.406	0.0	0.0
1032	NW_053dd	0.533	0.533	0.533	0.533	0.533	360	0.533	0.533	0.533	62.4	0.0	0.0	0.508	0.373	0.354	0.0	0.0
1033	NW_060dd	0.6	0.6	0.6	0.6	0.6	360	0.6	0.6	0.6	67.3	0.0	0.0	0.448	0.303	0.3	0.0	0.0
1034	NW_066dd	0.666	0.666	0.666	0.666	0.666	360	0.666	0.666	0.666	72.1	0.0	0.0	0.386	0.242	0.249	0.0	0.0
1035	NW_073dd	0.734	0.734	0.734	0.734	0.734	360	0.734	0.734	0.734	77.0	0.0	0.0	0.32	0.197	0.202	0.0	0.0
1036	NW_080dd	0.8	0.8	0.8	0.8	0.8	360	0.8	0.8	0.8	81.9	0.0	0.0	0.253	0.154	0.157	0.0	0.0
1037	NW_086dd	0.866	0.866	0.866	0.866	0.866	360	0.866	0.866	0.866	86.7	0.0	0.0	0.173	0.109	0.107	0.0	0.0
1038	NW_093dd	0.933	0.933	0.933	0.933	0.933	360	0.933	0.933	0.933	91.5	0.0	0.0	0.09	0.054	0.054	0.0	0.0
1039	NW_100dd	1.0	1.0	1.0	1.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1040	NW_000dd	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	1.0	1.0	1.		

voir des fichiers similaires: <http://130.149.60.45/~farbmetrik/SF07/SF07.HTM>
informations techniques: <http://www.ps.bam.de> ou <http://130.149.60.45/~farbmetrik>

TUB enregistrement: 20130201-SF07/SF07L0FA.TXT /.PS TUB matériel: code=rha4ta
application pour la mesure des sorties sur offset, séparationcmY0* (CMY0)

	HIC*Fdd	rgb_Fdd			ict_Fdd		hsi_Fdd	rgb*Fdd			LabCh*Fdd				cmyn*sep,Fdd				hsiM,dd	rgb*Mdd			LabCh*Mdd							
1053	NW_086dd	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	86.7	0.0	0.0	0.0	0.0	0.173	0.109	0.107	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1054	NW_093dd	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	91.5	0.0	0.0	0.0	0.0	0.09	0.054	0.054	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1055	NW_100dd	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1056	NW_000dd	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1057	NW_006dd	0.066	0.066	0.066	0.066	0.0	0.066	360	0.066	0.066	0.066	28.4	0.0	0.0	0.0	0.0	0.937	0.882	0.864	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1058	NW_013dd	0.133	0.133	0.133	0.133	0.0	0.133	360	0.133	0.133	0.133	33.3	0.0	0.0	0.0	0.0	0.877	0.793	0.773	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1059	NW_020dd	0.2	0.2	0.2	0.2	0.0	0.2	360	0.2	0.2	0.2	38.1	0.0	0.0	0.0	0.0	0.801	0.695	0.671	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1060	NW_026dd	0.266	0.266	0.266	0.266	0.0	0.266	360	0.266	0.266	0.266	42.9	0.0	0.0	0.0	0.0	0.733	0.608	0.585	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1061	NW_033dd	0.333	0.333	0.333	0.333	0.0	0.333	360	0.333	0.333	0.333	47.8	0.0	0.0	0.0	0.0	0.684	0.538	0.518	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1062	NW_040dd	0.4	0.4	0.4	0.4	0.0	0.4	360	0.4	0.4	0.4	52.7	0.0	0.0	0.0	0.0	0.637	0.475	0.46	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1063	NW_046dd	0.466	0.466	0.466	0.466	0.0	0.466	360	0.466	0.466	0.466	57.5	0.0	0.0	0.0	0.0	0.575	0.422	0.406	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1064	NW_053dd	0.533	0.533	0.533	0.533	0.0	0.533	360	0.533	0.533	0.533	62.4	0.0	0.0	0.0	0.0	0.508	0.373	0.354	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1065	NW_060dd	0.6	0.6	0.6	0.6	0.0	0.6	360	0.6	0.6	0.6	67.3	0.0	0.0	0.0	0.0	0.448	0.303	0.3	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1066	NW_066dd	0.666	0.666	0.666	0.666	0.0	0.666	360	0.666	0.666	0.666	72.1	0.0	0.0	0.0	0.0	0.386	0.242	0.249	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1067	NW_073dd	0.734	0.734	0.734	0.734	0.0	0.734	360	0.734	0.734	0.734	77.0	0.0	0.0	0.0	0.0	0.32	0.197	0.202	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1068	NW_080dd	0.8	0.8	0.8	0.8	0.0	0.8	360	0.8	0.8	0.8	81.9	0.0	0.0	0.0	0.0	0.253	0.154	0.157	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1069	NW_086dd	0.866	0.866	0.866	0.866	0.0	0.866	360	0.866	0.866	0.866	86.7	0.0	0.0	0.0	0.0	0.173	0.109	0.107	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1070	NW_093dd	0.933	0.933	0.933	0.933	0.0	0.933	360	0.933	0.933	0.933	91.5	0.0	0.0	0.0	0.0	0.09	0.054	0.054	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1071	NW_100dd	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1072	NW_000dd	0.0	0.0	0.0	0.0	0.0	0.0	360	0.0	0.0	0.0	23.6	0.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1073	NW_100dd	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	96.4	0.0	0.0	0.0	0.0	
1074	R00Y_100_100dd	1.0	0.0	0.0	1.0	1.0	0.5	390	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5	0.0	1.0	1.0	0.0	0.0	389	1.0	0.0	0.0	46.4	70.3	44.9	83.4	32.5
1075	G50B_100_100dd	0.0	1.0	1.0	1.0	1.0	0.5	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2	1.0	0.0	0.0	0.0	0.0	210	0.0	1.0	1.0	57.0	-29.7	-39.8	49.7	233.2
1076	Y00G_100_100dd	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3	0.0	0.0	1.0	0.0	0.0	89	1.0	1.0	0.0	88.0	-6.8	89.7	90.0	94.3
1077	B00R_100_100dd	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9	1.0	1.0	0.0	0.0	0.0	270	0.0	0.0	1.0	25.8	26.0	-38.7	46.7	303.9
1078	G00B_100_100dd	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0	0.999	0.0	1.0	0.0	0.0	149	0.0	1.0	0.0	49.6	-65.0	27.6	70.6	157.0
1079	B50R_100_100dd	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5	0.0	1.0	0.0	0.0	0.0	330	1.0	0.0	1.0	47.2	78.3	-0.6	78.3	359.5
delta																														

delta

graphique TUB-SF07; 16 teintes, papier standard de offset
couleurs et différences, ΔE^* , 3D=1, de=0, $cmY0^*$

entrée: $rgb/cmyk \rightarrow rgb_{dd}$
sortie: linearisation 3D selon $cmY0^*_{dd}$