

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour D65, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 66.77        | 59.2         | 127.26       | 140.36     | 0.2511 | -0.0093 | 65.0     | 37 589             | 15 475             |
| Y <sub>m</sub> 495_770                                                               | 93.06        | -22.24       | 114.38       | 116.52     | 0.2052 | -0.0337 | 101.0    | 32 563             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 74.05        | -126.83      | 81.82        | 150.93     | 0.145  | -0.0407 | 147.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 77.44        | -64.32       | -30.95       | 71.38      | 0.181  | -0.1027 | 205.6    | 16 481             | -1 481c            |
| B <sub>m</sub> 380_495                                                               | 28.1         | 85.54        | -112.41      | 141.25     | 0.3122 | -0.2135 | 307.2    | 12 460             | 28 543             |
| M <sub>o</sub> 575_475                                                               | 70.75        | 79.0         | -38.88       | 88.05      | 0.2609 | -0.1085 | 333.7    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2154 | -0.0861 | 158.2    | 23 515             | -1 515c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2154 | -0.0861 | 180.0    | 18 492             | -1 492c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour D50, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 68.91        | 61.88        | 117.76       | 133.03     | 0.2528 | -0.0092 | 62.2     | 38 590             | 15 476             |
| Y <sub>m</sub> 495_770                                                               | 93.51        | -14.99       | 100.94       | 102.04     | 0.2096 | -0.0324 | 98.4     | 33 566             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 72.83        | -124.74      | 68.69        | 142.41     | 0.1462 | -0.0399 | 151.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 75.68        | -76.21       | -30.96       | 82.26      | 0.1749 | -0.0954 | 202.1    | 16 483             | -1 483c            |
| B <sub>m</sub> 380_495                                                               | 25.16        | 70.95        | -106.44      | 127.92     | 0.3025 | -0.2077 | 303.6    | 12 462             | 29 549             |
| M <sub>o</sub> 575_475                                                               | 72.02        | 74.72        | -32.8        | 81.6       | 0.2588 | -0.0971 | 336.2    | -1 520c            | 24 520             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2164 | -0.0785 | 160.0    | 23 516             | -1 516c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2164 | -0.0785 | 152.7    | 24 523             | -1 523c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour P40, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 71.71        | 60.3         | 111.02       | 126.34     | 0.2541 | -0.0091 | 61.4     | 38 591             | 15 476             |
| Y <sub>m</sub> 495_770                                                               | 93.9         | -10.66       | 91.13        | 91.75      | 0.2149 | -0.0309 | 96.6     | 33 569             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 70.75        | -125.02      | 57.87        | 137.76     | 0.1477 | -0.039  | 155.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 73.13        | -85.14       | -32.23       | 91.04      | 0.172  | -0.0905 | 200.7    | 16 484             | -1 484c            |
| B <sub>m</sub> 380_495                                                               | 22.14        | 61.44        | -102.08      | 119.14     | 0.3002 | -0.2061 | 301.0    | 12 462             | 30 554             |
| M <sub>o</sub> 575_475                                                               | 74.04        | 69.31        | -26.87       | 74.34      | 0.2582 | -0.0873 | 338.8    | -1 521c            | 24 521             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2197 | -0.0724 | 161.7    | 23 518             | -1 518c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2197 | -0.0724 | 165.7    | 22 514             | -1 514c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour A00, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 75.93        | 57.61        | 92.62        | 109.08     | 0.2573 | -0.0089 | 58.1     | 38 592             | 15 477             |
| Y <sub>m</sub> 495_770                                                               | 94.47        | -4.08        | 68.93        | 69.05      | 0.2242 | -0.0281 | 93.3     | 35 575             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 66.98        | -125.33      | 36.67        | 130.59     | 0.1505 | -0.0372 | 163.6    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 68.62        | -103.16      | -31.73       | 107.93     | 0.1651 | -0.078  | 197.0    | 17 488             | -1 488c            |
| B <sub>m</sub> 380_495                                                               | 16.59        | 36.76        | -88.88       | 96.19      | 0.2824 | -0.1957 | 292.4    | 12 464             | 33 566             |
| M <sub>o</sub> 575_475                                                               | 77.27        | 60.63        | -16.86       | 62.93      | 0.2585 | -0.0683 | 344.4    | -1 524c            | 24 524             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.226  | -0.0593 | 165.2    | 24 523             | -1 523c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.226  | -0.0593 | 83.1     | 35 576             | 14 471             |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour E00, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 69.15        | 57.52        | 126.95       | 139.37     | 0.2528 | -0.0092 | 65.6     | 38 590             | 15 475             |
| Y <sub>m</sub> 495_770                                                               | 93.34        | -19.72       | 111.66       | 113.38     | 0.21   | -0.0327 | 100.0    | 33 566             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 72.37        | -129.5       | 76.76        | 150.54     | 0.1458 | -0.0403 | 149.3    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 75.48        | -69.14       | -33.36       | 76.77      | 0.1813 | -0.1019 | 205.7    | 16 481             | -1 481c            |
| B <sub>m</sub> 380_495                                                               | 26.28        | 83.45        | -112.3       | 139.91     | 0.3176 | -0.2164 | 306.6    | 12 460             | 29 546             |
| M <sub>o</sub> 575_475                                                               | 72.49        | 75.25        | -34.88       | 82.94      | 0.2615 | -0.1034 | 335.1    | -1 520c            | 24 520             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2191 | -0.0837 | 159.0    | 23 516             | -1 516c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2191 | -0.0837 | 86.5     | 34 573             | 14 471             |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour C00, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 67.43        | 55.55        | 132.25       | 143.44     | 0.2509 | -0.0093 | 67.2     | 37 589             | 15 475             |
| Y <sub>m</sub> 495_770                                                               | 92.88        | -23.86       | 119.77       | 122.13     | 0.2067 | -0.0335 | 101.2    | 32 564             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 73.21        | -127.37      | 85.16        | 153.22     | 0.1463 | -0.0408 | 146.2    | 25 526             | -1 526c            |
| C <sub>m</sub> 380_565                                                               | 76.92        | -60.6        | -32.74       | 68.88      | 0.185  | -0.1061 | 208.3    | 16 480             | -1 480c            |
| B <sub>m</sub> 380_495                                                               | 29.19        | 87.31        | -113.96      | 143.57     | 0.3141 | -0.2145 | 307.4    | 12 460             | 28 543             |
| M <sub>o</sub> 575_475                                                               | 71.63        | 76.92        | -38.77       | 86.14      | 0.2615 | -0.1106 | 333.2    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2176 | -0.0885 | 157.8    | 23 515             | -1 515c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2176 | -0.0885 | 0.0      | -1 519c            | -1 515c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour P00, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 70.99        | 58.5         | 119.97       | 133.47     | 0.2542 | -0.0091 | 64.0     | 38 591             | 15 475             |
| Y <sub>m</sub> 495_770                                                               | 93.66        | -14.64       | 101.96       | 103.01     | 0.2139 | -0.0316 | 98.1     | 33 568             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 71.09        | -128.3       | 66.97        | 144.72     | 0.1469 | -0.0396 | 152.4    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 73.82        | -78.01       | -33.69       | 84.98      | 0.1771 | -0.0968 | 203.3    | 16 483             | -1 483c            |
| B <sub>m</sub> 380_495                                                               | 24.03        | 72.68        | -107.81      | 130.02     | 0.3112 | -0.2126 | 303.9    | 12 461             | 30 551             |
| M <sub>o</sub> 575_475                                                               | 73.73        | 71.37        | -30.17       | 77.49      | 0.2603 | -0.0948 | 337.0    | -1 521c            | 24 521             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2206 | -0.078  | 160.5    | 23 517             | -1 517c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2206 | -0.078  | 152.7    | 24 524             | -1 524c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour Q00, $Y_w=88,6$ |              |              |              |            |        |         |          |                    |                    |
|--------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                       | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                               | 67.22        | 56.16        | 132.25       | 143.68     | 0.2513 | -0.0093 | 66.9     | 37 589             | 15 475             |
| Y <sub>m</sub> 495_770                                                               | 93.02        | -25.21       | 119.93       | 122.55     | 0.206  | -0.0337 | 101.8    | 32 563             | 14 470             |
| G <sub>o</sub> 495_565                                                               | 73.61        | -130.45      | 85.69        | 156.08     | 0.1448 | -0.0409 | 146.6    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                               | 77.08        | -60.89       | -32.5        | 69.02      | 0.1848 | -0.1061 | 208.0    | 16 480             | -1 480c            |
| B <sub>m</sub> 380_495                                                               | 28.32        | 92.85        | -115.7       | 148.35     | 0.3221 | -0.2191 | 308.7    | 11 459             | 28 542             |
| M <sub>o</sub> 575_475                                                               | 71.21        | 79.16        | -39.54       | 88.49      | 0.2629 | -0.1114 | 333.4    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                               | 0.8          | -0.01        | 0.0          | 0.01       | 0.2175 | -0.0887 | 157.8    | 23 515             | -1 515c            |
| W <sub>o</sub> 380_770                                                               | 95.41        | 0.0          | 0.0          | 0.0        | 0.2175 | -0.0887 | 134.1    | 27 536             | 10 451             |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour D65, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 64.8         | 61.55        | 138.64       | 151.69     | 0.2533 | 0.0     | 66.0     | 37 588             | 13 469             |
| Y <sub>m</sub> 495_770                                                                    | 91.19        | -14.23       | 119.01       | 119.85     | 0.2086 | -0.0302 | 96.8     | 32 560             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 72.96        | -107.82      | 87.73        | 139.0      | 0.1546 | -0.0364 | 140.8    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 78.92        | -61.83       | -28.28       | 68.0       | 0.1826 | -0.1006 | 204.5    | 15 475             | -1 475c            |
| B <sub>m</sub> 380_495                                                                    | 37.29        | 46.02        | -97.22       | 107.56     | 0.2583 | -0.1769 | 295.3    | 11 459             | 29 546             |
| M <sub>o</sub> 575_475                                                                    | 71.88        | 68.97        | -37.83       | 78.67      | 0.2544 | -0.1072 | 331.2    | -1 516c            | 23 516             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2152 | -0.0857 | 158.2    | 22 510             | -1 510c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2152 | -0.0857 | 180.0    | 17 486             | -1 486c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour D50, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 67.27        | 63.37        | 130.3        | 144.89     | 0.2547 | 0.0     | 64.0     | 37 589             | 13 469             |
| Y <sub>m</sub> 495_770                                                                    | 92.0         | -8.46        | 106.08       | 106.42     | 0.2127 | -0.0291 | 94.5     | 32 563             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 72.04        | -106.84      | 74.85        | 130.45     | 0.156  | -0.0357 | 144.9    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 77.04        | -72.41       | -28.74       | 77.91      | 0.1777 | -0.0936 | 201.6    | 15 477             | -1 477c            |
| B <sub>m</sub> 380_495                                                                    | 33.75        | 33.65        | -93.73       | 99.59      | 0.2504 | -0.1723 | 289.7    | 12 461             | 30 552             |
| M <sub>o</sub> 575_475                                                                    | 72.81        | 66.29        | -32.59       | 73.87      | 0.2539 | -0.0965 | 333.8    | -1 517c            | 23 517             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2166 | -0.0782 | 160.1    | 22 511             | -1 511c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2166 | -0.0782 | 0.0      | -1 517c            | -1 511c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour P40, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 70.35        | 61.14        | 124.98       | 139.14     | 0.2557 | 0.0     | 63.9     | 38 590             | 13 469             |
| Y <sub>m</sub> 495_770                                                                    | 92.7         | -5.51        | 96.98        | 97.13      | 0.2178 | -0.0277 | 93.2     | 33 566             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 70.2         | -108.32      | 64.41        | 126.02     | 0.1575 | -0.035  | 149.2    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 74.41        | -80.27       | -30.39       | 85.83      | 0.176  | -0.0891 | 200.7    | 15 478             | -1 478c            |
| B <sub>m</sub> 380_495                                                                    | 30.21        | 26.55        | -91.54       | 95.31      | 0.249  | -0.1713 | 286.1    | 12 461             | 31 557             |
| M <sub>o</sub> 575_475                                                                    | 74.54        | 62.55        | -27.33       | 68.26      | 0.2548 | -0.0874 | 336.3    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2203 | -0.0723 | 161.8    | 22 513             | -1 513c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2203 | -0.0723 | 165.7    | 21 509             | -1 509c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour A00, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 75.06        | 57.33        | 107.74       | 122.05     | 0.2584 | 0.0     | 61.9     | 38 592             | 14 470             |
| Y <sub>m</sub> 495_770                                                                    | 93.74        | -0.79        | 74.62        | 74.62      | 0.2266 | -0.0251 | 90.6     | 34 572             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 66.75        | -109.87      | 42.68        | 117.87     | 0.1606 | -0.0333 | 158.7    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 69.63        | -95.98       | -30.5        | 100.71     | 0.1709 | -0.0769 | 197.6    | 16 481             | -1 481c            |
| B <sub>m</sub> 380_495                                                                    | 23.43        | 5.92         | -81.89       | 82.1       | 0.2344 | -0.1629 | 274.1    | 12 463             | 34 570             |
| M <sub>o</sub> 575_475                                                                    | 77.45        | 55.76        | -17.93       | 58.57      | 0.2567 | -0.0687 | 342.1    | -1 522c            | 24 522             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2269 | -0.0591 | 165.3    | 23 518             | -1 518c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2269 | -0.0591 | 83.1     | 34 572             | 12 464             |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour E00, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 67.34        | 59.39        | 139.66       | 151.76     | 0.2547 | 0.0     | 66.9     | 37 589             | 13 468             |
| Y <sub>m</sub> 495_770                                                                    | 91.66        | -12.84       | 117.23       | 117.93     | 0.2131 | -0.0293 | 96.2     | 32 563             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 71.47        | -111.24      | 83.39        | 139.02     | 0.1555 | -0.0361 | 143.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 76.99        | -65.98       | -30.87       | 72.84      | 0.1836 | -0.1003 | 205.0    | 15 475             | -1 475c            |
| B <sub>m</sub> 380_495                                                                    | 35.31        | 45.3         | -98.3        | 108.24     | 0.2631 | -0.1794 | 294.7    | 11 459             | 29 549             |
| M <sub>o</sub> 575_475                                                                    | 73.37        | 66.65        | -34.49       | 75.05      | 0.2563 | -0.103  | 332.6    | -1 517c            | 23 517             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.219  | -0.0837 | 159.0    | 22 510             | -1 510c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.219  | -0.0837 | 0.0      | -1 517c            | -1 510c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour C00, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 65.34        | 58.63        | 143.28       | 154.82     | 0.2531 | 0.0     | 67.7     | 37 588             | 13 468             |
| Y <sub>m</sub> 495_770                                                                    | 90.87        | -15.11       | 123.81       | 124.73     | 0.21   | -0.0301 | 96.9     | 32 561             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 72.04        | -107.99      | 90.64        | 140.99     | 0.1558 | -0.0365 | 139.9    | 25 526             | 1 408              |
| C <sub>m</sub> 380_565                                                                    | 78.53        | -59.12       | -29.73       | 66.18      | 0.1858 | -0.1037 | 206.7    | 14 474             | -1 474c            |
| B <sub>m</sub> 380_495                                                                    | 38.56        | 46.44        | -97.81       | 108.28     | 0.2595 | -0.1776 | 295.3    | 11 459             | 29 546             |
| M <sub>o</sub> 575_475                                                                    | 72.81        | 66.75        | -37.46       | 76.55      | 0.2546 | -0.1091 | 330.6    | -1 516c            | 23 516             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2171 | -0.088  | 157.9    | 21 509             | -1 509c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2171 | -0.088  | 152.7    | 22 514             | -1 514c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour P00, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 69.43        | 59.81        | 133.58       | 146.36     | 0.2558 | 0.0     | 65.8     | 38 590             | 13 469             |
| Y <sub>m</sub> 495_770                                                                    | 92.24        | -8.77        | 107.89       | 108.25     | 0.2167 | -0.0283 | 94.6     | 33 565             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 70.39        | -110.81      | 73.72        | 133.09     | 0.1567 | -0.0355 | 146.3    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 75.24        | -73.9        | -31.54       | 80.36      | 0.1803 | -0.0954 | 203.1    | 15 476             | -1 476c            |
| B <sub>m</sub> 380_495                                                                    | 32.6         | 36.27        | -95.67       | 102.32     | 0.258  | -0.1765 | 290.7    | 11 459             | 30 553             |
| M <sub>o</sub> 575_475                                                                    | 74.37        | 63.93        | -30.32       | 70.76      | 0.2561 | -0.0949 | 334.6    | -1 518c            | 23 518             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2208 | -0.0781 | 160.5    | 22 512             | -1 512c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2208 | -0.0781 | 0.0      | -1 518c            | -1 512c            |

| Couleurs optimales (o) <i>RYGCBM</i> de la maximum (m) $C_{AB}$ pour Q00, $Y_{w,10}=88,6$ |              |              |              |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------------------|--------------|--------------|--------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                            | $L^*_{88.6}$ | $a^*_{88.6}$ | $b^*_{88.6}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                                    | 65.18        | 58.58        | 143.93       | 155.39     | 0.2534 | 0.0     | 67.8     | 37 588             | 13 468             |
| Y <sub>m</sub> 495_770                                                                    | 91.08        | -17.26       | 124.98       | 126.17     | 0.2093 | -0.0302 | 97.8     | 32 560             | 12 464             |
| G <sub>o</sub> 495_565                                                                    | 72.5         | -111.44      | 92.02        | 144.52     | 0.1544 | -0.0366 | 140.4    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                                    | 78.65        | -58.58       | -29.71       | 65.69      | 0.1864 | -0.1043 | 206.8    | 14 474             | -1 474c            |
| B <sub>m</sub> 380_495                                                                    | 37.71        | 53.13        | -99.95       | 113.2      | 0.2667 | -0.1815 | 297.9    | 11 458             | 28 544             |
| M <sub>o</sub> 575_475                                                                    | 72.36        | 69.29        | -38.51       | 79.28      | 0.2565 | -0.1103 | 330.9    | -1 516c            | 23 516             |
| N <sub>o</sub> 380_770                                                                    | 0.8          | -0.01        | 0.0          | 0.01       | 0.2173 | -0.0886 | 157.8    | 21 509             | -1 509c            |
| W <sub>o</sub> 380_770                                                                    | 95.41        | 0.0          | 0.0          | 0.0        | 0.2173 | -0.0886 | 180.0    | 17 485             | -1 485c            |