

$XYZ_w=95.0443, 100.0, 108.89$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.21945$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$



$XYZ_w=96.4228, 100.0, 82.49$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.219$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08976$

$n = D50$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=100.932, 100.0, 64.68$

$b^*_{D65}$

$a^* = 500 (a' - a'_n) Y^{1/3}_m$

$b^* = 500 (b' - b'_n) Y^{1/3}_m$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w = 109.849, 100.0, 35.58$

$b^*_{D65}$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08276$

$n = A00$

CIELAB D65

Nom et la gamma spectrale

$R_m$  565\_770  $Y_m$  495\_770


$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

Couleurs optimales (o),  $Y_w = 100$

6 de la chroma maximum (m)  $C_{AB}$  pour

dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )



$XYZ_w = 100.001, 100.0, 100.0$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

**Couleurs optimales (o),  $Y_w = 100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=98.0718, 100.0, 118.22$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$



**CIE LAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**

$XYZ_w = 102.067, 100.0, 81.06$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.21376$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.68976$

$n = P00$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w = 100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=97.9332, 100.0, 118.95$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$



**CIE LAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**

$XYZ_w=94.8136, 100.0, 107.33$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D65$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770


$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=96.7256, 100.0, 81.41$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = D50$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w = 101.751, 100.0, 64.44$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = P40$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

**Couleurs optimales (o),  $Y_w = 100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w = 111.15, 100.0, 35.19$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.0815$

$n = A00$

**CIELAB D65**

**Nom et la gamma spectrale**


$R_m$  565\_770     $Y_m$  495\_770

$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

**Couleurs optimales (o),  $Y_w = 100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**  
**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=99.9908, 99.9999, 100.0$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$   $G_m$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = E00$



**CIE LAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**

$XYZ_w=97.2866, 100.0, 116.14$   $b^*$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = C00$



**CIE LAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**

$XYZ_w = 102.375, 100.0, 81.25$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$

$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08375$

$n = P00$

**CIELAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770     $Y_m$  495\_770


$G_m$  475\_575     $C_m$  380\_565

$B_m$  380\_495     $M_m$  575\_475

**Couleurs optimales (o),  $Y_w = 100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**



$XYZ_w=97.65, 100.0, 118.42$

$a^* = 500 (a' - a'_n) Y^{1/3}$

$b^* = 500 (b' - b'_n) Y^{1/3}$


$a' = a_2 [x/y]^{1/3}$

$b' = b_2 [z/y]^{1/3}$

$a_2 = [1/X_{D65}]^{1/3} = 0.2191$

$b_2 = -[1/Z_{D65}]^{1/3} = -0.08376$

$n = Q00$



**CIE LAB D65**

**Nom et la gamma spectrale**

$R_m$  565\_770  $Y_m$  495\_770

$G_m$  475\_575  $C_m$  380\_565

$B_m$  380\_495  $M_m$  575\_475

**Couleurs optimales (o),  $Y_w=100$**

**6 de la chroma maximum (m)  $C_{AB}$  pour**

**dans le diagramme de chroma ( $a^*_{D65}, b^*_{D65}$ )**